| COLLOCATION - Alabama | | | | | | | | | | | | | | Attachment: 4 Exh B | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | NRC Disconnect | | OSS Rates($) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Physical Collocation-4-Fiber Cross-Connect | | | ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF, UDFCX | PE1F4 | 4.99 | 25.55 | 19.86 | 9.71 | 8.25 | | | | | | |
| | | Physical Collocation-Co-Carrier Cross Connects/Direct Connect-Fiber Cable Support Structure, per linear foot, per Cable. | | | CLO | PE1ES | 0.0011 | | | | | | | | | | |
| | | Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Copper/Coax Cable Support Structure, per linear foot, per cable. | | | CLO | PE1DS | 0.0016 | | | | | | | | | | |
| | | Physical Collocation 2-Wire Cross Connect, Port | | | UEPSR, UEPSP, UEPSE, UEPSB, UEPSX, UEP2C | PE1R2 | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | | | | | |
| | | Physical Collocation 4-Wire Cross Connect, Port | | | UEPEX, UEPDD | PE1R4 | 0.05 | 12.39 | 11.87 | 6.39 | 5.73 | | | | | | |
| | **Security** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hour | | | CLO | PE1BT | | 16.93 | 10.73 | | | | | | | | |
| | | Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hours on a scheduled work day, per half hour | | | CLO | PE1OT | | 22.05 | 13.86 | | | | | | | | |
| | | Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hour | | | CLO | PE1PT | | 27.17 | 16.98 | | | | | | | | |
| | | Physical Collocation-Security Access System-Security System per Central Office | | | CLO | PE1AX | 45.70 | | | | | | | | | | |
| | | Physical Collocation -Security Access System-New Card Activation, per Card Activation (First), per State | | | CLO | PE1A1 | 0.05 | 27.79 | | | | | | | | | |
| | | Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card | | | CLO | PE1AA | | 7.79 | | | | | | | | | |
| | | Physical Collocation-Security Access System-Replace Lost or Stolen Card, per Card | | | CLO | PE1AR | | 22.78 | | | | | | | | | |
| | | Physical Collocation-Security Access-Initial Key, per Key | | | CLO | PE1AK | | 13.10 | | | | | | | | | |
| | | Physical Collocation-Security Access-Key, Replace Lost or Stolen Key, per Key | | | CLO | PE1AL | | 13.10 | | | | | | | | | |
| | **CFA** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-CFA Information Resend Request, per premises, per arrangement, per request | | | CLO | PE1C9 | | 77.56 | | | | | | | | | |
| | **Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial I" and "Subsequent S" respectively** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Cable Records, per request | | | CLO | PE1CR | | I 759.29 | S 488.11 | 133.00 | | | | | | | |
| | | Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) | | | CLO | PE1CD | | 326.92 | | 189.12 | | | | | | | |
| | | Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair | | | CLO | PE1CO | | 4.81 | | 5.90 | | | | | | | |
| | | Physical Collocation, Cable Records, DS1, per T1 TIE | | | CLO | PE1C1 | | 2.25 | | 2.76 | | | | | | | |
| | | Physical Collocation, Cable Records, DS3, per T3 TIE | | | CLO | PE1C3 | | 7.88 | | 9.66 | | | | | | | |
| | | Physical Collocation-Cable Records, Fiber Cable, per cable record (maximum 99 records) | | | CLO | PE1CB | | 84.49 | | 77.13 | | | | | | | |
| | | Physical Collocation, Cable Records,CAT5/RJ45 | | | CLO | PE1C5 | | 2.25 | | 2.76 | | | | | | | |
| | **Virtual to Physical** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation Relocation, per Voice Grade Circuit | | | CLO | PE1BV | | 33.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation Relocation, per DSO Circuit | | | CLO | PE1BO | | 33.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation Relocation, per DS1 Circuit | | | CLO | PE1B1 | | 52.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation Relocation, per DS3 Circuit | | | CLO | PE1B3 | | 52.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation In-Place, Per Voice Grade Circuit | | | CLO | PE1BR | | 23.00 | | | | | | | | | |
| | | Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit | | | CLO | PE1BP | | 23.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation In-Place, Per DS1 Circuit | | | CLO | PE1BS | | 33.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation In-Place, per DS3 Circuit | | | CLO | PE1BE | | 37.00 | | | | | | | | | |
| | **Entrance Cable** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Fiber Cable Installation, Pricing, non-recurring charge, per Entrance Cable | | | CLO | PE1BD | | 859.71 | | 22.49 | | | | | | | |
| | | Physical Collocation-Fiber Cable Support Structure, per Entrance Cable | | | CLO | PE1PM | 17.11 | | | | | | | | | | |
| | | Physical Collocation-Fiber Entrance Cable Installation, per Fiber | | | CLO | PE1ED | | 3.87 | | | | | | | | | |
| **VIRTUAL COLLOCATION** | | | | | | | | | | | | | | | | | |

| COLLOCATION - Alabama | | | | | | | | | | | | | | Attachment: 4 Exh B | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | Nonrecurring | | NRC Disconnect | | OSS Rates($) | | | | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Application | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-Application Fee | | | AMTFS | EAF | | 1,205.26 | | 0.51 | | | | | | | |
| | | Virtual Collocation-Co-Carrier Cross Connects/Direct Connect, Application Fee, per application | | | AMTFS | VE1CA | | 584.22 | | | | | | | | | |
| | | Virtual Collocation Administrative Only-Application Fee | | | AMTFS | VE1AF | | 742.15 | | | | | | | | | |
| | Space Preparation | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-Floor Space, per sq. ft. | | | AMTFS | ESPVX | 3.22 | | | | | | | | | | |
| | Power | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-Power, per fused amp | | | AMTFS | ESPAX | 7.83 | | | | | | | | | | |
| | Cross Connects (Cross Connects, Co-Carrier Cross Connects, and Ports) | | | | | | | | | | | | | | | | |
| | | Virtual Collocation- 2-wire cross-connect, loop, provisioning | | | UEANL, UEA, UDN, UAL, UHL, UCL, UEQ, UNCVX, UNCDX, UNCNX | UEAC2 | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | | | | | |
| | | Virtual Collocation-4-wire cross-connect, loop, provisioning | | | UEA, UHL, UCL, UDL, UNCVX, UNCDX | UEAC4 | 0.05 | 12.39 | 11.87 | 6.39 | 5.73 | | | | | | |
| | | Virtual collocation-Special Access & UNE, cross-connect per DS1 | | | ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USL, UEPEX, UEPDX | CNC1X | 1.11 | 22.03 | 15.93 | 6.40 | 5.79 | | | | | | |
| | | Virtual collocation-Special Access & UNE, cross-connect per DS3 | | | USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3 | CND3X | 14.16 | 20.89 | 15.20 | 7.38 | 5.92 | | | | | | |
| | | Virtual Collocation-2-Fiber Cross Connects | | | UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF | CNC2F | 2.84 | 20.89 | 15.20 | 7.38 | 5.92 | | | | | | |
| | | Virtual Collocation-4-Fiber Cross Connects | | | UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF | CNC4F | 5.69 | 25.55 | 19.86 | 9.71 | 8.25 | | | | | | |
| | | Virtual Collocation-Co-Carrier Cross Connects/Direct Connect-Fiber Cable Support Structure, per linear foot, per cable | | | AMTFS | VE1CB | 0.0011 | | | | | | | | | | |
| | | Virtual Collocation-Co-Carrier Cross Connects/Direct Connect-Copper/Coax Cable Support Structure, per linear foot, per cable | | | AMTFS | VE1CD | 0.0016 | | | | | | | | | | |
| | | Virtual Collocation 2-Wire Cross Connect, Port | | | UEPSX, UEPSB, UEPSE, UEPSP, UEPSR, UEP2C | VE1R2 | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | | | | | |
| | | Virtual Collocation 4-Wire Cross Connect, Port | | | UEPDD, UEPEX | VE1R4 | 0.05 | 12.39 | 11.87 | 6.39 | 5.73 | | | | | | |
| | CFA | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-CFA Information Resend Request, per Premises, per Arrangement, per request | | | AMTFS | VE1QR | | 77.56 | | | | | | | | | |
| | Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial I" & "Subsequent S" respectively | | | | | | | | | | | | | | | | |
| | | Virtual Collocation Cable Records-per request | | | AMTFS | VE1BA | | 759.29 | 488.11 | 133.00 | | | | | | | |
| | | Virtual Collocation Cable Records-VG/DS0 Cable, per cable record | | | AMTFS | VE1BB | | 326.92 | | 189.12 | | | | | | | |
| | | Virtual Collocaiton Cable Records-VG/DS0 Cable, per each 100 pair | | | AMTFS | VE1BC | | 4.81 | | 5.90 | | | | | | | |
| | | Virtual Collocation Cable Records-DS1, per T1TIE | | | AMTFS | VE1BD | | 2.25 | | 2.76 | | | | | | | |
| | | Virtual Collocation Cable Records-DS3, per T3TIE | | | AMTFS | VE1BE | | 7.88 | | 9.66 | | | | | | | |
| | | Virtual Collocation Cable Records-Fiber Cable, per 99 fiber records | | | AMTFS | VE1BF | | 84.49 | | 77.13 | | | | | | | |
| | | Virtual Collocation Cable Records-CAT 5/RJ45 | | | AMTFS | VE1B5 | | 2.25 | | 2.76 | | | | | | | |
| | Security | | | | | | | | | | | | | | | | |
| | | Virtual collocation-Security escort, basic time, normally scheduled work hours | | | AMTFS | SPTBX | | 16.93 | 10.73 | | | | | | | | |

| COLLOCATION - Alabama | | | | | | | | | | | | | Attachment: 4 Exh B | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | NRC Disconnect | | OSS Rates($) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Virtual collocation-Security escort, overtime, outside of normally scheduled work hours on a normal working day | | | AMTFS | SPTOX | | 22.05 | 13.86 | | | | | | | | |
| | Virtual collocation-Security escort, premium time, outside of a scheduled work day | | | AMTFS | SPTPX | | 27.17 | 16.98 | | | | | | | | |
| **Maintenance** | | | | | | | | | | | | | | | | |
| | Virtual collocation-Maintenance in CO-Basic, per half hour | | | AMTFS | CTRLX | | 27.93 | 10.73 | | | | | | | | |
| | Virtual collocation-Maintenance in CO-Overtime, per half hour | | | AMTFS | SPTOM | | 36.47 | 13.86 | | | | | | | | |
| | Virtual collocation-Maintenance in CO-Premium per half hour | | | AMTFS | SPTPM | | 45.02 | 16.98 | | | | | | | | |
| **Entrance Cable** | | | | | | | | | | | | | | | | |
| | Virtual Collocation-Cable Installation Charge, per cable | | | AMTFS | ESPCX | | 859.71 | | 22.49 | | | | | | | |
| | Virtual Collocation-Cable Support Structure, per cable | | | AMTFS | ESPSX | 14.97 | | | | | | | | | | |
| **COLLOCATION IN THE REMOTE SITE** | | | | | | | | | | | | | | | | |
| **Physical Remote Site Collocation** | | | | | | | | | | | | | | | | |
| | Physical Collocation in the Remote Site-Application Fee | | | CLORS | PE1RA | | 307.70 | | 168.22 | | | | | | | |
| | Cabinet Space in the Remote Site per Bay/ Rack | | | CLORS | PE1RB | 201.42 | | | | | | | | | | |
| | Physical Collocation in the Remote Site-Security Access-Key | | | CLORS | PE1RD | | 13.10 | | | | | | | | | |
| | Physical Collocation in the Remote Site-Space Availability Report per Premises Requested | | | CLORS | PE1SR | | 115.87 | | | | | | | | | |
| | Physical Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI Code Requested | | | CLORS | PE1RE | | 37.56 | | | | | | | | | |
| | Remote Site DLEC Data (BRSDD), per Compact Disk, per CO | | | CLORS | PE1RR | | 233.38 | | | | | | | | | |
| | Power, DC Power Provisioning (Alabama Only ICB Rate) | | | | | | | | | | | | | | | |
| | Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hour | | | CLORS | PE1BT | | 16.93 | 10.73 | | | | | | | | |
| | Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hours on a scheduled work day, per half hour | | | CLORS | PE1OT | | 22.05 | 13.86 | | | | | | | | |
| | Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hour | | | CLORS | PE1PT | | 27.17 | 16.98 | | | | | | | | |
| **Adjacent Remote Site Collocation** | | | | | | | | | | | | | | | | |
| | Remote Site-Adjacent Collocation-Application Fee | | | CLORS | PE1RU | | 755.62 | 755.62 | | | | | | | | |
| | Remote Site-Adjacent Collocation-Real Estate, per square foot | | | CLORS | PE1RT | 0.134 | | | | | | | | | | |
| | Remote Site-Adjacent Collocation-AC Power, per breaker amp | | | CLORS | PE1RS | 6.27 | | | | | | | | | | |
| **NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for adjacent remote site collocation, the Parties will negotiate appropriate rates.** | | | | | | | | | | | | | | | | |
| **Virtual Remote Site Collocation** | | | | | | | | | | | | | | | | |
| | Virtual Collocation in the Remote Site-Application Fee | | | VE1RS | VE1RB | | 307.70 | 307.70 | 168.22 | 168.22 | | | | | | |
| | Virtual Collocation in the Remote Site-Per Bay/Rack of Space | | | VE1RS | VE1RC | 201.42 | | | | | | | | | | |
| | Virtual Collocation in the Remote Site-Space Availability Report per Premises requested | | | VE1RS | VE1RR | | 115.87 | 115.87 | | | | | | | | |
| | Virtual Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI Code Requested | | | VE1RS | VE1RL | | 37.56 | 37.56 | | | | | | | | |
| **ADJACENT COLLOCATION** | | | | | | | | | | | | | | | | |
| | Adjacent Collocation-Space Charge per Sq. Ft. | | | CLOAC | PE1JA | 0.14 | | | | | | | | | | |
| | Adjacent Collocation-Electrical Facility Charge per Linear Ft. | | | CLOAC | PE1JC | 5.41 | | | | | | | | | | |
| | Adjacent Collocation-2-Wire Cross-Connects | | | UEANL,UEQ,UEA,UCL, UAL, UHL, UDN | PE1JE | 0.02 | 12.30 | 11.80 | 6.03 | 5.44 | | | | | | |
| | Adjacent Collocation-4-Wire Cross-Connects | | | UEA,UHL,UDL,UCL | PE1JF | 0.04 | 12.39 | 11.87 | 6.39 | 5.73 | | | | | | |
| | Adjacent Collocation-DS1 Cross-Connects | | | USL | PE1JG | 1.03 | 22.03 | 15.93 | 6.40 | 5.79 | | | | | | |
| | Adjacent Collocation-DS3 Cross-Connects | | | UE3 | PE1JH | 13.95 | 20.89 | 15.20 | 7.38 | 5.92 | | | | | | |
| | Adjacent Collocation-2-Fiber Cross-Connect | | | CLOAC | PE1JJ | 2.36 | 20.89 | 15.20 | 7.38 | 5.92 | | | | | | |
| | Adjacent Collocation-4-Fiber Cross-Connect | | | CLOAC | PE1JK | 4.52 | 25.55 | 19.86 | 9.71 | 8.25 | | | | | | |
| | Adjacent Collocation-Application Fee | | | CLOAC | PE1JB | | 1,576.69 | | 0.51 | | | | | | | |
| | Adjacent Collocation-120V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JL | 4.91 | | | | | | | | | | |
| | Adjacent Collocation-240V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JM | 9.84 | | | | | | | | | | |
| | Adjacent Collocation-120V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JN | 14.74 | | | | | | | | | | |
| | Adjacent Collocation-277V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JO | 34.06 | | | | | | | | | | |
| | Adjacent Collocation-DC power provisioning (Alabama Only Mandate ICB) | | | | | | | | | | | | | | | |
| | Note: ICB means Individual Case Basis | | | | | | | | | | | | | | | |
| **Note: Rates displaying an "I" in Interim column are interim as a result of a Commission order.** | | | | | | | | | | | | | | | | |

| COLLOCATION - Florida | | | | | | | | | | | | | | Attachment: 4 Exh B | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | NRC Disconnect | | OSS Rates($) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| PHYSICAL COLLOCATION | | | | | | | | | | | | | | | | | |
| | Application | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Initial Application Fee | | | CLO | PE1BA | | 2,785.00 | | 1.20 | | | | | | | |
| | | Physical Collocation-Subsequent Application Fee | | | CLO | PE1CA | | 2,236.00 | | 1.20 | | | | | | | |
| | | Physical Collocation-Co-Carrier Cross Connects/Direct Connect, Application Fee, per application | | | CLO | PE1DT | | 564.81 | | | | | | | | | |
| | | Physical Collocation-Power Reconfiguration Only, Application Fee | | | CLO | PE1PR | | 409.50 | | | | | | | | | |
| | | Physical Collocation Administrative Only-Application Fee | | | CLO | PE1BL | | 760.91 | | 1.20 | | | | | | | |
| | Space Preparation | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Floor Space, per sq feet | | | CLO | PE1PJ | 5.28 | | | | | | | | | | |
| | | Physical Collocation-Space Enclosure, welded wire, first 50 square feet | | | CLO | PE1BX | 171.12 | | | | | | | | | | |
| | | Physical Collocation-Space enclosure, welded wire, first 100 square feet | | | CLO | PE1BW | 189.73 | | | | | | | | | | |
| | | Physical Collocation-Space enclosure, welded wire, each additional 50 square feet | | | CLO | PE1CW | 18.61 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation-C.O. Modification per square ft. | | | CLO | PE1SK | 2.38 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation, Common Systems Modifications-Cageless, per square foot | | | CLO | PE1SL | 2.50 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation-Common Systems Modifications-Caged, per cage | | | CLO | PE1SM | 84.93 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation-Firm Order Processing | | | CLO | PE1SJ | | 287.36 | | | | | | | | | |
| | | Physical Collocation-Space Availability Report, per Central Office Requested | | | CLO | PE1SR | | 572.66 | | | | | | | | | |
| | Power | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Power, -48V DC Power-per Fused Amp Requested | | | CLO | PE1PL | 7.80 | | | | | | | | | | |
| | | Physical Collocation-Power, 120V AC Power, Single Phase, per Breaker Amp | | | CLO | PE1FB | 5.26 | | | | | | | | | | |
| | | Physical Collocation-Power, 240V AC Power, Single Phase, per Breaker Amp | | | CLO | PE1FD | 10.53 | | | | | | | | | | |
| | | Physical Collocation-Power, 120V AC Power, Three Phase, per Breaker Amp | | | CLO | PE1FE | 15.80 | | | | | | | | | | |
| | | Physical Collocation-Power, 277V AC Power, Three Phase, per Breaker Amp | | | CLO | PE1FG | 36.47 | | | | | | | | | | |
| | | Physical Collocation-Power-DC power, per Used Amp | | | CLO | PE1FN | 10.69 | | | | | | | | | | |
| | Cross Connects (Cross Connects, Co-Carrier Cross Connects, and Ports) | | | | | | | | | | | | | | | | |
| | | Physical Collocation-2-wire cross-connect, loop, provisioning | | | UEANL,UEQ,UNCNX, UEA, UCL, UAL, UHL, UDN, UNCVX | PE1P2 | 0.0208 | 7.32 | 5.37 | 4.58 | 2.71 | | | | | | |
| | | Physical Collocation-4-wire cross-connect, loop, provisioning | | | UEA, UHL, UNCVX, UNCDX, UCL, UDL | PE1P4 | 0.0416 | 8.00 | 5.75 | 5.00 | 2.69 | | | | | | |
| | | Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning | | | WDS1L, WDS1S, UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB, UEPSE, UEPSP, USL, UEPEX, UEPDX | PE1P1 | 0.3786 | 7.88 | 6.25 | 1.35 | 0.9899 | | | | | | |
| | | Physical Collocation-DS3 Cross-Connect, provisioning | | | UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSR, UEPSB, UEPSE, UEPSP | PE1P3 | 4.16 | 32.40 | 31.03 | 11.15 | 10.98 | | | | | | |
| | | Physical Collocation-2-Fiber Cross-Connect | | | CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF | PE1F2 | 1.71 | 28.26 | 25.85 | 13.78 | 11.01 | | | | | | |

| COLLOCATION - Florida | | | | | | | | | | | | | | Attachment: 4 Exh B | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | NRC Disconnect | | OSS Rates($) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Physical Collocation-4-Fiber Cross-Connect | | | ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF, UDFCX | PE1F4 | 3.34 | 37.92 | 35.51 | 18.20 | 15.44 | | | | | | |
| | | Physical Collocation-Co-Carrier Cross Connects/Direct Connect-Fiber Cable Support Structure, per linear foot, per cable. | | | CLO | PE1ES | 0.0008 | | | | | | | | | | |
| | | Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Copper/Coax Cable Support Structure, per linear foot, per cable. | | | CLO | PE1DS | 0.0012 | | | | | | | | | | |
| | | Physical Collocation 2-Wire Cross Connect, Port | | | UEPSR, UEPSP, UEPSE, UEPSB, UEPSX, UEP2C | PE1R2 | 0.0208 | 7.32 | 5.37 | 4.58 | 2.71 | | | | | | |
| | | Physical Collocation 4-Wire Cross Connect, Port | | | UEPEX, UEPDD | PE1R4 | 0.0416 | 8.00 | 5.75 | 5.00 | 2.69 | | | | | | |
| | **Security** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hour | | | CLO | PE1BT | | 33.65 | 22.05 | | | | | | | | |
| | | Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hours on a scheduled work day, per half hour | | | CLO | PE1OT | | 44.63 | 28.89 | | | | | | | | |
| | | Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hour | | | CLO | PE1PT | | 55.62 | 35.73 | | | | | | | | |
| | | Physical Collocation-Security Access System-Security System per Central Office, per Sq. Ft. | | | CLO | PE1AY | 0.0101 | | | | | | | | | | |
| | | Physical Collocation -Security Access System-New Card Activation, per Card Activation (First), per State | | | CLO | PE1A1 | | 38.95 | | | | | | | | | |
| | | Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card | | | CLO | PE1AA | | 8.84 | | | | | | | | | |
| | | Physical Collocation-Security Access System-Replace Lost or Stolen Card, per Card | | | CLO | PE1AR | | 28.78 | | | | | | | | | |
| | | Physical Collocation-Security Access-Initial Key, per Key | | | CLO | PE1AK | | 23.28 | | | | | | | | | |
| | | Physical Collocation-Security Access-Key, Replace Lost or Stolen Key, per Key | | | CLO | PE1AL | | 23.28 | | | | | | | | | |
| | **CFA** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-CFA Information Resend Request, per premises, per arrangement, per request | | | CLO | PE1C9 | | 79.52 | | | | | | | | | |
| | **Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial I" and "Subsequent S" respectively** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Cable Records, per request | | | CLO | PE1CR | | I 1515 | S 973.64 | 256.35 | | | | | | | |
| | | Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) | | | CLO | PE1CD | | 646.84 | | 362.41 | | | | | | | |
| | | Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair | | | CLO | PE1CO | | 9.11 | | 10.80 | | | | | | | |
| | | Physical Collocation, Cable Records, DS1, per T1 TIE | | | CLO | PE1C1 | | 4.52 | | 5.35 | | | | | | | |
| | | Physical Collocation, Cable Records, DS3, per T3 TIE | | | CLO | PE1C3 | | 15.81 | | 18.73 | | | | | | | |
| | | Physical Collocation-Cable Records, Fiber Cable, per cable record (maximum 99 records) | | | CLO | PE1CB | | 169.96 | | 149.97 | | | | | | | |
| | | Physical Collocation, Cable Records,CAT5/RJ45 | | | CLO | PE1C5 | | 4.52 | | 5.35 | | | | | | | |
| | **Virtual to Physical** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation Relocation, per Voice Grade Circuit | | | CLO | PE1BV | | 33.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation Relocation, per DSO Circuit | | | CLO | PE1BO | | 33.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation Relocation, per DS1 Circuit | | | CLO | PE1B1 | | 52.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation Relocation, per DS3 Circuit | | | CLO | PE1B3 | | 52.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation In-Place, Per Voice Grade Circuit | | | CLO | PE1BR | | 23.00 | | | | | | | | | |
| | | Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit | | | CLO | PE1BP | | 23.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation In-Place, Per DS1 Circuit | | | CLO | PE1BS | | 33.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation In-Place, per DS3 Circuit | | | CLO | PE1BE | | 37.00 | | | | | | | | | |
| | **Entrance Cable** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Fiber Cable Support Structure, per Entrance Cable | | | CLO | PE1PM | 5.19 | | | | | | | | | | |
| | | Physical Collocation-Fiber Entrance Cable per Cable (CO manhole to vault splice) | | | CLO | PE1EC | | 994.12 | | 43.84 | | | | | | | |
| | | Physical Collocation-Fiber Entrance Cable Installation, per Fiber | | | CLO | PE1ED | | 7.43 | | | | | | | | | |
| **VIRTUAL COLLOCATION** | | | | | | | | | | | | | | | | | |

| COLLOCATION - Florida | | | | | | | | | | | | | | Attachment: 4 Exh B | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | NRC Disconnect | | OSS Rates($) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | **Application** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-Application Fee | | | AMTFS | EAF | | 1,241.00 | | 1.20 | | | | | | | |
| | | Virtual Collocation-Co-Carrier Cross Connects/Direct Connect, Application Fee, per application | | | AMTFS | VE1CA | | 564.81 | | | | | | | | | |
| | | Virtual Collocation Administrative Only-Application Fee | | | AMTFS | VE1AF | | 760.91 | | 1.20 | | | | | | | |
| | **Space Preparation** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-Floor Space, per sq. ft. | | | AMTFS | ESPVX | 5.28 | | | | | | | | | | |
| | **Power** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-Power, per fused amp | | | AMTFS | ESPAX | 6.95 | | | | | | | | | | |
| | | Virtual Collocation-Power, DC power, per Used Amp | | | AMTFS | VE1PF | 10.69 | | | | | | | | | | |
| | **Cross Connects (Cross Connects, Co-Carrier Cross Connects, and Ports)** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation- 2-wire cross-connect, loop, provisioning | | | UEANL, UEA, UDN, UAL, UHL, UCL, UEQ, UNCVX, UNCDX, UNCNX | UEAC2 | 0.0201 | 7.32 | 5.37 | 4.58 | 2.71 | | | | | | |
| | | Virtual Collocation-4-wire cross-connect, loop, provisioning | | | UEA, UHL, UCL, UDL, UNCVX, UNCDX | UEAC4 | 0.0403 | 8.00 | 5.75 | 5.00 | 2.69 | | | | | | |
| | | Virtual collocation-Special Access & UNE, cross-connect per DS1 | | | ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USL, UEPEX, UEPDX | CNC1X | 0.3786 | 7.88 | 6.26 | 1.35 | 0.9915 | | | | | | |
| | | Virtual collocation-Special Access & UNE, cross-connect per DS3 | | | USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3 | CND3X | 4.16 | 32.40 | 31.03 | 11.15 | 10.98 | | | | | | |
| | | Virtual Collocation-2-Fiber Cross Connects | | | UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF | CNC2F | 1.75 | 28.26 | 25.85 | 13.78 | 11.01 | | | | | | |
| | | Virtual Collocation-4-Fiber Cross Connects | | | UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF | CNC4F | 3.50 | 37.92 | 35.51 | 18.20 | 15.44 | | | | | | |
| | | Virtual Collocation-Co-Carrier Cross Connects/Direct Connect-Fiber Cable Support Structure, per linear foot, per cable | | | AMTFS | VE1CB | 0.0008 | | | | | | | | | | |
| | | Virtual Collocation-Co-Carrier Cross Connects/Direct Connect-Copper/Coax Cable Support Structure, per linear foot, per cable | | | AMTFS | VE1CD | 0.0012 | | | | | | | | | | |
| | | Virtual Collocation 2-Wire Cross Connect, Port | | | UEPSX, UEPSB, UEPSE, UEPSP, UEPSR, UEP2C | VE1R2 | 0.0201 | 7.32 | 5.37 | 4.58 | 2.71 | | | | | | |
| | | Virtual Collocation 4-Wire Cross Connect, Port | | | UEPDD, UEPEX | VE1R4 | 0.0403 | 8.00 | 5.75 | 5.00 | 2.69 | | | | | | |
| | **CFA** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-CFA Information Resend Request, per Premises, per Arrangement, per request | | | AMTFS | VE1QR | | 79.52 | | | | | | | | | |
| | **Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial I" & "Subsequent S" respectively** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation Cable Records-per request | | | AMTFS | VE1BA | | 1,515.00 | 973.64 | 256.35 | | | | | | | |
| | | Virtual Collocation Cable Records-VG/DS0 Cable, per cable record | | | AMTFS | VE1BB | | 646.84 | | 362.41 | | | | | | | |
| | | Virtual Collocation Cable Records-VG/DS0 Cable, per each 100 pair | | | AMTFS | VE1BC | | 9.11 | | 10.80 | | | | | | | |
| | | Virtual Collocation Cable Records-DS1, per T1TIE | | | AMTFS | VE1BD | | 4.52 | | 5.35 | | | | | | | |
| | | Virtual Collocation Cable Records-DS3, per T3TIE | | | AMTFS | VE1BE | | 15.81 | | 18.73 | | | | | | | |
| | | Virtual Collocation Cable Records-Fiber Cable, per 99 fiber records | | | AMTFS | VE1BF | | 169.96 | | 149.97 | | | | | | | |
| | | Virtual Collocation Cable Records-CAT 5/RJ45 | | | AMTFS | VE1B5 | | 4.52 | | 5.35 | | | | | | | |
| | **Security** | | | | | | | | | | | | | | | | |

| COLLOCATION - Florida | | | | | | | | | | | | | | Attachment: 4 Exh B | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | NRC Disconnect | | OSS Rates($) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Virtual collocation-Security escort, basic time, normally scheduled work hours | | | AMTFS | SPTBX | | 33.65 | 22.05 | | | | | | | | |
| | Virtual collocation-Security escort, overtime, outside of normally scheduled work hours on a normal working day | | | AMTFS | SPTOX | | 44.63 | 28.89 | | | | | | | | |
| | Virtual collocation-Security escort, premium time, outside of a scheduled work day | | | AMTFS | SPTPX | | 55.62 | 35.73 | | | | | | | | |
| **Maintenance** | | | | | | | | | | | | | | | | |
| | Virtual collocation-Maintenance in CO-Basic, per half hour | | | AMTFS | CTRLX | | 54.05 | 22.05 | | | | | | | | |
| | Virtual collocation-Maintenance in CO-Overtime, per half hour | | | AMTFS | SPTOM | | 72.18 | 28.89 | | | | | | | | |
| | Virtual collocation-Maintenance in CO-Premium per half hour | | | AMTFS | SPTPM | | 90.31 | 35.73 | | | | | | | | |
| **Entrance Cable** | | | | | | | | | | | | | | | | |
| | Virtual Collocation-Cable Installation Charge, per cable | | | AMTFS | ESPCX | | 1,473.00 | | 43.84 | | | | | | | |
| | Virtual Collocation-Cable Support Structure, per cable | | | AMTFS | ESPSX | 4.54 | | | | | | | | | | |
| **COLLOCATION IN THE REMOTE SITE** | | | | | | | | | | | | | | | | |
| **Physical Remote Site Collocation** | | | | | | | | | | | | | | | | |
| | Physical Collocation in the Remote Site-Application Fee | | | CLORS | PE1RA | | 612.23 | | 270.35 | | | | | | | |
| | Cabinet Space in the Remote Site per Bay/ Rack | | | CLORS | PE1RB | 154.59 | | | | | | | | | | |
| | Physical Collocation in the Remote Site-Security Access-Key | | | CLORS | PE1RD | | 23.28 | | | | | | | | | |
| | Physical Collocation in the Remote Site-Space Availability Report per Premises Requested | | | CLORS | PE1SR | | 223.91 | | | | | | | | | |
| | Physical Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI Code Requested | | | CLORS | PE1RE | | 73.39 | | | | | | | | | |
| | Remote Site DLEC Data (BRSDD), per Compact Disk, per CO | | | CLORS | PE1RR | | 208.02 | | | | | | | | | |
| | Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hour | | | CLORS | PE1BT | | 33.65 | 22.05 | | | | | | | | |
| | Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hours on a scheduled work day, per half hour | | | CLORS | PE1OT | | 44.63 | 28.89 | | | | | | | | |
| | Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hour | | | CLORS | PE1PT | | 55.62 | 35.73 | | | | | | | | |
| **Adjacent Remote Site Collocation** | | | | | | | | | | | | | | | | |
| | Remote Site-Adjacent Collocation-Application Fee | | | CLORS | PE1RU | | 755.62 | 755.62 | | | | | | | | |
| | Remote Site-Adjacent Collocation-Real Estate, per square foot | | | CLORS | PE1RT | 0.134 | | | | | | | | | | |
| | Remote Site-Adjacent Collocation-AC Power, per breaker amp | | | CLORS | PE1RS | 6.27 | | | | | | | | | | |
| **NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for adjacent remote site collocation, the Parties will negotiate appropriate rates.** | | | | | | | | | | | | | | | | |
| **Virtual Remote Site Collocation** | | | | | | | | | | | | | | | | |
| | Virtual Collocation in the Remote Site-Application Fee | | | VE1RS | VE1RB | | 612.23 | | 270.35 | | | | | | | |
| | Virtual Collocation in the Remote Site-Per Bay/Rack of Space | | | VE1RS | VE1RC | 154.59 | | | | | | | | | | |
| | Virtual Collocation in the Remote Site-Space Availability Report per Premises requested | | | VE1RS | VE1RR | | 223.91 | | | | | | | | | |
| | Virtual Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI Code Requested | | | VE1RS | VE1RL | | 73.39 | | | | | | | | | |
| **ADJACENT COLLOCATION** | | | | | | | | | | | | | | | | |
| | Adjacent Collocation-Space Charge per Sq. Ft. | | | CLOAC | PE1JA | 0.1666 | | | | | | | | | | |
| | Adjacent Collocation-Electrical Facility Charge per Linear Ft. | | | CLOAC | PE1JC | 4.62 | | | | | | | | | | |
| | Adjacent Collocation-2-Wire Cross-Connects | | | UEANL,UEQ,UEA,UCL, UAL, UHL, UDN | PE1JE | 0.0194 | 7.32 | 5.37 | 4.58 | 2.71 | | | | | | |
| | Adjacent Collocation-4-Wire Cross-Connects | | | UEA,UHL,UDL,UCL | PE1JF | 0.0388 | 8.00 | 5.75 | 5.00 | 2.69 | | | | | | |
| | Adjacent Collocation-DS1 Cross-Connects | | | USL | PE1JG | 0.3708 | 7.88 | 6.26 | 1.35 | 0.9915 | | | | | | |
| | Adjacent Collocation-DS3 Cross-Connects | | | UE3 | PE1JH | 4.14 | 32.40 | 31.03 | 11.15 | 10.98 | | | | | | |
| | Adjacent Collocation-2-Fiber Cross-Connect | | | CLOAC | PE1JJ | 1.70 | 28.26 | 25.85 | 13.78 | 11.01 | | | | | | |
| | Adjacent Collocation-4-Fiber Cross-Connect | | | CLOAC | PE1JK | 3.33 | 37.92 | 35.51 | 18.20 | 15.44 | | | | | | |
| | Adjacent Collocation-Application Fee | | | CLOAC | PE1JB | | 2,763.00 | | 1.02 | | | | | | | |
| | Adjacent Collocation-120V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JL | 5.26 | | | | | | | | | | |
| | Adjacent Collocation-240V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JM | 10.53 | | | | | | | | | | |
| | Adjacent Collocation-120V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JN | 15.80 | | | | | | | | | | |
| | Adjacent Collocation-277V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JO | 36.47 | | | | | | | | | | |
| | Adjacent Collocation-Cable Support Structure per Entrance Cable | | | CLOAC | PE1JP | 5.19 | | | | | | | | | | |
| **Note: Rates displaying an "I" in Interim column are interim as a result of a Commission order.** | | | | | | | | | | | | | | | | |

| COLLOCATION - Georgia | | | | | | | | | | | | | | Attachment: 4 Exh B | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | NRC Disconnect | | OSS Rates($) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| PHYSICAL COLLOCATION | | | | | | | | | | | | | | | | | |
| | Application | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Initial Application Fee | | | CLO | PE1BA | | 1,285.98 | | 0.59 | | | | | | | |
| | | Physical Collocation-Subsequent Application Fee | | | CLO | PE1CA | | 1,085.48 | | 0.59 | | | | | | | |
| | | Physical Collocation-Co-Carrier Cross Connects/Direct Connect, Application Fee, per application | | | CLO | PE1DT | | 583.18 | | | | | | | | | |
| | | Physical Collocation Administrative Only-Application Fee | | | CLO | PE1BL | | 740.83 | | | | | | | | | |
| | | Physical Collocation-Application Cost, Simple Augment | | | CLO | PE1KS | | 594.05 | | 1.21 | | | | | | | |
| | | Physical Collocation-Application Cost, Minor Augment | | | CLO | PE1KM | | 832.95 | | 1.21 | | | | | | | |
| | | Physical Collocation-Application Cost, Intermediate Augment | | | CLO | PE1K1 | | 1,057.00 | | 1.21 | | | | | | | |
| | | Physical Collocation-Application Cost-Major Augment | | | CLO | PE1KJ | | 2,408.00 | | 1.21 | | | | | | | |
| | Space Preparation | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Floor Space, per sq feet | | | CLO | PE1PJ | 4.52 | | | | | | | | | | |
| | | Physical Collocation-Space Enclosure, welded wire, first 50 square feet | | | CLO | PE1BX | 144.71 | | | | | | | | | | |
| | | Physical Collocation-Space enclosure, welded wire, first 100 square feet | | | CLO | PE1BW | 160.45 | | | | | | | | | | |
| | | Physical Collocation-Space enclosure, welded wire, each additional 50 square feet | | | CLO | PE1CW | 15.74 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation-C.O. Modification per square ft. | | | CLO | PE1SK | 2.01 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation, Common Systems Modifications-Cageless, per square foot | | | CLO | PE1SL | 2.23 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation-Common Systems Modifications-Caged, per cage | | | CLO | PE1SM | 75.61 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation-Firm Order Processing | | | CLO | PE1SJ | | 141.10 | | | | | | | | | |
| | | Physical Collocation-Space Availability Report, per Central Office Requested | | | CLO | PE1SR | | 248.75 | | | | | | | | | |
| | Power | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Power, -48V DC Power-per Fused Amp Requested | | | CLO | PE1PL | 4.78 | | | | | | | | | | |
| | | Physical Collocation-Power, 120V AC Power, Single Phase, per Breaker Amp | | | CLO | PE1FB | 5.14 | | | | | | | | | | |
| | | Physical Collocation-Power, 240V AC Power, Single Phase, per Breaker Amp | | | CLO | PE1FD | 10.30 | | | | | | | | | | |
| | | Physical Collocation-Power, 120V AC Power, Three Phase, per Breaker Amp | | | CLO | PE1FE | 15.44 | | | | | | | | | | |
| | | Physical Collocation-Power, 277V AC Power, Three Phase, per Breaker Amp | | | CLO | PE1FG | 35.65 | | | | | | | | | | |
| | Cross Connects (Cross Connects, Co-Carrier Cross Connects, and Ports) | | | | | | | | | | | | | | | | |
| | | Physical Collocation-2-wire cross-connect, loop, provisioning | | | UEANL,UEQ, UNCNX, UEA, UCL, UAL, UHL, UDN, UNCVX | PE1P2 | 0.0197 | | | | | | | | | | |
| | | Physical Collocation-4-wire cross-connect, loop, provisioning | | | UEA, UHL, UNCVX, UNCDX, UCL, UDL | PE1P4 | 0.0393 | | | | | | | | | | |
| | | Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning | | | WDS1L, WDS1S, UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB, UEPSE, UEPSP, USL, UEPEX, UEPDX | PE1P1 | 0.3726 | | | | | | | | | | |
| | | Physical Collocation-DS3 Cross-Connect, provisioning | | | UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSR, UEPSB, UEPSE, UEPSP | PE1P3 | 4.06 | | | | | | | | | | |
| | | Physical Collocation-2-Fiber Cross-Connect | | | CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF | PE1F2 | 1.72 | | | | | | | | | | |

| COLLOCATION - Georgia | | | | | | | | | | | | | | Attachment: 4 Exh B | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | NRC Disconnect | | OSS Rates($) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Physical Collocation-4-Fiber Cross-Connect | | | ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF, UDFCX | PE1F4 | 3.30 | | | | | | | | | | |
| | | Physical Collocation-Co-Carrier Cross Connects/Direct Connect-Fiber Cable Support Structure, per linear foot, per cable. | | | CLO | PE1ES | 0.001 | | | | | | | | | | |
| | | Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Copper/Coax Cable Support Structure, per linear foot, per cable. | | | CLO | PE1DS | 0.0015 | | | | | | | | | | |
| | | Physical Collocation 2-Wire Cross Connect, Port | | | UEPSR, UEPSP, UEPSE, UEPSB, UEPSX, UEP2C | PE1R2 | 0.0197 | | | | | | | | | | |
| | | Physical Collocation 4-Wire Cross Connect, Port | | | UEPEX, UEPDD | PE1R4 | 0.0393 | | | | | | | | | | |
| | **Security** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hour | | | CLO | PE1BT | | 16.52 | 10.83 | | | | | | | | |
| | | Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hours on a scheduled work day, per half hour | | | CLO | PE1OT | | 21.92 | 14.19 | | | | | | | | |
| | | Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hour | | | CLO | PE1PT | | 27.31 | 17.55 | | | | | | | | |
| | | Physical Collocation-Security Access System-Security System per Central Office, per Sq. Ft. | | | CLO | PE1AY | 0.0106 | | | | | | | | | | |
| | | Physical Collocation -Security Access System-New Card Activation, per Card Activation (First), per State | | | CLO | PE1A1 | | 22.00 | | | | | | | | | |
| | | Physical Collocation-Security Access System-New Access Card Deactivation, per Card | | | CLO | PE1A4 | | 8.72 | 8.72 | | | | | | | | |
| | | Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card | | | CLO | PE1AA | | 5.38 | | | | | | | | | |
| | | Physical Collocation-Security Access System-Replace Lost or Stolen Card, per Card | | | CLO | PE1AR | | 17.01 | | | | | | | | | |
| | | Physical Collocation-Security Access-Initial Key, per Key | | | CLO | PE1AK | | 13.20 | | | | | | | | | |
| | | Physical Collocation-Security Access-Key, Replace Lost or Stolen Key, per Key | | | CLO | PE1AL | | 13.20 | | | | | | | | | |
| | **CFA** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-CFA Information Resend Request, per premises, per arrangement, per request | | | CLO | PE1C9 | | 77.42 | | | | | | | | | |
| | **Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial I" and "Subsequent S" respectively** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Cable Records, per request | | | CLO | PE1CR | | I 743.65 | S 478.06 | 125.75 | | | | | | | |
| | | Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) | | | CLO | PE1CD | | 317.60 | | 177.77 | | | | | | | |
| | | Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair | | | CLO | PE1CO | | 4.48 | | 5.30 | | | | | | | |
| | | Physical Collocation, Cable Records, DS1, per T1 TIE | | | CLO | PE1C1 | | 2.22 | | 2.63 | | | | | | | |
| | | Physical Collocation, Cable Records, DS3, per T3 TIE | | | CLO | PE1C3 | | 7.76 | | 9.19 | | | | | | | |
| | | Physical Collocation-Cable Records, Fiber Cable, per cable record (maximum 99 records) | | | CLO | PE1CB | | 83.45 | | 73.57 | | | | | | | |
| | | Physical Collocation, Cable Records,CAT5/RJ45 | | | CLO | PE1C5 | | 2.22 | | 2.63 | | | | | | | |
| | **Virtual to Physical** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation Relocation, per Voice Grade Circuit | | | CLO | PE1BV | | 33.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation Relocation, per DSO Circuit | | | CLO | PE1BO | | 33.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation Relocation, per DS1 Circuit | | | CLO | PE1B1 | | 52.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation Relocation, per DS3 Circuit | | | CLO | PE1B3 | | 52.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation In-Place, Per Voice Grade Circuit | | | CLO | PE1BR | | 23.00 | | | | | | | | | |
| | | Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit | | | CLO | PE1BP | | 23.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation In-Place, Per DS1 Circuit | | | CLO | PE1BS | | 33.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation In-Place, per DS3 Circuit | | | CLO | PE1BE | | 37.00 | | | | | | | | | |
| | **Entrance Cable** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Fiber Cable Installation, Pricing, non-recurring charge, per Entrance Cable | | | CLO | PE1BD | | 736.93 | | 21.51 | | | | | | | |

| COLLOCATION - Georgia | | | | | | | | | | | | | | Attachment: 4 Exh B | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | Nonrecurring | | NRC Disconnect | | OSS Rates($) | | | | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Physical Collocation-Fiber Cable Support Structure, per Entrance Cable | | | CLO | PE1PM | 7.21 | | | | | | | | | | |
| | | Physical Collocation, Entrance Cable Support Structure, Copper, per each 100 pairs or fraction thereof (CO Manhole to Collocation Space) | | | CLO | PE1EE | 0.2629 | | | | | | | | | | |
| | | Physical Collocation, Entrance Cable Installation, Copper, per Cable (CO Manhole to Collocation Space) | | | CLO | PE1EF | | 755.15 | | 21.51 | | | | | | | |
| | | Physical Collocation, Entrance Cable Installation, Copper, per each 100 pairs or fraction thereof (CO Manhole to Collocation Space) | | | CLO | PE1EG | | 9.12 | | | | | | | | | |
| | | Physical Collocation-Fiber Entrance Cable Installation, per Fiber | | | CLO | PE1ED | | 3.90 | | | | | | | | | |
| **VIRTUAL COLLOCATION** | | | | | | | | | | | | | | | | | |
| | **Application** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-Application Fee | | | AMTFS | EAF | | 609.52 | | 0.59 | | | | | | | |
| | | Virtual Collocation-Co-Carrier Cross Connects/Direct Connect, Application Fee, per application | | | AMTFS | VE1CA | | 583.18 | | | | | | | | | |
| | | Virtual Collocation Administrative Only-Application Fee | | | AMTFS | VE1AF | | 609.52 | | | | | | | | | |
| | **Space Preparation** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-Floor Space, per sq. ft. | | | AMTFS | ESPVX | 4.52 | | | | | | | | | | |
| | **Power** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-Power, per fused amp | | | AMTFS | ESPAX | 4.78 | | | | | | | | | | |
| | **Cross Connects (Cross Connects, Co-Carrier Cross Connects, and Ports)** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation- 2-wire cross-connect, loop, provisioning | | | UEANL, UEA, UDN, UAL, UHL, UCL, UEQ, UNCVX, UNCDX, UNCNX | UEAC2 | 0.0188 | | | | | | | | | | |
| | | Virtual Collocation-4-wire cross-connect, loop, provisioning | | | UEA, UHL, UCL, UDL, UNCVX, UNCDX | UEAC4 | 0.0375 | | | | | | | | | | |
| | | Virtual collocation-Special Access & UNE, cross-connect per DS1 | | | ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USL, UEPEX, UEPDX | CNC1X | 0.3726 | | | | | | | | | | |
| | | Virtual collocation-Special Access & UNE, cross-connect per DS3 | | | USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3 | CND3X | 4.06 | | | | | | | | | | |
| | | Virtual Collocation-2-Fiber Cross Connects | | | UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF | CNC2F | 1.73 | | | | | | | | | | |
| | | Virtual Collocation-4-Fiber Cross Connects | | | UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF | CNC4F | 3.45 | | | | | | | | | | |
| | | Virtual Collocation-Co-Carrier Cross Connects/Direct Connect-Fiber Cable Support Structure, per linear foot, per cable | | | AMTFS | VE1CB | 0.001 | | | | | | | | | | |
| | | Virtual Collocation-Co-Carrier Cross Connects/Direct Connect-Copper/Coax Cable Support Structure, per linear foot, per cable | | | AMTFS | VE1CD | 0.0015 | | | | | | | | | | |
| | | Virtual Collocation 2-Wire Cross Connect, Port | | | UEPSX, UEPSB, UEPSE, UEPSP, UEPSR, UEP2C | VE1R2 | 0.0188 | | | | | | | | | | |
| | | Virtual Collocation 4-Wire Cross Connect, Port | | | UEPDD, UEPEX | VE1R4 | 0.0375 | | | | | | | | | | |
| | **CFA** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-CFA Information Resend Request, per Premises, per Arrangement, per request | | | AMTFS | VE1QR | | 77.42 | | | | | | | | | |
| | **Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial I" & "Subsequent S" respectively** | | | | | | | | | | | | | | | | |

| COLLOCATION - Georgia | | | | | | | | | | | | | | Attachment: 4 Exh B | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | NRC Disconnect | | OSS Rates($) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Virtual Collocation Cable Records-per request | | | AMTFS | VE1BA | | 743.65 | 478.06 | 125.75 | | | | | | | |
| | | Virtual Collocation Cable Records-VG/DS0 Cable, per cable record | | | AMTFS | VE1BB | | 317.60 | | 177.77 | | | | | | | |
| | | Virtual Collocation Cable Records-VG/DS0 Cable, per each 100 pair | | | AMTFS | VE1BC | | 4.48 | | 5.30 | | | | | | | |
| | | Virtual Collocation Cable Records-DS1, per T1TIE | | | AMTFS | VE1BD | | 2.22 | | 2.63 | | | | | | | |
| | | Virtual Collocation Cable Records-DS3, per T3TIE | | | AMTFS | VE1BE | | 7.76 | | 9.19 | | | | | | | |
| | | Virtual Collocation Cable Records-Fiber Cable, per 99 fiber records | | | AMTFS | VE1BF | | 83.45 | | 73.57 | | | | | | | |
| | | Virtual Collocation Cable Records-CAT 5/RJ45 | | | AMTFS | VE1B5 | | 2.22 | | 2.63 | | | | | | | |
| | **Security** | | | | | | | | | | | | | | | | |
| | | Virtual collocation-Security escort, basic time, normally scheduled work hours | | | AMTFS | SPTBX | | 16.52 | 10.83 | | | | | | | | |
| | | Virtual collocation-Security escort, overtime, outside of normally scheduled work hours on a normal working day | | | AMTFS | SPTOX | | 21.92 | 14.19 | | | | | | | | |
| | | Virtual collocation-Security escort, premium time, outside of a scheduled work day | | | AMTFS | SPTPX | | 27.31 | 17.55 | | | | | | | | |
| | **Maintenance** | | | | | | | | | | | | | | | | |
| | | Virtual collocation-Maintenance in CO-Basic, per half hour | | | AMTFS | CTRLX | | 26.54 | 10.83 | | | | | | | | |
| | | Virtual collocation-Maintenance in CO-Overtime, per half hour | | | AMTFS | SPTOM | | 35.44 | 14.19 | | | | | | | | |
| | | Virtual collocation-Maintenance in CO-Premium per half hour | | | AMTFS | SPTPM | | 44.34 | 17.55 | | | | | | | | |
| | **Entrance Cable** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-Cable Installation Charge, per cable | | | AMTFS | ESPCX | | 736.93 | | 21.51 | | | | | | | |
| | | Virtual Collocation-Cable Support Structure, per cable | | | AMTFS | ESPSX | 7.57 | | | | | | | | | | |
| | | Virtual Collocation, Entrance Cable Support Structure, Copper, per each 100 pairs or fraction thereof (CO Manhole to Frame) | | | AMTFS | VE1EE | 0.23 | | | | | | | | | | |
| | | Virtual Collocation, Entrance Cable Installation, Copper, per Cable (CO Manhole to Frame) | | | AMTFS | VE1EF | | 755.15 | | 21.51 | | | | | | | |
| | | Virtual Collocation, Entrance Cable Installation, Copper, per each 100 pairs or fraction thereof (CO Manhole to Frame) | | | AMTFS | VE1EG | | 9.12 | | | | | | | | | |
| **COLLOCATION IN THE REMOTE SITE** | | | | | | | | | | | | | | | | | |
| | **Physical Remote Site Collocation** | | | | | | | | | | | | | | | | |
| | | Physical Collocation in the Remote Site-Application Fee | | | CLORS | PE1RA | | 300.61 | | 132.62 | | | | | | | |
| | | Cabinet Space in the Remote Site per Bay/ Rack | | | CLORS | PE1RB | 143.23 | | | | | | | | | | |
| | | Physical Collocation in the Remote Site-Security Access-Key | | | CLORS | PE1RD | | 13.20 | | | | | | | | | |
| | | Physical Collocation in the Remote Site-Space Availability Report per Premises Requested | | | CLORS | PE1SR | | 109.94 | | | | | | | | | |
| | | Physical Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI Code Requested | | | CLORS | PE1RE | | 36.04 | | | | | | | | | |
| | | Remote Site DLEC Data (BRSDD), per Compact Disk, per CO | | | CLORS | PE1RR | | 116.64 | | | | | | | | | |
| | | Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hour | | | CLORS | PE1BT | | 16.52 | 10.83 | | | | | | | | |
| | | Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hours on a scheduled work day, per half hour | | | CLORS | PE1OT | | 21.92 | 14.19 | | | | | | | | |
| | | Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hour | | | CLORS | PE1PT | | 27.31 | 17.55 | | | | | | | | |
| | **Adjacent Remote Site Collocation** | | | | | | | | | | | | | | | | |
| | | Remote Site-Adjacent Collocation-Application Fee | | | CLORS | PE1RU | | 755.62 | 755.62 | | | | | | | | |
| | | Remote Site-Adjacent Collocation-Real Estate, per square foot | | | CLORS | PE1RT | 0.134 | | | | | | | | | | |
| | | Remote Site-Adjacent Collocation-AC Power, per breaker amp | | | CLORS | PE1RS | 6.27 | | | | | | | | | | |
| | **NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for adjacent remote site collocation, the Parties will negotiate appropriate rates.** | | | | | | | | | | | | | | | | |
| | **Virtual Remote Site Collocation** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation in the Remote Site-Application Fee | | | VE1RS | VE1RB | | 300.61 | | 132.62 | | | | | | | |
| | | Virtual Collocation in the Remote Site-Per Bay/Rack of Space | | | VE1RS | VE1RC | 143.23 | | | | | | | | | | |
| | | Virtual Collocation in the Remote Site-Space Availability Report per Premises requested | | | VE1RS | VE1RR | | 109.94 | | | | | | | | | |
| | | Virtual Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI Code Requested | | | VE1RS | VE1RL | | 36.04 | | | | | | | | | |
| **ADJACENT COLLOCATION** | | | | | | | | | | | | | | | | | |
| | | Adjacent Collocation-Space Charge per Sq. Ft. | | | CLOAC | PE1JA | 0.164 | | | | | | | | | | |
| | | Adjacent Collocation-Electrical Facility Charge per Linear Ft. | | | CLOAC | PE1JC | 4.01 | | | | | | | | | | |
| | | Adjacent Collocation-2-Wire Cross-Connects | | | UEANL,UEQ,UEA,UCL, UAL, UHL, UDN | PE1JE | 0.0172 | | | | | | | | | | |

| COLLOCATION - Georgia | | | | | | | | | | | | | | Attachment: 4 Exh B | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | NRC Disconnect | | OSS Rates($) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Adjacent Collocation-4-Wire Cross-Connects | | | UEA,UHL,UDL,UCL | PE1JF | 0.0344 | | | | | | | | | | |
| | | Adjacent Collocation-DS1 Cross-Connects | | | USL | PE1JG | 0.3608 | | | | | | | | | | |
| | | Adjacent Collocation-DS3 Cross-Connects | | | UE3 | PE1JH | 4.73 | | | | | | | | | | |
| | | Adjacent Collocation-2-Fiber Cross-Connect | | | CLOAC | PE1JJ | 1.66 | | | | | | | | | | |
| | | Adjacent Collocation-4-Fiber Cross-Connect | | | CLOAC | PE1JK | 3.24 | | | | | | | | | | |
| | | Adjacent Collocation-Application Fee | | | CLOAC | PE1JB | | 1,382.19 | | 0.50 | | | | | | | |
| | | Adjacent Collocation-120V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JL | 5.14 | | | | | | | | | | |
| | | Adjacent Collocation-240V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JM | 10.30 | | | | | | | | | | |
| | | Adjacent Collocation-120V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JN | 15.44 | | | | | | | | | | |
| | | Adjacent Collocation-277V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JO | 35.65 | | | | | | | | | | |
| | | Adjacent Collocation-240V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JD | 35.65 | | | | | | | | | | |
| | **Note: Rates displaying an "I" in Interim column are interim as a result of a Commission order.** | | | | | | | | | | | | | | | | |

| COLLOCATION - Kentucky | | | | | | | | | | | | | | Attachment: 4 Exh B | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | NRC Disconnect | | OSS Rates($) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| PHYSICAL COLLOCATION | | | | | | | | | | | | | | | | | |
| | Application | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Initial Application Fee | | | CLO | PE1BA | | 3,773.54 | | 1.01 | | | | | | | |
| | | Physical Collocation-Subsequent Application Fee | | | CLO | PE1CA | | 3,145.35 | | 1.01 | | | | | | | |
| | | Physical Collocation-Co-Carrier Cross Connects/Direct Connect, Application Fee, per application | | | CLO | PE1DT | | 584.20 | | | | | | | | | |
| | | Physical Collocation Administrative Only-Application Fee | | | CLO | PE1BL | | 742.12 | | | | | | | | | |
| | | Physical Collocation-Application Cost, Simple Augment | | | CLO | PE1KS | | 594.98 | | 1.21 | | | | | | | |
| | | Physical Collocation-Application Cost, Minor Augment | | | CLO | PE1KM | | 834.26 | | 1.21 | | | | | | | |
| | | Physical Collocation-Application Cost, Intermediate Augment | | | CLO | PE1K1 | | 1,059.00 | | 1.21 | | | | | | | |
| | | Physical Collocation-Application Cost-Major Augment | | | CLO | PE1KJ | | 2,412.00 | | 1.21 | | | | | | | |
| | Space Preparation | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Floor Space, per sq feet | | | CLO | PE1PJ | 7.99 | | | | | | | | | | |
| | | Physical Collocation-Space Enclosure, welded wire, first 50 square feet | | | CLO | PE1BX | 166.83 | | | | | | | | | | |
| | | Physical Collocation-Space enclosure, welded wire, first 100 square feet | | | CLO | PE1BW | 184.97 | | | | | | | | | | |
| | | Physical Collocation-Space enclosure, welded wire, each additional 50 square feet | | | CLO | PE1CW | 18.14 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation-C.O. Modification per square ft. | | | CLO | PE1SK | 2.32 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation, Common Systems Modifications-Cageless, per square foot | | | CLO | PE1SL | 3.26 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation-Common Systems Modifications-Caged, per cage | | | CLO | PE1SM | 110.57 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation-Firm Order Processing | | | CLO | PE1SJ | | 1,206.07 | | | | | | | | | |
| | | Physical Collocation-Space Availability Report, per Central Office Requested | | | CLO | PE1SR | | 2,158.67 | | | | | | | | | |
| | Power | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Power, -48V DC Power-per Fused Amp Requested | | | CLO | PE1PL | 8.06 | | | | | | | | | | |
| | | Physical Collocation-Power, 120V AC Power, Single Phase, per Breaker Amp | | | CLO | PE1FB | 5.44 | | | | | | | | | | |
| | | Physical Collocation-Power, 240V AC Power, Single Phase, per Breaker Amp | | | CLO | PE1FD | 10.88 | | | | | | | | | | |
| | | Physical Collocation-Power, 120V AC Power, Three Phase, per Breaker Amp | | | CLO | PE1FE | 16.32 | | | | | | | | | | |
| | | Physical Collocation-Power, 277V AC Power, Three Phase, per Breaker Amp | | | CLO | PE1FG | 37.68 | | | | | | | | | | |
| | Cross Connects (Cross Connects, Co-Carrier Cross Connects, and Ports) | | | | | | | | | | | | | | | | |
| | | Physical Collocation-2-wire cross-connect, loop, provisioning | | | UEANL,UEQ, UNCNX, UEA, UCL, UAL, UHL, UDN, UNCVX | PE1P2 | 0.0333 | 24.68 | 23.68 | 12.14 | 10.95 | | | | | | |
| | | Physical Collocation-4-wire cross-connect, loop, provisioning | | | UEA, UHL, UNCVX, UNCDX, UCL, UDL | PE1P4 | 0.0665 | 24.88 | 23.82 | 12.77 | 11.46 | | | | | | |
| | | Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning | | | WDS1L, WDS1S, UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB, UEPSE, UEPSP, USL, UEPEX, UEPDX | PE1P1 | 1.48 | 44.23 | 31.98 | 12.81 | 11.57 | | | | | | |
| | | Physical Collocation-DS3 Cross-Connect, provisioning | | | UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSR, UEPSB, UEPSE, UEPSP | PE1P3 | 18.89 | 41.93 | 30.51 | 14.75 | 11.83 | | | | | | |
| | | Physical Collocation-2-Fiber Cross-Connect | | | CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF | PE1F2 | 3.75 | 41.93 | 30.51 | 14.76 | 11.84 | | | | | | |

| COLLOCATION - Kentucky | | | | | | | | | | | | | | Attachment: 4 Exh B | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | NRC Disconnect | | OSS Rates($) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Physical Collocation-4-Fiber Cross-Connect | | | ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF, UDFCX | PE1F4 | 6.65 | 51.29 | 39.87 | 19.41 | 16.49 | | | | | | |
| | | Physical Collocation-Co-Carrier Cross Connects/Direct Connect-Fiber Cable Support Structure, per linear foot, per cable. | | | CLO | PE1ES | 0.0012 | | | | | | | | | | |
| | | Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Copper/Coax Cable Support Structure, per linear foot, per cable. | | | CLO | PE1DS | 0.0018 | | | | | | | | | | |
| | | Physical Collocation 2-Wire Cross Connect, Port | | | UEPSR, UEPSP, UEPSE, UEPSB, UEPSX, UEP2C | PE1R2 | 0.0333 | 24.68 | 23.68 | 12.14 | 10.95 | | | | | | |
| | | Physical Collocation 4-Wire Cross Connect, Port | | | UEPEX, UEPDD | PE1R4 | 0.0665 | 24.88 | 23.82 | 12.77 | 11.46 | | | | | | |
| | **Security** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hour | | | CLO | PE1BT | | 33.98 | 21.53 | | | | | | | | |
| | | Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hours on a scheduled work day, per half hour | | | CLO | PE1OT | | 44.26 | 27.81 | | | | | | | | |
| | | Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hour | | | CLO | PE1PT | | 54.54 | 34.09 | | | | | | | | |
| | | Physical Collocation-Security Access System, Security System, per Central Office | | | CLO | PE1AX | 76.10 | | | | | | | | | | |
| | | Physical Collocation -Security Access System-New Card Activation, per Card Activation (First), per State | | | CLO | PE1A1 | 0.058 | 55.79 | | | | | | | | | |
| | | Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card | | | CLO | PE1AA | | 15.64 | | | | | | | | | |
| | | Physical Collocation-Security Access System-Replace Lost or Stolen Card, per Card | | | CLO | PE1AR | | 45.74 | | | | | | | | | |
| | | Physical Collocation-Security Access-Initial Key, per Key | | | CLO | PE1AK | | 26.29 | | | | | | | | | |
| | | Physical Collocation-Security Access-Key, Replace Lost or Stolen Key, per Key | | | CLO | PE1AL | | 26.29 | | | | | | | | | |
| | **CFA** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-CFA Information Resend Request, per premises, per arrangement, per request | | | CLO | PE1C9 | | 77.55 | | | | | | | | | |
| | **Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial I" and "Subsequent S" respectively** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Cable Records, per request | | | CLO | PE1CR | | I 1524.45 | S 980.01 | 267.02 | | | | | | | |
| | | Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) | | | CLO | PE1CD | | 656.37 | | 379.70 | | | | | | | |
| | | Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair | | | CLO | PE1CO | | 9.65 | | 11.84 | | | | | | | |
| | | Physical Collocation, Cable Records, DS1, per T1 TIE | | | CLO | PE1C1 | | 4.52 | | 5.54 | | | | | | | |
| | | Physical Collocation, Cable Records, DS3, per T3 TIE | | | CLO | PE1C3 | | 15.81 | | 19.39 | | | | | | | |
| | | Physical Collocation-Cable Records, Fiber Cable, per cable record (maximum 99 records) | | | CLO | PE1CB | | 169.63 | | 154.85 | | | | | | | |
| | | Physical Collocation, Cable Records,CAT5/RJ45 | | | CLO | PE1C5 | | 4.52 | | 5.54 | | | | | | | |
| | **Virtual to Physical** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation Relocation, per Voice Grade Circuit | | | CLO | PE1BV | | 33.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation Relocation, per DSO Circuit | | | CLO | PE1BO | | 33.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation Relocation, per DS1 Circuit | | | CLO | PE1B1 | | 52.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation Relocation, per DS3 Circuit | | | CLO | PE1B3 | | 52.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation In-Place, Per Voice Grade Circuit | | | CLO | PE1BR | | 23.00 | | | | | | | | | |
| | | Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit | | | CLO | PE1BP | | 23.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation In-Place, Per DS1 Circuit | | | CLO | PE1BS | | 33.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation In-Place, per DS3 Circuit | | | CLO | PE1BE | | 37.00 | | | | | | | | | |
| | **Entrance Cable** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Fiber Cable Installation, Pricing, non-recurring charge, per Entrance Cable | | | CLO | PE1BD | | 1,729.11 | | 45.16 | | | | | | | |
| | | Physical Collocation-Fiber Cable Support Structure, per Entrance Cable | | | CLO | PE1PM | 19.86 | | | | | | | | | | |
| | | Physical Collocation-Fiber Entrance Cable Installation, per Fiber | | | CLO | PE1ED | | 7.75 | | | | | | | | | |
| **VIRTUAL COLLOCATION** | | | | | | | | | | | | | | | | | |

| COLLOCATION - Kentucky | | | | | | | | | | | | | | Attachment: 4 Exh B | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | Nonrecurring | | NRC Disconnect | | OSS Rates($) | | | | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Application | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-Application Fee | | | AMTFS | EAF | | 2,419.86 | | 1.01 | | | | | | | |
| | | Virtual Collocation-Co-Carrier Cross Connects/Direct Connect, Application Fee, per application | | | AMTFS | VE1CA | | 584.20 | | | | | | | | | |
| | | Virtual Collocation Administrative Only-Application Fee | | | AMTFS | VE1AF | | 742.12 | | | | | | | | | |
| | Space Preparation | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-Floor Space, per sq. ft. | | | AMTFS | ESPVX | 7.99 | | | | | | | | | | |
| | Power | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-Power, per fused amp | | | AMTFS | ESPAX | 8.06 | | | | | | | | | | |
| | Cross Connects (Cross Connects, Co-Carrier Cross Connects, and Ports) | | | | | | | | | | | | | | | | |
| | | Virtual Collocation- 2-wire cross-connect, loop, provisioning | | | UEANL, UEA, UDN, UAL, UHL, UCL, UEQ, UNCVX, UNCDX, UNCNX | UEAC2 | 0.0309 | 24.68 | 23.68 | 12.14 | 10.95 | | | | | | |
| | | Virtual Collocation-4-wire cross-connect, loop, provisioning | | | UEA, UHL, UCL, UDL, UNCVX, UNCDX | UEAC4 | 0.0619 | 24.88 | 23.82 | 12.77 | 11.46 | | | | | | |
| | | Virtual collocation-Special Access & UNE, cross-connect per DS1 | | | ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USL, UEPEX, UEPDX | CNC1X | 1.48 | 44.23 | 31.98 | 12.81 | 11.57 | | | | | | |
| | | Virtual collocation-Special Access & UNE, cross-connect per DS3 | | | USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3 | CND3X | 18.89 | 41.93 | 30.51 | 14.75 | 11.83 | | | | | | |
| | | Virtual Collocation-2-Fiber Cross Connects | | | UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF | CNC2F | 3.80 | 41.94 | 30.51 | 14.76 | 11.84 | | | | | | |
| | | Virtual Collocation-4-Fiber Cross Connects | | | UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF | CNC4F | 7.59 | 51.29 | 39.87 | 19.41 | 16.49 | | | | | | |
| | | Virtual Collocation-Co-Carrier Cross Connects/Direct Connect-Fiber Cable Support Structure, per linear foot, per cable | | | AMTFS | VE1CB | 0.0012 | | | | | | | | | | |
| | | Virtual Collocation-Co-Carrier Cross Connects/Direct Connect-Copper/Coax Cable Support Structure, per linear foot, per cable | | | AMTFS | VE1CD | 0.0018 | | | | | | | | | | |
| | | Virtual Collocation 2-Wire Cross Connect, Port | | | UEPSX, UEPSB, UEPSE, UEPSP, UEPSR, UEP2C | VE1R2 | 0.0309 | 24.68 | 23.68 | 12.14 | 10.95 | | | | | | |
| | | Virtual Collocation 4-Wire Cross Connect, Port | | | UEPDD, UEPEX | VE1R4 | 0.0619 | 24.88 | 23.82 | 12.77 | 11.46 | | | | | | |
| | CFA | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-CFA Information Resend Request, per Premises, per Arrangement, per request | | | AMTFS | VE1QR | | 77.55 | | | | | | | | | |
| | Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial I" & "Subsequent S" respectively | | | | | | | | | | | | | | | | |
| | | Virtual Collocation Cable Records-per request | | | AMTFS | VE1BA | | 1,524.45 | 980.01 | 267.02 | | | | | | | |
| | | Virtual Collocation Cable Records-VG/DS0 Cable, per cable record | | | AMTFS | VE1BB | | 656.37 | | 379.70 | | | | | | | |
| | | Virtual Collocation Cable Records-VG/DS0 Cable, per each 100 pair | | | AMTFS | VE1BC | | 9.65 | | 11.84 | | | | | | | |
| | | Virtual Collocation Cable Records -DS1, per T1TIE | | | AMTFS | VE1BD | | 4.52 | | 5.54 | | | | | | | |
| | | Virtual Collocation Cable Records-DS3, per T3TIE | | | AMTFS | VE1BE | | 15.81 | | 19.39 | | | | | | | |
| | | Virtual Collocation Cable Records-Fiber Cable, per 99 fiber records | | | AMTFS | VE1BF | | 169.63 | | 154.85 | | | | | | | |
| | | Virtual Collocation Cable Records-CAT 5/RJ45 | | | AMTFS | VE1B5 | | 4.52 | | 5.54 | | | | | | | |
| | Security | | | | | | | | | | | | | | | | |
| | | Virtual collocation-Security escort, basic time, normally scheduled work hours | | | AMTFS | SPTBX | | 33.98 | 21.53 | | | | | | | | |

| COLLOCATION - Kentucky | | | | | | | | | | | | | | Attachment: 4 Exh B | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | NRC Disconnect | | OSS Rates($) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Virtual collocation-Security escort, overtime, outside of normally scheduled work hours on a normal working day | | | AMTFS | SPTOX | | 44.26 | 27.81 | | | | | | | | |
| | | Virtual collocation-Security escort, premium time, outside of a scheduled work day | | | AMTFS | SPTPX | | 54.54 | 34.09 | | | | | | | | |
| | **Maintenance** | | | | | | | | | | | | | | | | |
| | | Virtual collocation-Maintenance in CO-Basic, per half hour | | | AMTFS | CTRLX | | 56.07 | 21.53 | | | | | | | | |
| | | Virtual collocation-Maintenance in CO-Overtime, per half hour | | | AMTFS | SPTOM | | 73.23 | 27.81 | | | | | | | | |
| | | Virtual collocation-Maintenance in CO-Premium per half hour | | | AMTFS | SPTPM | | 90.39 | 34.09 | | | | | | | | |
| | **Entrance Cable** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-Cable Installation Charge, per cable | | | AMTFS | ESPCX | | 1,729.11 | | 45.16 | | | | | | | |
| | | Virtual Collocation-Cable Support Structure, per cable | | | AMTFS | ESPSX | 17.38 | | | | | | | | | | |
| **COLLOCATION IN THE REMOTE SITE** | | | | | | | | | | | | | | | | | |
| | **Physical Remote Site Collocation** | | | | | | | | | | | | | | | | |
| | | Physical Collocation in the Remote Site-Application Fee | | | CLORS | PE1RA | | 617.78 | | 338.89 | | | | | | | |
| | | Cabinet Space in the Remote Site per Bay/ Rack | | | CLORS | PE1RB | 219.67 | | | | | | | | | | |
| | | Physical Collocation in the Remote Site-Security Access-Key | | | CLORS | PE1RD | | 26.29 | | | | | | | | | |
| | | Physical Collocation in the Remote Site-Space Availability Report per Premises Requested | | | CLORS | PE1SR | | 232.64 | | | | | | | | | |
| | | Physical Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI Code Requested | | | CLORS | PE1RE | | 75.40 | | | | | | | | | |
| | | Remote Site DLEC Data (BRSDD), per Compact Disk, per CO | | | CLORS | PE1RR | | 233.42 | | | | | | | | | |
| | | Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hour | | | CLORS | PE1BT | | 33.98 | 21.53 | | | | | | | | |
| | | Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hours on a scheduled work day, per half hour | | | CLORS | PE1OT | | 44.26 | 27.81 | | | | | | | | |
| | | Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hour | | | CLORS | PE1PT | | 54.54 | 34.09 | | | | | | | | |
| | **Adjacent Remote Site Collocation** | | | | | | | | | | | | | | | | |
| | | Remote Site-Adjacent Collocation-Application Fee | | | CLORS | PE1RU | | 755.62 | 755.62 | | | | | | | | |
| | | Remote Site-Adjacent Collocation-Real Estate, per square foot | | | CLORS | PE1RT | 0.134 | | | | | | | | | | |
| | | Remote Site-Adjacent Collocation-AC Power, per breaker amp | | | CLORS | PE1RS | 6.27 | | | | | | | | | | |
| | **NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for adjacent remote site collocation, the Parties will negotiate appropriate rates.** | | | | | | | | | | | | | | | | |
| | **Virtual Remote Site Collocation** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation in the Remote Site-Application Fee | | | VE1RS | VE1RB | | 615.60 | | 337.70 | | | | | | | |
| | | Virtual Collocation in the Remote Site-Per Bay/Rack of Space | | | VE1RS | VE1RC | 224.41 | | | | | | | | | | |
| | | Virtual Collocation in the Remote Site-Space Availability Report per Premises requested | | | VE1RS | VE1RR | | 231.82 | | | | | | | | | |
| | | Virtual Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI Code Requested | | | VE1RS | VE1RL | | 75.13 | | | | | | | | | |
| **ADJACENT COLLOCATION** | | | | | | | | | | | | | | | | | |
| | | Adjacent Collocation-Space Charge per Sq. Ft. | | | CLOAC | PE1JA | 0.0173 | | | | | | | | | | |
| | | Adjacent Collocation-Electrical Facility Charge per Linear Ft. | | | CLOAC | PE1JC | 5.35 | | | | | | | | | | |
| | | Adjacent Collocation-2-Wire Cross-Connects | | | UEANL,UEQ,UEA,UCL, UAL, UHL, UDN | PE1JE | 0.0258 | 24.68 | 23.68 | 12.14 | 10.95 | | | | | | |
| | | Adjacent Collocation-4-Wire Cross-Connects | | | UEA,UHL,UDL,UCL | PE1JF | 0.0515 | 24.88 | 23.82 | 12.77 | 11.46 | | | | | | |
| | | Adjacent Collocation-DS1 Cross-Connects | | | USL | PE1JG | 1.37 | 44.23 | 31.98 | 12.81 | 11.57 | | | | | | |
| | | Adjacent Collocation-DS3 Cross-Connects | | | UE3 | PE1JH | 18.61 | 41.93 | 30.51 | 14.75 | 11.83 | | | | | | |
| | | Adjacent Collocation-2-Fiber Cross-Connect | | | CLOAC | PE1JJ | 3.15 | 41.93 | 30.51 | 14.76 | 11.84 | | | | | | |
| | | Adjacent Collocation-4-Fiber Cross-Connect | | | CLOAC | PE1JK | 6.02 | 51.29 | 39.87 | 19.41 | 16.49 | | | | | | |
| | | Adjacent Collocation-Application Fee | | | CLOAC | PE1JB | | 3,165.50 | | | | | | | | | |
| | | Adjacent Collocation-120V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JL | 5.44 | | | | | | | | | | |
| | | Adjacent Collocation-240V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JM | 10.88 | | | | | | | | | | |
| | | Adjacent Collocation-120V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JN | 16.32 | | | | | | | | | | |
| | | Adjacent Collocation-277V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JO | 37.68 | | | | | | | | | | |
| | **Note: Rates displaying an "I" in Interim column are interim as a result of a Commission order.** | | | | | | | | | | | | | | | | |

| COLLOCATION - Louisiana | | | | | | | | | | | | | | Attachment: 4 Exh B | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | Nonrecurring | | NRC Disconnect | | OSS Rates($) | | | | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| PHYSICAL COLLOCATION | | | | | | | | | | | | | | | | | |
| | Application | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Initial Application Fee | | | CLO | PE1BA | | 1,837.24 | | | | | | | | | |
| | | Physical Collocation-Subsequent Application Fee | | | CLO | PE1CA | | 1,533.41 | | | | | | | | | |
| | | Physical Collocation-Co-Carrier Cross Connects/Direct Connect, Application Fee, per application | | | CLO | PE1DT | | 583.30 | | | | | | | | | |
| | | Physical Collocation Administrative Only-Application Fee | | | CLO | PE1BL | | 741.97 | | | | | | | | | |
| | | Physical Collocation-Application Cost, Simple Augment | | | CLO | PE1KS | | 596.35 | | 1.22 | | | | | | | |
| | | Physical Collocation-Application Cost, Minor Augment | | | CLO | PE1KM | | 836.18 | | 1.22 | | | | | | | |
| | | Physical Collocation-Application Cost, Intermediate Augment | | | CLO | PE1K1 | | 1,061.00 | | 1.22 | | | | | | | |
| | | Physical Collocation-Application Cost-Major Augment | | | CLO | PE1KJ | | 2,418.00 | | 1.22 | | | | | | | |
| | Space Preparation | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Floor Space, per sq feet | | | CLO | PE1PJ | 5.30 | | | | | | | | | | |
| | | Physical Collocation-Space Enclosure, welded wire, first 50 square feet | | | CLO | PE1BX | 166.40 | | | | | | | | | | |
| | | Physical Collocation-Space enclosure, welded wire, first 100 square feet | | | CLO | PE1BW | 184.50 | | | | | | | | | | |
| | | Physical Collocation-Space enclosure, welded wire, each additional 50 square feet | | | CLO | PE1CW | 18.10 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation-C.O. Modification per square ft. | | | CLO | PE1SK | 2.31 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation, Common Systems Modifications-Cageless, per square foot | | | CLO | PE1SL | 2.70 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation-Common Systems Modifications-Caged, per cage | | | CLO | PE1SM | 91.60 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation-Firm Order Processing | | | CLO | PE1SJ | | 583.33 | | | | | | | | | |
| | | Physical Collocation-Space Availability Report, per Central Office Requested | | | CLO | PE1SR | | 1,044.07 | | | | | | | | | |
| | Power | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Power, -48V DC Power-per Fused Amp Requested | | | CLO | PE1PL | 8.32 | | | | | | | | | | |
| | | Physical Collocation-Power, 120V AC Power, Single Phase, per Breaker Amp | | | CLO | PE1FB | 5.45 | | | | | | | | | | |
| | | Physical Collocation-Power, 240V AC Power, Single Phase, per Breaker Amp | | | CLO | PE1FD | 10.92 | | | | | | | | | | |
| | | Physical Collocation-Power, 120V AC Power, Three Phase, per Breaker Amp | | | CLO | PE1FE | 16.37 | | | | | | | | | | |
| | | Physical Collocation-Power, 277V AC Power, Three Phase, per Breaker Amp | | | CLO | PE1FG | 37.80 | | | | | | | | | | |
| | Cross Connects (Cross Connects, Co-Carrier Cross Connects, and Ports) | | | | | | | | | | | | | | | | |
| | | Physical Collocation-2-wire cross-connect, loop, provisioning | | | UEANL,UEQ, UNCNX, UEA, UCL, UAL, UHL, UDN, UNCVX | PE1P2 | 0.0318 | 11.94 | 11.46 | | | | | | | | |
| | | Physical Collocation-4-wire cross-connect, loop, provisioning | | | UEA, UHL, UNCVX, UNCDX, UCL, UDL | PE1P4 | 0.0636 | 12.04 | 11.53 | | | | | | | | |
| | | Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning | | | WDS1L, WDS1S, UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB, UEPSE, UEPSP, USL, UEPEX, UEPDX | PE1P1 | 1.04 | 21.39 | 15.47 | | | | | | | | |
| | | Physical Collocation-DS3 Cross-Connect, provisioning | | | UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSR, UEPSB, UEPSE, UEPSP | PE1P3 | 13.21 | 20.28 | 14.76 | | | | | | | | |
| | | Physical Collocation-2-Fiber Cross-Connect | | | CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF | PE1F2 | 2.62 | 20.28 | 14.76 | | | | | | | | |

| COLLOCATION - Louisiana | | | | | | | | | | | | | Attachment: 4 Exh B | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | NRC Disconnect | | OSS Rates($) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Physical Collocation-4-Fiber Cross-Connect | | | ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF, UDFCX | PE1F4 | 4.65 | 24.81 | 19.29 | | | | | | | | |
| | Physical Collocation-Co-Carrier Cross Connects/Direct Connect-Fiber Cable Support Structure, per linear foot, per cable. | | | CLO | PE1ES | 0.001 | | | | | | | | | | |
| | Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Copper/Coax Cable Support Structure, per linear foot, per cable. | | | CLO | PE1DS | 0.0015 | | | | | | | | | | |
| | Physical Collocation 2-Wire Cross Connect, Port | | | UEPSR, UEPSP, UEPSE, UEPSB, UEPSX, UEP2C | PE1R2 | 0.0318 | 11.94 | 11.46 | | | | | | | | |
| | Physical Collocation 4-Wire Cross Connect, Port | | | UEPEX, UEPDD | PE1R4 | 0.0636 | 12.04 | 11.53 | | | | | | | | |
| **Security** | | | | | | | | | | | | | | | | |
| | Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hour | | | CLO | PE1BT | | 16.44 | 10.42 | | | | | | | | |
| | Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hours on a scheduled work day, per half hour | | | CLO | PE1OT | | 21.41 | 13.45 | | | | | | | | |
| | Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hour | | | CLO | PE1PT | | 26.38 | 16.49 | | | | | | | | |
| | Physical Collocation-Security Access System-Security System per Central Office, per Sq. Ft. | | | CLO | PE1AY | 0.0224 | | | | | | | | | | |
| | Physical Collocation -Security Access System-New Card Activation, per Card Activation (First), per State | | | CLO | PE1A1 | 0.0579 | 27.50 | | | | | | | | | |
| | Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card | | | CLO | PE1AA | | 7.74 | | | | | | | | | |
| | Physical Collocation-Security Access System-Replace Lost or Stolen Card, per Card | | | CLO | PE1AR | | 22.64 | | | | | | | | | |
| | Physical Collocation-Security Access-Initial Key, per Key | | | CLO | PE1AK | | 13.01 | | | | | | | | | |
| | Physical Collocation-Security Access-Key, Replace Lost or Stolen Key, per Key | | | CLO | PE1AL | | 13.01 | | | | | | | | | |
| **CFA** | | | | | | | | | | | | | | | | |
| | Physical Collocation-CFA Information Resend Request, per premises, per arrangement, per request | | | CLO | PE1C9 | | 77.43 | | | | | | | | | |
| **Cable Records** | | | | | | | | | | | | | | | | |
| | Recurring Collocation Cable Records-per request | | | CLO | PE1CU | 10.97 | | | | | | | | | | |
| | Recurring Collocation Cable Records-VG/DS0 Cable, per cable record | | | CLO | PE1CE | 5.29 | | | | | | | | | | |
| | Recurring Collocation Cable Records-VG/DS0 Cable, per each 100 pair | | | CLO | PE1CT | 0.08 | | | | | | | | | | |
| | Recurring Collocation Cable Records-DS1, per T1TIE | | | CLO | PE1C2 | 0.04 | | | | | | | | | | |
| | Recurring Collocation Cable Records-DS3, per T3TIE | | | CLO | PE1C4 | 0.13 | | | | | | | | | | |
| | Recurring Collocation Cable Records-Fiber Cable, per 99 fiber records | | | CLO | PE1CG | 1.37 | | | | | | | | | | |
| | Physical Collocation, Cable Records,CAT5/RJ45 | | | CLO | PE1C6 | 0.04 | | | | | | | | | | |
| **Virtual to Physical** | | | | | | | | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation Relocation, per Voice Grade Circuit | | | CLO | PE1BV | | 33.00 | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation Relocation, per DSO Circuit | | | CLO | PE1BO | | 33.00 | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation Relocation, per DS1 Circuit | | | CLO | PE1B1 | | 52.00 | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation Relocation, per DS3 Circuit | | | CLO | PE1B3 | | 52.00 | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation In-Place, Per Voice Grade Circuit | | | CLO | PE1BR | | 23.00 | | | | | | | | | |
| | Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit | | | CLO | PE1BP | | 23.00 | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation In-Place, Per DS1 Circuit | | | CLO | PE1BS | | 33.00 | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation In-Place, per DS3 Circuit | | | CLO | PE1BE | | 37.00 | | | | | | | | | |
| **Entrance Cable** | | | | | | | | | | | | | | | | |
| | Physical Collocation-Fiber Cable Installation, Pricing, non-recurring charge, per Entrance Cable | | | CLO | PE1BD | | 841.54 | | | | | | | | | |
| | Physical Collocation-Fiber Cable Support Structure, per Entrance Cable | | | CLO | PE1PM | 18.31 | | | | | | | | | | |
| | Physical Collocation-Fiber Entrance Cable Installation, per Fiber | | | CLO | PE1ED | | 3.88 | | | | | | | | | |
| **VIRTUAL COLLOCATION** | | | | | | | | | | | | | | | | |
| **Application** | | | | | | | | | | | | | | | | |

| COLLOCATION - Louisiana | | | | | | | | | | | | | | Attachment: 4 Exh B | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | NRC Disconnect | | OSS Rates($) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Virtual Collocation-Application Fee | | | AMTFS | EAF | | 1,770.40 | | | | | | | | | |
| | | Virtual Collocation-Co-Carrier Cross Connects/Direct Connect, Application Fee, per application | | | AMTFS | VE1CA | | 583.30 | | | | | | | | | |
| | | Virtual Collocation Administrative Only-Application Fee | | | AMTFS | VE1AF | | 741.97 | | | | | | | | | |
| | **Space Preparation** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-Floor Space, per sq. ft. | | | AMTFS | ESPVX | 3.20 | | | | | | | | | | |
| | **Power** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-Power, per fused amp | | | AMTFS | ESPAX | 8.32 | | | | | | | | | | |
| | **Cross Connects (Cross Connects, Co-Carrier Cross Connects, and Ports)** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation- 2-wire cross-connect, loop, provisioning | | | UEANL, UEA, UDN, UAL, UHL, UCL, UEQ, UNCVX, UNCDX, UNCNX | UEAC2 | 0.0296 | 11.94 | 11.46 | | | | | | | | |
| | | Virtual Collocation-4-wire cross-connect, loop, provisioning | | | UEA, UHL, UCL, UDL, UNCVX, UNCDX | UEAC4 | 0.0591 | 12.04 | 11.53 | | | | | | | | |
| | | Virtual collocation-Special Access & UNE, cross-connect per DS1 | | | ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USL, UEPEX, UEPDX | CNC1X | 1.04 | 21.39 | 15.47 | | | | | | | | |
| | | Virtual collocation-Special Access & UNE, cross-connect per DS3 | | | USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3 | CND3X | 13.21 | 20.28 | 14.76 | | | | | | | | |
| | | Virtual Collocation-2-Fiber Cross Connects | | | UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF | CNC2F | 2.65 | 20.29 | 14.76 | | | | | | | | |
| | | Virtual Collocation-4-Fiber Cross Connects | | | UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF | CNC4F | 5.31 | 24.81 | 19.29 | | | | | | | | |
| | | Virtual Collocation-Co-Carrier Cross Connects/Direct Connect-Fiber Cable Support Structure, per linear foot, per cable | | | AMTFS | VE1CB | 0.001 | | | | | | | | | | |
| | | Virtual Collocation-Co-Carrier Cross Connects/Direct Connect-Copper/Coax Cable Support Structure, per linear foot, per cable | | | AMTFS | VE1CD | 0.0015 | | | | | | | | | | |
| | | Virtual Collocation 2-Wire Cross Connect, Port | | | UEPSX, UEPSB, UEPSE, UEPSP, UEPSR, UEP2C | VE1R2 | 0.0296 | 11.94 | 11.46 | | | | | | | | |
| | | Virtual Collocation 4-Wire Cross Connect, Port | | | UEPDD, UEPEX | VE1R4 | 0.0591 | 12.04 | 11.53 | | | | | | | | |
| | **CFA** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-CFA Information Resend Request, per Premises, per Arrangement, per request | | | AMTFS | VE1QR | | 77.43 | | | | | | | | | |
| | **Cable Records** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation Cable Records-per request(LA only) | | | AMTFS | VE1BG | 10.97 | | | | | | | | | | |
| | | Virtual Collocation Cable Records-VG/DS0 Cable, per cable record(LA only) | | | AMTFS | VE1BH | 5.29 | | | | | | | | | | |
| | | Virtual Collocation Cable Records-VG/DS0 Cable, per each 100 pair(LA only) | | | AMTFS | VE1BJ | 0.08 | | | | | | | | | | |
| | | Virtual Collocation Cable Records-DS1, per T1TIE(LA only) | | | AMTFS | VE1BK | 0.04 | | | | | | | | | | |
| | | Virtual Collocation Cable Records-DS3, per T3TIE(LA only) | | | AMTFS | VE1BL | 0.13 | | | | | | | | | | |
| | | Virtual Collocation Cable Records-Fiber Cable, per 99 fiber records(LA only) | | | AMTFS | VE1BM | 1.37 | | | | | | | | | | |
| | | Virtual Collocation Cable Records-CAT 5/RJ45 (LA only) | | | AMTFS | VE1B6 | 0.04 | | | | | | | | | | |
| | **Security** | | | | | | | | | | | | | | | | |
| | | Virtual collocation-Security escort, basic time, normally scheduled work hours | | | AMTFS | SPTBX | | 16.44 | 10.42 | | | | | | | | |

| COLLOCATION - Louisiana | | | | | | | | | | | | | | Attachment: 4 Exh B | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | NRC Disconnect | | OSS Rates($) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Virtual collocation-Security escort, overtime, outside of normally scheduled work hours on a normal working day | | | AMTFS | SPTOX | | 21.41 | 13.45 | | | | | | | | |
| | | Virtual collocation-Security escort, premium time, outside of a scheduled work day | | | AMTFS | SPTPX | | 26.38 | 16.49 | | | | | | | | |
| | **Maintenance** | | | | | | | | | | | | | | | | |
| | | Virtual collocation-Maintenance in CO-Basic, per half hour | | | AMTFS | CTRLX | | 27.12 | 10.42 | | | | | | | | |
| | | Virtual collocation-Maintenance in CO-Overtime, per half hour | | | AMTFS | SPTOM | | 35.42 | 13.45 | | | | | | | | |
| | | Virtual collocation-Maintenance in CO-Premium per half hour | | | AMTFS | SPTPM | | 43.72 | 16.49 | | | | | | | | |
| | **Entrance Cable** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-Cable Installation Charge, per cable | | | AMTFS | ESPCX | | 841.54 | | | | | | | | | |
| | | Virtual Collocation-Cable Support Structure, per cable | | | AMTFS | ESPSX | 16.02 | | | | | | | | | | |
| **COLLOCATION IN THE REMOTE SITE** | | | | | | | | | | | | | | | | | |
| | **Physical Remote Site Collocation** | | | | | | | | | | | | | | | | |
| | | Physical Collocation in the Remote Site-Application Fee | | | CLORS | PE1RA | | 298.80 | | | | | | | | | |
| | | Cabinet Space in the Remote Site per Bay/ Rack | | | CLORS | PE1RB | 225.39 | | | | | | | | | | |
| | | Physical Collocation in the Remote Site-Security Access-Key | | | CLORS | PE1RD | | 13.01 | | | | | | | | | |
| | | Physical Collocation in the Remote Site-Space Availability Report per Premises Requested | | | CLORS | PE1SR | | 112.52 | | | | | | | | | |
| | | Physical Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI Code Requested | | | CLORS | PE1RE | | 36.47 | | | | | | | | | |
| | | Remote Site DLEC Data (BRSDD), per Compact Disk, per CO | | | CLORS | PE1RR | | 233.21 | | | | | | | | | |
| | | Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hour | | | CLORS | PE1BT | | 16.44 | 10.42 | | | | | | | | |
| | | Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hours on a scheduled work day, per half hour | | | CLORS | PE1OT | | 21.41 | 13.45 | | | | | | | | |
| | | Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hour | | | CLORS | PE1PT | | 26.38 | 16.49 | | | | | | | | |
| | **Adjacent Remote Site Collocation** | | | | | | | | | | | | | | | | |
| | | Remote Site-Adjacent Collocation-Application Fee | | | CLORS | PE1RU | | 755.62 | 755.62 | | | | | | | | |
| | | Remote Site-Adjacent Collocation-Real Estate, per square foot | | | CLORS | PE1RT | 0.134 | | | | | | | | | | |
| | | Remote Site-Adjacent Collocation-AC Power, per breaker amp | | | CLORS | PE1RS | 6.27 | | | | | | | | | | |
| | **NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for adjacent remote site collocation, the Parties will negotiate appropriate rates.** | | | | | | | | | | | | | | | | |
| | **Virtual Remote Site Collocation** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation in the Remote Site-Application Fee | | | VE1RS | VE1RB | | 614.73 | | 336.08 | | | | | | | |
| | | Virtual Collocation in the Remote Site-Per Bay/Rack of Space | | | VE1RS | VE1RC | 257.01 | | | | | | | | | | |
| | | Virtual Collocation in the Remote Site-Space Availability Report per Premises requested | | | VE1RS | VE1RR | | 231.49 | | | | | | | | | |
| | | Virtual Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI Code Requested | | | VE1RS | VE1RL | | 75.02 | | | | | | | | | |
| **ADJACENT COLLOCATION** | | | | | | | | | | | | | | | | | |
| | | Adjacent Collocation-Space Charge per Sq. Ft. | | | CLOAC | PE1JA | 0.0552 | | | | | | | | | | |
| | | Adjacent Collocation-Electrical Facility Charge per Linear Ft. | | | CLOAC | PE1JC | 5.61 | | | | | | | | | | |
| | | Adjacent Collocation-2-Wire Cross-Connects | | | UEANL,UEQ,UEA,UCL, UAL, UHL, UDN | PE1JE | 0.0245 | 11.94 | 11.46 | | | | | | | | |
| | | Adjacent Collocation-4-Wire Cross-Connects | | | UEA,UHL,UDL,UCL | PE1JF | 0.0491 | 12.04 | 11.53 | | | | | | | | |
| | | Adjacent Collocation-DS1 Cross-Connects | | | USL | PE1JG | 0.9605 | 21.39 | 15.47 | | | | | | | | |
| | | Adjacent Collocation-DS3 Cross-Connects | | | UE3 | PE1JH | 13.01 | 20.28 | 14.76 | | | | | | | | |
| | | Adjacent Collocation-2-Fiber Cross-Connect | | | CLOAC | PE1JJ | 2.20 | 20.28 | 14.76 | | | | | | | | |
| | | Adjacent Collocation-4-Fiber Cross-Connect | | | CLOAC | PE1JK | 4.21 | 24.81 | 19.29 | | | | | | | | |
| | | Adjacent Collocation-Application Fee | | | CLOAC | PE1JB | | 1,543.20 | | | | | | | | | |
| | | Adjacent Collocation-120V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JL | 5.45 | | | | | | | | | | |
| | | Adjacent Collocation-240V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JM | 10.92 | | | | | | | | | | |
| | | Adjacent Collocation-120V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JN | 16.37 | | | | | | | | | | |
| | | Adjacent Collocation-277V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JO | 37.80 | | | | | | | | | | |
| | **Note: Rates displaying an "I" in Interim column are interim as a result of a Commission order.** | | | | | | | | | | | | | | | | |

| COLLOCATION - Mississippi | | | | | | | | | | | | | | Attachment: 4 Exh B | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | NRC Disconnect | | OSS Rates($) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| PHYSICAL COLLOCATION | | | | | | | | | | | | | | | | | |
| | Application | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Initial Application Fee | | | CLO | PE1BA | | 1,890.38 | | | | | | | | | |
| | | Physical Collocation-Subsequent Application Fee | | | CLO | PE1CA | | 1,575.69 | | | | | | | | | |
| | | Physical Collocation-Co-Carrier Cross Connects/Direct Connect, Application Fee, per application | | | CLO | PE1DT | | 583.13 | | | | | | | | | |
| | | Physical Collocation Administrative Only-Application Fee | | | CLO | PE1BL | | 740.76 | | | | | | | | | |
| | | Physical Collocation-Application Cost, Simple Augment | | | CLO | PE1KS | | 597.34 | | 1.22 | | | | | | | |
| | | Physical Collocation-Application Cost, Minor Augment | | | CLO | PE1KM | | 837.57 | | 1.22 | | | | | | | |
| | | Physical Collocation-Application Cost, Intermediate Augment | | | CLO | PE1K1 | | 1,063.00 | | 1.22 | | | | | | | |
| | | Physical Collocation-Application Cost-Major Augment | | | CLO | PE1KJ | | 2,422.00 | | 1.22 | | | | | | | |
| | Space Preparation | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Floor Space, per sq feet | | | CLO | PE1PJ | 5.74 | | | | | | | | | | |
| | | Physical Collocation-Space Enclosure, welded wire, first 50 square feet | | | CLO | PE1BX | 165.23 | | | | | | | | | | |
| | | Physical Collocation-Space enclosure, welded wire, first 100 square feet | | | CLO | PE1BW | 183.20 | | | | | | | | | | |
| | | Physical Collocation-Space enclosure, welded wire, each additional 50 square feet | | | CLO | PE1CW | 17.97 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation-C.O. Modification per square ft. | | | CLO | PE1SK | 2.30 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation, Common Systems Modifications-Cageless, per square foot | | | CLO | PE1SL | 2.52 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation-Common Systems Modifications-Caged, per cage | | | CLO | PE1SM | 85.67 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation-Firm Order Processing | | | CLO | PE1SJ | | 604.19 | | | | | | | | | |
| | | Physical Collocation-Space Availability Report, per Central Office Requested | | | CLO | PE1SR | | 1,081.40 | | | | | | | | | |
| | Power | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Power, -48V DC Power-per Fused Amp Requested | | | CLO | PE1PL | 7.33 | | | | | | | | | | |
| | | Physical Collocation-Power, 120V AC Power, Single Phase, per Breaker Amp | | | CLO | PE1FB | 5.29 | | | | | | | | | | |
| | | Physical Collocation-Power, 240V AC Power, Single Phase, per Breaker Amp | | | CLO | PE1FD | 10.58 | | | | | | | | | | |
| | | Physical Collocation-Power, 120V AC Power, Three Phase, per Breaker Amp | | | CLO | PE1FE | 15.87 | | | | | | | | | | |
| | | Physical Collocation-Power, 277V AC Power, Three Phase, per Breaker Amp | | | CLO | PE1FG | 36.65 | | | | | | | | | | |
| | Cross Connects (Cross Connects, Co-Carrier Cross Connects, and Ports) | | | | | | | | | | | | | | | | |
| | | Physical Collocation-2-wire cross-connect, loop, provisioning | | | UEANL,UEQ, UNCNX, UEA, UCL, UAL, UHL, UDN, UNCVX | PE1P2 | 0.0288 | 12.37 | 11.87 | 6.04 | 5.45 | | | | | | |
| | | Physical Collocation-4-wire cross-connect, loop, provisioning | | | UEA, UHL, UNCVX, UNCDX, UCL, UDL | PE1P4 | 0.0576 | 12.47 | 11.94 | 6.59 | 5.91 | | | | | | |
| | | Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning | | | WDS1L, WDS1S, UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB, UEPSE, UEPSP, USL, UEPEX, UEPDX | PE1P1 | 1.14 | 22.16 | 16.02 | 6.60 | 5.97 | | | | | | |
| | | Physical Collocation-DS3 Cross-Connect, provisioning | | | UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSR, UEPSB, UEPSE, UEPSP | PE1P3 | 14.49 | 21.01 | 15.29 | 7.61 | 6.10 | | | | | | |
| | | Physical Collocation-2-Fiber Cross-Connect | | | CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF | PE1F2 | 2.87 | 21.01 | 15.29 | 7.61 | 6.10 | | | | | | |

| COLLOCATION - Mississippi | | | | | | | | | | | | | | Attachment: 4 Exh B | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | NRC Disconnect | | OSS Rates($) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Physical Collocation-4-Fiber Cross-Connect | | | ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF, UDFCX | PE1F4 | 5.10 | 25.70 | 19.97 | 10.01 | 8.50 | | | | | | |
| | | Physical Collocation-Co-Carrier Cross Connects/Direct Connect-Fiber Cable Support Structure, per linear foot, per cable. | | | CLO | PE1ES | 0.001 | | | | | | | | | | |
| | | Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Copper/Coax Cable Support Structure, per linear foot, per cable. | | | CLO | PE1DS | 0.0015 | | | | | | | | | | |
| | | Physical Collocation 2-Wire Cross Connect, Port | | | UEPSR, UEPSP, UEPSE, UEPSB, UEPSX, UEP2C | PE1R2 | 0.0288 | 12.37 | 11.87 | 6.04 | 5.45 | | 15.75 | | | | |
| | | Physical Collocation 4-Wire Cross Connect, Port | | | UEPEX, UEPDD | PE1R4 | 0.0576 | 12.47 | 11.94 | 6.59 | 5.91 | | 15.75 | | | | |
| | **Security** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hour | | | CLO | PE1BT | | 17.02 | 10.79 | | | | | | | | |
| | | Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hours on a scheduled work day, per half hour | | | CLO | PE1OT | | 22.17 | 13.94 | | | | | | | | |
| | | Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hour | | | CLO | PE1PT | | 27.32 | 17.08 | | | | | | | | |
| | | Physical Collocation-Security Access System, Security System, per Central Office | | | CLO | PE1AX | 75.23 | | | | | | | | | | |
| | | Physical Collocation -Security Access System-New Card Activation, per Card Activation (First), per State | | | CLO | PE1A1 | 0.0576 | 27.95 | | | | | | | | | |
| | | Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card | | | CLO | PE1AA | | 7.84 | | | | | | | | | |
| | | Physical Collocation-Security Access System-Replace Lost or Stolen Card, per Card | | | CLO | PE1AR | | 22.91 | | | | | | | | | |
| | | Physical Collocation-Security Access-Initial Key, per Key | | | CLO | PE1AK | | 13.17 | | | | | | | | | |
| | | Physical Collocation-Security Access-Key, Replace Lost or Stolen Key, per Key | | | CLO | PE1AL | | 13.17 | | | | | | | | | |
| | **CFA** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-CFA Information Resend Request, per premises, per arrangement, per request | | | CLO | PE1C9 | | 77.41 | | | | | | | | | |
| | **Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial I" and "Subsequent S" respectively** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Cable Records, per request | | | CLO | PE1CR | | I 763.69 | S 490.94 | 133.77 | | | | | | | |
| | | Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) | | | CLO | PE1CD | | 328.81 | | 190.22 | | | | | | | |
| | | Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair | | | CLO | PE1CO | | 4.84 | | 5.93 | | | | | | | |
| | | Physical Collocation, Cable Records, DS1, per T1 TIE | | | CLO | PE1C1 | | 2.27 | | 2.78 | | | | | | | |
| | | Physical Collocation, Cable Records, DS3, per T3 TIE | | | CLO | PE1C3 | | 7.92 | | 9.72 | | | | | | | |
| | | Physical Collocation-Cable Records, Fiber Cable, per cable record (maximum 99 records) | | | CLO | PE1CB | | 84.98 | | 77.58 | | | | | | | |
| | | Physical Collocation, Cable Records,CAT5/RJ45 | | | CLO | PE1C5 | | 2.27 | | 2.78 | | | | | | | |
| | **Virtual to Physical** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation Relocation, per Voice Grade Circuit | | | CLO | PE1BV | | 33.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation Relocation, per DSO Circuit | | | CLO | PE1BO | | 33.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation Relocation, per DS1 Circuit | | | CLO | PE1B1 | | 52.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation Relocation, per DS3 Circuit | | | CLO | PE1B3 | | 52.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation In-Place, Per Voice Grade Circuit | | | CLO | PE1BR | | 23.00 | | | | | | | | | |
| | | Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit | | | CLO | PE1BP | | 23.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation In-Place, Per DS1 Circuit | | | CLO | PE1BS | | 33.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation In-Place, per DS3 Circuit | | | CLO | PE1BE | | 37.00 | | | | | | | | | |
| | **Entrance Cable** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Fiber Cable Installation, Pricing, non-recurring charge, per Entrance Cable | | | CLO | PE1BD | | 926.27 | | 22.62 | | | | | | | |
| | | Physical Collocation-Fiber Cable Support Structure, per Entrance Cable | | | CLO | PE1PM | 17.42 | | | | | | | | | | |
| | | Physical Collocation-Fiber Entrance Cable Installation, per Fiber | | | CLO | PE1ED | | 3.89 | | | | | | | | | |
| **VIRTUAL COLLOCATION** | | | | | | | | | | | | | | | | | |

| COLLOCATION - Mississippi | | | | | | | | | | | | | | Attachment: 4 Exh B | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | NRC Disconnect | | OSS Rates($) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Application | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-Application Fee | | | AMTFS | EAF | | 1,212.25 | | 0.51 | | | | | | | |
| | | Virtual Collocation-Co-Carrier Cross Connects/Direct Connect, Application Fee, per application | | | AMTFS | VE1CA | | 583.13 | | | | | | | | | |
| | | Virtual Collocation Administrative Only-Application Fee | | | AMTFS | VE1AF | | 740.76 | | | | | | | | | |
| | Space Preparation | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-Floor Space, per sq. ft. | | | AMTFS | ESPVX | 5.74 | | | | | | | | | | |
| | Power | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-Power, per fused amp | | | AMTFS | ESPAX | 7.33 | | | | | | | | | | |
| | Cross Connects (Cross Connects, Co-Carrier Cross Connects, and Ports) | | | | | | | | | | | | | | | | |
| | | Virtual Collocation- 2-wire cross-connect, loop, provisioning | | | UEANL, UEA, UDN, UAL, UHL, UCL, UEQ, UNCVX, UNCDX, UNCNX | UEAC2 | 0.0268 | 12.37 | 11.87 | 6.04 | 5.45 | | | | | | |
| | | Virtual Collocation-4-wire cross-connect, loop, provisioning | | | UEA, UHL, UCL, UDL, UNCVX, UNCDX | UEAC4 | 0.0536 | 12.47 | 11.94 | 6.59 | 5.91 | | | | | | |
| | | Virtual Collocation-Special Access & UNE, cross-connect per DS1 | | | ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USL, UEPEX, UEPDX | CNC1X | 1.14 | 22.16 | 16.02 | 6.60 | 5.97 | | | | | | |
| | | Virtual collocation-Special Access & UNE, cross-connect per DS3 | | | USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3 | CND3X | 14.49 | 21.01 | 15.29 | 7.61 | 6.10 | | | | | | |
| | | Virtual Collocation-2-Fiber Cross Connects | | | UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF | CNC2F | 2.91 | 21.01 | 15.29 | 7.61 | 6.10 | | | | | | |
| | | Virtual Collocation-4-Fiber Cross Connects | | | UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF | CNC4F | 5.82 | 25.70 | 19.97 | 10.01 | 8.50 | | | | | | |
| | | Virtual Collocation-Co-Carrier Cross Connects/Direct Connect-Fiber Cable Support Structure, per linear foot, per cable | | | AMTFS | VE1CB | 0.001 | | | | | | | | | | |
| | | Virtual Collocation-Co-Carrier Cross Connects/Direct Connect-Copper/Coax Cable Support Structure, per linear foot, per cable | | | AMTFS | VE1CD | 0.0015 | | | | | | | | | | |
| | | Virtual Collocation 2-Wire Cross Connect, Port | | | UEPSX, UEPSB, UEPSE, UEPSP, UEPSR, UEP2C | VE1R2 | 0.0268 | 12.37 | 11.87 | 6.04 | 5.45 | | | | | | |
| | | Virtual Collocation 4-Wire Cross Connect, Port | | | UEPDD, UEPEX | VE1R4 | 0.0536 | 12.47 | 11.94 | 6.59 | 5.91 | | | | | | |
| | CFA | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-CFA Information Resend Request, per Premises, per Arrangement, per request | | | AMTFS | VE1QR | | 77.41 | | | | | | | | | |
| | Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial I" & "Subsequent S" respectively | | | | | | | | | | | | | | | | |
| | | Virtual Collocation Cable Records-per request | | | AMTFS | VE1BA | | 763.69 | 490.94 | 133.77 | | | | | | | |
| | | Virtual Collocation Cable Records-VG/DS0 Cable, per cable record | | | AMTFS | VE1BB | | 328.81 | | 190.22 | | | | | | | |
| | | Virtual Collocation Cable Records-VG/DS0 Cable, per each 100 pair | | | AMTFS | VE1BC | | 4.84 | | 5.93 | | | | | | | |
| | | Virtual Collocation Cable Records-DS1, per T1TIE | | | AMTFS | VE1BD | | 2.27 | | 2.78 | | | | | | | |
| | | Virtual Collocation Cable Records-DS3, per T3TIE | | | AMTFS | VE1BE | | 7.92 | | 9.72 | | | | | | | |
| | | Virtual Collocation Cable Records-Fiber Cable, per 99 fiber records | | | AMTFS | VE1BF | | 84.98 | | 77.58 | | | | | | | |
| | | Virtual Collocation Cable Records-CAT 5/RJ45 | | | AMTFS | VE1B5 | | 2.27 | | 2.78 | | | | | | | |
| | Security | | | | | | | | | | | | | | | | |
| | | Virtual collocation-Security escort, basic time, normally scheduled work hours | | | AMTFS | SPTBX | | 17.02 | 10.79 | | | | | | | | |

| COLLOCATION - Mississippi | | | | | | | | | | | | | | Attachment: 4 Exh B | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | NRC Disconnect | | OSS Rates($) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Virtual collocation-Security escort, overtime, outside of normally scheduled work hours on a normal working day | | | AMTFS | SPTOX | | 22.17 | 13.94 | | | | | | | | |
| | | Virtual collocation-Security escort, premium time, outside of a scheduled work day | | | AMTFS | SPTPX | | 27.32 | 17.08 | | | | | | | | |
| | **Maintenance** | | | | | | | | | | | | | | | | |
| | | Virtual collocation-Maintenance in CO-Basic, per half hour | | | AMTFS | CTRLX | | 28.09 | 10.79 | | | | | | | | |
| | | Virtual collocation-Maintenance in CO-Overtime, per half hour | | | AMTFS | SPTOM | | 36.69 | 13.94 | | | | | | | | |
| | | Virtual collocation-Maintenance in CO-Premium per half hour | | | AMTFS | SPTPM | | 45.28 | 17.08 | | | | | | | | |
| | **Entrance Cable** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-Cable Installation Charge, per cable | | | AMTFS | ESPCX | | 926.27 | | 22.62 | | | | | | | |
| | | Virtual Collocation-Cable Support Structure, per cable | | | AMTFS | ESPSX | 15.24 | | | | | | | | | | |
| **COLLOCATION IN THE REMOTE SITE** | | | | | | | | | | | | | | | | | |
| | **Physical Remote Site Collocation** | | | | | | | | | | | | | | | | |
| | | Physical Collocation in the Remote Site-Application Fee | | | CLORS | PE1RA | | 309.48 | | 168.63 | | | | | | | |
| | | Cabinet Space in the Remote Site per Bay/ Rack | | | CLORS | PE1RB | 210.05 | | | | | | | | | | |
| | | Physical Collocation in the Remote Site-Security Access-Key | | | CLORS | PE1RD | | 13.17 | | | | | | | | | |
| | | Physical Collocation in the Remote Site-Space Availability Report per Premises Requested | | | CLORS | PE1SR | | 116.54 | | | | | | | | | |
| | | Physical Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI Code Requested | | | CLORS | PE1RE | | 37.77 | | | | | | | | | |
| | | Remote Site DLEC Data (BRSDD), per Compact Disk, per CO | | | CLORS | PE1RR | | 233.14 | | | | | | | | | |
| | | Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hour | | | CLORS | PE1BT | | 17.02 | 10.79 | | | | | | | | |
| | | Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hours on a scheduled work day, per half hour | | | CLORS | PE1OT | | 22.17 | 13.94 | | | | | | | | |
| | | Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hour | | | CLORS | PE1PT | | 27.32 | 17.08 | | | | | | | | |
| | **Adjacent Remote Site Collocation** | | | | | | | | | | | | | | | | |
| | | Remote Site-Adjacent Collocation-Application Fee | | | CLORS | PE1RU | | 755.62 | 755.62 | | | | | | | | |
| | | Remote Site-Adjacent Collocation-Real Estate, per square foot | | | CLORS | PE1RT | 0.134 | | | | | | | | | | |
| | | Remote Site-Adjacent Collocation-AC Power, per breaker amp | | | CLORS | PE1RS | 6.27 | | | | | | | | | | |
| | **NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for adjacent remote site collocation, the Parties will negotiate appropriate rates.** | | | | | | | | | | | | | | | | |
| | **Virtual Remote Site Collocation** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation in the Remote Site-Application Fee | | | VE1RS | VE1RB | | 309.48 | | 168.63 | | | | | | | |
| | | Virtual Collocation in the Remote Site-Per Bay/Rack of Space | | | VE1RS | VE1RC | 210.05 | | | | | | | | | | |
| | | Virtual Collocation in the Remote Site-Space Availability Report per Premises requested | | | VE1RS | VE1RR | | 116.54 | | | | | | | | | |
| | | Virtual Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI Code Requested | | | VE1RS | VE1RL | | 37.77 | | | | | | | | | |
| **ADJACENT COLLOCATION** | | | | | | | | | | | | | | | | | |
| | | Adjacent Collocation-Space Charge per Sq. Ft. | | | CLOAC | PE1JA | 0.0678 | | | | | | | | | | |
| | | Adjacent Collocation-Electrical Facility Charge per Linear Ft. | | | CLOAC | PE1JC | 4.68 | | | | | | | | | | |
| | | Adjacent Collocation-2-Wire Cross-Connects | | | UEANL,UEQ,UEA,UCL, UAL, UHL, UDN | PE1JE | 0.0223 | 12.37 | 11.87 | 6.04 | 5.45 | | | | | | |
| | | Adjacent Collocation-4-Wire Cross-Connects | | | UEA,UHL,UDL,UCL | PE1JF | 0.0446 | 12.47 | 11.94 | 6.59 | 5.91 | | | | | | |
| | | Adjacent Collocation-DS1 Cross-Connects | | | USL | PE1JG | 1.05 | 22.16 | 16.02 | 6.60 | 5.97 | | | | | | |
| | | Adjacent Collocation-DS3 Cross-Connects | | | UE3 | PE1JH | 14.27 | 21.01 | 15.29 | 7.61 | 6.10 | | | | | | |
| | | Adjacent Collocation-2-Fiber Cross-Connect | | | CLOAC | PE1JJ | 2.42 | 21.01 | 15.29 | 7.61 | 6.10 | | | | | | |
| | | Adjacent Collocation-4-Fiber Cross-Connect | | | CLOAC | PE1JK | 4.62 | 25.70 | 19.97 | 10.01 | 8.50 | | | | | | |
| | | Adjacent Collocation-Application Fee | | | CLOAC | PE1JB | | 1,585.83 | | | | | | | | | |
| | | Adjacent Collocation-120V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JL | 5.29 | | | | | | | | | | |
| | | Adjacent Collocation-240V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JM | 10.58 | | | | | | | | | | |
| | | Adjacent Collocation-120V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JN | 15.87 | | | | | | | | | | |
| | | Adjacent Collocation-277V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JO | 36.65 | | | | | | | | | | |
| | **Note: Rates displaying an "I" in Interim column are interim as a result of a Commission order.** | | | | | | | | | | | | | | | | |

| COLLOCATION - North Carolina | | | | | | | | | | | | | | Attachment: 4 Exh B | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | Nonrecurring | | NRC Disconnect | | OSS Rates($) | | | | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| PHYSICAL COLLOCATION | | | | | | | | | | | | | | | | | |
| | Application | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Initial Application Fee | | | CLO | PE1BA | | 2,322.00 | | | | | | | | | |
| | | Physical Collocation-Subsequent Application Fee | | | CLO | PE1CA | | 2,311.00 | | | | | | | | | |
| | | Physical Collocation-Co-Carrier Cross Connects/Direct Connect, Application Fee, per application | | | CLO | PE1DT | | 317.20 | | | | | | | | | |
| | | Physical Collocation Administrative Only-Application Fee | | | CLO | PE1BL | | 741.44 | | | | | | | | | |
| | | Physical Collocation-Application Cost, Simple Augment | | | CLO | PE1KS | | 269.83 | | 1.15 | | | | | | | |
| | | Physical Collocation-Application Cost, Minor Augment | | | CLO | PE1KM | | 493.40 | | 1.15 | | | | | | | |
| | | Physical Collocation-Application Cost, Intermediate Augment | | | CLO | PE1K1 | | 1,012.00 | | 1.15 | | | | | | | |
| | | Physical Collocation-Application Cost-Major Augment | | | CLO | PE1KJ | | 2,343.00 | | 1.15 | | | | | | | |
| | Space Preparation | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Floor Space, per sq feet | | | CLO | PE1PJ | 2.69 | | | | | | | | | | |
| | | Physical Collocation-Space Enclosure, welded wire, first 50 square feet | | | CLO | PE1BX | | 534.44 | | | | | | | | | |
| | | Physical Collocation-Space enclosure, welded wire, first 100 square feet | | | CLO | PE1BW | | 559.81 | | | | | | | | | |
| | | Physical Collocation-Space enclosure, welded wire, each additional 50 square feet | | | CLO | PE1CW | | 25.37 | | | | | | | | | |
| | | Physical Collocation-Space Preparation-C.O. Modification per square ft. | | | CLO | PE1SK | 2.42 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation, Common Systems Modifications-Cageless, per square foot | | | CLO | PE1SL | 2.88 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation-Common Systems Modifications-Caged, per cage | | | CLO | PE1SM | 97.98 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation-Firm Order Processing | | | CLO | PE1SJ | | 1,196.00 | | | | | | | | | |
| | | Physical Collocation-Space Availability Report, per Central Office Requested | | | CLO | PE1SR | | 2,140.00 | | | | | | | | | |
| | Power | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Power, -48V DC Power-per Fused Amp Requested | | | CLO | PE1PL | 7.65 | | | | | | | | | | |
| | | Physical Collocation-Power, 120V AC Power, Single Phase, per Breaker Amp | | | CLO | PE1FB | 5.50 | | | | | | | | | | |
| | | Physical Collocation-Power, 240V AC Power, Single Phase, per Breaker Amp | | | CLO | PE1FD | 11.01 | | | | | | | | | | |
| | | Physical Collocation-Power, 120V AC Power, Three Phase, per Breaker Amp | | | CLO | PE1FE | 16.51 | | | | | | | | | | |
| | | Physical Collocation-Power, 277V AC Power, Three Phase, per Breaker Amp | | | CLO | PE1FG | 38.12 | | | | | | | | | | |
| | Cross Connects (Cross Connects, Co-Carrier Cross Connects, and Ports) | | | | | | | | | | | | | | | | |
| | | Physical Collocation-2-wire cross-connect, loop, provisioning | | | UEANL,UEQ, UNCNX, UEA, UCL, UAL, UHL, UDN, UNCVX | PE1P2 | 0.0309 | 19.77 | 14.95 | | | | | | | | |
| | | Physical Collocation-4-wire cross-connect, loop, provisioning | | | UEA, UHL, UNCVX, UNCDX, UCL, UDL | PE1P4 | 0.0618 | 19.95 | 15.05 | | | | | | | | |
| | | Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning | | | WDS1L, WDS1S, UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB, UEPSE, UEPSP, USL, UEPEX, UEPDX | PE1P1 | 1.38 | 39.15 | 23.20 | | | | | | | | |
| | | Physical Collocation-DS3 Cross-Connect, provisioning | | | UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSR, UEPSB, UEPSE, UEPSP | PE1P3 | 17.62 | 38.25 | 21.94 | | | | | | | | |
| | | Physical Collocation-2-Fiber Cross-Connect | | | CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF | PE1F2 | 3.50 | 38.25 | 21.94 | | | | | | | | |

| COLLOCATION - North Carolina | | | | | | | | | | | | | | Attachment: 4 Exh B | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | NRC Disconnect | | OSS Rates($) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Physical Collocation-4-Fiber Cross-Connect | | | ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF, UDFCX | PE1F4 | 6.20 | 43.96 | 26.17 | | | | | | | | |
| | | Physical Collocation-Co-Carrier Cross Connects/Direct Connect-Fiber Cable Support Structure, per linear foot, per cable. | | | CLO | PE1ES | 0.0028 | | | | | | | | | | |
| | | Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Copper/Coax Cable Support Structure, per linear foot, per cable. | | | CLO | PE1DS | 0.0041 | | | | | | | | | | |
| | | Physical Collocation 2-Wire Cross Connect, Port | | | UEPSR, UEPSP, UEPSE, UEPSB, UEPSX, UEP2C | PE1R2 | 0.0309 | 19.77 | 14.95 | | | | | 26.94 | 12.76 | | |
| | | Physical Collocation 4-Wire Cross Connect, Port | | | UEPEX, UEPDD | PE1R4 | 0.0618 | 19.95 | 15.05 | | | | | 26.94 | 12.76 | | |
| | **Security** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hour | | | CLO | PE1BT | | 33.68 | 21.34 | | | | | | | | |
| | | Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hours on a scheduled work day, per half hour | | | CLO | PE1OT | | 43.87 | 27.57 | | | | | | | | |
| | | Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hour | | | CLO | PE1PT | | 54.06 | 33.80 | | | | | | | | |
| | | Physical Collocation-Security Access System-Security System per Central Office, per Sq. Ft. | | | CLO | PE1AY | 0.0135 | | | | | | | | | | |
| | | Physical Collocation -Security Access System-New Card Activation, per Card Activation (First), per State | | | CLO | PE1A1 | 0.0622 | 15.00 | | | | | | | | | |
| | | Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card | | | CLO | PE1AA | | 15.51 | | | | | | | | | |
| | | Physical Collocation-Security Access System-Replace Lost or Stolen Card, per Card | | | CLO | PE1AR | | 15.00 | | | | | | | | | |
| | | Physical Collocation-Security Access-Initial Key, per Key | | | CLO | PE1AK | | 15.00 | | | | | | | | | |
| | | Physical Collocation-Security Access-Key, Replace Lost or Stolen Key, per Key | | | CLO | PE1AL | | 15.00 | | | | | | | | | |
| | **CFA** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-CFA Information Resend Request, per premises, per arrangement, per request | | | CLO | PE1C9 | | 77.48 | | | | | | | | | |
| | **Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial I" and "Subsequent S" respectively** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Cable Records, per request | | | CLO | PE1CR | | I 1458 | S 937.29 | 245.00 | 245.00 | | | | | | |
| | | Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) | | | CLO | PE1CD | | 622.69 | 622.69 | 346.35 | 346.35 | | | | | | |
| | | Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair | | | CLO | PE1CO | | 8.77 | 8.77 | 10.32 | 10.32 | | | | | | |
| | | Physical Collocation, Cable Records, DS1, per T1 TIE | | | CLO | PE1C1 | | 4.35 | 4.35 | 5.11 | 5.11 | | | | | | |
| | | Physical Collocation, Cable Records, DS3, per T3 TIE | | | CLO | PE1C3 | | 15.22 | 15.22 | 17.90 | 17.90 | | | | | | |
| | | Physical Collocation-Cable Records, Fiber Cable, per cable record (maximum 99 records) | | | CLO | PE1CB | | 163.61 | 163.61 | 143.32 | 143.32 | | | | | | |
| | | Physical Collocation, Cable Records,CAT5/RJ45 | | | CLO | PE1C5 | | 2.27 | | 2.78 | | | | | | | |
| | **Virtual to Physical** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation Relocation, per Voice Grade Circuit | | | CLO | PE1BV | | 33.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation Relocation, per DSO Circuit | | | CLO | PE1BO | | 33.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation Relocation, per DS1 Circuit | | | CLO | PE1B1 | | 52.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation Relocation, per DS3 Circuit | | | CLO | PE1B3 | | 52.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation In-Place, Per Voice Grade Circuit | | | CLO | PE1BR | | 23.00 | | | | | | | | | |
| | | Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit | | | CLO | PE1BP | | 23.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation In-Place, Per DS1 Circuit | | | CLO | PE1BS | | 33.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation In-Place, per DS3 Circuit | | | CLO | PE1BE | | 37.00 | | | | | | | | | |
| | **Entrance Cable** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Fiber Cable Installation, Pricing, non-recurring charge, per Entrance Cable | | | CLO | PE1BD | | 1,233.00 | | | | | | | | | |
| | | Physical Collocation-Fiber Cable Support Structure, per Entrance Cable | | | CLO | PE1PM | 20.57 | | | | | | | | | | |
| | | Physical Collocation-Fiber Entrance Cable Installation, per Fiber | | | CLO | PE1ED | | 7.79 | | | | | | | | | |

| COLLOCATION - North Carolina | | | | | | | | | | | | | | Attachment: 4 Exh B | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | NRC Disconnect | | OSS Rates($) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| VIRTUAL COLLOCATION | | | | | | | | | | | | | | | | | |
| | Application | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-Application Fee | | | AMTFS | EAF | | 1,195.00 | | | | | | | | | |
| | | Virtual Collocation-Co-Carrier Cross Connects/Direct Connect, Application Fee, per application | | | AMTFS | VE1CA | | 317.20 | | | | | | | | | |
| | | Virtual Collocation Administrative Only-Application Fee | | | AMTFS | VE1AF | | 741.44 | | | | | | | | | |
| | Space Preparation | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-Floor Space, per sq. ft. | I | | AMTFS | ESPVX | 2.69 | | | | | | | | | | |
| | Power | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-Power, per fused amp | I | | AMTFS | ESPAX | 7.65 | | | | | | | | | | |
| | Cross Connects (Cross Connects, Co-Carrier Cross Connects, and Ports) | | | | | | | | | | | | | | | | |
| | | Virtual Collocation- 2-wire cross-connect, loop, provisioning | | | UEANL, UEA, UDN, UAL, UHL, UCL, UEQ, UNCVX, UNCDX, UNCNX | UEAC2 | 0.0225 | 19.77 | 14.95 | | | | | | | | |
| | | Virtual Collocation-4-wire cross-connect, loop, provisioning | | | UEA, UHL, UCL, UDL, UNCVX, UNCDX | UEAC4 | 0.0449 | 19.95 | 15.05 | | | | | | | | |
| | | Virtual collocation-Special Access & UNE, cross-connect per DS1 | | | ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USL, UEPEX, UEPDX | CNC1X | 0.4195 | 39.15 | 23.20 | | | | | | | | |
| | | Virtual collocation-Special Access & UNE, cross-connect per DS3 | | | USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3 | CND3X | 4.41 | 38.25 | 21.94 | | | | | | | | |
| | | Virtual Collocation-2-Fiber Cross Connects | | | UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF | CNC2F | 1.96 | 38.25 | 21.94 | | | | | | | | |
| | | Virtual Collocation-4-Fiber Cross Connects | | | UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF | CNC4F | 3.93 | 43.96 | 26.17 | | | | | | | | |
| | | Virtual Collocation-Co-Carrier Cross Connects/Direct Connect-Fiber Cable Support Structure, per linear foot, per cable | | | AMTFS | VE1CB | 0.0028 | | | | | | | | | | |
| | | Virtual Collocation-Co-Carrier Cross Connects/Direct Connect-Copper/Coax Cable Support Structure, per linear foot, per cable | | | AMTFS | VE1CD | 0.0041 | | | | | | | | | | |
| | | Virtual Collocation 2-Wire Cross Connect, Port | | | UEPSX, UEPSB, UEPSE, UEPSP, UEPSR, UEP2C | VE1R2 | 0.0225 | 19.77 | 14.95 | | | | | | | | |
| | | Virtual Collocation 4-Wire Cross Connect, Port | | | UEPDD, UEPEX | VE1R4 | 0.0449 | 19.95 | 15.05 | | | | | | | | |
| | CFA | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-CFA Information Resend Request, per Premises, per Arrangement, per request | | | AMTFS | VE1QR | | 77.48 | | | | | | | | | |
| | Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial I" & "Subsequent S" respectively | | | | | | | | | | | | | | | | |
| | | Virtual Collocation Cable Records- per request | | | AMTFS | VE1BA | | 1,458.00 | 937.29 | 245.00 | 245.00 | | | | | | |
| | | Virtual Collocation Cable Records-VG/DS0 Cable, per cable record | | | AMTFS | VE1BB | | 622.69 | 622.69 | 346.35 | 346.35 | | | | | | |
| | | Virtual Collocation Cable Records-VG/DS0 Cable, per each 100 pair | | | AMTFS | VE1BC | | 8.77 | 8.77 | 10.32 | 10.32 | | | | | | |
| | | Virtual Collocation Cable Records-DS1, per T1TIE | | | AMTFS | VE1BD | | 4.35 | 4.35 | 5.11 | 5.11 | | | | | | |
| | | Virtual Collocation Cable Records-DS3, per T3TIE | | | AMTFS | VE1BE | | 15.22 | 15.22 | 17.90 | 17.90 | | | | | | |
| | | Virtual Collocation Cable Records-Fiber Cable, per 99 fiber records | | | AMTFS | VE1BF | | 163.61 | 163.61 | 143.32 | 143.32 | | | | | | |
| | | Virtual Collocation Cable Records-CAT 5/RJ45 | | | AMTFS | VE1B5 | | 4.35 | 4.35 | 5.11 | 5.11 | | | | | | |
| | Security | | | | | | | | | | | | | | | | |

| COLLOCATION - North Carolina | | | | | | | | | | | | | | Attachment: 4 Exh B | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | NRC Disconnect | | OSS Rates($) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Virtual collocation-Security escort, basic time, normally scheduled work hours | | | AMTFS | SPTBX | | 33.68 | 21.34 | | | | | | | | |
| | Virtual collocation-Security escort, overtime, outside of normally scheduled work hours on a normal working day | | | AMTFS | SPTOX | | 43.87 | 27.57 | | | | | | | | |
| | Virtual collocation-Security escort, premium time, outside of a scheduled work day | | | AMTFS | SPTPX | | 54.06 | 33.80 | | | | | | | | |
| **Maintenance** | | | | | | | | | | | | | | | | |
| | Virtual collocation-Maintenance in CO-Basic, per half hour | | | AMTFS | CTRLX | | 52.03 | 21.22 | | | | | | | | |
| | Virtual collocation-Maintenance in CO-Overtime, per half hour | | | AMTFS | SPTOM | | 69.48 | 27.81 | | | | | | | | |
| | Virtual collocation-Maintenance in CO-Premium per half hour | | | AMTFS | SPTPM | | 86.94 | 34.40 | | | | | | | | |
| **Entrance Cable** | | | | | | | | | | | | | | | | |
| | Virtual Collocation-Cable Installation Charge, per cable | | | AMTFS | ESPCX | | 1,233.00 | | | | | | | | | |
| | Virtual Collocation-Cable Support Structure, per cable | | | AMTFS | ESPSX | 13.28 | | | | | | | | | | |
| **COLLOCATION IN THE REMOTE SITE** | | | | | | | | | | | | | | | | |
| **Physical Remote Site Collocation** | | | | | | | | | | | | | | | | |
| | Physical Collocation in the Remote Site-Application Fee | | | CLORS | PE1RA | | 589.38 | | 258.38 | | | | | | | |
| | Cabinet Space in the Remote Site per Bay/ Rack | | | CLORS | PE1RB | 218.07 | | | | | | | | | | |
| | Physical Collocation in the Remote Site-Security Access-Key | | | CLORS | PE1RD | | 15.00 | | | | | | | | | |
| | Physical Collocation in the Remote Site-Space Availability Report per Premises Requested | | | CLORS | PE1SR | | 215.55 | | | | | | | | | |
| | Physical Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI Code Requested | | | CLORS | PE1RE | | 70.65 | | | | | | | | | |
| | Remote Site DLEC Data (BRSDD), per Compact Disk, per CO | | | CLORS | PE1RR | | 232.94 | | | | | | | | | |
| | Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hour | | | CLORS | PE1BT | | 33.68 | 21.34 | | | | | | | | |
| | Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hours on a scheduled work day, per half hour | | | CLORS | PE1OT | | 43.87 | 27.57 | | | | | | | | |
| | Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hour | | | CLORS | PE1PT | | 54.06 | 33.80 | | | | | | | | |
| **Adjacent Remote Site Collocation** | | | | | | | | | | | | | | | | |
| | Remote Site-Adjacent Collocation-Application Fee | | | CLORS | PE1RU | | 755.62 | 755.62 | | | | | | | | |
| | Remote Site-Adjacent Collocation-Real Estate, per square foot | | | CLORS | PE1RT | 0.134 | | | | | | | | | | |
| | Remote Site-Adjacent Collocation-AC Power, per breaker amp | | | CLORS | PE1RS | 6.27 | | | | | | | | | | |
| **NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for adjacent remote site collocation, the Parties will negotiate appropriate rates.** | | | | | | | | | | | | | | | | |
| **Virtual Remote Site Collocation** | | | | | | | | | | | | | | | | |
| | Virtual Collocation in the Remote Site-Application Fee | | | VE1RS | VE1RB | | 589.38 | | 258.38 | | | | | | | |
| | Virtual Collocation in the Remote Site-Per Bay/Rack of Space | | | VE1RS | VE1RC | 218.07 | | | | | | | | | | |
| | Virtual Collocation in the Remote Site-Space Availability Report per Premises requested | | | VE1RS | VE1RR | | 215.55 | | | | | | | | | |
| | Virtual Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI Code Requested | | | VE1RS | VE1RL | | 70.65 | | | | | | | | | |
| **ADJACENT COLLOCATION** | | | | | | | | | | | | | | | | |
| | Adjacent Collocation-Space Charge per Sq. Ft. | | | CLOAC | PE1JA | 0.1555 | | | | | | | | | | |
| | Adjacent Collocation-Electrical Facility Charge per Linear Ft. | | | CLOAC | PE1JC | 5.78 | | | | | | | | | | |
| | Adjacent Collocation-2-Wire Cross-Connects | | | UEANL,UEQ,UEA,UCL, UAL, UHL, UDN | PE1JE | 0.0239 | 19.77 | 14.95 | | | | | | | | |
| | Adjacent Collocation-4-Wire Cross-Connects | | | UEA,UHL,UDL,UCL | PE1JF | 0.0477 | 19.95 | 15.05 | | | | | | | | |
| | Adjacent Collocation-DS1 Cross-Connects | | | USL | PE1JG | 1.28 | 39.15 | 23.20 | | | | | | | | |
| | Adjacent Collocation-DS3 Cross-Connects | | | UE3 | PE1JH | 17.35 | 38.25 | 21.94 | | | | | | | | |
| | Adjacent Collocation-2-Fiber Cross-Connect | | | CLOAC | PE1JJ | 2.94 | 38.25 | 21.94 | | | | | | | | |
| | Adjacent Collocation-4-Fiber Cross-Connect | | | CLOAC | PE1JK | 5.62 | 43.96 | 26.17 | | | | | | | | |
| | Adjacent Collocation-Application Fee | | | CLOAC | PE1JB | | 2,266.00 | | 0.5842 | | | | | | | |
| | Adjacent Collocation-120V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JL | 5.50 | | | | | | | | | | |
| | Adjacent Collocation-240V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JM | 11.01 | | | | | | | | | | |
| | Adjacent Collocation-120V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JN | 16.51 | | | | | | | | | | |
| | Adjacent Collocation-277V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JO | 38.12 | | | | | | | | | | |
| **Note: Rates displaying an "I" in Interim column are interim as a result of a Commission order.** | | | | | | | | | | | | | | | | |

| COLLOCATION - South Carolina | | | | | | | | | | | | | Attachment: 4 Exh B | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | NRC Disconnect | | OSS Rates($) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| PHYSICAL COLLOCATION | | | | | | | | | | | | | | | | | |
| | Application | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Initial Application Fee | | | CLO | PE1BA | | 1,883.67 | | 0.51 | | | | | | | |
| | | Physical Collocation-Subsequent Application Fee | | | CLO | PE1CA | | 1,570.10 | | 0.51 | | | | | | | |
| | | Physical Collocation-Co-Carrier Cross Connects/Direct Connect, Application Fee, per application | | | CLO | PE1DT | | 584.42 | | | | | | | | | |
| | | Physical Collocation Administrative Only-Application Fee | | | CLO | PE1BL | | 743.66 | | | | | | | | | |
| | | Physical Collocation-Application Cost, Simple Augment | | | CLO | PE1KS | | 594.27 | | 1.21 | | | | | | | |
| | | Physical Collocation-Application Cost, Minor Augment | | | CLO | PE1KM | | 833.26 | | 1.21 | | | | | | | |
| | | Physical Collocation-Application Cost, Intermediate Augment | | | CLO | PE1K1 | | 1,058.00 | | 1.21 | | | | | | | |
| | | Physical Collocation-Application Cost-Major Augment | | | CLO | PE1KJ | | 2,409.00 | | 1.21 | | | | | | | |
| | Space Preparation | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Floor Space, per sq feet | | | CLO | PE1PJ | 3.95 | | | | | | | | | | |
| | | Physical Collocation-Space Enclosure, welded wire, first 50 square feet | | | CLO | PE1BX | 197.69 | | | | | | | | | | |
| | | Physical Collocation-Space enclosure, welded wire, first 100 square feet | | | CLO | PE1BW | 219.19 | | | | | | | | | | |
| | | Physical Collocation-Space enclosure, welded wire, each additional 50 square feet | | | CLO | PE1CW | 21.50 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation-C.O. Modification per square ft. | | | CLO | PE1SK | 2.75 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation, Common Systems Modifications-Cageless, per square foot | | | CLO | PE1SL | 3.24 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation-Common Systems Modifications-Caged, per cage | | | CLO | PE1SM | 110.16 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation-Firm Order Processing | | | CLO | PE1SJ | | 602.05 | | | | | | | | | |
| | | Physical Collocation-Space Availability Report, per Central Office Requested | | | CLO | PE1SR | | 1,077.57 | | | | | | | | | |
| | Power | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Power, -48V DC Power-per Fused Amp Requested | | | CLO | PE1PL | 9.19 | | | | | | | | | | |
| | | Physical Collocation-Power, 120V AC Power, Single Phase, per Breaker Amp | | | CLO | PE1FB | 5.67 | | | | | | | | | | |
| | | Physical Collocation-Power, 240V AC Power, Single Phase, per Breaker Amp | | | CLO | PE1FD | 11.36 | | | | | | | | | | |
| | | Physical Collocation-Power, 120V AC Power, Three Phase, per Breaker Amp | | | CLO | PE1FE | 17.03 | | | | | | | | | | |
| | | Physical Collocation-Power, 277V AC Power, Three Phase, per Breaker Amp | | | CLO | PE1FG | 39.33 | | | | | | | | | | |
| | Cross Connects (Cross Connects, Co-Carrier Cross Connects, and Ports) | | | | | | | | | | | | | | | | |
| | | Physical Collocation-2-wire cross-connect, loop, provisioning | | | UEANL,UEQ, UNCNX, UEA, UCL, UAL, UHL, UDN, UNCVX | PE1P2 | 0.0341 | 12.32 | 11.83 | 6.04 | 5.45 | | | | | | |
| | | Physical Collocation-4-wire cross-connect, loop, provisioning | | | UEA, UHL, UNCVX, UNCDX, UCL, UDL | PE1P4 | 0.0682 | 12.42 | 11.90 | 6.40 | 5.74 | | | | | | |
| | | Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning | | | WDS1L, WDS1S, UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB, UEPSE, UEPSP, USL, UEPEX, UEPDX | PE1P1 | 1.12 | 22.08 | 15.96 | 6.42 | 5.80 | | | | | | |
| | | Physical Collocation-DS3 Cross-Connect, provisioning | | | UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSR, UEPSB, UEPSE, UEPSP | PE1P3 | 14.21 | 20.94 | 15.23 | 7.39 | 5.93 | | | | | | |
| | | Physical Collocation-2-Fiber Cross-Connect | | | CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF | PE1F2 | 2.82 | 20.94 | 15.23 | 7.40 | 5.93 | | | | | | |

| COLLOCATION - South Carolina | | | | | | | | | | | | | Attachment: 4 Exh B | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | NRC Disconnect | | OSS Rates($) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Physical Collocation-4-Fiber Cross-Connect | | | ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF, UDFCX | PE1F4 | 5.01 | 25.61 | 19.90 | 9.73 | 8.26 | | | | | | |
| | Physical Collocation-Co-Carrier Cross Connects/Direct Connect-Fiber Cable Support Structure, per linear foot, per cable. | | | CLO | PE1ES | 0.001 | | | | | | | | | | |
| | Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Copper/Coax Cable Support Structure, per linear foot, per cable. | | | CLO | PE1DS | 0.0015 | | | | | | | | | | |
| | Physical Collocation 2-Wire Cross Connect, Port | | | UEPSR, UEPSP, UEPSE, UEPSB, UEPSX, UEP2C | PE1R2 | 0.0341 | 12.32 | 11.83 | 6.04 | 5.45 | | 15.69 | | | | |
| | Physical Collocation 4-Wire Cross Connect, Port | | | UEPEX, UEPDD | PE1R4 | 0.0682 | 12.42 | 11.90 | 6.40 | 5.74 | | 15.69 | | | | |
| Security | | | | | | | | | | | | | | | | |
| | Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hour | | | CLO | PE1BT | | 16.96 | 10.75 | | | | | | | | |
| | Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hours on a scheduled work day, per half hour | | | CLO | PE1OT | | 22.10 | 13.89 | | | | | | | | |
| | Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hour | | | CLO | PE1PT | | 27.23 | 17.02 | | | | | | | | |
| | Physical Collocation-Security Access System, Security System, per Central Office | | | CLO | PE1AX | 74.72 | | | | | | | | | | |
| | Physical Collocation -Security Access System-New Card Activation, per Card Activation (First), per State | | | CLO | PE1A1 | 0.0601 | 27.85 | | | | | | | | | |
| | Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card | | | CLO | PE1AA | | 7.81 | | | | | | | | | |
| | Physical Collocation-Security Access System-Replace Lost or Stolen Card, per Card | | | CLO | PE1AR | | 22.83 | | | | | | | | | |
| | Physical Collocation-Security Access-Initial Key, per Key | | | CLO | PE1AK | | 13.13 | | | | | | | | | |
| | Physical Collocation-Security Access-Key, Replace Lost or Stolen Key, per Key | | | CLO | PE1AL | | 13.13 | | | | | | | | | |
| CFA | | | | | | | | | | | | | | | | |
| | Physical Collocation-CFA Information Resend Request, per premises, per arrangement, per request | | | CLO | PE1C9 | | 77.71 | | | | | | | | | |
| Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial I" and "Subsequent S" respectively | | | | | | | | | | | | | | | | |
| | Physical Collocation-Cable Records, per request | | | CLO | PE1CR | | I 760.98 | S 489.2 | 133.29 | | | | | | | |
| | Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) | | | CLO | PE1CD | | 327.65 | | 189.54 | | | | | | | |
| | Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair | | | CLO | PE1CO | | 4.82 | | 5.91 | | | | | | | |
| | Physical Collocation, Cable Records, DS1, per T1 TIE | | | CLO | PE1C1 | | 2.26 | | 2.77 | | | | | | | |
| | Physical Collocation, Cable Records, DS3, per T3 TIE | | | CLO | PE1C3 | | 7.90 | | 9.68 | | | | | | | |
| | Physical Collocation-Cable Records, Fiber Cable, per cable record (maximum 99 records) | | | CLO | PE1CB | | 84.68 | | 77.30 | | | | | | | |
| | Physical Collocation, Cable Records,CAT5/RJ45 | | | CLO | PE1C5 | | 2.26 | | 2.77 | | | | | | | |
| Virtual to Physical | | | | | | | | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation Relocation, per Voice Grade Circuit | | | CLO | PE1BV | | 33.00 | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation Relocation, per DSO Circuit | | | CLO | PE1BO | | 33.00 | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation Relocation, per DS1 Circuit | | | CLO | PE1B1 | | 52.00 | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation Relocation, per DS3 Circuit | | | CLO | PE1B3 | | 52.00 | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation In-Place, Per Voice Grade Circuit | | | CLO | PE1BR | | 23.00 | | | | | | | | | |
| | Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit | | | CLO | PE1BP | | 23.00 | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation In-Place, Per DS1 Circuit | | | CLO | PE1BS | | 33.00 | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation In-Place, per DS3 Circuit | | | CLO | PE1BE | | 37.00 | | | | | | | | | |
| Entrance Cable | | | | | | | | | | | | | | | | |
| | Physical Collocation-Fiber Cable Installation, Pricing, non-recurring charge, per Entrance Cable | | | CLO | PE1BD | | 794.22 | | 22.54 | | | | | | | |
| | Physical Collocation-Fiber Cable Support Structure, per Entrance Cable | | | CLO | PE1PM | 21.33 | | | | | | | | | | |
| | Physical Collocation-Fiber Entrance Cable Installation, per Fiber | | | CLO | PE1ED | | 3.87 | | | | | | | | | |
| VIRTUAL COLLOCATION | | | | | | | | | | | | | | | | |

| COLLOCATION - South Carolina | | | | | | | | | | | | | Attachment: 4 Exh B | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | NRC Disconnect | | OSS Rates($) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Application | | | | | | | | | | | | | | | | |
| | Virtual Collocation-Application Fee | | | AMTFS | EAF | | 1,207.95 | | 0.51 | | | | | | | |
| | Virtual Collocation-Co-Carrier Cross Connects/Direct Connect, Application Fee, per application | | | AMTFS | VE1CA | | 584.42 | | | | | | | | | |
| | Virtual Collocation Administrative Only-Application Fee | | | AMTFS | VE1AF | | 743.66 | | | | | | | | | |
| Space Preparation | | | | | | | | | | | | | | | | |
| | Virtual Collocation-Floor Space, per sq. ft. | | | AMTFS | ESPVX | 3.95 | | | | | | | | | | |
| Power | | | | | | | | | | | | | | | | |
| | Virtual Collocation-Power, per fused amp | | | AMTFS | ESPAX | 9.19 | | | | | | | | | | |
| Cross Connects (Cross Connects, Co-Carrier Cross Connects, and Ports) | | | | | | | | | | | | | | | | |
| | Virtual Collocation- 2-wire cross-connect, loop, provisioning | | | UEANL, UEA, UDN, UAL, UHL, UCL, UEQ, UNCVX, UNCDX, UNCNX | UEAC2 | 0.0317 | 12.32 | 11.83 | 6.04 | 5.45 | | | | | | |
| | Virtual Collocation-4-wire cross-connect, loop, provisioning | | | UEA, UHL, UCL, UDL, UNCVX, UNCDX | UEAC4 | 0.0634 | 12.42 | 11.90 | 6.40 | 5.74 | | | | | | |
| | Virtual collocation-Special Access & UNE,cross-connect per DS1 | | | ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USL, UEPEX, UEPDX | CNC1X | 1.12 | 22.08 | 15.96 | 6.42 | 5.80 | | | | | | |
| | Virtual collocation-Special Access & UNE, cross-connect per DS3 | | | USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3 | CND3X | 14.21 | 20.94 | 15.23 | 7.39 | 5.93 | | | | | | |
| | Virtual Collocation-2-Fiber Cross Connects | | | UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF | CNC2F | 2.86 | 20.94 | 15.23 | 7.40 | 5.93 | | | | | | |
| | Virtual Collocation-4-Fiber Cross Connects | | | UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF | CNC4F | 5.71 | 25.61 | 19.90 | 9.73 | 8.26 | | | | | | |
| | Virtual Collocation-Co-Carrier Cross Connects/Direct Connect-Fiber Cable Support Structure, per linear foot, per cable | | | AMTFS | VE1CB | 0.001 | | | | | | | | | | |
| | Virtual Collocation-Co-Carrier Cross Connects/Direct Connect-Copper/Coax Cable Support Structure, per linear foot, per cable | | | AMTFS | VE1CD | 0.0015 | | | | | | | | | | |
| | Virtual Collocation 2-Wire Cross Connect, Port | | | UEPSX, UEPSB, UEPSE, UEPSP, UEPSR, UEP2C | VE1R2 | 0.0317 | 12.32 | 11.83 | 6.04 | 5.45 | | | | | | |
| | Virtual Collocation 4-Wire Cross Connect, Port | | | UEPDD, UEPEX | VE1R4 | 0.0634 | 12.42 | 11.90 | 6.40 | 5.74 | | | | | | |
| CFA | | | | | | | | | | | | | | | | |
| | Virtual Collocation-CFA Information Resend Request, per Premises, per Arrangement, per request | | | AMTFS | VE1QR | | 77.71 | | | | | | | | | |
| Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial I" & "Subsequent S" respectively | | | | | | | | | | | | | | | | |
| | Virtual Collocation Cable Records-per request | | | AMTFS | VE1BA | | 760.98 | 489.20 | 133.29 | | | | | | | |
| | Virtual Collocation Cable Records-VG/DS0 Cable, per cable record | | | AMTFS | VE1BB | | 327.65 | | 189.54 | | | | | | | |
| | Virtual Collocation Cable Records-VG/DS0 Cable, per each 100 pair | | | AMTFS | VE1BC | | 4.82 | | 5.91 | | | | | | | |
| | Virtual Collocation Cable Records-DS1, per T1TIE | | | AMTFS | VE1BD | | 2.26 | | 2.77 | | | | | | | |
| | Virtual Collocation Cable Records-DS3, per T3TIE | | | AMTFS | VE1BE | | 7.90 | | 9.68 | | | | | | | |
| | Virtual Collocation Cable Records-Fiber Cable, per 99 fiber records | | | AMTFS | VE1BF | | 84.68 | | 77.30 | | | | | | | |
| | Virtual Collocation Cable Records-CAT 5/RJ45 | | | AMTFS | VE1B5 | | 2.26 | | 2.77 | | | | | | | |
| Security | | | | | | | | | | | | | | | | |
| | Virtual collocation-Security escort, basic time, normally scheduled work hours | | | AMTFS | SPTBX | | 16.96 | 10.75 | | | | | | | | |

| COLLOCATION - South Carolina | | | | | | | | | | | | | Attachment: 4 Exh B | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | NRC Disconnect | | OSS Rates($) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Virtual collocation-Security escort, overtime, outside of normally scheduled work hours on a normal working day | | | AMTFS | SPTOX | | 22.10 | 13.89 | | | | | | | | |
| | Virtual collocation-Security escort, premium time, outside of a scheduled work day | | | AMTFS | SPTPX | | 27.23 | 17.02 | | | | | | | | |
| **Maintenance** | | | | | | | | | | | | | | | | |
| | Virtual collocation-Maintenance in CO-Basic, per half hour | | | AMTFS | CTRLX | | 27.99 | 10.75 | | | | | | | | |
| | Virtual collocation-Maintenance in CO-Overtime, per half hour | | | AMTFS | SPTOM | | 36.56 | 13.89 | | | | | | | | |
| | Virtual collocation-Maintenance in CO-Premium per half hour | | | AMTFS | SPTPM | | 45.12 | 17.02 | | | | | | | | |
| **Entrance Cable** | | | | | | | | | | | | | | | | |
| | Virtual Collocation-Cable Installation Charge, per cable | | | AMTFS | ESPCX | | 794.22 | | 22.54 | | | | | | | |
| | Virtual Collocation-Cable Support Structure, per cable | | | AMTFS | ESPSX | 18.66 | | | | | | | | | | |
| **COLLOCATION IN THE REMOTE SITE** | | | | | | | | | | | | | | | | |
| **Physical Remote Site Collocation** | | | | | | | | | | | | | | | | |
| | Physical Collocation in the Remote Site-Application Fee | | | CLORS | PE1RA | | 308.38 | | 168.60 | | | | | | | |
| | Cabinet Space in the Remote Site per Bay/ Rack | | | CLORS | PE1RB | 246.44 | | | | | | | | | | |
| | Physical Collocation in the Remote Site-Security Access-Key | | | CLORS | PE1RD | | 13.13 | | | | | | | | | |
| | Physical Collocation in the Remote Site-Space Availability Report per Premises Requested | | | CLORS | PE1SR | | 116.13 | | | | | | | | | |
| | Physical Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI Code Requested | | | CLORS | PE1RE | | 37.64 | | | | | | | | | |
| | Remote Site DLEC Data (BRSDD), per Compact Disk, per CO | | | CLORS | PE1RR | | 234.50 | | | | | | | | | |
| | Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hour | | | CLORS | PE1BT | | 16.96 | 10.75 | | | | | | | | |
| | Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hours on a scheduled work day, per half hour | | | CLORS | PE1OT | | 22.10 | 13.89 | | | | | | | | |
| | Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hour | | | CLORS | PE1PT | | 27.23 | 17.02 | | | | | | | | |
| **Adjacent Remote Site Collocation** | | | | | | | | | | | | | | | | |
| | Remote Site-Adjacent Collocation-Application Fee | | | CLORS | PE1RU | | 755.62 | 755.62 | | | | | | | | |
| | Remote Site-Adjacent Collocation-Real Estate, per square foot | | | CLORS | PE1RT | 0.134 | | | | | | | | | | |
| | Remote Site-Adjacent Collocation-AC Power, per breaker amp | | | CLORS | PE1RS | 6.27 | | | | | | | | | | |
| **NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for adjacent remote site collocation, the Parties will negotiate appropriate rates.** | | | | | | | | | | | | | | | | |
| **Virtual Remote Site Collocation** | | | | | | | | | | | | | | | | |
| | Virtual Collocation in the Remote Site-Application Fee | | | VE1RS | VE1RB | | 616.76 | | 337.19 | | | | | | | |
| | Virtual Collocation in the Remote Site-Per Bay/Rack of Space | | | VE1RS | VE1RC | 246.44 | | | | | | | | | | |
| | Virtual Collocation in the Remote Site-Space Availability Report per Premises requested | | | VE1RS | VE1RR | | 232.25 | | | | | | | | | |
| | Virtual Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI Code Requested | | | VE1RS | VE1RL | | 75.27 | | | | | | | | | |
| **ADJACENT COLLOCATION** | | | | | | | | | | | | | | | | |
| | Adjacent Collocation-Space Charge per Sq. Ft. | | | CLOAC | PE1JA | 0.0939 | | | | | | | | | | |
| | Adjacent Collocation-Electrical Facility Charge per Linear Ft. | | | CLOAC | PE1JC | 6.40 | | | | | | | | | | |
| | Adjacent Collocation-2-Wire Cross-Connects | | | UEANL,UEQ,UEA,UCL, UAL, UHL, UDN | PE1JE | 0.0264 | 12.32 | 11.83 | 6.04 | 5.45 | | | | | | |
| | Adjacent Collocation-4-Wire Cross-Connects | | | UEA,UHL,UDL,UCL | PE1JF | 0.0527 | 12.42 | 11.90 | 6.40 | 5.74 | | | | | | |
| | Adjacent Collocation-DS1 Cross-Connects | | | USL | PE1JG | 1.03 | 22.08 | 15.96 | 6.42 | 5.80 | | | | | | |
| | Adjacent Collocation-DS3 Cross-Connects | | | UE3 | PE1JH | 14.00 | 20.94 | 15.23 | 7.39 | 5.93 | | | | | | |
| | Adjacent Collocation-2-Fiber Cross-Connect | | | CLOAC | PE1JJ | 2.37 | 20.94 | 15.23 | 7.40 | 5.93 | | | | | | |
| | Adjacent Collocation-4-Fiber Cross-Connect | | | CLOAC | PE1JK | 4.53 | 25.61 | 19.90 | 9.73 | 8.26 | | | | | | |
| | Adjacent Collocation-Application Fee | | | CLOAC | PE1JB | | 1,580.20 | | | | | | | | | |
| | Adjacent Collocation-120V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JL | 5.67 | | | | | | | | | | |
| | Adjacent Collocation-240V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JM | 11.36 | | | | | | | | | | |
| | Adjacent Collocation-120V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JN | 17.03 | | | | | | | | | | |
| | Adjacent Collocation-277V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JO | 39.33 | | | | | | | | | | |
| **Note: Rates displaying an "I" in Interim column are interim as a result of a Commission order.** | | | | | | | | | | | | | | | | |

| COLLOCATION - Tennessee | | | | | | | | | | | | | | Attachment: 4 Exh B | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | NRC Disconnect | | OSS Rates($) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| PHYSICAL COLLOCATION | | | | | | | | | | | | | | | | | |
| | Application | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Initial Application Fee | | | CLO | PE1BA | | 1,285.98 | | | | | | | | | |
| | | Physical Collocation-Subsequent Application Fee | | | CLO | PE1CA | | 1,085.48 | | | | | | | | | |
| | | Physical Collocation-Co-Carrier Cross Connects/Direct Connect, Application Fee, per application | | | CLO | PE1DT | | 585.09 | | | | | | | | | |
| | | Physical Collocation-Power Reconfiguration Only, Application Fee | | | CLO | PE1PR | | 400.10 | | | | | | | | | |
| | | Physical Collocation Administrative Only-Application Fee | | | CLO | PE1BL | | 743.25 | | | | | | | | | |
| | Space Preparation | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Floor Space, per sq feet | | | CLO | PE1PJ | 5.94 | | | | | | | | | | |
| | | Physical Collocation-Space Enclosure, welded wire, first 50 square feet | | | CLO | PE1BX | 197.09 | | | | | | | | | | |
| | | Physical Collocation-Space enclosure, welded wire, first 100 square feet | | | CLO | PE1BW | 218.53 | | | | | | | | | | |
| | | Physical Collocation-Space enclosure, welded wire, each additional 50 square feet | | | CLO | PE1CW | 21.44 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation-C.O. Modification per square ft. | | | CLO | PE1SK | 2.74 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation, Common Systems Modifications-Cageless, per square foot | | | CLO | PE1SL | 2.95 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation-Common Systems Modifications-Caged, per cage | | | CLO | PE1SM | 100.14 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation-Firm Order Processing | | | CLO | PE1SJ | | 1,204.00 | | | | | | | | | |
| | | Physical Collocation-Space Availability Report, per Central Office Requested | I | | CLO | PE1SR | | 2,027.00 | | | | | | | | | |
| | Power | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Power, -48V DC Power-per Fused Amp Requested | | | CLO | PE1PL | 8.87 | | | | | | | | | | |
| | | Physical Collocation-Power, 120V AC Power, Single Phase, per Breaker Amp | | | CLO | PE1FB | 5.60 | | | | | | | | | | |
| | | Physical Collocation-Power, 240V AC Power, Single Phase, per Breaker Amp | | | CLO | PE1FD | 11.22 | | | | | | | | | | |
| | | Physical Collocation-Power, 120V AC Power, Three Phase, per Breaker Amp | | | CLO | PE1FE | 16.82 | | | | | | | | | | |
| | | Physical Collocation-Power, 277V AC Power, Three Phase, per Breaker Amp | | | CLO | PE1FG | 38.84 | | | | | | | | | | |
| | Cross Connects (Cross Connects, Co-Carrier Cross Connects, and Ports) | | | | | | | | | | | | | | | | |
| | | Physical Collocation-2-wire cross-connect, loop, provisioning | | | UEANL,UEQ, UNCNX, UEA, UCL, UAL, UHL, UDN, UNCVX | PE1P2 | 0.033 | 33.82 | 31.92 | | | | | | | | |
| | | Physical Collocation-4-wire cross-connect, loop, provisioning | | | UEA, UHL, UNCVX, UNCDX, UCL, UDL | PE1P4 | 0.066 | 33.94 | 31.95 | | | | | | | | |
| | | Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning | | | WDS1L, WDS1S, UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB, UEPSE, UEPSP, USL, UEPEX, UEPDX | PE1P1 | 1.51 | 53.27 | 40.16 | | | | | | | | |
| | | Physical Collocation-DS3 Cross-Connect, provisioning | | | UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSR, UEPSB, UEPSE, UEPSP | PE1P3 | 19.26 | 52.37 | 38.89 | | | | | | | | |
| | | Physical Collocation-2-Fiber Cross-Connect | | | CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF | PE1F2 | 15.64 | 41.56 | 29.82 | 12.96 | 10.34 | | | 2.69 | 2.69 | 1.56 | 1.56 |

| COLLOCATION - Tennessee | | | | | | | | | | | | | | Attachment: 4 Exh B | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted per Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | NRC Disconnect | | OSS Rates($) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Physical Collocation-4-Fiber Cross-Connect | | | ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF, UDFCX | PE1F4 | 28.11 | 50.53 | 38.78 | 16.97 | 14.35 | | | 2.69 | 2.69 | 1.56 | 1.56 |
| | | Physical Collocation-Co-Carrier Cross Connects/Direct Connect-Fiber Cable Support Structure, per linear foot, per cable. | | | CLO | PE1ES | 0.0013 | | | | | | | | | | |
| | | Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Copper/Coax Cable Support Structure, per linear foot, per cable. | | | CLO | PE1DS | 0.0019 | | | | | | | | | | |
| | | Physical Collocation 2-Wire Cross Connect, Port | | | UEPSR, UEPSP, UEPSE, UEPSB, UEPSX, UEP2C | PE1R2 | 0.033 | 33.82 | 31.92 | | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | Physical Collocation 4-Wire Cross Connect, Port | | | UEPEX, UEPDD | PE1R4 | 0.066 | 33.94 | 31.95 | | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | **Security** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hour | | | CLO | PE1BT | | 33.91 | 21.49 | | | | | | | | |
| | | Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hours on a scheduled work day, per half hour | | | CLO | PE1OT | | 44.17 | 27.76 | | | | | | | | |
| | | Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hour | | | CLO | PE1PT | | 54.42 | 34.02 | | | | | | | | |
| | | Physical Collocation-Security Access System-Security System per Central Office | | | CLO | PE1AX | 55.99 | | | | | | | | | | |
| | | Physical Collocation -Security Access System-New Card Activation, per Card Activation (First), per State | | | CLO | PE1A1 | 0.059 | 55.67 | | | | | | | | | |
| | | Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card | | | CLO | PE1AA | | 15.61 | | | | | | | | | |
| | | Physical Collocation-Security Access System-Replace Lost or Stolen Card, per Card | | | CLO | PE1AR | | 45.64 | | | | | | | | | |
| | | Physical Collocation-Security Access-Initial Key, per Key | | | CLO | PE1AK | | 26.24 | | | | | | | | | |
| | | Physical Collocation-Security Access-Key, Replace Lost or Stolen Key, per Key | | | CLO | PE1AL | | 26.24 | | | | | | | | | |
| | **CFA** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-CFA Information Resend Request, per premises, per arrangement, per request | | | CLO | PE1C9 | | 77.67 | | | | | | | | | |
| | **Cable Records** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Cable Records, per request | | | CLO | PE1CR | | 1,711.00 | | | | | | | | | |
| | | Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) | | | CLO | PE1CD | | 925.06 | | | | | | | | | |
| | | Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair | | | CLO | PE1CO | | 18.05 | | | | | | | | | |
| | | Physical Collocation, Cable Records, DS1, per T1 TIE | | | CLO | PE1C1 | | 8.45 | | | | | | | | | |
| | | Physical Collocation, Cable Records, DS3, per T3 TIE | | | CLO | PE1C3 | | 29.57 | | | | | | | | | |
| | | Physical Collocation-Cable Records, Fiber Cable, per cable record (maximum 99 records) | | | CLO | PE1CB | | 279.42 | | | | | | | | | |
| | | Physical Collocation, Cable Records,CAT5/RJ45 | | | CLO | PE1C5 | | 8.45 | | | | | | | | | |
| | **Virtual to Physical** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation Relocation, per Voice Grade Circuit | | | CLO | PE1BV | | 33.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation Relocation, per DSO Circuit | | | CLO | PE1BO | | 33.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation Relocation, per DS1 Circuit | | | CLO | PE1B1 | | 52.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation Relocation, per DS3 Circuit | | | CLO | PE1B3 | | 52.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation In-Place, Per Voice Grade Circuit | | | CLO | PE1BR | | 23.00 | | | | | | | | | |
| | | Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit | | | CLO | PE1BP | | 23.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation In-Place, Per DS1 Circuit | | | CLO | PE1BS | | 33.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation In-Place, per DS3 Circuit | | | CLO | PE1BE | | 37.00 | | | | | | | | | |
| | **Entrance Cable** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Fiber Cable Support Structure, per Entrance Cable | | | CLO | PE1PM | 19.80 | | | | | | | | | | |
| | | Physical Collocation-Fiber Entrance Cable per Cable (CO manhole to vault splice) | | | CLO | PE1EC | | 1,071.00 | | 43.10 | | | | | | | |
| | | Physical Collocation-Fiber Entrance Cable Installation, per Fiber | | | CLO | PE1ED | | 7.29 | | | | | | | | | |
| **VIRTUAL COLLOCATION** | | | | | | | | | | | | | | | | | |
| | **Application** | | | | | | | | | | | | | | | | |

| COLLOCATION - Tennessee | | | | | | | | | | | | | | Attachment: 4 Exh B | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted per Lsr | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | NRC Disconnect | | OSS Rates($) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Virtual Collocation-Application Fee | | | AMTFS | EAF | | 2,633.00 | | | | | | 2.07 | 2.81 | 0.67 | 1.41 |
| | | Virtual Collocation-Co-Carrier Cross Connects/Direct Connect, Application Fee, per application | | | AMTFS | VE1CA | | 585.09 | | | | | | | | | |
| | | Virtual Collocation Administrative Only-Application Fee | | | AMTFS | VE1AF | | 743.25 | | | | | | | | | |
| | **Space Preparation** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-Floor Space, per sq. ft. | | | AMTFS | ESPVX | 3.91 | | | | | | | | | | |
| | **Power** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-Power, per fused amp | | | AMTFS | ESPAX | 6.79 | | | | | | | | | | |
| | **Cross Connects (Cross Connects, Co-Carrier Cross Connects, and Ports)** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation- 2-wire cross-connect, loop, provisioning | | | UEANL, UEA, UDN, UAL, UHL, UCL, UEQ, UNCVX, UNCDX, UNCNX | UEAC2 | 0.57 | 11.62 | 9.90 | 10.38 | 8.66 | | | 2.07 | 2.81 | 0.67 | 1.41 |
| | | Virtual Collocation-4-wire cross-connect, loop, provisioning | | | UEA, UHL, UCL, UDL, UNCVX, UNCDX | UEAC4 | 0.57 | 11.81 | 10.04 | 10.44 | 8.67 | | | 2.07 | 2.81 | 0.67 | 1.41 |
| | | Virtual collocation-Special Access & UNE, cross-connect per DS1 | | | ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USL, UEPEX, UEPDX | CNC1X | 1.32 | 32.22 | 17.76 | 10.46 | 8.75 | | | 2.07 | 2.81 | 0.67 | 1.41 |
| | | Virtual collocation-Special Acess & UNE, cross-connect per DS3 | | | USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3 | CND3X | 12.32 | 29.97 | 16.30 | 12.03 | 8.99 | | | 2.07 | 2.81 | 0.67 | 1.41 |
| | | Virtual Collocation-2-Fiber Cross Connects | | | UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF | CNC2F | 3.03 | 41.56 | 29.82 | 12.96 | 10.34 | | | 2.69 | 2.69 | 1.56 | 1.56 |
| | | Virtual Collocation-4-Fiber Cross Connects | | | UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF | CNC4F | 6.06 | 50.53 | 38.78 | 16.97 | 14.35 | | | 2.69 | 2.69 | 1.56 | 1.56 |
| | | Virtual Collocation-Co-Carrier Cross Connects/Direct Connect-Fiber Cable Support Structure, per linear foot, per cable | | | AMTFS | VE1CB | 0.0013 | | | | | | | | | | |
| | | Virtual Collocation-Co-Carrier Cross Connects/Direct Connect-Copper/Coax Cable Support Structure, per linear foot, per cable | | | AMTFS | VE1CD | 0.0019 | | | | | | | | | | |
| | | Virtual Collocation 2-Wire Cross Connect, Port | | | UEPSX, UEPSB, UEPSE, UEPSP, UEPSR, UEP2C | VE1R2 | 0.57 | 11.62 | 9.90 | 10.38 | 8.66 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | Virtual Collocation 4-Wire Cross Connect, Port | | | UEPDD, UEPEX | VE1R4 | 0.57 | 11.81 | 10.04 | 10.44 | 8.67 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | **CFA** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-CFA Information Resend Request, per Premises, per Arrangement, per request | | | AMTFS | VE1QR | | 77.67 | | | | | | | | | |
| | **Cable Records** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation Cable Records-per request | | | AMTFS | VE1BA | | 1,711.00 | | | | | | | | | |
| | | Virtual Collocation Cable Records-VG/DS0 Cable, per cable record | | | AMTFS | VE1BB | | 925.06 | | | | | | | | | |
| | | Virtual Collocation Cable Records-VG/DS0 Cable, per each 100 pair | | | AMTFS | VE1BC | | 18.05 | | | | | | | | | |
| | | Virtual Collocation Cable Records-DS1, per T1TIE | | | AMTFS | VE1BD | | 8.45 | | | | | | | | | |
| | | Virtual Collocation Cable Records-DS3, per T3TIE | | | AMTFS | VE1BE | | 29.57 | | | | | | | | | |
| | | Virtual Collocation Cable Records-Fiber Cable, per 99 fiber records | | | AMTFS | VE1BF | | 279.42 | | | | | | | | | |
| | | Virtual Collocation Cable Records-CAT 5/RJ45 | | | AMTFS | VE1B5 | | 8.45 | | | | | | | | | |
| | **Security** | | | | | | | | | | | | | | | | |
| | | Virtual collocation-Security escort, basic time, normally scheduled work hours | | | AMTFS | SPTBX | | 33.15 | 20.44 | | | | | 2.07 | 2.81 | 0.67 | 1.41 |

| COLLOCATION - Tennessee | | | | | | | | | | | | | | Attachment: 4 Exh B | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | NRC Disconnect | | OSS Rates($) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Virtual collocation-Security escort, overtime, outside of normally scheduled work hours on a normal working day | | | AMTFS | SPTOX | | 41.50 | 25.61 | | | | | 2.07 | 2.81 | 0.67 | 1.41 |
| | | Virtual collocation-Security escort, premium time, outside of a scheduled work day | | | AMTFS | SPTPX | | 49.86 | 30.79 | | | | | 2.07 | 2.81 | 0.67 | 1.41 |
| | **Maintenance** | | | | | | | | | | | | | | | | |
| | | Virtual collocation-Maintenance in CO-Basic, per half hour | | | AMTFS | CTRLX | | 30.64 | | | | | | 2.07 | 2.81 | 0.67 | 1.41 |
| | | Virtual collocation-Maintenance in CO-Overtime, per half hour | | | AMTFS | SPTOM | | 35.77 | | | | | | 2.07 | 2.81 | 0.67 | 1.41 |
| | | Virtual collocation-Maintenance in CO-Premium per half hour | | | AMTFS | SPTPM | | 40.90 | | | | | | 2.07 | 2.81 | 0.67 | 1.41 |
| | **Entrance Cable** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-Cable Installation Charge, per cable | | | AMTFS | ESPCX | | 1,749.00 | | | | | | 2.07 | 2.81 | 0.67 | 1.41 |
| | | Virtual Collocation-Cable Support Structure, per cable | | | AMTFS | ESPSX | 17.87 | | | | | | | | | | |
| **COLLOCATION IN THE REMOTE SITE** | | | | | | | | | | | | | | | | | |
| | **Physical Remote Site Collocation** | | | | | | | | | | | | | | | | |
| | | Physical Collocation in the Remote Site-Application Fee | | | CLORS | PE1RA | | 580.20 | | 312.76 | | | | | | | |
| | | Cabinet Space in the Remote Site per Bay/ Rack | | | CLORS | PE1RB | 220.41 | | | | | | | | | | |
| | | Physical Collocation in the Remote Site-Security Access-Key | | | CLORS | PE1RD | | 24.69 | | | | | | | | | |
| | | Physical Collocation in the Remote Site-Space Availability Report per Premises Requested | | | CLORS | PE1SR | | 218.49 | | | | | | | | | |
| | | Physical Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI Code Requested | | | CLORS | PE1RE | | 70.81 | | | | | | | | | |
| | | Remote Site DLEC Data (BRSDD), per Compact Disk, per CO | | | CLORS | PE1RR | | 234.15 | | | | | | | | | |
| | | Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hour | | | CLORS | PE1BT | | 33.91 | 21.49 | | | | | | | | |
| | | Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hours on a scheduled work day, per half hour | | | CLORS | PE1OT | | 44.17 | 27.76 | | | | | | | | |
| | | Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hour | | | CLORS | PE1PT | | 54.42 | 34.02 | | | | | | | | |
| | **Adjacent Remote Site Collocation** | | | | | | | | | | | | | | | | |
| | | Remote Site-Adjacent Collocation-Application Fee | | | CLORS | PE1RU | | 755.62 | 755.62 | | | | | | | | |
| | | Remote Site-Adjacent Collocation-Real Estate, per square foot | | | CLORS | PE1RT | 0.134 | | | | | | | | | | |
| | | Remote Site-Adjacent Collocation-AC Power, per breaker amp | | | CLORS | PE1RS | 6.27 | | | | | | | | | | |
| | **NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for adjacent remote site collocation, the Parties will negotiate appropriate rates.** | | | | | | | | | | | | | | | | |
| | **Virtual Remote Site Collocation** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation in the Remote Site-Application Fee | | | VE1RS | VE1RB | | 580.20 | | 312.76 | | | | | | | |
| | | Virtual Collocation in the Remote Site-Per Bay/Rack of Space | | | VE1RS | VE1RC | 220.41 | | | | | | | | | | |
| | | Virtual Collocation in the Remote Site-Space Availability Report per Premises requested | | | VE1RS | VE1RR | | 218.49 | | | | | | | | | |
| | | Virtual Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI Code Requested | | | VE1RS | VE1RL | | 70.81 | | | | | | | | | |
| **ADJACENT COLLOCATION** | | | | | | | | | | | | | | | | | |
| | | Adjacent Collocation-Space Charge per Sq. Ft. | | | CLOAC | PE1JA | 0.0656 | | | | | | | | | | |
| | | Adjacent Collocation-Electrical Facility Charge per Linear Ft. | | | CLOAC | PE1JC | 5.53 | | | | | | | | | | |
| | | Adjacent Collocation-2-Wire Cross-Connects | | | UEANL,UEQ,UEA,UCL, UAL, UHL, UDN | PE1JE | 0.34 | 11.12 | 10.18 | 11.33 | 10.23 | | | 1.77 | 1.77 | 1.12 | 1.12 |
| | | Adjacent Collocation-4-Wire Cross-Connects | | | UEA,UHL,UDL,UCL | PE1JF | 0.33 | 11.30 | 10.31 | 11.62 | 10.44 | | | 1.77 | 1.77 | 1.12 | 1.12 |
| | | Adjacent Collocation-DS1 Cross-Connects | | | USL | PE1JG | 1.70 | 28.39 | 16.88 | 11.65 | 10.54 | | | 1.77 | 1.77 | 1.12 | 1.12 |
| | | Adjacent Collocation-DS3 Cross-Connects | | | UE3 | PE1JH | 19.03 | 26.23 | 15.51 | 13.40 | 10.77 | | | 1.77 | 1.77 | 1.12 | 1.12 |
| | | Adjacent Collocation-2-Fiber Cross-Connect | | | CLOAC | PE1JJ | 3.49 | 26.23 | 15.51 | 13.41 | 10.78 | | | 1.77 | 1.77 | 1.12 | 1.12 |
| | | Adjacent Collocation-4-Fiber Cross-Connect | | | CLOAC | PE1JK | 6.50 | 29.75 | 19.02 | 17.60 | 14.97 | | | 1.77 | 1.77 | 1.12 | 1.12 |
| | | Adjacent Collocation-Application Fee | | | CLOAC | PE1JB | | 2,973.00 | | 0.95 | | | | 0.00 | 0.00 | 0.00 | 0.00 |
| | | Adjacent Collocation-120V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JL | 5.81 | | | | | | | | | | |
| | | Adjacent Collocation-240V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JM | 11.64 | | | | | | | | | | |
| | | Adjacent Collocation-120V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JN | 17.45 | | | | | | | | | | |
| | | Adjacent Collocation-277V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JO | 40.30 | | | | | | | | | | |
| | **Note: Rates displaying an "I" in Interim column are interim as a result of a Commission order.** | | | | | | | | | | | | | | | | |

**Attachment 4 - Collocation**
**Tennessee Regulatory Authority Election**

1 BWFN may elect the terms, conditions and rates pursuant to orders entered by the TRA in Dockets 97-01262, 99-00430, and 00-00544 for Collocation (TRA Option) for Tennessee. By electing the TRA Option, BWFN accepts the TRA rates, terms and conditions of this Exhibit C in their entirety in conjunction with the other terms and conditions of this Attachment.

1.1 Demarcation Point. BellSouth will designate the point(s) of demarcation between BWFN's equipment and/or network facilities and BellSouth's network facilities. Each Party will be responsible for the maintenance and operation of all equipment/facilities on its side of the demarcation point. For connections to BellSouth's network, BWFN may request that the demarcation point be a POT bay in a common area within the BellSouth Premises, which BWFN shall be responsible for providing and BWFN's BellSouth Certified Supplier shall be responsible for installing and properly labeling/stenciling. BWFN's BellSouth Certified Supplier shall also be responsible for installing the necessary cabling between BWFN's Collocation Space and the POT bay. BWFN, its agent, or BWFN's BellSouth Certified Supplier must perform all required maintenance to the equipment/network facilities on its side of the demarcation point and may self-provision cross-connects that it requires within its own Collocation Space to activate service requests. If BWFN desires to avoid the use of a POT bay or any other intermediary device as contemplated by the TRA, BellSouth shall negotiate alternative rates, terms and conditions for such requested demarcation point.

1.2 Application Fee. The application fee for caged Collocation Space shall be the Application – Cost Planning Fee for both Initial Applications and Subsequent Applications submitted by BWFN. Likewise, for cageless Collocation Space, the same Cageless - Application Fee applies for both Initial Applications and Subsequent Applications placed by BWFN. BellSouth will bill the appropriate nonrecurring application fee at the rates set forth in Exhibit C on the date that BellSouth provides an Application Response to BWFN.

1.3 Space Preparation Fees. BWFN shall pay space preparation fees consisting of nonrecurring charges for Firm Order Processing and Power Cables, per cable. Nonrecurring fees will be assessed upon the BWFN's submission of BWFN's BFFO. In addition to the nonrecurring charges BWFN shall pay monthly recurring charges for grounding per location and space enclosures. The Space Enclosure fee is assessed per enclosure, per

location with a one hundred (100) square foot minimum enclosure. The cost for additional square feet is applicable only when ordered with the first one hundred (100) square feet and shall be provided in fifty (50) square feet increments. The rates for Space Preparation are as set forth in Exhibit C.

1.4 Floor Space. Recurring charges for Land and Buildings are as set forth in Exhibit C and are based upon the number of square feet enclosed.

1.5 Caged Physical Collocation Power Usage Metering

1.5.1 BellSouth will assess BWFN for -48V DC power using the following two components: (1) the actual measured AC usage, and (2) the DC power plant infrastructure provisioned by BellSouth to support the total number of fused amps of DC power requested by BWFN on BWFN's Initial Collocation Application and all Subsequent Collocation Applications. These recurring power charges will be assessed by BellSouth on the Space Acceptance Date or Space Ready Date, whichever is appropriate, pursuant to Section 8.3 above. Upon BWFN's election of the TRA Option, BWFN will convert existing physical caged collocation arrangements to the TRA Option. The recurring power charges contained in Exhibit C will be assessed on the Space Ready Date associated with the Subsequent Application submitted by BWFN to convert all existing physical caged collocation arrangement to the TRA Option.

1.5.2 BellSouth, or its BellSouth Certified Supplier, will perform all metering activities, which will include providing the necessary ammeter or other measurement device for measurement of the actual power usage (AC usage) being drawn by BWFN's collocation equipment on both the A and B power feeds. The AC usage component of the DC power charge will be based upon the sum of either the instantaneous or busy-hour average electric current readings, depending on the capabilities of the ammeter or other measurement device. BWFN may, at its sole cost and expense, install its own meters on those BDFBs located in its own caged Collocation Space(s) and may notify BellSouth if it would like to offer BellSouth the option of using such meters for the purposes of measuring BWFN's actual power usage. In such case, BellSouth, or its BellSouth Certified Supplier, will have the option of reading and recording the actual power usage from either the meter installed or maintained by BWFN on BWFN's own BDFB(s) or via a BellSouth provided measurement device. The usage reading for the option elected by BellSouth shall be used for purposes of calculating the DC power usage billing.

1.5.3 If BellSouth, or its BellSouth Certified Supplier, requires access to BWFN's caged Collocation Space(s) for purposes of measuring the power usage, BellSouth or its BellSouth Certified Supplier shall provide BWFN with a minimum of forty-eight (48) hours notice that access is required. BWFN shall respond to such request for access within twenty-four (24) hours for the purpose of establishing the date and time of access to

BWFN's caged Collocation Space(s). Once the date and time of access to BWFN's caged Collocation Space(s) has been agreed upon, BWFN and BellSouth, or its BellSouth Certified Supplier, shall adhere to the agreed upon date and time, or provide a minimum of twenty-four (24) hours notice to the other Party if the original appointment(s) will be missed or must be canceled and rescheduled. If BWFN fails to provide access to its caged Collocation Space(s) or fails to provide BellSouth, or its BellSouth Certified Supplier, with sufficient notification of the missed appointment(s), as noted above, then BWFN shall pay the nonrecurring "Additional Meter Reading Trip Charge", as set forth in Exhibit C, for each additional meter reading trip that must be rescheduled to measure BWFN's power usage for such caged Collocation Space(s). BWFN and the BellSouth Certified Supplier may jointly agree to less stringent notification requirements to address, for example, any service interruption or restoration of service situations, on a location-by-location basis.

1.5.4 For each new caged collocation arrangement, BWFN shall indicate on BWFN's Initial Application that the TRA Option is elected. For each existing location that BWFN converts to the TRA Option, the submission of a Subsequent Application is required and agrees to include in the Comments section of the Subsequent Application the following comment:

> This Subsequent Application is BWFN's certification that BWFN is converting this caged collocation arrangement to the TRA Options and will permit BellSouth, or the BellSouth Certified Supplier, to measure its actual power usage on all power feeds.

1.5.5 BellSouth will bill BWFN a Power Reconfiguration Only Application Fee, as set forth in Exhibit C, on the date that BellSouth provides an Application Response to each Subsequent Application submitted by BWFN converting its caged collocation arrangements to the TRA Option. BellSouth shall then arrange for the measurement of BWFN's actual power usage on each power feed (each A and B power feed) once each quarter at each of BWFN's caged collocation arrangements for which BWFN has submitted an Initial or Subsequent Application electing the TRA Option. Based upon the actual power usage measurement taken by BellSouth or the BellSouth Certified Supplier, BellSouth shall assess BWFN for AC power usage for the following quarter based upon BWFN's actual metered usage for each power feed (both the A and B power feeds) or a minimum of ten (10) amps of –48V DC power usage for the sum of the A and B feeds for each power cable, whichever is greater. Such usage shall then be multiplied by the AC power consumption rate, set forth in Exhibit C, to determine the appropriate monthly recurring AC usage charge that will be billed to BWFN for the following three (3) months or until the next AC power usage measurement is taken, whichever is later.

1.5.6 Either Party, within fifteen (15) days of notice of the usage measurement established by the scheduled meter reading, may challenge the accuracy of that reading by requesting a new reading. If BWFN requests that an

additional (prior to the next scheduled quarterly power reading date) power usage reading be taken, then BWFN will be responsible for paying the "Additional Meter Reading Trip Charge" contained in Exhibit C. If BellSouth requests a power usage reading be taken in this instance, then BWFN will not be charged the "Additional Meter Reading Trip Charge" for the unscheduled meter reading. If the readings vary by more than ten percent (10%) or five (5) Amps, whichever is greater, the Parties shall work cooperatively to reconcile such discrepancies and establish the appropriate usage figure in a reasonable and expeditious manner. If the readings do not vary outside these ranges, the initial reading will be used to calculate BWFN's AC usage charge for the next three (3) months.

1.5.7 In the event BellSouth elects to measure BWFN's power using BWFN's BDFB meter, then BellSouth, at any time and at its own expense, shall have the right to verify the accuracy of BWFN's BDFB meter by performing its own meter reading via an alternate method, such as, but not limited to, an ammeter. If the meter readings vary significantly, the Parties agree to perform a joint investigation. If BWFN's BDFB meter is found to be in error, then BWFN agrees to recalibrate, repair, or replace its meter as required. The Parties recognize that the meter readings discussed in this Attachment are instantaneous readings that can experience minor fluctuations due to usage traffic, voltage fluctuations, and calibration of the meters themselves. The readings must vary by more than ten percent (10%) or five (5) Amps, whichever is greater, before any recalibration, repair, or replacement will be required. If the BellSouth reading is substantiated, BellSouth shall adjust BWFN's billing retroactive to the beginning of the quarter for which the last meter reading was taken.

1.5.8 When BWFN submits the appropriate Initial or Subsequent Application electing the TRA Option for a specific physical caged collocation arrangement in a particular BellSouth Premises, BellSouth will provide the associated Application Response pursuant to Section 6 above. It will then be the responsibility of BWFN to submit a BFFO. After BellSouth receives the BFFO from BWFN, the arrangement requested on the Initial or Subsequent Application will be provisioned by BellSouth within the provisioning intervals contained in Section 7 above and BWFN will be notified of the Space Ready Date or when the appropriate record and database changes have been made by BellSouth to reflect BWFN*'s* election or conversion to the TRA Option (which will be considered the "Space Ready Date" for purposes of a Subsequent Application submitted to convert a specific caged collocation arrangement in a particular BellSouth Premises to the TRA Option). BWFN shall not elect an earlier Space Acceptance Date than the Space Ready Date for any request submitted via a Subsequent Application for an existing caged collocation arrangement. When a Subsequent Application is used to elect the TRA Option and there are no other changes requested, billing for the recurring charges associated with the AC Usage and DC Power Infrastructure components will begin upon the Space Ready Date. If BWFN occupies

the space prior to the Space Ready Date, for Initial Application requests only, the date BWFN occupies the space will be deemed the new Space Acceptance Date and billing for the AC Usage and DC Power Infrastructure components will begin on that date. When BWFN elects the TRA Option, the number of fused amps of DC Power infrastructure capacity requested by BWFN on its Initial or Subsequent Application will be used for calculating the number of amps to be billed for the AC Usage component until such time as BellSouth or its BellSouth Certified Supplier can perform, under the currently existing quarterly meter reading schedule, a reading of BWFN's power usage for the requested caged Collocation Space. As soon as this reading has been taken, BellSouth will adjust BWFN's billing accordingly to reflect the actual metered usage back to the Space Acceptance Date. BellSouth will also use this reading for billing purposes until the next quarterly meter reading is performed by BellSouth or its BellSouth Certified Supplier.

1.5.9 BellSouth shall assess BWFN the monthly recurring charge as set forth in Exhibit C for BellSouth's power plant infrastructure component of the DC power charges based upon the number of fused DC power amps requested by BWFN, as reflected by BWFN on its Initial Application, as well as any Subsequent Applications (i.e., augment applications), for the particular caged collocation arrangement(s) converted to the TRA Option or any new caged collocation arrangement(s) for which BWFN has chosen the TRA Option.

1.5.10 BWFN agrees to submit a Subsequent Application to notify BellSouth when BWFN has removed or installed telecommunications equipment in BWFN's physical Collocation Space to ensure that BWFN's existing fused DC power capacity is sufficiently engineered to accommodate the power requirements associated with the installation of additional equipment in BWFN's Collocation Space. An associated change in power usage will be reflected in the next quarterly power measurement billing cycle.

1.5.11 BellSouth will bill BWFN a monthly recurring charge per caged Collocation Space on each arrangement for which BWFN has elected or converted to the TRA Option. This "Meter Reading" monthly recurring rate element will be assessed to BWFN for the first twelve (12) power circuits (each A and B feed counts as two (2) circuits), and then for each additional two (2) circuits, read by BellSouth or its BellSouth Certified Supplier, at the rates set forth in Exhibit C and based on whether the power meter is provided by BellSouth or its BellSouth Certified Supplier or BWFN.

| COLLOCATION - Alabama | | | | | | | | | | | | | | Attachment: 4 Exh. C | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | Nonrecurring | | NRC | | OSS Rates($) | | | | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| PHYSICAL COLLOCATION | | | | | | | | | | | | | | | | | |
| | Application | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Initial Application Fee | | | CLO | PE1BA | | 1,879.48 | | 0.51 | | | | | | | |
| | | Physical Collocation-Subsequent Application Fee | | | CLO | PE1CA | | 1,566.60 | | 0.51 | | | | | | | |
| | | Physical Collocation-Co-Carrier Cross Connects/Direct Connect, Application Fee, per application | | | CLO | PE1DT | | 584.22 | | | | | | | | | |
| | | Physical Collocation Administrative Only-Application Fee | | | CLO | PE1BL | | 742.15 | | | | | | | | | |
| | | Physical Collocation-Application Cost, Simple Augment | | | CLO | PE1KS | | 594.41 | | 1.21 | | | | | | | |
| | | Physical Collocation-Application Cost, Minor Augment | | | CLO | PE1KM | | 833.47 | | 1.21 | | | | | | | |
| | | Physical Collocation-Application Cost, Intermediate Augment | | | CLO | PE1K1 | | 1,058.00 | | 1.21 | | | | | | | |
| | | Physical Collocation-Application Cost-Major Augment | | | CLO | PE1KJ | | 2,410.00 | | 1.21 | | | | | | | |
| | Space Preparation | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Floor Space, per sq ft | | | CLO | PE1PJ | 3.22 | | | | | | | | | | |
| | | Physical Collocation-Space Enclosure, welded wire, first 50 sq ft | | | CLO | PE1BX | 140.99 | | | | | | | | | | |
| | | Physical Collocation-Space enclosure, welded wire, first 100 sq ft | | | CLO | PE1BW | 156.33 | | | | | | | | | | |
| | | Physical Collocation-Space enclosure, welded wire, each additional 50 sq ft | | | CLO | PE1CW | 15.34 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation-C.O. Modification per sq ft. | | | CLO | PE1SK | 1.96 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation, Common Systems Modifications-Cageless, per sq ft | | | CLO | PE1SL | 2.62 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation-Common Systems Modifications-Caged, per cage | | | CLO | PE1SM | 88.86 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation-Firm Order Processing | | | CLO | PE1SJ | | 600.71 | | | | | | | | | |
| | | Physical Collocation-Space Availability Report, per Central Office Requested | | | CLO | PE1SR | | 1,075.17 | | | | | | | | | |
| | Power | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Power, -48V DC Power-per Fused Amp Requested | | | CLO | PE1PL | 7.83 | | | | | | | | | | |
| | | Physical Collocation-Power, 120V AC Power, Single Phase, per Breaker Amp | | | CLO | PE1FB | 4.91 | | | | | | | | | | |
| | | Physical Collocation-Power, 240V AC Power, Single Phase, per Breaker Amp | | | CLO | PE1FD | 9.84 | | | | | | | | | | |
| | | Physical Collocation-Power, 120V AC Power, Three Phase, per Breaker Amp | | | CLO | PE1FE | 14.74 | | | | | | | | | | |
| | | Physical Collocation-Power, 277V AC Power, Three Phase, per Breaker Amp | | | CLO | PE1FG | 34.06 | | | | | | | | | | |
| | Cross Connects (Cross Connects, Co-Carrier Cross Connects, and Ports) | | | | | | | | | | | | | | | | |
| | | Physical Collocation-2-wire cross-connect, loop, provisioning | | | UEANL,UEQ, UNCNX, UEA, UCL, UAL, UHL, UDN, UNCVX | PE1P2 | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | | | | | |
| | | Physical Collocation-4-wire cross-connect, loop, provisioning | | | UEA, UHL, UNCVX, UNCDX, UCL, UDL | PE1P4 | 0.05 | 12.39 | 11.87 | 6.39 | 5.73 | | | | | | |
| | | Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning | | | WDS1L, WDS1S, UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB, UEPSE, UEPSP, USL, UEPEX, UEPDX | PE1P1 | 1.11 | 22.03 | 15.93 | 6.40 | 5.79 | | | | | | |
| | | Physical Collocation-DS3 Cross-Connect, provisioning | | | UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSR, UEPSB, UEPSE, UEPSP | PE1P3 | 14.16 | 20.89 | 15.20 | 7.38 | 5.92 | | | | | | |
| | | Physical Collocation-2-Fiber Cross-Connect | | | CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF | PE1F2 | 2.81 | 20.89 | 15.20 | 7.38 | 5.92 | | | | | | |

| COLLOCATION - Alabama | | | | | | | | | | | | | | Attachment: 4 Exh. C | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | NRC | | OSS Rates($) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Physical Collocation-4-Fiber Cross-Connect | | | ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF, UDFCX | PE1F4 | 4.99 | 25.55 | 19.86 | 9.71 | 8.25 | | | | | | |
| | | Physical Collocation-Co-Carrier Cross Connects/Direct Connect-Fiber Cable Support Structure, per linear ft, per Cable. | | | CLO | PE1ES | 0.0011 | | | | | | | | | | |
| | | Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Copper/Coax Cable Support Structure, per linear ft, per cable. | | | CLO | PE1DS | 0.0016 | | | | | | | | | | |
| | | Physical Collocation 2-Wire Cross Connect, Port | | | UEPSR, UEPSP, UEPSE, UEPSB, UEPSX, UEP2C | PE1R2 | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | | | | | |
| | | Physical Collocation 4-Wire Cross Connect, Port | | | UEPEX, UEPDD | PE1R4 | 0.05 | 12.39 | 11.87 | 6.39 | 5.73 | | | | | | |
| | **Security** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hour | | | CLO | PE1BT | | 16.93 | 10.73 | | | | | | | | |
| | | Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hours on a scheduled work day, per half hour | | | CLO | PE1OT | | 22.05 | 13.86 | | | | | | | | |
| | | Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hour | | | CLO | PE1PT | | 27.17 | 16.98 | | | | | | | | |
| | | Physical Collocation-Security Access System-Security System per Central Office | | | CLO | PE1AX | 45.70 | | | | | | | | | | |
| | | Physical Collocation -Security Access System-New Card Activation, per Card Activation (First), per State | | | CLO | PE1A1 | 0.05 | 27.79 | | | | | | | | | |
| | | Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card | | | CLO | PE1AA | | 7.79 | | | | | | | | | |
| | | Physical Collocation-Security Access System-Replace Lost or Stolen Card, per Card | | | CLO | PE1AR | | 22.78 | | | | | | | | | |
| | | Physical Collocation-Security Access-Initial Key, per Key | | | CLO | PE1AK | | 13.10 | | | | | | | | | |
| | | Physical Collocation-Security Access-Key, Replace Lost or Stolen Key, per Key | | | CLO | PE1AL | | 13.10 | | | | | | | | | |
| | **CFA** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-CFA Information Resend Request, per premises, per arrangement, per request | | | CLO | PE1C9 | | 77.56 | | | | | | | | | |
| | **Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial I" and "Subsequent S" respectively** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Cable Records, per request | | | CLO | PE1CR | | I 759.29 | S 488.11 | 133.00 | | | | | | | |
| | | Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) | | | CLO | PE1CD | | 326.92 | | 189.12 | | | | | | | |
| | | Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair | | | CLO | PE1CO | | 4.81 | | 5.90 | | | | | | | |
| | | Physical Collocation, Cable Records, DS1, per T1 TIE | | | CLO | PE1C1 | | 2.25 | | 2.76 | | | | | | | |
| | | Physical Collocation, Cable Records, DS3, per T3 TIE | | | CLO | PE1C3 | | 7.88 | | 9.66 | | | | | | | |
| | | Physical Collocation-Cable Records, Fiber Cable, per cable record (maximum 99 records) | | | CLO | PE1CB | | 84.49 | | 77.13 | | | | | | | |
| | | Physical Collocation, Cable Records,CAT5/RJ45 | | | CLO | PE1C5 | | 2.25 | | 2.76 | | | | | | | |
| | **Virtual to Physical** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation Relocation, per VG Circuit | | | CLO | PE1BV | | 33.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation Relocation, per DSO Circuit | | | CLO | PE1BO | | 33.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation Relocation, per DS1 Circuit | | | CLO | PE1B1 | | 52.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation Relocation, per DS3 Circuit | | | CLO | PE1B3 | | 52.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation In-Place, Per VG Circuit | | | CLO | PE1BR | | 23.00 | | | | | | | | | |
| | | Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit | | | CLO | PE1BP | | 23.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation In-Place, Per DS1 Circuit | | | CLO | PE1BS | | 33.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation In-Place, per DS3 Circuit | | | CLO | PE1BE | | 37.00 | | | | | | | | | |
| | **Entrance Cable** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Fiber Cable Installation, Pricing, NRC charge, per Entrance Cable | | | CLO | PE1BD | | 859.71 | | 22.49 | | | | | | | |
| | | Physical Collocation-Fiber Cable Support Structure, per Entrance Cable | | | CLO | PE1PM | 17.11 | | | | | | | | | | |
| | | Physical Collocation-Fiber Entrance Cable Installation, per Fiber | | | CLO | PE1ED | | 3.87 | | | | | | | | | |
| **VIRTUAL COLLOCATION** | | | | | | | | | | | | | | | | | |
| | **Application** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-Application Fee | | | AMTFS | EAF | | 1,205.26 | | 0.51 | | | | | | | |

| COLLOCATION - Alabama | | | | | | | | | | | | | | Attachment: 4 Exh. C | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | Nonrecurring | | NRC | | OSS Rates($) | | | | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Virtual Collocation-Co-Carrier Cross Connects/Direct Connect, Application Fee, per application | | | AMTFS | VE1CA | | 584.22 | | | | | | | | | |
| | | Virtual Collocation Administrative Only-Application Fee | | | AMTFS | VE1AF | | 742.15 | | | | | | | | | |
| | **Space Preparation** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-Floor Space, per sq. ft. | | | AMTFS | ESPVX | 3.22 | | | | | | | | | | |
| | **Power** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-Power, per fused amp | | | AMTFS | ESPAX | 7.83 | | | | | | | | | | |
| | **Cross Connects (Cross Connects, Co-Carrier Cross Connects, and Ports)** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation- 2-wire cross-connect, loop, provisioning | | | UEANL, UEA, UDN, UAL, UHL, UCL, UEQ, UNCVX, UNCDX, UNCNX | UEAC2 | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | | | | | |
| | | Virtual Collocation-4-wire cross-connect, loop, provisioning | | | UEA, UHL, UCL, UDL, UNCVX, UNCDX | UEAC4 | 0.05 | 12.39 | 11.87 | 6.39 | 5.73 | | | | | | |
| | | Virtual collocation-Special Access & UNE, cross-connect per DS1 | | | ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USL, UEPEX, UEPDX | CNC1X | 1.11 | 22.03 | 15.93 | 6.40 | 5.79 | | | | | | |
| | | Virtual collocation-Special Access & UNE, cross-connect per DS3 | | | USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3 | CND3X | 14.16 | 20.89 | 15.20 | 7.38 | 5.92 | | | | | | |
| | | Virtual Collocation-2-Fiber Cross Connects | | | UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF | CNC2F | 2.84 | 20.89 | 15.20 | 7.38 | 5.92 | | | | | | |
| | | Virtual Collocation-4-Fiber Cross Connects | | | UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF | CNC4F | 5.69 | 25.55 | 19.86 | 9.71 | 8.25 | | | | | | |
| | | Virtual Collocation-Co-Carrier Cross Connects/Direct Connect-Fiber Cable Support Structure, per linear ft, per cable | | | AMTFS | VE1CB | 0.0011 | | | | | | | | | | |
| | | Virtual Collocation-Co-Carrier Cross Connects/Direct Connect-Copper/Coax Cable Support Structure, per linear ft, per cable | | | AMTFS | VE1CD | 0.0016 | | | | | | | | | | |
| | | Virtual Collocation 2-Wire Cross Connect, Port | | | UEPSX, UEPSB, UEPSE, UEPSP, UEPSR, UEP2C | VE1R2 | 0.03 | 12.30 | 11.80 | 6.03 | 5.44 | | | | | | |
| | | Virtual Collocation 4-Wire Cross Connect, Port | | | UEPDD, UEPEX | VE1R4 | 0.05 | 12.39 | 11.87 | 6.39 | 5.73 | | | | | | |
| | **CFA** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-CFA Information Resend Request, per Premises, per Arrangement, per request | | | AMTFS | VE1QR | | 77.56 | | | | | | | | | |
| | **Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial I" & "Subsequent S" respectively** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation Cable Records-per request | | | AMTFS | VE1BA | | 759.29 | 488.11 | 133.00 | | | | | | | |
| | | Virtual Collocation Cable Records-VG/DS0 Cable, per cable record | | | AMTFS | VE1BB | | 326.92 | | 189.12 | | | | | | | |
| | | Virtual Collocaiton Cable Records-VG/DS0 Cable, per each 100 pair | | | AMTFS | VE1BC | | 4.81 | | 5.90 | | | | | | | |
| | | Virtual Collocation Cable Records-DS1, per T1TIE | | | AMTFS | VE1BD | | 2.25 | | 2.76 | | | | | | | |
| | | Virtual Collocation Cable Records-DS3, per T3TIE | | | AMTFS | VE1BE | | 7.88 | | 9.66 | | | | | | | |
| | | Virtual Collocation Cable Records-Fiber Cable, per 99 fiber records | | | AMTFS | VE1BF | | 84.49 | | 77.13 | | | | | | | |
| | | Virtual Collocation Cable Records-CAT 5/RJ45 | | | AMTFS | VE1B5 | | 2.25 | | 2.76 | | | | | | | |
| | **Security** | | | | | | | | | | | | | | | | |
| | | Virtual collocation-Security escort, basic time, normally scheduled work hours | | | AMTFS | SPTBX | | 16.93 | 10.73 | | | | | | | | |
| | | Virtual collocation-Security escort, overtime, outside of normally scheduled work hours on a normal working day | | | AMTFS | SPTOX | | 22.05 | 13.86 | | | | | | | | |

| COLLOCATION - Alabama | | | | | | | | | | | | | | Attachment: 4 Exh. C | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | NRC | | OSS Rates($) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Virtual collocation-Security escort, premium time, outside of a scheduled work day | | | AMTFS | SPTPX | | 27.17 | 16.98 | | | | | | | | |
| | **Maintenance** | | | | | | | | | | | | | | | | |
| | | Virtual collocation-Maintenance in CO-Basic, per half hour | | | AMTFS | CTRLX | | 27.93 | 10.73 | | | | | | | | |
| | | Virtual collocation-Maintenance in CO-Overtime, per half hour | | | AMTFS | SPTOM | | 36.47 | 13.86 | | | | | | | | |
| | | Virtual collocation-Maintenance in CO-Premium per half hour | | | AMTFS | SPTPM | | 45.02 | 16.98 | | | | | | | | |
| | **Entrance Cable** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-Cable Installation Charge, per cable | | | AMTFS | ESPCX | | 859.71 | | 22.49 | | | | | | | |
| | | Virtual Collocation-Cable Support Structure, per cable | | | AMTFS | ESPSX | 14.97 | | | | | | | | | | |
| **COLLOCATION IN THE REMOTE SITE** | | | | | | | | | | | | | | | | | |
| | **Physical Remote Site Collocation** | | | | | | | | | | | | | | | | |
| | | Physical Collocation in the Remote Site-Application Fee | | | CLORS | PE1RA | | 307.70 | | 168.22 | | | | | | | |
| | | Cabinet Space in the Remote Site per Bay/ Rack | | | CLORS | PE1RB | 201.42 | | | | | | | | | | |
| | | Physical Collocation in the Remote Site-Security Access-Key | | | CLORS | PE1RD | | 13.10 | | | | | | | | | |
| | | Physical Collocation in the Remote Site-Space Availability Report per Premises Requested | | | CLORS | PE1SR | | 115.87 | | | | | | | | | |
| | | Physical Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI Code Requested | | | CLORS | PE1RE | | 37.56 | | | | | | | | | |
| | | Remote Site DLEC Data (BRSDD), per Compact Disk, per CO | | | CLORS | PE1RR | | 233.38 | | | | | | | | | |
| | | Power, DC Power Provisioning (Alabama Only ICB Rate) | | | | | | | | | | | | | | | |
| | | Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hour | | | CLORS | PE1BT | | 16.93 | 10.73 | | | | | | | | |
| | | Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hours on a scheduled work day, per half hour | | | CLORS | PE1OT | | 22.05 | 13.86 | | | | | | | | |
| | | Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hour | | | CLORS | PE1PT | | 27.17 | 16.98 | | | | | | | | |
| | **Adjacent Remote Site Collocation** | | | | | | | | | | | | | | | | |
| | | Remote Site-Adjacent Collocation-Application Fee | | | CLORS | PE1RU | | 755.62 | 755.62 | | | | | | | | |
| | | Remote Site-Adjacent Collocation-Real Estate, per sq ft | | | CLORS | PE1RT | 0.134 | | | | | | | | | | |
| | | Remote Site-Adjacent Collocation-AC Power, per breaker amp | | | CLORS | PE1RS | 6.27 | | | | | | | | | | |
| | **NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for adjacent remote site collocation, the Parties will negotiate appropriate rates.** | | | | | | | | | | | | | | | | |
| | **Virtual Remote Site Collocation** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation in the Remote Site-Application Fee | | | VE1RS | VE1RB | | 307.70 | 307.70 | 168.22 | 168.22 | | | | | | |
| | | Virtual Collocation in the Remote Site-Per Bay/Rack of Space | | | VE1RS | VE1RC | 201.42 | | | | | | | | | | |
| | | Virtual Collocation in the Remote Site-Space Availability Report per Premises requested | | | VE1RS | VE1RR | | 115.87 | 115.87 | | | | | | | | |
| | | Virtual Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI Code Requested | | | VE1RS | VE1RL | | 37.56 | 37.56 | | | | | | | | |
| **ADJACENT COLLOCATION** | | | | | | | | | | | | | | | | | |
| | | Adjacent Collocation-Space Charge per Sq. Ft. | | | CLOAC | PE1JA | 0.14 | | | | | | | | | | |
| | | Adjacent Collocation-Electrical Facility Charge per Linear Ft. | | | CLOAC | PE1JC | 5.41 | | | | | | | | | | |
| | | Adjacent Collocation-2-Wire Cross-Connects | | | UEANL,UEQ,UEA,UCL, UAL, UHL, UDN | PE1JE | 0.02 | 12.30 | 11.80 | 6.03 | 5.44 | | | | | | |
| | | Adjacent Collocation-4-Wire Cross-Connects | | | UEA,UHL,UDL,UCL | PE1JF | 0.04 | 12.39 | 11.87 | 6.39 | 5.73 | | | | | | |
| | | Adjacent Collocation-DS1 Cross-Connects | | | USL | PE1JG | 1.03 | 22.03 | 15.93 | 6.40 | 5.79 | | | | | | |
| | | Adjacent Collocation-DS3 Cross-Connects | | | UE3 | PE1JH | 13.95 | 20.89 | 15.20 | 7.38 | 5.92 | | | | | | |
| | | Adjacent Collocation-2-Fiber Cross-Connect | | | CLOAC | PE1JJ | 2.36 | 20.89 | 15.20 | 7.38 | 5.92 | | | | | | |
| | | Adjacent Collocation-4-Fiber Cross-Connect | | | CLOAC | PE1JK | 4.52 | 25.55 | 19.86 | 9.71 | 8.25 | | | | | | |
| | | Adjacent Collocation-Application Fee | | | CLOAC | PE1JB | | 1,576.69 | | 0.51 | | | | | | | |
| | | Adjacent Collocation-120V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JL | 4.91 | | | | | | | | | | |
| | | Adjacent Collocation-240V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JM | 9.84 | | | | | | | | | | |
| | | Adjacent Collocation-120V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JN | 14.74 | | | | | | | | | | |
| | | Adjacent Collocation-277V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JO | 34.06 | | | | | | | | | | |
| | | Adjacent Collocation-DC power provisioning (Alabama Only Mandate ICB) | | | | | | | | | | | | | | | |
| | | Note: ICB means Individual Case Basis | | | | | | | | | | | | | | | |
| | **Note: Rates displaying an "I" in Interim column are interim as a result of a Commission order.** | | | | | | | | | | | | | | | | |

| COLLOCATION - Florida | | | | | | | | | | | | | | Attachment: 4 Exh. C | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | NRC | | OSS Rates($) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| **PHYSICAL COLLOCATION** | | | | | | | | | | | | | | | | | |
| | **Application** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Initial Application Fee | | | CLO | PE1BA | | 2,785.00 | | 1.20 | | | | | | | |
| | | Physical Collocation-Subsequent Application Fee | | | CLO | PE1CA | | 2,236.00 | | 1.20 | | | | | | | |
| | | Physical Collocation-Co-Carrier Cross Connects/Direct Connect, Application Fee, per application | | | CLO | PE1DT | | 564.81 | | | | | | | | | |
| | | Physical Collocation-Power Reconfiguration Only, Application Fee | | | CLO | PE1PR | | 409.50 | | | | | | | | | |
| | | Physical Collocation Administrative Only-Application Fee | | | CLO | PE1BL | | 760.91 | | 1.20 | | | | | | | |
| | **Space Preparation** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Floor Space, per sq ft | | | CLO | PE1PJ | 5.28 | | | | | | | | | | |
| | | Physical Collocation-Space Enclosure, welded wire, first 50 sq ft | | | CLO | PE1BX | 171.12 | | | | | | | | | | |
| | | Physical Collocation-Space enclosure, welded wire, first 100 sq ft | | | CLO | PE1BW | 189.73 | | | | | | | | | | |
| | | Physical Collocation-Space enclosure, welded wire, each additional 50 sq ft | | | CLO | PE1CW | 18.61 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation-C.O. Modification per sq ft. | | | CLO | PE1SK | 2.38 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation, Common Systems Modifications-Cageless, per sq ft | | | CLO | PE1SL | 2.50 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation-Common Systems Modifications-Caged, per cage | | | CLO | PE1SM | 84.93 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation-Firm Order Processing | | | CLO | PE1SJ | | 287.36 | | | | | | | | | |
| | | Physical Collocation-Space Availability Report, per Central Office Requested | | | CLO | PE1SR | | 572.66 | | | | | | | | | |
| | **Power** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Power, -48V DC Power-per Fused Amp Requested | | | CLO | PE1PL | 7.80 | | | | | | | | | | |
| | | Physical Collocation-Power, 120V AC Power, Single Phase, per Breaker Amp | | | CLO | PE1FB | 5.26 | | | | | | | | | | |
| | | Physical Collocation-Power, 240V AC Power, Single Phase, per Breaker Amp | | | CLO | PE1FD | 10.53 | | | | | | | | | | |
| | | Physical Collocation-Power, 120V AC Power, Three Phase, per Breaker Amp | | | CLO | PE1FE | 15.80 | | | | | | | | | | |
| | | Physical Collocation-Power, 277V AC Power, Three Phase, per Breaker Amp | | | CLO | PE1FG | 36.47 | | | | | | | | | | |
| | | Physical Collocation-Power-DC power, per Used Amp | | | CLO | PE1FN | 10.69 | | | | | | | | | | |
| | **Cross Connects (Cross Connects, Co-Carrier Cross Connects, and Ports)** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-2-wire cross-connect, loop, provisioning | | | UEANL,UEQ,UNCNX, UEA, UCL, UAL, UHL, UDN, UNCVX | PE1P2 | 0.0208 | 7.32 | 5.37 | 4.58 | 2.71 | | | | | | |
| | | Physical Collocation-4-wire cross-connect, loop, provisioning | | | UEA, UHL, UNCVX, UNCDX, UCL, UDL | PE1P4 | 0.0416 | 8.00 | 5.75 | 5.00 | 2.69 | | | | | | |
| | | Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning | | | WDS1L, WDS1S, UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB, UEPSE, UEPSP, USL, UEPEX, UEPDX | PE1P1 | 0.3786 | 7.88 | 6.25 | 1.35 | 0.9899 | | | | | | |
| | | Physical Collocation-DS3 Cross-Connect, provisioning | | | UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSR, UEPSB, UEPSE, UEPSP | PE1P3 | 4.16 | 32.40 | 31.03 | 11.15 | 10.98 | | | | | | |
| | | Physical Collocation-2-Fiber Cross-Connect | | | CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF | PE1F2 | 1.71 | 28.26 | 25.85 | 13.78 | 11.01 | | | | | | |

| COLLOCATION - Florida | | | | | | | | | | | | | | Attachment: 4 Exh. C | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | NRC | | OSS Rates($) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Physical Collocation-4-Fiber Cross-Connect | | | ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF, UDFCX | PE1F4 | 3.34 | 37.92 | 35.51 | 18.20 | 15.44 | | | | | | |
| | | Physical Collocation-Co-Carrier Cross Connects/Direct Connect-Fiber Cable Support Structure, per linear ft, per cable. | | | CLO | PE1ES | 0.0008 | | | | | | | | | | |
| | | Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Copper/Coax Cable Support Structure, per linear ft, per cable. | | | CLO | PE1DS | 0.0012 | | | | | | | | | | |
| | | Physical Collocation 2-Wire Cross Connect, Port | | | UEPSR, UEPSP, UEPSE, UEPSB, UEPSX, UEP2C | PE1R2 | 0.0208 | 7.32 | 5.37 | 4.58 | 2.71 | | | | | | |
| | | Physical Collocation 4-Wire Cross Connect, Port | | | UEPEX, UEPDD | PE1R4 | 0.0416 | 8.00 | 5.75 | 5.00 | 2.69 | | | | | | |
| | **Security** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hour | | | CLO | PE1BT | | 33.65 | 22.05 | | | | | | | | |
| | | Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hours on a scheduled work day, per half hour | | | CLO | PE1OT | | 44.63 | 28.89 | | | | | | | | |
| | | Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hour | | | CLO | PE1PT | | 55.62 | 35.73 | | | | | | | | |
| | | Physical Collocation-Security Access System-Security System per Central Office, per Sq. Ft. | | | CLO | PE1AY | 0.0101 | | | | | | | | | | |
| | | Physical Collocation -Security Access System-New Card Activation, per Card Activation (First), per State | | | CLO | PE1A1 | | 38.95 | | | | | | | | | |
| | | Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card | | | CLO | PE1AA | | 8.84 | | | | | | | | | |
| | | Physical Collocation-Security Access System-Replace Lost or Stolen Card, per Card | | | CLO | PE1AR | | 28.78 | | | | | | | | | |
| | | Physical Collocation-Security Access-Initial Key, per Key | | | CLO | PE1AK | | 23.28 | | | | | | | | | |
| | | Physical Collocation-Security Access-Key, Replace Lost or Stolen Key, per Key | | | CLO | PE1AL | | 23.28 | | | | | | | | | |
| | **CFA** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-CFA Information Resend Request, per premises, per arrangement, per request | | | CLO | PE1C9 | | 79.52 | | | | | | | | | |
| | **Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial I" and "Subsequent S" respectively** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Cable Records, per request | | | CLO | PE1CR | | I 1515 | S 973.64 | 256.35 | | | | | | | |
| | | Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) | | | CLO | PE1CD | | 646.84 | | 362.41 | | | | | | | |
| | | Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair | | | CLO | PE1CO | | 9.11 | | 10.80 | | | | | | | |
| | | Physical Collocation, Cable Records, DS1, per T1 TIE | | | CLO | PE1C1 | | 4.52 | | 5.35 | | | | | | | |
| | | Physical Collocation, Cable Records, DS3, per T3 TIE | | | CLO | PE1C3 | | 15.81 | | 18.73 | | | | | | | |
| | | Physical Collocation-Cable Records, Fiber Cable, per cable record (maximum 99 records) | | | CLO | PE1CB | | 169.96 | | 149.97 | | | | | | | |
| | | Physical Collocation, Cable Records,CAT5/RJ45 | | | CLO | PE1C5 | | 4.52 | | 5.35 | | | | | | | |
| | **Virtual to Physical** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation Relocation, per VG Circuit | | | CLO | PE1BV | | 33.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation Relocation, per DSO Circuit | | | CLO | PE1BO | | 33.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation Relocation, per DS1 Circuit | | | CLO | PE1B1 | | 52.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation Relocation, per DS3 Circuit | | | CLO | PE1B3 | | 52.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation In-Place, Per VG Circuit | | | CLO | PE1BR | | 23.00 | | | | | | | | | |
| | | Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit | | | CLO | PE1BP | | 23.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation In-Place, Per DS1 Circuit | | | CLO | PE1BS | | 33.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation In-Place, per DS3 Circuit | | | CLO | PE1BE | | 37.00 | | | | | | | | | |
| | **Entrance Cable** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Fiber Cable Support Structure, per Entrance Cable | | | CLO | PE1PM | 5.19 | | | | | | | | | | |
| | | Physical Collocation-Fiber Entrance Cable per Cable (CO manhole to vault splice) | | | CLO | PE1EC | | 994.12 | | 43.84 | | | | | | | |
| | | Physical Collocation-Fiber Entrance Cable Installation, per Fiber | | | CLO | PE1ED | | 7.43 | | | | | | | | | |
| **VIRTUAL COLLOCATION** | | | | | | | | | | | | | | | | | |
| | **Application** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-Application Fee | | | AMTFS | EAF | | 1,241.00 | | 1.20 | | | | | | | |

| COLLOCATION - Florida | | | | | | | | | | | | | | Attachment: 4 Exh. C | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | | Nonrecurring | | NRC | | OSS Rates($) | | | | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Virtual Collocation-Co-Carrier Cross Connects/Direct Connect, Application Fee, per application | | | AMTFS | VE1CA | | 564.81 | | | | | | | | | |
| | | Virtual Collocation Administrative Only-Application Fee | | | AMTFS | VE1AF | | 760.91 | | 1.20 | | | | | | | |
| | **Space Preparation** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-Floor Space, per sq. ft. | | | AMTFS | ESPVX | 5.28 | | | | | | | | | | |
| | **Power** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-Power, per fused amp | | | AMTFS | ESPAX | 6.95 | | | | | | | | | | |
| | | Virtual Collocation-Power, DC power, per Used Amp | | | AMTFS | VE1PF | 10.69 | | | | | | | | | | |
| | **Cross Connects (Cross Connects, Co-Carrier Cross Connects, and Ports)** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation- 2-wire cross-connect, loop, provisioning | | | UEANL, UEA, UDN, UAL, UHL, UCL, UEQ, UNCVX, UNCDX, UNCNX | UEAC2 | 0.0201 | 7.32 | 5.37 | 4.58 | 2.71 | | | | | | |
| | | Virtual Collocation-4-wire cross-connect, loop, provisioning | | | UEA, UHL, UCL, UDL, UNCVX, UNCDX | UEAC4 | 0.0403 | 8.00 | 5.75 | 5.00 | 2.69 | | | | | | |
| | | Virtual collocation-Special Access & UNE, cross-connect per DS1 | | | ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USL, UEPEX, UEPDX | CNC1X | 0.3786 | 7.88 | 6.26 | 1.35 | 0.9915 | | | | | | |
| | | Virtual collocation-Special Access & UNE, cross-connect per DS3 | | | USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3 | CND3X | 4.16 | 32.40 | 31.03 | 11.15 | 10.98 | | | | | | |
| | | Virtual Collocation-2-Fiber Cross Connects | | | UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF | CNC2F | 1.75 | 28.26 | 25.85 | 13.78 | 11.01 | | | | | | |
| | | Virtual Collocation-4-Fiber Cross Connects | | | UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF | CNC4F | 3.50 | 37.92 | 35.51 | 18.20 | 15.44 | | | | | | |
| | | Virtual Collocation-Co-Carrier Cross Connects/Direct Connect-Fiber Cable Support Structure, per linear ft, per cable | | | AMTFS | VE1CB | 0.0008 | | | | | | | | | | |
| | | Virtual Collocation-Co-Carrier Cross Connects/Direct Connect-Copper/Coax Cable Support Structure, per linear ft, per cable | | | AMTFS | VE1CD | 0.0012 | | | | | | | | | | |
| | | Virtual Collocation 2-Wire Cross Connect, Port | | | UEPSX, UEPSB, UEPSE, UEPSP, UEPSR, UEP2C | VE1R2 | 0.0201 | 7.32 | 5.37 | 4.58 | 2.71 | | | | | | |
| | | Virtual Collocation 4-Wire Cross Connect, Port | | | UEPDD, UEPEX | VE1R4 | 0.0403 | 8.00 | 5.75 | 5.00 | 2.69 | | | | | | |
| | **CFA** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-CFA Information Resend Request, per Premises, per Arrangement, per request | | | AMTFS | VE1QR | | 79.52 | | | | | | | | | |
| | **Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial I" & "Subsequent S" respectively** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation Cable Records-per request | | | AMTFS | VE1BA | | 1,515.00 | 973.64 | 256.35 | | | | | | | |
| | | Virtual Collocation Cable Records-VG/DS0 Cable, per cable record | | | AMTFS | VE1BB | | 646.84 | | 362.41 | | | | | | | |
| | | Virtual Collocation Cable Records-VG/DS0 Cable, per each 100 pair | | | AMTFS | VE1BC | | 9.11 | | 10.80 | | | | | | | |
| | | Virtual Collocation Cable Records-DS1, per T1TIE | | | AMTFS | VE1BD | | 4.52 | | 5.35 | | | | | | | |
| | | Virtual Collocation Cable Records-DS3, per T3TIE | | | AMTFS | VE1BE | | 15.81 | | 18.73 | | | | | | | |
| | | Virtual Collocation Cable Records-Fiber Cable, per 99 fiber records | | | AMTFS | VE1BF | | 169.96 | | 149.97 | | | | | | | |
| | | Virtual Collocation Cable Records-CAT 5/RJ45 | | | AMTFS | VE1B5 | | 4.52 | | 5.35 | | | | | | | |
| | **Security** | | | | | | | | | | | | | | | | |
| | | Virtual collocation-Security escort, basic time, normally scheduled work hours | | | AMTFS | SPTBX | | 33.65 | 22.05 | | | | | | | | |

| COLLOCATION - Florida | | | | | | | | | | | | | | Attachment: 4 Exh. C | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | | Nonrecurring | | NRC | | OSS Rates($) | | | | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Virtual collocation-Security escort, overtime, outside of normally scheduled work hours on a normal working day | | | AMTFS | SPTOX | | 44.63 | 28.89 | | | | | | | | |
| | | Virtual collocation-Security escort, premium time, outside of a scheduled work day | | | AMTFS | SPTPX | | 55.62 | 35.73 | | | | | | | | |
| | **Maintenance** | | | | | | | | | | | | | | | | |
| | | Virtual collocation-Maintenance in CO-Basic, per half hour | | | AMTFS | CTRLX | | 54.05 | 22.05 | | | | | | | | |
| | | Virtual collocation-Maintenance in CO-Overtime, per half hour | | | AMTFS | SPTOM | | 72.18 | 28.89 | | | | | | | | |
| | | Virtual collocation-Maintenance in CO-Premium per half hour | | | AMTFS | SPTPM | | 90.31 | 35.73 | | | | | | | | |
| | **Entrance Cable** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-Cable Installation Charge, per cable | | | AMTFS | ESPCX | | 1,473.00 | | 43.84 | | | | | | | |
| | | Virtual Collocation-Cable Support Structure, per cable | | | AMTFS | ESPSX | 4.54 | | | | | | | | | | |
| **COLLOCATION IN THE REMOTE SITE** | | | | | | | | | | | | | | | | | |
| | **Physical Remote Site Collocation** | | | | | | | | | | | | | | | | |
| | | Physical Collocation in the Remote Site-Application Fee | | | CLORS | PE1RA | | 612.23 | | 270.35 | | | | | | | |
| | | Cabinet Space in the Remote Site per Bay/ Rack | | | CLORS | PE1RB | 154.59 | | | | | | | | | | |
| | | Physical Collocation in the Remote Site-Security Access-Key | | | CLORS | PE1RD | | 23.28 | | | | | | | | | |
| | | Physical Collocation in the Remote Site-Space Availability Report per Premises Requested | | | CLORS | PE1SR | | 223.91 | | | | | | | | | |
| | | Physical Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI Code Requested | | | CLORS | PE1RE | | 73.39 | | | | | | | | | |
| | | Remote Site DLEC Data (BRSDD), per Compact Disk, per CO | | | CLORS | PE1RR | | 208.02 | | | | | | | | | |
| | | Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hour | | | CLORS | PE1BT | | 33.65 | 22.05 | | | | | | | | |
| | | Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hours on a scheduled work day, per half hour | | | CLORS | PE1OT | | 44.63 | 28.89 | | | | | | | | |
| | | Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hour | | | CLORS | PE1PT | | 55.62 | 35.73 | | | | | | | | |
| | **Adjacent Remote Site Collocation** | | | | | | | | | | | | | | | | |
| | | Remote Site-Adjacent Collocation-Application Fee | | | CLORS | PE1RU | | 755.62 | 755.62 | | | | | | | | |
| | | Remote Site-Adjacent Collocation-Real Estate, per sq ft | | | CLORS | PE1RT | 0.134 | | | | | | | | | | |
| | | Remote Site-Adjacent Collocation-AC Power, per breaker amp | | | CLORS | PE1RS | 6.27 | | | | | | | | | | |
| | **NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for adjacent remote site collocation, the Parties will negotiate appropriate rates.** | | | | | | | | | | | | | | | | |
| | **Virtual Remote Site Collocation** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation in the Remote Site-Application Fee | | | VE1RS | VE1RB | | 612.23 | | 270.35 | | | | | | | |
| | | Virtual Collocation in the Remote Site-Per Bay/Rack of Space | | | VE1RS | VE1RC | 154.59 | | | | | | | | | | |
| | | Virtual Collocation in the Remote Site-Space Availability Report per Premises requested | | | VE1RS | VE1RR | | 223.91 | | | | | | | | | |
| | | Virtual Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI Code Requested | | | VE1RS | VE1RL | | 73.39 | | | | | | | | | |
| **ADJACENT COLLOCATION** | | | | | | | | | | | | | | | | | |
| | | Adjacent Collocation-Space Charge per Sq. Ft. | | | CLOAC | PE1JA | 0.1666 | | | | | | | | | | |
| | | Adjacent Collocation-Electrical Facility Charge per Linear Ft. | | | CLOAC | PE1JC | 4.62 | | | | | | | | | | |
| | | Adjacent Collocation-2-Wire Cross-Connects | | | UEANL,UEQ,UEA,UCL, UAL, UHL, UDN | PE1JE | 0.0194 | 7.32 | 5.37 | 4.58 | 2.71 | | | | | | |
| | | Adjacent Collocation-4-Wire Cross-Connects | | | UEA,UHL,UDL,UCL | PE1JF | 0.0388 | 8.00 | 5.75 | 5.00 | 2.69 | | | | | | |
| | | Adjacent Collocation-DS1 Cross-Connects | | | USL | PE1JG | 0.3708 | 7.88 | 6.26 | 1.35 | 0.9915 | | | | | | |
| | | Adjacent Collocation-DS3 Cross-Connects | | | UE3 | PE1JH | 4.14 | 32.40 | 31.03 | 11.15 | 10.98 | | | | | | |
| | | Adjacent Collocation-2-Fiber Cross-Connect | | | CLOAC | PE1JJ | 1.70 | 28.26 | 25.85 | 13.78 | 11.01 | | | | | | |
| | | Adjacent Collocation-4-Fiber Cross-Connect | | | CLOAC | PE1JK | 3.33 | 37.92 | 35.51 | 18.20 | 15.44 | | | | | | |
| | | Adjacent Collocation-Application Fee | | | CLOAC | PE1JB | | 2,763.00 | | 1.02 | | | | | | | |
| | | Adjacent Collocation-120V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JL | 5.26 | | | | | | | | | | |
| | | Adjacent Collocation-240V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JM | 10.53 | | | | | | | | | | |
| | | Adjacent Collocation-120V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JN | 15.80 | | | | | | | | | | |
| | | Adjacent Collocation-277V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JO | 36.47 | | | | | | | | | | |
| | | Adjacent Collocation-Cable Support Structure per Entrance Cable | | | CLOAC | PE1JP | 5.19 | | | | | | | | | | |

| COLLOCATION - Florida | | | | | | | | | | | | | | Attachment: 4 Exh. C | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | NRC | | OSS Rates($) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Note: Rates displaying an "I" in Interim column are interim as a result of a Commission order. | | | | | | | | | | | | | | | | |

| COLLOCATION - Georgia | | | | | | | | | | | | | | Attachment: 4 Exh. C | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | NRC | | OSS Rates($) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| PHYSICAL COLLOCATION | | | | | | | | | | | | | | | | | |
| | Application | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Initial Application Fee | | | CLO | PE1BA | | 1,285.98 | | 0.59 | | | | | | | |
| | | Physical Collocation-Subsequent Application Fee | | | CLO | PE1CA | | 1,085.48 | | 0.59 | | | | | | | |
| | | Physical Collocation-Co-Carrier Cross Connects/Direct Connect, Application Fee, per application | | | CLO | PE1DT | | 583.18 | | | | | | | | | |
| | | Physical Collocation Administrative Only-Application Fee | | | CLO | PE1BL | | 740.83 | | | | | | | | | |
| | | Physical Collocation-Application Cost, Simple Augment | | | CLO | PE1KS | | 594.05 | | 1.21 | | | | | | | |
| | | Physical Collocation-Application Cost, Minor Augment | | | CLO | PE1KM | | 832.95 | | 1.21 | | | | | | | |
| | | Physical Collocation-Application Cost, Intermediate Augment | | | CLO | PE1K1 | | 1,057.00 | | 1.21 | | | | | | | |
| | | Physical Collocation-Application Cost-Major Augment | | | CLO | PE1KJ | | 2,408.00 | | 1.21 | | | | | | | |
| | Space Preparation | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Floor Space, per sq ft | | | CLO | PE1PJ | 4.52 | | | | | | | | | | |
| | | Physical Collocation-Space Enclosure, welded wire, first 50 sq ft | | | CLO | PE1BX | 144.71 | | | | | | | | | | |
| | | Physical Collocation-Space enclosure, welded wire, first 100 sq ft | | | CLO | PE1BW | 160.45 | | | | | | | | | | |
| | | Physical Collocation-Space enclosure, welded wire, each additional 50 sq ft | | | CLO | PE1CW | 15.74 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation-C.O. Modification per sq ft. | | | CLO | PE1SK | 2.01 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation, Common Systems Modifications-Cageless, per sq ft | | | CLO | PE1SL | 2.23 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation-Common Systems Modifications-Caged, per cage | | | CLO | PE1SM | 75.61 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation-Firm Order Processing | | | CLO | PE1SJ | | 141.10 | | | | | | | | | |
| | | Physical Collocation-Space Availability Report, per Central Office Requested | | | CLO | PE1SR | | 248.75 | | | | | | | | | |
| | Power | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Power, -48V DC Power-per Fused Amp Requested | | | CLO | PE1PL | 4.78 | | | | | | | | | | |
| | | Physical Collocation-Power, 120V AC Power, Single Phase, per Breaker Amp | | | CLO | PE1FB | 5.14 | | | | | | | | | | |
| | | Physical Collocation-Power, 240V AC Power, Single Phase, per Breaker Amp | | | CLO | PE1FD | 10.30 | | | | | | | | | | |
| | | Physical Collocation-Power, 120V AC Power, Three Phase, per Breaker Amp | | | CLO | PE1FE | 15.44 | | | | | | | | | | |
| | | Physical Collocation-Power, 277V AC Power, Three Phase, per Breaker Amp | | | CLO | PE1FG | 35.65 | | | | | | | | | | |
| | Cross Connects (Cross Connects, Co-Carrier Cross Connects, and Ports) | | | | | | | | | | | | | | | | |
| | | Physical Collocation-2-wire cross-connect, loop, provisioning | | | UEANL,UEQ, UNCNX, UEA, UCL, UAL, UHL, UDN, UNCVX | PE1P2 | 0.0197 | | | | | | | | | | |
| | | Physical Collocation-4-wire cross-connect, loop, provisioning | | | UEA, UHL, UNCVX, UNCDX, UCL, UDL | PE1P4 | 0.0393 | | | | | | | | | | |
| | | Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning | | | WDS1L, WDS1S, UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB, UEPSE, UEPSP, USL, UEPEX, UEPDX | PE1P1 | 0.3726 | | | | | | | | | | |
| | | Physical Collocation-DS3 Cross-Connect, provisioning | | | UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSR, UEPSB, UEPSE, UEPSP | PE1P3 | 4.06 | | | | | | | | | | |
| | | Physical Collocation-2-Fiber Cross-Connect | | | CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF | PE1F2 | 1.72 | | | | | | | | | | |

| COLLOCATION - Georgia | | | | | | | | | | | | | | Attachment: 4 Exh. C | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | NRC | | OSS Rates($) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Physical Collocation-4-Fiber Cross-Connect | | | ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF, UDFCX | PE1F4 | 3.30 | | | | | | | | | | |
| | | Physical Collocation-Co-Carrier Cross Connects/Direct Connect-Fiber Cable Support Structure, per linear ft, per cable. | | | CLO | PE1ES | 0.001 | | | | | | | | | | |
| | | Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Copper/Coax Cable Support Structure, per linear ft, per cable. | | | CLO | PE1DS | 0.0015 | | | | | | | | | | |
| | | Physical Collocation 2-Wire Cross Connect, Port | | | UEPSR, UEPSP, UEPSE, UEPSB, UEPSX, UEP2C | PE1R2 | 0.0197 | | | | | | | | | | |
| | | Physical Collocation 4-Wire Cross Connect, Port | | | UEPEX, UEPDD | PE1R4 | 0.0393 | | | | | | | | | | |
| | **Security** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hour | | | CLO | PE1BT | | 16.52 | 10.83 | | | | | | | | |
| | | Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hours on a scheduled work day, per half hour | | | CLO | PE1OT | | 21.92 | 14.19 | | | | | | | | |
| | | Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hour | | | CLO | PE1PT | | 27.31 | 17.55 | | | | | | | | |
| | | Physical Collocation-Security Access System-Security System per Central Office, per Sq. Ft. | | | CLO | PE1AY | 0.0106 | | | | | | | | | | |
| | | Physical Collocation -Security Access System-New Card Activation, per Card Activation (First), per State | | | CLO | PE1A1 | | 22.00 | | | | | | | | | |
| | | Physical Collocation-Security Access System-New Access Card Deactivation, per Card | | | CLO | PE1A4 | | 8.72 | 8.72 | | | | | | | | |
| | | Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card | | | CLO | PE1AA | | 5.38 | | | | | | | | | |
| | | Physical Collocation-Security Access System-Replace Lost or Stolen Card, per Card | | | CLO | PE1AR | | 17.01 | | | | | | | | | |
| | | Physical Collocation-Security Access-Initial Key, per Key | | | CLO | PE1AK | | 13.20 | | | | | | | | | |
| | | Physical Collocation-Security Access-Key, Replace Lost or Stolen Key, per Key | | | CLO | PE1AL | | 13.20 | | | | | | | | | |
| | **CFA** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-CFA Information Resend Request, per premises, per arrangement, per request | | | CLO | PE1C9 | | 77.42 | | | | | | | | | |
| | **Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial I" and "Subsequent S" respectively** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Cable Records, per request | | | CLO | PE1CR | | I 743.65 | S 478.06 | 125.75 | | | | | | | |
| | | Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) | | | CLO | PE1CD | | 317.60 | | 177.77 | | | | | | | |
| | | Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair | | | CLO | PE1CO | | 4.48 | | 5.30 | | | | | | | |
| | | Physical Collocation, Cable Records, DS1, per T1 TIE | | | CLO | PE1C1 | | 2.22 | | 2.63 | | | | | | | |
| | | Physical Collocation, Cable Records, DS3, per T3 TIE | | | CLO | PE1C3 | | 7.76 | | 9.19 | | | | | | | |
| | | Physical Collocation-Cable Records, Fiber Cable, per cable record (maximum 99 records) | | | CLO | PE1CB | | 83.45 | | 73.57 | | | | | | | |
| | | Physical Collocation, Cable Records,CAT5/RJ45 | | | CLO | PE1C5 | | 2.22 | | 2.63 | | | | | | | |
| | **Virtual to Physical** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation Relocation, per VG Circuit | | | CLO | PE1BV | | 33.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation Relocation, per DSO Circuit | | | CLO | PE1BO | | 33.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation Relocation, per DS1 Circuit | | | CLO | PE1B1 | | 52.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation Relocation, per DS3 Circuit | | | CLO | PE1B3 | | 52.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation In-Place, Per VG Circuit | | | CLO | PE1BR | | 23.00 | | | | | | | | | |
| | | Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit | | | CLO | PE1BP | | 23.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation In-Place, Per DS1 Circuit | | | CLO | PE1BS | | 33.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation In-Place, per DS3 Circuit | | | CLO | PE1BE | | 37.00 | | | | | | | | | |
| | **Entrance Cable** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Fiber Cable Installation, Pricing, NRC charge, per Entrance Cable | | | CLO | PE1BD | | 736.93 | | 21.51 | | | | | | | |
| | | Physical Collocation-Fiber Cable Support Structure, per Entrance Cable | | | CLO | PE1PM | 7.21 | | | | | | | | | | |

| COLLOCATION - Georgia | | | | | | | | | | | | | Attachment: 4 Exh. C | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | NRC | | OSS Rates($) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Physical Collocation, Entrance Cable Support Structure, Copper, per each 100 pairs or fraction thereof (CO Manhole to Collocation Space) | | | CLO | PE1EE | 0.2629 | | | | | | | | | | |
| | Physical Collocation, Entrance Cable Installation, Copper, per Cable (CO Manhole to Collocation Space) | | | CLO | PE1EF | | 755.15 | | 21.51 | | | | | | | |
| | Physical Collocation, Entrance Cable Installation, Copper, per each 100 pairs or fraction thereof (CO Manhole to Collocation Space) | | | CLO | PE1EG | | 9.12 | | | | | | | | | |
| | Physical Collocation-Fiber Entrance Cable Installation, per Fiber | | | CLO | PE1ED | | 3.90 | | | | | | | | | |
| **VIRTUAL COLLOCATION** | | | | | | | | | | | | | | | | |
| **Application** | | | | | | | | | | | | | | | | |
| | Virtual Collocation-Application Fee | | | AMTFS | EAF | | 609.52 | | 0.59 | | | | | | | |
| | Virtual Collocation-Co-Carrier Cross Connects/Direct Connect, Application Fee, per application | | | AMTFS | VE1CA | | 583.18 | | | | | | | | | |
| | Virtual Collocation Administrative Only-Application Fee | | | AMTFS | VE1AF | | 609.52 | | | | | | | | | |
| **Space Preparation** | | | | | | | | | | | | | | | | |
| | Virtual Collocation-Floor Space, per sq. ft. | | | AMTFS | ESPVX | 4.52 | | | | | | | | | | |
| **Power** | | | | | | | | | | | | | | | | |
| | Virtual Collocation-Power, per fused amp | | | AMTFS | ESPAX | 4.78 | | | | | | | | | | |
| **Cross Connects (Cross Connects, Co-Carrier Cross Connects, and Ports)** | | | | | | | | | | | | | | | | |
| | Virtual Collocation- 2-wire cross-connect, loop, provisioning | | | UEANL, UEA, UDN, UAL, UHL, UCL, UEQ, UNCVX, UNCDX, UNCNX | UEAC2 | 0.0188 | | | | | | | | | | |
| | Virtual Collocation-4-wire cross-connect, loop, provisioning | | | UEA, UHL, UCL, UDL, UNCVX, UNCDX | UEAC4 | 0.0375 | | | | | | | | | | |
| | Virtual collocation-Special Access & UNE, cross-connect per DS1 | | | ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USL, UEPEX, UEPDX | CNC1X | 0.3726 | | | | | | | | | | |
| | Virtual collocation-Special Access & UNE, cross-connect per DS3 | | | USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3 | CND3X | 4.06 | | | | | | | | | | |
| | Virtual Collocation-2-Fiber Cross Connects | | | UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF | CNC2F | 1.73 | | | | | | | | | | |
| | Virtual Collocation-4-Fiber Cross Connects | | | UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF | CNC4F | 3.45 | | | | | | | | | | |
| | Virtual Collocation-Co-Carrier Cross Connects/Direct Connect-Fiber Cable Support Structure, per linear ft, per cable | | | AMTFS | VE1CB | 0.001 | | | | | | | | | | |
| | Virtual Collocation-Co-Carrier Cross Connects/Direct Connect-Copper/Coax Cable Support Structure, per linear ft, per cable | | | AMTFS | VE1CD | 0.0015 | | | | | | | | | | |
| | Virtual Collocation 2-Wire Cross Connect, Port | | | UEPSX, UEPSB, UEPSE, UEPSP, UEPSR, UEP2C | VE1R2 | 0.0188 | | | | | | | | | | |
| | Virtual Collocation 4-Wire Cross Connect, Port | | | UEPDD, UEPEX | VE1R4 | 0.0375 | | | | | | | | | | |
| **CFA** | | | | | | | | | | | | | | | | |
| | Virtual Collocation-CFA Information Resend Request, per Premises, per Arrangement, per request | | | AMTFS | VE1QR | | 77.42 | | | | | | | | | |
| **Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial I" & "Subsequent S" respectively** | | | | | | | | | | | | | | | | |
| | Virtual Collocation Cable Records-per request | | | AMTFS | VE1BA | | 743.65 | 478.06 | 125.75 | | | | | | | |

| COLLOCATION - Georgia | | | | | | | | | | | | | Attachment: 4 Exh. C | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | NRC | | OSS Rates($) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Virtual Collocation Cable Records-VG/DS0 Cable, per cable record | | | AMTFS | VE1BB | | 317.60 | | 177.77 | | | | | | | |
| | Virtual Collocation Cable Records-VG/DS0 Cable, per each 100 pair | | | AMTFS | VE1BC | | 4.48 | | 5.30 | | | | | | | |
| | Virtual Collocation Cable Records-DS1, per T1TIE | | | AMTFS | VE1BD | | 2.22 | | 2.63 | | | | | | | |
| | Virtual Collocation Cable Records-DS3, per T3TIE | | | AMTFS | VE1BE | | 7.76 | | 9.19 | | | | | | | |
| | Virtual Collocation Cable Records-Fiber Cable, per 99 fiber records | | | AMTFS | VE1BF | | 83.45 | | 73.57 | | | | | | | |
| | Virtual Collocation Cable Records-CAT 5/RJ45 | | | AMTFS | VE1B5 | | 2.22 | | 2.63 | | | | | | | |
| **Security** | | | | | | | | | | | | | | | | |
| | Virtual collocation-Security escort, basic time, normally scheduled work hours | | | AMTFS | SPTBX | | 16.52 | 10.83 | | | | | | | | |
| | Virtual collocation-Security escort, overtime, outside of normally scheduled work hours on a normal working day | | | AMTFS | SPTOX | | 21.92 | 14.19 | | | | | | | | |
| | Virtual collocation-Security escort, premium time, outside of a scheduled work day | | | AMTFS | SPTPX | | 27.31 | 17.55 | | | | | | | | |
| **Maintenance** | | | | | | | | | | | | | | | | |
| | Virtual collocation-Maintenance in CO-Basic, per half hour | | | AMTFS | CTRLX | | 26.54 | 10.83 | | | | | | | | |
| | Virtual collocation-Maintenance in CO-Overtime, per half hour | | | AMTFS | SPTOM | | 35.44 | 14.19 | | | | | | | | |
| | Virtual collocation-Maintenance in CO-Premium per half hour | | | AMTFS | SPTPM | | 44.34 | 17.55 | | | | | | | | |
| **Entrance Cable** | | | | | | | | | | | | | | | | |
| | Virtual Collocation-Cable Installation Charge, per cable | | | AMTFS | ESPCX | | 736.93 | | 21.51 | | | | | | | |
| | Virtual Collocation-Cable Support Structure, per cable | | | AMTFS | ESPSX | 7.57 | | | | | | | | | | |
| | Virtual Collocation, Entrance Cable Support Structure, Copper, per each 100 pairs or fraction thereof (CO Manhole to Frame) | | | AMTFS | VE1EE | 0.23 | | | | | | | | | | |
| | Virtual Collocation, Entrance Cable Installation, Copper, per Cable (CO Manhole to Frame) | | | AMTFS | VE1EF | | 755.15 | | 21.51 | | | | | | | |
| | Virtual Collocation, Entrance Cable Installation, Copper, per each 100 pairs or fraction thereof (CO Manhole to Frame) | | | AMTFS | VE1EG | | 9.12 | | | | | | | | | |
| **COLLOCATION IN THE REMOTE SITE** | | | | | | | | | | | | | | | | |
| **Physical Remote Site Collocation** | | | | | | | | | | | | | | | | |
| | Physical Collocation in the Remote Site-Application Fee | | | CLORS | PE1RA | | 300.61 | | 132.62 | | | | | | | |
| | Cabinet Space in the Remote Site per Bay/ Rack | | | CLORS | PE1RB | 143.23 | | | | | | | | | | |
| | Physical Collocation in the Remote Site-Security Access-Key | | | CLORS | PE1RD | | 13.20 | | | | | | | | | |
| | Physical Collocation in the Remote Site-Space Availability Report per Premises Requested | | | CLORS | PE1SR | | 109.94 | | | | | | | | | |
| | Physical Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI Code Requested | | | CLORS | PE1RE | | 36.04 | | | | | | | | | |
| | Remote Site DLEC Data (BRSDD), per Compact Disk, per CO | | | CLORS | PE1RR | | 116.64 | | | | | | | | | |
| | Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hour | | | CLORS | PE1BT | | 16.52 | 10.83 | | | | | | | | |
| | Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hours on a scheduled work day, per half hour | | | CLORS | PE1OT | | 21.92 | 14.19 | | | | | | | | |
| | Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hour | | | CLORS | PE1PT | | 27.31 | 17.55 | | | | | | | | |
| **Adjacent Remote Site Collocation** | | | | | | | | | | | | | | | | |
| | Remote Site-Adjacent Collocation-Application Fee | | | CLORS | PE1RU | | 755.62 | 755.62 | | | | | | | | |
| | Remote Site-Adjacent Collocation-Real Estate, per sq ft | | | CLORS | PE1RT | 0.134 | | | | | | | | | | |
| | Remote Site-Adjacent Collocation-AC Power, per breaker amp | | | CLORS | PE1RS | 6.27 | | | | | | | | | | |
| **NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for adjacent remote site collocation, the Parties will negotiate appropriate rates.** | | | | | | | | | | | | | | | | |
| **Virtual Remote Site Collocation** | | | | | | | | | | | | | | | | |
| | Virtual Collocation in the Remote Site-Application Fee | | | VE1RS | VE1RB | | 300.61 | | 132.62 | | | | | | | |
| | Virtual Collocation in the Remote Site-Per Bay/Rack of Space | | | VE1RS | VE1RC | 143.23 | | | | | | | | | | |
| | Virtual Collocation in the Remote Site-Space Availability Report per Premises requested | | | VE1RS | VE1RR | | 109.94 | | | | | | | | | |
| | Virtual Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI Code Requested | | | VE1RS | VE1RL | | 36.04 | | | | | | | | | |
| **ADJACENT COLLOCATION** | | | | | | | | | | | | | | | | |
| | Adjacent Collocation-Space Charge per Sq. Ft. | | | CLOAC | PE1JA | 0.164 | | | | | | | | | | |
| | Adjacent Collocation-Electrical Facility Charge per Linear Ft. | | | CLOAC | PE1JC | 4.01 | | | | | | | | | | |
| | Adjacent Collocation-2-Wire Cross-Connects | | | UEANL,UEQ,UEA,UCL, UAL, UHL, UDN | PE1JE | 0.0172 | | | | | | | | | | |
| | Adjacent Collocation-4-Wire Cross-Connects | | | UEA,UHL,UDL,UCL | PE1JF | 0.0344 | | | | | | | | | | |

| COLLOCATION - Georgia | | | | | | | | | | | | | | Attachment: 4 Exh. C | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | NRC | | OSS Rates($) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Adjacent Collocation-DS1 Cross-Connects | | | USL | PE1JG | 0.3608 | | | | | | | | | | |
| | | Adjacent Collocation-DS3 Cross-Connects | | | UE3 | PE1JH | 4.73 | | | | | | | | | | |
| | | Adjacent Collocation-2-Fiber Cross-Connect | | | CLOAC | PE1JJ | 1.66 | | | | | | | | | | |
| | | Adjacent Collocation-4-Fiber Cross-Connect | | | CLOAC | PE1JK | 3.24 | | | | | | | | | | |
| | | Adjacent Collocation-Application Fee | | | CLOAC | PE1JB | | 1,382.19 | | 0.50 | | | | | | | |
| | | Adjacent Collocation-120V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JL | 5.14 | | | | | | | | | | |
| | | Adjacent Collocation-240V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JM | 10.30 | | | | | | | | | | |
| | | Adjacent Collocation-120V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JN | 15.44 | | | | | | | | | | |
| | | Adjacent Collocation-277V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JO | 35.65 | | | | | | | | | | |
| | | Adjacent Collocation-240V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JD | 35.65 | | | | | | | | | | |
| | **Note: Rates displaying an "I" in Interim column are interim as a result of a Commission order.** | | | | | | | | | | | | | | | | |

| COLLOCATION - Kentucky | | | | | | | | | | | | | | Attachment: 4 Exh. C | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | Nonrecurring | | NRC | | OSS Rates($) | | | | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| **PHYSICAL COLLOCATION** | | | | | | | | | | | | | | | | | |
| | **Application** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Initial Application Fee | | | CLO | PE1BA | | 3,773.54 | | 1.01 | | | | | | | |
| | | Physical Collocation-Subsequent Application Fee | | | CLO | PE1CA | | 3,145.35 | | 1.01 | | | | | | | |
| | | Physical Collocation-Co-Carrier Cross Connects/Direct Connect, Application Fee, per application | | | CLO | PE1DT | | 584.20 | | | | | | | | | |
| | | Physical Collocation Administrative Only-Application Fee | | | CLO | PE1BL | | 742.12 | | | | | | | | | |
| | | Physical Collocation-Application Cost, Simple Augment | | | CLO | PE1KS | | 594.98 | | 1.21 | | | | | | | |
| | | Physical Collocation-Application Cost, Minor Augment | | | CLO | PE1KM | | 834.26 | | 1.21 | | | | | | | |
| | | Physical Collocation-Application Cost, Intermediate Augment | | | CLO | PE1K1 | | 1,059.00 | | 1.21 | | | | | | | |
| | | Physical Collocation-Application Cost-Major Augment | | | CLO | PE1KJ | | 2,412.00 | | 1.21 | | | | | | | |
| | **Space Preparation** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Floor Space, per sq ft | | | CLO | PE1PJ | 7.99 | | | | | | | | | | |
| | | Physical Collocation-Space Enclosure, welded wire, first 50 sq ft | | | CLO | PE1BX | 166.83 | | | | | | | | | | |
| | | Physical Collocation-Space enclosure, welded wire, first 100 sq ft | | | CLO | PE1BW | 184.97 | | | | | | | | | | |
| | | Physical Collocation-Space enclosure, welded wire, each additional 50 sq ft | | | CLO | PE1CW | 18.14 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation-C.O. Modification per sq ft. | | | CLO | PE1SK | 2.32 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation, Common Systems Modifications-Cageless, per sq ft | | | CLO | PE1SL | 3.26 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation-Common Systems Modifications-Caged, per cage | | | CLO | PE1SM | 110.57 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation-Firm Order Processing | | | CLO | PE1SJ | | 1,206.07 | | | | | | | | | |
| | | Physical Collocation-Space Availability Report, per Central Office Requested | | | CLO | PE1SR | | 2,158.67 | | | | | | | | | |
| | **Power** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Power, -48V DC Power-per Fused Amp Requested | | | CLO | PE1PL | 8.06 | | | | | | | | | | |
| | | Physical Collocation-Power, 120V AC Power, Single Phase, per Breaker Amp | | | CLO | PE1FB | 5.44 | | | | | | | | | | |
| | | Physical Collocation-Power, 240V AC Power, Single Phase, per Breaker Amp | | | CLO | PE1FD | 10.88 | | | | | | | | | | |
| | | Physical Collocation-Power, 120V AC Power, Three Phase, per Breaker Amp | | | CLO | PE1FE | 16.32 | | | | | | | | | | |
| | | Physical Collocation-Power, 277V AC Power, Three Phase, per Breaker Amp | | | CLO | PE1FG | 37.68 | | | | | | | | | | |
| | **Cross Connects (Cross Connects, Co-Carrier Cross Connects, and Ports)** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-2-wire cross-connect, loop, provisioning | | | UEANL,UEQ, UNCNX, UEA, UCL, UAL, UHL, UDN, UNCVX | PE1P2 | 0.0333 | 24.68 | 23.68 | 12.14 | 10.95 | | | | | | |
| | | Physical Collocation-4-wire cross-connect, loop, provisioning | | | UEA, UHL, UNCVX, UNCDX, UCL, UDL | PE1P4 | 0.0665 | 24.88 | 23.82 | 12.77 | 11.46 | | | | | | |
| | | Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning | | | WDS1L, WDS1S, UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB, UEPSE, UEPSP, USL, UEPEX, UEPDX | PE1P1 | 1.48 | 44.23 | 31.98 | 12.81 | 11.57 | | | | | | |
| | | Physical Collocation-DS3 Cross-Connect, provisioning | | | UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSR, UEPSB, UEPSE, UEPSP | PE1P3 | 18.89 | 41.93 | 30.51 | 14.75 | 11.83 | | | | | | |
| | | Physical Collocation-2-Fiber Cross-Connect | | | CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF | PE1F2 | 3.75 | 41.93 | 30.51 | 14.76 | 11.84 | | | | | | |

| COLLOCATION - Kentucky | | | | | | | | | | | | | | Attachment: 4 Exh. C | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | NRC | | OSS Rates($) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Physical Collocation-4-Fiber Cross-Connect | | | ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF, UDFCX | PE1F4 | 6.65 | 51.29 | 39.87 | 19.41 | 16.49 | | | | | | |
| | | Physical Collocation-Co-Carrier Cross Connects/Direct Connect-Fiber Cable Support Structure, per linear ft, per cable. | | | CLO | PE1ES | 0.0012 | | | | | | | | | | |
| | | Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Copper/Coax Cable Support Structure, per linear ft, per cable. | | | CLO | PE1DS | 0.0018 | | | | | | | | | | |
| | | Physical Collocation 2-Wire Cross Connect, Port | | | UEPSR, UEPSP, UEPSE, UEPSB, UEPSX, UEP2C | PE1R2 | 0.0333 | 24.68 | 23.68 | 12.14 | 10.95 | | | | | | |
| | | Physical Collocation 4-Wire Cross Connect, Port | | | UEPEX, UEPDD | PE1R4 | 0.0665 | 24.88 | 23.82 | 12.77 | 11.46 | | | | | | |
| | **Security** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hour | | | CLO | PE1BT | | 33.98 | 21.53 | | | | | | | | |
| | | Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hours on a scheduled work day, per half hour | | | CLO | PE1OT | | 44.26 | 27.81 | | | | | | | | |
| | | Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hour | | | CLO | PE1PT | | 54.54 | 34.09 | | | | | | | | |
| | | Physical Collocation-Security Access System, Security System, per Central Office | | | CLO | PE1AX | 76.10 | | | | | | | | | | |
| | | Physical Collocation -Security Access System-New Card Activation, per Card Activation (First), per State | | | CLO | PE1A1 | 0.058 | 55.79 | | | | | | | | | |
| | | Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card | | | CLO | PE1AA | | 15.64 | | | | | | | | | |
| | | Physical Collocation-Security Access System-Replace Lost or Stolen Card, per Card | | | CLO | PE1AR | | 45.74 | | | | | | | | | |
| | | Physical Collocation-Security Access-Initial Key, per Key | | | CLO | PE1AK | | 26.29 | | | | | | | | | |
| | | Physical Collocation-Security Access-Key, Replace Lost or Stolen Key, per Key | | | CLO | PE1AL | | 26.29 | | | | | | | | | |
| | **CFA** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-CFA Information Resend Request, per premises, per arrangement, per request | | | CLO | PE1C9 | | 77.55 | | | | | | | | | |
| | **Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial I" and "Subsequent S" respectively** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Cable Records, per request | | | CLO | PE1CR | | I 1524.45 | S 980.01 | 267.02 | | | | | | | |
| | | Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) | | | CLO | PE1CD | | 656.37 | | 379.70 | | | | | | | |
| | | Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair | | | CLO | PE1CO | | 9.65 | | 11.84 | | | | | | | |
| | | Physical Collocation, Cable Records, DS1, per T1 TIE | | | CLO | PE1C1 | | 4.52 | | 5.54 | | | | | | | |
| | | Physical Collocation, Cable Records, DS3, per T3 TIE | | | CLO | PE1C3 | | 15.81 | | 19.39 | | | | | | | |
| | | Physical Collocation-Cable Records, Fiber Cable, per cable record (maximum 99 records) | | | CLO | PE1CB | | 169.63 | | 154.85 | | | | | | | |
| | | Physical Collocation, Cable Records,CAT5/RJ45 | | | CLO | PE1C5 | | 4.52 | | 5.54 | | | | | | | |
| | **Virtual to Physical** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation Relocation, per VG Circuit | | | CLO | PE1BV | | 33.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation Relocation, per DSO Circuit | | | CLO | PE1BO | | 33.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation Relocation, per DS1 Circuit | | | CLO | PE1B1 | | 52.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation Relocation, per DS3 Circuit | | | CLO | PE1B3 | | 52.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation In-Place, Per VG Circuit | | | CLO | PE1BR | | 23.00 | | | | | | | | | |
| | | Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit | | | CLO | PE1BP | | 23.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation In-Place, Per DS1 Circuit | | | CLO | PE1BS | | 33.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation In-Place, per DS3 Circuit | | | CLO | PE1BE | | 37.00 | | | | | | | | | |
| | **Entrance Cable** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Fiber Cable Installation, Pricing, NRC charge, per Entrance Cable | | | CLO | PE1BD | | 1,729.11 | | 45.16 | | | | | | | |
| | | Physical Collocation-Fiber Cable Support Structure, per Entrance Cable | | | CLO | PE1PM | 19.86 | | | | | | | | | | |
| | | Physical Collocation-Fiber Entrance Cable Installation, per Fiber | | | CLO | PE1ED | | 7.75 | | | | | | | | | |
| **VIRTUAL COLLOCATION** | | | | | | | | | | | | | | | | | |
| | **Application** | | | | | | | | | | | | | | | | |

| COLLOCATION - Kentucky | | | | | | | | | | | | | | Attachment: 4 Exh. C | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | Nonrecurring | | NRC | | OSS Rates($) | | | | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Virtual Collocation-Application Fee | | | AMTFS | EAF | | 2,419.86 | | 1.01 | | | | | | | |
| | | Virtual Collocation-Co-Carrier Cross Connects/Direct Connect, Application Fee, per application | | | AMTFS | VE1CA | | 584.20 | | | | | | | | | |
| | | Virtual Collocation Administrative Only-Application Fee | | | AMTFS | VE1AF | | 742.12 | | | | | | | | | |
| | **Space Preparation** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-Floor Space, per sq. ft. | | | AMTFS | ESPVX | 7.99 | | | | | | | | | | |
| | **Power** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-Power, per fused amp | | | AMTFS | ESPAX | 8.06 | | | | | | | | | | |
| | **Cross Connects (Cross Connects, Co-Carrier Cross Connects, and Ports)** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation- 2-wire cross-connect, loop, provisioning | | | UEANL, UEA, UDN, UAL, UHL, UCL, UEQ, UNCVX, UNCDX, UNCNX | UEAC2 | 0.0309 | 24.68 | 23.68 | 12.14 | 10.95 | | | | | | |
| | | Virtual Collocation-4-wire cross-connect, loop, provisioning | | | UEA, UHL, UCL, UDL, UNCVX, UNCDX | UEAC4 | 0.0619 | 24.88 | 23.82 | 12.77 | 11.46 | | | | | | |
| | | Virtual collocation-Special Access & UNE, cross-connect per DS1 | | | ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USL, UEPEX, UEPDX | CNC1X | 1.48 | 44.23 | 31.98 | 12.81 | 11.57 | | | | | | |
| | | Virtual collocation-Special Access & UNE, cross-connect per DS3 | | | USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3 | CND3X | 18.89 | 41.93 | 30.51 | 14.75 | 11.83 | | | | | | |
| | | Virtual Collocation-2-Fiber Cross Connects | | | UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF | CNC2F | 3.80 | 41.94 | 30.51 | 14.76 | 11.84 | | | | | | |
| | | Virtual Collocation-4-Fiber Cross Connects | | | UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF | CNC4F | 7.59 | 51.29 | 39.87 | 19.41 | 16.49 | | | | | | |
| | | Virtual Collocation-Co-Carrier Cross Connects/Direct Connect-Fiber Cable Support Structure, per linear ft, per cable | | | AMTFS | VE1CB | 0.0012 | | | | | | | | | | |
| | | Virtual Collocation-Co-Carrier Cross Connects/Direct Connect-Copper/Coax Cable Support Structure, per linear ft, per cable | | | AMTFS | VE1CD | 0.0018 | | | | | | | | | | |
| | | Virtual Collocation 2-Wire Cross Connect, Port | | | UEPSX, UEPSB, UEPSE, UEPSP, UEPSR, UEP2C | VE1R2 | 0.0309 | 24.68 | 23.68 | 12.14 | 10.95 | | | | | | |
| | | Virtual Collocation 4-Wire Cross Connect, Port | | | UEPDD, UEPEX | VE1R4 | 0.0619 | 24.88 | 23.82 | 12.77 | 11.46 | | | | | | |
| | **CFA** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-CFA Information Resend Request, per Premises, per Arrangement, per request | | | AMTFS | VE1QR | | 77.55 | | | | | | | | | |
| | **Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial I" & "Subsequent S" respectively** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation Cable Records-per request | | | AMTFS | VE1BA | | 1,524.45 | 980.01 | 267.02 | | | | | | | |
| | | Virtual Collocation Cable Records-VG/DS0 Cable, per cable record | | | AMTFS | VE1BB | | 656.37 | | 379.70 | | | | | | | |
| | | Virtual Collocation Cable Records-VG/DS0 Cable, per each 100 pair | | | AMTFS | VE1BC | | 9.65 | | 11.84 | | | | | | | |
| | | Virtual Collocation Cable Records -DS1, per T1TIE | | | AMTFS | VE1BD | | 4.52 | | 5.54 | | | | | | | |
| | | Virtual Collocation Cable Records-DS3, per T3TIE | | | AMTFS | VE1BE | | 15.81 | | 19.39 | | | | | | | |
| | | Virtual Collocation Cable Records-Fiber Cable, per 99 fiber records | | | AMTFS | VE1BF | | 169.63 | | 154.85 | | | | | | | |
| | | Virtual Collocation Cable Records-CAT 5/RJ45 | | | AMTFS | VE1B5 | | 4.52 | | 5.54 | | | | | | | |
| | **Security** | | | | | | | | | | | | | | | | |
| | | Virtual collocation-Security escort, basic time, normally scheduled work hours | | | AMTFS | SPTBX | | 33.98 | 21.53 | | | | | | | | |

| COLLOCATION - Kentucky | | | | | | | | | | | | | | Attachment: 4 Exh. C | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | NRC | | OSS Rates($) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Virtual collocation-Security escort, overtime, outside of normally scheduled work hours on a normal working day | | | AMTFS | SPTOX | | 44.26 | 27.81 | | | | | | | | |
| | | Virtual collocation-Security escort, premium time, outside of a scheduled work day | | | AMTFS | SPTPX | | 54.54 | 34.09 | | | | | | | | |
| | **Maintenance** | | | | | | | | | | | | | | | | |
| | | Virtual collocation-Maintenance in CO-Basic, per half hour | | | AMTFS | CTRLX | | 56.07 | 21.53 | | | | | | | | |
| | | Virtual collocation-Maintenance in CO-Overtime, per half hour | | | AMTFS | SPTOM | | 73.23 | 27.81 | | | | | | | | |
| | | Virtual collocation-Maintenance in CO-Premium per half hour | | | AMTFS | SPTPM | | 90.39 | 34.09 | | | | | | | | |
| | **Entrance Cable** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-Cable Installation Charge, per cable | | | AMTFS | ESPCX | | 1,729.11 | | 45.16 | | | | | | | |
| | | Virtual Collocation-Cable Support Structure, per cable | | | AMTFS | ESPSX | 17.38 | | | | | | | | | | |
| **COLLOCATION IN THE REMOTE SITE** | | | | | | | | | | | | | | | | | |
| | **Physical Remote Site Collocation** | | | | | | | | | | | | | | | | |
| | | Physical Collocation in the Remote Site-Application Fee | | | CLORS | PE1RA | | 617.78 | | 338.89 | | | | | | | |
| | | Cabinet Space in the Remote Site per Bay/ Rack | | | CLORS | PE1RB | 219.67 | | | | | | | | | | |
| | | Physical Collocation in the Remote Site-Security Access-Key | | | CLORS | PE1RD | | 26.29 | | | | | | | | | |
| | | Physical Collocation in the Remote Site-Space Availability Report per Premises Requested | | | CLORS | PE1SR | | 232.64 | | | | | | | | | |
| | | Physical Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI Code Requested | | | CLORS | PE1RE | | 75.40 | | | | | | | | | |
| | | Remote Site DLEC Data (BRSDD), per Compact Disk, per CO | | | CLORS | PE1RR | | 233.42 | | | | | | | | | |
| | | Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hour | | | CLORS | PE1BT | | 33.98 | 21.53 | | | | | | | | |
| | | Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hours on a scheduled work day, per half hour | | | CLORS | PE1OT | | 44.26 | 27.81 | | | | | | | | |
| | | Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hour | | | CLORS | PE1PT | | 54.54 | 34.09 | | | | | | | | |
| | **Adjacent Remote Site Collocation** | | | | | | | | | | | | | | | | |
| | | Remote Site-Adjacent Collocation-Application Fee | | | CLORS | PE1RU | | 755.62 | 755.62 | | | | | | | | |
| | | Remote Site-Adjacent Collocation-Real Estate, per sq ft | | | CLORS | PE1RT | 0.134 | | | | | | | | | | |
| | | Remote Site-Adjacent Collocation-AC Power, per breaker amp | | | CLORS | PE1RS | 6.27 | | | | | | | | | | |
| | **NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for adjacent remote site collocation, the Parties will negotiate appropriate rates.** | | | | | | | | | | | | | | | | |
| | **Virtual Remote Site Collocation** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation in the Remote Site-Application Fee | | | VE1RS | VE1RB | | 615.60 | | 337.70 | | | | | | | |
| | | Virtual Collocation in the Remote Site-Per Bay/Rack of Space | | | VE1RS | VE1RC | 224.41 | | | | | | | | | | |
| | | Virtual Collocation in the Remote Site-Space Availability Report per Premises requested | | | VE1RS | VE1RR | | 231.82 | | | | | | | | | |
| | | Virtual Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI Code Requested | | | VE1RS | VE1RL | | 75.13 | | | | | | | | | |
| **ADJACENT COLLOCATION** | | | | | | | | | | | | | | | | | |
| | | Adjacent Collocation-Space Charge per Sq. Ft. | | | CLOAC | PE1JA | 0.0173 | | | | | | | | | | |
| | | Adjacent Collocation-Electrical Facility Charge per Linear Ft. | | | CLOAC | PE1JC | 5.35 | | | | | | | | | | |
| | | Adjacent Collocation-2-Wire Cross-Connects | | | UEANL,UEQ,UEA,UCL, UAL, UHL, UDN | PE1JE | 0.0258 | 24.68 | 23.68 | 12.14 | 10.95 | | | | | | |
| | | Adjacent Collocation-4-Wire Cross-Connects | | | UEA,UHL,UDL,UCL | PE1JF | 0.0515 | 24.88 | 23.82 | 12.77 | 11.46 | | | | | | |
| | | Adjacent Collocation-DS1 Cross-Connects | | | USL | PE1JG | 1.37 | 44.23 | 31.98 | 12.81 | 11.57 | | | | | | |
| | | Adjacent Collocation-DS3 Cross-Connects | | | UE3 | PE1JH | 18.61 | 41.93 | 30.51 | 14.75 | 11.83 | | | | | | |
| | | Adjacent Collocation-2-Fiber Cross-Connect | | | CLOAC | PE1JJ | 3.15 | 41.93 | 30.51 | 14.76 | 11.84 | | | | | | |
| | | Adjacent Collocation-4-Fiber Cross-Connect | | | CLOAC | PE1JK | 6.02 | 51.29 | 39.87 | 19.41 | 16.49 | | | | | | |
| | | Adjacent Collocation-Application Fee | | | CLOAC | PE1JB | | 3,165.50 | | | | | | | | | |
| | | Adjacent Collocation-120V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JL | 5.44 | | | | | | | | | | |
| | | Adjacent Collocation-240V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JM | 10.88 | | | | | | | | | | |
| | | Adjacent Collocation-120V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JN | 16.32 | | | | | | | | | | |
| | | Adjacent Collocation-277V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JO | 37.68 | | | | | | | | | | |
| | **Note: Rates displaying an "I" in Interim column are interim as a result of a Commission order.** | | | | | | | | | | | | | | | | |

| COLLOCATION - Louisiana | | | | | | | | | | | | | | Attachment: 4 Exh. C | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | NRC | | OSS Rates($) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| PHYSICAL COLLOCATION | | | | | | | | | | | | | | | | | |
| | Application | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Initial Application Fee | | | CLO | PE1BA | | 1,837.24 | | | | | | | | | |
| | | Physical Collocation-Subsequent Application Fee | | | CLO | PE1CA | | 1,533.41 | | | | | | | | | |
| | | Physical Collocation-Co-Carrier Cross Connects/Direct Connect, Application Fee, per application | | | CLO | PE1DT | | 583.30 | | | | | | | | | |
| | | Physical Collocation Administrative Only-Application Fee | | | CLO | PE1BL | | 741.97 | | | | | | | | | |
| | | Physical Collocation-Application Cost, Simple Augment | | | CLO | PE1KS | | 596.35 | | 1.22 | | | | | | | |
| | | Physical Collocation-Application Cost, Minor Augment | | | CLO | PE1KM | | 836.18 | | 1.22 | | | | | | | |
| | | Physical Collocation-Application Cost, Intermediate Augment | | | CLO | PE1K1 | | 1,061.00 | | 1.22 | | | | | | | |
| | | Physical Collocation-Application Cost-Major Augment | | | CLO | PE1KJ | | 2,418.00 | | 1.22 | | | | | | | |
| | Space Preparation | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Floor Space, per sq ft | | | CLO | PE1PJ | 5.30 | | | | | | | | | | |
| | | Physical Collocation-Space Enclosure, welded wire, first 50 sq ft | | | CLO | PE1BX | 166.40 | | | | | | | | | | |
| | | Physical Collocation-Space enclosure, welded wire, first 100 sq ft | | | CLO | PE1BW | 184.50 | | | | | | | | | | |
| | | Physical Collocation-Space enclosure, welded wire, each additional 50 sq ft | | | CLO | PE1CW | 18.10 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation-C.O. Modification per sq ft. | | | CLO | PE1SK | 2.31 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation, Common Systems Modifications-Cageless, per sq ft | | | CLO | PE1SL | 2.70 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation-Common Systems Modifications-Caged, per cage | | | CLO | PE1SM | 91.60 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation-Firm Order Processing | | | CLO | PE1SJ | | 583.33 | | | | | | | | | |
| | | Physical Collocation-Space Availability Report, per Central Office Requested | | | CLO | PE1SR | | 1,044.07 | | | | | | | | | |
| | Power | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Power, -48V DC Power-per Fused Amp Requested | | | CLO | PE1PL | 8.32 | | | | | | | | | | |
| | | Physical Collocation-Power, 120V AC Power, Single Phase, per Breaker Amp | | | CLO | PE1FB | 5.45 | | | | | | | | | | |
| | | Physical Collocation-Power, 240V AC Power, Single Phase, per Breaker Amp | | | CLO | PE1FD | 10.92 | | | | | | | | | | |
| | | Physical Collocation-Power, 120V AC Power, Three Phase, per Breaker Amp | | | CLO | PE1FE | 16.37 | | | | | | | | | | |
| | | Physical Collocation-Power, 277V AC Power, Three Phase, per Breaker Amp | | | CLO | PE1FG | 37.80 | | | | | | | | | | |
| | Cross Connects (Cross Connects, Co-Carrier Cross Connects, and Ports) | | | | | | | | | | | | | | | | |
| | | Physical Collocation-2-wire cross-connect, loop, provisioning | | | UEANL,UEQ, UNCNX, UEA, UCL, UAL, UHL, UDN, UNCVX | PE1P2 | 0.0318 | 11.94 | 11.46 | | | | | | | | |
| | | Physical Collocation-4-wire cross-connect, loop, provisioning | | | UEA, UHL, UNCVX, UNCDX, UCL, UDL | PE1P4 | 0.0636 | 12.04 | 11.53 | | | | | | | | |
| | | Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning | | | WDS1L, WDS1S, UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB, UEPSE, UEPSP, USL, UEPEX, UEPDX | PE1P1 | 1.04 | 21.39 | 15.47 | | | | | | | | |
| | | Physical Collocation-DS3 Cross-Connect, provisioning | | | UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSR, UEPSB, UEPSE, UEPSP | PE1P3 | 13.21 | 20.28 | 14.76 | | | | | | | | |
| | | Physical Collocation-2-Fiber Cross-Connect | | | CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF | PE1F2 | 2.62 | 20.28 | 14.76 | | | | | | | | |

| COLLOCATION - Louisiana | | | | | | | | | | | | | | Attachment: 4 Exh. C | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | NRC | | OSS Rates($) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Physical Collocation-4-Fiber Cross-Connect | | | ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF, UDFCX | PE1F4 | 4.65 | 24.81 | 19.29 | | | | | | | | |
| | | Physical Collocation-Co-Carrier Cross Connects/Direct Connect-Fiber Cable Support Structure, per linear ft, per cable. | | | CLO | PE1ES | 0.001 | | | | | | | | | | |
| | | Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Copper/Coax Cable Support Structure, per linear ft, per cable. | | | CLO | PE1DS | 0.0015 | | | | | | | | | | |
| | | Physical Collocation 2-Wire Cross Connect, Port | | | UEPSR, UEPSP, UEPSE, UEPSB, UEPSX, UEP2C | PE1R2 | 0.0318 | 11.94 | 11.46 | | | | | | | | |
| | | Physical Collocation 4-Wire Cross Connect, Port | | | UEPEX, UEPDD | PE1R4 | 0.0636 | 12.04 | 11.53 | | | | | | | | |
| | **Security** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hour | | | CLO | PE1BT | | 16.44 | 10.42 | | | | | | | | |
| | | Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hours on a scheduled work day, per half hour | | | CLO | PE1OT | | 21.41 | 13.45 | | | | | | | | |
| | | Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hour | | | CLO | PE1PT | | 26.38 | 16.49 | | | | | | | | |
| | | Physical Collocation-Security Access System-Security System per Central Office, per Sq. Ft. | | | CLO | PE1AY | 0.0224 | | | | | | | | | | |
| | | Physical Collocation -Security Access System-New Card Activation, per Card Activation (First), per State | | | CLO | PE1A1 | 0.0579 | 27.50 | | | | | | | | | |
| | | Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card | | | CLO | PE1AA | | 7.74 | | | | | | | | | |
| | | Physical Collocation-Security Access System-Replace Lost or Stolen Card, per Card | | | CLO | PE1AR | | 22.64 | | | | | | | | | |
| | | Physical Collocation-Security Access-Initial Key, per Key | | | CLO | PE1AK | | 13.01 | | | | | | | | | |
| | | Physical Collocation-Security Access-Key, Replace Lost or Stolen Key, per Key | | | CLO | PE1AL | | 13.01 | | | | | | | | | |
| | **CFA** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-CFA Information Resend Request, per premises, per arrangement, per request | | | CLO | PE1C9 | | 77.43 | | | | | | | | | |
| | **Cable Records** | | | | | | | | | | | | | | | | |
| | | Recurring Collocation Cable Records-per request | | | CLO | PE1CU | 10.97 | | | | | | | | | | |
| | | Recurring Collocation Cable Records-VG/DS0 Cable, per cable record | | | CLO | PE1CE | 5.29 | | | | | | | | | | |
| | | Recurring Collocation Cable Records-VG/DS0 Cable, per each 100 pair | | | CLO | PE1CT | 0.08 | | | | | | | | | | |
| | | Recurring Collocation Cable Records-DS1, per T1TIE | | | CLO | PE1C2 | 0.04 | | | | | | | | | | |
| | | Recurring Collocation Cable Records-DS3, per T3TIE | | | CLO | PE1C4 | 0.13 | | | | | | | | | | |
| | | Recurring Collocation Cable Records-Fiber Cable, per 99 fiber records | | | CLO | PE1CG | 1.37 | | | | | | | | | | |
| | | Physical Collocation, Cable Records,CAT5/RJ45 | | | CLO | PE1C6 | 0.04 | | | | | | | | | | |
| | **Virtual to Physical** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation Relocation, per VG Circuit | | | CLO | PE1BV | | 33.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation Relocation, per DSO Circuit | | | CLO | PE1BO | | 33.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation Relocation, per DS1 Circuit | | | CLO | PE1B1 | | 52.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation Relocation, per DS3 Circuit | | | CLO | PE1B3 | | 52.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation In-Place, Per VG Circuit | | | CLO | PE1BR | | 23.00 | | | | | | | | | |
| | | Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit | | | CLO | PE1BP | | 23.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation In-Place, Per DS1 Circuit | | | CLO | PE1BS | | 33.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation In-Place, per DS3 Circuit | | | CLO | PE1BE | | 37.00 | | | | | | | | | |
| | **Entrance Cable** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Fiber Cable Installation, Pricing, NRC charge, per Entrance Cable | | | CLO | PE1BD | | 841.54 | | | | | | | | | |
| | | Physical Collocation-Fiber Cable Support Structure, per Entrance Cable | | | CLO | PE1PM | 18.31 | | | | | | | | | | |
| | | Physical Collocation-Fiber Entrance Cable Installation, per Fiber | | | CLO | PE1ED | | 3.88 | | | | | | | | | |
| **VIRTUAL COLLOCATION** | | | | | | | | | | | | | | | | | |
| | **Application** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-Application Fee | | | AMTFS | EAF | | 1,770.40 | | | | | | | | | |

| COLLOCATION - Louisiana | | | | | | | | | | | | | | Attachment: 4 Exh. C | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | NRC | | OSS Rates($) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Virtual Collocation-Co-Carrier Cross Connects/Direct Connect, Application Fee, per application | | | AMTFS | VE1CA | | 583.30 | | | | | | | | | |
| | | Virtual Collocation Administrative Only-Application Fee | | | AMTFS | VE1AF | | 741.97 | | | | | | | | | |
| | **Space Preparation** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-Floor Space, per sq. ft. | | | AMTFS | ESPVX | 3.20 | | | | | | | | | | |
| | **Power** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-Power, per fused amp | | | AMTFS | ESPAX | 8.32 | | | | | | | | | | |
| | **Cross Connects (Cross Connects, Co-Carrier Cross Connects, and Ports)** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation- 2-wire cross-connect, loop, provisioning | | | UEANL, UEA, UDN, UAL, UHL, UCL, UEQ, UNCVX, UNCDX, UNCNX | UEAC2 | 0.0296 | 11.94 | 11.46 | | | | | | | | |
| | | Virtual Collocation-4-wire cross-connect, loop, provisioning | | | UEA, UHL, UCL, UDL, UNCVX, UNCDX | UEAC4 | 0.0591 | 12.04 | 11.53 | | | | | | | | |
| | | Virtual collocation-Special Access & UNE, cross-connect per DS1 | | | ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USL, UEPEX, UEPDX | CNC1X | 1.04 | 21.39 | 15.47 | | | | | | | | |
| | | Virtual collocation-Special Access & UNE, cross-connect per DS3 | | | USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3 | CND3X | 13.21 | 20.28 | 14.76 | | | | | | | | |
| | | Virtual Collocation-2-Fiber Cross Connects | | | UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF | CNC2F | 2.65 | 20.29 | 14.76 | | | | | | | | |
| | | Virtual Collocation-4-Fiber Cross Connects | | | UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF | CNC4F | 5.31 | 24.81 | 19.29 | | | | | | | | |
| | | Virtual Collocation-Co-Carrier Cross Connects/Direct Connect-Fiber Cable Support Structure, per linear ft, per cable | | | AMTFS | VE1CB | 0.001 | | | | | | | | | | |
| | | Virtual Collocation-Co-Carrier Cross Connects/Direct Connect-Copper/Coax Cable Support Structure, per linear ft, per cable | | | AMTFS | VE1CD | 0.0015 | | | | | | | | | | |
| | | Virtual Collocation 2-Wire Cross Connect, Port | | | UEPSX, UEPSB, UEPSE, UEPSP, UEPSR, UEP2C | VE1R2 | 0.0296 | 11.94 | 11.46 | | | | | | | | |
| | | Virtual Collocation 4-Wire Cross Connect, Port | | | UEPDD, UEPEX | VE1R4 | 0.0591 | 12.04 | 11.53 | | | | | | | | |
| | **CFA** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-CFA Information Resend Request, per Premises, per Arrangement, per request | | | AMTFS | VE1QR | | 77.43 | | | | | | | | | |
| | **Cable Records** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation Cable Records-per request(LA only) | | | AMTFS | VE1BG | 10.97 | | | | | | | | | | |
| | | Virtual Collocation Cable Records-VG/DS0 Cable, per cable record(LA only) | | | AMTFS | VE1BH | 5.29 | | | | | | | | | | |
| | | Virtual Collocation Cable Records-VG/DS0 Cable, per each 100 pair(LA only) | | | AMTFS | VE1BJ | 0.08 | | | | | | | | | | |
| | | Virtual Collocation Cable Records-DS1, per T1TIE(LA only) | | | AMTFS | VE1BK | 0.04 | | | | | | | | | | |
| | | Virtual Collocation Cable Records-DS3, per T3TIE(LA only) | | | AMTFS | VE1BL | 0.13 | | | | | | | | | | |
| | | Virtual Collocation Cable Records-Fiber Cable, per 99 fiber records(LA only) | | | AMTFS | VE1BM | 1.37 | | | | | | | | | | |
| | | Virtual Collocation Cable Records-CAT 5/RJ45 (LA only) | | | AMTFS | VE1B6 | 0.04 | | | | | | | | | | |
| | **Security** | | | | | | | | | | | | | | | | |
| | | Virtual collocation-Security escort, basic time, normally scheduled work hours | | | AMTFS | SPTBX | | 16.44 | 10.42 | | | | | | | | |
| | | Virtual collocation-Security escort, overtime, outside of normally scheduled work hours on a normal working day | | | AMTFS | SPTOX | | 21.41 | 13.45 | | | | | | | | |

| COLLOCATION - Louisiana | | | | | | | | | | | | | | Attachment: 4 Exh. C | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | NRC | | OSS Rates($) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Virtual collocation-Security escort, premium time, outside of a scheduled work day | | | AMTFS | SPTPX | | 26.38 | 16.49 | | | | | | | | |
| **Maintenance** | | | | | | | | | | | | | | | | |
| | Virtual collocation-Maintenance in CO-Basic, per half hour | | | AMTFS | CTRLX | | 27.12 | 10.42 | | | | | | | | |
| | Virtual collocation-Maintenance in CO-Overtime, per half hour | | | AMTFS | SPTOM | | 35.42 | 13.45 | | | | | | | | |
| | Virtual collocation-Maintenance in CO-Premium per half hour | | | AMTFS | SPTPM | | 43.72 | 16.49 | | | | | | | | |
| **Entrance Cable** | | | | | | | | | | | | | | | | |
| | Virtual Collocation-Cable Installation Charge, per cable | | | AMTFS | ESPCX | | 841.54 | | | | | | | | | |
| | Virtual Collocation-Cable Support Structure, per cable | | | AMTFS | ESPSX | 16.02 | | | | | | | | | | |
| **COLLOCATION IN THE REMOTE SITE** | | | | | | | | | | | | | | | | |
| **Physical Remote Site Collocation** | | | | | | | | | | | | | | | | |
| | Physical Collocation in the Remote Site-Application Fee | | | CLORS | PE1RA | | 298.80 | | | | | | | | | |
| | Cabinet Space in the Remote Site per Bay/ Rack | | | CLORS | PE1RB | 225.39 | | | | | | | | | | |
| | Physical Collocation in the Remote Site-Security Access-Key | | | CLORS | PE1RD | | 13.01 | | | | | | | | | |
| | Physical Collocation in the Remote Site-Space Availability Report per Premises Requested | | | CLORS | PE1SR | | 112.52 | | | | | | | | | |
| | Physical Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI Code Requested | | | CLORS | PE1RE | | 36.47 | | | | | | | | | |
| | Remote Site DLEC Data (BRSDD), per Compact Disk, per CO | | | CLORS | PE1RR | | 233.21 | | | | | | | | | |
| | Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hour | | | CLORS | PE1BT | | 16.44 | 10.42 | | | | | | | | |
| | Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hours on a scheduled work day, per half hour | | | CLORS | PE1OT | | 21.41 | 13.45 | | | | | | | | |
| | Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hour | | | CLORS | PE1PT | | 26.38 | 16.49 | | | | | | | | |
| **Adjacent Remote Site Collocation** | | | | | | | | | | | | | | | | |
| | Remote Site-Adjacent Collocation-Application Fee | | | CLORS | PE1RU | | 755.62 | 755.62 | | | | | | | | |
| | Remote Site-Adjacent Collocation-Real Estate, per sq ft | | | CLORS | PE1RT | 0.134 | | | | | | | | | | |
| | Remote Site-Adjacent Collocation-AC Power, per breaker amp | | | CLORS | PE1RS | 6.27 | | | | | | | | | | |
| **NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for adjacent remote site collocation, the Parties will negotiate appropriate rates.** | | | | | | | | | | | | | | | | |
| **Virtual Remote Site Collocation** | | | | | | | | | | | | | | | | |
| | Virtual Collocation in the Remote Site-Application Fee | | | VE1RS | VE1RB | | 614.73 | | 336.08 | | | | | | | |
| | Virtual Collocation in the Remote Site-Per Bay/Rack of Space | | | VE1RS | VE1RC | 257.01 | | | | | | | | | | |
| | Virtual Collocation in the Remote Site-Space Availability Report per Premises requested | | | VE1RS | VE1RR | | 231.49 | | | | | | | | | |
| | Virtual Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI Code Requested | | | VE1RS | VE1RL | | 75.02 | | | | | | | | | |
| **ADJACENT COLLOCATION** | | | | | | | | | | | | | | | | |
| | Adjacent Collocation-Space Charge per Sq. Ft. | | | CLOAC | PE1JA | 0.0552 | | | | | | | | | | |
| | Adjacent Collocation-Electrical Facility Charge per Linear Ft. | | | CLOAC | PE1JC | 5.61 | | | | | | | | | | |
| | Adjacent Collocation-2-Wire Cross-Connects | | | UEANL,UEQ,UEA,UCL, UAL, UHL, UDN | PE1JE | 0.0245 | 11.94 | 11.46 | | | | | | | | |
| | Adjacent Collocation-4-Wire Cross-Connects | | | UEA,UHL,UDL,UCL | PE1JF | 0.0491 | 12.04 | 11.53 | | | | | | | | |
| | Adjacent Collocation-DS1 Cross-Connects | | | USL | PE1JG | 0.9605 | 21.39 | 15.47 | | | | | | | | |
| | Adjacent Collocation-DS3 Cross-Connects | | | UE3 | PE1JH | 13.01 | 20.28 | 14.76 | | | | | | | | |
| | Adjacent Collocation-2-Fiber Cross-Connect | | | CLOAC | PE1JJ | 2.20 | 20.28 | 14.76 | | | | | | | | |
| | Adjacent Collocation-4-Fiber Cross-Connect | | | CLOAC | PE1JK | 4.21 | 24.81 | 19.29 | | | | | | | | |
| | Adjacent Collocation-Application Fee | | | CLOAC | PE1JB | | 1,543.20 | | | | | | | | | |
| | Adjacent Collocation-120V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JL | 5.45 | | | | | | | | | | |
| | Adjacent Collocation-240V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JM | 10.92 | | | | | | | | | | |
| | Adjacent Collocation-120V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JN | 16.37 | | | | | | | | | | |
| | Adjacent Collocation-277V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JO | 37.80 | | | | | | | | | | |
| **Note: Rates displaying an "I" in Interim column are interim as a result of a Commission order.** | | | | | | | | | | | | | | | | |

| COLLOCATION - Mississippi | | | | | | | | | | | | | | Attachment: 4 Exh. C | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | Nonrecurring | | NRC | | OSS Rates($) | | | | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| PHYSICAL COLLOCATION | | | | | | | | | | | | | | | | | |
| | Application | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Initial Application Fee | | | CLO | PE1BA | | 1,890.38 | | | | | | | | | |
| | | Physical Collocation-Subsequent Application Fee | | | CLO | PE1CA | | 1,575.69 | | | | | | | | | |
| | | Physical Collocation-Co-Carrier Cross Connects/Direct Connect, Application Fee, per application | | | CLO | PE1DT | | 583.13 | | | | | | | | | |
| | | Physical Collocation Administrative Only-Application Fee | | | CLO | PE1BL | | 740.76 | | | | | | | | | |
| | | Physical Collocation-Application Cost, Simple Augment | | | CLO | PE1KS | | 597.34 | | 1.22 | | | | | | | |
| | | Physical Collocation-Application Cost, Minor Augment | | | CLO | PE1KM | | 837.57 | | 1.22 | | | | | | | |
| | | Physical Collocation-Application Cost, Intermediate Augment | | | CLO | PE1K1 | | 1,063.00 | | 1.22 | | | | | | | |
| | | Physical Collocation-Application Cost-Major Augment | | | CLO | PE1KJ | | 2,422.00 | | 1.22 | | | | | | | |
| | Space Preparation | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Floor Space, per sq ft | | | CLO | PE1PJ | 5.74 | | | | | | | | | | |
| | | Physical Collocation-Space Enclosure, welded wire, first 50 sq ft | | | CLO | PE1BX | 165.23 | | | | | | | | | | |
| | | Physical Collocation-Space enclosure, welded wire, first 100 sq ft | | | CLO | PE1BW | 183.20 | | | | | | | | | | |
| | | Physical Collocation-Space enclosure, welded wire, each additional 50 sq ft | | | CLO | PE1CW | 17.97 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation-C.O. Modification per sq ft. | | | CLO | PE1SK | 2.30 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation, Common Systems Modifications-Cageless, per sq ft | | | CLO | PE1SL | 2.52 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation-Common Systems Modifications-Caged, per cage | | | CLO | PE1SM | 85.67 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation-Firm Order Processing | | | CLO | PE1SJ | | 604.19 | | | | | | | | | |
| | | Physical Collocation-Space Availability Report, per Central Office Requested | | | CLO | PE1SR | | 1,081.40 | | | | | | | | | |
| | Power | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Power, -48V DC Power-per Fused Amp Requested | | | CLO | PE1PL | 7.33 | | | | | | | | | | |
| | | Physical Collocation-Power, 120V AC Power, Single Phase, per Breaker Amp | | | CLO | PE1FB | 5.29 | | | | | | | | | | |
| | | Physical Collocation-Power, 240V AC Power, Single Phase, per Breaker Amp | | | CLO | PE1FD | 10.58 | | | | | | | | | | |
| | | Physical Collocation-Power, 120V AC Power, Three Phase, per Breaker Amp | | | CLO | PE1FE | 15.87 | | | | | | | | | | |
| | | Physical Collocation-Power, 277V AC Power, Three Phase, per Breaker Amp | | | CLO | PE1FG | 36.65 | | | | | | | | | | |
| | Cross Connects (Cross Connects, Co-Carrier Cross Connects, and Ports) | | | | | | | | | | | | | | | | |
| | | Physical Collocation-2-wire cross-connect, loop, provisioning | | | UEANL,UEQ, UNCNX, UEA, UCL, UAL, UHL, UDN, UNCVX | PE1P2 | 0.0288 | 12.37 | 11.87 | 6.04 | 5.45 | | | | | | |
| | | Physical Collocation-4-wire cross-connect, loop, provisioning | | | UEA, UHL, UNCVX, UNCDX, UCL, UDL | PE1P4 | 0.0576 | 12.47 | 11.94 | 6.59 | 5.91 | | | | | | |
| | | Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning | | | WDS1L, WDS1S, UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB, UEPSE, UEPSP, USL, UEPEX, UEPDX | PE1P1 | 1.14 | 22.16 | 16.02 | 6.60 | 5.97 | | | | | | |
| | | Physical Collocation-DS3 Cross-Connect, provisioning | | | UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSR, UEPSB, UEPSE, UEPSP | PE1P3 | 14.49 | 21.01 | 15.29 | 7.61 | 6.10 | | | | | | |
| | | Physical Collocation-2-Fiber Cross-Connect | | | CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF | PE1F2 | 2.87 | 21.01 | 15.29 | 7.61 | 6.10 | | | | | | |

| COLLOCATION - Mississippi | | | | | | | | | | | | | | Attachment: 4 Exh. C | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | NRC | | OSS Rates($) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Physical Collocation-4-Fiber Cross-Connect | | | ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF, UDFCX | PE1F4 | 5.10 | 25.70 | 19.97 | 10.01 | 8.50 | | | | | | |
| | | Physical Collocation-Co-Carrier Cross Connects/Direct Connect-Fiber Cable Support Structure, per linear ft, per cable. | | | CLO | PE1ES | 0.001 | | | | | | | | | | |
| | | Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Copper/Coax Cable Support Structure, per linear ft, per cable. | | | CLO | PE1DS | 0.0015 | | | | | | | | | | |
| | | Physical Collocation 2-Wire Cross Connect, Port | | | UEPSR, UEPSP, UEPSE, UEPSB, UEPSX, UEP2C | PE1R2 | 0.0288 | 12.37 | 11.87 | 6.04 | 5.45 | | 15.75 | | | | |
| | | Physical Collocation 4-Wire Cross Connect, Port | | | UEPEX, UEPDD | PE1R4 | 0.0576 | 12.47 | 11.94 | 6.59 | 5.91 | | 15.75 | | | | |
| | **Security** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hour | | | CLO | PE1BT | | 17.02 | 10.79 | | | | | | | | |
| | | Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hours on a scheduled work day, per half hour | | | CLO | PE1OT | | 22.17 | 13.94 | | | | | | | | |
| | | Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hour | | | CLO | PE1PT | | 27.32 | 17.08 | | | | | | | | |
| | | Physical Collocation-Security Access System, Security System, per Central Office | | | CLO | PE1AX | 75.23 | | | | | | | | | | |
| | | Physical Collocation -Security Access System-New Card Activation, per Card Activation (First), per State | | | CLO | PE1A1 | 0.0576 | 27.95 | | | | | | | | | |
| | | Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card | | | CLO | PE1AA | | 7.84 | | | | | | | | | |
| | | Physical Collocation-Security Access System-Replace Lost or Stolen Card, per Card | | | CLO | PE1AR | | 22.91 | | | | | | | | | |
| | | Physical Collocation-Security Access-Initial Key, per Key | | | CLO | PE1AK | | 13.17 | | | | | | | | | |
| | | Physical Collocation-Security Access-Key, Replace Lost or Stolen Key, per Key | | | CLO | PE1AL | | 13.17 | | | | | | | | | |
| | **CFA** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-CFA Information Resend Request, per premises, per arrangement, per request | | | CLO | PE1C9 | | 77.41 | | | | | | | | | |
| | **Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial I" and "Subsequent S" respectively** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Cable Records, per request | | | CLO | PE1CR | | I 763.69 | S 490.94 | 133.77 | | | | | | | |
| | | Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) | | | CLO | PE1CD | | 328.81 | | 190.22 | | | | | | | |
| | | Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair | | | CLO | PE1CO | | 4.84 | | 5.93 | | | | | | | |
| | | Physical Collocation, Cable Records, DS1, per T1 TIE | | | CLO | PE1C1 | | 2.27 | | 2.78 | | | | | | | |
| | | Physical Collocation, Cable Records, DS3, per T3 TIE | | | CLO | PE1C3 | | 7.92 | | 9.72 | | | | | | | |
| | | Physical Collocation-Cable Records, Fiber Cable, per cable record (maximum 99 records) | | | CLO | PE1CB | | 84.98 | | 77.58 | | | | | | | |
| | | Physical Collocation, Cable Records,CAT5/RJ45 | | | CLO | PE1C5 | | 2.27 | | 2.78 | | | | | | | |
| | **Virtual to Physical** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation Relocation, per VG Circuit | | | CLO | PE1BV | | 33.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation Relocation, per DSO Circuit | | | CLO | PE1BO | | 33.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation Relocation, per DS1 Circuit | | | CLO | PE1B1 | | 52.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation Relocation, per DS3 Circuit | | | CLO | PE1B3 | | 52.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation In-Place, Per VG Circuit | | | CLO | PE1BR | | 23.00 | | | | | | | | | |
| | | Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit | | | CLO | PE1BP | | 23.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation In-Place, Per DS1 Circuit | | | CLO | PE1BS | | 33.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation In-Place, per DS3 Circuit | | | CLO | PE1BE | | 37.00 | | | | | | | | | |
| | **Entrance Cable** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Fiber Cable Installation, Pricing, NRC charge, per Entrance Cable | | | CLO | PE1BD | | 926.27 | | 22.62 | | | | | | | |
| | | Physical Collocation-Fiber Cable Support Structure, per Entrance Cable | | | CLO | PE1PM | 17.42 | | | | | | | | | | |
| | | Physical Collocation-Fiber Entrance Cable Installation, per Fiber | | | CLO | PE1ED | | 3.89 | | | | | | | | | |
| **VIRTUAL COLLOCATION** | | | | | | | | | | | | | | | | | |
| | **Application** | | | | | | | | | | | | | | | | |

| COLLOCATION - Mississippi | | | | | | | | | | | | | | Attachment: 4 Exh. C | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | Nonrecurring | | NRC | | OSS Rates($) | | | | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Virtual Collocation-Application Fee | | | AMTFS | EAF | | 1,212.25 | | 0.51 | | | | | | | |
| | | Virtual Collocation-Co-Carrier Cross Connects/Direct Connect, Application Fee, per application | | | AMTFS | VE1CA | | 583.13 | | | | | | | | | |
| | | Virtual Collocation Administrative Only-Application Fee | | | AMTFS | VE1AF | | 740.76 | | | | | | | | | |
| | **Space Preparation** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-Floor Space, per sq. ft. | | | AMTFS | ESPVX | 5.74 | | | | | | | | | | |
| | **Power** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-Power, per fused amp | | | AMTFS | ESPAX | 7.33 | | | | | | | | | | |
| | **Cross Connects (Cross Connects, Co-Carrier Cross Connects, and Ports)** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation- 2-wire cross-connect, loop, provisioning | | | UEANL, UEA, UDN, UAL, UHL, UCL, UEQ, UNCVX, UNCDX, UNCNX | UEAC2 | 0.0268 | 12.37 | 11.87 | 6.04 | 5.45 | | | | | | |
| | | Virtual Collocation-4-wire cross-connect, loop, provisioning | | | UEA, UHL, UCL, UDL, UNCVX, UNCDX | UEAC4 | 0.0536 | 12.47 | 11.94 | 6.59 | 5.91 | | | | | | |
| | | Virtual Collocation-Special Access & UNE, cross-connect per DS1 | | | ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USL, UEPEX, UEPDX | CNC1X | 1.14 | 22.16 | 16.02 | 6.60 | 5.97 | | | | | | |
| | | Virtual collocation-Special Access & UNE, cross-connect per DS3 | | | USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3 | CND3X | 14.49 | 21.01 | 15.29 | 7.61 | 6.10 | | | | | | |
| | | Virtual Collocation-2-Fiber Cross Connects | | | UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF | CNC2F | 2.91 | 21.01 | 15.29 | 7.61 | 6.10 | | | | | | |
| | | Virtual Collocation-4-Fiber Cross Connects | | | UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF | CNC4F | 5.82 | 25.70 | 19.97 | 10.01 | 8.50 | | | | | | |
| | | Virtual Collocation-Co-Carrier Cross Connects/Direct Connect-Fiber Cable Support Structure, per linear ft, per cable | | | AMTFS | VE1CB | 0.001 | | | | | | | | | | |
| | | Virtual Collocation-Co-Carrier Cross Connects/Direct Connect-Copper/Coax Cable Support Structure, per linear ft, per cable | | | AMTFS | VE1CD | 0.0015 | | | | | | | | | | |
| | | Virtual Collocation 2-Wire Cross Connect, Port | | | UEPSX, UEPSB, UEPSE, UEPSP, UEPSR, UEP2C | VE1R2 | 0.0268 | 12.37 | 11.87 | 6.04 | 5.45 | | | | | | |
| | | Virtual Collocation 4-Wire Cross Connect, Port | | | UEPDD, UEPEX | VE1R4 | 0.0536 | 12.47 | 11.94 | 6.59 | 5.91 | | | | | | |
| | **CFA** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-CFA Information Resend Request, per Premises, per Arrangement, per request | | | AMTFS | VE1QR | | 77.41 | | | | | | | | | |
| | **Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial I" & "Subsequent S" respectively** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation Cable Records-per request | | | AMTFS | VE1BA | | 763.69 | 490.94 | 133.77 | | | | | | | |
| | | Virtual Collocation Cable Records-VG/DS0 Cable, per cable record | | | AMTFS | VE1BB | | 328.81 | | 190.22 | | | | | | | |
| | | Virtual Collocation Cable Records-VG/DS0 Cable, per each 100 pair | | | AMTFS | VE1BC | | 4.84 | | 5.93 | | | | | | | |
| | | Virtual Collocation Cable Records-DS1, per T1TIE | | | AMTFS | VE1BD | | 2.27 | | 2.78 | | | | | | | |
| | | Virtual Collocation Cable Records-DS3, per T3TIE | | | AMTFS | VE1BE | | 7.92 | | 9.72 | | | | | | | |
| | | Virtual Collocation Cable Records-Fiber Cable, per 99 fiber records | | | AMTFS | VE1BF | | 84.98 | | 77.58 | | | | | | | |
| | | Virtual Collocation Cable Records-CAT 5/RJ45 | | | AMTFS | VE1B5 | | 2.27 | | 2.78 | | | | | | | |
| | **Security** | | | | | | | | | | | | | | | | |
| | | Virtual collocation-Security escort, basic time, normally scheduled work hours | | | AMTFS | SPTBX | | 17.02 | 10.79 | | | | | | | | |

| COLLOCATION - Mississippi | | | | | | | | | | | | | Attachment: 4 Exh. C | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | NRC | | OSS Rates($) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Virtual collocation-Security escort, overtime, outside of normally scheduled work hours on a normal working day | | | AMTFS | SPTOX | | 22.17 | 13.94 | | | | | | | | |
| | Virtual collocation-Security escort, premium time, outside of a scheduled work day | | | AMTFS | SPTPX | | 27.32 | 17.08 | | | | | | | | |
| **Maintenance** | | | | | | | | | | | | | | | | |
| | Virtual collocation-Maintenance in CO-Basic, per half hour | | | AMTFS | CTRLX | | 28.09 | 10.79 | | | | | | | | |
| | Virtual collocation-Maintenance in CO-Overtime, per half hour | | | AMTFS | SPTOM | | 36.69 | 13.94 | | | | | | | | |
| | Virtual collocation-Maintenance in CO-Premium per half hour | | | AMTFS | SPTPM | | 45.28 | 17.08 | | | | | | | | |
| **Entrance Cable** | | | | | | | | | | | | | | | | |
| | Virtual Collocation-Cable Installation Charge, per cable | | | AMTFS | ESPCX | | 926.27 | | 22.62 | | | | | | | |
| | Virtual Collocation-Cable Support Structure, per cable | | | AMTFS | ESPSX | 15.24 | | | | | | | | | | |
| **COLLOCATION IN THE REMOTE SITE** | | | | | | | | | | | | | | | | |
| **Physical Remote Site Collocation** | | | | | | | | | | | | | | | | |
| | Physical Collocation in the Remote Site-Application Fee | | | CLORS | PE1RA | | 309.48 | | 168.63 | | | | | | | |
| | Cabinet Space in the Remote Site per Bay/ Rack | | | CLORS | PE1RB | 210.05 | | | | | | | | | | |
| | Physical Collocation in the Remote Site-Security Access-Key | | | CLORS | PE1RD | | 13.17 | | | | | | | | | |
| | Physical Collocation in the Remote Site-Space Availability Report per Premises Requested | | | CLORS | PE1SR | | 116.54 | | | | | | | | | |
| | Physical Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI Code Requested | | | CLORS | PE1RE | | 37.77 | | | | | | | | | |
| | Remote Site DLEC Data (BRSDD), per Compact Disk, per CO | | | CLORS | PE1RR | | 233.14 | | | | | | | | | |
| | Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hour | | | CLORS | PE1BT | | 17.02 | 10.79 | | | | | | | | |
| | Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hours on a scheduled work day, per half hour | | | CLORS | PE1OT | | 22.17 | 13.94 | | | | | | | | |
| | Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hour | | | CLORS | PE1PT | | 27.32 | 17.08 | | | | | | | | |
| **Adjacent Remote Site Collocation** | | | | | | | | | | | | | | | | |
| | Remote Site-Adjacent Collocation-Application Fee | | | CLORS | PE1RU | | 755.62 | 755.62 | | | | | | | | |
| | Remote Site-Adjacent Collocation-Real Estate, per sq ft | | | CLORS | PE1RT | 0.134 | | | | | | | | | | |
| | Remote Site-Adjacent Collocation-AC Power, per breaker amp | | | CLORS | PE1RS | 6.27 | | | | | | | | | | |
| **NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for adjacent remote site collocation, the Parties will negotiate appropriate rates.** | | | | | | | | | | | | | | | | |
| **Virtual Remote Site Collocation** | | | | | | | | | | | | | | | | |
| | Virtual Collocation in the Remote Site-Application Fee | | | VE1RS | VE1RB | | 309.48 | | 168.63 | | | | | | | |
| | Virtual Collocation in the Remote Site-Per Bay/Rack of Space | | | VE1RS | VE1RC | 210.05 | | | | | | | | | | |
| | Virtual Collocation in the Remote Site-Space Availability Report per Premises requested | | | VE1RS | VE1RR | | 116.54 | | | | | | | | | |
| | Virtual Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI Code Requested | | | VE1RS | VE1RL | | 37.77 | | | | | | | | | |
| **ADJACENT COLLOCATION** | | | | | | | | | | | | | | | | |
| | Adjacent Collocation-Space Charge per Sq. Ft. | | | CLOAC | PE1JA | 0.0678 | | | | | | | | | | |
| | Adjacent Collocation-Electrical Facility Charge per Linear Ft. | | | CLOAC | PE1JC | 4.68 | | | | | | | | | | |
| | Adjacent Collocation-2-Wire Cross-Connects | | | UEANL,UEQ,UEA,UCL, UAL, UHL, UDN | PE1JE | 0.0223 | 12.37 | 11.87 | 6.04 | 5.45 | | | | | | |
| | Adjacent Collocation-4-Wire Cross-Connects | | | UEA,UHL,UDL,UCL | PE1JF | 0.0446 | 12.47 | 11.94 | 6.59 | 5.91 | | | | | | |
| | Adjacent Collocation-DS1 Cross-Connects | | | USL | PE1JG | 1.05 | 22.16 | 16.02 | 6.60 | 5.97 | | | | | | |
| | Adjacent Collocation-DS3 Cross-Connects | | | UE3 | PE1JH | 14.27 | 21.01 | 15.29 | 7.61 | 6.10 | | | | | | |
| | Adjacent Collocation-2-Fiber Cross-Connect | | | CLOAC | PE1JJ | 2.42 | 21.01 | 15.29 | 7.61 | 6.10 | | | | | | |
| | Adjacent Collocation-4-Fiber Cross-Connect | | | CLOAC | PE1JK | 4.62 | 25.70 | 19.97 | 10.01 | 8.50 | | | | | | |
| | Adjacent Collocation-Application Fee | | | CLOAC | PE1JB | | 1,585.83 | | | | | | | | | |
| | Adjacent Collocation-120V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JL | 5.29 | | | | | | | | | | |
| | Adjacent Collocation-240V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JM | 10.58 | | | | | | | | | | |
| | Adjacent Collocation-120V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JN | 15.87 | | | | | | | | | | |
| | Adjacent Collocation-277V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JO | 36.65 | | | | | | | | | | |
| **Note: Rates displaying an "I" in Interim column are interim as a result of a Commission order.** | | | | | | | | | | | | | | | | |

| COLLOCATION - North Carolina | | | | | | | | | | | | | Attachment: 4 Exh. C | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Nonrecurring | | NRC | | OSS Rates($) | | | | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| **PHYSICAL COLLOCATION** | | | | | | | | | | | | | | | | |
| **Application** | | | | | | | | | | | | | | | | |
| | Physical Collocation-Initial Application Fee | | | CLO | PE1BA | | 2,322.00 | | | | | | | | | |
| | Physical Collocation-Subsequent Application Fee | | | CLO | PE1CA | | 2,311.00 | | | | | | | | | |
| | Physical Collocation-Co-Carrier Cross Connects/Direct Connect, Application Fee, per application | | | CLO | PE1DT | | 317.20 | | | | | | | | | |
| | Physical Collocation Administrative Only-Application Fee | | | CLO | PE1BL | | 741.44 | | | | | | | | | |
| | Physical Collocation-Application Cost, Simple Augment | | | CLO | PE1KS | | 269.83 | | 1.15 | | | | | | | |
| | Physical Collocation-Application Cost, Minor Augment | | | CLO | PE1KM | | 493.40 | | 1.15 | | | | | | | |
| | Physical Collocation-Application Cost, Intermediate Augment | | | CLO | PE1K1 | | 1,012.00 | | 1.15 | | | | | | | |
| | Physical Collocation-Application Cost-Major Augment | | | CLO | PE1KJ | | 2,343.00 | | 1.15 | | | | | | | |
| **Space Preparation** | | | | | | | | | | | | | | | | |
| | Physical Collocation-Floor Space, per sq ft | | | CLO | PE1PJ | 2.69 | | | | | | | | | | |
| | Physical Collocation-Space Enclosure, welded wire, first 50 sq ft | | | CLO | PE1BX | | 534.44 | | | | | | | | | |
| | Physical Collocation-Space enclosure, welded wire, first 100 sq ft | | | CLO | PE1BW | | 559.81 | | | | | | | | | |
| | Physical Collocation-Space enclosure, welded wire, each additional 50 sq ft | | | CLO | PE1CW | | 25.37 | | | | | | | | | |
| | Physical Collocation-Space Preparation-C.O. Modification per sq ft. | | | CLO | PE1SK | 2.42 | | | | | | | | | | |
| | Physical Collocation-Space Preparation, Common Systems Modifications-Cageless, per sq ft | | | CLO | PE1SL | 2.88 | | | | | | | | | | |
| | Physical Collocation-Space Preparation-Common Systems Modifications-Caged, per cage | | | CLO | PE1SM | 97.98 | | | | | | | | | | |
| | Physical Collocation-Space Preparation-Firm Order Processing | | | CLO | PE1SJ | | 1,196.00 | | | | | | | | | |
| | Physical Collocation-Space Availability Report, per Central Office Requested | | | CLO | PE1SR | | 2,140.00 | | | | | | | | | |
| **Power** | | | | | | | | | | | | | | | | |
| | Physical Collocation-Power, -48V DC Power-per Fused Amp Requested | | | CLO | PE1PL | 7.65 | | | | | | | | | | |
| | Physical Collocation-Power, 120V AC Power, Single Phase, per Breaker Amp | | | CLO | PE1FB | 5.50 | | | | | | | | | | |
| | Physical Collocation-Power, 240V AC Power, Single Phase, per Breaker Amp | | | CLO | PE1FD | 11.01 | | | | | | | | | | |
| | Physical Collocation-Power, 120V AC Power, Three Phase, per Breaker Amp | | | CLO | PE1FE | 16.51 | | | | | | | | | | |
| | Physical Collocation-Power, 277V AC Power, Three Phase, per Breaker Amp | | | CLO | PE1FG | 38.12 | | | | | | | | | | |
| **Cross Connects (Cross Connects, Co-Carrier Cross Connects, and Ports)** | | | | | | | | | | | | | | | | |
| | Physical Collocation-2-wire cross-connect, loop, provisioning | | | UEANL,UEQ, UNCNX, UEA, UCL, UAL, UHL, UDN, UNCVX | PE1P2 | 0.0309 | 19.77 | 14.95 | | | | | | | | |
| | Physical Collocation-4-wire cross-connect, loop, provisioning | | | UEA, UHL, UNCVX, UNCDX, UCL, UDL | PE1P4 | 0.0618 | 19.95 | 15.05 | | | | | | | | |
| | Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning | | | WDS1L, WDS1S, UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB, UEPSE, UEPSP, USL, UEPEX, UEPDX | PE1P1 | 1.38 | 39.15 | 23.20 | | | | | | | | |
| | Physical Collocation-DS3 Cross-Connect, provisioning | | | UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSR, UEPSB, UEPSE, UEPSP | PE1P3 | 17.62 | 38.25 | 21.94 | | | | | | | | |
| | Physical Collocation-2-Fiber Cross-Connect | | | CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF | PE1F2 | 3.50 | 38.25 | 21.94 | | | | | | | | |

| COLLOCATION - North Carolina | | | | | | | | | | | | | | Attachment: 4 Exh. C | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | NRC | | OSS Rates($) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Physical Collocation-4-Fiber Cross-Connect | | | ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF, UDFCX | PE1F4 | 6.20 | 43.96 | 26.17 | | | | | | | | |
| | | Physical Collocation-Co-Carrier Cross Connects/Direct Connect-Fiber Cable Support Structure, per linear ft, per cable. | | | CLO | PE1ES | 0.0028 | | | | | | | | | | |
| | | Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Copper/Coax Cable Support Structure, per linear ft, per cable. | | | CLO | PE1DS | 0.0041 | | | | | | | | | | |
| | | Physical Collocation 2-Wire Cross Connect, Port | | | UEPSR, UEPSP, UEPSE, UEPSB, UEPSX, UEP2C | PE1R2 | 0.0309 | 19.77 | 14.95 | | | | | 26.94 | 12.76 | | |
| | | Physical Collocation 4-Wire Cross Connect, Port | | | UEPEX, UEPDD | PE1R4 | 0.0618 | 19.95 | 15.05 | | | | | 26.94 | 12.76 | | |
| | **Security** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hour | | | CLO | PE1BT | | 33.68 | 21.34 | | | | | | | | |
| | | Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hours on a scheduled work day, per half hour | | | CLO | PE1OT | | 43.87 | 27.57 | | | | | | | | |
| | | Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hour | | | CLO | PE1PT | | 54.06 | 33.80 | | | | | | | | |
| | | Physical Collocation-Security Access System-Security System per Central Office, per Sq. Ft. | | | CLO | PE1AY | 0.0135 | | | | | | | | | | |
| | | Physical Collocation -Security Access System-New Card Activation, per Card Activation (First), per State | | | CLO | PE1A1 | 0.0622 | 15.00 | | | | | | | | | |
| | | Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card | | | CLO | PE1AA | | 15.51 | | | | | | | | | |
| | | Physical Collocation-Security Access System-Replace Lost or Stolen Card, per Card | | | CLO | PE1AR | | 15.00 | | | | | | | | | |
| | | Physical Collocation-Security Access-Initial Key, per Key | | | CLO | PE1AK | | 15.00 | | | | | | | | | |
| | | Physical Collocation-Security Access-Key, Replace Lost or Stolen Key, per Key | | | CLO | PE1AL | | 15.00 | | | | | | | | | |
| | **CFA** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-CFA Information Resend Request, per premises, per arrangement, per request | | | CLO | PE1C9 | | 77.48 | | | | | | | | | |
| | **Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial I" and "Subsequent S" respectively** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Cable Records, per request | | | CLO | PE1CR | | I 1458 | S 937.29 | 245.00 | 245.00 | | | | | | |
| | | Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) | | | CLO | PE1CD | | 622.69 | 622.69 | 346.35 | 346.35 | | | | | | |
| | | Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair | | | CLO | PE1CO | | 8.77 | 8.77 | 10.32 | 10.32 | | | | | | |
| | | Physical Collocation, Cable Records, DS1, per T1 TIE | | | CLO | PE1C1 | | 4.35 | 4.35 | 5.11 | 5.11 | | | | | | |
| | | Physical Collocation, Cable Records, DS3, per T3 TIE | | | CLO | PE1C3 | | 15.22 | 15.22 | 17.90 | 17.90 | | | | | | |
| | | Physical Collocation-Cable Records, Fiber Cable, per cable record (maximum 99 records) | | | CLO | PE1CB | | 163.61 | 163.61 | 143.32 | 143.32 | | | | | | |
| | | Physical Collocation, Cable Records,CAT5/RJ45 | | | CLO | PE1C5 | | 2.27 | | 2.78 | | | | | | | |
| | **Virtual to Physical** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation Relocation, per VG Circuit | | | CLO | PE1BV | | 33.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation Relocation, per DSO Circuit | | | CLO | PE1BO | | 33.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation Relocation, per DS1 Circuit | | | CLO | PE1B1 | | 52.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation Relocation, per DS3 Circuit | | | CLO | PE1B3 | | 52.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation In-Place, Per VG Circuit | | | CLO | PE1BR | | 23.00 | | | | | | | | | |
| | | Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit | | | CLO | PE1BP | | 23.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation In-Place, Per DS1 Circuit | | | CLO | PE1BS | | 33.00 | | | | | | | | | |
| | | Physical Collocation-Virtual to Physical Collocation In-Place, per DS3 Circuit | | | CLO | PE1BE | | 37.00 | | | | | | | | | |
| | **Entrance Cable** | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Fiber Cable Installation, Pricing, NRC charge, per Entrance Cable | | | CLO | PE1BD | | 1,233.00 | | | | | | | | | |
| | | Physical Collocation-Fiber Cable Support Structure, per Entrance Cable | | | CLO | PE1PM | 20.57 | | | | | | | | | | |
| | | Physical Collocation-Fiber Entrance Cable Installation, per Fiber | | | CLO | PE1ED | | 7.79 | | | | | | | | | |
| **VIRTUAL COLLOCATION** | | | | | | | | | | | | | | | | | |
| | **Application** | | | | | | | | | | | | | | | | |

| COLLOCATION - North Carolina | | | | | | | | | | | | | | Attachment: 4 Exh. C | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | NRC | | OSS Rates($) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Virtual Collocation-Application Fee | | | AMTFS | EAF | | 1,195.00 | | | | | | | | | |
| | | Virtual Collocation-Co-Carrier Cross Connects/Direct Connect, Application Fee, per application | | | AMTFS | VE1CA | | 317.20 | | | | | | | | | |
| | | Virtual Collocation Administrative Only-Application Fee | | | AMTFS | VE1AF | | 741.44 | | | | | | | | | |
| | **Space Preparation** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-Floor Space, per sq. ft. | I | | AMTFS | ESPVX | 2.69 | | | | | | | | | | |
| | **Power** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-Power, per fused amp | I | | AMTFS | ESPAX | 7.65 | | | | | | | | | | |
| | **Cross Connects (Cross Connects, Co-Carrier Cross Connects, and Ports)** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation- 2-wire cross-connect, loop, provisioning | | | UEANL, UEA, UDN, UAL, UHL, UCL, UEQ, UNCVX, UNCDX, UNCNX | UEAC2 | 0.0225 | 19.77 | 14.95 | | | | | | | | |
| | | Virtual Collocation-4-wire cross-connect, loop, provisioning | | | UEA, UHL, UCL, UDL, UNCVX, UNCDX | UEAC4 | 0.0449 | 19.95 | 15.05 | | | | | | | | |
| | | Virtual collocation-Special Access & UNE, cross-connect per DS1 | | | ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USL, UEPEX, UEPDX | CNC1X | 0.4195 | 39.15 | 23.20 | | | | | | | | |
| | | Virtual collocation-Special Access & UNE, cross-connect per DS3 | | | USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3 | CND3X | 4.41 | 38.25 | 21.94 | | | | | | | | |
| | | Virtual Collocation-2-Fiber Cross Connects | | | UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF | CNC2F | 1.96 | 38.25 | 21.94 | | | | | | | | |
| | | Virtual Collocation-4-Fiber Cross Connects | | | UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF | CNC4F | 3.93 | 43.96 | 26.17 | | | | | | | | |
| | | Virtual Collocation-Co-Carrier Cross Connects/Direct Connect-Fiber Cable Support Structure, per linear ft, per cable | | | AMTFS | VE1CB | 0.0028 | | | | | | | | | | |
| | | Virtual Collocation-Co-Carrier Cross Connects/Direct Connect-Copper/Coax Cable Support Structure, per linear ft, per cable | | | AMTFS | VE1CD | 0.0041 | | | | | | | | | | |
| | | Virtual Collocation 2-Wire Cross Connect, Port | | | UEPSX, UEPSB, UEPSE, UEPSP, UEPSR, UEP2C | VE1R2 | 0.0225 | 19.77 | 14.95 | | | | | | | | |
| | | Virtual Collocation 4-Wire Cross Connect, Port | | | UEPDD, UEPEX | VE1R4 | 0.0449 | 19.95 | 15.05 | | | | | | | | |
| | **CFA** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-CFA Information Resend Request, per Premises, per Arrangement, per request | | | AMTFS | VE1QR | | 77.48 | | | | | | | | | |
| | **Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial I" & "Subsequent S" respectively** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation Cable Records- per request | | | AMTFS | VE1BA | | 1,458.00 | 937.29 | 245.00 | 245.00 | | | | | | |
| | | Virtual Collocation Cable Records-VG/DS0 Cable, per cable record | | | AMTFS | VE1BB | | 622.69 | 622.69 | 346.35 | 346.35 | | | | | | |
| | | Virtual Collocation Cable Records-VG/DS0 Cable, per each 100 pair | | | AMTFS | VE1BC | | 8.77 | 8.77 | 10.32 | 10.32 | | | | | | |
| | | Virtual Collocation Cable Records-DS1, per T1TIE | | | AMTFS | VE1BD | | 4.35 | 4.35 | 5.11 | 5.11 | | | | | | |
| | | Virtual Collocation Cable Records-DS3, per T3TIE | | | AMTFS | VE1BE | | 15.22 | 15.22 | 17.90 | 17.90 | | | | | | |
| | | Virtual Collocation Cable Records-Fiber Cable, per 99 fiber records | | | AMTFS | VE1BF | | 163.61 | 163.61 | 143.32 | 143.32 | | | | | | |
| | | Virtual Collocation Cable Records-CAT 5/RJ45 | | | AMTFS | VE1B5 | | 4.35 | 4.35 | 5.11 | 5.11 | | | | | | |
| | **Security** | | | | | | | | | | | | | | | | |
| | | Virtual collocation-Security escort, basic time, normally scheduled work hours | | | AMTFS | SPTBX | | 33.68 | 21.34 | | | | | | | | |

| COLLOCATION - North Carolina | | | | | | | | | | | | | Attachment: 4 Exh. C | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | NRC | | OSS Rates($) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Virtual collocation-Security escort, overtime, outside of normally scheduled work hours on a normal working day | | | AMTFS | SPTOX | | 43.87 | 27.57 | | | | | | | | |
| | Virtual collocation-Security escort, premium time, outside of a scheduled work day | | | AMTFS | SPTPX | | 54.06 | 33.80 | | | | | | | | |
| **Maintenance** | | | | | | | | | | | | | | | | |
| | Virtual collocation-Maintenance in CO-Basic, per half hour | | | AMTFS | CTRLX | | 52.03 | 21.22 | | | | | | | | |
| | Virtual collocation-Maintenance in CO-Overtime, per half hour | | | AMTFS | SPTOM | | 69.48 | 27.81 | | | | | | | | |
| | Virtual collocation-Maintenance in CO-Premium per half hour | | | AMTFS | SPTPM | | 86.94 | 34.40 | | | | | | | | |
| **Entrance Cable** | | | | | | | | | | | | | | | | |
| | Virtual Collocation-Cable Installation Charge, per cable | | | AMTFS | ESPCX | | 1,233.00 | | | | | | | | | |
| | Virtual Collocation-Cable Support Structure, per cable | | | AMTFS | ESPSX | 13.28 | | | | | | | | | | |
| **COLLOCATION IN THE REMOTE SITE** | | | | | | | | | | | | | | | | |
| **Physical Remote Site Collocation** | | | | | | | | | | | | | | | | |
| | Physical Collocation in the Remote Site-Application Fee | | | CLORS | PE1RA | | 589.38 | | 258.38 | | | | | | | |
| | Cabinet Space in the Remote Site per Bay/ Rack | | | CLORS | PE1RB | 218.07 | | | | | | | | | | |
| | Physical Collocation in the Remote Site-Security Access-Key | | | CLORS | PE1RD | | 15.00 | | | | | | | | | |
| | Physical Collocation in the Remote Site-Space Availability Report per Premises Requested | | | CLORS | PE1SR | | 215.55 | | | | | | | | | |
| | Physical Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI Code Requested | | | CLORS | PE1RE | | 70.65 | | | | | | | | | |
| | Remote Site DLEC Data (BRSDD), per Compact Disk, per CO | | | CLORS | PE1RR | | 232.94 | | | | | | | | | |
| | Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hour | | | CLORS | PE1BT | | 33.68 | 21.34 | | | | | | | | |
| | Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hours on a scheduled work day, per half hour | | | CLORS | PE1OT | | 43.87 | 27.57 | | | | | | | | |
| | Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hour | | | CLORS | PE1PT | | 54.06 | 33.80 | | | | | | | | |
| **Adjacent Remote Site Collocation** | | | | | | | | | | | | | | | | |
| | Remote Site-Adjacent Collocation-Application Fee | | | CLORS | PE1RU | | 755.62 | 755.62 | | | | | | | | |
| | Remote Site-Adjacent Collocation-Real Estate, per sq ft | | | CLORS | PE1RT | 0.134 | | | | | | | | | | |
| | Remote Site-Adjacent Collocation-AC Power, per breaker amp | | | CLORS | PE1RS | 6.27 | | | | | | | | | | |
| **NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for adjacent remote site collocation, the Parties will negotiate appropriate rates.** | | | | | | | | | | | | | | | | |
| **Virtual Remote Site Collocation** | | | | | | | | | | | | | | | | |
| | Virtual Collocation in the Remote Site-Application Fee | | | VE1RS | VE1RB | | 589.38 | | 258.38 | | | | | | | |
| | Virtual Collocation in the Remote Site-Per Bay/Rack of Space | | | VE1RS | VE1RC | 218.07 | | | | | | | | | | |
| | Virtual Collocation in the Remote Site-Space Availability Report per Premises requested | | | VE1RS | VE1RR | | 215.55 | | | | | | | | | |
| | Virtual Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI Code Requested | | | VE1RS | VE1RL | | 70.65 | | | | | | | | | |
| **ADJACENT COLLOCATION** | | | | | | | | | | | | | | | | |
| | Adjacent Collocation-Space Charge per Sq. Ft. | | | CLOAC | PE1JA | 0.1555 | | | | | | | | | | |
| | Adjacent Collocation-Electrical Facility Charge per Linear Ft. | | | CLOAC | PE1JC | 5.78 | | | | | | | | | | |
| | Adjacent Collocation-2-Wire Cross-Connects | | | UEANL,UEQ,UEA,UCL, UAL, UHL, UDN | PE1JE | 0.0239 | 19.77 | 14.95 | | | | | | | | |
| | Adjacent Collocation-4-Wire Cross-Connects | | | UEA,UHL,UDL,UCL | PE1JF | 0.0477 | 19.95 | 15.05 | | | | | | | | |
| | Adjacent Collocation-DS1 Cross-Connects | | | USL | PE1JG | 1.28 | 39.15 | 23.20 | | | | | | | | |
| | Adjacent Collocation-DS3 Cross-Connects | | | UE3 | PE1JH | 17.35 | 38.25 | 21.94 | | | | | | | | |
| | Adjacent Collocation-2-Fiber Cross-Connect | | | CLOAC | PE1JJ | 2.94 | 38.25 | 21.94 | | | | | | | | |
| | Adjacent Collocation-4-Fiber Cross-Connect | | | CLOAC | PE1JK | 5.62 | 43.96 | 26.17 | | | | | | | | |
| | Adjacent Collocation-Application Fee | | | CLOAC | PE1JB | | 2,266.00 | | 0.5842 | | | | | | | |
| | Adjacent Collocation-120V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JL | 5.50 | | | | | | | | | | |
| | Adjacent Collocation-240V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JM | 11.01 | | | | | | | | | | |
| | Adjacent Collocation-120V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JN | 16.51 | | | | | | | | | | |
| | Adjacent Collocation-277V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JO | 38.12 | | | | | | | | | | |
| **Note: Rates displaying an "I" in Interim column are interim as a result of a Commission order.** | | | | | | | | | | | | | | | | |

| COLLOCATION - South Carolina | | | | | | | | | | | | | | Attachment: 4 Exh. C | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | NRC | | OSS Rates($) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| PHYSICAL COLLOCATION | | | | | | | | | | | | | | | | | |
| | Application | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Initial Application Fee | | | CLO | PE1BA | | 1,883.67 | | 0.51 | | | | | | | |
| | | Physical Collocation-Subsequent Application Fee | | | CLO | PE1CA | | 1,570.10 | | 0.51 | | | | | | | |
| | | Physical Collocation-Co-Carrier Cross Connects/Direct Connect, Application Fee, per application | | | CLO | PE1DT | | 584.42 | | | | | | | | | |
| | | Physical Collocation Administrative Only-Application Fee | | | CLO | PE1BL | | 743.66 | | | | | | | | | |
| | | Physical Collocation-Application Cost, Simple Augment | | | CLO | PE1KS | | 594.27 | | 1.21 | | | | | | | |
| | | Physical Collocation-Application Cost, Minor Augment | | | CLO | PE1KM | | 833.26 | | 1.21 | | | | | | | |
| | | Physical Collocation-Application Cost, Intermediate Augment | | | CLO | PE1K1 | | 1,058.00 | | 1.21 | | | | | | | |
| | | Physical Collocation-Application Cost-Major Augment | | | CLO | PE1KJ | | 2,409.00 | | 1.21 | | | | | | | |
| | Space Preparation | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Floor Space, per sq ft | | | CLO | PE1PJ | 3.95 | | | | | | | | | | |
| | | Physical Collocation-Space Enclosure, welded wire, first 50 sq ft | | | CLO | PE1BX | 197.69 | | | | | | | | | | |
| | | Physical Collocation-Space enclosure, welded wire, first 100 sq ft | | | CLO | PE1BW | 219.19 | | | | | | | | | | |
| | | Physical Collocation-Space enclosure, welded wire, each additional 50 sq ft | | | CLO | PE1CW | 21.50 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation-C.O. Modification per sq ft. | | | CLO | PE1SK | 2.75 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation, Common Systems Modifications-Cageless, per sq ft | | | CLO | PE1SL | 3.24 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation-Common Systems Modifications-Caged, per cage | | | CLO | PE1SM | 110.16 | | | | | | | | | | |
| | | Physical Collocation-Space Preparation-Firm Order Processing | | | CLO | PE1SJ | | 602.05 | | | | | | | | | |
| | | Physical Collocation-Space Availability Report, per Central Office Requested | | | CLO | PE1SR | | 1,077.57 | | | | | | | | | |
| | Power | | | | | | | | | | | | | | | | |
| | | Physical Collocation-Power, -48V DC Power-per Fused Amp Requested | | | CLO | PE1PL | 9.19 | | | | | | | | | | |
| | | Physical Collocation-Power, 120V AC Power, Single Phase, per Breaker Amp | | | CLO | PE1FB | 5.67 | | | | | | | | | | |
| | | Physical Collocation-Power, 240V AC Power, Single Phase, per Breaker Amp | | | CLO | PE1FD | 11.36 | | | | | | | | | | |
| | | Physical Collocation-Power, 120V AC Power, Three Phase, per Breaker Amp | | | CLO | PE1FE | 17.03 | | | | | | | | | | |
| | | Physical Collocation-Power, 277V AC Power, Three Phase, per Breaker Amp | | | CLO | PE1FG | 39.33 | | | | | | | | | | |
| | Cross Connects (Cross Connects, Co-Carrier Cross Connects, and Ports) | | | | | | | | | | | | | | | | |
| | | Physical Collocation-2-wire cross-connect, loop, provisioning | | | UEANL,UEQ, UNCNX, UEA, UCL, UAL, UHL, UDN, UNCVX | PE1P2 | 0.0341 | 12.32 | 11.83 | 6.04 | 5.45 | | | | | | |
| | | Physical Collocation-4-wire cross-connect, loop, provisioning | | | UEA, UHL, UNCVX, UNCDX, UCL, UDL | PE1P4 | 0.0682 | 12.42 | 11.90 | 6.40 | 5.74 | | | | | | |
| | | Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning | | | WDS1L, WDS1S, UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB, UEPSE, UEPSP, USL, UEPEX, UEPDX | PE1P1 | 1.12 | 22.08 | 15.96 | 6.42 | 5.80 | | | | | | |
| | | Physical Collocation-DS3 Cross-Connect, provisioning | | | UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSR, UEPSB, UEPSE, UEPSP | PE1P3 | 14.21 | 20.94 | 15.23 | 7.39 | 5.93 | | | | | | |
| | | Physical Collocation-2-Fiber Cross-Connect | | | CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF | PE1F2 | 2.82 | 20.94 | 15.23 | 7.40 | 5.93 | | | | | | |

| COLLOCATION - South Carolina | | | | | | | | | | | | | Attachment: 4 Exh. C | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | NRC | | OSS Rates($) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Physical Collocation-4-Fiber Cross-Connect | | | ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF, UDFCX | PE1F4 | 5.01 | 25.61 | 19.90 | 9.73 | 8.26 | | | | | | |
| | Physical Collocation-Co-Carrier Cross Connects/Direct Connect-Fiber Cable Support Structure, per linear ft, per cable. | | | CLO | PE1ES | 0.001 | | | | | | | | | | |
| | Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Copper/Coax Cable Support Structure, per linear ft, per cable. | | | CLO | PE1DS | 0.0015 | | | | | | | | | | |
| | Physical Collocation 2-Wire Cross Connect, Port | | | UEPSR, UEPSP, UEPSE, UEPSB, UEPSX, UEP2C | PE1R2 | 0.0341 | 12.32 | 11.83 | 6.04 | 5.45 | | 15.69 | | | | |
| | Physical Collocation 4-Wire Cross Connect, Port | | | UEPEX, UEPDD | PE1R4 | 0.0682 | 12.42 | 11.90 | 6.40 | 5.74 | | 15.69 | | | | |
| **Security** | | | | | | | | | | | | | | | | |
| | Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hour | | | CLO | PE1BT | | 16.96 | 10.75 | | | | | | | | |
| | Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hours on a scheduled work day, per half hour | | | CLO | PE1OT | | 22.10 | 13.89 | | | | | | | | |
| | Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hour | | | CLO | PE1PT | | 27.23 | 17.02 | | | | | | | | |
| | Physical Collocation-Security Access System, Security System, per Central Office | | | CLO | PE1AX | 74.72 | | | | | | | | | | |
| | Physical Collocation -Security Access System-New Card Activation, per Card Activation (First), per State | | | CLO | PE1A1 | 0.0601 | 27.85 | | | | | | | | | |
| | Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card | | | CLO | PE1AA | | 7.81 | | | | | | | | | |
| | Physical Collocation-Security Access System-Replace Lost or Stolen Card, per Card | | | CLO | PE1AR | | 22.83 | | | | | | | | | |
| | Physical Collocation-Security Access-Initial Key, per Key | | | CLO | PE1AK | | 13.13 | | | | | | | | | |
| | Physical Collocation-Security Access-Key, Replace Lost or Stolen Key, per Key | | | CLO | PE1AL | | 13.13 | | | | | | | | | |
| **CFA** | | | | | | | | | | | | | | | | |
| | Physical Collocation-CFA Information Resend Request, per premises, per arrangement, per request | | | CLO | PE1C9 | | 77.71 | | | | | | | | | |
| **Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial I" and "Subsequent S" respectively** | | | | | | | | | | | | | | | | |
| | Physical Collocation-Cable Records, per request | | | CLO | PE1CR | | I 760.98 | S 489.2 | 133.29 | | | | | | | |
| | Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) | | | CLO | PE1CD | | 327.65 | | 189.54 | | | | | | | |
| | Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair | | | CLO | PE1CO | | 4.82 | | 5.91 | | | | | | | |
| | Physical Collocation, Cable Records, DS1, per T1 TIE | | | CLO | PE1C1 | | 2.26 | | 2.77 | | | | | | | |
| | Physical Collocation, Cable Records, DS3, per T3 TIE | | | CLO | PE1C3 | | 7.90 | | 9.68 | | | | | | | |
| | Physical Collocation-Cable Records, Fiber Cable, per cable record (maximum 99 records) | | | CLO | PE1CB | | 84.68 | | 77.30 | | | | | | | |
| | Physical Collocation, Cable Records,CAT5/RJ45 | | | CLO | PE1C5 | | 2.26 | | 2.77 | | | | | | | |
| **Virtual to Physical** | | | | | | | | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation Relocation, per VG Circuit | | | CLO | PE1BV | | 33.00 | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation Relocation, per DSO Circuit | | | CLO | PE1BO | | 33.00 | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation Relocation, per DS1 Circuit | | | CLO | PE1B1 | | 52.00 | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation Relocation, per DS3 Circuit | | | CLO | PE1B3 | | 52.00 | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation In-Place, Per VG Circuit | | | CLO | PE1BR | | 23.00 | | | | | | | | | |
| | Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit | | | CLO | PE1BP | | 23.00 | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation In-Place, Per DS1 Circuit | | | CLO | PE1BS | | 33.00 | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation In-Place, per DS3 Circuit | | | CLO | PE1BE | | 37.00 | | | | | | | | | |
| **Entrance Cable** | | | | | | | | | | | | | | | | |
| | Physical Collocation-Fiber Cable Installation, Pricing, NRC charge, per Entrance Cable | | | CLO | PE1BD | | 794.22 | | 22.54 | | | | | | | |
| | Physical Collocation-Fiber Cable Support Structure, per Entrance Cable | | | CLO | PE1PM | 21.33 | | | | | | | | | | |
| | Physical Collocation-Fiber Entrance Cable Installation, per Fiber | | | CLO | PE1ED | | 3.87 | | | | | | | | | |
| **VIRTUAL COLLOCATION** | | | | | | | | | | | | | | | | |
| **Application** | | | | | | | | | | | | | | | | |

| COLLOCATION - South Carolina | | | | | | | | | | | | | | Attachment: 4 Exh. C | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | | Nonrecurring | | NRC | | OSS Rates($) | | | | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Virtual Collocation-Application Fee | | | AMTFS | EAF | | 1,207.95 | | 0.51 | | | | | | | |
| | | Virtual Collocation-Co-Carrier Cross Connects/Direct Connect, Application Fee, per application | | | AMTFS | VE1CA | | 584.42 | | | | | | | | | |
| | | Virtual Collocation Administrative Only-Application Fee | | | AMTFS | VE1AF | | 743.66 | | | | | | | | | |
| | **Space Preparation** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-Floor Space, per sq. ft. | | | AMTFS | ESPVX | 3.95 | | | | | | | | | | |
| | **Power** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-Power, per fused amp | | | AMTFS | ESPAX | 9.19 | | | | | | | | | | |
| | **Cross Connects (Cross Connects, Co-Carrier Cross Connects, and Ports)** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation- 2-wire cross-connect, loop, provisioning | | | UEANL, UEA, UDN, UAL, UHL, UCL, UEQ, UNCVX, UNCDX, UNCNX | UEAC2 | 0.0317 | 12.32 | 11.83 | 6.04 | 5.45 | | | | | | |
| | | Virtual Collocation-4-wire cross-connect, loop, provisioning | | | UEA, UHL, UCL, UDL, UNCVX, UNCDX | UEAC4 | 0.0634 | 12.42 | 11.90 | 6.40 | 5.74 | | | | | | |
| | | Virtual collocation-Special Access & UNE,cross-connect per DS1 | | | ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USL, UEPEX, UEPDX | CNC1X | 1.12 | 22.08 | 15.96 | 6.42 | 5.80 | | | | | | |
| | | Virtual collocation-Special Access & UNE, cross-connect per DS3 | | | USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3 | CND3X | 14.21 | 20.94 | 15.23 | 7.39 | 5.93 | | | | | | |
| | | Virtual Collocation-2-Fiber Cross Connects | | | UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF | CNC2F | 2.86 | 20.94 | 15.23 | 7.40 | 5.93 | | | | | | |
| | | Virtual Collocation-4-Fiber Cross Connects | | | UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF | CNC4F | 5.71 | 25.61 | 19.90 | 9.73 | 8.26 | | | | | | |
| | | Virtual Collocation-Co-Carrier Cross Connects/Direct Connect-Fiber Cable Support Structure, per linear ft, per cable | | | AMTFS | VE1CB | 0.001 | | | | | | | | | | |
| | | Virtual Collocation-Co-Carrier Cross Connects/Direct Connect-Copper/Coax Cable Support Structure, per linear ft, per cable | | | AMTFS | VE1CD | 0.0015 | | | | | | | | | | |
| | | Virtual Collocation 2-Wire Cross Connect, Port | | | UEPSX, UEPSB, UEPSE, UEPSP, UEPSR, UEP2C | VE1R2 | 0.0317 | 12.32 | 11.83 | 6.04 | 5.45 | | | | | | |
| | | Virtual Collocation 4-Wire Cross Connect, Port | | | UEPDD, UEPEX | VE1R4 | 0.0634 | 12.42 | 11.90 | 6.40 | 5.74 | | | | | | |
| | **CFA** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-CFA Information Resend Request, per Premises, per Arrangement, per request | | | AMTFS | VE1QR | | 77.71 | | | | | | | | | |
| | **Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial I" & "Subsequent S" respectively** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation Cable Records-per request | | | AMTFS | VE1BA | | 760.98 | 489.20 | 133.29 | | | | | | | |
| | | Virtual Collocation Cable Records-VG/DS0 Cable, per cable record | | | AMTFS | VE1BB | | 327.65 | | 189.54 | | | | | | | |
| | | Virtual Collocation Cable Records-VG/DS0 Cable, per each 100 pair | | | AMTFS | VE1BC | | 4.82 | | 5.91 | | | | | | | |
| | | Virtual Collocation Cable Records-DS1, per T1TIE | | | AMTFS | VE1BD | | 2.26 | | 2.77 | | | | | | | |
| | | Virtual Collocation Cable Records-DS3, per T3TIE | | | AMTFS | VE1BE | | 7.90 | | 9.68 | | | | | | | |
| | | Virtual Collocation Cable Records-Fiber Cable, per 99 fiber records | | | AMTFS | VE1BF | | 84.68 | | 77.30 | | | | | | | |
| | | Virtual Collocation Cable Records-CAT 5/RJ45 | | | AMTFS | VE1B5 | | 2.26 | | 2.77 | | | | | | | |
| | **Security** | | | | | | | | | | | | | | | | |
| | | Virtual collocation-Security escort, basic time, normally scheduled work hours | | | AMTFS | SPTBX | | 16.96 | 10.75 | | | | | | | | |

| COLLOCATION - South Carolina | | | | | | | | | | | | | Attachment: 4 Exh. C | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | NRC | | OSS Rates($) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Virtual collocation-Security escort, overtime, outside of normally scheduled work hours on a normal working day | | | AMTFS | SPTOX | | 22.10 | 13.89 | | | | | | | | |
| | | Virtual collocation-Security escort, premium time, outside of a scheduled work day | | | AMTFS | SPTPX | | 27.23 | 17.02 | | | | | | | | |
| | **Maintenance** | | | | | | | | | | | | | | | | |
| | | Virtual collocation-Maintenance in CO-Basic, per half hour | | | AMTFS | CTRLX | | 27.99 | 10.75 | | | | | | | | |
| | | Virtual collocation-Maintenance in CO-Overtime, per half hour | | | AMTFS | SPTOM | | 36.56 | 13.89 | | | | | | | | |
| | | Virtual collocation-Maintenance in CO-Premium per half hour | | | AMTFS | SPTPM | | 45.12 | 17.02 | | | | | | | | |
| | **Entrance Cable** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-Cable Installation Charge, per cable | | | AMTFS | ESPCX | | 794.22 | | 22.54 | | | | | | | |
| | | Virtual Collocation-Cable Support Structure, per cable | | | AMTFS | ESPSX | 18.66 | | | | | | | | | | |
| **COLLOCATION IN THE REMOTE SITE** | | | | | | | | | | | | | | | | | |
| | **Physical Remote Site Collocation** | | | | | | | | | | | | | | | | |
| | | Physical Collocation in the Remote Site-Application Fee | | | CLORS | PE1RA | | 308.38 | | 168.60 | | | | | | | |
| | | Cabinet Space in the Remote Site per Bay/ Rack | | | CLORS | PE1RB | 246.44 | | | | | | | | | | |
| | | Physical Collocation in the Remote Site-Security Access-Key | | | CLORS | PE1RD | | 13.13 | | | | | | | | | |
| | | Physical Collocation in the Remote Site-Space Availability Report per Premises Requested | | | CLORS | PE1SR | | 116.13 | | | | | | | | | |
| | | Physical Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI Code Requested | | | CLORS | PE1RE | | 37.64 | | | | | | | | | |
| | | Remote Site DLEC Data (BRSDD), per Compact Disk, per CO | | | CLORS | PE1RR | | 234.50 | | | | | | | | | |
| | | Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hour | | | CLORS | PE1BT | | 16.96 | 10.75 | | | | | | | | |
| | | Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hours on a scheduled work day, per half hour | | | CLORS | PE1OT | | 22.10 | 13.89 | | | | | | | | |
| | | Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hour | | | CLORS | PE1PT | | 27.23 | 17.02 | | | | | | | | |
| | **Adjacent Remote Site Collocation** | | | | | | | | | | | | | | | | |
| | | Remote Site-Adjacent Collocation-Application Fee | | | CLORS | PE1RU | | 755.62 | 755.62 | | | | | | | | |
| | | Remote Site-Adjacent Collocation-Real Estate, per sq ft | | | CLORS | PE1RT | 0.134 | | | | | | | | | | |
| | | Remote Site-Adjacent Collocation-AC Power, per breaker amp | | | CLORS | PE1RS | 6.27 | | | | | | | | | | |
| | **NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for adjacent remote site collocation, the Parties will negotiate appropriate rates.** | | | | | | | | | | | | | | | | |
| | **Virtual Remote Site Collocation** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation in the Remote Site-Application Fee | | | VE1RS | VE1RB | | 616.76 | | 337.19 | | | | | | | |
| | | Virtual Collocation in the Remote Site-Per Bay/Rack of Space | | | VE1RS | VE1RC | 246.44 | | | | | | | | | | |
| | | Virtual Collocation in the Remote Site-Space Availability Report per Premises requested | | | VE1RS | VE1RR | | 232.25 | | | | | | | | | |
| | | Virtual Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI Code Requested | | | VE1RS | VE1RL | | 75.27 | | | | | | | | | |
| **ADJACENT COLLOCATION** | | | | | | | | | | | | | | | | | |
| | | Adjacent Collocation-Space Charge per Sq. Ft. | | | CLOAC | PE1JA | 0.0939 | | | | | | | | | | |
| | | Adjacent Collocation-Electrical Facility Charge per Linear Ft. | | | CLOAC | PE1JC | 6.40 | | | | | | | | | | |
| | | Adjacent Collocation-2-Wire Cross-Connects | | | UEANL,UEQ,UEA,UCL, UAL, UHL, UDN | PE1JE | 0.0264 | 12.32 | 11.83 | 6.04 | 5.45 | | | | | | |
| | | Adjacent Collocation-4-Wire Cross-Connects | | | UEA,UHL,UDL,UCL | PE1JF | 0.0527 | 12.42 | 11.90 | 6.40 | 5.74 | | | | | | |
| | | Adjacent Collocation-DS1 Cross-Connects | | | USL | PE1JG | 1.03 | 22.08 | 15.96 | 6.42 | 5.80 | | | | | | |
| | | Adjacent Collocation-DS3 Cross-Connects | | | UE3 | PE1JH | 14.00 | 20.94 | 15.23 | 7.39 | 5.93 | | | | | | |
| | | Adjacent Collocation-2-Fiber Cross-Connect | | | CLOAC | PE1JJ | 2.37 | 20.94 | 15.23 | 7.40 | 5.93 | | | | | | |
| | | Adjacent Collocation-4-Fiber Cross-Connect | | | CLOAC | PE1JK | 4.53 | 25.61 | 19.90 | 9.73 | 8.26 | | | | | | |
| | | Adjacent Collocation-Application Fee | | | CLOAC | PE1JB | | 1,580.20 | | | | | | | | | |
| | | Adjacent Collocation-120V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JL | 5.67 | | | | | | | | | | |
| | | Adjacent Collocation-240V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JM | 11.36 | | | | | | | | | | |
| | | Adjacent Collocation-120V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JN | 17.03 | | | | | | | | | | |
| | | Adjacent Collocation-277V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JO | 39.33 | | | | | | | | | | |
| | **Note: Rates displaying an "I" in Interim column are interim as a result of a Commission order.** | | | | | | | | | | | | | | | | |

| COLLOCATION - Tennessee | | | | | | | | | | | | | | Attachment: 4 Exh. C | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | NRC | | OSS Rates($) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| PHYSICAL COLLOCATION | | | | | | | | | | | | | | | | |
| Application | | | | | | | | | | | | | | | | |
| | Physical Collocation-Cageless-Application Fee | | | CLO | PE1CH | | 2,633.00 | | | | | | | | | |
| | Physical Caged Collocation-App Cost(initial & sub)-Planning, per request | | | CLO | PE1AC | 16.16 | 2,903.66 | | | | | | | | | |
| | Physical Collocation-Co-Carrier Cross Connects/Direct Connect, Application Fee, per application | | | CLO | PE1DT | | 585.09 | | | | | | | | | |
| | Physical Collocation-Power Reconfiguration Only, Application Fee | | | CLO | PE1PR | | 400.10 | | | | | | | | | |
| | Physical Collocation Administrative Only-Application Fee | | | CLO | PE1BL | | 743.25 | | | | | | | | | |
| Space Preparation | | | | | | | | | | | | | | | | |
| | Physical Caged Collocation-Space Prep-Grounding, per location | | | CLO | PE1SB | 4.32 | | | | | | | | | | |
| | Physical Collocation, Caged Collocation-Space Prep-Power Cable, 40 AMP, includes 20 AMP A and B Feed | | | CLO | PE1SN | | 142.40 | | | | | | | | | |
| | Physical Collocation, Caged Collocation-Space Prep-Power Cable, 100 AMP, includes 50 AMP A and B Feed | | | CLO | PE1SO | | 185.72 | | | | | | | | | |
| | Physical Collocation, Caged Collocation-Space Prep-Power Cable, 200 AMP, includes 100 AMP A and B Feed | | | CLO | PE1SP | | 242.05 | | | | | | | | | |
| | Physical Caged Collocation-Space Enclosure-Cage Preparation, per first 100 sq. ft. | | | CLO | PE1S1 | 110.97 | | | | | | | | | | |
| | Physical Caged Collocation-Space Enclosure-Cage Preparation, per add'l 50 sq. ft. | | | CLO | PE1S5 | 55.49 | | | | | | | | | | |
| | Physical Caged Collocation-Floor Space-Land & Buildings, per sq. ft. | | | CLO | PE1FS | 5.94 | | | | | | | | | | |
| | Physical Collocation-Cageless-Floor Space, per sq. ft. | | | CLO | PE1ZB | 3.91 | | | | | | | | | | |
| | Physical Collocation-Space Preparation-Firm Order Processing | | | CLO | PE1SJ | | 1,204.00 | | | | | | | | | |
| | Physical Collocation-Space Availability Report, per Central Office Requested | I | | CLO | PE1SR | | 2,027.00 | | | | | | | | | |
| Power | | | | | | | | | | | | | | | | |
| | Physical Collocation-Power, 120V AC Power, Single Phase, per Breaker Amp | | | CLO | PE1FB | 5.60 | | | | | | | | | | |
| | Physical Collocation-Power, 240V AC Power, Single Phase, per Breaker Amp | | | CLO | PE1FD | 11.22 | | | | | | | | | | |
| | Physical Collocation-Power, 120V AC Power, Three Phase, per Breaker Amp | | | CLO | PE1FE | 16.82 | | | | | | | | | | |
| | Physical Collocation-Power, 277V AC Power, Three Phase, per Breaker Amp | | | CLO | PE1FG | 38.84 | | | | | | | | | | |
| | Physical Caged Collocation-Power-Power Construction, per amp DC plant | | | CLO | PE1PN | 3.55 | | | | | | | | | | |
| | Physical Caged Collocation-Power-Power Consumption,per amp AC usage | | | CLO | PE1PO | 2.03 | | | | | | | | | | |
| | Physical Collocation-Cageless-Power, per Fused Amp | | | CLO | PE1ZC | 6.79 | | | | | | | | | | |
| | Physical Collocation-Meter Reading-per CLEC per CO, First 12 Circuits w/BST Meter | | | CLO | PE1FO | 102.24 | | | | | | | | | | |
| | Physical Collocation -Meter Reading -per CLEC per CO, per Each Additional 2 Circuits w/BST Meter | | | CLO | PE1FP | 8.94 | | | | | | | | | | |
| | Physical Collocation-Meter Reading-per CLEC per CO, First 12 Circuits w/CLEC Meter | | | CLO | PE1FQ | 98.25 | | | | | | | | | | |
| | Physical Collocation-Meter Reading-per CLEC per CO, per Each Additional 2 Circuits w/CLEC Meter | | | CLO | PE1FR | 8.94 | | | | | | | | | | |
| | Physical Collocation-Additional Meter Reading Trip Charge, per Central Office, per Occurrence | | | CLO | PE1FM | | 307.64 | | | | | | | | | |
| Cross Connects (Cross Connects, Co-Carrier Cross Connects, and Ports) | | | | | | | | | | | | | | | | |
| | Physical Collocation-2-wire cross-connect, loop, provisioning | | | UEANL,UEQ, UNCNX, UEA, UCL, UAL, UHL, UDN, UNCVX | PE1P2 | 0.0475 | 7.68 | | | | | | | | | |
| | Physcial Collocation-Cageless-2-Wire Cross-Connects | | | UNCNX | PE1ZD | 0.57 | 11.62 | 9.90 | | | | | 2.07 | 2.81 | 0.67 | 1.41 |
| | Physical Collocation-4-wire cross-connect, loop, provisioning | | | UEA, UHL, UNCVX, UNCDX, UCL, UDL | PE1P4 | 0.0475 | 7.68 | | | | | | | | | |
| | Physical Collocation-Cageless-4-Wire Cross Connects | | | UNCVX, UNCDX, | PE1ZE | 0.57 | 11.81 | 10.04 | | | | | 2.07 | 2.81 | 0.67 | 1.41 |
| | Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning | | | WDS1L, WDS1S, UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB, UEPSE, UEPSP, USL | PE1P1 | 0.38 | 41.65 | | | | | | | | | |

| COLLOCATION - Tennessee | | | | | | | | | | | | | | Attachment: 4 Exh. C | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | NRC | | OSS Rates($) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Physical Collocation-Cageless-DS1 Cross Connects | | | WDS1L, WDS1S, UXTD1, ULDD1, USLEL, UNLD1, UEPEX, UEPDX | PE1ZF | 1.32 | 32.22 | 17.76 | | | | | 2.07 | 2.81 | 0.67 | 1.41 |
| | | Physical Collocation-DS3 Cross-Connect, provisioning | | | UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSR, UEPSB, UEPSE, UEPSP | PE1P3 | 9.32 | 298.03 | | | | | | | | | |
| | | Physcial Collocation-Cageless-DS3 Cross Connects | | | UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3 | PE1ZG | 12.32 | 29.97 | 16.30 | | | | | 2.07 | 2.81 | 0.67 | 1.41 |
| | | Physical Collocation-2-Fiber Cross-Connect | | | CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF | PE1F2 | 15.64 | 41.56 | 29.82 | | | | | | | | |
| | | Physical Collocation-Cageless-2 Fiber Cross Connect | | | CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF | PE1CK | 3.03 | 41.56 | 29.82 | | | | | | | | |
| | | Physical Collocation-4-Fiber Cross-Connect | | | ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF, UDFCX | PE1F4 | 28.11 | 50.53 | 38.78 | | | | | | | | |
| | | Physical Collocation-Cageless-4-Fiber Cross-Connect | | | ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF | PE1CL | 6.06 | 50.53 | 38.78 | | | | | | | | |
| | | Physical Collocation-Co-Carrier Cross Connects/Direct Connect-Fiber Cable Support Structure, per linear ft, per cable. | | | CLO | PE1ES | 0.0013 | | | | | | | | | | |
| | | Physical Collocation-Co-Carrier Cross Connect/Direct Connect-Copper/Coax Cable Support Structure, per linear ft, per cable. | | | CLO | PE1DS | 0.0019 | | | | | | | | | | |
| | | Physical Collocation 2-Wire Cross Connect, Port | | | UEPSR, UEPSP, UEPSE, UEPSB, UEPSX, UEP2C | PE1R2 | 0.0475 | 7.68 | | | | | | | | | |
| | | Physical Collocation 4-Wire Cross Connect, Port | | | UEPEX, UEPDD | PE1R4 | 0.0475 | 7.68 | | | | | | | | | |
| | | Physical Caged Collocation-DS1 Cross Connects-connection to DCS, per circuit. | | | UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3 | PE11S | 7.68 | 41.65 | | | | | | | | | |
| | | Physical Caged Collocation-DS3 Cross Connects-Connection to DCS, per circuit. | | | U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3 | PE13S | 53.96 | 298.03 | | | | | | | | | |
| | POT Bay | | | | | | | | | | | | | | | | |
| | | Physical Caged Collocation-2-fiber POT Bay | | | CLO | PE1B2 | 38.79 | | | | | | | | | | |

| COLLOCATION - Tennessee | | | | | | | | | | | | | | Attachment: 4 Exh. C | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | Rec | Nonrecurring | | NRC | | OSS Rates($) | | | | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Physical Caged Collocation-4-fiber POT Bay | | | CLO | PE1B4 | 52.31 | | | | | | | | | | |
| **Security** | | | | | | | | | | | | | | | | |
| | Physical Caged Collocation-Security Access-Access Cards, per 5 Cards | | | CLO | PE1A2 | | 76.10 | | | | | | | | | |
| | Physcial Collocation-Cageless-Security Escort-Basic, per Half Hour | | | CLO | PE1ZM | | 33.15 | 20.44 | | | | | | | | |
| | Physical Collocation-Cageless-Security Escort-Overtime, per Half Hour | | | CLO | PE1ZN | | 41.50 | 25.61 | | | | | | | | |
| | Physical Collocation-Cageless-Security Escort-Premium, per Half Hour | | | CLO | PE1ZO | | 49.86 | 30.79 | | | | | | | | |
| | Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hour | | | CLO | PE1BT | | 33.91 | 21.49 | | | | | | | | |
| | Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hours on a scheduled work day, per half hour | | | CLO | PE1OT | | 44.17 | 27.76 | | | | | | | | |
| | Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hour | | | CLO | PE1PT | | 54.42 | 34.02 | | | | | | | | |
| | Physical Collocation-Security Access System-Security System per Central Office | | | CLO | PE1AX | 55.99 | | | | | | | | | | |
| | Physical Collocation -Security Access System-New Card Activation, per Card Activation (First), per State | | | CLO | PE1A1 | 0.059 | 55.67 | | | | | | | | | |
| | Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card | | | CLO | PE1AA | | 15.61 | | | | | | | | | |
| | Physical Collocation-Security Access System-Replace Lost or Stolen Card, per Card | | | CLO | PE1AR | | 45.64 | | | | | | | | | |
| | Physical Collocation-Security Access-Initial Key, per Key | | | CLO | PE1AK | | 26.24 | | | | | | | | | |
| | Physical Collocation-Security Access-Key, Replace Lost or Stolen Key, per Key | | | CLO | PE1AL | | 26.24 | | | | | | | | | |
| **CFA** | | | | | | | | | | | | | | | | |
| | Physical Collocation-CFA Information Resend Request, per premises, per arrangement, per request | | | CLO | PE1C9 | | 77.67 | | | | | | | | | |
| **Cable Records** | | | | | | | | | | | | | | | | |
| | Physical Collocation-Cable Records, per request | | | CLO | PE1CR | | 1,711.00 | | | | | | | | | |
| | Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) | | | CLO | PE1CD | | 925.06 | | | | | | | | | |
| | Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair | | | CLO | PE1CO | | 18.05 | | | | | | | | | |
| | Physical Collocation, Cable Records, DS1, per T1 TIE | | | CLO | PE1C1 | | 8.45 | | | | | | | | | |
| | Physical Collocation, Cable Records, DS3, per T3 TIE | | | CLO | PE1C3 | | 29.57 | | | | | | | | | |
| | Physical Collocation-Cable Records, Fiber Cable, per cable record (maximum 99 records) | | | CLO | PE1CB | | 279.42 | | | | | | | | | |
| | Physical Collocation, Cable Records,CAT5/RJ45 | | | CLO | PE1C5 | | 8.45 | | | | | | | | | |
| **Virtual to Physical** | | | | | | | | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation Relocation, per VG Circuit | | | CLO | PE1BV | | 33.00 | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation Relocation, per DSO Circuit | | | CLO | PE1BO | | 33.00 | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation Relocation, per DS1 Circuit | | | CLO | PE1B1 | | 52.00 | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation Relocation, per DS3 Circuit | | | CLO | PE1B3 | | 52.00 | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation In-Place, Per VG Circuit | | | CLO | PE1BR | | 23.00 | | | | | | | | | |
| | Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit | | | CLO | PE1BP | | 23.00 | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation In-Place, Per DS1 Circuit | | | CLO | PE1BS | | 33.00 | | | | | | | | | |
| | Physical Collocation-Virtual to Physical Collocation In-Place, per DS3 Circuit | | | CLO | PE1BE | | 37.00 | | | | | | | | | |
| **Entrance Cable** | | | | | | | | | | | | | | | | |
| | Physical Caged Collocation-Cable Installation-Entrance Fiber Structure, interduct per ft | | | CLO | PE1CP | 0.0156 | | | | | | | | | | |
| | Physical Caged Collocation-Cable Installation-Entrance Fiber, per cable | | | CLO | PE1CQ | 2.56 | 944.27 | | | | | | | | | |
| | Physical Caged Collocation-Cable Support Structure-Cable Racking, per entrance cable | | | CLO | PE1CS | 21.47 | | | | | | | | | | |
| | Physical Collocation -Cageless-Cable Installation Cost, per cable | | | CLO | PE1ZA | | 1,749.00 | | | | | | | | | |
| | Physical Collocation-Cageless-Cable Support Structure, per Entrance Cable | | | CLO | PE1CJ | 17.87 | | | | | | | | | | |
| **VIRTUAL COLLOCATION** | | | | | | | | | | | | | | | | |
| **Application** | | | | | | | | | | | | | | | | |
| | Virtual Collocation-Application Fee | | | AMTFS | EAF | | 2,633.00 | | | | | | | | | |
| | Virtual Collocation-Co-Carrier Cross Connects/Direct Connect, Application Fee, per application | | | AMTFS | VE1CA | | 585.09 | | | | | | | | | |
| | Virtual Collocation Administrative Only-Application Fee | | | AMTFS | VE1AF | | 743.25 | | | | | | | | | |
| **Space Preparation** | | | | | | | | | | | | | | | | |
| | Virtual Collocation-Floor Space, per sq. ft. | | | AMTFS | ESPVX | 3.91 | | | | | | | | | | |

| COLLOCATION - Tennessee | | | | | | | | | | | | | | Attachment: 4 Exh. C | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | NRC | | OSS Rates($) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Power | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-Power, per fused amp | | | AMTFS | ESPAX | 6.79 | | | | | | | | | | |
| | Cross Connects (Cross Connects, Co-Carrier Cross Connects, and Ports) | | | | | | | | | | | | | | | | |
| | | Virtual Collocation- 2-wire cross-connect, loop, provisioning | | | UEANL, UEA, UDN, UAL, UHL, UCL, UEQ, UNCVX, UNCDX, UNCNX | UEAC2 | 0.57 | 11.62 | 9.90 | | | | | 2.07 | 2.81 | 0.67 | 1.41 |
| | | Virtual Collocation-4-wire cross-connect, loop, provisioning | | | UEA, UHL, UCL, UDL, UNCVX, UNCDX | UEAC4 | 0.57 | 11.81 | 10.04 | | | | | 2.07 | 2.81 | 0.67 | 1.41 |
| | | Virtual collocation-Special Access & UNE, cross-connect per DS1 | | | ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USL | CNC1X | 1.32 | 32.22 | 17.76 | | | | | 2.07 | 2.81 | 0.67 | 1.41 |
| | | Virtual collocation-Special Acess & UNE, cross-connect per DS3 | | | USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3 | CND3X | 12.32 | 29.97 | 16.30 | | | | | 2.07 | 2.81 | 0.67 | 1.41 |
| | | Virtual Collocation-2-Fiber Cross Connects | | | UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF | CNC2F | 3.03 | 41.56 | 29.82 | | | | | | | | |
| | | Virtual Collocation-4-Fiber Cross Connects | | | UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF | CNC4F | 6.06 | 50.53 | 38.78 | | | | | | | | |
| | | Virtual Collocation-Co-Carrier Cross Connects/Direct Connect-Fiber Cable Support Structure, per linear ft, per cable | | | AMTFS | VE1CB | 0.0013 | | | | | | | | | | |
| | | Virtual Collocation-Co-Carrier Cross Connects/Direct Connect-Copper/Coax Cable Support Structure, per linear ft, per cable | | | AMTFS | VE1CD | 0.0019 | | | | | | | | | | |
| | | Virtual Collocation 2-Wire Cross Connect, Port | | | UEPSX, UEPSB, UEPSE, UEPSP, UEPSR, UEP2C | VE1R2 | 0.57 | 11.62 | 9.90 | | | | | | | | |
| | | Virtual Collocation 4-Wire Cross Connect, Port | | | UEPDD, UEPEX | VE1R4 | 0.57 | 11.81 | 10.04 | | | | | | | | |
| | CFA | | | | | | | | | | | | | | | | |
| | | Virtual Collocation-CFA Information Resend Request, per Premises, per Arrangement, per request | | | AMTFS | VE1QR | | 77.67 | | | | | | | | | |
| | Cable Records | | | | | | | | | | | | | | | | |
| | | Virtual Collocation Cable Records-per request | | | AMTFS | VE1BA | | 1,711.00 | | | | | | | | | |
| | | Virtual Collocation Cable Records-VG/DS0 Cable, per cable record | | | AMTFS | VE1BB | | 925.06 | | | | | | | | | |
| | | Virtual Collocation Cable Records-VG/DS0 Cable, per each 100 pair | | | AMTFS | VE1BC | | 18.05 | | | | | | | | | |
| | | Virtual Collocation Cable Records-DS1, per T1TIE | | | AMTFS | VE1BD | | 8.45 | | | | | | | | | |
| | | Virtual Collocation Cable Records-DS3, per T3TIE | | | AMTFS | VE1BE | | 29.57 | | | | | | | | | |
| | | Virtual Collocation Cable Records-Fiber Cable, per 99 fiber records | | | AMTFS | VE1BF | | 279.42 | | | | | | | | | |
| | | Virtual Collocation Cable Records-CAT 5/RJ45 | | | AMTFS | VE1B5 | | 8.45 | | | | | | | | | |
| | Security | | | | | | | | | | | | | | | | |
| | | Virtual collocation-Security escort, basic time, normally scheduled work hours | | | AMTFS | SPTBX | | 33.15 | 20.44 | | | | | | | | |
| | | Virtual collocation-Security escort, overtime, outside of normally scheduled work hours on a normal working day | | | AMTFS | SPTOX | | 41.50 | 25.61 | | | | | | | | |
| | | Virtual collocation-Security escort, premium time, outside of a scheduled work day | | | AMTFS | SPTPX | | 49.86 | 30.79 | | | | | | | | |
| | Maintenance | | | | | | | | | | | | | | | | |
| | | Virtual collocation-Maintenance in CO-Basic, per half hour | | | AMTFS | CTRLX | | 30.64 | | | | | | | | | |
| | | Virtual collocation-Maintenance in CO-Overtime, per half hour | | | AMTFS | SPTOM | | 35.77 | | | | | | | | | |
| | | Virtual collocation-Maintenance in CO-Premium per half hour | | | AMTFS | SPTPM | | 40.90 | | | | | | | | | |
| | Entrance Cable | | | | | | | | | | | | | | | | |

| COLLOCATION - Tennessee | | | | | | | | | | | | | | Attachment: 4 Exh. C | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic-1st | Incremental Charge - Manual Svc Order vs. Electronic-Add'l | Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | NRC | | OSS Rates($) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Virtual Collocation-Cable Installation Charge, per cable | | | AMTFS | ESPCX | | 1,749.00 | | | | | | | | | |
| | | Virtual Collocation-Cable Support Structure, per cable | | | AMTFS | ESPSX | 17.87 | | | | | | | | | | |
| **COLLOCATION IN THE REMOTE SITE** | | | | | | | | | | | | | | | | | |
| | **Physical Remote Site Collocation** | | | | | | | | | | | | | | | | |
| | | Physical Collocation in the Remote Site-Application Fee | | | CLORS | PE1RA | | 580.20 | | 312.76 | | | | | | | |
| | | Cabinet Space in the Remote Site per Bay/ Rack | | | CLORS | PE1RB | 220.41 | | | | | | | | | | |
| | | Physical Collocation in the Remote Site-Security Access-Key | | | CLORS | PE1RD | | 24.69 | | | | | | | | | |
| | | Physical Collocation in the Remote Site-Space Availability Report per Premises Requested | | | CLORS | PE1SR | | 218.49 | | | | | | | | | |
| | | Physical Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI Code Requested | | | CLORS | PE1RE | | 70.81 | | | | | | | | | |
| | | Remote Site DLEC Data (BRSDD), per Compact Disk, per CO | | | CLORS | PE1RR | | 234.15 | | | | | | | | | |
| | | Physical Collocation-Security Escort for Basic Time-normally scheduled work, per half hour | | | CLORS | PE1BT | | 33.91 | 21.49 | | | | | | | | |
| | | Physical Collocation-Security Escort for Overtime-outside of normally scheduled working hours on a scheduled work day, per half hour | | | CLORS | PE1OT | | 44.17 | 27.76 | | | | | | | | |
| | | Physical Collocation-Security Escort for Premium Time-outside of scheduled work day, per half hour | | | CLORS | PE1PT | | 54.42 | 34.02 | | | | | | | | |
| | **Adjacent Remote Site Collocation** | | | | | | | | | | | | | | | | |
| | | Remote Site-Adjacent Collocation-Application Fee | | | CLORS | PE1RU | | 755.62 | 755.62 | | | | | | | | |
| | | Remote Site-Adjacent Collocation-Real Estate, per sq ft | | | CLORS | PE1RT | 0.134 | | | | | | | | | | |
| | | Remote Site-Adjacent Collocation-AC Power, per breaker amp | | | CLORS | PE1RS | 6.27 | | | | | | | | | | |
| | **NOTE: If Security Escort and/or Add'l Engineering Fees become necessary for adjacent remote site collocation, the Parties will negotiate appropriate rates.** | | | | | | | | | | | | | | | | |
| | **Virtual Remote Site Collocation** | | | | | | | | | | | | | | | | |
| | | Virtual Collocation in the Remote Site-Application Fee | | | VE1RS | VE1RB | | 580.20 | | 312.76 | | | | | | | |
| | | Virtual Collocation in the Remote Site-Per Bay/Rack of Space | | | VE1RS | VE1RC | 220.41 | | | | | | | | | | |
| | | Virtual Collocation in the Remote Site-Space Availability Report per Premises requested | | | VE1RS | VE1RR | | 218.49 | | | | | | | | | |
| | | Virtual Collocation in the Remote Site-Remote Site CLLI Code Request, per CLLI Code Requested | | | VE1RS | VE1RL | | 70.81 | | | | | | | | | |
| **ADJACENT COLLOCATION** | | | | | | | | | | | | | | | | | |
| | | Adjacent Collocation-Space Charge per Sq. Ft. | | | CLOAC | PE1JA | 0.0656 | | | | | | | | | | |
| | | Adjacent Collocation-Electrical Facility Charge per Linear Ft. | | | CLOAC | PE1JC | 5.53 | | | | | | | | | | |
| | | Adjacent Collocation-2-Wire Cross-Connects | | | UEANL,UEQ,UEA,UCL, UAL, UHL, UDN | PE1JE | 0.34 | 11.12 | 10.18 | 11.33 | 10.23 | | | 1.77 | 1.77 | 1.12 | 1.12 |
| | | Adjacent Collocation-4-Wire Cross-Connects | | | UEA,UHL,UDL,UCL | PE1JF | 0.33 | 11.30 | 10.31 | 11.62 | 10.44 | | | 1.77 | 1.77 | 1.12 | 1.12 |
| | | Adjacent Collocation-DS1 Cross-Connects | | | USL | PE1JG | 1.70 | 28.39 | 16.88 | 11.65 | 10.54 | | | 1.77 | 1.77 | 1.12 | 1.12 |
| | | Adjacent Collocation-DS3 Cross-Connects | | | UE3 | PE1JH | 19.03 | 26.23 | 15.51 | 13.40 | 10.77 | | | 1.77 | 1.77 | 1.12 | 1.12 |
| | | Adjacent Collocation-2-Fiber Cross-Connect | | | CLOAC | PE1JJ | 3.49 | 26.23 | 15.51 | 13.41 | 10.78 | | | 1.77 | 1.77 | 1.12 | 1.12 |
| | | Adjacent Collocation-4-Fiber Cross-Connect | | | CLOAC | PE1JK | 6.50 | 29.75 | 19.02 | 17.60 | 14.97 | | | 1.77 | 1.77 | 1.12 | 1.12 |
| | | Adjacent Collocation-Application Fee | | | CLOAC | PE1JB | | 2,973.00 | | 0.95 | | | | | | | |
| | | Adjacent Collocation-120V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JL | 5.81 | | | | | | | | | | |
| | | Adjacent Collocation-240V, Single Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JM | 11.64 | | | | | | | | | | |
| | | Adjacent Collocation-120V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JN | 17.45 | | | | | | | | | | |
| | | Adjacent Collocation-277V, Three Phase Standby Power Rate per AC Breaker Amp | | | CLOAC | PE1JO | 40.30 | | | | | | | | | | |
| | **NOTE: Rates displaying an "I" in the interim column are interim as a result of a Commission order.** | | | | | | | | | | | | | | | | |

# Attachment 5

# Access to Numbers and Number Portability

# TABLE OF CONTENTS

## ACCESS TO NUMBERS AND NUMBER PORTABILITY

### 1. NON-DISCRIMINATORY ACCESS TO TELEPHONE NUMBERS

1.1 During the term of this Agreement, where BWFN is utilizing its own switch, BWFN shall contact the North American Numbering Plan Administrator (NANPA), or, where applicable, the relevant Number Pool Administrator for the assignment of numbering resources.

1.2 Where BellSouth provides local switching or resold services to BWFN, BellSouth will provide BWFN with online access to available telephone numbers as defined by applicable FCC rules and regulations on a first come first served basis. BWFN acknowledges that such access to numbers shall be in accordance with the appropriate FCC rules and regulations. BWFN may designate up to a forecasted six (6) months supply of available numbers as intermediate (an available number provided to BWFN) telephone numbers per rate center if the following conditions are met:

1.2.1 BWFN must: (1) indicate that all of the intermediate numbers currently held by BWFN in each rate center where BWFN will be requesting intermediate telephone numbers have six (6) or less months to exhaust; (2) supply projected monthly telephone number demand on a rate center basis for the coming twelve (12) months for each rate center where BWFN will be requesting intermediate telephone numbers; and, (3) demonstrate that the utilization level on current intermediate numbers held by BWFN in the rate center where BWFN is requesting telephone numbers has reached at least 75%.

1.2.2 The above information will be provided by BWFN by submitting to BellSouth a fully completed "CO Code Assignments Months To Exhaust Certification Worksheet – TN Level" (MTE Worksheet), Appendix B to the Central Office Code (NXX) Assignments Guidelines, INC 95-0407-008 for each rate center where BWFN will be requesting intermediate telephone numbers. The utilization level is calculated by dividing all intermediate numbers currently assigned by BWFN to End Users by the total number of intermediate numbers held by BWFN in the rate center and multiplying the result by one hundred (100).

1.2.3 If fulfilling BWFN's request for intermediate numbers results in BellSouth having to submit a request for additional telephone numbers to a national numbering administrator (either NANPA CO Code Administration or NeuStar Pooling Administration or their successors), BellSouth will submit the required numbering request to the national numbering administrator to satisfy BWFN's request for intermediate numbers. BellSouth will also pursue all appropriate steps (including submitting a safety valve request (petition) to the appropriate Commission if the numbering request is denied by the national administrator) to satisfy BWFN's request for intermediate numbers. In these cases, BellSouth is not obligated to

fulfill the request by BWFN for intermediate numbers unless, and until, BellSouth's request for additional numbering resources is granted.

1.2.4 BWFN agrees to supply supporting information for any numbering request and/or safety valve request that BellSouth files pursuant to Section 1.2.3above.

1.3 BWFN acknowledges that there may be instances where there is an industry shortage of available telephone numbers in a number plan area (NPA). These instances occur where a jeopardy status has been declared by NANPA and the industry has determined that limiting the assignment of new numbers is the appropriate method to employ until the jeopardy can be alleviated. In such NPA jeopardy situations where assignment of new numbers is restricted per the jeopardy guidelines developed by the industry, BellSouth may request that BWFN cancel all or a portion of its unassigned intermediate numbers. BWFN's consent to BellSouth's request shall not be unreasonably withheld.

## 2. LOCAL NUMBER PORTABILITY (LNP)

2.1 The Parties will offer LNP in accordance with rules, regulations and guidelines adopted by the Commission, the FCC and industry forums.

2.2 Service Management System (SMS) Administration. The Parties will work cooperatively with other local service providers to establish and maintain contracts for the LNP SMS.

2.3 Network Architecture. The Parties agree to adhere to applicable FCC rules and orders governing LNP network architecture.

2.4 Signaling. In connection with LNP, each Party agrees to use SS7 signaling in accordance with applicable FCC rules and orders.

2.5 N-1 Query. The Parties agree to adhere to applicable FCC rules and orders governing LNP N-1 queries.

2.6 Porting of Reserved Numbers and Suspended Lines. End Users of each Party may port numbers, via LNP, that are in a denied state or that are on suspend status. In addition, End Users of each Party may port reserved numbers that the End User has paid to reserve. Portable reserved numbers are identified on the Customer Service Record (CSR). In anticipation of porting from one Party to the other Party, a Party's End User may reserve additional telephone numbers and include them with the numbers that are subsequently ported to the other Party. It is not necessary to restore a denied number before it is ported.

2.7 Splitting of Number Groups. The Parties shall permit blocks of subscriber numbers (including, but not limited to, Direct Inward Dial (DID) numbers and MultiServ groups) to be split in connection with an LNP request. BellSouth and BWFN shall permit End Users who port a portion of DID numbers to retain DID service on the remaining portion of numbers. If a Party requests porting a range of DID numbers smaller than a whole block, that Party shall pay the applicable

charges for doing so as set forth in Attachment 2 of this Agreement. In the event no rate is set forth in Attachment 2, then the Parties shall negotiate a rate for such services.

2.8 The Parties will set Location Routing Number (LRN) unconditional or 10-digit triggers where applicable. Where triggers are set, the porting Party will remove the ported number at the same time the trigger is removed.

2.9 A trigger order is a service order issued in advance of the porting of a number. A trigger order 1) initiates call queries to the AIN SS7 network in advance of the number being ported; and 2) provides for the new service provider to be in control of when a number ports.

2.10 Where triggers are not set, the Parties shall coordinate the porting of the number between service providers so as to minimize service interruptions to the End User.

2.11 BellSouth and BWFN will work cooperatively to implement changes to LNP process flows ordered by the FCC or as recommended by standard industry forums addressing LNP.

2.12 Where BWFN utilizes BellSouth's LNP Query Service, BellSouth shall bill and BWFN shall pay the query charge associated with LNP Query Service as set forth in Attachment 2. To receive the LNP Query Service charge set forth in Attachment 2, BWFN shall fill out and submit the Interconnection data sheet for BellSouth LNP Query Service. The form can be obtained on www.interconnection.bellsouth.com under BellSouth LNP Query Service and click on forms. Once the form has been filled out and submitted the LNP Query charge will take effect on the approved date. This charge is not subject to the resale discount set forth in Attachment 1.

## 3. OSS RATES

3.1 The terms, conditions and rates for OSS utilized in connection with LNP are as set forth in Exhibit A of Attachment 2.

## 4. LNP IN CONJUNCTION WITH LOCAL SWITCHING

4.1 Where BWFN purchases local switching from BellSouth, the Parties shall adhere to the following processes:

4.2 When BWFN submits an LSR for services, if the telephone number associated with the services requested resides in a switch other than BellSouth's, then BellSouth will submit an LNP LSR to the appropriate switch owner. BWFN shall be responsible for reimbursing BellSouth for any costs or charges imposed on BellSouth by the switch owner resulting from the submission of the LNP LSR. In addition, BWFN shall pay to BellSouth the manual service order charges, or electronic service order charges as specified in Exhibit A of Attachment 2 for BellSouth's creation and submission of the LNP LSR to the appropriate switch owner.

4.3 Working telephone numbers, telephone numbers for which payment has been made to reserve and telephone numbers that are in a denied state (but not disconnected) or suspended status may be subject to porting.

# Attachment 6

# Pre-Ordering, Ordering, Provisioning, Maintenance and Repair

## TABLE OF CONTENTS

## PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

### 1. QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

1.1 BellSouth shall provide to BWFN nondiscriminatory access to its Operations Support Systems (OSS) and the necessary information contained therein in order that BWFN can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide BWFN with all relevant documentation (manuals, user guides, specifications, etc.) regarding business rules and other formatting information as well as practices and procedures necessary to ensure requests are efficiently processed. All documentation will be readily accessible at BellSouth's Interconnection Web site and is incorporated herein by reference. BellSouth shall ensure that its OSS are designed to accommodate requests for both current and projected demands of BWFN and other CLECs in the aggregate.

### 2. ACCESS TO OPERATIONS SUPPORT SYSTEMS

2.1 BellSouth shall provide BWFN nondiscriminatory access to its OSS and the necessary information contained therein in order that BWFN can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide nondiscriminatory access to the OSS through manual and/or electronic interfaces as described in this Attachment. It is the sole responsibility of BWFN to obtain the technical capability to access and utilize BellSouth's OSS interfaces. Specifications for BWFN's access and use of BellSouth's electronic interfaces are set forth at BellSouth's Interconnection Web site and are incorporated herein by reference.

2.1.1 BWFN agrees to comply with the provisions of the OSS Interconnection Volume Guidelines as set forth at BellSouth's Interconnection Web site, and incorporated herein by reference as amended from time to time.

2.2 Pre-Ordering. In accordance with FCC and Commission rules and orders, BellSouth will provide electronic access to its OSS and the information contained therein in order that BWFN can perform the following pre-ordering functions: service address validation, telephone number selection, service and feature availability, due date information, customer record information and loop makeup information. Mechanized access is provided by electronic interfaces whose specifications for access and use are set forth at BellSouth's Interconnection Web site and are incorporated herein by reference. The process by which BellSouth and BWFN will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described in Section 2.6 below. BWFN shall provide to BellSouth access to customer record information, including circuit numbers associated with each

telephone number where applicable. BWFN shall provide such information within four (4) hours after request via electronic access where available. If electronic access is not available, BWFN shall provide to BellSouth paper copies of customer record information, including circuit numbers associated with each telephone number where applicable. If BellSouth requests the information before noon, the customer record information shall be provided the same day. If BellSouth requests the information after noon, the customer record information shall be provided by noon the following day.

2.2.1 The Parties agree not to view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission. BWFN will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the state in which the service is provided. BellSouth reserves the right to audit BWFN's access to customer record information. If a BellSouth audit of BWFN's access to customer record information reveals that BWFN is accessing customer record information without having obtained the proper End User authorization, BellSouth upon reasonable notice to BWFN may take corrective action, including but not limited to suspending or terminating BWFN's electronic access to BellSouth's OSS functionality. All such information obtained through an audit shall be deemed Information covered by the Proprietary and Confidential Information section in the General Terms and Conditions.

2.3 Ordering. BellSouth will make available to BWFN electronic interfaces for the purpose of exchanging order information, including order status and completion notification, for non-complex and certain complex resale requests and certain network elements. Specifications for access and use of BellSouth's electronic interfaces are set forth at BellSouth's Interconnection Web site and are incorporated herein by reference as they are amended from time to time. The process by which BellSouth and BWFN will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below.

2.3.1 BWFN shall place orders for services by submitting a LSR to BellSouth. BellSouth shall bill BWFN an electronic service order charge at the rate set forth in the applicable Attachment to this Agreement for each LSR submitted by means of an electronic interface. BellSouth shall bill BWFN a manual service order charge at the rate set forth in the applicable Attachment to this Agreement for each LSR submitted by means other than the electronic Interfaces (e.g. mail, fax, courier, etc.). An individual LSR will be identified for billing purposes by its PON.

2.3.1.1 BWFN may submit an LSR to request that an End User's service be temporarily suspended, denied, or restored. Alternatively, BWFN may submit a list of such End Users if BWFN provides a separate PON for each location on the list. BellSouth will bill an electronic or manual service order charge for each location.

2.3.1.2 BellSouth will bill the electronic or manual service order charge, as applicable, for an LSR, regardless of whether that LSR is later supplemented, clarified or cancelled. Notwithstanding the foregoing, if the electronic interface is not available for submitting service orders and it is not during a previously noticed or scheduled maintenance window, the electronic service order charge shall apply.

2.3.1.3 Notwithstanding the foregoing, BellSouth will not bill an additional electronic or manual service order charge for supplements to any LSR submitted to clarify, correct, change or cancel a previously submitted LSR.

2.4 Provisioning. BellSouth shall provision services during its regular working hours. To the extent BWFN requests provisioning of service to be performed outside BellSouth's regular working hours, or the work so requested requires BellSouth's technicians or project managers to work outside of regular working hours, overtime charges set forth in BellSouth's intrastate Access Services Tariff, Section E13.2, shall apply. Notwithstanding the foregoing, if such work is performed outside of regular working hours by a BellSouth technician or project manager during his or her scheduled shift and BellSouth does not incur any overtime charges in performing the work on behalf of BWFN, BellSouth will not assess BWFN additional charges beyond the rates and charges specified in this Agreement.

2.4.1 In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by BWFN (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill BWFN for each additional dispatch required to provision the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No. 1 Tariff, Section 13.3.1.

2.4.2 Cancellation Charges. If BWFN cancels an LSR for network elements or resold services, any costs incurred by BellSouth in conjunction with the provisioning of that request will be recovered in accordance with BellSouth's Private Line Services Tariff or BellSouth's FCC No. 1 Tariff, Section 5.4, as applicable.

2.4.2.1 Notwithstanding the foregoing, if BWFN places an LSR based upon BellSouth's loop makeup information, and such information is inaccurate resulting in the inability of BellSouth to provision the network elements requested and another spare compatible facility cannot be found with the transmission characteristics of the network elements originally requested, cancellation charges described in this Section shall not apply. Where BWFN places a single LSR for multiple network elements or services based upon loop makeup information, and information as to some, but not all, of the network elements or services is inaccurate, if BellSouth cannot provision the network elements or services that were the subject of the inaccurate loop makeup information, BWFN may cancel its request for those network elements or services without incurring cancellation charges as described in

this Section. In such instance, should BWFN elect to cancel the entire LSR, cancellation charges as described in this Section shall apply to those elements and services that were not the subject of inaccurate loop makeup.

2.4.3 Service Date Advancement Charges (Expedites). For Service Date Advancement requests by BWFN, Service Date Advancement charges will apply for intervals less than the standard interval as outlined in the BellSouth Product and Services Interval Guide. The charges as outlined in Exhibit A of Attachment 2 will apply.

2.4.4 Order Modification Charges. If BWFN modifies an order after being sent a Firm Order Confirmation (FOC) from BellSouth, the Order Modification Charge (OMC) or Order Modification Charge Additional Dispatch (OMCAD) will be paid by BWFN in accordance with Exhibit A of Attachment 2.

2.5 Maintenance and Repair. BellSouth will make available to BWFN electronic interfaces for the purpose of reporting and monitoring service troubles. Specifications for access and use of BellSouth's maintenance and repair electronic interfaces are set forth at BellSouth's Interconnection Web site and are incorporated herein by reference. The process by which BellSouth and BWFN will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below. Requests for trouble repair are billed in accordance with the provisions of this Agreement. BellSouth and BWFN agree to adhere to BellSouth's Operational Understanding, as amended from time to time during this Agreement and as incorporated herein by reference. The Operational Understanding may be accessed via BellSouth's Interconnection Web site.

2.5.1 If BWFN reports a trouble on a Network Element or Other Service and no trouble actually exists on the BellSouth portion, BellSouth will charge BWFN for any dispatching and testing (both inside and outside the Central Office (CO)) required by BellSouth in order to confirm the working status. If within thirty (30) days of the original trouble report a subsequent trouble report is received by BellSouth reporting the identical trouble conditions, and BellSouth determines the source of the trouble to be within the BellSouth Network, BWFN may use the Billing Dispute Resolution process to recover the associated Maintenance of Services charges that were applied since the original report date for this circuit or line.

2.5.2 In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by BWFN (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill BWFN for each additional dispatch required to repair the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No. 1 Tariff, Section 13.3.1.

2.6 Billing. BellSouth will provide BWFN nondiscriminatory access to billing information as specified in Attachment 7.

2.7 Change Management. BellSouth and BWFN agree that the collaborative change management process known as the Change Control Process (CCP) will be used to manage changes to existing interfaces, introduction of new interfaces and retirement of interfaces. BellSouth and BWFN agree to comply with the provisions of the documented CCP as may be amended from time to time and incorporated herein by reference. The CCP will cover changes to BellSouth's electronic interfaces, BellSouth's testing environment, associated manual process improvements, and relevant documentation. The process will define a procedure for resolution of change management disputes. Documentation of the CCP as well as related information and processes will be clearly organized and readily accessible to BWFN at BellSouth's Interconnection Web site.

2.8 Rates. Unless otherwise specified herein, charges for the use of BellSouth's OSS and other charges applicable to pre-ordering, ordering, provisioning and maintenance and repair, shall be at the rates set forth in the applicable Attachment of this Agreement.

2.9 The Commissions in some states have ordered per element manual additive nonrecurring charges (NRC) for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per element charges are listed in Exhibit A of Attachment 2.

## 3. MISCELLANEOUS

3.1 Pending Orders. To the extent that BWFN submits an LSR with incomplete, incorrect or conflicting information, BellSouth will return the LSR to BWFN for clarification. BWFN shall respond to the request for clarification within thirty (30) days by submitting a supplemental LSR. If BWFN does not submit a supplement LSR within thirty (30) days, BellSouth will cancel the original LSR and BWFN shall be required to submit a new LSR, with a new PON.

3.2 Single Point of Contact. BWFN will be the single point of contact with BellSouth for ordering activity for network elements and other services used by BWFN to provide services to its End Users, except that BellSouth may accept a request directly from another CLEC, or BellSouth, acting with authorization of the affected End User. BWFN and BellSouth shall each execute a blanket letter of authorization with respect to customer requests so that prior proof of End User authorization will not be necessary with every request (except in the case of a local service freeze). The Parties shall each be entitled to adopt their own internal processes for verification of customer authorization for requests, provided, however, that such processes shall comply with applicable state and federal law and industry and regulatory guidelines. Pursuant to a request from another carrier, BellSouth may disconnect any network element being used by BWFN to provide service to that End User and may reuse such network elements or facilities to

enable such other carrier to provide service to the End User. BellSouth will notify BWFN that such a request has been processed but will not be required to notify BWFN in advance of such processing.

3.2.1 Neither BellSouth nor BWFN shall prevent or delay an End User from migrating to another carrier because of unpaid bills, denied service, or contract terms.

3.2.2 The Parties shall return a FOC and LSR rejection/clarification in accordance with the intervals specified in Attachment 9.

3.2.3 Use of Facilities. When an End User of BWFN elects to discontinue service and to transfer service to another local exchange carrier, including BellSouth, BellSouth shall have the right to reuse the facilities provided to BWFN by BellSouth. In addition, where BellSouth provides local switching, BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received a request to establish new service or transfer service from an End User or from a CLEC. BellSouth will notify BWFN that such a request has been processed after the disconnect order has been completed.

3.3 Contact Numbers. The Parties agree to provide one another with toll-free nation-wide (50 states) contact numbers for the purpose of ordering, provisioning and maintenance of services. Contact numbers for maintenance/repair of services shall be staffed 24 hours per day, 7 days per week. BellSouth will close trouble tickets after making a reasonable effort to contact BWFN for authorization to close a ticket. BellSouth will place trouble tickets in delayed maintenance status after making a reasonable effort to contact BWFN to request additional information or to request authorization for additional work deemed necessary by BellSouth.

3.4 Subscription Functions. In cases where BellSouth performs subscription functions for an IXC (i.e. PIC and LPIC changes via Customer Account Record Exchange (CARE)), BellSouth will in all possible instances provide the affected IXCs with the OCN of the local provider for the purpose of obtaining End User billing account and other End User information required under subscription requirements.

3.4.1 When BWFN's End User, served by resale or loop and port combinations, changes its PIC or LPIC, and per BellSouth's FCC or state tariff the IXC elects to charge the End User the PIC or LPIC change charge, BellSouth will bill the PIC or LPIC change charge to BWFN, which has the billing relationship with that End User, and BWFN may pass such charge to the End User.

# Attachment 7

# Billing

# TABLE OF CONTENTS

# BILLING

## 1. PAYMENT AND BILLING ARRANGEMENTS

The terms and conditions set forth in this Attachment shall apply to all services ordered and provisioned pursuant to this Agreement.

1.1 BellSouth will bill through the Carrier Access Billing System (CABS), Integrated Billing System (IBS) and/or the Customer Records Information Systems (CRIS) depending on the particular service(s) provided to BWFN under this Agreement. BellSouth will format all bills in CABS Billing Output Specification (CBOS) Standard or CLUB/EDI format, depending on the type of service provided. For those services where standards have not yet been developed, BellSouth's billing format may change in accordance with applicable industry standards.

1.1.1 For any service(s) BellSouth receives from BWFN, BWFN shall bill BellSouth in CBOS format.

1.1.2 Any switched access charges associated with interexchange carrier access to the resold local exchange lines will be billed by, and due to BellSouth.

1.1.3 BellSouth will render bills each month on established bill days for each of BWFN's accounts. If either Party requests multiple billing media or additional copies of the bills, the billing Party will provide these at the rates set forth in BellSouth's FCC No. 1 Tariff, Section 13.3.6.3, except for resold services which shall be at the rates set forth in BellSouth's Non-Regulated Services Pricing List N6.

1.1.4 BellSouth will bill BWFN in advance for all services to be provided during the ensuing billing period except charges associated with service usage and nonrecurring charges, which will be billed in arrears.

1.1.4.1 For resold services, charges for services will be calculated on an individual End User account level, including, if applicable, any charge for usage or usage allowances. BellSouth will also bill BWFN, and BWFN will be responsible for and remit to BellSouth, all charges applicable to said services including but not limited to 911 and E911 charges, End Users common line charges, federal subscriber line charges, telecommunications relay charges, and franchise fees, unless otherwise ordered by a Commission.

1.1.5 BellSouth will not perform billing and collection services for BWFN as a result of the execution of this Agreement.

1.2 Establishing Accounts. After submitting a credit profile and deposit, if required, and after receiving certification as a local exchange carrier from the appropriate Commission, BWFN will provide the appropriate BellSouth advisory team/local contract manager the necessary documentation to enable BellSouth to establish accounts for Local Interconnection, Network Elements and Other Services and/or

resold services. Such documentation shall include the Application for Master Account, if applicable, proof of authority to provide telecommunications services, the appropriate Operating Company Numbers (OCN) for each state as assigned by the National Exchange Carriers Association (NECA), Carrier Identification Code (CIC), if applicable, Access Customer Name and Abbreviation (ACNA), if applicable, Blanket Letter of Authorization (LOA), Misdirected Number form, and a tax exemption certificate, if applicable. Notwithstanding anything to the contrary in this Agreement, BWFN may not order services under a new account established in accordance with this Section 1.2 until thirty (30) days after all information specified in this Section 1.2 is received from BWFN.

1.2.1 Company Identifiers. If BWFN needs to change, add to, eliminate or convert its OCN(s), ACNAs and other identifying codes (collectively "Company Identifiers") under which it operates when BWFN has already been conducting business utilizing those Company Identifiers, BWFN shall pay all charges as a result of such change, addition, elimination or conversion to the new Company Identifiers. Such charges include, but are not limited to, all time required to make system updates to all of BWFN's End User records and any other changes to BellSouth systems or BWFN records, and will be handled in a separately negotiated agreement or as otherwise agreed to by the Parties.

1.2.2 Tax Exemption. It is the responsibility of BWFN to provide BellSouth with a properly completed tax exemption certificate at intervals required by the appropriate taxing authorities. A tax exemption certificate must be supplied for each individual BWFN entity purchasing Services under this Agreement. Upon BellSouth's receipt of a properly completed tax exemption certificate, subsequent billings to BWFN will not include those taxes or fees from which BWFN is exempt. Prior to receipt of a properly completed exemption certificate, BellSouth shall bill, and BWFN shall pay all applicable taxes and fees. In the event that BWFN believes that it is entitled to an exemption from and refund of taxes with respect to the amount billed prior to BellSouth's receipt of a properly completed exemption certificate, BellSouth shall assign to BWFN its rights to claim a refund of such taxes. If applicable law prohibits the assignment of tax refund rights or requires the claim for refund of such taxes to be filed by BellSouth, BellSouth shall, after receiving a written request from BWFN and at BWFN's sole expense, pursue such refund claim on behalf of BWFN, provided that BWFN promptly reimburses BellSouth for any costs and expenses incurred by BellSouth in pursuing such refund claim, and provided further that BellSouth shall have the right to deduct any such outstanding costs and expenses from the amount of any refund obtained prior to remitting such refund to BWFN. BWFN shall be solely responsible for the computation, tracking, reporting and payment of all taxes and fees associated with the services provided by BWFN to its End Users.

1.3 Deposit Policy. Prior to the inauguration of service or, thereafter, upon BellSouth's request, BWFN shall complete the BellSouth Credit Profile (BellSouth form) and provide information to BellSouth regarding BWFN's credit and financial

condition. Based on BellSouth's analysis, which analysis shall be performed in a commercially reasonable manner, of the BellSouth Credit Profile and other relevant information regarding BWFN's credit and financial condition, BellSouth reserves the right to require BWFN to provide BellSouth with a suitable form of security deposit for BWFN's account(s). If, in BellSouth's reasonable business judgment, circumstances so warrant and/or BWFN's gross monthly billing has increased significantly, BellSouth reserves the right to request additional security (or to require a security deposit if none was previously requested). In determining an adverse material change, BellSouth may evaluate factors such as payment history with suppliers, bank relationships, audited financial statement ratios, years in business, management history, number of liens, suits or judgments and pay history with BellSouth. Such adverse material changes may not be measured based upon changes that alone would not be deemed material.

1.3.1 Security deposit shall take the form of cash, an Irrevocable Letter of Credit (BellSouth form), Surety Bond (BellSouth form) or, in BellSouth's sole discretion, some other form of security proposed by BWFN. Any such security deposit shall in no way release BWFN from its obligation to make complete and timely payments of its bill(s). If BellSouth requires BWFN to provide a security deposit, BWFN shall provide such security deposit prior to the inauguration of service or within fifteen (15) days of BellSouth's request, as applicable, or as otherwise agreed to by the Parties. Deposit request notices will be sent to BWFN via certified mail or overnight delivery. Such notice period will start the day after the deposit request notice is rendered by certified mail or overnight delivery. Interest on a cash security deposit shall accrue and be applied or refunded in accordance with the terms in BellSouth's GSST.

1.3.2 If BWFN establishes a consecutive twelve (12) month prompt payment history and then requests BellSouth to review BWFN's credit risk status which indicates that BWFN is no longer a credit risk, or if this Agreement is terminated, the deposit, plus accrued interest to a cash deposit, if applicable, will be applied to BWFN's account. Notwithstanding the foregoing, in the event that BellSouth is holding a security deposit under this Agreement at the time the Parties enter into a Subsequent Agreement containing a provision for payment of deposits, BellSouth may continue to hold the deposit in accordance with such terms in the Subsequent Agreement.

1.3.3 Security deposits collected under this Section 1.3 shall not exceed two (2) months' estimated billing. Estimated billings are calculated based upon the monthly average of the previous six (6) months current billings, if BWFN has received service from BellSouth during such period at a level comparable to that anticipated to occur over the next six (6) months. If either BWFN or BellSouth has reason to believe that the level of service to be received during the next six (6) months will be materially higher or lower than received in the previous six (6) months, BWFN and BellSouth shall agree on a level of estimated billings based on all relevant information.

1.3.4 In the event BWFN fails to provide BellSouth with a suitable form of security deposit or additional security deposit as required herein, defaults on its account(s), or otherwise fails to make any payment or payments required under this Agreement in the manner and within the time required, service to BWFN may be Suspended, Discontinued or Terminated in accordance with the terms of Section 1.5 below. Upon Termination of services, BellSouth shall apply any security deposit to BWFN's final bill for its account(s).

1.3.4.1 At least seven (7) days prior to the expiration of any letter of credit provided by BWFN as security under this Agreement, BWFN shall renew such letter of credit or provide BellSouth with evidence that BWFN has obtained a suitable replacement for the letter of credit. If BWFN fails to comply with the foregoing, BellSouth shall thereafter be authorized to draw down the full amount of such letter of credit and utilize the cash proceeds as security for BWFN accounts(s). If BWFN provides a security deposit or additional security deposit in the form of a surety bond as required herein, BWFN shall renew the surety bond or provide BellSouth with evidence that BWFN has obtained a suitable replacement for the surety bond at least seven (7) days prior to the cancellation date of the surety bond. If BWFN fails to comply with the foregoing, BellSouth shall thereafter be authorized to take action on the surety bond and utilize the cash proceeds as security for BWFN's account(s). If the credit rating of any bonding company that has provided BWFN with a surety bond provided as security hereunder has fallen below B, BellSouth will provide written notice to BWFN that BWFN must provide a replacement bond or other suitable security within fifteen (15) days of BellSouth's written notice. If BWFN fails to comply with the foregoing, BellSouth shall thereafter be authorized to take action on the surety bond and utilize the cash proceeds as security for BWFN's account(s). Notwithstanding anything contained in this Agreement to the contrary, BellSouth shall be authorized to draw down the full amount of any letter of credit or take action on any surety bond provided by BWFN as security hereunder if BWFN defaults on its account(s) or otherwise fails to make any payment or payments of undisputed amounts as required under this Agreement in the manner and within the time, as required herein.

1.4 Payment Responsibility. Payment of all charges will be the responsibility of BWFN. BWFN shall pay invoices by utilizing wire transfer services, automatic clearing house services or as otherwise agreed by the Parties. BWFN shall make payment to BellSouth for all services billed excluding disputed amounts. BellSouth will not become involved in billing disputes that may arise between BWFN and BWFN's End User.

1.4.1 Payment Due. Payment for services provided by BellSouth, excluding disputed charges, is due on or before the next bill date, i.e., the same date in the following month as the bill date and is payable in immediately available funds. Information required to apply payments must accompany the payment. The BWFN payment information must notify BellSouth of Billing Account Numbers (BAN) paid;

invoices paid and the amount to be applied to each BAN and invoice (Remittance Information). Payment is considered to have been made when the payment and Remittance Information are received by BellSouth. If the Remittance Information is not received with payment, BellSouth will be unable to apply amounts paid to BWFN's accounts. In such event, BellSouth shall hold such funds until the Remittance Information is received. If BellSouth does not receive the Remittance Information by the payment due date for any account(s), late payment charges shall apply.

1.4.1.1 Due Dates. If the payment due date falls on a Sunday or on a holiday that is observed on a Monday, the payment due date shall be the first non-holiday day following such Sunday or holiday. If the payment due date falls on a Saturday or on a holiday which is observed on Tuesday, Wednesday, Thursday, or Friday, the payment due date shall be the last non-holiday day preceding such Saturday or holiday. If payment of all charges is not received by the payment due date, a late payment charge, as set forth in Section 1.4.1.2, below, shall apply.

1.4.1.2 Late Payment. If any portion of the payment is not received by either Party on or before the payment due date as set forth preceding, or if any portion of the payment is received by the billing Party in funds that are not immediately available to the billing Party, then a late payment and/or interest charge shall be due to the billing Party. The late payment and/or interest charge shall apply to the portion of the payment not received and shall be assessed as provided herein by the billing Party. BellSouth shall assess late payment and/or interest charges as set forth in Section A2 of the GSST, Section B2 of the PLST or Section E2 of the Intrastate Access Tariff, or pursuant to the applicable state law as determined by BellSouth. BWFN shall assess late payment and/or interest charges at the higher of (i) one and one-half percent (1½ %) per month or (ii) the highest interest allowed by law. In addition to any applicable late payment and/or interest charges, the billing Party may charge a fee for all returned checks at the rate pursuant to the applicable state law.

1.4.1.2.1 Notwithstanding the above, services billed from BellSouth's CABS billing system will not accrue late payment charges on disputed amounts while the dispute is pending resolution in accordance with the dispute resolution process in Section 2.

1.5 Discontinuing Service to BWFN. The procedures for discontinuing service to BWFN are as follows:

1.5.1 In order of severity, Suspend/Suspension, Discontinue/Discontinuance and Terminate/Termination are defined as follows for the purposes of this Attachment:

1.5.1.1 Suspend/Suspension is the temporary restriction of the billed Party's access to the ordering systems and/or access to the billed Party's ability to initiate PIC-related changes. In addition, during Suspension, pending orders may not be completed and orders for new service or changes to existing services may not be accepted.

1.5.1.2 Discontinue/Discontinuance is the denial of service by the billing Party to the billed Party that will result in the disruption and discontinuation of service to the billed Party's End Users or customers. Additionally, at the time of Discontinuance, BellSouth will remove any Local Service Freezes in place on the billed Party's End Users.

1.5.1.3 Terminate/Termination is the disconnection of service by the billing Party to the billed Party.

1.5.2 BellSouth reserves the right to Suspend, Discontinue or Terminate service in the event of prohibited, unlawful or improper use of BellSouth facilities or service, abuse of BellSouth facilities, or any other violation or noncompliance by BWFN of the rules and regulations of BellSouth's tariffs.

1.5.3 Suspension. If payment of undisputed amounts due as described herein is not received by the bill date in the month after the original bill date, i.e., the same date in the following month as the original bill date, or as required in Section 1.3 in the case of security deposits, BellSouth will provide written notice to BWFN that services will be Suspended if payment of such undisputed amounts, and all other undisputed amounts that become past due before Suspension, is not received by wire transfer, automatic clearing house or cashier's check in the manner set forth in Section 1.4.1 above, or in the case of a security deposit request, in the manner set forth in Section 1.3.1: (1) within seven (7) days following such notice for CABS billed services; (2) within fifteen (15) days following such notice for CRIS and IBS billed services; and (3) within seven (7) days following such notice for security deposit requests.

1.5.3.1 The Suspension notice shall also provide that all past due charges for CRIS and IBS billed services, and all other amounts that become past due for such services before Discontinuance, must be paid within thirty (30) days from the date of the Suspension notice to avoid Discontinuance of CRIS and IBS billed services.

1.5.3.2 For CABS billed services, BellSouth will provide a Discontinuance notice that is separate from the Suspension notice, that all past due undisputed charges for CABS billed Services, and all other undisputed amounts that become past due for such services before Discontinuance, must be paid within thirty (30) days from the date of the Suspension notice to avoid Discontinuance of CABS billed services. This Discontinuance notice may be provided at the same time that BellSouth provides the Suspension notice.

1.5.4 Discontinuance. If payment of undisputed amounts due as described herein is not received by the due date, i.e., the same date in the following month as the original bill date, BellSouth will provide written notice that BellSouth may Discontinue the provision of existing services to BWFN if payment of such undisputed amounts, and all other undisputed amounts that become past due before Discontinuance, including requested security deposits, is not received by wire transfer, automatic

clearing house or cashier's check in the manner set forth in Section 1.4.1 above or in the case of a deposit in accordance with Section 1.3.1, within thirty (30) days following such written notice; provided, however, that BellSouth may provide written notice that such existing services may be Discontinued within fifteen (15) days following such notice, subject to the criteria described in Section 1.5.5.

1.5.5 BellSouth may take the action to Discontinue the provision of existing service upon fifteen (15) days from the day after BellSouth provides written notice of such Discontinuance if (a) such notice is sent by certified mail or overnight delivery; (b) BWFN has not paid all amounts due pursuant to a subject bill(s), or has not provided adequate security pursuant to a deposit request; and (c) either:

(1) BellSouth has sent the subject bill(s) to BWFN within (7) business days of the bill date(s), verifiable by records maintained by BellSouth:

i. in paper or CDROM form via the United States Postal Service (USPS), or
ii. in magnetic tape form via overnight delivery, or
iii. via electronic transmission; or

(2) BellSouth has sent the subject bill(s) to BWFN, using one of the media described in (1) above, more than thirty (30) days before notice to Discontinue service has been rendered.

1.5.6 In the case of Discontinuance of services, all undisputed past due billed charges, as well as applicable disconnect charges, shall become due.

1.5.7 BWFN is solely responsible for notifying the End User of the Discontinuance of service. If, within seven (7) days after BWFN's services have been Discontinued, BWFN pays, by wire transfer, automatic clearing house or cashier's check, all past due undisputed past due charges, including late payment charges, outstanding security deposit request amounts if applicable and any applicable restoral charges as set forth in Section A4 of the GSST, then BellSouth will reestablish service for BWFN.

1.5.7.1 Termination. If within seven (7) days after BWFN's service has been Discontinued and BWFN has failed to pay all past due charges as described above, then BWFN's service will be Terminated.

1.6 Notices. Notwithstanding anything to the contrary in this Agreement, all bills and notices regarding billing matters, disconnection of services for nonpayment of charges, and rejection of additional orders from BWFN, shall be forwarded to the individual and/or address provided by BWFN in establishment of its billing account(s) with BellSouth, or to the individual and/or address subsequently provided by BWFN as the contact for billing. The notice of discontinuance of services purchased by BWFN under this Agreement provided for in Section 1.5.4

of this Attachment shall be sent via certified mail to the individual(s) listed in the Notices provision of the General Terms and Conditions of this Agreement.

## 2. BILLING DISPUTES

2.1 The Parties shall electronically submit all billing disputes to each other utilizing email or other mutually agreed upon electronic method. The Parties will utilize BellSouth's RF-1461 form or another mutually agreed upon format. In the event of a billing dispute, the Parties will endeavor to resolve the dispute within sixty (60) days of the notification date. Within ten (10) business days of the billing Party's denial, or partial denial, of the billing dispute, if the billed Party is not satisfied with the billing Party's resolution of the billing dispute or if no response to the billing dispute has been received by the billed Party by such sixtieth ($60^{th}$) day, the billed Party shall pursue the escalation process as outlined below.

2.1.1 If the billed Party has not received resolution of a billing dispute within sixty (60) days of the notification date, the billed Party will contact the billing Party's designated first level of escalation. That first level of escalation will commit to resolve the dispute within a mutually agreed upon interval.

2.1.2 If the billed Party receives a billing dispute resolution and is not satisfied with the billing Party's dispute resolution, the billed Party will initially contact the billing Party's representative who prepared the dispute response. After review of dispute with that representative, if the billed Party elects to pursue the dispute, they must utilize the escalation levels as provided by the billing Party. For BellSouth the escalation levels are in the Billing Dispute Escalation Matrix, set forth on BellSouth's Interconnection Services Web site. For BWFN the escalation will be to the next highest level of management up to the Chief Financial Officer. The billed Party will escalate disputes within ten (10) business days of denial or partial denial by the billing Party.

2.1.3 At each level of escalation, the billing Party's designated escalation contact will commit to respond to the billed Party's escalation within a mutually agreeable interval. If that commitment is not met, or if the response from that level of escalation does not satisfy the billed Party, if the billed Party elects to pursue the dispute, they must escalate within ten (10) business days to the billing Party's next highest level of escalation. If the billed Party does not elect to pursue the dispute by utilizing the escalation process, the billing Party's resolution will be considered as accepted by the billed Party and the dispute will be closed.

2.1.4 If after escalation, the Parties are unable to reach resolution, then the aggrieved Party, if it elects to pursue the dispute shall pursue the dispute resolution process in the General Terms and Conditions of this Agreement.

2.2 For purposes of this Section 2, a billing dispute means a reported dispute submitted pursuant to Section 2.1 of a specific amount of money actually billed by either Party. The billing dispute must be clearly explained by the disputing Party

and supported by written documentation, which clearly shows the basis for disputing charges. Disputes that are not clearly explained or those that do not provide complete information may be rejected by the billing Party including an explanation for the rejection. Claims by BWFN for damages of any kind will not be considered a billing dispute for purposes of this Section. If the Parties resolve the billing dispute, in whole or in part, in favor of the billed Party, any credits and interest due to the billed Party as a result thereof shall be applied to the billed Party's account by the billing Party upon resolution of the billing dispute. If the Parties resolve the billing dispute, in whole or in part, in favor of the billing Party, any payments and interest due to the billing Party as a result thereof shall be paid by the billed Party promptly.

## 3. REVENUE ACCOUNTING OFFICE (RAO) HOSTING

3.1 Centralized Message Distribution System (CMDS) is a national message exchange system administered by Telcordia Technologies (Telcordia) used to transmit alternately billed calls (e.g., credit card, third number and collect) from the Earning Company, as defined herein, to the Billing Company, as defined herein, to permit the Earning Company and the Billing Company to receive appropriate compensation. It is also used to transmit access records from one company to another.

3.2 Direct Participants are Telecommunications carriers that exchange data directly with other Direct Participants via the CMDS Data Center and may act as host companies (Host) for those Telecommunications carriers that do not exchange data directly via the CMDS Data Center (Indirect Participants).

3.3 Revenue Accounting Office (RAO) Hosting is a hosting relationship where an Indirect Participant sends and receives CMDS eligible messages to and from its Host, who then interfaces, on behalf of the Indirect Participant, with other Direct Participants for distribution and collection of these messages. RAO Hosting also includes the Direct Participant's provision of revenue settlements functions (compensation) for alternately billed calls based upon reports generated by Credit Card and Third Number Settlement (CATS) and Non-InterCompany Settlement (NICS) as described herein. CATS and NICS are collectively referred to as Intercompany Settlements.

3.4 The CATS System is a national system administered by Telcordia, used to settle revenues for calls that are sent from one CMDS Direct Participant to another for billing. CATS applies to calls that originate within one Regional Bell Operating Company's (RBOC) territory, as defined at Divestiture, and bill in another RBOC's territory. CATS calculates the amounts due to Earning Companies (i.e. billed revenue less the billing and collection fee). For alternately billed calls, the originating company, whose facilities are used to place the call, is the Earning Company and the company that puts the charges on the End User's bill is the Billing Company

3.5 The Non-InterCompany Settlement (NICS) System is the national system administered by Telcordia that is used in the settlement of revenues for calls that are originated and billed by two different local exchange carriers (LEC) within a single Direct Participant's territory to another for billing. NICS applies to calls involving another LEC where the Earning Company and the Billing Company are located within BellSouth's territory.

3.6 RAO Hosting, CATS and NICS services provided to BWFN by BellSouth will be in accordance with the methods and practices regularly applied by BellSouth to its own operations during the term of this Agreement, including such revisions as may be made from time to time by BellSouth.

3.7 BWFN shall furnish all relevant information required by BellSouth for the provision of RAO Hosting, CATS and NICS.

3.8 Charges or credits, as applicable, will be applied by BellSouth to BWFN on a monthly basis in arrears. Amounts due (excluding adjustments) are due on or before the next bill date.

3.9 BWFN must have its own unique hosted RAO code. Where BellSouth is the selected CMDS interfacing host, BWFN must request that BellSouth establish a unique hosted RAO code for BWFN. Such request shall be in writing to the BellSouth RAO Hosting coordinator and must be submitted at least eight (8) weeks prior to provision of services pursuant to this Section. Services shall commence on a date mutually agreed by the Parties.

3.10 BellSouth will receive messages from BWFN that are to be processed by BellSouth, another Local Exchange Carrier (LEC) in the BellSouth region or a LEC outside the BellSouth region. BWFN shall send all messages to BellSouth no later than sixty (60) days after the message date.

3.11 BellSouth will perform invoice sequence checking, standard Exchange Message Interface (EMI) format editing, and balancing of message data with the EMI trailer record counts on all data received from BWFN.

3.12 All data received from BWFN that is to be processed or billed by another LEC within the BellSouth region will be distributed to that LEC in accordance with the Agreement(s) in effect between BellSouth and the involved LEC.

3.13 All data received from BWFN that is to be placed on the CMDS network for distribution outside the BellSouth region will be handled in accordance with the agreement(s) in effect between BellSouth and its connecting contractor.

3.14 BellSouth will receive messages from the CMDS network that are destined to be processed by BWFN and will forward them to BWFN on a daily basis for processing.

3.15 Transmission of message data between BellSouth and BWFN will be distributed via Secure File Transfer Protocol (FTP) mailbox. It will be created on a daily basis Monday through Friday, except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. If BellSouth determines the Secure FTP Mailbox is nearing capacity levels, BellSouth may move BWFN to CONNECT:Direct file delivery.

3.15.1 If BWFN is moved to CONNECT:Direct, data circuits (private line or dial-up) may be required between BellSouth and BWFN for the purpose of data transmission. Where a dedicated line is required, BWFN will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. BWFN will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on an individual case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to BWFN. Additionally, all message toll charges associated with the use of the dial circuit by BWFN will be the responsibility of BWFN. Associated equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on the BWFN end for the purpose of data transmission will be the responsibility of BWFN.

3.15.2 If BWFN utilizes Secure FTP for data file transmission, purchase of the Secure FTP software will be the responsibility of BWFN.

3.16 All messages and related data exchanged between BellSouth and BWFN will be EMI formatted records and packed between appropriate EMI header and trailer records in accordance with accepted industry standards.

3.17 BWFN will maintain recorded message detail necessary to recreate files provided to BellSouth for a period of three (3) calendar months beyond the related message dates.

3.18 Should it become necessary for BWFN to send data to BellSouth more than sixty (60) days past the message date(s), BWFN will notify BellSouth in advance of the transmission of the data. BellSouth will work with its connecting contractor and/or BWFN, where necessary, to notify all affected LECs.

3.19 In the event that data to be exchanged between the two Parties should become lost or destroyed, the Party responsible for creating the data will make every effort to restore and retransmit such data.

3.20 Should an error be detected by the EMI format edits performed by BellSouth on data received from BWFN, the entire pack containing the affected data will not be processed by BellSouth. BellSouth will notify BWFN of the error. BWFN will

correct the error(s) and will resend the entire pack to BellSouth for processing. In the event that an out-of-sequence condition occurs on subsequent packs, BWFN will resend these packs to BellSouth after the pack containing the error has been successfully reprocessed by BellSouth.

3.21 In association with message distribution service, BellSouth will provide BWFN with associated intercompany settlements reports (CATS and NICS) as appropriate.

3.22 Notwithstanding anything in this Agreement to the contrary, in no case shall either Party be liable to the other for any direct or consequential damages incurred as a result of the obligations set out in this Section 3.

3.23 Intercompany Settlements Messages

3.23.1 Intercompany Settlements Messages facilitate the settlement of revenues associated with traffic originated from or billed by BWFN as a facilities based provider of local exchange telecommunications services.

3.23.2 BellSouth will receive the monthly NICS and CATS reports from Telcordia on behalf of BWFN and will distribute copies of these reports to BWFN on a monthly basis.

3.23.3 Through CATS, BellSouth will collect the revenue earned by BWFN from the RBOC in whose territory the messages are billed, less a per message billing and collection fee of five cents ($0.05), or such other amount as may be approved by the Direct Participants and Telcordia, on behalf of BWFN. BellSouth will remit the revenue billed by BWFN to the RBOC in whose territory the messages originated, less a per message billing and collection fee of five cents ($0.05), or such other amount as may be approved by the Direct Participants and Telcordia, on behalf of BWFN. These two amounts will be netted together by BellSouth and the resulting charge or credit issued to BWFN via a CABS miscellaneous bill on a monthly basis in arrears.

3.23.4 Through NICS, BellSouth will collect the revenue earned by BWFN within the BellSouth territory from another LEC also within the BellSouth territory (NICS) where the messages are billed, less a per message billing and collection fee of five cents ($0.05), on behalf of BWFN. BellSouth will remit the revenue billed by BWFN within the BellSouth region to the LEC also within the BellSouth region, where the messages originated, less a per message billing and collection fee of five cents ($0.05). These two amounts will be netted together by BellSouth and the resulting charge or credit issued to BWFN via a CABS miscellaneous bill on a monthly basis in arrears.

3.23.5 BellSouth and BWFN agree that monthly netted amounts of less than fifty dollars ($50.00) will not be settled.

3.24 Rates. Rates for Centralized Message Distribution System (CMDS) are set out in Exhibit A to this Attachment. If no rate is identified in this Attachment, the rate

for the specific service or function will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.

| CMDS - Alabama | | | | | | | | | | | | | | Attachment: 7 Exh A | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates($) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| CMDS | | | | | | | | | | | | | | | | | |
| | CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS) | | | | | | | | | | | | | | | | |
| | | CMDS: Message Processing, per message | | | | | 0.004 | | | | | | | | | | |
| | | CMDS: Data Transmission (CONNECT:DIRECT), per message | | | | | 0.001 | | | | | | | | | | |

| CMDS - Florida | | | | | | | | | | | | | Attachment: 7 Exh A | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates($) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| CMDS | | | | | | | | | | | | | | | | | |
| | CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS) | | | | | | | | | | | | | | | | |
| | | CMDS: Message Processing, per message | | | | | 0.004 | | | | | | | | | | |
| | | CMDS: Data Transmission (CONNECT:DIRECT), per message | | | | | 0.001 | | | | | | | | | | |

| CMDS - Georgia | | | | | | | | | | | | | Attachment: 7 Exh A | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates($) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| CMDS | | | | | | | | | | | | | | | | | |
| | CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS) | | | | | | | | | | | | | | | | |
| | | CMDS: Message Processing, per message | | | | | 0.004 | | | | | | | | | | |
| | | CMDS: Data Transmission (CONNECT:DIRECT), per message | | | | | 0.001 | | | | | | | | | | |

| CMDS - Kentucky | | | | | | | | | | | | | | Attachment: 7 Exh A | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates($) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| CMDS | | | | | | | | | | | | | | | | | |
| | CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS) | | | | | | | | | | | | | | | | |
| | | CMDS: Message Processing, per message | | | | | 0.004 | | | | | | | | | | |
| | | CMDS: Data Transmission (CONNECT:DIRECT), per message | | | | | 0.001 | | | | | | | | | | |

| CMDS - Louisiana | | | | | | | | | | | | | | Attachment: 7 Exh A | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates($) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| CMDS | | | | | | | | | | | | | | | | | |
| | CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS) | | | | | | | | | | | | | | | | |
| | | CMDS: Message Processing, per message | | | | | 0.004 | | | | | | | | | | |
| | | CMDS: Data Transmission (CONNECT:DIRECT), per message | | | | | 0.001 | | | | | | | | | | |

| CMDS - Mississippi | | | | | | | | | | | | | | Attachment: 7 Exh A | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates($) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| CMDS | | | | | | | | | | | | | | | | | |
| | CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS) | | | | | | | | | | | | | | | | |
| | | CMDS: Message Processing, per message | | | | | 0.004 | | | | | | | | | | |
| | | CMDS: Data Transmission (CONNECT:DIRECT), per message | | | | | 0.001 | | | | | | | | | | |

| CMDS - North Carolina | | | | | | | | | | | | | | Attachment: 7 Exh A | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates($) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| CMDS | | | | | | | | | | | | | | | | | |
| | CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS) | | | | | | | | | | | | | | | | |
| | | CMDS: Message Processing, per message | | | | | 0.004 | | | | | | | | | | |
| | | CMDS: Data Transmission (CONNECT:DIRECT), per message | | | | | 0.001 | | | | | | | | | | |

| CMDS - South Carolina | | | | | | | | | | | | | | Attachment: 7 Exh A | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates($) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| CMDS | | | | | | | | | | | | | | | | | |
| | CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS) | | | | | | | | | | | | | | | | |
| | | CMDS: Message Processing, per message | | | | | 0.004 | | | | | | | | | | |
| | | CMDS: Data Transmission (CONNECT:DIRECT), per message | | | | | 0.001 | | | | | | | | | | |

| CMDS - Tennessee | | | | | | | | | | | | | | Attachment: 7 Exh A | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| CATEGORY | | RATE ELEMENTS | Interim | Zone | BCS | USOC | RATES($) | | | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | OSS Rates($) | | | | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| CMDS | | | | | | | | | | | | | | | | | |
| | CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS) | | | | | | | | | | | | | | | | |
| | | CMDS: Message Processing, per message | | | | | 0.004 | | | | | | | | | | |
| | | CMDS: Data Transmission (CONNECT:DIRECT), per message | | | | | 0.001 | | | | | | | | | | |

# Attachment 8

# Rights-of-Way, Conduits and Pole Attachments

# Rights-of-Way, Conduits and Pole Attachments

BellSouth will provide nondiscriminatory access to any pole, duct, conduit, or right-of-way owned or controlled by BellSouth pursuant to 47 U.S.C. § 224, as amended by the Act, pursuant to terms and conditions of a separate license agreement negotiated with BellSouth.

# Attachment 9

# Performance Measurements

# PERFORMANCE MEASUREMENTS

Upon a particular Commission's issuance of an Order pertaining to Performance Measurements in a proceeding expressly applicable to all CLECs generally, BellSouth shall implement in that state such Performance Measurements as of the date specified by the Commission. Performance Measurements that have been Ordered in a particular state can currently be accessed via the internet at http://pmap.bellsouth.com.

# Attachment 10

# BellSouth Disaster Recovery Plan

**CONTENTS**

**PAGE**

## 1.0 PURPOSE

In the unlikely event of a disaster occurring that affects BellSouth's long-term ability to deliver traffic to a Competitive Local Exchange Carrier (CLEC), general procedures have been developed by BellSouth to hasten the recovery process in accordance with the Telecommunications Service Priority (TSP) Program established by the Federal Communications Commission to identify and prioritize telecommunication services that support national security or emergency preparedness (NS/EP) missions. A description of the TSP Program as it may be amended from time to time is available at the following website: http://interconnection.bellsouth.com/products/vertical/tsp.html. Since each location is different and could be affected by an assortment of potential problems, a detailed recovery plan is impractical. However, in the process of reviewing recovery activities for specific locations, some basic procedures emerge that appear to be common in most cases.

These general procedures should apply to any disaster that affects the delivery of traffic for an extended time period. Each CLEC will be given the same consideration during an outage, and service will be restored as quickly as possible.

This document will cover the basic recovery procedures that would apply to every CLEC.

## 2.0 SINGLE POINT OF CONTACT

When a problem is experienced, regardless of the severity, the BellSouth Network Management Center (NMC) will observe traffic anomalies and begin monitoring the situation. Controls will be appropriately applied to insure the sanity of BellSouth's network; and, in the event that a switch or facility node is lost, the NMC will attempt to circumvent the failure using available reroutes.

BellSouth's NMC will remain in control of the restoration efforts until the problem has been identified as being a long-term outage. At that time, the NMC will contact BellSouth's Emergency Control Center (ECC) and relinquish control of the recovery efforts. Even though the ECC may take charge of the situation, the NMC will continue to monitor the circumstances and restore traffic as soon as damaged network elements are revitalized.

**The telephone number for the BellSouth Network Management Center in Atlanta, as published in Telcordia's National Network Management Directory, is 404-321-2516.**

## 3.0 IDENTIFYING THE PROBLEM

During the early stages of problem detection, the NMC will be able to tell which CLECs are affected by the catastrophe. Further analysis and/or first hand observation will determine if the disaster has affected CLEC equipment only, BellSouth equipment only or a combination. The initial restoration activity will be largely determined by the equipment that is affected.

Once the nature of the disaster is determined and after verifying the cause of the problem, the NMC will initiate reroutes and/or transfers that are jointly agreed upon by the affected CLECs' Network Management Center and the BellSouth NMC. The type and percentage of controls used will depend upon available network capacity. Controls necessary to stabilize the situation will be invoked and the NMC will attempt to re-establish as much traffic as possible.

For long-term outages, recovery efforts will be coordinated by the Emergency Control Center (ECC). Traffic controls will continue to be applied by the NMC until facilities are re-established.

As equipment is made available for service, the ECC will instruct the NMC to begin removing the controls and allow traffic to resume.

## 3.1 SITE CONTROL

In the total loss of building use scenario, what likely exists will be a smoking pile of rubble. This rubble will contain many components that could be dangerous. It could also contain any personnel on the premises at the time of the disaster. For these reasons, the local fire marshal with the assistance of the police will control the site until the building is no longer a threat to surrounding properties and the companies have secured the site from the general public.

During this time, the majority owner of the building should be arranging for a demolition contractor to mobilize to the site with the primary objective of reaching the cable entrance facility for a damage assessment. The results of this assessment would then dictate immediate plans for restoration, both short term and permanent.

In a less catastrophic event, i.e., the building is still standing and the cable entrance facility is usable, the situation is more complex. The site will initially be controlled by local authorities until the threat to adjacent property has diminished. Once the site is returned to the control of the companies, the following events should occur.

An initial assessment of the main building infrastructure systems (mechanical, electrical, fire and life safety, elevators, and others) will establish building needs. Once these needs are determined, the majority owner should lead the building restoration efforts. There may be situations where the site will not be totally restored within the confines of the building. The companies must individually determine their needs and jointly assess the cost of permanent restoration to determine the overall plan of action.

Multiple restoration trailers from each company will result in the need for designated space and installation order. This layout and control is required to maximize the amount of restoration equipment that can be placed at the site, and the priority of placements.

Care must be taken in this planning to ensure other restoration efforts have logistical access to the building. Major components of telephone and building equipment will need to be removed and replaced. A priority for this equipment must also be jointly established to facilitate overall site restoration. (Example: If the AC switchgear has sustained damage, this would be of the highest priority in order to regain power, lighting, and HVAC throughout the building.)

If the site will not accommodate the required restoration equipment, the companies would then need to quickly arrange with local authorities for street closures, rights of way or other possible options available.

## 3.2 ENVIRONMENTAL CONCERNS

In the worse case scenario, many environmental concerns must be addressed. Along with the police and fire marshal, the state environmental protection department will be on site to monitor the situation.

Items to be concerned with in a large central office building could include:

1. Emergency engine fuel supply. Damage to the standby equipment and the fuel handling equipment could have created "spill" conditions that have to be handled within state and federal regulations.

2. Asbestos-containing materials that may be spread throughout the wreckage. Asbestos could be in many components of building, electrical, mechanical, outside plant distribution, and telephone systems.

3. Lead and acid. These materials could be present in potentially large quantities depending upon the extent of damage to the power room.

4. Mercury and other regulated compounds resident in telephone equipment.

5. Other compounds produced by the fire or heat.

Once a total loss event occurs at a large site, local authorities will control immediate clean up (water placed on the wreckage by the fire department) and site access.

At some point, the companies will become involved with local authorities in the overall planning associated with site clean up and restoration. Depending on the clean up approach taken, delays in the restoration of several hours to several days may occur.

In a less severe disaster, items listed above are more defined and can be addressed individually depending on the damage.

In each case, the majority owner should coordinate building and environmental restoration as well as maintain proper planning and site control.

## 4.0 THE EMERGENCY CONTROL CENTER (ECC)

The ECC is located in the Midtown 1 Building in Atlanta, Georgia. During an emergency, the ECC staff will convene a group of pre-selected experts to inventory the damage and initiate corrective actions. These experts have regional access to BellSouth's personnel and equipment and will assume control of the restoration activity anywhere in the nine-state area.

In the past, the ECC has been involved with restoration activities resulting from hurricanes, ice storms and floods. They have demonstrated their capabilities during these calamities as well as during outages caused by human error or equipment failures. This group has an excellent record of restoring service as quickly as possible.

During a major disaster, the ECC may move emergency equipment to the affected location, direct recovery efforts of local personnel and coordinate service restoration activities with the CLECs. The ECC will attempt to restore service as quickly as possible using whatever means is available, leaving permanent solutions, such as the replacement of damaged buildings or equipment, for local personnel to administer.

Part of the ECC's responsibility, after temporary equipment is in place, is to support the NMC efforts to return service to the CLECs. Once service has been restored, the ECC will return

control of the network to normal operational organizations. Any long-term changes required after service is restored will be made in an orderly fashion and will be conducted as normal activity.

## 5.0 RECOVERY PROCEDURES

The nature and severity of any disaster will influence the recovery procedures. One crucial factor in determining how BellSouth will proceed with restoration is whether or not BellSouth's equipment is incapacitated. Regardless of whose equipment is out of service, BellSouth will move as quickly as possible to aid with service recovery; however, the approach that will be taken may differ depending upon the location of the problem.

## 5.1 CLEC OUTAGE

For a problem limited to one CLEC (or a building with multiple CLECs), BellSouth has several options available for restoring service quickly. For those CLECs that have agreements with other CLECs, BellSouth can immediately start directing traffic to a provisional CLEC for completion. This alternative is dependent upon BellSouth having concurrence from the affected CLECs.

Whether or not the affected CLECs have requested a traffic transfer to another CLEC will not impact BellSouth's resolve to re-establish traffic to the original destination as quickly as possible.

## 5.2 BELLSOUTH OUTAGE

Because BellSouth's equipment has varying degrees of impact on the service provided to the CLECs, restoring service from damaged BellSouth equipment is different. The outage will probably impact a number of Carriers simultaneously. However, the ECC will be able to initiate immediate actions to correct the problem.

A disaster involving any of BellSouth's equipment locations could impact the CLECs, some more than others. A disaster at a Central Office (CO) would only impact the delivery of traffic to and from that one location, but the incident could affect many Carriers. If the Central Office is a Serving Wire Center (SWC), then traffic from the entire area to those Carriers served from that switch would also be impacted. If the switch functions as an Access Tandem, or there is a tandem in the building, traffic from every CO to every CLEC could be interrupted. A disaster that destroys a facility hub could disrupt various traffic flows, even though the switching equipment may be unaffected.

The NMC would be the first group to observe a problem involving BellSouth's equipment. Shortly after a disaster, the NMC will begin applying controls and finding re-routes for the completion of as much traffic as possible. These reroutes may involve delivering traffic to alternate Carriers upon receiving approval from the CLECs involved. In some cases, changes in translations will be required. If the outage is caused by the destruction of equipment, then the ECC will assume control of the restoration.

### 5.2.1 Loss of a Central Office

When BellSouth loses a Central Office, the ECC will

a) Place specialists and emergency equipment on notice;

b) Inventory the damage to determine what equipment and/or functions are lost;

c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;

d) Begin reconnecting service on a parity basis for Hospitals, Police and other emergency agencies or End Users served by BellSouth or CLEC in accordance with the TSP priority restoration coding scheme entered in the BellSouth Maintenance database immediately prior to the emergency.

### 5.2.2 Loss of a Central Office with Serving Wire Center Functions

The loss of a Central Office that also serves as a Serving Wire Center (SWC) will be restored as described in Section 5.2.1.

### 5.2.3 Loss of a Central Office with Tandem Functions

When BellSouth loses a Central Office building that serves as an Access Tandem and as a SWC, the ECC will

a) Place specialists and emergency equipment on notice;

b) Inventory the damage to determine what equipment and/or functions are lost;

c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;

d) Begin reconnecting service on a parity basis for Hospitals, Police and other emergency agencies or End Users served by BellSouth or CLEC in accordance with the TSP priority restoration coding scheme entered in the BellSouth Maintenance database immediately prior to the emergency;

e) Re-direct as much traffic as possible to the alternate access tandem (if available) for delivery to those CLECs utilizing a different location as a SWC;

f) Begin aggregating traffic to a location near the damaged building. From this location, begin re-establishing trunk groups to the CLECs for the delivery of traffic normally found on the direct trunk groups. (This aggregation point may be the alternate access tandem location or another CO on a primary facility route.)

### 5.2.4 Loss of a Facility Hub

In the event that BellSouth loses a facility hub, the recovery process is much the same as above. Once the NMC has observed the problem and administered the appropriate controls, the ECC will assume authority for the repairs. The recovery effort will include

a) Placing specialists and emergency equipment on notice;

b) Inventorying the damage to determine what equipment and/or functions are lost;

c) Moving containerized emergency equipment to the stricken area, if necessary;

d) Reconnecting service on a parity basis for Hospitals, Police and other emergency agencies or End Users served by BellSouth or CLEC in accordance with the TSP priority

restoration coding scheme entered in the BellSouth Maintenance database immediately prior to the emergency; and

e) If necessary, BellSouth will aggregate the traffic at another location and build temporary facilities. This alternative would be viable for a location that is destroyed and building repairs are required.

## 5.3 COMBINED OUTAGE (CLEC AND BELLSOUTH EQUIPMENT)

In some instances, a disaster may impact BellSouth's equipment as well as the CLECs'. This situation will be handled in much the same way as described in Section 5.2.3. Since BellSouth and the CLECs will be utilizing temporary equipment, close coordination will be required.

## 6.0 T1 IDENTIFICATION PROCEDURES

During the restoration of service after a disaster, BellSouth may be forced to aggregate traffic for delivery to a CLEC. During this process, T1 traffic may be consolidated onto DS3s and may become unidentifiable to the Carrier. Because resources will be limited, BellSouth may be forced to "package" this traffic entirely differently than normally received by the CLECs. Therefore, a method for identifying the T1 traffic on the DS3s and providing the information to the Carriers is required.

## 7.0 ACRONYMS

| | | |
|---|---|---|
| CLEC | - | Competitive Local Exchange Carrier |
| CO | - | Central Office (BellSouth) |
| DS3 | - | Facility that carries 28 T1s (672 circuits) |
| ECC | - | Emergency Control Center (BellSouth) |
| NMC | - | Network Management Center |
| SWC | - | Serving Wire Center (BellSouth switch) |
| T1 | - | Facility that carries 24 circuits |
| TSP | - | Telecommunications Service Priority |

## Hurricane Information

During a hurricane, BellSouth will make every effort to keep CLECs updated on the status of our network. Information centers will be set up throughout BellSouth Telecommunications. These centers are not intended to be used for escalations, but rather to keep the CLEC informed of network related issues, area damages and dispatch conditions, etc.

Hurricane-related information can also be found on line at http://www.interconnection.bellsouth.com/network/disaster/dis_resp.htm. Information concerning Mechanized Disaster Reports can also be found at this website by clicking on CURRENT MDR REPORTS or by going directly to http://www.interconnection.bellsouth.com/network/disaster/mdrs.htm.

## BST Disaster Management Plan

BellSouth maintenance centers have geographical and redundant communication capabilities. In the event of a disaster removing any maintenance center from service another geographical center would assume maintenance responsibilities. The contact numbers will not change and the transfer will be transparent to the CLEC.

# Attachment 11

# Bona Fide Request and New Business Request Process

## BONA FIDE REQUEST AND NEW BUSINESS REQUEST PROCESS

### 1. BONA FIDE REQUEST

1.1 The Parties agree that BWFN is entitled to order any Network Element, interconnection option or service option required to be made available by FCC or Commission requirements pursuant to the Act. A Bona Fide Request (BFR) is to be used when BWFN makes a request of BellSouth to provide a new or modified Network Element, interconnection option or other service option pursuant to the Act that was not previously provided for in this Agreement.

1.2 A BFR shall be submitted in writing by BWFN and shall specifically identify the requested service date, technical requirements, space requirements and/or such other specifications that clearly define the request such that BellSouth has sufficient information to analyze and prepare a response. Such a request shall also include BWFN's designation of the request as being pursuant to the Telecommunications Act of 1996 (i.e. a BFR). The request shall be sent to BWFN's designated BellSouth Sales contact or LCM.

1.3 Within two (2) business days of receipt of a BFR, BellSouth shall acknowledge in writing its receipt and identify a single point of contact responsible for responding to the BFR and shall request any additional information needed to process the request to the extent known at that time. Notwithstanding the foregoing, BellSouth may reasonably request additional information from BWFN at any time during the processing of the BFR.

1.4 Within thirty (30) business days of BellSouth's receipt of the BFR, if the preliminary analysis of the requested BFR is not of such complexity that it will cause BellSouth to expend extraordinary resources to evaluate the BFR, BellSouth shall respond to BWFN by providing a preliminary analysis of the new or modified Network Element or interconnection option not ordered by the FCC or Commission that is the subject of the BFR. The preliminary analysis shall either confirm that BellSouth will offer access to the new or modified Network Element, interconnection option or service option or confirm that BellSouth will not offer the new or modified Network Element, interconnection option or service option.

1.5 For any new or modified Network Element, interconnection option or service option not ordered by the FCC or Commission, if the preliminary analysis states that BellSouth will offer the new or modified Network Element, interconnection option or service option, the preliminary analysis will include an estimate of the costs of utilizing existing resources, both personnel and systems, in the development including, but not limited to, request parameters analysis, determination of impacted BellSouth departments, determination of

required resources, project management resources, etc. (Development Rate) including a general breakdown of such costs associated with the Network Element, interconnection option or service option and the date the request can be met. If the preliminary analysis states that BellSouth will not offer the new or modified Network Element, interconnection option or service option, BellSouth will provide an explanation of why the request is not technically feasible, does not qualify as a BFR for the new or modified Network Element, interconnection option or service option, should actually be submitted as a NBR or is otherwise not required to be provided under the Act. If BellSouth cannot provide the Network Element, interconnection option or service option by the requested date, BellSouth shall provide an alternative proposed date together with a detailed explanation as to why BellSouth is not able to meet BWFN's requested date.

1.6 For any new or modified Network Element, interconnection option or service option not ordered by the FCC or Commission, if BellSouth determines that the preliminary analysis of the requested BFR is of such complexity that it will cause BellSouth to expend extraordinary resources to evaluate the BFR, BellSouth shall notify BWFN within ten (10) business days of BellSouth's receipt of BFR that a fee will be required prior to the preliminary evaluation of the BFR. Such fee shall be limited to BellSouth's extraordinary expenses directly related to the complex request that require the allocation and engagement of additional resources above the existing allocated resources used on BFR cost development which include, but are not limited to, expenditure of funds to develop feasibility studies, specific resources that are required to determine request requirements (such as operation support system analysts, technical managers, software developers), software impact analysis by specific software developers; software architecture development, hardware impact analysis by specific system analysts, etc. and the request for such fee shall be accompanied with a general breakdown of such costs. If BWFN accepts the complex request evaluation fee proposed by BellSouth, BWFN shall submit such fee within thirty (30) business days of BellSouth's notice that a complex request evaluation fee is required. Within thirty (30) business days of BellSouth's receipt of the complex request evaluation fee, BellSouth shall respond to BWFN by providing a preliminary analysis, consistent with Section 1.4 of this Attachment.

1.7 BWFN may cancel a BFR at any time up until thirty (30) business days after receiving BellSouth's preliminary analysis. If BWFN cancels the BFR within thirty (30) business days after receipt of BellSouth's preliminary analysis, BellSouth shall be entitled to keep any complex request evaluation fee submitted in accordance with Section 1.6 above, minus those costs included in the fee that have not been incurred as of the date of cancellation.

1.8 BWFN will have thirty (30) business days from receipt of preliminary analysis to accept the preliminary analysis or cancel the BFR. If BWFN fails to respond within this thirty (30) business day period, the BFR will be deemed cancelled. Acceptance of the preliminary analysis must be in writing and accompanied by the estimated Development Rate for the new or modified Network Element, interconnection option or service option quoted in the preliminary analysis**.**

1.9 Notwithstanding any other provision of this Agreement, BellSouth shall propose a firm price quote, including the firm Development Rate, the firm nonrecurring rate and the firm recurring rate, and a detailed implementation plan within ten (10) business days of receipt of BWFN's accurate BFR application for a Network Element, interconnection option or service option that is operational at the time of the request; thirty (30) business days of receipt of BWFN's accurate BFR application for a new or modified Network Element, interconnection option or service option ordered by the FCC or Commission; and within sixty (60) business days of receipt of BWFN's accurate BFR application for a new or modified Network Element, interconnection option or service option not ordered by the FCC or Commission or not operational at the time of the request. The firm nonrecurring rate will not include any of the Development Rate or the complex request evaluation fee, if required, in the calculation of this rate. Such firm price quote shall not exceed the estimate provided with the preliminary analysis by more than 25%.

1.10 BWFN shall have thirty (30) business days from receipt of firm price quote to accept or deny the firm price quote and submit any additional Development or nonrecurring rates quoted in the firm price quote.

1.11 Unless BWFN agrees otherwise, all prices shall be consistent with the applicable pricing principles and provisions of the Act.

1.12 If BWFN believes that BellSouth's firm price quote is not consistent with the requirements of the Act, either Party may seek dispute resolution in accordance with the dispute resolution provisions set forth in the General Terms and Conditions.

1.13 Upon agreement to the rates, terms and conditions of a BFR, the Parties shall negotiate in good faith an amendment to this Agreement.

**2 New Business Request**

2.1 BWFN also shall be permitted to request the development of new or modified facilities or service options which may not be required by the Act. Procedures applicable to requesting the addition of such elements, services and options

are specified in this Attachment. A New Business Request (NBR) is to be used by BWFN to make a request of BellSouth for a new or modified feature or capability of an existing product or service, a new product or service that is not deployed within the BellSouth network or operations and business support systems, or a new or modified service option that was not previously included in this Agreement (Requested NBR Services) and is not required by the Act.

2.2 An NBR shall be submitted in writing by BWFN and shall specifically identify the requested service date, technical requirements, space requirements and/or such specifications that clearly define the request such that BellSouth has sufficient information to analyze and prepare a response. The request shall be sent to BWFN's designated BellSouth Sales contact or LCM.

2.3 Within two (2) business days of receipt of an NBR, BellSouth shall acknowledge in writing its receipt and identify a single point of contact responsible for responding to the NBR and shall request any additional information needed to process the request to the extent known at that time. Notwithstanding the foregoing, BellSouth may reasonably request additional information from BWFN at any time during the processing of the NBR.

2.4 If the preliminary analysis of the request NBR is not of such complexity that it will cause BellSouth to expend extraordinary resources to evaluate the NBR, within thirty (30) business days of its receipt of the NBR, BellSouth shall respond to BWFN by providing a preliminary analysis of such Requested NBR Services that are the subject of the NBR. The preliminary analysis shall either confirm that BellSouth will offer access to the Requested NBR Services or confirm that BellSouth will not offer the Requested NBR Services.

2.5 If the preliminary analysis states that BellSouth will offer the Requested NBR Services, the preliminary analysis will include an estimate of the Development Rate including a general breakdown of costs and the date the request can be met. If BellSouth cannot provide the Requested NBR Service by the requested date, it shall provide an alternative proposed date together with a detailed explanation as to why BellSouth is not able to meet BWFN's requested date.

2.6 If BellSouth determines that the preliminary analysis of the requested NBR is of such complexity that it will cause BellSouth to expend extraordinary resources to evaluate the NBR, BellSouth shall notify BWFN within ten (10) business days of BellSouth's notice that a complex request evaluation fee is required prior to the evaluation of the NBR. Such fee shall be limited to BellSouth's extraordinary expenses directly related to the complex request. If BWFN accepts the complex request evaluation fee amount proposed by BellSouth, BWFN shall submit such complex request evaluation fee within

thirty (30) business days of BellSouth's notice that a complex request evaluation fee is required.

2.7 Within thirty (30) business days of BellSouth's receipt of the complex request evaluation fee, BellSouth shall respond to BWFN by providing a preliminary analysis of such Requested NBR Services.

2.8 BWFN may cancel an NBR at any time. If BWFN cancels the request more than ten (10) business days after submitting it, BWFN shall pay BellSouth's reasonable and demonstrable costs of processing and/or implementing the NBR up to the date of cancellation in addition to any fee submitted in accordance with Section 1.6 above.

2.9 BWFN will have thirty (30) business days from receipt of the preliminary analysis to accept the preliminary analysis or cancel the NBR. If BWFN fails to respond within this thirty (30) business day period, the NBR will be deemed cancelled.

2.10 Acceptance of the preliminary analysis must be in writing and accompanied by the estimated Development Rate for the Requested NBR Services quoted in the preliminary analysis.

2.11 BellSouth shall propose a firm price quote including the firm Development Rate, the firm nonrecurring rate, and the firm recurring rate, and a detailed implementation plan within ten (10) business days of receipt of BWFN's accurate NBR application for a Requested NBR Service that is operational at the time of the request and within sixty (60) business days of receipt of BWFN's accurate NBR application for the Requested NBR Services not operational at the time of the request. The firm nonrecurring rate will not include any of the Development Rate or the complex request evaluation fee, if required, in the calculation of this rate. Such firm price quote shall not exceed the estimate provided with the preliminary analysis by more than 25%.

2.12 BWFN shall have thirty (30) business days from receipt of the firm price quote to accept or deny the firm price quote and submit any additional nonrecurring, non-refundable fees quoted in the firm price quote. If the firm price quote is less than the preliminary analysis' estimate of the Development Rate, BellSouth will credit BWFN's account for the difference.

2.13 Upon agreement to the rates, terms and conditions of a NBR, an amendment to this Agreement, or a separate agreement, may be required and the Parties shall negotiate such agreement or amendment in good faith.