COLLOCAT	ION - Mississippi												Attachment:	4 Exh B		
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
												Submitted	Charge -	Charge -	Charge -	Charge -
											Elec					
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)				Manually	Manual Svc		Manual Svc	
ATEGORY	RATE ELEMENTS	m	Zone	BUS	0500			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'
															D130 131	Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation in the Remote Site - Remote Site CLLI															
	Code Request, per CLLI Code Requested			CLORS	PE1RE		37.77									
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.14									
	Physical Collocation - Security Escort for Basic Time - normally															İ
	scheduled work, per half hour			CLORS	PE1BT		17.02	10.79								
			-	CLORG	FLIDI	-	17.02	10.79			-	-		<b>-</b>	<b>-</b>	<b>-</b>
	Physical Collocation - Security Escort for Overtime - outside of															
	normally scheduled working hours on a scheduled work day,															
	per half hour			CLORS	PE1OT		22.17	13.94							<u> </u>	
	Physical Collocation - Security Escort for Premium Time -															
	outside of scheduled work day, per half hour			CLORS	PE1PT		27.32	17.08				1				1
Adiac	ent Remote Site Collocation															
Aujuo	Remote Site-Adjacent Collocation-Application Fee		<del>                                     </del>	CLORS	PE1RU		755.62	755.62								1
	Remote Site-Adjacent Conocation-Application Fee		1	CLORS	FLIKU		755.02	733.02			-	-		<del>                                     </del>	1	1
				01.000	DE / DE											
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
NOTE	: If Security Escort and/or Add'l Engineering Fees become nec	essarv f	or adia	cent remote site col	ocation, the	Parties will ne	gotiate approp	riate rates.						1		
	I Remote Site Collocation		1				9									
VIIItuu	Virtual Collocation in the Remote Site - Application Fee		<u> </u>	VE1RS	VE1RB		309.48		168.63					1		
	Virtual Collocation in the Remote Site - Application ree		-	VLIKS	VLIND		309.40		100.03							
	Virtual Collocation in the Remote Site - Per Bay/Rack of Space			VE1RS	VE1RC	210.05										
	Virtual Collocation in the Remote Site - Space Availability Report															
	per Premises requested			VE1RS	VE1RR		116.54									
	Virtual Collocation in the Remote Site - Remote Site CLLI Code															
	Request, per CLLI Code Requested			VE1RS	VE1RL		37.77									
LA OFNIT O			<u> </u>	VEIRO	VEIKL		31.11								-	-
DJACENI C	OLLOCATION		<u> </u>													
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0678										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	4.68										
1				UEANL.UEQ.UEA.U								1				1
	Adjacent Collocation - 2-Wire Cross-Connects			CL, UAL, UHL, UDN	PF1.IF	0.0223	12.37	11.87	6.04	5.45		1				1
	Adjacent Collocation - 2-Wire Cross-Connects	-	<del>                                     </del>		PE1JF						<del></del>	<del></del>		<del>                                     </del>	<del> </del>	1
			├			0.0446	12.47	11.94	6.59	5.91	-	-		<del>                                     </del>	+	-
	Adjacent Collocation - DS1 Cross-Connects			USL	PE1JG	1.05	22.16	16.02	6.60	5.97					ļ	ļ
	Adjacent Collocation - DS3 Cross-Connects		<u> </u>	UE3	PE1JH	14.27	21.01	15.29	7.61	6.10	<u> </u>	<u> </u>		<u> </u>	<u> </u>	
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1JJ	2.42	21.01	15.29	7.61	6.10						1
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1JK	4.62	25.70	19.97	10.01	8.50						
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		1.585.83		12.01	2.00		1				
-+	Adjacent Collocation - Application Fee  Adjacent Collocation - 120V, Single Phase Standby Power Rate	<b>-</b>	<del>                                     </del>	020/10	100		1,000.00		<del>                                     </del>		1			<del> </del>	<del> </del>	<del>                                     </del>
1		1	I	CLOAC	PE1JL	5.29					1					l
	per AC Breaker Amp		<u> </u>	CLUAC	FEIJL	5.29										ļ
	Adjacent Collocation - 240V, Single Phase Standby Power Rate	1	I								1					l
	per AC Breaker Amp		<u> </u>	CLOAC	PE1JM	10.58					<u> </u>	<u> </u>		<u> </u>	<u> </u>	<u> </u>
	Adjacent Collocation - 120V, Three Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1JN	15.87						1				1
-+	Adjacent Collocation - 277V, Three Phase Standby Power Rate	<b>-</b>	<b>†</b>		1011	.0.01					l	<b>I</b>			<del> </del>	<del>                                     </del>
				CLOAC	PE1JO	36.65						1				1
	per AC Breaker Amp				PETJU	36.65										
	Rates displaying an "I" in Interim column are interim as a resu	ut of a (	commis	ssion order.	l	i			1 1		1	1	1	1	1	1

COLLOCAT	ION - North Carolina												Attachment:	4 Exh B		
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO											+					
Applic	Physical Collocation - Initial Application Fee			CLO	PE1BA		2,322.00				+					-
	Physical Collocation - Subsequent Application Fee			CLO	PE1CA		2,311.00				+					
+	Physical Collocation - Subsequent Application ree  Physical Collocation - Co-Carrier Cross Connects/Direct		-	CLO	FLICA		2,311.00				+					
	Connect, Application Fee, per application			CLO	PE1DT		317.20									
	Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		741.44									
	Physical Collocation - Application Cost, Simple Augment			CLO	PE1KS		269.83		1.15							
	Physical Collocation - Application Cost, Minor Augment			CLO	PE1KM		493.40		1.15							
	Physical Collocation - Application Cost, Intermediate Augment			CLO	PE1K1		1,012.00		1.15							
	Physical Collocation - Application Cost - Major Augment			CLO	PE1KJ		2,343.00		1.15							
Space	Preparation															
	Physical Collocation - Floor Space, per sq feet			CLO	PE1PJ	2.69										
	Physical Collocation - Space Enclosure, welded wire, first 50															
	square feet			CLO	PE1BX		534.44									
	Physical Collocation - Space enclosure, welded wire, first 100															
	square feet			CLO	PE1BW		559.81									
	Physical Collocation - Space enclosure, welded wire, each															
	additional 50 square feet			CLO	PE1CW		25.37									
	Physical Collocation - Space Preparation - C.O. Modification per															
	square ft.			CLO	PE1SK	2.42										
	Physical Collocation - Space Preparation, Common Systems			01.0	DE 401	0.00										
	Modifications-Cageless, per square foot		-	CLO	PE1SL	2.88					1					
	Physical Collocation - Space Preparation - Common Systems Modifications-Caged, per cage			CLO	PE1SM	97.98										
	Physical Collocation - Space Preparation - Firm Order			CLO	PETSIVI	97.98					-					
	Processing			CLO	PE1SJ		1,196.00									
	Physical Collocation - Space Availability Report, per Central		-	CLO	FLISS		1,190.00				+					
	Office Requested			CLO	PE1SR		2,140.00									
Power				OLO	LIOK		2,140.00				+					
1 0 11 0 1	Physical Collocation - Power, -48V DC Power - per Fused Amp										1					
	Requested			CLO	PE1PL	7.65										
	Physical Collocation - Power, 120V AC Power, Single Phase,															
	per Breaker Amp			CLO	PE1FB	5.50										
1	Physical Collocation - Power, 240V AC Power, Single Phase,															
	per Breaker Amp			CLO	PE1FD	11.01								<u> </u>	<u> </u>	
	Physical Collocation - Power, 120V AC Power, Three Phase, per															
	Breaker Amp			CLO	PE1FE	16.51										
1	Physical Collocation - Power, 277V AC Power, Three Phase, per															
	Breaker Amp			CLO	PE1FG	38.12										
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and P	orts)		LIEANII LIEO	<b>!</b>						1			<b> </b>	<b> </b>	<u> </u>
				UEANL,UEQ, UNCNX, UEA, UCL,												
																1
	Physical Collegation 2 wire gross connect loop province			UAL, UHL, UDN, UNCVX	PE1P2	0.0309	19.77	14.95								1
+	Physical Collocation - 2-wire cross-connect, loop, provisioning		-	UEA, UHL, UNCVX,	FE IPZ	0.0309	19.77	14.95			+					-
	Physical Collocation - 4-wire cross-connect, loop, provisioning			UNCDX, UCL, UDL	PE1P4	0.0618	19.95	15.05								
	1 Hydrodi Concoditori - 4-wire cross-connect, roop, provisioning	<b>-</b>		WDS1L, WDS1S,		0.0010	10.50	15.05			<b>†</b>					
				UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB, UEPSE, UEPSP,												
1	Physical Collocation -DS1 Cross-Connect for Physical	1		USL, UEPEX,												1

COLLO	CATI	ON - North Carolina												Attachment:	4 Fxh B		
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						1	Rec	Nonred First	urring Add'l	Nonrecurring First	Add'l	001150	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
		Physical Collocation - DS3 Cross-Connect, provisioning			UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSR, UEPSB, UEPSE, UEPSP	PE1P3	17.62	38.25	21.94	riist	Addi	JOWIEC	SUMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Physical Collocation - 2-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F2	3.50	38.25	21.94								
		Physical Collocation - 4-Fiber Cross-Connect			ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF, UDFCX	PE1F4	6.20	43.96	26.17								
		Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable.			CLO	PE1ES	0.0028										
		Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable.			CLO	PE1DS	0.0041										
		Physical Collocation 2-Wire Cross Connect, Port Physical Collocation 4-Wire Cross Connect, Port			UEPSR, UEPSP, UEPSE, UEPSB, UEPSX, UEP2C UEPEX, UEPDD	PE1R2 PE1R4	0.0309 0.0618	19.77 19.95	14.95 15.05					26.94 26.94	12.76 12.76		
s	Securit				OLI LX, OLI DD	1 = 1104	0.0010	19.95	13.03					20.54	12.70		
		Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour			CLO	PE1BT		33.68	21.34								
		Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour			CLO	PE1OT		43.87	27.57								
		Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour			CLO	PE1PT		54.06	33.80								
		Physical Collocation - Security Access System - Security System per Central Office, per Sq. Ft.  Physical Collocation - Security Access System - New Card			CLO	PE1AY	0.0135										
		Activation, per Card Activation (First), per State			CLO	PE1A1	0.0622	15.00									
		Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		15.51									
		Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card Physical Collocation - Security Access - Initial Key, per Key			CLO CLO	PE1AR PE1AK		15.00 15.00									
		Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		15.00									
		Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request			CLO	PE1C9		77.48									
С	Cable F	Records - Note: The rates in the First & Additional columns wi	II actua	lly be l			ent S" respective										
		Physical Collocation - Cable Records, per request Physical Collocation, Cable Records, VG/DS0 Cable, per cable			CLO	PE1CR		1 1458	S 937.29	245.00	245.00						
		record (maximum 3600 records)  Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair			CLO	PE1CD PE1CO		622.69 8.77	622.69 8.77	346.35 10.32	346.35 10.32						
		Physical Collocation, Cable Records, DS1, per T1 TIE			CLO	PE1C1		4.35	4.35	5.11	5.11	1			<b> </b>	<b> </b>	<b>i</b>

Version: 2Q05 Standard ICA 08/09/05

COLLOCAT	ION - North Carolina												Attachment:	4 Exh B		
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual St Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		T
	District College Colle						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Cable Records, Fiber Cable, per cable record (maximum 99 records)			CLO	PE1CB		163.61	163.61	143.32	143.32						
	Physical Collocation, Cable Records, CAT5/RJ45		<u> </u>	CLO	PE1C5		2.27	103.01	2.78	143.32	1			-		
Virtuo	I to Physical		-	CLO	FLIGS		2.21		2.70		<b>-</b>			-		<del></del>
Viitaa	Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit			CLO	PE1BV		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit			CLO	PE1BO		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS1 Circuit			CLO	PE1B1		52.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS3 Circuit			CLO	PE1B3		52.00									
	Physical Collocation - Virtual to Physical Collocation In-Place, Per Voice Grade Circuit  Physical Collocation Virtual to Physical Collocation In-Place, Per			CLO	PE1BR		23.00									
	Physical Collocation virtual to Physical Collocation In-Place, Per DSO Circuit  Physical Collocation - Virtual to Physical Collocation In-Place,			CLO	PE1BP		23.00									
	Per DS1 Circuit  Physical Collocation - Virtual to Physical Collocation In-Place,			CLO	PE1BS		33.00									
	per DS3 Circuit			CLO	PE1BE		37.00									
Entrar	nce Cable														ĺ	ĺ
	Physical Collocation - Fiber Cable Installation, Pricing, non- recurring charge, per Entrance Cable			CLO	PE1BD		1,233.00									
	Physical Collocation - Fiber Cable Support Structure, per Entrance Cable  Physical Collocation - Fiber Entrance Cable Installation, per			CLO	PE1PM	20.57										
	Fiber			CLO	PE1ED		7.79									
VIRTUAL COL																
Applio			ļ	AMTFS	EAF	-	1,195.00							-		
	Virtual Collocation - Application Fee  Virtual Collocation - Co-Carrier Cross Connects/Direct Connect, Application Fee, per application			AMTFS	VE1CA		317.20									
	Virtual Collocation Administrative Only - Application Fee		1	AMTFS	VE1AF		741.44									
Space	Preparation															1
	Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	2.69										
Power			<u> </u>						ļ					1	ļ	<b></b>
0	Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	7.65										
Closs	Connects (Cross Connects, Co-Carrier Cross Connects, and P  Virtual Collocation - 2-wire cross-connect, loop, provisioning	orts)		UEANL, UEA, UDN, UAL, UHL, UCL, UEQ, UNCVX, UNCDX, UNCNX	UEAC2	0.0225	19.77	14.95								
	Virtual Collegation A wire gross connect loop provisioning			UEA, UHL, UCL, UDL, UNCVX,	LIEACA	0.0440	10.05	1E 0E								
	Virtual Collocation - 4-wire cross-connect, loop, provisioning  Virtual collocation - Special Access & UNE, cross-connect per DS1			UNCDX ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USL, UEPEX, UEPDX	UEAC4 CNC1X	0.0449	19.95 39.15	15.05								
	Virtual collocation - Special Access & UNE, cross-connect per DS3			USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	4.41	38.25	21.94								

COLLOCAT	ION - North Carolina												Attachment:	4 Exh B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		Nonrec	RATES(\$)	Nonrecurring	Diogram		Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
			-	-		Rec	First	Add'l	First	Add'l	COMEC	SOMAN		SOMAN	SOMAN	SOMAN
	Virtual Collocation - 2-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC2F	1.96	38.25	21.94	FIISL	Addi	SOMEC	SUMAN	SUMAN	SOWAN	SOWAN	SUMAN
	Virtual Collocation - 4-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC4F	3.93	43.96	26.17								
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable			AMTFS	VE1CB	0.0028										
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable			AMTFS UEPSX, UEPSB,	VE1CD	0.0041										
	Virtual Collocation 2-Wire Cross Connect, Port			UEPSE, UEPSP, UEPSR, UEP2C	VE1R2	0.0225	19.77	14.95								
CFA	Virtual Collocation 4-Wire Cross Connect, Port  Virtual Collocation - CFA Information Resend Request, per			UEPDD, UEPEX	VE1R4	0.0449	19.95	15.05								
Cable	Premises, per Arrangement, per request Records - Note: The rates in the First & Additional columns wi	II actua	lly be l			t S" respectivel										
	Virtual Collocation Cable Records - per request Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTFS AMTFS	VE1BA VE1BB		1,458.00 622.69	937.29	245.00 346.35	245.00 346.35						
	Virtual Collocation Cable Records - VG/DS0 Cable, per each 100 pair  Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS AMTFS	VE1BC VE1BD		8.77 4.35	8.77 4.35	10.32 5.11	10.32						
	Virtual Collocation Cable Records - DS3, per T3TIE Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records			AMTFS AMTFS	VE1BE VE1BF		15.22	15.22	17.90	17.90						
Secur	Virtual Collocation Cable Records - CAT 5/RJ45  ity  Virtual collocation - Security escort, basic time, normally			AMTFS	VE1B5		4.35	4.35	5.11	5.11						
	scheduled work hours  Virtual collocation - Security escort, overtime, outside of			AMTES	SPTBX		33.68	21.34								
	normally scheduled work hours on a normal working day  Virtual collocation - Security escort, premium time, outside of a scheduled work day			AMTFS AMTFS	SPTOX SPTPX		43.87 54.06	27.57 33.80								
Mainte	Prince Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		52.03	21.22								
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		69.48	27.81								
Entrar	Virtual collocation - Maintenance in CO - Premium per half hour nee Cable			AMTFS	SPTPM		86.94	34.40								
OLLOCATIO	Virtual Collocation - Cable Installation Charge, per cable Virtual Collocation - Cable Support Structure, per cable N IN THE REMOTE SITE			AMTFS AMTFS	ESPCX ESPSX	13.28	1,233.00									
Physic	cal Remote Site Collocation  Physical Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack			CLORS CLORS	PE1RA PE1RB	218.07	589.38		258.38							
	Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability			CLORS	PE1RD		15.00									
	Report per Premises Requested			CLORS	PE1SR		215.55									<u> </u>

OLLOCAT	TION - North Carolina												Attachment:	4 Exh B		
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
			1			Dee	Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates(\$)	•	•
			1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation in the Remote Site - Remote Site CLLI					ĺ								Î		
	Code Request, per CLLI Code Requested			CLORS	PE1RE		70.65									
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR	ĺ	232.94							Î		
	Physical Collocation - Security Escort for Basic Time - normally					Ì									1	
	scheduled work, per half hour			CLORS	PE1BT		33.68	21.34								
	Physical Collocation - Security Escort for Overtime - outside of															1
	normally scheduled working hours on a scheduled work day,															
	per half hour			CLORS	PE1OT		43.87	27.57								
<del></del>	Physical Collocation - Security Escort for Premium Time -		1	020110			10.01	21.01								1
	outside of scheduled work day, per half hour			CLORS	PE1PT		54.06	33.80								
Adiac	cent Remote Site Collocation			020.10			01.00	00.00							1	1
7.44,44	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								<u> </u>
	Tremete ene rajacent conceanon reprisanen rec			020110			700.02	7.00.02								<u> </u>
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Tremote one rajacent conceation Treat Estate, per square root			OLONO	LIKI	0.104										
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
NOTE	E: If Security Escort and/or Add'I Engineering Fees become nec	occary:	for adi				actiate approp	riato ratos								1
	al Remote Site Collocation	essai y	l auj	l	l	raities will lie	gotiate approp	ilate lates.								1
VIIIuc	Virtual Collocation in the Remote Site - Application Fee	-	-	VE1RS	VE1RB		589.38		258.38		-	-			<del>                                     </del>	<u> </u>
	Virtual Collocation in the Remote Site - Application Lee	-	-	VLING	VLIND		309.30		230.30		-	-		-	-	<b>-</b>
	Virtual Collocation in the Remote Site - Per Bay/Rack of Space			VE1RS	VE1RC	218.07										
	Virtual Collocation in the Remote Site - Per Bay/Rack of Space  Virtual Collocation in the Remote Site - Space Availability Report			VEIRO	VEIRC	210.07										<b>-</b>
	per Premises requested			VE1RS	VE1RR		215.55									
	Virtual Collocation in the Remote Site - Remote Site CLLI Code			VEIRO	VEIRK		215.55									ļ
				VE4D0	VE4DI		70.05									
DIA OFNIT O	Request, per CLLI Code Requested	-		VE1RS	VE1RL		70.65									ļ
DJACENI	COLLOCATION	-		01.040	DEATA	0.4555										ļ
_	Adjacent Collocation - Space Charge per Sq. Ft.	-		CLOAC	PE1JA	0.1555										<del>                                     </del>
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.78										
				l												
				UEANL,UEQ,UEA,U	l											
	Adjacent Collocation - 2-Wire Cross-Connects			CL, UAL, UHL, UDN		0.0239	19.77	14.95								
	Adjacent Collocation - 4-Wire Cross-Connects	ļ	ļ	UEA,UHL,UDL,UCL		0.0477	19.95	15.05			ļ	ļ				ļ
	Adjacent Collocation - DS1 Cross-Connects			USL	PE1JG	1.28	39.15	23.20							1	ļ
	Adjacent Collocation - DS3 Cross-Connects		L	UE3	PE1JH	17.35	38.25	21.94								ļ
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1JJ	2.94	38.25	21.94								
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1JK	5.62	43.96	26.17								ļ
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		2,266.00		0.5842							<u> </u>
	Adjacent Collocation - 120V, Single Phase Standby Power Rate			<u> </u>												
	per AC Breaker Amp			CLOAC	PE1JL	5.50										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate							_								
	per AC Breaker Amp	L		CLOAC	PE1JM	11.01									<u> </u>	<u></u>
	Adjacent Collocation - 120V, Three Phase Standby Power Rate															
	per AC Breaker Amp	l		CLOAC	PE1JN	16.51										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate	Ì			İ									İ		
I	per AC Breaker Amp	l		CLOAC	PE1JO	38.12										
<del></del>	Rates displaying an "I" in Interim column are interim as a resu	lt of o	`ammi	ssion order		· · · · · ·			i +		1	1		i	1	1

RATE ELEMENTS  Interi m  Zone BCS USOC RATES(\$)  RATE SLEMENTS  RATE ELEMENTS  RA	COLLOCAT	ION - South Carolina												Attachment:	4 Exh B		
Mode				Zone	BCS	USOC						Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge - Manual Svc Order vs. Electronic-	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
PRINCE   COLOTION   Program Colocation - Initial Application Fee   Col.   Col.   PRISA   1,885.67   0.581				ļ			Rec										
Application								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Project Concentro - Sector Project Concentro -																	
Physical Colocation - Internal Application Fee																	
Prystal Concentron - Southerput Application Face   Co.D.   PECO.   1,574.0   O.91	Applic																
Prystal Collocates - Co-Curret Cross Contract/Pleest																	
Connect, Application Fee, per application   CoLO   PETOT   S84.42					CLO	PE1CA		1,570.10		0.51							
Physical Collection Agriculation Feel   CLO   PETEL   743.06		Physical Collocation - Co-Carrier Cross Connects/Direct															
Physical Collections - Ageinstance - Collegistance - Collegi		Connect, Application Fee, per application			CLO	PE1DT		584.42									
Psystal Collection - Agolization Cost, Minor Augment   CLO   PETRIX   1,088.00   1,21		Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		743.66									
Physical Collection - Ageination Cout. Moor Augment	ĺ	Physical Collocation - Application Cost, Simple Augment			CLO	PE1KS		594.27		1.21		1					
Physical Collection - Application Cost, Intermediste Augment   CLO   PEIKI   2,4000   1.21					CLO			833.26				1					1
Physical Collocation - Application Cost - Najor Augment   CICLO   PETKI   2,490,00   1,21					CLO	PE1K1		1.058.00		1.21		İ					1
Space Preparation												i e					<b>†</b>
Prysical Collection - Flore Space, per sq feet   CLO   PETPJ   3.35	Space				020			2, 100.00									
Physical Collication - Space Enclosure, welded wire, first 100   CLO   PE18X   197.69   CLO   PE18W   219.19   CLO   PE19W   219.19   C	орисс			+	CLO	PF1P.I	3 95					<b>†</b>					<del>                                     </del>
CLO   PEIBX   197.89				+	020		0.00					<b>†</b>					<del>                                     </del>
Physical Collocation - Space enclosure, welded wire, each address for the physical Collocation - Space enclosure, welded wire, each address for space enclosure, welded wire, each address for space enclosure, welded wire, each address for space enclosure, welded wire, each address for space enclosure, welded wire, each address for space enclosure, welded wire, each address for space enclosure, welded wire, each address for space enclosure, welded wire, each address for space enclosure, welded wire, each address for space enclosure, welded wire, each address for space enclosure, welded wire, each address for space enclosure, welded wire, each address for space enclosure, welded wire, each address for space enclosure, welded wire, each address for space enclosure, welded wire, each address for space enclosure, welded wire, each address for space enclosure, welded wire, each address for space enclosure, welded wire, each address for space enclosure, each enc					CLO	DE1RY	107 60										
Square feet   Square feet   CLO   PE18W   219.19	<u> </u>			+	CLO	FLIDA	197.09			1							
Physical Collocation - Space enclosure, welfold wire, each additional 50 square feet   CLO   PETOW   21.50					CLO	DE4DW	210.10										
Additional 50 square feet				1	CLO	PEIDW	219.19					<u> </u>					<b></b>
Sprayer Spray Collocation - Space Preparation - C.O. Modification per square ft.  Physical Collocation - Space Preparation, Common Systems Modifications-Cageles, per square for the Modifications-Cag					0.0	554014											
Seques (E. C. D. PETSK 2.75   S. D. Petrisk 2.75   S. D. Petrisk 2.75   S. D. Petrisk 2.75   S. D. Petrisk 2.75   S. D. Petrisk 3.24   S. D. D. Petrisk 3.24   S. D. D. Petrisk 3.24   S. D. D. D. D. D. D. D. D. D. D. D. D. D.				_	CLO	PE1CW	21.50										<b>.</b>
Physical Collocation - Space Preparation, Common Systems   CLO   PETSL   3.24																	
Modifications-Cageless, per square foot				_	CLO	PE1SK	2.75					ļ					<b>↓</b>
Physical Collocation - Space Preparation - Common Systems   CLO   PE1SM   110.16																	
Modifications-Caged, per cage Prysical Collocation - Space Paparation - Firm Order Processing Physical Collocation - Space Availability Report, per Central Office Requested CLO PETSI CLO PETSI 602.05  Physical Collocation - Space Availability Report, per Central Office Requested CLO PETSR 1,077.57  Physical Collocation - Power, 48V DC Power - per Fused Amp Requested CLO PETPL 9,19 Physical Collocation - Power, 120V AC Power, Single Phase, per Breaker Amp CLO PETFB 5,67 Physical Collocation - Power, 240V AC Power, Single Phase, per Breaker Amp CLO PETFB 11.36 Physical Collocation - Power, 120V AC Power, Intree Phase, per Breaker Amp CLO PETFB 17.03 Physical Collocation - Power, 120V AC Power, Three Phase, per Breaker Amp CLO PETFB 17.03 PHysical Collocation - Power, 120V AC Power, Three Phase, per Breaker Amp CLO PETFB 17.03 PHysical Collocation - Power, 120V AC Power, Three Phase, per Breaker Amp CLO PETFB 17.03 PETP2 0.0341 12.32 11.83 6.04 5.45 Physical Collocation - 2-wire cross-connect, loop, provisioning WOSIL, WOSIL, UNCIX, UCL, UDL, UHL, UNN, UNCIX, UPER, UPESB, UERA, UPEC, UNCIX, ULPER, UNCIX, UPER, UPESB, UERPS, UERPS, UERPS, USL, UPERS, USL,					CLO	PE1SL	3.24										
Physical Collocation - Space Preparation - Firm Order Processing Physical Collocation - Space Preparation - Firm Order Processing Physical Collocation - Space Preparation - Firm Order Physical Collocation - Power, - Perform - Physical Collocation - Power, - Perform - Physical Collocation - Power, - Perform - Physical Collocation - Power, - Perform - Physical Collocation - Power, - Perform - Physical Collocation - Power, - Perform -																	
Processing					CLO	PE1SM	110.16										
Physical Collocation - Space Availability Report, per Central Office Requested Power  Power  Power  CLO PE1SR 1,077.57																	
Office Requested  Power  Power  Physical Collocation - Power, 48V DC Power - per Fused Amp Requested  CLO PE1PL 9.19  Physical Collocation - Power, 120V AC Power, Single Phase, per Breaker Amp Physical Collocation - Power, 120V AC Power, Single Phase, per Breaker Amp Physical Collocation - Power, 120V AC Power, Single Phase, per Breaker Amp Physical Collocation - Power, 120V AC Power, Three Phase, per Breaker Amp  CLO PE1FB 11.36  PE1FB 17.03  Cross Connects (Cross Connects, Co-Carrier Cross Connects, and Ports)  UEANL, UEC, UAL, UHL, UDN, UNCXX, UEA, UCL, UAL, UHL, UDN, UNCXX Physical Collocation - 2-wire cross-connect, loop, provisioning Physical Collocation - 4-wire cross-connect, loop, provisioning Physical Collocation - DS1 Cross-Connect for Physical Physical Collocation - DS1 Cross-Connect for Physical UEAR, UED, UNCXX UEPSR, UEPSR					CLO	PE1SJ		602.05									
Power Physical Collocation - Power, 48V DC Power - per Fused Amp Requested Physical Collocation - Power, 120V AC Power, Single Phase, per Breaker Amp Physical Collocation - Power, 120V AC Power, Single Phase, per Breaker Amp Physical Collocation - Power, 120V AC Power, Single Phase, per Breaker Amp Physical Collocation - Power, 120V AC Power, Single Phase, per Breaker Amp Physical Collocation - Power, 120V AC Power, Three Phase, per Breaker Amp Physical Collocation - Power, 120V AC Power, Three Phase, per Breaker Amp Physical Collocation - Power, 277V AC Power, Three Phase, per Breaker Amp Physical Collocation - Power, 277V AC Power, Three Phase, per Breaker Amp Physical Collocation - Power, 277V AC Power, Three Phase, per CLO PETFE 17.03 P		Physical Collocation - Space Availability Report, per Central															
Physical Collocation - Power, -48V DC Power - per Fused Amp Requested Requested Requested Physical Collocation - Power, 120V AC Power, Single Phase, per Breaker Amp Physical Collocation - Power, 240V AC Power, Single Phase, per Breaker Amp Physical Collocation - Power, 120V AC Power, Single Phase, per Breaker Amp Physical Collocation - Power, 120V AC Power, Three Phase, per Breaker Amp Physical Collocation - Power, 277V AC Power, Three Phase, per Breaker Amp CLO PE1FB 11.36  Cross Connects (Cross Connects, Co-Carrier Cross Connects, and Ports)  Physical Collocation - 2-wire cross-connect, loop, provisioning UNCNX, UEA, UCL, UAL, UHL, UDN, UNCXX, PE1P2 0.0341 12.32 11.83 6.04 5.45  Physical Collocation - 4-wire cross-connect, loop, provisioning UNCNX, ULDI, UTD1, UNCNX, ULDI, UTD1, UNCNX, ULPSR, URPSR, U		Office Requested			CLO	PE1SR		1,077.57									
Requested	Power	•															
Requested		Physical Collocation - Power, -48V DC Power - per Fused Amp															
Physical Collocation - Power, 120V AC Power, Single Phase, per Breaker Amp Physical Collocation - Power, 240V AC Power, Single Phase, per Breaker Amp Physical Collocation - Power, 120V AC Power, Three Phase, per Breaker Amp Physical Collocation - Power, 120V AC Power, Three Phase, per Breaker Amp Physical Collocation - Power, 277V AC Power, Three Phase, per Breaker Amp CLO PE1FE 17.03 Physical Collocation - Power, 277V AC Power, Three Phase, per Breaker Amp CLO PE1FE 39.33  Cross Connects (Cross Connects, Co-Carrier Cross Connects, and Ports)  UEANL, UEQ, UNCNX, UEA, UCL, UAL, UHI, UDN, UNCVX, PE1P2 0.0341 12.32 11.83 6.04 5.45  Physical Collocation - 4-wire cross-connect, loop, provisioning Physical Collocation - 4-wire cross-connect, loop, provisioning Physical Collocation - 551 Cross-Connect for Physical Physical Collocation - DS1 Cross-Connect for Physical USA, UEPSK, UEPSK, USA, UELEX, USA, UEPSK, USA, UEPSK, USA, UEPSK, USA, USA, USA, USA, USA, USA, USA, USA					CLO	PE1PL	9.19										
Der Breaker Amp		Physical Collocation - Power, 120V AC Power, Single Phase,										1					1
Physical Collocation - Power, 240V AC Power, Single Phase, per Breaker Amp					CLO	PE1FB	5.67										
per Breaker Amp												i e					<b>†</b>
Physical Collocation - Power, 120V AC Power, Three Phase, per Breaker Amp  Physical Collocation - Power, 277V AC Power, Three Phase, per Breaker Amp  CLO PE1FE 17.03  Physical Collocation - Power, 277V AC Power, Three Phase, per Breaker Amp  CLO PE1FG 39.33  Cross Connects (Cross Connects, Co-Carrier Cross Connects, and Ports)  UEANL, UEQ, UNCNX, UEA, UCL, UAL, UHL, UDN, UNCVX PE1P2 0.0341 12.32 11.83 6.04 5.45  Physical Collocation - 2-wire cross-connect, loop, provisioning UNCVX PE1P2 0.0682 12.42 11.90 6.40 5.74  Physical Collocation - 4-wire cross-connect, loop, provisioning UNCVX, UNCDX, UCL, UDL, UNCDX, UCL, UDL, USLE, UNLD1, USLE, UNLD1, UTD1, USLE, USPSP, UEPSR					CLO	PF1FD	11.36										
Breaker Amp					020		11.00										
Physical Collocation - Power, 277V AC Power, Three Phase, per Breaker Amp  CLO PETFG S9.33  Cross Connects (Cross Connects, Co-Carrier Cross Connects, and Ports)  UEANL, UEQ, UNCNX, UEA, UCL, UAL, UHL, UDN, UNCVX PETP2 O.0341  Physical Collocation - 2-wire cross-connect, loop, provisioning  UEA, UHL, UNCVX, PETP2 O.0341  Physical Collocation - 4-wire cross-connect, loop, provisioning  WDS1L, WDS1S, UXTD1, ULDD1, USLEL, UNLD1, UITD1, UNC1X, UEPSR, UEPSB, UEPSR, UEPSB, UEPSB, UEPSB, UEPSB, UEPSB, UEPSB, UEPSB, UEPSB, UEPSE, UEPSP, USL, UEPEX, USL, UEPEX, USL, UEPEX, USLE, URLD1, USL, UEPEX, USL, USL, UEPEX, USL, USL, UEPEX, USL, USL, USL, USL, USL, USL, USL, USL					CLO	PF1FF	17 03										
Breaker Amp				+	020		17.00					<b>†</b>					<del>                                     </del>
Cross Connects (Cross Connects, Co-Carrier Cross Connects, and Ports)  UEANL, UEQ, UNCNX, UEA, UCL, UAL, UHL, UDN, UNCVX PE1P2 0.0341 12.32 11.83 6.04 5.45  Physical Collocation - 2-wire cross-connect, loop, provisioning  Physical Collocation - 4-wire cross-connect, loop, provisioning  WDS1L, WDS1S, UXTD1, ULDD1, USD1S, UXTD1, ULDD1, USLEL, UNLD1, UTD1, UNCX, UEPSR, UEPSR, UEPSR, UEPSR, UEPSR, UEPSR, UEPSP, USL, UEPSR, UEPSP, USL, UEPSR, UEPSP, USL, UEPEX, USL, USL, UEPEX, USL, USL, UEPEX, USL, USL, UEPEX, USL, USL, UEPEX, USL, USL, USL, USL, USL, USL, USL, USL					CLO	DE1EG	30 33										
UEANL, UEQ, UNCNX, UEA, UCL, UAL, UHL, UDN, Petp2	Cross		orte)	+	CLO	FLIIG	39.33			1							
Description	Cioss	Connects (Cross Connects, Co-Carrier Cross Connects, and P	orts)	+	LIEANII LIEO	ł					<b>.</b>	ł	-			-	<del> </del>
Description																	
Physical Collocation - 2-wire cross-connect, loop, provisioning																	
DEA, UHL, UNCVX, UNCDX, UCL, UDL PE1P4		Physical Callagation - 2 mins areas against land and incidence				DE4D0	0.0044	40.00	44.00	0.04	F 45						
Physical Collocation - 4-wire cross-connect, loop, provisioning   UNCDX, UCL, UDL   PE1P4   0.0682   12.42   11.90   6.40   5.74		Physical Collocation - 2-wire cross-connect, loop, provisioning		1		PE IP2	0.0341	12.32	11.83	6.04	5.45	<u> </u>					<b></b>
WDS1L, WDS1S, UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB, UEPSB, UEPSB, UEPSE, UEPSP, UEPSE, UEPSP, USL, UEPSE, UEPSP, UEPSE, UEPSE, UEPSE, UEPSE, UEPSE, USL, UEPEX,		Physical Collegation A wire organization	1	1		DE4D4	0.0000	40.40	44.00	0.40		1				I	1
UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UFPSR, UEPSB, UEPSE, UEPSP, Physical Collocation -DS1 Cross-Connect for Physical  UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UFPSP, UFPSP, UFPSP, UEPSE, UFPSP, USL, UFPSP,		Physical Collocation - 4-wire cross-connect, loop, provisioning		1		PETP4	0.0682	12.42	11.90	6.40	5.74	<b>_</b>			<b>.</b>	-	₩
Physical Collocation -DS1 Cross-Connect for Physical USL, UEPEX,					UXTD1, ULDD1, USLEL, UNLD1, U1TD1, UNC1X, UEPSR, UEPSB,												
		Physical Collocation -DS1 Cross-Connect for Physical	1	1								1				I	1
						DE1D1	4 40	22.00	15.00	6.40	E 00					1	

CATEGORY   MATE ELEMENTS   Mark   Scote   Sc					1	1	1						1			ı	1
ATECORY  RATE ELEMENTS    March   Marc	COLLOCAT	ION - South Carolina															
No.   First   Add   Speec   Spoake	CATEGORY	RATE ELEMENTS		Zone	BCS	usoc			RATES(\$)			Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-
Substitution   Subs							Poc		curring	Nonrecurring	Disconnect					•	
UNTO, LUTS,							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Security   Physical Collection - 2-Fiber Cross Connect   ULDOS, ULDPS,		Physical Collocation - DS3 Cross-Connect, provisioning			UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSR, UEPSB, UEPSE, UEPSP	PE1P3	14.21	20.94	15.23	7.39	5.93						
UDDS JUDI2   UDD		Physical Collocation - 2-Fiber Cross-Connect			ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3,	PF1F2	2 82	20 94	15 23	7 40	5 93						
Physical Collocation - Co-Carrier Crises Connect/Direct Cornect Connect - Fiber Cellab Support Structure, per linear foot, per cubile.   CLO   PE1ES   0.001					ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12,												
Coineat - Fiber Cable Support Structure, per linear foot, per call call call call call call call cal					ODF, ODFGX	rc1r4	5.01	∠5.01	19.90	9.73	ŏ.2b	<del>                                     </del>					
CopperCoac Cable Support Structure, per linear foot, per cable.   CLO   PE1DS   D.0015   D.		Connect - Fiber Cable Support Structure, per linear foot, per cable.			CLO	PE1ES	0.001										
CLO   PEIDS   0.0015																	
Physical Collocation 2-Wire Cross Connect, Port   ULEPSX_UEPSB, ULEPSB,					PE1DS	0.0015											
Security Physical Collocation - Security Escort for Desic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled work day. per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day. per half hour Physical Collocation - Security Escort for Premium Time - outside of scheduled work day. per half hour Physical Collocation - Security Access System - Security System, outside of scheduled work day. per half hour Physical Collocation - Security Access System - New Card Activation, per Card Activation (First), per State  Physical Collocation - Security Access System - New Card Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or Stolen Key, per Key Physical Collocation - Security Access System - Replace Lost or Stolen Key, per Key Physical Collocation - Security Access System - Replace Lost or Stolen Key, per Key Physical Collocation - Security Access Sayle Physical Collocation - Security Access Sayle Physical Collocation - Security Access Sayle Physical Collocation - Security Access Card, per Replace Lost or Stolen Key, per Key Physical Collocation - Security Access Sayle Physical Collocation - Security Access Card, per Replace Lost or Stolen Key, per Key Physical Collocation - Security Access - Intial Key, per Key Physical Collocation - Security Access - Rey, Replace Lost or Stolen Key, per Key Physical Collocation - CFA Information Resend Request, per Collocation - Security Access - Rey, Replace Lost or Stolen Key, per Key Physical Collocation - CGA Information Resend Request, per Collocation - CFA Information Resend Request, per Collocation - CFA Information Resend Request, per Collocation - CFA Information Resend Request, per Collocation - CFA Information Resend Request Provided Physical Collocation - CFA Information Resend Request Provided Physical Collocation - CFA Information Resend Reques					UEPSE, UEPSB, UEPSX, UEP2C												
Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overrime - outside of normally scheduled working hours a scheduled working do normally scheduled working hours an ascheduled working do normally scheduled working hours an ascheduled working do normally scheduled working hours an ascheduled working do normally scheduled working hours and scheduled work day, per half hour and scheduled working hours and scheduled wor					UEPEX, UEPDD	PE1R4	0.0682	12.42	11.90	6.40	5.74		15.69				
Scheduled work, per half hour	Secur																
normally scheduled working hours on a scheduled work day, per half hour physical Collocation - Security Escort for Premium Time - U.C.O PETAT 27.23 17.02    Physical Collocation - Security Access System, Security System, per Central Office   Physical Collocation - Security Access System - New Card Activation, per Card Acti		scheduled work, per half hour			CLO	PE1BT		16.96	10.75								
Physical Collocation - Security Access System, Security System, per Central Office Physical Collocation - Security Access System, Security System, per Central Office Physical Collocation - Security Access System - New Card Activation, per Card Activation (First), per State Physical Collocation - Security Access System - New Card Activation, per Card Activation (First), per State Physical Collocation - Security Access System - New Card Activation, per Card Activation (First), per State Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card Physical Collocation - Security Access - Initial Key, per Key CLO PETAR Physical Collocation - Security Access - Initial Key, per Key CLO PETAR Physical Collocation - Security Access - Initial Key, per Key CLO PETAL 13.13 Physical Collocation - Security Access - Initial Key, per Key CLO PETAL 13.13 Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial I" and "Subsequent S" respectively Physical Collocation - Cable Records, Vi/OSO Cable, per cable record (maximum 3600 records) Physical Collocation - Cable Records, Vi/OSO Cable, per cable record (maximum 3600 records) Physical Collocation - Cable Records, Vi/OSO Cable, per cable record (maximum 3600 records) Physical Collocation - Cable Records, Vi/OSO Cable, per cable CLO PETCD PETCD PETCD 9-ETCD	normally scheduled working hours on a scheduled work day,			01.0	DEAOT		20.40	40.00									
ourside of scheduled work day, per half hour CLO PETPT 27.23 17.02  Physical Collocation - Security Access System, Security System, per Central Office Physical Collocation - Security Access System - New Card Activation, per Card Activation, Calle Records, Note: The rates in the First & Additional Columns will actually be billed as "Initial I" and "Subsequent S" respectively  Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records).  Professional Activation Activation Activation Activation Activation Activation Activation Activation Activation Activation Activation Activation Ac	-				CLO	PE101		22.10	13.89								
Per Central Office		outside of scheduled work day, per half hour			CLO	PE1PT		27.23	17.02								
Activation, per Card Activation (First), per State		per Central Office			CLO	PE1AX	74.72										
Change, existing Access Card, per Request, per State, per Card  CLO  PE1AA  7.81  Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card  CLO  PE1AR  22.83  Physical Collocation - Security Access - Initial Key, per Key  Physical Collocation - Security Access - Initial Key, per Key  CLO  PE1AK  13.13  CFA  Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request  CLO  PE1C9  PF1C9  77.71  Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial I" and "Subsequent S" respectively  Physical Collocation, Cable Records, VG/DSO Cable, per cable record (maximum 3600 records)  Physical Collocation, Cable Records, VG/DSO Cable, per each 100 pair  Physical Collocation, Cable Records, VG/DSO Cable, per each 100 pair  Physical Collocation, Cable Records, VG/DSO Cable, per each 100 pair  Physical Collocation, Cable Records, DS1, per T1 TIE  CLO  PE1C0  PE1C1  2.26  2.77					CLO	PE1A1	0.0601	27.85									
Stolen Card, per Card Physical Collocation - Security Access - Initial Key, per Key CLO PE1AR Physical Collocation - Security Access - Initial Key, per Key CLO PE1AK 13.13 Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key CLO PE1AL 13.13  CFA Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request CLO PE1C9 PE1C9 Physical Collocation - Cable Records, Porten at the First & Additional columns will actually be billed as "Initial I" and "Subsequent S" respectively Physical Collocation - Cable Records, per cquest CLO PE1CR Physical Collocation - Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair Physical Collocation, Cable Records, DS1, per T1 TIE CLO PE1C1 2.26 2.77		Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		7.81									
Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key  CFA  Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request  CLO PE1C9  PE1C9  T7.71  Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial I" and "Subsequent S" respectively  Physical Collocation - Cable Records, per request  CLO PE1C9  T7.71  Chypical Collocation - Cable Records, per request  Physical Collocation, Cable Records, vG/DS0 Cable, per cable record (maximum 3600 records)  Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair  CLO PE1CD  S27.65  PE1C9  T7.71  T60.98 S 489.2  133.29  Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair  CLO PE1CD  S27.65  PE1C9  T7.71  S48.2  T7.71  DECLO PE1CD  S27.65  S489.2  S48					CLO	PE1AR		22.83									
Stolen Key, per Key		Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		13.13									
Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request  Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial I" and "Subsequent S" respectively  Physical Collocation - Cable Records, per request  Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)  Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair  CLO PE1CD 327.65 189.54  Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair  CLO PE1CO 4.82 5.91  Physical Collocation, Cable Records, DS1, per T1 TIE CLO PE1C1 2.26 2.77	05:				CLO	PE1AL		13.13									
Premises, per arrangement, per request   CLO   PE1C9   77.71     Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial I" and "Subsequent S" respectively   Physical Collocation - Cable Records, per request   CLO   PE1CR   I 760.98   S 489.2   133.29   Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)   CLO   PE1CD   327.65   189.54   Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair   CLO   PE1CO   4.82   5.91   Physical Collocation, Cable Records, DS1, per T1 TIE   CLO   PE1C1   2.26   2.77   PE1C1   2.26   2.77   PE1C1   2.26   2.77   PE1C1   2.26   2.77   PE1C1   PE1	CFA	Physical Collocation - CFA Information Personal Paguest per				<del> </del>						-					
Cable Records - Note: The rates in the First & Additional columns will actually be billed as "Initial I" and "Subsequent S" respectively   Physical Collocation - Cable Records, per request   CLO   PE1CR   I 760.98   S 489.2   133.29     Physical Collocation, Cable Records, VG/DSO Cable, per cable record (maximum 3600 records)   CLO   PE1CD   327.65   189.54     Physical Collocation, Cable Records, VG/DSO Cable, per each 100 pair   CLO   PE1CO   4.82   5.91     Physical Collocation, Cable Records, DS1, per T1 TIE   CLO   PE1C1   2.26   2.77		premises, per arrangement, per request						77.71									
Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)	Cable	Records - Note: The rates in the First & Additional columns wi	II actua	lly be b		nd "Subsequ	ent S" respectiv	/ely									
record (maximum 3600 records)				<u> </u>	CLO	PE1CR		ı 760.98	S 489.2	133.29		-					
100 pair		record (maximum 3600 records)			CLO	PE1CD		327.65		189.54							
		100 pair															
	<del></del>	Physical Collocation, Cable Records, DS1, per T1 TIE  Physical Collocation, Cable Records, DS3, per T3 TIE		-	CLO	PE1C1 PE1C3	-	7.90		2.77 9.68		1					

Version: 2Q05 Standard ICA 08/09/05

COLLOCAT	ION - South Carolina												Attachment:	4 Exh B		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonre			Disconnect				Rates(\$)		T
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Cable Records, Fiber Cable, per cable record (maximum 99 records)			CLO	PE1CB		84.68		77.30							
	Physical Collocation, Cable Records,CAT5/RJ45			CLO	PE1CB PE1C5				2.77		1					<del> </del>
V: mt m			-	CLO	PETC5		2.26		2.11							
Virtua	to Physical															
	Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit			CLO	PE1BV		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit			CLO	PE1BO		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation,															
	per DS1 Circuit			CLO	PE1B1		52.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS3 Circuit			CLO	PE1B3		52.00									
	Physical Collocation - Virtual to Physical Collocation In-Place,			OLO	T E I BO		02.00									
	Per Voice Grade Circuit  Physical Collocation Virtual to Physical Collocation In-Place, Per			CLO	PE1BR		23.00									
	DSO Circuit			CLO	PE1BP		23.00									
	Physical Collocation - Virtual to Physical Collocation In-Place, Per DS1 Circuit			CLO	PE1BS		33.00									
-	Physical Collocation - Virtual to Physical Collocation In-Place,															
	per DS3 Circuit			CLO	PE1BE		37.00									<u> </u>
Entrar	ce Cable															
	Physical Collocation - Fiber Cable Installation, Pricing, non- recurring charge, per Entrance Cable			CLO	PE1BD		794.22		22.54							
	Physical Collocation - Fiber Cable Support Structure, per Entrance Cable			CLO	PE1PM	21.33										
	Physical Collocation - Fiber Entrance Cable Installation, per Fiber			CLO	PE1ED		3.87									
VIRTUAL COL				OLO	I LILD		3.07		1						<u> </u>	<del>                                     </del>
Applic																
1	Virtual Collocation - Application Fee			AMTFS	EAF		1,207.95		0.51							
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect,															
	Application Fee, per application			AMTFS	VE1CA		584.42									
	Virtual Collocation Administrative Only - Application Fee			AMTFS	VE1AF		743.66									1
Space	Preparation															
	Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	3.95										
Power																
	Virtual Collocation - Power, per fused amp	L.,		AMTFS	ESPAX	9.19										
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and P	orts)														
				UEANL, UEA, UDN, UAL, UHL, UCL, UEQ, UNCVX,												
	Virtual Collocation - 2-wire cross-connect, loop, provisioning	L		UNCDX, UNCNX	UEAC2	0.0317	12.32	11.83	6.04	5.45	<u></u>	<u> </u>			<u> </u>	<u> </u>
				UEA, UHL, UCL, UDL, UNCVX,												
	Virtual Collocation - 4-wire cross-connect, loop, provisioning		<u> </u>	UNCDX	UEAC4	0.0634	12.42	11.90	6.40	5.74						
	Virtual collocation - Special Access & UNE,cross-connect per DS1			ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USL, UEPEX, UEPDX	CNC1X	1.12	22.08	15.96	6.42	5.80						
	Virtual collocation - Special Access & UNE, cross-connect per DS3			USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	14.21	20.94	15.23	7.39	5.93						

COLLOCA	TION - South Carolina			I		ı					1		Attachment:	4 Evh D	1	
COLLUCA	110N - SOULII CAIOIIIIA										Svc Order	Svc Order	Incremental		In orom and -1	Inoromt-1
															Incremental	Incremental
												Submitted	Charge -	Charge -	Charge -	Charge -
CATECORY	DATE ELEMENTO	Interi	7	DOC	LICOC			DATEC(¢)			Elec	Manually	Manual Svc	Manual Svc		
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
-							Managa		Name and a second	Discounces			222	Rates(\$)		
<b>———</b>						Rec	Nonrec		Nonrecurring		001150	001441			0011411	0011411
					-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				LIDI 40 LIDI 00												
				UDL12, UDLO3,												
				U1T48, U1T12,												
				U1TO3, ULDO3,												
	Virtual Collocation - 2-Fiber Cross Connects			ULD12, ULD48, UDF	CNC2F	2.86	20.94	15.23	7.40	5.93						
				UDL12, UDLO3,												
				U1T48, U1T12,												
				U1TO3, ULDO3,												
	Virtual Collocation - 4-Fiber Cross Connects			ULD12, ULD48, UDF	CNC4F	5.71	25.61	19.90	9.73	8.26						
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect -		l		I						1				I	
	Fiber Cable Support Structure, per linear foot, per cable			AMTFS	VE1CB	0.001										
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect -															
	Copper/Coax Cable Support Structure, per linear foot, per cable			AMTFS	VE1CD	0.0015										
				UEPSX, UEPSB,												
				UEPSE, UEPSP,												
	Virtual Collocation 2-Wire Cross Connect, Port			UEPSR, UEP2C	VE1R2	0.0317	12.32	11.83	6.04	5.45						
	Virtual Collocation 4-Wire Cross Connect, Port			UEPDD, UEPEX	VE1R4	0.0634	12.42	11.90	6.40	5.74						
CFA				,												
	Virtual Collocation - CFA Information Resend Request, per															
	Premises, per Arrangement, per request			AMTFS	VE1QR		77.71									
Cable	e Records - Note: The rates in the First & Additional columns wi	II actual	lv be k	oilled as "Initial I" &	"Subsequen	t S" respectivel										
	Virtual Collocation Cable Records - per request			AMTFS	VE1BA		760.98	489.20	133.29							
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable															
	record			AMTFS	VE1BB		327.65		189.54							
	Virtual Collocation Cable Records - VG/DS0 Cable, per each			7 44111 0	12.55		027.00		100.01							
	100 pair			AMTFS	VE1BC		4.82		5.91							
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD		2.26		2.77							
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		7.90		9.68							1
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber			7 UVIII O	VEIDE		7.00		0.00							
	records			AMTFS	VE1BF		84.68		77.30							
<b>H</b>	Virtual Collocation Cable Records - CAT 5/RJ45			AMTFS	VE1B5		2.26		2.77							
Secu				7 UVIII O	VEIDO		2.20		2.77							
Jecu	Virtual collocation - Security escort, basic time, normally															
	scheduled work hours			AMTFS	SPTBX		16.96	10.75								
<b>—</b>	Virtual collocation - Security escort, overtime, outside of			7 UVIII O	OI IDX		10.00	10.70								
	normally scheduled work hours on a normal working day			AMTFS	SPTOX		22.10	13.89							1	
<del>                                     </del>	Virtual collocation - Security escort, premium time, outside of a		$\vdash$	,	5. 15A		22.10	13.03							<del>                                     </del>	1
	scheduled work day			AMTFS	SPTPX		27.23	17.02							1	
Main	tenance			AWITTS	SFIFA		21.23	17.02								1
Iviaiii	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		27.99	10.75								
<b></b>	Virtual Collocation - Maintenance III CO - Basic, per Hail Hour			AWITTO	CIKLX		21.55	10.73			-				-	
1 1	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		36.56	13.89			1				I	
$\vdash$	virtual conocation - ivialintenance in CO - Overtime, per hall hour			AIVIIFO	37 IUW		30.36	13.89			-				<del></del>	<b> </b>
	Virtual collocation - Maintenance in CO - Premium per half hour		l	AMTFS	SPTPM		45.12	17.02			1				I	
Enter	ance Cable			AIVIIFO	OF I FIVI		45.12	17.02			-				<del></del>	<b> </b>
Entra	Virtual Collocation - Cable Installation Charge, per cable			AMTFS	ESPCX		794.22		22.54						<del>                                     </del>	-
<del></del>						10.00	794.22		22.54		-				<del>                                     </del>	1
COLLOCATIO	Virtual Collocation - Cable Support Structure, per cable			AMTFS	ESPSX	18.66					-				<del>                                     </del>	1
	ON IN THE REMOTE SITE				<b>-</b>										<del>                                     </del>	-
Phys	ical Remote Site Collocation			CL ODC	DE4DA		200.22		400.00		-				<del>                                     </del>	1
$\vdash$	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA	040.41	308.38		168.60						-	ļ
$\vdash$	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	246.44									<b></b>	ļ
1 1											1				I	
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		13.13								<b></b>	
1 1	Physical Collocation in the Remote Site - Space Availability		l	CLORS	PE1SR	1					I				1	
	Report per Premises Requested						116.13									

COLLOCAT	TION - South Carolina												Attachment:	4 Exh B		T
											Svc Order	Svc Order			Incremental	Incrementa
												Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc		Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)						l .		
CATEGORI	NATE ELEMENTO	m	20116	500	0000			IVA I EO(4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'l
			<u> </u>			ı	Nonred	urring	Nonrecurring	Disconnoct		l	088	Rates(\$)		
		-				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation in the Remote Site - Remote Site CLLI						11100	Addi	7 11 30	Addi	COMILO	COMPAR	COMPAR	COMPAN	COMPAR	COMPAR
	Code Request, per CLLI Code Requested			CLORS	PE1RE		37.64									
-	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO		<del> </del>	CLORS	PE1RR		234.50									+
	Physical Collocation - Security Escort for Basic Time - normally		1	OLONO	LIKK		234.30				<b>†</b>	<b>†</b>			1	+
	scheduled work, per half hour			CLORS	PE1BT		16.96	10.75								
		-	-	CLURS	PEIBI		16.96	10.75						-		+
	Physical Collocation - Security Escort for Overtime - outside of															
	normally scheduled working hours on a scheduled work day,			0.000												
	per half hour			CLORS	PE1OT		22.10	13.89								
	Physical Collocation - Security Escort for Premium Time -															
	outside of scheduled work day, per half hour			CLORS	PE1PT		27.23	17.02								
Adjac	ent Remote Site Collocation															
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	: If Security Escort and/or Add'I Engineering Fees become nec	essary	or adja	cent remote site col	location, the	Parties will ne	gotiate approp	riate rates.								
Virtua	Remote Site Collocation															
	Virtual Collocation in the Remote Site - Application Fee			VE1RS	VE1RB		616.76		337.19							
	Virtual Collocation in the Remote Site - Per Bay/Rack of Space			VE1RS	VE1RC	246.44										
	Virtual Collocation in the Remote Site - Space Availability Report															
	per Premises requested			VE1RS	VE1RR		232.25									
	Virtual Collocation in the Remote Site - Remote Site CLLI Code															
	Request, per CLLI Code Requested			VE1RS	VE1RL		75.27									
ADJACENT C	OLLOCATION															
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0939										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	6.40										
																1
				UEANL,UEQ,UEA,U												
	Adjacent Collocation - 2-Wire Cross-Connects			CL, UAL, UHL, UDN	PE1JE	0.0264	12.32	11.83	6.04	5.45						
	Adjacent Collocation - 4-Wire Cross-Connects				PE1JF	0.0527	12.42	11.90	6.40	5.74		İ				1
	Adjacent Collocation - DS1 Cross-Connects			USL	PE1JG	1.03	22.08	15.96	6.42	5.80		İ				1
	Adjacent Collocation - DS3 Cross-Connects			UE3	PE1JH	14.00	20.94	15.23	7.39	5.93						1
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1JJ	2.37	20.94	15.23	7.40	5.93	1	1		1	1	
<del> </del>	Adjacent Collocation - 2-riber Cross-Connect		t	CLOAC	PE1JK	4.53	25.61	19.90	9.73	8.26	<u> </u>	t				<del>                                     </del>
	Adjacent Collocation - 4-1 iber Cross-Connect  Adjacent Collocation - Application Fee		<del>                                     </del>	CLOAC	PE1JB	7.00	1.580.20	10.00	5.75	0.20	t	t		1	1	+
	Adjacent Collocation - Application 1 ee  Adjacent Collocation - 120V, Single Phase Standby Power Rate		t	020/10	100		1,000.20				<b>-</b>	1		<del> </del>	<del> </del>	+
1	per AC Breaker Amp			CLOAC	PE1JL	5.67										1
	Adjacent Collocation - 240V, Single Phase Standby Power Rate		<del>                                     </del>	OLONO	1 - 10-	5.07					1	<del> </del>		+	<del> </del>	+
1	per AC Breaker Amp		1	CLOAC	PE1JM	11.36										I
	Adjacent Collocation - 120V, Three Phase Standby Power Rate	<b>I</b>	+	OLUAU	F E IJIVI	11.36			-		<del>                                     </del>	<del>                                     </del>	-	1	1	+
1				01.040	DEAIN	47.00										1
	per AC Breaker Amp		<u> </u>	CLOAC	PE1JN	17.03					-	<b>.</b>		ļ	ļ	
1	Adjacent Collocation - 277V, Three Phase Standby Power Rate			0.0.0												1
	per AC Breaker Amp			CLOAC	PE1JO	39.33						<b></b>				<b>↓</b>
INote:	Rates displaying an "I" in Interim column are interim as a resu	ılt of a (	Commis	ssion order.		1					1	1		1	1	1

COLLOCA	TION - Tennessee												Attachment:	4 Exh B	_	1
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Submitted Elec	Svc Order Submitted Manually	Charge - Manual Svc	Charge - Manual Svc	Incremental Charge - Manual Svc	Charge Manual S
SATEGORT	RATE ELEMENTS	m	Zone	BCS	0300			KATES(\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs Electronic Disc Add
						Rec	Nonrecurring		Nonrecurrin	g Disconnect				Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	DLLOCATION		ļ													
Appli	cation			01.0	DEADA		4 005 00									
	Physical Collocation - Initial Application Fee		-	CLO	PE1BA		1,285.98				1					1
	Physical Collocation - Subsequent Application Fee		1	CLO	PE1CA	-	1,085.48			-	-			-		-
	Physical Collocation - Co-Carrier Cross Connects/Direct			CLO	PE1DT		E9E 00									
	Connect, Application Fee, per application  Physical Collocation - Power Reconfiguration Only, Application		1	CLO	PEIDI		585.09				<b> </b>					<b> </b>
	Fee			CLO	PE1PR		400.10									
-	Physical Collocation Administrative Only - Application Fee		1	CLO	PE1BL	-	743.25			-	1				-	1
Space	e Preparation		1	CLO	PEIDL	-	143.23			-	1				-	1
Эрас	Physical Collocation - Floor Space, per sq feet		<del>                                     </del>	CLO	PE1PJ	5.94	+ +			<del> </del>	<u> </u>	<del>                                     </del>		1		<del> </del>
	Physical Collocation - Space Enclosure, welded wire, first 50		1	CLO	LIII	5.54					<b>†</b>					1
	square feet			CLO	PE1BX	197.09										
	Physical Collocation - Space enclosure, welded wire, first 100			020		101.00					1				1	1
	square feet			CLO	PE1BW	218.53										
	Physical Collocation - Space enclosure, welded wire, each			020		2.0.00	† †			t	†				t	
	additional 50 square feet			CLO	PE1CW	21.44										
	Physical Collocation - Space Preparation - C.O. Modification per		1								İ					i e
	square ft.			CLO	PE1SK	2.74										
	Physical Collocation - Space Preparation, Common Systems		1								İ					i e
	Modifications-Cageless, per square foot			CLO	PE1SL	2.95										
	Physical Collocation - Space Preparation - Common Systems															
	Modifications-Caged, per cage			CLO	PE1SM	100.14										
	Physical Collocation - Space Preparation - Firm Order															
	Processing			CLO	PE1SJ		1,204.00									
	Physical Collocation - Space Availability Report, per Central															
	Office Requested	- 1		CLO	PE1SR		2,027.00									
Powe																
	Physical Collocation - Power, -48V DC Power - per Fused Amp															
	Requested			CLO	PE1PL	8.87										
	Physical Collocation - Power, 120V AC Power, Single Phase,															
	per Breaker Amp			CLO	PE1FB	5.60										
	Physical Collocation - Power, 240V AC Power, Single Phase,															
	per Breaker Amp			CLO	PE1FD	11.22										
	Physical Collocation - Power, 120V AC Power, Three Phase, per			0.0	D= 4==	40.00										
	Breaker Amp			CLO	PE1FE	16.82										
	Physical Collocation - Power, 277V AC Power, Three Phase, per			0.0	55450											
	Breaker Amp			CLO	PE1FG	38.84										
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and P	orts)														
				UEANL,UEQ, UNCNX, UEA, UCL,												
				UAL, UHL, UDN,												
	Physical Collocation - 2-wire cross-connect, loop, provisioning			UNCVX	PE1P2	0.033	33.82	31.92								
	Friysical Collocation - 2-wire closs-collifect, loop, provisioning		1	UEA, UHL, UNCVX,	FLIFZ	0.033	33.02	31.32		-	1				-	1
	Physical Collocation - 4-wire cross-connect, loop, provisioning			UNCDX, UCL, UDL	PE1P4	0.066	33.94	31.95								
	Trystocal Controlation - 4-wire cross-connect, 100p, provisioning	-	1	WDS1L, WDS1S,		0.000	33.34	51.55	<b>†</b>	<b>+</b>					<b>+</b>	
		l		UXTD1, ULDD1,		1				1					1	
				USLEL, UNLD1,												
1		l		U1TD1, UNC1X,		I				I					I	1
		l		UEPSR, UEPSB,		1				1					1	
		l		UEPSE, UEPSP,		1				1					1	
	Physical Collocation -DS1 Cross-Connect for Physical	l		USL, UEPEX,		1				1					1	
l	Collocation, provisioning	I	1	UEPDX	PE1P1	1.51	53.27	40.16	1	1	1	1		l	1	1

COLLO	CATIO	ON - Tennessee												Attachment:	4 Fxh B		
CATEGOR		RATE ELEMENTS	Interi m	Zone	BCS	usoc	C RATES(\$)						Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Order vs.	Charge -
							Rec	Nonrecurring		Nonrecurring					Rates(\$)		
		Physical Collocation - DS3 Cross-Connect, provisioning			UE3, U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UNLD3, UEPEX, UEPDX, UEPSB, UEPSB, UEPSE, UEPSP	PE1P3	19.26	First 52.37	Add'l 38.89	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Physical Collocation - 2-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F2	15.64	41.56	29.82	12.96	10.34			2.69	2.69	1.56	1.56
		Physical Collocation - 4-Fiber Cross-Connect			ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF, UDFCX	PE1F4	28.11	50.53	38.78	16.97	14.35			2.69	2.69	1.56	
		Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per						00.00	00.70	10.01	14.00			2.00	2.00	1.00	1.0
		cable.			CLO	PE1ES	0.0013										
		Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable.			CLO UEPSR, UEPSP,	PE1DS	0.0019										
		Physical Collocation 2-Wire Cross Connect, Port Physical Collocation 4-Wire Cross Connect, Port			UEPSE, UEPSB, UEPSX, UEP2C UEPEX, UEPDD	PE1R2 PE1R4	0.033 0.066	33.82 33.94	31.92 31.95					20.35 20.35	10.54 10.54	13.32 13.32	
Se	ecurity				OEPEX, OEPDD	FEIR4	0.000	33.94	31.93					20.33	10.54	13.32	1.40
		Physical Collocation - Security Escort for Basic Time - normally															
		scheduled work, per half hour			CLO	PE1BT		33.91	21.49								
		Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour			CLO	PE1OT		44.17	27.76								
		Physical Collocation - Security Escort for Premium Time -			CLO	PE1PT		54.42	34.02								
		outside of scheduled work day, per half hour Physical Collocation - Security Access System - Security System per Central Office			CLO	PE1AX	55.99	54.42	34.02								
		Physical Collocation -Security Access System - New Card Activation, per Card Activation (First), per State			CLO	PE1A1	0.059	55.67									
		Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		15.61									
		Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card			CLO	PE1AR		45.64									
		Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		26.24									
		Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		26.24									
CF		Physical Collocation - CFA Information Resend Request, per premises, per arrangement, per request ecords			CLO	PE1C9		77.67									
Ca		Physical Collocation - Cable Records, per request Physical Collocation, Cable Records, VG/DS0 Cable, per cable			CLO	PE1CR		1,711.00									
		Physical Collocation, Cable Records, VG/DS0 Cable, per each			CLO	PE1CD		925.06									
		Physical Collocation, Cable Records, VG/D30 Cable, per each 100 pair			CLO CLO	PE1CO PE1C1		18.05 8.45									
$\vdash$		Physical Collocation, Cable Records, DS1, per T1 TIE  Physical Collocation, Cable Records, DS3, per T3 TIE	<del>                                     </del>		CLO	PE1C3		29.57			<b> </b>						+

Version: 2Q05 Standard ICA 08/09/05

DLLOCAT	ION - Tennessee												Attachment:	4 Exh B		
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc	RATES(\$)						Svc Order Submitted Manually per LSR		I Incremental Charge - Manual Svc Order vs.	Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						_	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Cable Records, Fiber Cable, per cable															
	record (maximum 99 records)			CLO	PE1CB		279.42									
	Physical Collocation, Cable Records, CAT5/RJ45			CLO	PE1C5		8.45									
Virtual	to Physical															
	Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit			CLO	PE1BV		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit			CLO	PE1BO		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS1 Circuit			CLO	PE1B1		52.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS3 Circuit			CLO	PE1B3		52.00									
	Physical Collocation - Virtual to Physical Collocation In-Place, Per Voice Grade Circuit			CLO	PE1BR		23.00									
	Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit			CLO	PE1BP		23.00									
	Physical Collocation - Virtual to Physical Collocation In-Place,															
	Per DS1 Circuit Physical Collocation - Virtual to Physical Collocation In-Place,			CLO	PE1BS		33.00									
	per DS3 Circuit			CLO	PE1BE		37.00									
Entran	ce Cable															
	Physical Collocation - Fiber Cable Support Structure, per Entrance Cable			CLO	PE1PM	19.80										
	Physical Collocation - Fiber Entrance Cable per Cable (CO manhole to vault splice)			CLO	PE1EC		1,071.00		43.10							
	Physical Collocation - Fiber Entrance Cable Installation, per Fiber			CLO	PE1ED		7.29									
TUAL COL	LOCATION															
Applic	ation															
	Virtual Collocation - Application Fee			AMTFS	EAF		2,633.00						2.07	2.81	0.67	1.
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect, Application Fee, per application			AMTFS	VE1CA		585.09									
	Virtual Collocation Administrative Only - Application Fee			AMTFS	VE1AF		743.25									
Space	Preparation															
	Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	3.91										
Power																
	Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	6.79										
Cross	Connects (Cross Connects, Co-Carrier Cross Connects, and P	orts)														
	Virtual Collocation - 2-wire cross-connect, loop, provisioning			UEANL, UEA, UDN, UAL, UHL, UCL, UEQ, UNCVX, UNCDX, UNCNX	UEAC2	0.57	11.62	9.90	10.38	8.66			2.07	2.81	0.67	1.
	Vintual Conocation - 2-wire cross-connect, roop, provisioning			UEA, UHL, UCL, UDL, UNCVX,	OLAGE	0.31	11.02	3.30	10.50	0.00			2.01	2.01	0.01	1.
	Virtual Collocation - 4-wire cross-connect, loop, provisioning			UNCDX ULR, UXTD1,	UEAC4	0.57	11.81	10.04	10.44	8.67			2.07	2.81	0.67	1
	Virtual collocation - Special Access & UNE, cross-connect per DS1			UNC1X, ULDD1, U1TD1, USLEL, UNLD1, USL, UEPEX, UEPDX	CNC1X	1.32	32.22	17.76	10.46	8.75			2.07	2.81	0.67	1
	Virtual collocation - Special Acess & UNE, cross-connect per DS3			USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	12.32	29.97	16.30	12.03	8.99			2.07	2.81	0.67	1

COLLOCAT	ION - Tennessee												Attachment:	4 Exh B	h B					
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		In.	RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l				
						Rec	Nonrecurring	Add'l	Nonrecurring First	Add'l	COMEC	COMAN		Rates(\$) SOMAN	SOMAN	SOMAN				
	Virtual Collocation - 2-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC2F	3.03	First 41.56	29.82	12.96	10.34	SOMEC	SOMAN	2.69	2.69	1.56	1.56				
	Virtual Collocation - 4-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1TO3, ULDO3, ULD12, ULD48, UDF	CNC4F	6.06	50.53	38.78	16.97	14.35			2.69	2.69	1.56	1.56				
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear foot, per cable			AMTFS	VE1CB	0.0013														
	Virtual Collocation - Co-Carrier Cross Connects/Direct Connect - Copper/Coax Cable Support Structure, per linear foot, per cable			AMTFS	VE1CD	0.0019														
	Virtual Collocation 2-Wire Cross Connect, Port			UEPSX, UEPSB, UEPSE, UEPSP, UEPSR, UEP2C	VE1R2	0.57	11.62	9.90	10.38	8.66			20.35	10.54	13.32	1.40				
CFA	Virtual Collocation 4-Wire Cross Connect, Port  Virtual Collocation - CFA Information Resend Request, per			UEPDD, UEPEX	VE1R4	0.57	11.81	10.04	10.44	8.67			20.35	10.54	13.32	1.40				
Cable	Premises, per Arrangement, per request  Records			AMTFS	VE1QR		77.67													
	Virtual Collocation Cable Records - per request Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTFS AMTFS	VE1BA VE1BB		1,711.00 925.06													
	Virtual Collocation Cable Records - VG/DS0 Cable, per each 100 pair  Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS AMTFS	VE1BC VE1BD		18.05 8.45													
	Virtual Collocation Cable Records - DS3, per T3TIE  Virtual Collocation Cable Records - DS3, per T3TIE  Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records				VE1BE VE1BF		29.57													
Securi				AMTFS	VE1B5		8.45													
	Virtual collocation - Security escort, basic time, normally scheduled work hours  Virtual collocation - Security escort, overtime, outside of			AMTFS	SPTBX		33.15	20.44					2.07	2.81	0.67	1.4				
	normally scheduled work hours on a normal working day Virtual collocation - Security escort, premium time, outside of a				SPTOX		41.50	25.61					2.07	2.81	0.67	1.4				
Mainte	scheduled work day			AMTFS	SPTPX		49.86	30.79					2.07	2.81	0.67	1.4				
- Indiana	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		30.64						2.07	2.81	0.67	1.4				
	Virtual collocation - Maintenance in CO - Overtime, per half hour				SPTOM		35.77						2.07	2.81	0.67	1.4				
Entrar	Virtual collocation - Maintenance in CO - Premium per half hour nce Cable		<del>                                     </del>	AMTFS	SPTPM		40.90				+		2.07	2.81	0.67	1.4				
0011 0017	Virtual Collocation - Cable Installation Charge, per cable Virtual Collocation - Cable Support Structure, per cable			AMTFS AMTFS	ESPCX ESPSX	17.87	1,749.00						2.07	2.81	0.67	1.4				
	N IN THE REMOTE SITE cal Remote Site Collocation																			
FilySi	Physical Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack			CLORS CLORS	PE1RA PE1RB	220.41	580.20		312.76											
	Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability			CLORS	PE1RD		24.69													
	Report per Premises Requested			CLORS	PE1SR		218.49													

OLLOCAT	ION - Tennessee												Attachment:	4 Exh B		
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc	C RATES(\$)						Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
						В	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Physical Collocation in the Remote Site - Remote Site CLLI								1							
	Code Request, per CLLI Code Requested			CLORS	PE1RE		70.81									
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		234.15									
	Physical Collocation - Security Escort for Basic Time - normally								1							
	scheduled work, per half hour			CLORS	PE1BT		33.91	21.49								
	Physical Collocation - Security Escort for Overtime - outside of		1													
	normally scheduled working hours on a scheduled work day,															
	per half hour			CLORS	PE1OT		44.17	27.76								
	Physical Collocation - Security Escort for Premium Time -		1													
	outside of scheduled work day, per half hour			CLORS	PE1PT		54.42	34.02								
Adjac	ent Remote Site Collocation															
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
					Î											
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
NOTE	: If Security Escort and/or Add'I Engineering Fees become nec	essary 1	for adja	acent remote site col	location, the	Parties will ne	egotiate approp	riate rates.								
Virtua	I Remote Site Collocation															
	Virtual Collocation in the Remote Site - Application Fee			VE1RS	VE1RB		580.20		312.76							
	Virtual Collocation in the Remote Site - Per Bay/Rack of Space			VE1RS	VE1RC	220.41										
	Virtual Collocation in the Remote Site - Space Availability Report															
	per Premises requested			VE1RS	VE1RR		218.49									
	Virtual Collocation in the Remote Site - Remote Site CLLI Code															
	Request, per CLLI Code Requested			VE1RS	VE1RL		70.81									
DJACENT C	OLLOCATION															
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0656										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.53										
				UEANL,UEQ,UEA,U												
	Adjacent Collocation - 2-Wire Cross-Connects			CL, UAL, UHL, UDN		0.34	11.12	10.18	11.33	10.23			1.77	1.77		
	Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL,UCL		0.33	11.30	10.31	11.62	10.44			1.77	1.77		
	Adjacent Collocation - DS1 Cross-Connects			USL	PE1JG	1.70	28.39	16.88	11.65	10.54			1.77	1.77		
	Adjacent Collocation - DS3 Cross-Connects			UE3	PE1JH	19.03	26.23	15.51	13.40	10.77			1.77	1.77		
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1JJ	3.49	26.23	15.51	13.41	10.78			1.77	1.77		
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1JK	6.50	29.75	19.02	17.60	14.97			1.77	1.77		
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		2,973.00		0.95				0.00	0.00	0.00	(
	Adjacent Collocation - 120V, Single Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1JL	5.81										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate	l		<u> </u>												1
	per AC Breaker Amp			CLOAC	PE1JM	11.64					<u> </u>					
	Adjacent Collocation - 120V, Three Phase Standby Power Rate							-		<u> </u>						
	per AC Breaker Amp	L	<u></u>	CLOAC	PE1JN	17.45	<u> </u>							<u> </u>	<u> </u>	<u></u>
	Adjacent Collocation - 277V, Three Phase Standby Power Rate															
	per AC Breaker Amp	L	L	CLOAC	PE1JO	40.30	<u> </u>		<u> </u>		<u> </u>	<u> </u>		<u> </u>	<u> </u>	L
Note:	Rates displaying an "I" in Interim column are interim as a resu	ilt of a (	Commi	ssion order.												

# **Attachment 5**

**Access to Numbers and Number Portability** 

Version: 2Q05 Standard ICA

# TABLE OF CONTENTS

1.	Non-Discriminatory Access to Telephone Numbers	3
2.	Local Number Portability	4
3.	Service Order Charges	5
4.	LNP In Conjunction with Local Switching	5

Version: 2Q05 Standard ICA

#### ACCESS TO NUMBERS AND NUMBER PORTABILITY

## 1. Non-Discriminatory Access to Telephone Numbers

- During the term of this Agreement, where 1-800-RECONEX is utilizing its own switch, 1-800-RECONEX shall contact the North American Numbering Plan Administrator (NANPA), or, where applicable, the relevant Number Pool Administrator for the assignment of numbering resources.
- Where BellSouth provides local switching or resold services to 1-800-RECONEX, BellSouth will provide 1-800-RECONEX with online access to available telephone numbers as defined by applicable FCC rules and regulations on a first come first served basis. 1-800-RECONEX acknowledges that such access to numbers shall be in accordance with the appropriate FCC rules and regulations. 1-800-RECONEX may designate up to a forecasted six (6) months supply of available numbers as intermediate (an available number provided to 1-800-RECONEX) telephone numbers per rate center if the following conditions are met:
- 1.2.1 1-800-RECONEX must: (1) indicate that all of the intermediate numbers currently held by 1-800-RECONEX in each rate center where 1-800-RECONEX will be requesting intermediate telephone numbers have six (6) or less months to exhaust; (2) supply projected monthly telephone number demand on a rate center basis for the coming twelve (12) months for each rate center where 1-800-RECONEX will be requesting intermediate telephone numbers; and, (3) demonstrate that the utilization level on current intermediate numbers held by 1-800-RECONEX in the rate center where 1-800-RECONEX is requesting telephone numbers has reached at least seventy-five percent (75%).
- 1.2.2 The above information will be provided by 1-800-RECONEX by submitting to BellSouth a fully completed "CO Code Assignments Months To Exhaust Certification Worksheet TN Level" (MTE Worksheet), Appendix B to the Central Office Code (NXX) Assignments Guidelines, INC 95-0407-008 for each rate center where 1-800-RECONEX will be requesting intermediate telephone numbers. The utilization level is calculated by dividing all intermediate numbers currently assigned by 1-800-RECONEX to End Users by the total number of intermediate numbers held by 1-800-RECONEX in the rate center and multiplying the result by one hundred (100).
- 1.2.3 If fulfilling 1-800-RECONEX's request for intermediate numbers results in BellSouth having to submit a request for additional telephone numbers to a national numbering administrator (either NANPA CO Code Administration or NeuStar Pooling Administration or their successors), BellSouth will submit the required numbering request to the national numbering administrator to satisfy 1-

Version: 2Q05 Standard ICA

800-RECONEX's request for intermediate numbers. BellSouth will also pursue all appropriate steps (including submitting a safety valve request (petition) to the appropriate Commission if the numbering request is denied by the national administrator) to satisfy 1-800-RECONEX's request for intermediate numbers. In these cases, BellSouth is not obligated to fulfill the request by 1-800-RECONEX for intermediate numbers unless, and until, BellSouth's request for additional numbering resources is granted.

- 1.2.4 1-800-RECONEX agrees to supply supporting information for any numbering request and/or safety valve request that BellSouth files pursuant to Section 1.2.3 above.
- 1.3 1-800-RECONEX acknowledges that there may be instances where there is an industry shortage of available telephone numbers in a number plan area (NPA). These instances occur where a jeopardy status has been declared by NANPA and the industry has determined that limiting the assignment of new numbers is the appropriate method to employ until the jeopardy can be alleviated. In such NPA jeopardy situations where assignment of new numbers is restricted per the jeopardy guidelines developed by the industry, BellSouth may request that 1-800-RECONEX cancel all or a portion of its unassigned intermediate numbers. 1-800-RECONEX's consent to BellSouth's request shall not be unreasonably withheld.

## 2. Local Number Portability

- 2.1 The Parties will offer LNP in accordance with rules, regulations and guidelines adopted by the Commission, the FCC and industry fora.
- 2.2 <u>Service Management System (SMS) Administration.</u> The Parties will work cooperatively with other local service providers to establish and maintain contracts for the LNP SMS.
- 2.3 <u>Network Architecture.</u> The Parties agree to adhere to applicable FCC rules and orders governing LNP network architecture.
- 2.4 <u>Signaling.</u> In connection with LNP, each Party agrees to use SS7 signaling in accordance with applicable FCC rules and orders.
- 2.5 <u>N-1 Query.</u> The Parties agree to adhere to applicable FCC rules and orders governing LNP N-1 queries.
- 2.6 Porting of Reserved Numbers and Suspended Lines. End Users of each Party may port numbers, via LNP, that are in a denied state or that are on suspend status. In addition, End Users of each Party may port reserved numbers that the End User has paid to reserve. Portable reserved numbers are identified on the Customer Service Record (CSR). In anticipation of porting from one Party to the other Party, a Party's End User may reserve additional telephone numbers and include them with the numbers that are subsequently ported to the other Party. It is not necessary to restore a denied number before it is ported.

Version: 2Q05 Standard ICA

- 2.7 <u>Splitting of Number Groups.</u> The Parties shall permit blocks of subscriber numbers (including, but not limited to, Direct Inward Dial (DID) numbers and MultiServ groups) to be split in connection with an LNP request. BellSouth and 1-800-RECONEX shall permit End Users who port a portion of DID numbers to retain DID service on the remaining portion of numbers. If a Party requests porting a range of DID numbers smaller than a whole block, that Party shall pay the applicable charges for doing so as set forth in Attachment 2. In the event no rate is set forth in Attachment 2, then the Parties shall negotiate a rate for such services.
- 2.8 The Parties will set Location Routing Number (LRN) unconditional or ten (10) digit triggers where applicable. Where triggers are set, the porting Party will remove the ported number at the same time the trigger is removed.
- A trigger order is a service order issued in advance of the porting of a number. A trigger order 1) initiates call queries to the AIN SS7 network in advance of the number being ported; and 2) provides for the new service provider to be in control of when a number ports.
- Where triggers are not set, the Parties shall coordinate the porting of the number between service providers so as to minimize service interruptions to the End User.
- 2.11 BellSouth and 1-800-RECONEX will work cooperatively to implement changes to LNP process flows ordered by the FCC or as recommended by standard industry foras addressing LNP.
- Where 1-800-RECONEX utilizes BellSouth's LNP Query Service, BellSouth shall bill and 1-800-RECONEX shall pay the query charge associated with LNP Query Service as set forth in Attachment 2. To receive the LNP Query Service charge set forth in Attachment 2, 1-800-RECONEX shall fill out and submit the Interconnection data sheet for BellSouth LNP Query Service. The form can be obtained on BellSouth's Interconnection Web site under BellSouth LNP Query Service and click on forms. Once the form has been filled out and submitted the LNP Query charge will take effect on the approved date. This charge is not subject to the resale discount set forth in Attachment 1.

## 3. Service Order Charges

3.1 The terms, conditions and rates for OSS utilized in connection with LNP are as set forth in Attachment 6 and Exhibit A of Attachment 2.

# 4. LNP In Conjunction with Local Switching

- Where 1-800-RECONEX purchases local switching from BellSouth, the Parties shall adhere to the following processes:
- 4.1.1 When 1-800-RECONEX submits an LSR for services, if the telephone number associated with the services requested resides in a switch other than BellSouth's, then BellSouth will submit an LNP LSR to the appropriate switch owner. 1-800-RECONEX shall be responsible for reimbursing BellSouth for any costs or charges

Version: 2Q05 Standard ICA

imposed on BellSouth by the switch owner resulting from the submission of the LNP LSR. In addition, 1-800-RECONEX shall pay to BellSouth the manual service order charges or electronic service order charges as specified in Exhibit A of Attachment 2 for BellSouth's creation and submission of the LNP LSR to the appropriate switch owner.

4.1.2 Working telephone numbers, telephone numbers for which payment has been made to reserve and telephone numbers that are in a denied state (but not disconnected) or suspended status may be subject to porting.

Version: 2Q05 Standard ICA

# **Attachment 6**

Pre-Ordering, Ordering, Provisioning, Maintenance and Repair

Version: 2Q05 Standard ICA

# TABLE OF CONTENTS

1.	Quality of Pre-Ordering, Ordering, Provisioning, Maintenance and Repair	3
2.	Access to Operations Support Systems	3
	• • •	
3.	Miscellaneous	7

Version: 2Q05 Standard ICA 07/06/05

## PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

# 1. QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

1.1 BellSouth shall provide to 1-800-RECONEX nondiscriminatory access to its OSS and the necessary information contained therein in order that 1-800-RECONEX can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide 1-800-RECONEX with all relevant documentation (manuals, user guides, specifications, etc.) regarding business rules and other formatting information as well as practices and procedures necessary to ensure requests are efficiently processed. All documentation will be readily accessible at BellSouth's Interconnection Web site. BellSouth shall ensure that its OSS are designed to accommodate requests for both current and projected demands of 1-800-RECONEX and other CLECs in the aggregate.

#### 2. ACCESS TO OPERATIONS SUPPORT SYSTEMS

- 2.1 BellSouth shall provide 1-800-RECONEX nondiscriminatory access to its OSS and the necessary information contained therein in order that 1-800-RECONEX can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide nondiscriminatory access to the OSS through manual and/or electronic interfaces as described in this Attachment. It is the sole responsibility of 1-800-RECONEX to obtain the technical capability to access and utilize BellSouth's OSS interfaces. Specifications for 1-800-RECONEX's access and use of BellSouth's electronic interfaces are set forth at BellSouth's Interconnection Web site.
- 2.1.1 1-800-RECONEX agrees to comply with the provisions of the OSS Interconnection Volume Guidelines as set forth at BellSouth's Interconnection Web site.

## 2.2 Pre-Ordering

2.2.1 BellSouth will provide electronic access to its OSS and the information contained therein in order that 1-800-RECONEX can perform the following pre-ordering functions: service address validation, telephone number selection, service and feature availability, due date information, customer record information and loop makeup information. Mechanized access is provided by electronic interfaces whose specifications for access and use are set forth at BellSouth's Interconnection Web site. The process by which BellSouth and 1-800-RECONEX will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process

Version: 2005 Standard ICA

as described in Section 2.7 below. 1-800-RECONEX shall provide to BellSouth access to customer record information, including circuit numbers associated with each telephone number where applicable. 1-800-RECONEX shall provide such information within four (4) hours after request via electronic access where available. If electronic access is not available, 1-800-RECONEX shall provide to BellSouth paper copies of customer record information, including circuit numbers associated with each telephone number where applicable. If BellSouth requests the information before noon, the customer record information shall be provided the same day. If BellSouth requests the information after noon, the customer record information shall be provided by noon the following day.

The Parties agree not to view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission. 1-800-RECONEX will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the state in which the service is provided. BellSouth reserves the right to audit 1-800-RECONEX's access to customer record information. If a BellSouth audit of 1-800-RECONEX's access to customer record information reveals that 1-800-RECONEX is accessing customer record information without having obtained the proper End User authorization, BellSouth upon reasonable notice to 1-800-RECONEX may take corrective action, including but not limited to suspending or terminating 1-800-RECONEX's electronic access to BellSouth's OSS functionality. All such information obtained through an audit shall be deemed Information covered by Section 7, Proprietary and Confidential Information in General Terms and Conditions.

## 2.3 Ordering

- 2.3.1 BellSouth will make available to 1-800-RECONEX electronic interfaces for the purpose of exchanging order information, including order status and completion notification, for non-complex and certain complex resale requests and certain network elements. Specifications for access and use of BellSouth's electronic interfaces are set forth at BellSouth's Interconnection Web site. The process by which BellSouth and 1-800-RECONEX will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below.
- 2.3.2 1-800-RECONEX shall place orders for services by submitting a LSR to BellSouth. BellSouth shall bill 1-800-RECONEX an electronic service order charge at the rate set forth in the applicable Attachment to this Agreement for each LSR submitted by means of an electronic interface. BellSouth shall bill 1-800-RECONEX a manual service order charge at the rate set forth in the applicable Attachment to this Agreement for each LSR submitted by means other than the electronic Interfaces (e.g., mail, fax, courier, etc.). An individual LSR will be identified for billing purposes by its PON.

Version: 2005 Standard ICA

- 2.3.2.1 1-800-RECONEX may submit an LSR to request that an End User's service be temporarily suspended, denied, or restored. Alternatively, 1-800-RECONEX may submit a list of such End Users if 1-800-RECONEX provides a separate PON for each location on the list. BellSouth will bill an electronic or manual service order charge for each location.
- 2.3.2.2 BellSouth will bill the electronic or manual service order charge, as applicable, for an LSR, regardless of whether that LSR is later supplemented, clarified or cancelled.
- 2.3.2.3 Notwithstanding the foregoing, BellSouth will not bill an additional electronic or manual service order charge for supplements to any LSR submitted to clarify, correct, change or cancel a previously submitted LSR.

# 2.4 <u>Provisioning</u>

- 2.4.1 BellSouth shall provision services during its regular working hours. To the extent 1-800-RECONEX requests provisioning of service to be performed outside BellSouth's regular working hours, or the work so requested requires BellSouth's technicians or project managers to work outside of regular working hours, overtime charges set forth in BellSouth's intrastate Access Services Tariff, Section E13.2, shall apply. Notwithstanding the foregoing, if such work is performed outside of regular working hours by a BellSouth technician or project manager during his or her scheduled shift and BellSouth does not incur any overtime charges in performing the work on behalf of 1-800-RECONEX, BellSouth will not assess 1-800-RECONEX additional charges beyond the rates and charges specified in this Agreement.
- In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by 1-800-RECONEX (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill 1-800-RECONEX for each additional dispatch required to provision the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No. 1 Tariff, Section 13.3.1.
- 2.4.3 <u>Cancellation Charges.</u> If 1-800-RECONEX cancels an LSR for network elements or resold services subsequent to BellSouth's generation of a service order, any costs incurred by BellSouth in conjunction with provisioning of Services as requested on the cancelled LSR will be recovered in accordance with the cancellation methodology set forth in the Cancellation Charge Percentage Chart found on BellSouth's Interconnection Web site. In addition, BellSouth reserves the right to assess cancellation charges if 1-800-RECONEX fails to respond within nine (9) business days to a Missed Appointment order notification.

Version: 2005 Standard ICA

- 2.4.3.1 Notwithstanding the foregoing, if 1-800-RECONEX places an LSR based upon BellSouth's loop makeup information, and such information is inaccurate resulting in the inability of BellSouth to provision the network elements requested and another spare compatible facility cannot be found with the transmission characteristics of the network elements originally requested, cancellation charges described in this Section shall not apply. Where 1-800-RECONEX places a single LSR for multiple network elements or services based upon loop makeup information, and information as to some, but not all, of the network elements or services is inaccurate, if BellSouth cannot provision the network elements or services that were the subject of the inaccurate loop makeup information, 1-800-RECONEX may cancel its request for those network elements or services without incurring cancellation charges as described in this Section. In such instance, should 1-800-RECONEX elect to cancel the entire LSR, cancellation charges as described in this Section shall apply to those elements and services that were not the subject of inaccurate loop makeup.
- 2.4.4 <u>Service Date Advancement Charges (Expedites).</u> For Service Date Advancement requests by 1-800-RECONEX, Service Date Advancement charges will apply for intervals less than the standard interval as outlined in the BellSouth Product and Services Interval Guide. The charges as outlined in Exhibit A of Attachment 2.
- 2.4.5 Order Modification Charges. If 1-800-RECONEX modifies an order after being sent a Firm Order Confirmation (FOC) from BellSouth, the Order Modification Charge (OMC) or Order Modification Charge Additional Dispatch (OMCAD) will be paid by 1-800-RECONEX in accordance with Exhibit A of Attachment 2.

## 2.5 Maintenance and Repair

- 2.5.1 BellSouth will make available to 1-800-RECONEX electronic interfaces for the purpose of reporting and monitoring service troubles. Specifications for access and use of BellSouth's maintenance and repair electronic interfaces are set forth at BellSouth's Interconnection Web site. The process by which BellSouth and 1-800-RECONEX will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below. Requests for trouble repair are billed in accordance with the provisions of this Agreement. BellSouth and 1-800-RECONEX agree to adhere to BellSouth's Operational Understanding. The Operational Understanding may be accessed via BellSouth's Interconnection Web site.
- 2.5.2 If 1-800-RECONEX reports a trouble on a BellSouth Network Element and no trouble is found in BellSouth's network, BellSouth will charge 1-800-RECONEX a Maintenance of Service Charge for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the working status.

Version: 2005 Standard ICA

BellSouth, will assess the applicable Maintenance of Service rates from BellSouth's FCC No. 1 Tariff, Section 13.3.1.

- 2.5.3 In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by 1-800-RECONEX (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill 1-800-RECONEX for each additional dispatch required to repair the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No. 1 Tariff, Section 13.3.1.
- 2.6 <u>Billing.</u> BellSouth will provide 1-800-RECONEX nondiscriminatory access to billing information as specified in Attachment 7.
- 2.7 Change Management. BellSouth and 1-800-RECONEX agree that the collaborative change management process known as the Change Control Process (CCP) will be used to manage changes to existing interfaces, introduction of new interfaces and retirement of interfaces. BellSouth and 1-800-RECONEX agree to comply with the provisions of the documented CCP as may be amended from time to time and incorporated herein by reference. The change management process will cover changes to BellSouth's electronic interfaces, BellSouth's testing environment, associated manual process improvements, and relevant documentation. The process will define a procedure for resolution of change management disputes. Documentation of the CCP as well as related information and processes will be clearly organized and readily accessible to 1-800-RECONEX at BellSouth's Interconnection Web site.
- 2.8 <u>Rates.</u> Unless otherwise specified herein, charges for the use of BellSouth's OSS, and other charges applicable to pre-ordering, ordering, provisioning and maintenance and repair, shall be at the rates set forth in the applicable Attachment of this Agreement.
- 2.9 The Commissions in some states have ordered per element manual additive nonrecurring charges for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive nonrecurring charges will apply in these states, rather than the charge per LSR. The per element charges are listed in Exhibit A of Attachment 2.

#### 3. MISCELLANEOUS

3.1 <u>Pending Orders.</u> To the extent that 1-800-RECONEX submits an LSR with incomplete, incorrect or conflicting information, BellSouth will return the LSR to 1-800-RECONEX for clarification. 1-800-RECONEX shall respond to the request for clarification within thirty (30) days by submitting a supplemental LSR.

Version: 2005 Standard ICA

If 1-800-RECONEX does not submit a supplement LSR within thirty (30) days, BellSouth will cancel the original LSR and 1-800-RECONEX shall be required to submit a new LSR, with a new PON.

- 3.2 Single Point of Contact. 1-800-RECONEX will be the single point of contact with BellSouth for ordering activity for network elements and other services used by 1-800-RECONEX to provide services to its End Users, except that BellSouth may accept a request directly from another CLEC, or BellSouth, acting with authorization of the affected End User. 1-800-RECONEX and BellSouth shall each execute a blanket LOA with respect to customer requests so that prior proof of End User authorization will not be necessary with every request (except in the case of a local service freeze). The Parties shall each be entitled to adopt their own internal processes for verification of customer authorization for requests, provided, however, that such processes shall comply with applicable state and federal law and industry and regulatory guidelines. Pursuant to a request from another carrier, BellSouth may disconnect any network element being used by 1-800-RECONEX to provide service to that End User and may reuse such network elements or facilities to enable such other carrier to provide service to the End User. BellSouth will notify 1-800-RECONEX that such a request has been processed but will not be required to notify 1-800-RECONEX in advance of such processing.
- 3.2.1 Neither BellSouth nor 1-800-RECONEX shall prevent or delay an End User from migrating to another carrier because of unpaid bills, denied service, or contract terms.
- 3.2.2 The Parties shall return a FOC and LSR rejection/clarification in accordance with the intervals specified in Attachment 9.
- 3.2.3 <u>Use of Facilities.</u> When an End User of 1-800-RECONEX elects to discontinue service and to transfer service to another local exchange carrier, including BellSouth, BellSouth shall have the right to reuse the facilities provided to 1-800-RECONEX by BellSouth. In addition, where BellSouth provides local switching, BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received a request to establish new service or transfer service from an End User or from a CLEC. BellSouth will notify 1-800-RECONEX that such a request has been processed after the disconnect order has been completed.
- 3.3 <u>Contact Numbers.</u> The Parties agree to provide one another with toll-free nation-wide (50 states) contact numbers for the purpose of ordering, provisioning and maintenance of services. Contact numbers for maintenance/repair of services shall be staffed twenty-four (24) hours per day, seven (7) days per week. BellSouth will close trouble tickets after making a reasonable effort to contact 1-800-RECONEX for authorization to close a ticket. BellSouth will place trouble tickets in delayed maintenance status after making a reasonable effort to contact 1-

Version: 2005 Standard ICA

800-RECONEX to request additional information or to request authorization for additional work deemed necessary by BellSouth.

- 3.4 <u>Subscription Functions.</u> In cases where BellSouth performs subscription functions for an IXC (i.e., PIC and LPIC changes via Customer Account Record Exchange (CARE)), BellSouth will in all possible instances provide the affected IXCs with the OCN of the local provider for the purpose of obtaining End User billing account and other End User information required under subscription requirements.
- 3.4.1 When 1-800-RECONEX's End User, served by resale or loop and port combinations, changes its PIC or LPIC, and per BellSouth's FCC or state tariff the interexchange carrier elects to charge the End User the PIC or LPIC change charge, BellSouth will bill the PIC or LPIC change charge to 1-800-RECONEX, which has the billing relationship with that End User, and 1-800-RECONEX may pass such charge to the End User.

Version: 2Q05 Standard ICA 07/06/05

# **Attachment 7**

**Billing** 

Version: 2Q05 Standard ICA

# TABLE OF CONTENTS

1.	Payment and Billing Arrangements	. 3
2.	Billing Disputes	10
3.	Revenue Accounting Office (RAO) Hosting	10
Rat	tes (CMDS)Exhibit A	

Version: 2Q05 Standard ICA

#### BILLING

### 1. Payment and Billing Arrangements

The terms and conditions set forth in this Attachment shall apply to all services ordered and provisioned pursuant to this Agreement.

- BellSouth will bill through the Carrier Access Billing System (CABS), Integrated Billing System (IBS) and/or the Customer Records Information Systems (CRIS) depending on the particular service(s) provided to 1-800-RECONEX under this Agreement. BellSouth will format all bills in CABS Billing Output Specification (CBOS) Standard or CLUB/EDI format, depending on the type of service provided. For those services where standards have not yet been developed, BellSouth's billing format may change in accordance with applicable industry standards.
- 1.1.1 For any service(s) BellSouth receives from 1-800-RECONEX, 1-800-RECONEX shall bill BellSouth in CBOS format.
- 1.1.2 Any switched access charges associated with interexchange carrier access to the resold local exchange lines will be billed by, and due to BellSouth.
- 1.1.3 BellSouth will render bills each month on established bill days for each of 1-800-RECONEX's accounts. If either Party requests multiple billing media or additional copies of the bills, the billing Party will provide these at the rates set forth in BellSouth's FCC No. 1 Tariff, Section 13.3.6.3, except for resold services which shall be at the rates set forth in BellSouth's Non-Regulated Services Pricing List N6.
- 1.1.4 BellSouth will bill 1-800-RECONEX in advance for all services to be provided during the ensuing billing period except charges associated with service usage and nonrecurring charges, which will be billed in arrears.
- 1.1.4.1 For resold services, charges for services will be calculated on an individual End User account level, including, if applicable, any charge for usage or usage allowances. BellSouth will also bill 1-800-RECONEX, and 1-800-RECONEX will be responsible for and remit to BellSouth, all charges applicable to said services including but not limited to 911 and E911 charges, End Users common line charges, federal subscriber line charges, telecommunications relay charges, and franchise fees, unless otherwise ordered by a Commission.
- 1.1.5 BellSouth will not perform billing and collection services for 1-800-RECONEX as a result of the execution of this Agreement.
- 1.2 <u>Establishing Accounts.</u> After submitting a credit profile and deposit, if required, and after receiving certification as a local exchange carrier from the appropriate Commission, 1-800-RECONEX will provide the appropriate BellSouth Local

Version: 2Q05 Standard ICA

Contract Manager responsible for new CLEC activation, the necessary documentation to enable BellSouth to establish accounts for Local Interconnection, Network Elements and Other Services and/or resold services. Such documentation shall include the Application for Master Account, if applicable, proof of authority to provide telecommunications services, the appropriate OCN for each state as assigned by the NECA, CIC, if applicable, ACNA, if applicable, BellSouth's blanket form LOA, Misdirected Number form, and a tax exemption certificate, if applicable. Notwithstanding anything to the contrary in this Agreement, 1-800-RECONEX may not order services under a new account established in accordance with this Section until thirty (30) days after all information specified in this Section is received from 1-800-RECONEX.

- 1.2.1 <u>ACNAs.</u> 1-800-RECONEX shall provide BellSouth with documentation from Telcordia identifying the ACNA assigned to it by Telcordia in the same legal name as reflected in the preamble to this Agreement. Such ACNA will be used by 1-800-RECONEX to order services pursuant to this Agreement and will not be shared by 1-800-RECONEX with another entity.
- 1.2.2 Company Identifiers. If 1-800-RECONEX needs to change, add to, eliminate or convert its OCN(s), ACNAs and other identifying codes (collectively "Company Identifiers") under which it operates when 1-800-RECONEX has already been conducting business utilizing those Company Identifiers, 1-800-RECONEX shall pay all charges as a result of such change, addition, elimination or conversion to the new Company Identifiers. Such charges include, but are not limited to, all time required to make system updates to all of 1-800-RECONEX's End User records and any other changes to BellSouth systems or 1-800-RECONEX records, and will be handled in a separately negotiated agreement or as otherwise required by BellSouth.
- 1.2.3 <u>Tax Exemption</u>. It is the responsibility of 1-800-RECONEX to provide BellSouth with a properly completed tax exemption certificate at intervals required by the appropriate taxing authorities. A tax exemption certificate must be supplied for each individual 1-800-RECONEX entity purchasing Services under this Agreement. Upon BellSouth's receipt of a properly completed tax exemption certificate, subsequent billings to 1-800-RECONEX will not include those taxes or fees from which 1-800-RECONEX is exempt. Prior to receipt of a properly completed exemption certificate, BellSouth shall bill, and 1-800-RECONEX shall pay all applicable taxes and fees. In the event that 1-800-RECONEX believes that it is entitled to an exemption from and refund of taxes with respect to the amount billed prior to BellSouth's receipt of a properly completed exemption certificate, BellSouth shall assign to 1-800-RECONEX its rights to claim a refund of such taxes. If applicable law prohibits the assignment of tax refund rights or requires the claim for refund of such taxes to be filed by BellSouth, BellSouth shall, after receiving a written request from 1-800-RECONEX and at 1-800-RECONEX's sole expense, pursue such refund claim on behalf of 1-800-RECONEX, provided that 1-800-RECONEX promptly reimburses BellSouth for any costs and expenses

Version: 2Q05 Standard ICA

incurred by BellSouth in pursuing such refund claim, and provided further that BellSouth shall have the right to deduct any such outstanding costs and expenses from the amount of any refund obtained prior to remitting such refund to 1-800-RECONEX. 1-800-RECONEX shall be solely responsible for the computation, tracking, reporting and payment of all taxes and fees associated with the services provided by 1-800-RECONEX to its End Users.

- Deposit Policy. Prior to the inauguration of service or, thereafter, upon BellSouth's request, 1-800-RECONEX shall complete the BellSouth Credit Profile (BellSouth form) and provide information to BellSouth regarding 1-800-RECONEX's credit and financial condition. Based on BellSouth's analysis of the BellSouth Credit Profile and other relevant information regarding 1-800-RECONEX's credit and financial condition, BellSouth reserves the right to require 1-800-RECONEX to provide BellSouth with a suitable form of security deposit for 1-800-RECONEX's account(s). If, in BellSouth's sole discretion, circumstances so warrant and/or 1-800-RECONEX's gross monthly billing has increased, BellSouth reserves the right to request additional security (or to require a security deposit if none was previously requested) and/or file a Uniform Commercial Code (UCC-1) security interest in 1-800-RECONEX's "accounts receivables and proceeds".
- 1.3.1 Security deposit shall take the form of cash, an Irrevocable Letter of Credit (BellSouth form), Surety Bond (BellSouth form) or, in BellSouth's sole discretion, some other form of security proposed by 1-800-RECONEX. Any such security deposit shall in no way release 1-800-RECONEX from its obligation to make complete and timely payments of its bill(s). If BellSouth requires 1-800-RECONEX to provide a security deposit, 1-800-RECONEX shall provide such security deposit prior to the inauguration of service or within fifteen (15) days of BellSouth's request, as applicable. Deposit request notices will be sent to 1-800-RECONEX via certified mail or overnight delivery. Such notice period will start the day after the deposit request notice is rendered by certified mail or overnight delivery. Interest on a cash security deposit shall accrue and be applied or refunded in accordance with the terms in BellSouth's GSST.
- 1.3.2 Security deposits collected under this Section shall not exceed two (2) months' estimated billing. Estimated billings are calculated based upon the monthly average of the previous six (6) months current billings, if 1-800-RECONEX has received service from BellSouth during such period at a level comparable to that anticipated to occur over the next six (6) months. If either 1-800-RECONEX or BellSouth has reason to believe that the level of service to be received during the next six (6) months will be materially higher or lower than received in the previous six (6) months, 1-800-RECONEX and BellSouth shall agree on a level of estimated billings based on all relevant information.
- 1.3.3 In the event 1-800-RECONEX fails to provide BellSouth with a suitable form of security deposit or additional security deposit as required herein, defaults on its

Version: 2Q05 Standard ICA

account(s), or otherwise fails to make any payment or payments required under this Agreement in the manner and within the time required, service to 1-800-RECONEX may be Suspended, Discontinued or Terminated in accordance with the terms of Section 1.5 below. Upon Termination of services, BellSouth shall apply any security deposit to 1-800-RECONEX's final bill for its account(s).

- 1.3.3.1 At least seven (7) days prior to the expiration of any letter of credit provided by 1-800-RECONEX as security under this Agreement, 1-800-RECONEX shall renew such letter of credit or provide BellSouth with evidence that 1-800-RECONEX has obtained a suitable replacement for the letter of credit. If 1-800-RECONEX fails to comply with the foregoing, BellSouth shall thereafter be authorized to draw down the full amount of such letter of credit and utilize the cash proceeds as security for 1-800-RECONEX accounts(s). If 1-800-RECONEX provides a security deposit or additional security deposit in the form of a surety bond as required herein, 1-800-RECONEX shall renew the surety bond or provide BellSouth with evidence that 1-800-RECONEX has obtained a suitable replacement for the surety bond at least seven (7) days prior to the cancellation date of the surety bond. If 1-800-RECONEX fails to comply with the foregoing, BellSouth shall thereafter be authorized to take action on the surety bond and utilize the cash proceeds as security for 1-800-RECONEX's account(s). If the credit rating of any bonding company that has provided 1-800-RECONEX with a surety bond provided as security hereunder has fallen below B, BellSouth will provide written notice to 1-800-RECONEX that 1-800-RECONEX must provide a replacement bond or other suitable security within fifteen (15) days of BellSouth's written notice. If 1-800-RECONEX fails to comply with the foregoing, BellSouth shall thereafter be authorized to take action on the surety bond and utilize the cash proceeds as security for 1-800-RECONEX's account(s). Notwithstanding anything contained in this Agreement to the contrary, BellSouth shall be authorized to draw down the full amount of any letter of credit or take action on any surety bond provided by 1-800-RECONEX as security hereunder if 1-800-RECONEX defaults on its account(s) or otherwise fails to make any payment or payments required under this Agreement in the manner and within the time, as required herein.
- Payment Responsibility. Payment of all charges will be the responsibility of 1-800-RECONEX. 1-800-RECONEX shall pay invoices by utilizing wire transfer services, check or automatic clearing house services. 1-800-RECONEX shall make payment to BellSouth for all services billed including undisputed amounts. BellSouth will not become involved in billing disputes that may arise between 1-800-RECONEX and 1-800-RECONEX's End User.
- 1.4.1 Payment Due. Payment for services provided will be due on or before the next bill date and is payable in immediately available funds. Information required to apply payments must accompany the payment. The information must notify BellSouth of Billing Account Numbers (BAN) paid; invoices paid and the amount to be applied to each BAN and invoice (Remittance Information). Payment is considered to

Version: 2Q05 Standard ICA

have been made when the payment and Remittance Information are received by BellSouth. If the Remittance Information is not received with payment, BellSouth will be unable to apply amounts paid to 1-800-RECONEX's accounts. In such event, BellSouth shall hold such funds until the Remittance Information is received. If BellSouth does not receive the Remittance Information by the payment due date for any account(s), late payment charges shall apply.

- 1.4.1.1 <u>Due Dates.</u> If the payment due date falls on a Sunday or on a holiday that is observed on a Monday, the payment due date shall be the first non-holiday day following such Sunday or holiday. If the payment due date falls on a Saturday or on a holiday which is observed on Tuesday, Wednesday, Thursday, or Friday, the payment due date shall be the last non-holiday day preceding such Saturday or holiday. If payment is not received by the payment due date, a late payment charge, as set forth in Section 1.4.1.2, below, shall apply.
- 1.4.1.2 <u>Late Payment.</u> If any portion of the payment is not received by BellSouth on or before the payment due date as set forth above, or if any portion of the payment is received by BellSouth in funds that are not immediately available to BellSouth, then a late payment and/or interest charge shall be due to BellSouth. The late payment and/or interest charge shall apply to the portion of the payment not received and shall be assessed as set forth in Section A2 of BellSouth's GSST, Section B2 of the Private Line Service Tariff or Section E2 of the BellSouth intrastate Access Services Tariff, or pursuant to the applicable state law as determined by BellSouth. In addition to any applicable late payment and/or interest charges, 1-800-RECONEX may be charged a fee for all returned checks at the rate set forth in Section A2 of BellSouth's GSST or pursuant to the applicable state law.
- 1.5 <u>Discontinuing Service to 1-800-RECONEX.</u> The procedures for discontinuing service to 1-800-RECONEX are as follows:
- 1.5.1 In order of severity, Suspend/Suspension, Discontinue/Discontinuance and Terminate/Termination are defined as follows for the purposes of this Attachment:
- 1.5.1.1 Suspend/Suspension is the temporary restriction of the billed Party's access to the ordering systems and/or access to the billed Party's ability to initiate PIC-related changes. In addition, during Suspension, pending orders may not be completed and orders for new service or changes to existing services may not be accepted.
- 1.5.1.2 Discontinue/Discontinuance is the denial of service by the billing Party to the billed Party that will result in the disruption and discontinuation of service to the billed Party's End Users or customers. Additionally, at the time of Discontinuance, BellSouth will remove any Local Service Freezes in place on the billed Party's End Users.

Version: 2Q05 Standard ICA

- 1.5.1.3 Terminate/Termination is the disconnection of service by the billing Party to the billed Party.
- 1.5.2 BellSouth reserves the right to Suspend, Discontinue or Terminate service in the event of prohibited, unlawful or improper use of BellSouth facilities or service, abuse of BellSouth facilities, or any other violation or noncompliance by 1-800-RECONEX of the rules and regulations of BellSouth's tariffs.
- 1.5.3 <u>Suspension.</u> If payment of amounts due as described herein is not received by the bill date in the month after the original bill date, or fifteen (15) days from the date of a deposit request in the case of security deposits, BellSouth will provide written notice to 1-800-RECONEX that services will be Suspended if payment of such amounts, and all other amounts that become past due before Suspension, is not received by wire transfer, automatic clearing house or cashier's check in the manner set forth in Section 1.4.1 above, or in the case of a security deposit request, in the manner set forth in Section 1.3.1 above: (1) within seven (7) days following such notice for CABS billed services; (2) within fifteen (15) days following such notice for Security deposit requests.
- 1.5.3.1 The Suspension notice shall also provide that all past due charges for CRIS and IBS billed services, and all other amounts that become past due for such services before Discontinuance, must be paid within thirty (30) days from the date of the Suspension notice to avoid Discontinuance of CRIS and IBS billed services.
- 1.5.3.2 For CABS billed services, BellSouth will provide a Discontinuance notice that is separate from the Suspension notice, that all past due charges for CABS billed Services, and all other amounts that become past due for such services before Discontinuance, must be paid within thirty (30) days from the date of the Suspension notice to avoid Discontinuance of CABS billed services. This Discontinuance notice may be provided at the same time that BellSouth provides the Suspension notice.
- 1.5.4 <u>Discontinuance.</u> If payment of amounts due as described herein is not received by the bill date in the month after the original bill date, BellSouth will provide written notice that BellSouth may Discontinue the provision of existing services to 1-800-RECONEX if payment of such amounts, and all other amounts that become past due before Discontinuance, including requested security deposits, is not received by wire transfer, automatic clearing house or cashier's check in the manner set forth in Section 1.4.1 above or in the case of a deposit in accordance with Section 1.3.1 above, within thirty (30) days following such written notice; provided, however, that BellSouth may provide written notice that such existing services may be Discontinued within fifteen (15) days following such notice, subject to the criteria described in Section 1.5.5 below.

- 1.5.5 BellSouth may take the action to Discontinue the provision of existing service upon fifteen (15) days from the day after BellSouth provides written notice of such Discontinuance if (a) such notice is sent by certified mail or overnight delivery; (b) 1-800-RECONEX has not paid all amounts due pursuant to a subject bill(s), or has not provided adequate security pursuant to a deposit request; and (c) either:
  - (1) BellSouth has sent the subject bill(s) to 1-800-RECONEX within seven (7) business days of the bill date(s), verifiable by records maintained by BellSouth:
    - i. in paper or CDROM form via the United States Postal Service (USPS), or
    - ii. in magnetic tape form via overnight delivery, or
    - iii. via electronic transmission; or
  - (2) BellSouth has sent the subject bill(s) to 1-800-RECONEX, using one of the media described in (1) above, more than thirty (30) days before notice to Discontinue service has been rendered.
- 1.5.6 In the case of Discontinuance of services, all billed charges, as well as applicable disconnect charges, shall become due.
- 1.5.7 1-800-RECONEX is solely responsible for notifying the End User of the Discontinuance of service. If, within seven (7) days after 1-800-RECONEX's services have been Discontinued, 1-800-RECONEX pays, by wire transfer, automatic clearing house or cashier's check, all past due charges, including late payment charges, outstanding security deposit request amounts if applicable and any applicable restoral charges as set forth in Section A4 of BellSouth's GSST, then BellSouth will reestablish service for 1-800-RECONEX.
- 1.5.7.1 <u>Termination.</u> If within seven (7) days after 1-800-RECONEX's service has been Discontinued and 1-800-RECONEX has failed to pay all past due charges as described above, then 1-800-RECONEX's service will be Terminated.
- Notices. Notwithstanding anything to the contrary in this Agreement, all bills and notices regarding billing matters, disconnection of services for nonpayment of charges, and rejection of additional orders from 1-800-RECONEX, shall be forwarded to the individual and/or address provided by 1-800-RECONEX in establishment of its billing account(s) with BellSouth, or to the individual and/or address subsequently provided by 1-800-RECONEX as the contact for billing. All monthly bills and notices described in this Section shall be forwarded to the same individual and/or address; provided, however, upon written request from 1-800-RECONEX to BellSouth's billing organization, the notice of discontinuance of services purchased by 1-800-RECONEX under this Agreement provided for in Section 1.5.4 above shall be sent via certified mail to the individual(s) listed in the Notices provision of the General Terms and Conditions.

#### 2. Billing Disputes

- 2.1 1-800-RECONEX shall electronically submit all billing disputes to BellSouth using the form specified by BellSouth. In the event of a billing dispute, the Parties will endeavor to resolve the dispute within sixty (60) days of the notification date. Within five (5) business days of BellSouth's denial, or partial denial, of the billing dispute, if 1-800-RECONEX is not satisfied with BellSouth's resolution of the billing dispute or if no response to the billing dispute has been received by 1-800-RECONEX by such sixtieth (60<sup>th</sup>) day, 1-800-RECONEX must pursue the escalation process as outlined in the Billing Dispute Escalation Matrix, set forth on BellSouth's Interconnection Services Web site, or the billing dispute shall be considered denied and closed. If, after escalation, the Parties are unable to reach resolution, then the aggrieved Party, if it elects to pursue the dispute shall pursue dispute resolution in accordance with General Terms and Conditions.
- 2.2 For purposes of this Section 2, a billing dispute means a reported dispute submitted pursuant to Section 2.1 above of a specific amount of money actually billed by BellSouth. The billing dispute must be clearly explained by 1-800-RECONEX and supported by written documentation, which clearly shows the basis for disputing charges. The determination as to whether the billing dispute is clearly explained or clearly shows the basis for disputing charges shall be within BellSouth's sole reasonable discretion. Disputes that are not clearly explained or those that do not provide complete information may be rejected by BellSouth. Claims by 1-800-RECONEX for damages of any kind will not be considered a billing dispute for purposes of this Section. If BellSouth resolves the billing dispute, in whole or in part, in favor of 1-800-RECONEX, any credits and interest due to 1-800-RECONEX as a result therof shall be applied to 1-800-RECONEX's account by BellSouth upon resolution of the billing dispute.

#### 3. RAO Hosting

- 3.1 Centralized Message Distribution System (CMDS) is a national message exchange system administered by Telcordia Technologies (Telcordia) used to transmit alternately billed calls (e.g., credit card, third number and collect) from the Earning Company, as defined herein, to the Billing Company, as defined herein, to permit the Earning Company and the Billing Company to receive appropriate compensation. It is also used to transmit access records from one company to another.
- 3.2 Direct Participants are Telecommunications carriers that exchange data directly with other Direct Participants via the CMDS Data Center and may act as host companies (Host) for those Telecommunications carriers that do not exchange data directly via the CMDS Data Center (Indirect Participants).
- 3.3 RAO Hosting is a hosting relationship where an Indirect Participant sends and receives CMDS eligible messages to and from its Host, who then interfaces, on

Version: 2Q05 Standard ICA

behalf of the Indirect Participant, with other Direct Participants for distribution and collection of these messages. RAO Hosting also includes the Direct Participant's provision of revenue settlements functions (compensation) for alternately billed calls based upon reports generated by Credit Card and Third Number Settlement (CATS) and Non-InterCompany Settlement (NICS) as described herein. CATS and NICS are collectively referred to as Intercompany Settlements.

- The CATS System is a national system administered by Telcordia, used to settle revenues for calls that are sent from one CMDS Direct Participant to another for billing. CATS applies to calls that originate within one Regional Bell Operating Company's (RBOC) territory, as defined at Divestiture, and bill in another RBOC's territory. CATS calculates the amounts due to Earning Companies (i.e., billed revenue less the billing and collection fee). For alternately billed calls, the originating company, whose facilities are used to place the call, is the Earning Company and the company that puts the charges on the End User's bill is the Billing Company
- 3.5 The NICS is the national system administered by Telcordia that is used in the settlement of revenues for calls that are originated and billed by two (2) different local exchange carriers (LEC) within a single Direct Participant's territory to another for billing. NICS applies to calls involving another LEC where the Earning Company and the Billing Company are located within BellSouth's territory.
- 3.6 RAO Hosting, CATS and NICS services provided to 1-800-RECONEX by BellSouth will be in accordance with the methods and practices regularly applied by BellSouth to its own operations during the term of this Agreement, including such revisions as may be made from time to time by BellSouth.
- 3.7 1-800-RECONEX shall furnish all relevant information required by BellSouth for the provision of RAO Hosting, CATS and NICS.
- 3.8 Charges or credits, as applicable, will be applied by BellSouth to 1-800-RECONEX on a monthly basis in arrears. Amounts due (excluding adjustments) are due on or before the next bill date.
- 1-800-RECONEX must have its own unique hosted RAO code. Where BellSouth is the selected CMDS interfacing host, 1-800-RECONEX must request that BellSouth establish a unique hosted RAO code for 1-800-RECONEX. Such request shall be in writing to the BellSouth RAO Hosting coordinator and must be submitted at least eight (8) weeks prior to provision of services pursuant to this Section. Services shall commence on a date mutually agreed by the Parties.
- 3.10 BellSouth will receive messages from 1-800-RECONEX that are to be processed by BellSouth, another Local Exchange Carrier (LEC) in the BellSouth region or a

Version: 2Q05 Standard ICA

LEC outside the BellSouth region. 1-800-RECONEX shall send all messages to BellSouth no later than sixty (60) days after the message date.

- 3.11 BellSouth will perform invoice sequence checking, standard EMI format editing, and balancing of message data with the EMI trailer record counts on all data received from 1-800-RECONEX.
- 3.12 All data received from 1-800-RECONEX that is to be processed or billed by another LEC within the BellSouth region will be distributed to that LEC in accordance with the Agreement(s) in effect between BellSouth and the involved LEC.
- 3.13 All data received from 1-800-RECONEX that is to be placed on the CMDS network for distribution outside the BellSouth region will be handled in accordance with the agreement(s) in effect between BellSouth and its connecting contractor.
- 3.14 BellSouth will receive messages from the CMDS network that are destined to be processed by 1-800-RECONEX and will forward them to 1-800-RECONEX on a daily basis for processing.
- 3.15 Transmission of message data between BellSouth and 1-800-RECONEX will be distributed via FTP mailbox. It will be created on a daily basis Monday through Friday, except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. If BellSouth determines the Secure FTP Mailbox is nearing capacity levels, BellSouth may move 1-800-RECONEX to CONNECT:Direct file delivery.
- 3.15.1 If 1-800-RECONEX is moved to CONNECT: Direct, data circuits (private line or dial-up) may be required between BellSouth and 1-800-RECONEX for the purpose of data transmission. Where a dedicated line is required, 1-800-RECONEX will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. 1-800-RECONEX will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on an individual case basis. Where a dialup facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to 1-800-RECONEX. Additionally, all message toll charges associated with the use of the dial circuit by 1-800-RECONEX will be the responsibility of 1-800-RECONEX. Associated equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on the 1-800-RECONEX end for the purpose of data transmission will be the responsibility of 1-800-RECONEX.

Version: 2Q05 Standard ICA

- 3.15.2 If 1-800-RECONEX utilizes FTP for data file transmission, purchase of the FTP software will be the responsibility of 1-800-RECONEX.
- 3.16 All messages and related data exchanged between BellSouth and 1-800-RECONEX will be EMI formatted records and packed between appropriate EMI header and trailer records in accordance with accepted industry standards.
- 3.17 1-800-RECONEX will maintain recorded message detail necessary to recreate files provided to BellSouth for a period of three (3) calendar months beyond the related message dates.
- 3.18 Should it become necessary for 1-800-RECONEX to send data to BellSouth more than sixty (60) days past the message date(s), 1-800-RECONEX will notify BellSouth in advance of the transmission of the data. BellSouth will work with its connecting contractor and/or 1-800-RECONEX, where necessary, to notify all affected LECs.
- 3.19 In the event that data to be exchanged between the two (2) Parties should become lost or destroyed, the Party responsible for creating the data will make every effort to restore and retransmit such data.
- 3.20 Should an error be detected by the EMI format edits performed by BellSouth on data received from 1-800-RECONEX, the entire pack containing the affected data will not be processed by BellSouth. BellSouth will notify 1-800-RECONEX of the error. 1-800-RECONEX will correct the error(s) and will resend the entire pack to BellSouth for processing. In the event that an out-of-sequence condition occurs on subsequent packs, 1-800-RECONEX will resend these packs to BellSouth after the pack containing the error has been successfully reprocessed by BellSouth.
- 3.21 In association with message distribution service, BellSouth will provide 1-800-RECONEX with associated intercompany settlements reports (CATS and NICS) as appropriate.
- 3.22 Notwithstanding anything in this Agreement to the contrary, in no case shall either Party be liable to the other for any direct or consequential damages incurred as a result of the obligations set out in this Section 3.
- 3.23 Intercompany Settlements Messages
- 3.23.1 Intercompany Settlements Messages facilitate the settlement of revenues associated with traffic originated from or billed by 1-800-RECONEX as a facilities based provider of local exchange telecommunications services.
- 3.23.2 BellSouth will receive the monthly NICS and CATS reports from Telcordia on behalf of 1-800-RECONEX and will distribute copies of these reports to 1-800-RECONEX on a monthly basis.

- 3.23.3 Through CATS, BellSouth will collect the revenue earned by 1-800-RECONEX from the RBOC in whose territory the messages are billed, less a per message billing and collection fee of five cents (\$0.05), or such other amount as may be approved by the Direct Participants and Telcordia, on behalf of 1-800-RECONEX. BellSouth will remit the revenue billed by 1-800-RECONEX to the RBOC in whose territory the messages originated, less a per message billing and collection fee of five cents (\$0.05), or such other amount as may be approved by the Direct Participants and Telcordia, on behalf of 1-800-RECONEX. These two (2) amounts will be netted together by BellSouth and the resulting charge or credit issued to 1-800-RECONEX via a CABS miscellaneous bill on a monthly basis in arrears.
- 3.23.4 Through NICS, BellSouth will collect the revenue earned by 1-800-RECONEX within the BellSouth territory from another LEC also within the BellSouth territory where the messages are billed, less a per message billing and collection fee of five cents (\$0.05), on behalf of 1-800-RECONEX. BellSouth will remit the revenue billed by 1-800-RECONEX within the BellSouth region to the LEC also within the BellSouth region, where the messages originated, less a per message billing and collection fee of five cents (\$0.05). These two (2) amounts will be netted together by BellSouth and the resulting charge or credit issued to 1-800-RECONEX via a CABS miscellaneous bill on a monthly basis in arrears.
- 3.23.5 BellSouth and 1-800-RECONEX agree that monthly netted amounts of less than fifty dollars (\$50.00) will not be settled.
- 3.24 <u>Rates.</u> Rates for CMDS are as set forth in Exhibit A. If no rate is identified in this Attachment, the rate for the specific service or function will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.

CMDS	- Alab	ama												Attachment:	7	Exhibit: A	
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
														Charge -			Charge -
			Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR		Order vs.		Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
											1st	Add'l	Disc 1st	Disc Add'l			
							Nonrecurring Nonrecurring Disconnect							oss	Rates(\$)	l.	
											SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
																	i
CMDS																	1
		ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)  CMDS: Message Processing, per message															i
						0.004										i	
		CMDS: Data Transmission (CONNECT:Direct), per message					0.001										1

CMDS	- Flor	ida												Attachment:	7	Exhibit: A	
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
			Interi	l_										Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.		Order vs.
													Electronic-	Electronic-	Electronic-		
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates(\$)	I	I.
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CMDS																
	CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)																
		CMDS: Message Processing, per message					0.004										
		CMDS: Data Transmission (CONNECT:Direct), per message					0.001										

CMDS	S - Geo	rgia												Attachment:	7	Exhibit: A	
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
														Charge -			Charge -
			Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	SORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR		Order vs.		Order vs.
														Electronic-	Electronic-	Electronic-	
											1st	Add'l	Disc 1st	Disc Add'l			
	1						Nonrecurring Nonrecurring Disconnect							oss	Rates(\$)	I	
							Kec	Rec   Nonrecurring   Nonrecurring Disconnective   First   Add'l   First   Add'l				SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
CMDS																	1
		ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message						0.004										i
		CMDS: Data Transmission (CONNECT:Direct), per message					0.001										i

CMDS	- Kent	tucky												Attachment:	7	Exhibit: A	
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
														Charge -		Charge -	Charge -
			Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR				Order vs.
												Electronic-	Electronic-	Electronic-			
													1st	Add'l	Disc 1st	Disc Add'l	
							D	Disconnect			oss	Rates(\$)		1			
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
CMDS																	
		ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
		CMDS: Message Processing, per message			·		0.004										
		CMDS: Data Transmission (CONNECT:Direct), per message					0.001										

CMDS	3 - Loui	isiana												Attachment:	7	Exhibit: A	
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
														Charge -			Charge -
			Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR		Order vs.		Order vs.
														Electronic-	Electronic-	Electronic-	
											1st	Add'l	Disc 1st	Disc Add'l			
							Nonrecurring Nonrecurring Disconnect							oss	Rates(\$)	I	
							Kec	Rec First Add'l First Add'				SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
CMDS																	1
		ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
		CMDS: Message Processing, per message					0.004										
		CMDS: Data Transmission (CONNECT:Direct), per message					0.001										

CMD	S - Miss	sissippi												Attachment:	7	Exhibit: A	
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
			Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	SORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR				Order vs.
														Electronic-	Electronic-	Electronic-	
														1st	Add'l	Disc 1st	Disc Add'l
							Dan	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates(\$)	I	
	<u> </u>						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
CMDS																	
	CENTR	ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message						0.004										
		CMDS: Data Transmission (CONNECT:Direct), per message					0.001										

CMDS	- Nort	h Carolina												Attachment:	7	Exhibit: A	
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
													Submitted		Charge -		Charge -
			Interi	l_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.		Order vs.
														Electronic-	Electronic-	Electronic-	
														1st	Add'l	Disc 1st	Disc Add'l
							B	Nonrec	urring	Nonrecurring	Disconnect		l .	oss	Rates(\$)		1
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
CMDS																	
		ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
		CMDS: Message Processing, per message					0.004										
		CMDS: Data Transmission (CONNECT:Direct), per message					0.001										

CMDS	S - Sou	th Carolina												Attachment:	7	Exhibit: A	
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
													Submitted		Charge -	Charge -	Charge -
			Interi	l_										Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.		Order vs.
													Electronic-	Electronic-			
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates(\$)	I	I.
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
CMDS																	
	CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)																
	CMDS: Message Processing, per message																
		CMDS: Data Transmission (CONNECT:Direct), per message					0.001										

CMDS	- Tenr	nessee												Attachment:	7	Exhibit: A	
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
													Submitted		Charge -	Charge -	Charge -
			Interi	_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.		Order vs.
														Electronic-	Electronic-	Electronic-	
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
CMDS																	
	CENTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)																
		CMDS: Message Processing, per message					0.004										
		CMDS: Data Transmission (CONNECT:Direct), per message					0.001										

### **Attachment 8**

Rights-of-Way, Conduits and Pole Attachments

Version: 2Q05 Standard ICA

# Rights-of-Way, Conduits and Pole Attachments

BellSouth will provide nondiscriminatory access to any pole, duct, conduit, or right-of-way owned or controlled by BellSouth pursuant to 47 U.S.C. § 224, as amended by the Act, pursuant to terms and conditions of a separate license agreement negotiated with BellSouth.

Version: 2Q05 Standard ICA

## **Attachment 9**

**Performance Measurements** 

Version: 2Q05 Standard ICA

### PERFORMANCE MEASUREMENTS

Upon a particular Commission's issuance of an Order pertaining to Performance Measurements in a proceeding expressly applicable to all CLECs generally, BellSouth shall implement in that state such Performance Measurements as of the date specified by the Commission. Performance Measurements that have been Ordered in a particular state can currently be accessed via the internet at <a href="http://pmap.bellsouth.com">http://pmap.bellsouth.com</a>.

Version: 2Q05 Standard ICA

### **Attachment 10**

# **BellSouth Disaster Recovery Plan**

CON	TENT:	<u>S</u>		PAGE
1.0	Purpo	se		2
2.0	Single	Point of	Contact	2
3.0	Identi	fying the	Problem	2
	3.1	Site Co	ontrol	3
	3.2	Enviro	nmental Concerns	4
4.0	The E	mergency	y Control Center (ECC)	4
5.0	Recov	ery Proce	edures	5
	5.1	CLEC (	Outage	5
	5.2	BellSou	oth Outage	5
		5.2.1	Loss of Central Office	6
		5.2.2	Loss of a Central Office with Serving Wire Center Functions	6
		5.2.3	Loss of a Central Office with Tandem Functions	6
		5.2.4	Loss of a Facility Hub	7
	5.3	Combin	ned Outage (CLEC and BellSouth Equipment)	7
6.0	T1 Ide	entificatio	on Procedures	7
7.0	Acror	ıyms		8

Version: 2Q05 Standard ICA 09/02/05

#### 1.0 PURPOSE

In the unlikely event of a disaster occurring that affects BellSouth's long-term ability to deliver traffic to a CLEC, general procedures have been developed by BellSouth to hasten the recovery process in accordance with the Telecommunications Service Priority (TSP) Program established by the FCC to identify and prioritize telecommunication services that support national security or emergency preparedness (NS/EP) missions. A description of the TSP Program as it may be amended from time to time is available at the following BellSouth Interconnection Services Web site: <a href="http://interconnection.bellsouth.com/products/vertical/tsp.html">http://interconnection.bellsouth.com/products/vertical/tsp.html</a>. Since each location is different and could be affected by an assortment of potential problems, a detailed recovery plan is impractical. However, in the process of reviewing recovery activities for specific locations, some basic procedures emerge that appear to be common in most cases.

These general procedures should apply to any disaster that affects the delivery of traffic for an extended time period. Each CLEC will be given the same consideration during an outage, and service will be restored as quickly as possible.

This document will cover the basic recovery procedures that would apply to every CLEC.

#### 2.0 SINGLE POINT OF CONTACT

When a problem is experienced, regardless of the severity, the BellSouth Network Management Center (NMC) will observe traffic anomalies and begin monitoring the situation. Controls will be appropriately applied to insure the sanity of BellSouth's network; and, in the event that a switch or facility node is lost, the NMC will attempt to circumvent the failure using available reroutes.

BellSouth's NMC will remain in control of the restoration efforts until the problem has been identified as being a long-term outage. At that time, the NMC will contact BellSouth's ECC and relinquish control of the recovery efforts. Even though the ECC may take charge of the situation, the NMC will continue to monitor the circumstances and restore traffic as soon as damaged network elements are revitalized.

The telephone number for the BellSouth Network Management Center in Atlanta, as published in Telcordia's National Network Management Directory, is 404-321-2516.

#### 3.0 IDENTIFYING THE PROBLEM

During the early stages of problem detection, the NMC will be able to tell which CLECs are affected by the catastrophe. Further analysis and/or first hand observation will determine if the disaster has affected CLEC equipment only, BellSouth equipment only or a combination. The initial restoration activity will be largely determined by the equipment that is affected.

Once the nature of the disaster is determined and after verifying the cause of the problem, the NMC will initiate reroutes and/or transfers that are jointly agreed upon by the affected CLECs' Network Management Center and the BellSouth NMC. The type and percentage of controls used will depend upon available network capacity. Controls necessary to stabilize the situation will be invoked and the NMC will attempt to re-establish as much traffic as possible.

Version: 2Q05 Standard ICA

For long-term outages, recovery efforts will be coordinated by the ECC. Traffic controls will continue to be applied by the NMC until facilities are re-established. As equipment is made available for service, the ECC will instruct the NMC to begin removing the controls and allow traffic to resume.

#### 3.1 SITE CONTROL

In the total loss of building use scenario, what likely exists will be a smoking pile of rubble. This rubble will contain many components that could be dangerous. It could also contain any personnel on the premises at the time of the disaster. For these reasons, the local fire marshal with the assistance of the police will control the site until the building is no longer a threat to surrounding properties and the companies have secured the site from the general public.

During this time, the majority owner of the building should be arranging for a demolition contractor to mobilize to the site with the primary objective of reaching the cable entrance facility for a damage assessment. The results of this assessment would then dictate immediate plans for restoration, both short term and permanent.

In a less catastrophic event, i.e., the building is still standing and the cable entrance facility is usable, the situation is more complex. The site will initially be controlled by local authorities until the threat to adjacent property has diminished. Once the site is returned to the control of the companies, the following events should occur.

An initial assessment of the main building infrastructure systems (mechanical, electrical, fire and life safety, elevators, and others) will establish building needs. Once these needs are determined, the majority owner should lead the building restoration efforts. There may be situations where the site will not be totally restored within the confines of the building. The companies must individually determine their needs and jointly assess the cost of permanent restoration to determine the overall plan of action.

Multiple restoration trailers from each company will result in the need for designated space and installation order. This layout and control is required to maximize the amount of restoration equipment that can be placed at the site, and the priority of placements.

Care must be taken in this planning to ensure other restoration efforts have logistical access to the building. Major components of telephone and building equipment will need to be removed and replaced. A priority for this equipment must also be jointly established to facilitate overall site restoration. (Example: If the AC switchgear has sustained damage, this would be of the highest priority in order to regain power, lighting, and HVAC throughout the building.)

If the site will not accommodate the required restoration equipment, the companies would then need to quickly arrange with local authorities for street closures, rights of way or other possible options available.

Version: 2Q05 Standard ICA

#### 3.2 ENVIRONMENTAL CONCERNS

In the worse case scenario, many environmental concerns must be addressed. Along with the police and fire marshal, the state environmental protection department will be on site to monitor the situation.

Items to be concerned with in a large central office building could include:

- 1. Emergency engine fuel supply. Damage to the standby equipment and the fuel handling equipment could have created "spill" conditions that have to be handled within state and federal regulations.
- 2. Asbestos-containing materials that may be spread throughout the wreckage. Asbestos could be in many components of building, electrical, mechanical, outside plant distribution, and telephone systems.
- 3. Lead and acid. These materials could be present in potentially large quantities depending upon the extent of damage to the power room.
- 4. Mercury and other regulated compounds resident in telephone equipment.
- 5. Other compounds produced by the fire or heat.

Once a total loss event occurs at a large site, local authorities will control immediate clean up (water placed on the wreckage by the fire department) and site access.

At some point, the companies will become involved with local authorities in the overall planning associated with site clean up and restoration. Depending on the clean up approach taken, delays in the restoration of several hours to several days may occur.

In a less severe disaster, items listed above are more defined and can be addressed individually depending on the damage.

In each case, the majority owner should coordinate building and environmental restoration as well as maintain proper planning and site control.

#### 4.0 THE ECC

The ECC is located in the Midtown 1 Building in Atlanta, Georgia. During an emergency, the ECC staff will convene a group of pre-selected experts to inventory the damage and initiate corrective actions. These experts have regional access to BellSouth's personnel and equipment and will assume control of the restoration activity anywhere in the nine-state area.

In the past, the ECC has been involved with restoration activities resulting from hurricanes, ice storms and floods. They have demonstrated their capabilities during these calamities as well as

Version: 2Q05 Standard ICA

during outages caused by human error or equipment failures. This group has an excellent record of restoring service as quickly as possible.

During a major disaster, the ECC may move emergency equipment to the affected location, direct recovery efforts of local personnel and coordinate service restoration activities with the CLECs. The ECC will attempt to restore service as quickly as possible using whatever means is available, leaving permanent solutions, such as the replacement of damaged buildings or equipment, for local personnel to administer.

Part of the ECC's responsibility, after temporary equipment is in place, is to support the NMC efforts to return service to the CLECs. Once service has been restored, the ECC will return control of the network to normal operational organizations. Any long-term changes required after service is restored will be made in an orderly fashion and will be conducted as normal activity.

#### 5.0 RECOVERY PROCEDURES

The nature and severity of any disaster will influence the recovery procedures. One crucial factor in determining how BellSouth will proceed with restoration is whether or not BellSouth's equipment is incapacitated. Regardless of whose equipment is out of service, BellSouth will move as quickly as possible to aid with service recovery; however, the approach that will be taken may differ depending upon the location of the problem.

#### **5.1 CLEC OUTAGE**

For a problem limited to one CLEC (or a building with multiple CLECs), BellSouth has several options available for restoring service quickly. For those CLECs that have agreements with other CLECs, BellSouth can immediately start directing traffic to a provisional CLEC for completion. This alternative is dependent upon BellSouth having concurrence from the affected CLECs.

Whether or not the affected CLECs have requested a traffic transfer to another CLEC will not impact BellSouth's resolve to re-establish traffic to the original destination as quickly as possible.

#### 5.2 BELLSOUTH OUTAGE

Because BellSouth's equipment has varying degrees of impact on the service provided to the CLECs, restoring service from damaged BellSouth equipment is different. The outage will probably impact a number of Carriers simultaneously. However, the ECC will be able to initiate immediate actions to correct the problem.

A disaster involving any of BellSouth's equipment locations could impact the CLECs, some more than others. A disaster at a Central Office (CO) would only impact the delivery of traffic to and from that one location, but the incident could affect many Carriers. If the CO is a Serving Wire Center (SWC), then traffic from the entire area to those Carriers served from that switch would also be impacted. If the switch functions as an Access Tandem, or there is a tandem in the building, traffic from every CO to every CLEC could be interrupted. A disaster that destroys a facility hub could disrupt various traffic flows, even though the switching equipment may be unaffected.

Version: 2Q05 Standard ICA

The NMC would be the first group to observe a problem involving BellSouth's equipment. Shortly after a disaster, the NMC will begin applying controls and finding re-routes for the completion of as much traffic as possible. These reroutes may involve delivering traffic to alternate Carriers upon receiving approval from the CLECs involved. In some cases, changes in translations will be required. If the outage is caused by the destruction of equipment, then the ECC will assume control of the restoration.

#### 5.2.1 Loss of a CO

When BellSouth loses a CO, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service on a parity basis for Hospitals, Police and other emergency agencies or End Users served by BellSouth or CLEC in accordance with the TSP priority restoration coding scheme entered in the BellSouth Maintenance database immediately prior to the emergency.

#### 5.2.2 Loss of a CO with SWC Functions

The loss of a CO that also serves as a SWC will be restored as described in Section 5.2.1.

#### **5.2.3** Loss of a CO with Tandem Functions

When BellSouth loses a CO building that serves as an Access Tandem and as a SWC, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service on a parity basis for Hospitals, Police and other emergency agencies or End Users served by BellSouth or CLEC in accordance with the TSP priority restoration coding scheme entered in the BellSouth Maintenance database immediately prior to the emergency;
- e) Re-direct as much traffic as possible to the alternate access tandem (if available) for delivery to those CLECs utilizing a different location as a SWC;
- f) Begin aggregating traffic to a location near the damaged building. From this location, begin re-establishing trunk groups to the CLECs for the delivery of traffic normally

Version: 2Q05 Standard ICA

found on the direct trunk groups. (This aggregation point may be the alternate access tandem location or another CO on a primary facility route.)

#### 5.2.4 Loss of a Facility Hub

In the event that BellSouth loses a facility hub, the recovery process is much the same as above. Once the NMC has observed the problem and administered the appropriate controls, the ECC will assume authority for the repairs. The recovery effort will include

- a) Placing specialists and emergency equipment on notice;
- b) Inventorying the damage to determine what equipment and/or functions are lost;
- c) Moving containerized emergency equipment to the stricken area, if necessary;
- d) Reconnecting service on a parity basis for Hospitals, Police and other emergency agencies or End Users served by BellSouth or CLEC in accordance with the TSP priority restoration coding scheme entered in the BellSouth Maintenance database immediately prior to the emergency; and
- e) If necessary, BellSouth will aggregate the traffic at another location and build temporary facilities. This alternative would be viable for a location that is destroyed and building repairs are required.

#### 5.3 COMBINED OUTAGE (CLEC AND BELLSOUTH EQUIPMENT)

In some instances, a disaster may impact BellSouth's equipment as well as the CLECs'. This situation will be handled in much the same way as described in Section 5.2.3. Since BellSouth and the CLECs will be utilizing temporary equipment, close coordination will be required.

#### 6.0 T1 IDENTIFICATION PROCEDURES

During the restoration of service after a disaster, BellSouth may be forced to aggregate traffic for delivery to a CLEC. During this process, T1 traffic may be consolidated onto DS3s and may become unidentifiable to the Carrier. Because resources will be limited, BellSouth may be forced to "package" this traffic entirely differently than normally received by the CLECs. Therefore, a method for identifying the T1 traffic on the DS3s and providing the information to the Carriers is required.

Version: 2Q05 Standard ICA

#### 7.0 ACRONYMS

CLEC - Competitive Local Exchange Carrier

CO - Central Office (BellSouth)

DS3 - Facility that carries 28 T1s (672 circuits)

ECC - Emergency Control Center (BellSouth)

NMC - Network Management Center

SWC - Serving Wire Center (BellSouth switch)

T1 - Facility that carries 24 circuits

TSP - Telecommunications Service Priority

Version: 2Q05 Standard ICA

#### **Hurricane Information**

During a hurricane, BellSouth will make every effort to keep CLECs updated on the status of our network. Information centers will be set up throughout BellSouth Telecommunications. These centers are not intended to be used for escalations, but rather to keep the CLEC informed of network related issues, area damages and dispatch conditions, etc.

Hurricane-related information can also be found on line at <a href="http://www.interconnection.bellsouth.com/network/disaster/index.html">http://www.interconnection.bellsouth.com/network/disaster/index.html</a>. Information concerning Mechanized Disaster Reports can also be found at this Web site by clicking on CURRENT MDR REPORTS or by going directly to <a href="http://www.interconnection.bellsouth.com/network/disaster/mdrdocs.html">http://www.interconnection.bellsouth.com/network/disaster/mdrdocs.html</a>.

#### **BST Disaster Management Plan**

BellSouth maintenance centers have geographical and redundant communication capabilities. In the event of a disaster removing any maintenance center from service another geographical center would assume maintenance responsibilities. The contact numbers will not change and the transfer will be transparent to the CLEC.

Version: 2Q05 Standard ICA

### **Attachment 11**

**Bona Fide Request and New Business Request Process** 

Version: 2Q05 Standard ICA 07/06/05

#### BONA FIDE REQUEST AND NEW BUSINESS REQUEST PROCESS

#### 1. **BONA FIDE REQUEST**

- 1.1 The Parties agree that 1-800-RECONEX is entitled to order any Network Element, interconnection option or service option required to be made available by FCC or Commission requirements pursuant to the Act. A BFR is to be used when 1-800-RECONEX makes a request of BellSouth to provide a new or modified Network Element, interconnection option or other service option pursuant to the Act that was not previously provided for in this Agreement.
- A BFR shall be submitted in writing by 1-800-RECONEX and shall specifically identify the requested service date, technical requirements, space requirements and/or such other specifications that clearly define the request such that BellSouth has sufficient information to analyze and prepare a response. Such a request shall also include 1-800-RECONEX's designation of the request as being pursuant to the Telecommunications Act of 1996 (i.e., a BFR). The request shall be sent to 1-800-RECONEX's designated BellSouth Sales contact or Local Contract Manager (LCM).
- 1.3 Within two (2) business days of receipt of a BFR, BellSouth shall acknowledge in writing its receipt and identify a single point of contact responsible for responding to the BFR and shall request any additional information needed to process the request to the extent known at that time. Notwithstanding the foregoing, BellSouth may reasonably request additional information from 1-800-RECONEX at any time during the processing of the BFR.
- 1.4 Within thirty (30) business days of BellSouth's receipt of the BFR, if the preliminary analysis of the requested BFR is not of such complexity that it will cause BellSouth to expend extraordinary resources to evaluate the BFR, BellSouth shall respond to 1-800-RECONEX by providing a preliminary analysis of the new or modified Network Element or interconnection option not ordered by the FCC or Commission that is the subject of the BFR. The preliminary analysis shall either confirm that BellSouth will offer access to the new or modified Network Element, interconnection option or service option or confirm that BellSouth will not offer the new or modified Network Element, interconnection option or service option.
- 1.5 For any new or modified Network Element, interconnection option or service option not ordered by the FCC or Commission, if the preliminary analysis states that BellSouth will offer the new or modified Network Element, interconnection option or service option, the preliminary analysis

Version: 2Q05 Standard ICA

will include an estimate of the costs of utilizing existing resources, both personnel and systems, in the development including, but not limited to, request parameters analysis, determination of impacted BellSouth departments, determination of required resources, project management resources, etc. (Development Rate) including a general breakdown of such costs associated with the Network Element, interconnection option or service option and the date the request can be met. If the preliminary analysis states that BellSouth will not offer the new or modified Network Element, interconnection option or service option, BellSouth will provide an explanation of why the request is not technically feasible, does not qualify as a BFR for the new or modified Network Element, interconnection option or service option, should actually be submitted as a NBR or is otherwise not required to be provided under the Act. If BellSouth cannot provide the Network Element, interconnection option or service option by the requested date, BellSouth shall provide an alternative proposed date together with a detailed explanation as to why BellSouth is not able to meet 1-800-RECONEX's requested date.

- For any new or modified Network Element, interconnection option or 1.6 service option not ordered by the FCC or Commission, if BellSouth determines that the preliminary analysis of the requested BFR is of such complexity that it will cause BellSouth to expend extraordinary resources to evaluate the BFR, BellSouth shall notify 1-800-RECONEX within ten (10) business days of BellSouth's receipt of BFR that a fee will be required prior to the preliminary evaluation of the BFR. Such fee shall be limited to BellSouth's extraordinary expenses directly related to the complex request that require the allocation and engagement of additional resources above the existing allocated resources used on BFR cost development which include, but are not limited to, expenditure of funds to develop feasibility studies, specific resources that are required to determine request requirements (such as operation support system analysts, technical managers, software developers), software impact analysis by specific software developers; software architecture development, hardware impact analysis by specific system analysts, etc. and the request for such fee shall be accompanied with a general breakdown of such costs. If 1-800-RECONEX accepts the complex request evaluation fee proposed by BellSouth, 1-800-RECONEX shall submit such fee within thirty (30) business days of BellSouth's notice that a complex request evaluation fee is required. Within thirty (30) business days of BellSouth's receipt of the complex request evaluation fee, BellSouth shall respond to 1-800-RECONEX by providing a preliminary analysis, consistent with Section 1.4 above.
- 1.7 1-800-RECONEX may cancel a BFR at any time up until thirty (30) business days after receiving BellSouth's preliminary analysis. If 1-800-RECONEX cancels the BFR within thirty (30) business days after receipt

Version: 2Q05 Standard ICA

of BellSouth's preliminary analysis, BellSouth shall be entitled to keep any complex request evaluation fee submitted in accordance with Section 1.6 above, minus those costs included in the fee that have not been incurred as of the date of cancellation.

- 1.8 1-800-RECONEX will have thirty (30) business days from receipt of preliminary analysis to accept the preliminary analysis or cancel the BFR. If 1-800-RECONEX fails to respond within this thirty (30) business day period, the BFR will be deemed cancelled. Acceptance of the preliminary analysis must be in writing and accompanied by the estimated Development Rate for the new or modified Network Element, interconnection option or service option quoted in the preliminary analysis.
- 1.9 Notwithstanding any other provision of this Agreement, BellSouth shall propose a firm price quote, including the firm Development Rate, the firm nonrecurring rate and the firm recurring rate, and a detailed implementation plan within ten (10) business days of receipt of 1-800-RECONEX's accurate BFR application for a Network Element, interconnection option or service option that is operational at the time of the request; thirty (30) business days of receipt of 1-800-RECONEX's accurate BFR application for a new or modified Network Element, interconnection option or service option ordered by the FCC or Commission; and within sixty (60) business days of receipt of 1-800-RECONEX's accurate BFR application for a new or modified Network Element, interconnection option or service option not ordered by the FCC or Commission or not operational at the time of the request. The firm nonrecurring rate will not include any of the Development Rate or the complex request evaluation fee, if required, in the calculation of this rate. Such firm price quote shall not exceed the estimate provided with the preliminary analysis by more than twenty-five percent (25%).
- 1.10 1-800-RECONEX shall have thirty (30) business days from receipt of firm price quote to accept or deny the firm price quote and submit any additional Development or nonrecurring rates quoted in the firm price quote.
- 1.11 Unless 1-800-RECONEX agrees otherwise, all prices shall be consistent with the applicable pricing principles and provisions of the Act.
- 1.12 If 1-800-RECONEX believes that BellSouth's firm price quote is not consistent with the requirements of the Act, either Party may seek dispute resolution in accordance with the dispute resolution provisions set forth in General Terms and Conditions.

Version: 2Q05 Standard ICA

Upon agreement to the rates, terms and conditions of a BFR, the Parties shall negotiate in good faith an amendment to this Agreement.

#### 2 New Business Request

- 2.1 1-800-RECONEX also shall be permitted to request the development of new or modified facilities or service options which may not be required by the Act. Procedures applicable to requesting the addition of such elements, services and options are specified in this Attachment. A NBR is to be used by 1-800-RECONEX to make a request of BellSouth for a new or modified feature or capability of an existing product or service, a new product or service that is not deployed within the BellSouth network or operations and business support systems, or a new or modified service option that was not previously included in this Agreement (Requested NBR Services) and is not required by the Act.
- An NBR shall be submitted in writing by 1-800-RECONEX and shall specifically identify the requested service date, technical requirements, space requirements and/or such specifications that clearly define the request such that BellSouth has sufficient information to analyze and prepare a response. The request shall be sent to 1-800-RECONEX's designated BellSouth Sales contact or LCM.
- 2.3 Within two (2) business days of receipt of an NBR, BellSouth shall acknowledge in writing its receipt and identify a single point of contact responsible for responding to the NBR and shall request any additional information needed to process the request to the extent known at that time. Notwithstanding the foregoing, BellSouth may reasonably request additional information from 1-800-RECONEX at any time during the processing of the NBR.
- 2.4 If the preliminary analysis of the request NBR is not of such complexity that it will cause BellSouth to expend extraordinary resources to evaluate the NBR, within thirty (30) business days of its receipt of the NBR, BellSouth shall respond to 1-800-RECONEX by providing a preliminary analysis of such Requested NBR Services that are the subject of the NBR. The preliminary analysis shall either confirm that BellSouth will offer access to the Requested NBR Services or confirm that BellSouth will not offer the Requested NBR Services.
- 2.5 If the preliminary analysis states that BellSouth will offer the Requested NBR Services, the preliminary analysis will include an estimate of the Development Rate including a general breakdown of costs and the date the request can be met. If BellSouth cannot provide the Requested NBR Service by the requested date, it shall provide an alternative proposed date

Version: 2Q05 Standard ICA

together with a detailed explanation as to why BellSouth is not able to meet 1-800-RECONEX's requested date.

- 2.6 If BellSouth determines that the preliminary analysis of the requested NBR is of such complexity that it will cause BellSouth to expend extraordinary resources to evaluate the NBR, BellSouth shall notify 1-800-RECONEX within ten (10) business days of BellSouth's notice that a complex request evaluation fee is required prior to the evaluation of the NBR. Such fee shall be limited to BellSouth's extraordinary expenses directly related to the complex request. If 1-800-RECONEX accepts the complex request evaluation fee amount proposed by BellSouth, 1-800-RECONEX shall submit such complex request evaluation fee within thirty (30) business days of BellSouth's notice that a complex request evaluation fee is required.
- 2.7 Within thirty (30) business days of BellSouth's receipt of the complex request evaluation fee, BellSouth shall respond to 1-800-RECONEX by providing a preliminary analysis of such Requested NBR Services.
- 2.8 1-800-RECONEX may cancel an NBR at any time. If 1-800-RECONEX cancels the request more than ten (10) business days after submitting it, 1-800-RECONEX shall pay BellSouth's reasonable and demonstrable costs of processing and/or implementing the NBR up to the date of cancellation in addition to any fee submitted in accordance with Section 1.6 above.
- 2.9 1-800-RECONEX will have thirty (30) business days from receipt of the preliminary analysis to accept the preliminary analysis or cancel the NBR. If 1-800-RECONEX fails to respond within this thirty (30) business day period, the NBR will be deemed cancelled.
- 2.10 Acceptance of the preliminary analysis must be in writing and accompanied by the estimated Development Rate for the Requested NBR Services quoted in the preliminary analysis.
- BellSouth shall propose a firm price quote including the firm Development Rate, the firm nonrecurring rate, and the firm recurring rate, and a detailed implementation plan within ten (10) business days of receipt of 1-800-RECONEX's accurate NBR application for a Requested NBR Service that is operational at the time of the request and within sixty (60) business days of receipt of 1-800-RECONEX's accurate NBR application for the Requested NBR Services not operational at the time of the request. The firm nonrecurring rate will not include any of the Development Rate or the complex request evaluation fee, if required, in the calculation of this rate. Such firm price quote shall not exceed the estimate provided with the preliminary analysis by more than twenty-five percent (25%).

Version: 2Q05 Standard ICA

- 2.12 1-800-RECONEX shall have thirty (30) business days from receipt of the firm price quote to accept or deny the firm price quote and submit any additional nonrecurring, non-refundable fees quoted in the firm price quote. If the firm price quote is less than the preliminary analysis' estimate of the Development Rate, BellSouth will credit 1-800-RECONEX's account for the difference.
- 2.13 Upon agreement to the rates, terms and conditions of a NBR, an amendment to this Agreement, or a separate agreement, may be required and the Parties shall negotiate such agreement or amendment in good faith.