

RECEIVED

2005 NOV 30 PM 12:19

BellSouth Telecommunications, Inc
333 Commerce Street
Suite 2101
Nashville, TN 37201-3300

guy.hicks@bellsouth.com

T.R.A. DOCKET ROOM

Guy M. Hicks
General Counsel

615 214 6301
Fax 615 214 7406

November 29, 2005

VIA HAND DELIVERY

Hon. Ron Jones
Chairman
Tennessee Regulatory Authority
460 James Robertson Parkway
Nashville, Tennessee 37243-0505


Re *Approval of the Amendments to the Interconnection Agreement Negotiated by BellSouth Telecommunications, Inc and Business Telecom, Inc Pursuant to Sections 251 and 252 of the Telecommunications Act of 1996*
Docket No. 05-00318

Dear Chairman Jones

Pursuant to Section 252(e) of the Telecommunications Act of 1996, Business Telecom, Inc. and BellSouth Telecommunications, Inc are hereby submitting to the Tennessee Regulatory Authority the original and fourteen copies of the attached Petition for Approval of the Amendments to the Interconnection Agreement dated March 25, 2003. The first Amendment modifies the Notice provision and the second Amendment relates to the FCC's TRRO and modifies Attachment 2 to the Agreement.

Thank you for your attention to this matter.

Sincerely yours,


Guy M. Hicks

cc Business Telecom, Inc, General Counsel

BEFORE THE TENNESSEE REGULATORY AUTHORITY
Nashville, Tennessee

In re: *Approval of the Amendments to the Interconnection Agreement Negotiated by BellSouth Telecommunications, Inc and Business Telecom, Inc Pursuant to Sections 251 and 252 of the Telecommunications Act of 1996*

Docket No. _____

PETITION FOR APPROVAL OF THE
AMENDMENTS TO THE INTERCONNECTION AGREEMENT
NEGOTIATED BETWEEN BELL SOUTH TELECOMMUNICATIONS, INC.
AND BUSINESS TELECOM, INC.
PURSUANT TO THE TELECOMMUNICATIONS ACT OF 1996

COME NOW, Business Telecom, Inc. ("BTI") and BellSouth Telecommunications, Inc., ("BellSouth"), and file this request for approval of the Amendments to the Interconnection Agreement dated March 25, 2003 (the "Amendment") negotiated between the two companies pursuant to Sections 251 and 252 of the Telecommunications Act of 1996, (the "Act"). In support of their request, BTI and BellSouth state the following:

1. BTI and BellSouth have successfully negotiated an agreement for interconnection of their networks, the unbundling of specific network elements offered by BellSouth and the resale of BellSouth's telecommunications services to BTI. The Interconnection Agreement was approved by the Tennessee Regulatory Authority ("TRA") on June 2, 2003.

2. The parties have recently negotiated two Amendments to the Agreement. The first Amendment modifies the Notice provision and the second Amendment relates to the FCC's TRRO and modifies Attachment 2 to the Agreement. Copies of the Amendments are attached hereto and incorporated herein by reference.

3. Pursuant to Section 252(e) of the Telecommunications Act of 1996, BTI and BellSouth are submitting their Amendments to the TRA for its consideration and approval. The Amendments provide that either or both of the parties are authorized to submit the Amendments to the TRA for approval.

4. In accordance with Section 252(e) of the Act, the TRA is charged with approving or rejecting the negotiated Amendments between BellSouth and BTI within 90 days of submission. The Act provides that the TRA may only reject such an agreement if it finds that the agreement or any portion of the agreement discriminates against a telecommunications carrier not a party to the agreement or the implementation of the agreement or any portion of the agreement is not consistent with the public interest, convenience and necessity.

5. BTI and BellSouth aver that the Amendments are consistent with the standards for approval.


6. Pursuant to 47 USC Section 252(i) and 47 C.F.R. Section 51.809, BellSouth shall make available the entire Interconnection Agreement filed and approved pursuant to 47 USC Section 252.

BTI and BellSouth respectfully request that the TRA approve the Amendments negotiated between the parties.

This 29th day of Nov., 2005.

Respectfully submitted,

BELLSOUTH TELECOMMUNICATIONS, INC.


By: 

Guy M. Hicks
333 Commerce Street, Suite 2101
Nashville, Tennessee 37201-3300
(615) 214-6301
Attorney for BellSouth

CERTIFICATE OF SERVICE

I, Guy M. Hicks, hereby certify that I have served a copy of the foregoing Petition for Approval of the Amendment to the Interconnection Agreement on the following via United States Mail on the 29th day of Nov., 2005:

Business Telecom, Inc.
General Counsel
4300 Six Forks Road
Raleigh, NC 27609


Guy M. Hicks

**Amendment to the Agreement
Between
Business Telecom, Inc.
and
BellSouth Telecommunications, Inc.
Dated March 25, 2003**

Pursuant to this Amendment, (the "Amendment"), Business Telecom, Inc. ("BTI"), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated March 25, 2003, ("Agreement") to be effective on date of last signature.

WHEREAS, BellSouth and BTI entered into the Agreement on March 25, 2003, and;

WHEREAS, The Parties desire to change the Notices address in the General Terms and Conditions;

NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

1. The Parties agree to delete Section 21.3 of the GTC's notices address from the notices amendment dated April 14, 2005 and replace with the following addresses as set forth below.

BellSouth Telecommunications, Inc.

BellSouth Local Contract Manager
600 North 19th Street, 8th floor
Birmingham, AL 35203

and

ICS Attorney
Suite 4300
675 West Peachtree Street
Atlanta, GA 30375

Business Telecom, Inc

Regulatory Department
7037 Old Madison Pike; Suite 400
Huntsville, AL 35806
PH (256)-382-3843
FAX (256)-382-3936

2. All of the other provisions of the Agreement, dated March 25, 2003, shall remain in full force and effect.
3. Either or both of the Parties are authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

BellSouth Telecommunications, Inc.

By: Kristen E. Shore

Name: Kristen E. Shore

Title: Director

Date: 10/28/05

Business Telecom, Inc.

By: Jerry Watts

Name: Jerry Watts

Title: Vice President

Date: October 25, 2005

**Amendment to the Agreement
Between
Business Telecom, Inc.
and
BellSouth Telecommunications, Inc.
Dated March 25, 2003**

Pursuant to this Amendment, (the "Amendment"), Business Telecom, Inc. ("BTI"), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated March 25, 2003 ("Agreement") to be effective fifteen (15) days after the date of last signature. ("Effective Date")

WHEREAS, BellSouth and BTI entered into the Agreement on March 25, 2003, and;

WHEREAS, BellSouth and BTI desire to amend the Agreement to modify provisions pursuant to the Federal Communications Commission's (FCC) Order on Remand (Triennial Review Remand Order), WC Docket No. 04-313, released February 4, 2005 and effective March 11, 2005;

WHEREAS, the Parties desire to amend the Agreement to reflect other changes as agreed upon by the parties;

NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

1. The Parties agree to delete Attachment 2, Network Elements and Other Services, in its entirety and replace with Attachment 2 reflected as Exhibit 1, attached hereto and by reference incorporated into this Amendment.
2. The Parties agree to add Section 10 to Attachment 3 as follows:

- | | |
|-----------|---|
| 10 | BASIC 911 AND E911 INTERCONNECTION |
| 10.1 | Basic 911 and E911 provides a caller access to the applicable emergency service bureau by dialing 911. |
| 10.2 | <u>Basic 911 Interconnection.</u> BellSouth will provide to BTI a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten (10) digit directory number representing the appropriate emergency answering position for each municipality subscribing to 911. BTI will be required to arrange to accept 911 calls from its End Users in municipalities that subscribe to Basic 911 service and translate the 911 call to the appropriate ten (10) digit directory number as stated on the list provided by BellSouth. BTI will be required to route that call to the |

appropriate PSAP. When a municipality converts to E911 service, BTI will be required to begin using E911 procedures.

10.3 E911 Interconnection. BTI shall install a minimum of two (2) dedicated trunks originating from its Serving Wire Center and terminating to the appropriate E911 tandem. The Serving Wire Center must be in the same LATA as the E911 tandem. The dedicated trunks shall be, at a minimum, DS0 level trunks configured as part of a digital (1.544 Mb/s) interface (DS1 facility). The configuration shall use CAMA-type signaling with MF pulsing or SS7/ISUP signaling either of which shall deliver ANI with the voice portion of the call. If SS7/ISUP connectivity is used, BTI shall follow the procedures as set forth in Appendix A of the CLEC Users Guide to E911 for Facility Based Providers that is located on the BellSouth Interconnection Web site. If the user interface is digital, MF pulses as well as other AC signals shall be encoded per the u-255 Law convention. BTI will be required to provide BellSouth daily updates to the E911 database. BTI will be required to forward 911 calls to the appropriate E911 tandem along with ANI based upon the current E911 end office to tandem homing arrangement as provided by BellSouth. If the E911 tandem trunks are not available, BTI will be required to route the call to a designated seven (7) digit or ten (10) digit local number residing in the appropriate PSAP. This call will be transported over BellSouth's interoffice network and will not carry the ANI of the calling party. BTI shall be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 to its End Users.

10.4 Trunks and facilities for 911 Interconnection may be ordered by BTI from BellSouth pursuant to the terms and conditions set forth in this Attachment.

10.5 The detailed practices and procedures for 911/E911 interconnection are contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers that is located on the BellSouth Interconnection Services Web site.

3. The Parties agree to add SS7 Network Interconnection to Section 11 of Attachment 3 as follows:

1. SS7 Network Interconnection

11.1.1 Definition

SS7 Network Interconnection is the interconnection of BTI local Signaling Transfer Point Switches (STP) and BTI switching systems with BellSouth STPs. This interconnection provides connectivity that

enables the exchange of SS7 messages among BellSouth switching systems and databases (DBs), BTI switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.

11.1.2 Technical Requirements

11.1.2.1 SS7 Network Interconnection shall provide connectivity to all components of the BellSouth SS7 network. These include:

11.1.2.1.1 BellSouth switching systems;

11.1.2.1.2 BellSouth DBs; and

11.1.2.1.3 Other third-party switching systems.

11.1.2.2 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service, as specified in ANSI T1.112. In particular, this includes Global Title Translation (GTT) and SCCP Management procedures, as specified in T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is an BTI switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of BTI local STPs, and shall not include SCCP Subsystem Management of the destination.

11.1.2.3 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part (ISDNUP), as specified in ANSI T1.113.

11.1.2.4 SS7 Network Interconnection shall provide all functions of the TCAP, as specified in ANSI T1.114.

11.1.2.5 If and when Internetwork MTP Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT) become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection shall provide these functions of the OMAP.

11.1.2.6 SS7 Network Interconnection shall be equal to or better than the following performance requirements:

11.1.2.6.1 MTP Performance, as specified in ANSI T1.111.6;

11.1.2.6.2 SCCP Performance, as specified in ANSI T1.112.5; and

11.1.2.6.3 ISDNUP Performance, as specified in ANSI T1.113.5.

11.1.3 Interface Requirements

- 11.1.3.1 BellSouth shall offer the following SS7 Network Interconnection options to connect BTI or BTI-designated local or tandem switching systems or STPs to the BellSouth SS7 network:
 - 11.1.3.1.1 A-link interface from BTI switching systems; and
 - 11.1.3.1.2 B-link interface from BTI STPs.
- 11.1.3.2 BellSouth shall provide SS7 Signaling Interconnection to BTI pursuant to Section 4.9 of Attachment 3.
- 11.1.3.3 BellSouth CO shall provide intraoffice diversity between the SPOIs and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP. BellSouth and BTI will work jointly to establish mutually acceptable SPOI.
- 11.1.3.4 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the following specifications:
 - 11.1.3.4.1 Bellcore GR-905-CORE, Common Channel Signaling Network Interface Specification (CCSNIS) Supporting Network Interconnection, Message Transfer Part (MTP), and Integrated Services Digital Network User Part (ISDNUP);
 - 11.1.3.4.2 Bellcore GR-1428-CORE, CCS Network Interface Specification (CCSNIS) Supporting Toll Free Service;
 - 11.1.3.4.3 Bellcore GR-1429-CORE, CCS Network Interface Specification (CCSNIS) Supporting Call Management Services; and
 - 11.1.3.4.4 Bellcore GR-1432-CORE, CCS Network Interface Specification (CCSNIS) Supporting Signaling Connection Control Part (SCCP) and Transaction Capabilities Application Part (TCAP).
- 11.1.3.5 BellSouth shall set message screening parameters to block accept messages from BTI switching systems destined to any signaling point in the BellSouth SS7 network with which the BTI switching system has a legitimate signaling relation.
- 11.1.4 SS7 Network Interconnection shall be equal to or better than all of the requirements for SS7 Network Interconnection set forth in the following technical references:
 - 11.1.4.1 ANSI T1.110-1992 American National Standard Telecommunications - Signaling System Number 7 (SS7) - General Information;
 - 11.1.4.2 ANSI T1.111-1992 American National Standard for Telecommunications - Signaling System Number 7 (SS7) - Message Transfer Part (MTP);

- 11.1.4.3 ANSI T1.111A-1994 American National Standard for Telecommunications - Signaling System Number 7 (SS7) - Message Transfer Part (MTP) Supplement;
- 11.1.4.4 ANSI T1.112-1992 American National Standard for Telecommunications - Signaling System Number 7 (SS7) - Signaling Connection Control Part (SCCP);
- 11.1.4.5 ANSI T1.113-1995 American National Standard for Telecommunications - Signaling System Number 7 (SS7) - Integrated Services Digital Network (ISDN) User Part;
- 11.1.4.6 ANSI T1.114-1992 American National Standard for Telecommunications - Signaling System Number 7 (SS7) - Transaction Capabilities Application Part (TCAP);
- 11.1.4.7 ANSI T1.115-1990 American National Standard for Telecommunications - Signaling System Number 7 (SS7) - Monitoring and Measurements for Networks;
- 11.1.4.8 ANSI T1.116-1990 American National Standard for Telecommunications - Signaling System Number 7 (SS7) - Operations, Maintenance and Administration Part (OMAP);
- 11.1.4.9 ANSI T1.118-1992 American National Standard for Telecommunications - Signaling System Number 7 (SS7) - Intermediate Signaling Network Identification (ISNI);
- 11.1.4.10 BellCore GR-905-CORE, Common Channel Signaling Network Interface Specification (CCSNIS) Supporting Network Interconnection, Message Transfer Part (MTP), and Integrated Services Digital Network User Part (ISDNUP);
- 11.1.4.11 BellCore GR-954-CORE, CCS Network Interface Specification (CCSNIS) Supporting Line Information Database (LIDB) Service;
- 11.1.4.12 BellCore GR-1428-CORE, CCS Network Interface Specification (CCSNIS) Supporting Toll Free Service;
- 11.1.4.13 BellCore GR-1429-CORE, CCS Network Interface Specification (CCSNIS) Supporting Call Management Services; and,
- 11.1.4.14 BellCore GR-1432-CORE, CCS Network Interface Specification (CCSNIS) Supporting Signaling Connection Control Part (SCCP) and Transaction Capabilities Application Part (TCAP).
- 11.2 Rates. The Parties shall institute a "bill and keep" compensation plan under which neither Party will charge the other Party recurring and nonrecurring charges as set forth in Exhibit A for CCS7 signaling messages associated with Local Traffic. The portion of CCS7 signaling messages utilized for Local Traffic, which are subject to bill and keep in

accordance with this section, shall be determined based upon the application of the applicable signaling factors set forth in BellSouth's Jurisdictional Factors Reporting Guide. The remaining portion of the CCS7 signaling messages, signaling ports, and signaling links, i.e. the portion associated with interstate calls and with intrastate non-local calls, shall be billed in accordance with the applicable BellSouth intrastate Access Services Tariff and BellSouth's FCC No. 1 Tariff for switched access services

4. The Parties agree to add the rates for SS7 Interconnection to Exhibit A of Attachment 3, attached hereto as Exhibit 1 and by reference incorporated into this Amendment.
5. The Parties agree to add the following Section to Attachment 6 for Order Modification Charge, as follows:
 - 3.9 If BTI modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by BTI in accordance with FCC No. 1 Tariff, Section 5.
6. The Parties agree to delete and add the following Sections to Attachment 6 for Cancellation Charges and Service Date Advancement Charges as follows
 - 3.6 Cancellation Charges. If BTI cancels an LSR for network elements or resold services subsequent to BellSouth's generation of a service order, any costs incurred by BellSouth in conjunction with provisioning of Services as requested on the cancelled LSR will be recovered in accordance with the cancellation methodology set forth in the Cancellation Charge Percentage Chart found on BellSouth's Interconnection Web site. In addition, BellSouth reserves the right to assess cancellation charges if BTI fails to respond within nine (9) business days to a Missed Appointment order notification.

Notwithstanding the foregoing, if BTI places an LSR based upon BellSouth's loop makeup information, and such information is inaccurate resulting in the inability of BellSouth to provision the network elements requested and another spare compatible facility cannot be found with the transmission characteristics of the network elements originally requested, cancellation charges described in this Section shall not apply. Where BTI places a single LSR for multiple network elements or services based upon loop makeup information, and information as to some, but not all, of the network elements or services is inaccurate, if BellSouth cannot provision the network elements or services that were the subject of the inaccurate loop makeup information, BTI may cancel its request for those network elements or services without incurring cancellation charges as described in this Section. In such instance, should BTI elect to cancel the entire LSR, cancellation charges as described in this Section shall apply to those elements and services that were not the subject of inaccurate loop makeup.

- 3.7 Service Date Advancement Charges (Expedites). For Service Date Advancement requests by BTI, Service Date Advancement charges will apply for intervals less than the standard interval as outlined in the BellSouth Product and Services Interval Guide. The charges as outlined in Exhibit A of Attachment 2.

7. The Parties agree to add terms and conditions to Attachment 2 as follows:

2.3.3.1 Upon the Effective Date of this Agreement, Universal Digital Channel (UDC) elements will no longer be offered by BellSouth and no new orders for UDC will be accepted. Any existing UDCs that were provisioned prior to the Effective Date of this Agreement will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Agreement. Existing UDCs that were provisioned prior to the Effective Date of this Agreement may remain connected, maintained and repaired according to BellSouth's TR73600 until such time as they are disconnected by BTI or BellSouth provides ninety (90) calendar days notice that such UDC must be terminated. BTI may order an ISDN loop, if available, to provide the same functionality as the previously offered UDC product.

8. All of the other provisions of the Agreement, dated March 25, 2003, shall remain in full force and effect.
- 9.. Either or both of the Parties are authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

BellSouth Telecommunications, Inc.

By: Kristen E. Shore

Name: Kristen E. Shore

Title: Director

Date: 10/28/05

Business Telecom, Inc.

By: Jerry Watts

Name: Jerry Watts

Title: Vice President

Date: October 28, 2005

Attachment 2

TABLE OF CONTENTS

1	Introduction.....	3
2	Loops.....	8
3	Line Splitting.....	31
4	Local Switching	32
5	Unbundled Network Element Combinations	41
6	Dedicated Transport and Dark Fiber Transport	48
7	Call Related Databases and Signaling	58
8	Automatic Location Identification/Data Management System	67
	Rates	Exhibit A
	Rates	Exhibit B
	Wire Center List	Exhibit C

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

1 Introduction

- 1.1 This Attachment sets forth rates, terms and conditions for unbundled network elements (Network Elements) and combinations of Network Elements (Combinations) that BellSouth offers to BTI for BTI's provision of Telecommunications Services in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services BellSouth makes available to BTI (Other Services). Additionally, the provision of a particular Network Element or Other Service may require BTI to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.
- 1.2 The rates for each Network Element, Combinations and Other Services are set forth in Exhibits A and B. If no rate is identified in this Agreement, the rate will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party. If BTI purchases service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply. A one-month minimum billing period shall apply to all Network Elements, Combinations and Other Services.
- 1.3 BTI may purchase and use Network Elements and Other Services from BellSouth in accordance with 47 C.F.R § 51.309.
- 1.4 The Parties shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.5 BTI shall not obtain a Network Element for the exclusive provision of mobile wireless services or interexchange services.
- 1.6 Conversion of Wholesale Services to Network Elements or Network Elements to Wholesale Services. Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent Network Element or Combination that is available to BTI pursuant to Section 251 of the Act and under this Agreement or convert a Network Element or Combination that is available to BTI pursuant to Section 251 of the Act and under this Agreement to an equivalent wholesale service or group of wholesale services offered by BellSouth (collectively "Conversion"). BellSouth shall charge the applicable nonrecurring switch-as-is rates for Conversions to specific Network Elements or Combinations found in Exhibit A. BellSouth shall also charge the same nonrecurring switch-as-is rates when converting from Network Elements or Combinations. Any rate change resulting from the Conversion will be effective as of the next billing cycle following BellSouth's receipt of a complete and accurate Conversion request from BTI. A

Conversion shall be considered termination for purposes of any volume and/or term commitments and/or grandfathered status between BTI and BellSouth. Any change from a wholesale service/group of wholesale services to a Network Element/Combination, or from a Network Element/Combination to a wholesale service/group of wholesale services, that requires a physical rearrangement will not be considered to be a Conversion for purposes of this Agreement. BellSouth will not require physical rearrangements if the Conversion can be completed through record changes only. Orders for Conversions will be handled in accordance with the guidelines set forth in the Ordering Guidelines and Processes and CLEC Information Packages as referenced in Sections 1.13.1 and 1.13.2 below.

- 1.7 Except to the extent expressly provided otherwise in this Attachment, BTI may not maintain unbundled network elements or combinations of unbundled network elements, that are no longer offered pursuant to this Agreement (collectively "Arrangements"). In the event BellSouth determines that BTI has in place any Arrangements after the Effective Date of this Agreement, BellSouth will provide BTI with thirty (30) days written notice to disconnect or convert such Arrangements. If BTI fails to submit orders to disconnect or convert such Arrangements within such thirty (30) day period, BellSouth will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth pursuant to this Section 1.7 shall be subject to all applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs. The applicable recurring tariff charge shall apply to each circuit as of the Effective Date of this Agreement.
- 1.8 The Parties agree that for purposes of this Agreement, the list attached hereto as Exhibit C designates those wire centers that meet the FCC's established criteria for non-impairment as of March 10, 2005 and constitutes BellSouth's list of non-impaired wire centers where certain high capacity (DS1 and above) Loops and high capacity Dedicated Transport are no longer available as Network Elements. This list of non-impaired wire centers shall be subject to modification and/or the addition of wire centers without amendment provided the changes are compliant with the FCC's non-impairment criteria. Notification of such modification and/or addition of wire centers shall be via BellSouth's web site. Upon the Effective Date of this Agreement, BTI will not place any new orders for high capacity Dedicated Transport or high capacity Loops in those wire centers listed in Exhibit C as modified from time to time as provided for above. In all other wire centers, prior to submitting an order pursuant to this Agreement for high capacity Dedicated Transport or high capacity Loops, BTI shall undertake a reasonably diligent inquiry to determine whether BTI is entitled to unbundled access to such Network Elements in accordance with the terms of this Agreement. By submitting any such order, BTI self-certifies that to the best of BTI's knowledge, the high capacity Dedicated Transport or high capacity Loop requested is available as a Network

Element pursuant to this Agreement. Upon receiving such order, BellSouth shall process the request in reliance upon BTI's self-certification. To the extent BellSouth believes that such request does not comply with the terms of this Agreement, BellSouth shall seek dispute resolution in accordance with the General Terms and Conditions of this Agreement. In the event such dispute is resolved in BellSouth's favor, BellSouth shall bill BTI the difference between the rates for such circuits pursuant to this Agreement and the applicable nonrecurring and recurring charges for the equivalent tariffed service from the date of installation to the date the circuit is transitioned to the equivalent tariffed service. Within thirty (30) days following a decision finding in BellSouth's favor, BTI shall submit a spreadsheet identifying those non-compliant circuits to be transitioned to tariffed services or disconnected.

- 1.8.1 In the event that (1) BellSouth designated a wire center as non-impaired as set forth in Exhibit C or as set forth in a subsequent notification via BellSouth's web site, (2) as a result of such designation, BTI converted high capacity Dedicated Transport or high capacity Loops to other services or ordered new services as services other than high capacity Dedicated Transport or high capacity Loop UNEs subsequent to March 10, 2005, (3) BTI otherwise would have been entitled to high capacity Dedicated Transport or high capacity Loops in such wire center at the time such alternative services were provisioned, and (4) BellSouth acknowledges, or a state or federal regulatory body with authority determines, that, at the time BellSouth designated such wire center as non-impaired, such wire center did not meet the FCC's non-impairment criteria, then upon request of BTI made no later than 60 days after BellSouth acknowledges or the state or federal regulatory body issues an order making such a finding, BellSouth shall transition to high capacity Dedicated Transport or high capacity Loops, as appropriate, any alternative services in such wire center that were established after such wire center was designated as non-impaired. In such instances, BellSouth shall refund to BTI the difference between the rate paid by BTI for such services and the applicable rates set forth herein for high capacity Dedicated Transport or high capacity Loops, including but not limited to any charges associated with the Conversion (as defined in Section 1.6 above) from high capacity Dedicated Transport or high capacity Loops to other wholesale services, if applicable, for the period from the later of June 1, 2005, or the date the circuit became a wholesale service to the date the circuit is transitioned to high capacity Dedicated Transport or high capacity Loop as described in this Section. Similarly, in the event that BTI has placed orders for high capacity Dedicated Transport or high capacity Loops on or after March 11, 2005, and BTI acknowledges, or a state or federal regulatory body with authority determines, that the wire center(s) in or between which such high capacity Dedicated Transport or high capacity Loops were ordered are non-impaired with respect to such high capacity Dedicated Transport or high capacity Loops, then no later than 60 days after such acknowledgement or finding, BTI shall transition such high capacity Dedicated Transport or high capacity Loops to alternative wholesale services. In such instances, BTI shall compensate Bellsouth

for the difference between the recurring and non-recurring rates paid by BTI for the high capacity Dedicated Transport or high capacity Loops and the applicable BellSouth tariff rate to which BTI would have been entitled if BTI had purchased such circuits from BellSouth's tariffs, including but not limited to any charges associated with converting such high capacity Dedicated Transport or high capacity Loops to wholesale services. To the extent BTI is eligible for a discount pursuant to the tariff, and BTI commits to a discount-eligible volume and/or term plan pursuant to the tariff when ordering such services, the true up will be to the discounted tariff rate. The amount owed will be calculated from June 1, 2005 or the date the circuit was ordered, whichever is later.

- 1.9 BTI may utilize Network Elements and Other Services to provide services in accordance with this Agreement, as long as such services are consistent with industry standards and applicable BellSouth Technical References.
- 1.10 BellSouth will perform Routine Network Modifications (RNM) in accordance with FCC 47 C.F.R. § 51.319 (a)(7) and (e)(4) for Loops and Dedicated Transport provided under this Attachment. If BellSouth has anticipated such RNM and performs them during normal operations and has recovered the costs for performing such modifications through the rates set forth in Exhibit A, then BellSouth shall perform such RNM at no additional charge. RNM shall be performed within the intervals established for the Network Element and subject to the performance measurements and associated remedies set forth in Attachment 9 of this Agreement to the extent such RNM were anticipated in the setting of such intervals. If BellSouth has not anticipated a requested network modification as being a RNM and has not recovered the costs of such RNM in the rates set forth in Exhibit A, then such request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request and, upon receipt of payment from BTI, BellSouth shall perform the RNM.
- 1.11 Commingling of Services
 - 1.11.1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Combination, to one or more Telecommunications Services or facilities that BTI has obtained at wholesale from BellSouth, or the combining of a Network Element or Combination with one or more such wholesale Telecommunications Services or facilities. BTI must comply with all rates, terms or conditions applicable to such wholesale Telecommunications Services or facilities.
 - 1.11.2 Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a Combination on the grounds that one or more of the elements: (1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or (2) shares part of

BellSouth's network with access services or inputs for mobile wireless services and/or interexchange services.

- 1.11.3 Unless otherwise agreed to by the Parties, the Network Element portion of a commingled circuit will be billed at the rates set forth in Exhibit A and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates or rates set forth in a separate agreement between the Parties.
- 1.11.4 When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment will be billed from the same agreement or tariff as the higher bandwidth circuit. Central Office Channel Interfaces (COCI) will be billed from the same agreement or tariff as the lower bandwidth circuit.
- 1.11.5 Notwithstanding any other provision of this Agreement, BellSouth shall not be obligated to commingle or combine Network Elements or Combinations with any service, network element or other offering that it is obligated to make available only pursuant to Section 271 of the Act.
- 1.12 Terms and conditions for order cancellation charges and Service Date Advancement Charges, will apply in accordance with Attachment 6 and are incorporated herein by this reference. The charges shall be as set forth in Exhibit A.
- 1.13 Ordering Guidelines and Processes
- 1.13.1 For information regarding Ordering Guidelines and Processes for various Network Elements, Combinations and Other Services, BTI should refer to the "Guides" section of the BellSouth Interconnection Web site.
- 1.13.2 Additional information may also be found in the individual CLEC Information Packages located at the "CLEC UNE Products" on BellSouth's Interconnection Web site at: www.interconnection.bellsouth.com/guides/html/unes.html.
- 1.13.3 The provisioning of Network Elements, Combinations and Other Services to BTI's Collocation Space will require cross-connections within the central office to connect the Network Element, Combinations or Other Services to the demarcation point associated with BTI's Collocation Space. These cross-connects are separate components that are not considered a part of the Network Element, Combinations or Other Services and, thus, have a separate charge pursuant to this Agreement.
- 1.13.4 Testing/Trouble Reporting.
- 1.13.4.1 BTI will be responsible for testing and isolating troubles on Network Elements. BTI must test and isolate trouble to the BellSouth network before reporting the trouble to the UNE Customer Wholesale Interconnection Network Services

(CWINS) Center. Upon request from BellSouth at the time of the trouble report, BTI will be required to provide the results of the BTI test which indicate a problem on the BellSouth network.

- 1.13.4.2 Once BTI has isolated a trouble to the BellSouth network, and has issued a trouble report to BellSouth, BellSouth will take the actions necessary to repair the Network Element when trouble is found. BellSouth will repair its network facilities to its wholesale customers in the same time frames that BellSouth repairs similar services to its retail End Users.
- 1.13.4.3 If BTI reports a trouble on a BellSouth Network Element and no trouble is found in BellSouth's network, BellSouth will charge BTI a Maintenance of Service Charge for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Network Element's working status. BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No.1 Tariff, Section 13.3.1.
- 1.13.4.4 In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by BTI (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill BTI for each additional dispatch required to repair the Network Element due to the incorrect/incomplete information provided. BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No.1 Tariff, Section 13.3.1.

2 Loops

- 2.1 General. The local loop Network Element is defined as a transmission facility that BellSouth provides pursuant to this Attachment between a distribution frame (or its equivalent) in BellSouth's central office and the loop demarcation point at an End User premises (Loop). Facilities that do not terminate at a demarcation point at an End User premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute local Loops. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device, and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers (DSLAMs)), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the End User's premises, including inside wire owned or controlled by BellSouth. BTI shall purchase the entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties, BellSouth shall not subdivide the frequency of the Loop.
- 2.1.1 The Loop does not include any packet switched features, functions or capabilities.

- 2.1.2 Fiber to the Home (FTTH) loops are local loops consisting entirely of fiber optic cable, whether dark or lit, serving an End User's premises or, in the case of predominantly residential multiple dwelling units (MDUs), a fiber optic cable, whether dark or lit, that extends to the MDU minimum point of entry (MPOE). Fiber to the Curb (FTTC) loops are local loops consisting of fiber optic cable connecting to a copper distribution plant that is not more than five hundred (500) feet from the End User's premises or, in the case of predominantly residential MDUs, not more than five hundred (500) feet from the MDU's MPOE. The fiber optic cable in a FTTC loop must connect to a copper distribution plant at a serving area interface from which every other copper distribution subloop also is not more than five hundred (500) feet from the respective End User's premises.
- 2.1.2.1 In new build (Greenfield) areas, where BellSouth has only deployed FTTH/FTTC facilities, BellSouth is under no obligation to provide Loops. FTTH facilities include fiber loops deployed to the MPOE of a MDU that is predominantly residential regardless of the ownership of the inside wiring from the MPOE to each End User in the MDU.
- 2.1.2.2 In FTTH/FTTC overbuild situations where BellSouth also has copper Loops, BellSouth will make those copper Loops available to BTI on an unbundled basis, until such time as BellSouth chooses to retire those copper Loops using the FCC's network disclosure requirements. In these cases, BellSouth will offer a sixty-four (64) kilobits per second (kbps) voice grade channel over its FTTH/FTTC facilities.
- 2.1.2.3 Furthermore, in FTTH/FTTC overbuild areas where BellSouth has not yet retired copper facilities, BellSouth is not obligated to ensure that such copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by BTI. If a request is received by BellSouth for a copper Loop, and the copper facilities have not yet been retired, BellSouth will restore the copper Loop to serviceable condition if technically feasible. In these instances of Loop orders in an FTTH/FTTC overbuild area, BellSouth's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval
- 2.1.3 A hybrid Loop is a local Loop, composed of both fiber optic cable, usually in the feeder plant, and copper twisted wire or cable, usually in the distribution plant. BellSouth shall provide BTI with nondiscriminatory access to the time division multiplexing features, functions and capabilities of such hybrid Loop, on an unbundled basis to establish a complete transmission path between BellSouth's central office and an End User's premises.
- 2.1.4 Transition for DS1 and DS3 Loops
- 2.1.4.1 For purposes of this Section 2, the Transition Period for the Embedded Base of DS1 and DS3 Loops and for the Excess DS1 and DS3 Loops (defined in 2.1.4.3)

is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006.

- 2.1.4.2 For purposes of this Section 2, Embedded Base means DS1 and DS3 Loops that were in service for BTI as of March 10, 2005 in those wire centers that, as of such date, met the criteria set forth in Sections 2.1.4.5.1 or 2.1.4.5.2 below. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.
- 2.1.4.3 Excess DS1 and DS3 Loops are those BTI DS1 and DS3 Loops in service as of March 10, 2005, in excess of the caps set forth in Sections 2.3.6.2 and 2.3.12 below, respectively. Subsequent disconnects or loss of End Users shall be removed from Excess DS1 and DS3 Loops.
- 2.1.4.4 For purposes of this Section 2, a Business Line is defined in 47 C.F.R. § 51.5.
- 2.1.4.5 Notwithstanding anything to the contrary in this Agreement, and except as set forth in Section 2.1.4.12 below, BellSouth shall make available DS1 and DS3 Loops as described in this Section 2.1.4 only for BTI's Embedded Base during the Transition Period:
 - 2.1.4.5.1 DS1 Loops at any location within the service area of a wire center containing 60,000 or more Business Lines and four (4) or more fiber-based collocators.
 - 2.1.4.5.2 DS3 Loops at any location within the service area of a wire center containing 38,000 or more Business Lines and four (4) or more fiber-based collocators.
- 2.1.4.6 A list of wire centers meeting the criteria set forth in Sections 2.1.4.5.1 and 2.1.4.5.2 above as of March 10, 2005 (Initial Wire Center List), is attached as Exhibit C to this Attachment or as modified by subsequent notification via BellSouth's web site.
- 2.1.4.7 Notwithstanding the Effective Date of this Agreement, during the Transition Period, the rates for BTI's Embedded Base of DS1 and DS3 Loops and BTI's Excess DS1 and DS3 Loops described in this Section 2.1.4 shall be as set forth in Exhibit B. On or after December 1, 2005, BellSouth shall bill to BTI the amount owed for the Embedded Base of DS1 and DS3 Loops and Excess DS1 and DS3 Loops for the period from March 11, 2005 to the Effective Date, and BTI shall pay such amount according to payment processes set forth in Attachment 7 of this Agreement.
- 2.1.4.8 The Transition Period shall apply only to (1) BTI's Embedded Base and (2) BTI's Excess DS1 and DS3 Loops. BTI shall not add new DS1 or DS3 loops as described in this Section 2.1.4 for those wire centers that are designated as non-impaired.

- 2.1.4.9 Once a wire center exceeds both of the thresholds set forth in Section 2.1.4.5.1 above, no future DS1 Loop unbundling will be required in that wire center.
- 2.1.4.10 Once a wire center exceeds both of the thresholds set forth in Section 2.1.4.5.2 above, no future DS3 Loop unbundling will be required in that wire center.
- 2.1.4.11 No later than December 9, 2005 BTI shall submit spreadsheet(s) identifying all of the Embedded Base of circuits and Excess DS1 and DS3 Loops to be either disconnected or converted to other BellSouth services pursuant to Section 1.6 above. The Parties shall negotiate a project schedule for the Conversion of the Embedded Base and Excess DS1 and DS3 Loops. For circuits for which DeltaCom requests Conversion to tariffed wholesale services, BellSouth will not complete the Conversion until March 11, 2006, or later, and BellSouth will continue to bill BTI at the transitional rates set forth in 2.1.4.7 until the circuit is converted to the tariffed wholesale service, which will occur on March 11, 2006, or later.
- 2.1.4.11.1 If BTI fails to submit the spreadsheet(s) specified in Section 2.1.4.11 above for all of its Embedded Base and Excess DS1 and DS3 Loops on or before February 10, 2006, BellSouth will identify BTI's remaining Embedded Base and Excess DS1 and DS3 Loops, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth pursuant to this Section 2.1.4.11.1 shall be subject to all applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.
- 2.1.4.11.2 For Embedded Base circuits and Excess DS1 and DS3 Loops converted pursuant to Section 2.1.4.11 above or transitioned pursuant to Section 2.1.4.11.1 above, the applicable recurring tariff charge shall apply to each circuit as of the date each circuit is converted or transitioned, as applicable.
- 2.1.4.12 Modifications and Updates to the Wire Center List and Subsequent Transition Periods
- 2.1.4.12.1 In the event BellSouth identifies additional wire centers that meet the criteria set forth in Section 2.1.4.5 above, but that were not included in the Initial Wire Center List, BellSouth shall include such additional wire centers in a carrier notification letter (CNL). Each such list of additional wire centers shall be considered a "Subsequent Wire Center List".
- 2.1.4.12.2 Effective ten (10) business days after the date of a BellSouth CNL providing a Subsequent Wire Center List, BellSouth shall not be required to unbundle DS1 and/or DS3 Loops, as applicable, in such additional wire center(s), except pursuant to the self-certification process as set forth in Section 1.8 above.

- 2.1.4.12.3 For purposes of Section 2.1.4.12 above, BellSouth shall make available DS1 and DS3 Loops that were in service for BTI in a wire center on the Subsequent Wire Center List as of the tenth (10th) business day after the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Embedded Base) until ninety (90) days after the tenth (10th) business day from the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Transition Period).
- 2.1.4.12.4 Subsequent disconnects or loss of End Users shall be removed from the Subsequent Embedded Base.
- 2.1.4.12.5 The rates set forth in Exhibit B shall apply to the Subsequent Embedded Base during the Subsequent Transition Period.
- 2.1.4.12.6 No later than forty (40) days from BellSouth's CNL identifying the Subsequent Wire Center List, BTI shall submit a spreadsheet(s) identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other BellSouth services. The Parties shall negotiate a project schedule for the Conversion of the Subsequent Embedded Base.
- 2.1.4.12.6.1 If BTI fails to submit the spreadsheet(s) specified in Section 2.1.4.12.6 above for all of its Subsequent Embedded Base within forty (40) days after the date of BellSouth's CNL identifying the Subsequent Wire Center List, BellSouth will identify BTI's remaining Subsequent Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth shall be subject to the applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.
- 2.1.4.12.6.2 For Subsequent Embedded Base circuits converted pursuant to Section 2.1.4.12.6 above or transitioned pursuant to Section 2.1.4.12.6.1 above, the applicable recurring tariff charges shall apply as of the earlier of the date each circuit is converted or transitioned, as applicable, or the first day after the end of the Subsequent Transition Period.
- 2.1.5 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at BellSouth's Web site. For orders of fifteen (15) or more Loops, the installation and any applicable Order Coordination as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.

- 2.1.6 The Loop shall be provided to BTI in accordance with BellSouth's TR 73600. Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.7 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered.
- 2.1.8 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the End User's location. If BTI wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g., UVL-SL1, UVL-SL2, and UCL-ND), BTI may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit A.
- 2.1.8.1 For voice grade Loop orders (or orders for Loops intended to provide voice grade services), BTI shall have dial-tone available for that Loop forty-eight (48) hours prior to the Loop order completion due date.
- 2.1.9 Order Coordination (OC) and Order Coordination-Time Specific (OC-TS)
- 2.1.9.1 OC allows BellSouth and BTI to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to BTI's facilities to limit End User service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the End User. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.
- 2.1.9.2 OC-TS allows BTI to order a specific time for OC to take place. BellSouth will make commercially reasonable efforts to accommodate BTI's specific conversion time request. However, BellSouth reserves the right to negotiate with BTI a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. BTI may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If BTI specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in BellSouth's intrastate Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per LSR basis.
- 2.1.10

	Order Coordination (OC)	Order Coordination – Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1 (Non-Designed)	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
UCL-ND (Non-Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop (Designed)	Included	Chargeable Option	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office
For UVL-SL1 and UCLs, BTI must order and will be billed for both OC and OC-TS if requesting OC-TS.					

2.1.11 CLEC to CLEC Conversions for Unbundled Loops

2.1.11.1 The CLEC to CLEC conversion process for Loops may be used by BTI when converting an existing Loop from another CLEC for the same End User. The Loop type being converted must be included in BTI's Agreement before requesting a conversion.

2.1.11.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same End User location from the same serving wire center, and must not require an outside dispatch to provision.

2.1.11.3 The Loops converted to BTI pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Agreement for the specific Loop type.

2.1.12 Bulk Migration

2.1.12.1 BellSouth will make available to BTI a Bulk Migration process pursuant to which BTI may request to migrate port/loop combinations, provisioned pursuant to a separate agreement between the parties, to Loops (UNE-L). For the state of Florida, the Parties agree to comply with the terms of the Joint Motion to Approve Stipulation filed with the Florida Public Service Commission on September 30, 2005, in Docket No. 041338-TP. The Bulk Migration process may be used if such loop/port combinations are (1) associated with two (2) or more Existing Account Telephone Numbers (EATNs); and (2) located in the same Central Office. The terms and conditions for use of the Bulk Migration process are described in the BellSouth CLEC Information Package. The CLEC Information Package is located on BellSouth's Interconnection Web site at: www.interconnection.bellsouth.com/guides/html/unes.html. The rates for the Bulk Migration process for states other than Florida shall be the nonrecurring rates as set forth in Exhibit A. In Florida, the rates for the Bulk Migration process shall be the Florida nonrecurring rates set forth in Exhibit A. Additionally, OSS charges will also apply. Except as otherwise set forth herein, Loops connected to Integrated Digital Loop Carrier (IDLC) systems will be migrated pursuant to Section 2.6 below.

2.1.12.2 Should BTI request migration for two (2) or more EATNs containing fifteen (15) or more circuits, BTI must use the Bulk Migration process referenced in 2.1.11.1 above.

2.2 Unbundled Voice Loops (UVLs)

2.2.1 BellSouth shall make available the following UVLs:

2.2.1.1 2-wire Analog Voice Grade Loop – SL1 (Non-Designed);

2.2.1.2 2-wire Analog Voice Grade Loop – SL2 (Designed); or

2.2.1.3 4-wire Analog Voice Grade Loop (Designed)

2.2.2 UVL may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber/copper combination (hybrid loop) or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations,

BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that BTI will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two (2) different service levels - Service Level One (SL1) and Service Level Two (SL2).

2.2.3 Unbundled Voice Loop - SL1 (UVL-SL1). Loops are 2-wire loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has been requested by BTI, however, OC is always required on UCLs that involve the reuse of facilities that are currently providing service. BTI may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its End Users.

2.2.4 For an additional charge BellSouth will make available Loop Testing so that BTI may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A.

2.2.5 Unbundled Voice Loop – SL2 (UVL-SL2). Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to BTI. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow BTI to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

2.3 Unbundled Digital Loops

2.3.1 BellSouth will offer UDLs. UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.

2.3.2 BellSouth shall make available the following UDLs, subject to restrictions set forth herein:

2.3.2.1 2-wire Unbundled ISDN Digital Loop;

2.3.2.2 2-wire Unbundled ADSL Compatible Loop;

- 2.3.2.3 2-wire Unbundled HDSL Compatible Loop;
- 2.3.2.4 4-wire Unbundled HDSL Compatible Loop;
- 2.3.2.5 4-wire Unbundled DS1 Digital Loop;
- 2.3.2.6 4-wire Unbundled Digital Loop/DS0 – 64 kbps, 56 kbps and below;
- 2.3.2.7 DS3 Loop; or
- 2.3.2.8 STS-1 Loop.
- 2.3.3 2-wire Unbundled ISDN Digital Loops. These will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. BTI will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and End User. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service.
- 2.3.4 2-wire ADSL-Compatible Loop. This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18,000 feet long and may have up to 6,000 feet of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.5 2-wire or 4-wire HDSL-Compatible Loop. This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.6 4-wire Unbundled DS1 Digital Loop.
- 2.3.6.1 This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-wire DS1 Network Interface at the End User's location. For purposes of this Agreement, including the transition of DS1 and DS3 Loops described in Section 2.1.4 above, DS1 Loops include 2-wire and 4-wire copper Loops capable of providing high-bit rate digital subscriber line services, such as 2-wire and 4-wire HDSL Compatible Loops.
- 2.3.6.2 BellSouth shall not provide more than ten (10) unbundled DS1 Loops to BTI at any single building in which DS1 Loops are available as unbundled Loops.

- 2.3.7 4-wire Unbundled Digital/DS0 Loop. These are designed 4-wire Loops that may be configured as sixty-four (64)kbps, fifty-six (56)kbps, nineteen (19)kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.
- 2.3.8 DS3 Loop. DS3 Loop is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of forty-four point seven thirty-six (44.736) megabits per second (Mbps) that is dedicated to the use of the ordering CLEC. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.
- 2.3.9 STS-1 Loop. STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer. It is a two (2)-point digital transmission path which provides for simultaneous two (2)-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of fifty-one point eighty-four (51.84) Mbps. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 Both DS3 Loop and STS-1 Loop require a SI in order to ascertain availability.
- 2.3.11 DS3 services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one (1) mile applies. BellSouth's TR 73501 LightGate[®]Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 services.
- 2.3.12 BTI may obtain a maximum of a single Unbundled DS3 Loop to any single building in which DS3 Loops are available as Unbundled Loops.
- 2.4 Unbundled Copper Loops (UCL)
- 2.4.1 BellSouth shall make available UCLs. The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two (2) types - Designed and Non-Designed.
- 2.4.2 Unbundled Copper Loop – Designed (UCL-D)

- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair (2-wire or 4-wire) Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters).
- 2.4.2.2 A UCL-D will be eighteen thousand (18,000) feet or less in length and is provisioned according to Resistance Design parameters, may have up to six thousand (6,000) feet of bridged tap and will have up to thirteen hundred (1300) Ohms of resistance.
- 2.4.2.3 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by BTI.
- 2.4.2.4 These Loops are not intended to support any particular services and may be utilized by BTI to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3 Unbundled Copper Loop – Non-Designed (UCL-ND)
- 2.4.3.1 The UCL-ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame (MDF) to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to six thousand (6,000) feet of bridged tap between the End User's premises and the serving wire center. The UCL-ND typically will be thirteen hundred (1300) Ohms resistance and in most cases will not exceed eighteen thousand (18,000) feet in length, although the UCL-ND will not have a specific length limitation. For Loops less than eighteen thousand (18,000) feet and with less than thirteen hundred (1300) Ohms resistance, the Loop will provide a voice grade transmission channel suitable for loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.
- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, BTI can request LMU for which additional charges would apply.
- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that BTI may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit A.

- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by BTI to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.
- 2.4.3.6 BTI may use BellSouth's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.
- 2.5 Unbundled Loop Modifications (Line Conditioning)
- 2.5.1 Line Conditioning is defined as routine network modification that BellSouth regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Subloop that may diminish the capability of the Loop or Subloop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serves no network design purpose and that are beyond the limits set according to industry standards and/or the BellSouth's TR 73600 Unbundled Local Loop Technical Specification.
- 2.5.2 BellSouth will remove load coils only on copper Loops and Subloops that are less than eighteen thousand (18,000) feet in length.
- 2.5.3 For any copper loop being ordered by BTI which has over six thousand (6,000) feet of combined bridged tap will be modified, upon request from BTI, so that the loop will have a maximum of six thousand (6,000) feet of bridged tap. This modification will be performed at no additional charge to BTI. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper Loop that will result in a combined total of bridged tap between two thousand five hundred (2,500) and six thousand (6,000) feet will be performed at the rates set forth in Exhibit A.
- 2.5.4 BTI may request removal of any unnecessary and non-excessive bridged tap (bridged tap between zero (0) and two thousand five hundred (2,500) feet which serves no network design purpose), at rates pursuant to BellSouth's SC Process as mutually agreed to by the Parties.
- 2.5.5 Rates for ULM are as set forth in Exhibit A.

- 2.5.6 BellSouth will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered.
- 2.5.7 If BTI requests ULM on a reserved facility for a new Loop order, BellSouth may perform a pair change and provision a different Loop facility in lieu of the reserved facility with ULM if feasible. The Loop provisioned will meet or exceed specifications of the requested Loop facility as modified. BTI will not be charged for ULM if a different Loop is provisioned. For Loops that require a DLR or its equivalent, BellSouth will provide LMU detail of the Loop provisioned.
- 2.5.8 BTI shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that BTI desires BellSouth to condition.
- 2.5.9 When requesting ULM for a Loop that BellSouth has previously provisioned for BTI, BTI will submit a SI to BellSouth. If a spare Loop facility that meets the Loop modification specifications requested by BTI is available at the location for which the ULM was requested, BTI will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, BTI will not be charged for ULM but will only be charged the service order charges for submitting an order.
- 2.6 Loop Provisioning Involving IDLC
- 2.6.1 Where BTI has requested an Unbundled Loop and BellSouth uses IDLC systems to provide the local service to the End User and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to BTI. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for BTI (e.g., hairpinning):
1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
 3. If capacity exists, provide "side-door" porting through the switch.
 4. If capacity exists, provide "Digital Access Cross-Connect System (DACS)-door" porting (if the IDLC routes through a DACS prior to integration into the switch).
- 2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.

- 2.6.3 If no alternate facility is available, and upon request from BTI, and if agreed to by both Parties, BellSouth may utilize its SC process to determine the additional costs required to provision facilities. BTI will then have the option of paying the one-time SC rates to place the Loop.
- 2.7 Network Interface Device
- 2.7.1 The NID is defined as any means of interconnection of the End User's customer premises wiring to BellSouth's distribution plant, such as a cross-connect device used for that purpose. The NID is a single line termination device or that portion of a multiple line termination device required to terminate a single line or circuit at the premises. The NID features two (2) independent chambers or divisions that separate the service provider's network from the End User's premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the End User each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.
- 2.7.2 BellSouth shall permit BTI to connect BTI's Loop facilities to the End User's customer premises wiring through the BellSouth NID or at any other technically feasible point.
- 2.7.3 Access to NID
- 2.7.3.1 BTI may access the End User's premises wiring by any of the following means and BTI shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 BellSouth shall allow BTI to connect its Loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises;
- 2.7.3.1.2 Where an adequate length of the End User's customer premises wiring is present and environmental conditions permit, either Party may remove the End User premises wiring from the other Party's NID and connect such wiring to that Party's own NID;
- 2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a cross-connect or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or

- 2.7.3.1.4 BTI may request BellSouth to make other rearrangements to the End User premises wiring terminations or terminal enclosure on a time and materials cost basis.
- 2.7.3.2 In no case shall either Party remove or disconnect the other Party's loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be BTI's responsibility to ensure there is no safety hazard, and BTI will hold BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's loop has been disconnected from the NID, to reconnect the disconnected loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected loop must be appropriately cleared, capped and stored.
- 2.7.3.3 BTI shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 BTI shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with BTI to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.4 Technical Requirements
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the End User's customer premises and the distribution media and/or cross-connect to BTI's NID.
- 2.7.4.3 Existing BellSouth NIDs will be operational and provided in "as is" condition. BTI may request BellSouth to do additional work to the NID on a time and material basis. When BTI deploys its own local loops in a multiple-line termination device, BTI shall specify the quantity of NID connections that it requires within such device.

2.8 Subloop Elements.

2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Subloop (USL) elements as specified herein.

2.8.2 Unbundled Subloop Distribution (USLD)

2.8.2.1 The USLD facility is a dedicated transmission facility that BellSouth provides from an End User's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The USLD media is a copper twisted pair that can be provisioned as a 2-wire or 4-wire facility. BellSouth will make available the following subloop distribution offerings where facilities exist:

 USLD – Voice Grade (USLD-VG)

 Unbundled Copper Subloop (UCSL)

 USLD – Intrabuilding Network Cable (USLD-INC (aka riser cable))

2.8.2.2 USLD-VG is a copper subloop facility from the cross-box in the field up to and including the point of demarcation at the End User's premises and may have load coils.

2.8.2.3 UCSL is a copper facility eighteen thousand (18,000) feet or less in length provided from the cross-box in the field up to and including the End User's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the End User and the cross-box.

2.8.2.3.1 If BTI requests a UCSL and it is not available, BTI may request the copper Subloop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.

2.8.2.4 USLD-INC is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross-connect device in the building equipment room up to and including the point of demarcation at the End User's premises.

2.8.2.4.1 Upon request for USLD-INC from BTI, BellSouth will install a cross-connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in twenty five (25) pair increments for BTI's use on this cross-connect panel. BTI

will be responsible for connecting its facilities to the twenty five (25) pair cross-connect block(s).

- 2.8.2.5 For access to Voice Grade USLD and UCSL, BTI shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in Attachment 4. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. BTI's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.2.6 Through the SI process, BellSouth will determine whether access to USLs at the location requested by BTI is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet BTI's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at BellSouth's Interconnection Web site:
www.interconnection.bellsouth.com/products/html/unec.html.
- 2.8.2.7 The site set-up must be completed before BTI can order Subloop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice BTI's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.8 Once the site set-up is complete, BTI will request Subloop pairs through submission of a LSR form to the LCSC. OC is required with USL pair provisioning when BTI requests reuse of an existing facility, and the OC charge shall be billed in addition to the USL pair rate. For expedite requests by BTI for Subloop pairs, expedite charges will apply for intervals less than five (5) days.
- 2.8.2.9 USLs will be provided in accordance with BellSouth's TR 73600 Unbundled Local Loop Technical Specifications.
- 2.8.3 Unbundled Network Terminating Wire (UNTW)
- 2.8.3.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual End User's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.
- 2.8.3.2 This element will be provided in MDUs and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the End User's premises. Neither Party will provide this element in locations where the property owner provides its own

wiring to the End User's premises, where a third party owns the wiring to the End User's premises.

2.8.3.3 Requirements

- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the End Users premises, and BTI does own or control such wiring, BTI will install UNTW Access Terminals for BellSouth under the same terms and conditions as BellSouth provides UNTW Access Terminals to BTI.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate BTI for each pair activated commensurate to the price specified in BTI's Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW SI requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the End User has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the End User is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.
- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If

the property owner objects to Access Terminal installations that are in progress or within thirty (30) days after completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.

- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.
- 2.8.3.3.9 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that End User if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten percent (10%) of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the End User began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

2.8.4 Dark Fiber Loop

- 2.8.4.1 Dark Fiber Loop is an unused optical transmission facility, without attached signal regeneration, multiplexing, aggregation or other electronics, from the demarcation point at an End User's premises to the End User's serving wire center. Dark Fiber Loops may be strands of optical fiber existing in aerial or underground structure.

BellSouth will not provide line terminating elements, regeneration or other electronics necessary for BTI to utilize Dark Fiber Loops.

2.8.4.2 Transition for Dark Fiber Loop

2.8.4.2.1 For purposes of this Section 2.8.4, the Transition Period for Dark Fiber Loops is the eighteen (18) month period beginning March 11, 2005 and ending September 10, 2006.

2.8.4.2.2 For purposes of this Section 2.8.4, Embedded Base means Dark Fiber Loops that were in service for BTI as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.

2.8.4.3 During the Transition Period only, BellSouth shall make available for the Embedded Base Dark Fiber Loops for BTI at the terms and conditions set forth in this Attachment.

2.8.4.4 Notwithstanding the Effective Date of this Agreement, the rates for BTI's Embedded Base of Dark Fiber Loops during the Transition Period shall be as set forth in Exhibit A. On or after December 1, 2005, BellSouth shall bill to BTI the amount owed for the Embedded Base of Dark Fiber Loops for the period from March 11, 2005 to the Effective Date, and BTI shall pay such amount according to payment processes set forth in Attachment 7 of this Agreement.

2.8.4.5 The Transition Period shall apply only to BTI's Embedded Base and BTI shall not add new Dark Fiber Loops pursuant to this Agreement.

2.8.4.6 Effective September 11, 2006, Dark Fiber Loops will no longer be made available pursuant to this Agreement.

2.8.4.7 No later than June 10, 2006 BTI shall submit spreadsheet(s) identifying all of the Embedded Base of circuits to be either disconnected or converted to other BellSouth services as Conversions pursuant to Section 1.6 above. The Parties shall negotiate a project schedule for the Conversion of the Embedded Base.

2.8.4.7.1 If BTI fails to submit the spreadsheet(s) specified in Section 2.8.4.7 above for all of its Embedded Base prior to June 10, 2006, BellSouth will identify BTI's remaining Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth pursuant to this Section 2.8.4.7.1 shall be subject to all applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.

2.8.4.7.2 For Embedded Base circuits converted pursuant to Section 2.8.4.7 above or transitioned pursuant to Section 2.8.4.7.1 above, the applicable recurring tariff

charge shall apply to each circuit as of the earlier of the date each circuit is converted or transitioned, as applicable, or September 11, 2006.

2.9 Loop Makeup

2.9.1 Description of Service

2.9.1.1 BellSouth shall make available to BTI LMU information with respect to Loops that are required to be unbundled under this Agreement so that BTI can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment BTI intends to install and the services BTI wishes to provide. LMU is a preordering transaction, distinct from BTI ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) and mechanized LMU queries for preordering LMU are likewise unique from other preordering functions with associated SIs as described in this Agreement.

2.9.1.2 BellSouth will provide BTI LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pair-gain devices; the Loop length; the wire gauge and electrical parameters.

2.9.1.3 BellSouth's LMU information is provided to BTI as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.

2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a LOA from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.

2.9.1.5 BTI may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by BTI and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (e.g., ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee BTI's ability to provide advanced data services over the ordered Loop type. Furthermore, the LMU information for Loops other than copper-only Loops (e.g., ADSL, UCL-ND, etc.) that support xDSL services, is

subject to change at any time due to modifications and/or upgrades to BellSouth's network. Except as set forth in Section 2.9.1.6 below, copper-only Loops will not be subject to change due to modification and/or upgrades to BellSouth's network and will remain on copper facilities until the Loop is disconnected by BTI or the End User, or until BellSouth retires the copper facilities via the FCC's and any applicable Commission's requirements. BTI is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.

- 2.9.1.6 If BellSouth retires its copper facilities using 47 C.F.R § 51.325(a) requirements; or is required by a governmental agency or regulatory body to move or replace copper facilities as a maintenance procedure, BellSouth will notify BTI, according to the applicable network disclosure requirements. It will be BTI's responsibility to move any service it may provide over such facilities to alternative facilities. If BTI fails to move the service to alternative facilities by the date in the network disclosure notice, BellSouth may terminate the service to complete the network change.

2.9.2 Submitting LMUSI

- 2.9.2.1 BTI may obtain LMU information and reserve facilities by submitting a mechanized LMU query or a manual LMUSI according to the terms and conditions as described in the LMU CLEC Information Package, incorporated herein by reference as it may be amended from time to time. The CLEC Information Package is located at the "CLEC UNE Product" on the BellSouth Interconnection Web site:
www.interconnection.bellsouth.com/guides/html/unes.html. After obtaining the Loop information from the mechanized LMU process, if BTI needs further Loop information in order to determine Loop service capability, BTI may initiate a separate Manual SI for a separate nonrecurring charge as set forth in Exhibit A.
- 2.9.2.2 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. BTI will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, BTI does not reserve facilities upon an initial LMUSI, BTI's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A.
- 2.9.2.3 Where BTI has reserved multiple Loop facilities on a single reservation, BTI may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to BTI, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by BTI.
- 2.9.2.4 Charges for preordering manual LMUSI or mechanized LMU are separate from any charges associated with ordering other services from BellSouth.

3 Line Splitting

3.1 Line splitting shall mean that a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to End Users over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers.

3.2 Line Splitting – UNE-L. In the event BTI provides its own switching or obtains switching from a third party, BTI may engage in line splitting arrangements with another CLEC using a splitter, provided by BTI, in a Collocation Space at the central office where the loop terminates into a distribution frame or its equivalent.

3.3 Line Splitting –Loop and UNE Port (UNE-P)

3.3.1 To the extent BTI is purchasing UNE-P pursuant to this Agreement, BellSouth will permit BTI to replace UNE-P with Line Splitting. The UNE-P arrangement will be converted to a stand-alone Loop, a Network Element switch port, two (2) collocation cross-connects and the high frequency spectrum line activation. The resulting arrangement shall continue to be included in BTI's Embedded Base as described in Section 5.4.3.2 below.

3.3.2 BTI shall provide BellSouth with a signed LOA between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services, if BTI will not provide voice and data services.

3.3.3 Line Splitting arrangements in service pursuant to this Section 3.3 must be disconnected or provisioned pursuant to Section 3.2 above on or before March 10, 2006.

3.4 Provisioning Line Splitting and Splitter Space – UNE-P

3.4.1 The Data LEC, Voice CLEC or BellSouth may provide the splitter. When BTI or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the End User's location; a collocation cross-connection connecting the Loop to the collocation space; a second collocation cross-connection from the collocation space connected to a voice port; the high frequency spectrum line activation, and a splitter. When BellSouth owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the End User's location with CFA and splitter port assignments, and a collocation cross-connection from the collocation space connected to a voice port.

3.4.2 An unloaded 2-wire copper Loop must serve the End User. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.

3.4.3 The foregoing procedures are applicable to migration from a UNE-P arrangement to Line Splitting Service.

3.5 Provisioning Line Splitting and Splitter Space – UNE-L

3.5.1 The Voice CLEC provides the splitter when providing Line Splitting with UNE-L. When BTI owns the splitter, Line Splitting requires the following: a loop from NID at the End User's location to the serving wire center and terminating into a distribution frame or its equivalent.

3.6 CLEC Provided Splitter – Line Splitting – UNE-P and UNE-L

3.6.1 To order High Frequency Spectrum on a particular Loop, BTI must have a DSLAM collocated in the central office that serves the End User of such Loop.

3.6.2 BTI may purchase, install and maintain central office POTS splitters in its collocation arrangements. BTI may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.

3.6.3 Any splitters installed by BTI in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. BTI may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

3.7 Maintenance – Line Splitting – UNE-P and UNE-L

3.7.1 BellSouth will be responsible for repairing voice troubles and the troubles with the physical loop between the NID at the End User's premises and the termination point.

3.7.2 BTI shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the other service provider, except to the extent caused by BellSouth's gross negligence or willful misconduct.

4 Local Switching

4.1 Notwithstanding anything to the contrary in this Agreement, the services offered pursuant to this Section 4 are limited to DS0 level Local Switching and BellSouth is not required to provide Local Switching pursuant to this Agreement except as set forth in Section 4.2 below.

- 4.1.1 BellSouth shall not be required to unbundle local circuit switching for BTI for a particular End User when BTI: (1) serves an End User with four (4) or more voice-grade (DS0) equivalents or lines served by BellSouth in Zone 1 of the following MSAs: Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA; or (2) serves an End User with a DS1 or higher capacity Loop in any service area covered by this Agreement. To the extent that BTI is serving any End User as described in (2) of this Section 4.1.1 as of the Effective Date of this Agreement, such End User's arrangement may not remain in place and such Arrangement must be terminated by BTI or transitioned by BTI, or BellSouth shall disconnect such Arrangements upon thirty (30) days notice.
- 4.2 Transition for Local Switching
- 4.2.1 For purposes of this Section 4, the Transition Period for the Embedded Base of Local Switching is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006.
- 4.2.2 For the purposes of this Section 4, Embedded Base shall mean Local Switching and any additional elements that are required to be provided in conjunction therewith that were in service for BTI as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.
- 4.2.3 During the Transition Period only, BellSouth shall make Local Switching available for the Embedded Base, in addition to all elements that are required to be provided in conjunction with Local Switching, at the rates, terms and conditions set forth in this Attachment. The Transition Period shall apply only to BTI's Embedded Base and BTI shall not place new orders for Local Switching pursuant to this Agreement.
- 4.2.4 Notwithstanding the Effective Date of this Agreement, the rates for BTI's Embedded Base of Local Switching during the Transition Period shall be as set forth in Exhibit A. BellSouth shall bill to BTI the amount owed for the Embedded Base of Local Switching for the period from March 11, 2005 to the Effective Date, and BTI shall pay such amount according to payment processes set forth in Attachment 7 of this Agreement.
- 4.2.5 BTI must submit orders, to disconnect or convert all of its Embedded Base of Local Switching to other BellSouth services as Conversions pursuant to Section 1.6 above by December 1, 2005.
- 4.2.5.1 If BTI fails to submit orders to disconnect or convert all of its Embedded Base of Local Switching as specified in Section 4.2.5 above prior to December 1, 2005, BellSouth will identify BTI's remaining Embedded Base of Local Switching and will disconnect such Local Switching. Those circuits identified and disconnected

by BellSouth shall be subject to the applicable disconnect charges as set forth in this Agreement.

4.2.6 Effective March 11, 2006, Local Switching will no longer be made available pursuant to this Agreement.

4.3 Local Switching Capability, including Tandem Switching Capability

4.3.1 Local Switching capability is defined as all line-side and trunk-side facilities, plus the features, functions, and capabilities of the switch. The features, functions, and capabilities of the switch shall include the basic switching function of connecting lines to lines, lines to trunks, trunks to lines, and trunks to trunks. Local Switching includes all vertical features that the switch is capable of providing, including custom calling, custom local area signaling service features, and Centrex, as well as any technically feasible customized routing functions.

4.3.2 Unbundled local switching consists of three (3) separate components: Unbundled Ports, End Office Switching Functionality, and End Office Interoffice Trunk Ports.

4.3.3 Unbundled Local Switching combined with Common Transport and, if necessary, Tandem Switching provides to BTI's End User local calling and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.

4.3.4 Provided that BTI has unbundled Local Switching from BellSouth and uses the BellSouth Carrier Identification Code (CIC) for its End Users' Local Preferred Interexchange Carrier (LPIC) or if a BellSouth local End User selects BellSouth as its LPIC, then the Parties will consider as local any calls originated by a BTI local End User, or originated by a BellSouth local End User and terminated to a BTI local End User, where such calls originate and terminate in the same LATA, except for those calls originated and terminated through switched access arrangements (i.e., calls that are transported by a Party other than BellSouth). For such calls, BellSouth will charge BTI the Network Elements for the BellSouth facilities utilized. Neither Party shall bill the other originating or terminating switched access charges for such calls. Intercarrier compensation for local calls between BellSouth and BTI shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's Interconnection Web site:
www.interconnection.bellsouth.com/products/docs.

4.3.5 Where BTI has unbundled Local Switching from BellSouth but does not use the BellSouth CIC for its End Users' LPIC, BellSouth will consider as local those direct dialed telephone calls that originate from a BTI End User and terminate within the basic local calling area or within the extended local calling areas and that are dialed using seven (7) or ten (10) digits as defined and specified in Section A3 of BellSouth's GSST. For such local calls, BellSouth will charge BTI the

Network Elements for the BellSouth facilities utilized. Intercarrier compensation for local calls between BellSouth and BTI shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's Interconnection Web site at www.interconnection.bellsouth.com/products/docs.

- 4.3.6 For any calls that originate and terminate through switched access arrangements (i.e., calls that are transported by a party other than BellSouth), BellSouth shall bill BTI the Network Elements for the BellSouth facilities utilized. Each Party may bill the toll provider originating or terminating switched access charges as appropriate.
- 4.3.7 Unbundled Ports may or may not include individual features. Where applicable and available, non-switch-based services may be ordered with the Unbundled Port at BellSouth's retail rates.
- 4.3.8 Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR Process as set forth in Attachment 11.
- 4.3.9 BellSouth will provide to BTI selective routing of calls to a requested Operator System platform pursuant to this Agreement. Any other routing requests by BTI will be made pursuant to the BFR/NBR Process as set forth in Attachment 11.
- 4.3.10 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.
- 4.3.11 BellSouth shall control congestion points such as those caused by radio station call-ins and network routing abnormalities. All traffic shall be restricted in a nondiscriminatory manner.
- 4.3.12 BellSouth shall perform manual call trace and permit customer originated call trace. BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.
- 4.3.13 BellSouth shall provide interfaces to adjuncts through Telcordia standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors. BellSouth shall offer to BTI all Advanced Intelligent Network (AIN) triggers in connection with its Service Creation Environment and Service Management System (SCE/SMS) offering.
- 4.3.14 BellSouth shall provide access to SS7 Signaling Network or Multi-Frequency trunking if requested by BTI.

- 4.3.15 BellSouth shall provide the following Local Switching interfaces:
 - 4.3.15.1 Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);
 - 4.3.15.2 Coin phone signaling;
 - 4.3.15.3 Basic Rate Interface ISDN adhering to appropriate Telcordia Technical Requirements;
 - 4.3.15.4 2-wire analog interface to PBX;
 - 4.3.15.5 4-wire analog interface to PBX; and
 - 4.3.15.6 Loops adhering to Telcordia TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.
- 4.3.16 BTI shall maintain the individual telephone number and the correct corresponding address/location data, including maintaining the End User listed address as the actual physical End User location in the E911 ALI Database.
- 4.3.17 BTI will be responsible and liable for any errors resulting from the submission of invalid telephone number and address/location data for the BTI's End Users.
- 4.4 Common (Shared) Transport.
 - 4.4.1 Common (Shared) Transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network. Where BellSouth Network Elements are connected by intraoffice wiring, such wiring is provided as part of the Network Element and is not Common (Shared) Transport.
 - 4.4.2 Notwithstanding any other provision of this Agreement, BellSouth will only provide unbundled access to Common (Shared) Transport to the extent BellSouth is required to provide and is providing Local Switching to BTI.
 - 4.4.3 Technical Requirements of Common (Shared) Transport
 - 4.4.3.1 Common (Shared) Transport provided on DS1, DS3, and STS-1 circuits shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office (CO to CO) connections in the applicable industry standards.

4.4.3.2 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.

4.4.3.3 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standards.

4.5 Tandem Switching

4.5.1 The Tandem Switching capability Network Element is defined as:
(i) trunk-connect facilities, which include, but are not limited to, the connection between trunk termination at a cross-connect panel and switch trunk card; (ii) the basic switch trunk function of connecting trunks to trunks; and (iii) the functions that are centralized in the Tandem Switches (as distinguished from separate end office switches), including but not limited to call recording, the routing of calls to operator services and signaling conversion features.

4.5.2 Where BTI utilizes portions of the BellSouth network in originating or terminating traffic, the Tandem Switching rates are applied in call scenarios where the Tandem Switching Network Element has been utilized. Because switch recordings cannot accurately indicate on a per call basis when the Tandem Switching Network Element has been utilized for an interoffice call originating from a UNE port and terminating to a BellSouth, ICO or Facility-Based CLEC office, BellSouth has developed, based upon call studies, a melded rate that takes into account the average percentage of calls that utilize Tandem Switching in these scenarios. BellSouth shall apply the melded Tandem Switching rate for every call in these scenarios. BellSouth shall utilize the melded Tandem Switching Rate until BellSouth has the capability to measure actual Tandem Switch usage in each call scenario specifically mentioned above, at which point the rate for the actual Tandem Switch usage shall apply. The UNE Local Call Flows set forth on BellSouth's Interconnection Web site:
www.interconnection.bellsouth.com/products/docs, illustrate when the full or melded Tandem Switching rates apply for specific scenarios.

4.5.3 Technical Requirements

4.5.3.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Telcordia TR-TSY-000540 Issue 2R2, Tandem Supplement, June 1, 1990. The requirements for Tandem Switching include but are not limited to the following:

4.5.3.1.1 Tandem Switching shall provide signaling to establish a tandem connection;

4.5.3.1.2 Tandem Switching will provide screening as jointly agreed to by BTI and BellSouth;

- 4.5.3.1.3 Where applicable, Tandem Switching shall provide AIN triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;
- 4.5.3.1.4 Where applicable, Tandem Switching shall provide access to Toll Free number database;
- 4.5.3.1.5 Tandem Switching shall provide connectivity to Public Safety Answering Point (PSAP)s where 911 solutions are deployed and the tandem is used for 911; and
- 4.5.3.1.6 Where appropriate, Tandem Switching shall provide connectivity for the purpose of routing transit traffic to and from other carriers.
- 4.5.3.2 BellSouth may perform testing and fault isolation on the underlying switch that is providing Tandem Switching. Such testing shall be testing routinely performed by BellSouth. The results and reports of the testing shall be made available to BTI.
- 4.5.3.3 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner.
- 4.5.3.4 Tandem Switching shall process originating toll free traffic received from BTI's local switch.
- 4.5.3.5 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element to the extent such Tandem Switch has such capability.
- 4.5.4 Upon BTI's purchase of overflow trunk groups, Tandem Switching shall provide an alternate routing pattern for BTI's traffic overflowing from direct end office high usage trunk groups.
- 4.6 Remote Call Forwarding (URCF)
- 4.6.1 As an option, BellSouth shall make available to BTI an unbundled port with Remote Call Forwarding capability. URCF service combines the functionality of unbundled Local Switching, Tandem Switching and common transport to forward calls from the URCF service telephone number (the number dialed by the calling party) to another telephone number selected by the URCF service subscriber. BTI must ensure that the following conditions are satisfied:
 - 4.6.1.1 the End User of the forward-to number (service) agrees to receive calls forwarded using the URCF service (if such End User is different from the URCF service End User);
 - 4.6.1.2 the forward-to number (service) is equipped with sufficient capacity to receive the volume of calls that will be generated from the URCF service;

- 4.6.1.3 the URCF service will not be utilized to forward calls to another URCF or similar service; and
- 4.6.1.4 the forward-to number (service) is not a public safety number (e.g., 911, fire or police number).
- 4.6.2 In addition to the charge for the URCF service port, BellSouth shall charge BTI the rates set forth in Exhibit A for unbundled Local Switching, Tandem Switching, and Common Transport, including all associated usage incurred for calls from the URCF service telephone number (the number dialed by the calling party) to the forward-to number (service).
- 4.7 AIN Selective Carrier Routing for OS, DA and Repair Centers
- 4.7.1 Where BellSouth provides Local Switching to BTI, BellSouth will provide AIN Selective Carrier Routing (AIN SCR) at the request of BTI. AIN SCR will provide BTI with the capability of routing operator calls, 0+ and 0- and 0+ NPA Local Numbering Plan Area (LNPA), 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to pre-selected destinations.
- 4.7.2 BTI shall order AIN SCR through its Account Team and/or Local Contract Manager. AIN SCR must first be established regionally and then on a per central office per state basis.
- 4.7.3 AIN SCR is not available in DMS 10 switches.
- 4.7.4 Where AIN SCR is utilized by BTI, the routing of BTI's End User calls shall be pursuant to information provided by BTI and stored in BellSouth's AIN SCR Service Control Point database. AIN SCR shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an "as needed" basis. The same LCCs will be assigned in each central office where AIN SCR is established.
- 4.7.5 Upon ordering AIN SCR Regional Service, BTI shall remit to BellSouth the nonrecurring Regional Service Order charge set forth in Exhibit A. There shall be a nonrecurring End Office Establishment Charge as set forth in Exhibit A, per office, due at the addition of each central office where AIN SCR will be utilized. For each BTI End User activated, there shall be a nonrecurring End User Establishment charge as set forth in Exhibit A. BTI shall pay the AIN SCR Per Query Charge set forth in Exhibit A.
- 4.7.6 This nonrecurring Regional Service Order charge will be non-refundable and will be paid with one half due up-front with the submission of all fully completed required forms including: Regional SCR Order Request-Form A, Central Office AIN SCR Order Request - Form B, AIN SCR Central Office Identification Form - Form C, AIN SCR Routing Options Selection Form - Form D, and

Routing Combinations Table - Form E. BellSouth has thirty (30) days to respond to BTI's fully completed firm order as a Regional Service Order. With the delivery of this firm order response to BTI, BellSouth considers that the delivery schedule of this service commences. The remaining half of the nonrecurring Regional Service Order payment must be paid when at least ninety percent (90%) of the Central Offices listed on the original order have been turned up for the service.

- 4.7.7 The nonrecurring End Office Establishment charge will be billed to BTI following BellSouth's normal monthly billing cycle for this type of order.
- 4.7.8 End-User Establishment Orders will not be turned-up until the second payment is received for the Regional Service Order. The nonrecurring End Office Establishment charges will be billed to BTI following BellSouth's normal monthly billing cycle for this type of order.
- 4.7.9 Additionally, the AIN SCR Per Query Charge will be billed to BTI following the normal billing cycle for per query charges.
- 4.7.10 All other network components needed, (i.e., unbundled switching, unbundled local transport, etc.) will be billed per contracted rates.

4.8 Selective Call Routing Using Line Class Codes (SCR-LCC)

- 4.8.1 Where BTI has purchased unbundled Local Switching from BellSouth and utilizes an operator services provider other than BellSouth, BellSouth will route BTI's End User calls to that provider through Selective Call Routing.
- 4.8.2 SCR-LCC provides the capability for BTI to have its Operator Call Processing/Directory Assistance (OCP/DA) calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if capacity is available in the requested BellSouth end office switches.
- 4.8.3 Custom Branding for DA is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service, and certain PBX services.
- 4.8.4 Where available, BTI specific and unique LCCs are programmed in each BellSouth end office switch where BTI intends to serve End Users with customized OCP/DA branding. The LCCs specifically identify BTI's End Users so OCP/DA calls can be routed over the appropriate trunk group to the requested OCP/DA platform. Additional LCCs are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and BTI intends to provide BTI -branded OCP/DA to its End Users in these multiple rate areas.

- 4.8.5 SCR-LCC supporting Custom Branding and Self Branding require BTI to order dedicated trunking from each BellSouth end office identified by BTI, either to the BellSouth TOPS for Custom Branding or to the BTI Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for DA. Rates for trunks are set forth in applicable BellSouth's FCC No. 1 Tariff.
- 4.8.6 Unbranding - Unbranded DA and/or OCP calls ride common trunk groups provisioned by BellSouth from those end offices identified by BTI to the BellSouth TOPS.
- 4.8.7 The rates for SCR-LCC are as set forth in Exhibit A. There is a nonrecurring charge for the establishment of each LCC in each BellSouth central office. Furthermore, for Unbranded and Custom Branded OCP/DA provided by BellSouth Operator Services with unbundled ports and unbundled port/loop switch combinations, monthly recurring usage charges shall apply for the UNEs necessary to provide the service, such as end office and tandem switching and common transport. A flat rated end office switching charge shall apply to Self-Branded OCP/DA when used in conjunction with unbundled ports and unbundled port/loop switch combinations.

5 Unbundled Network Element Combinations

- 5.1 For purposes of this Section, references to "Currently Combined" Network Elements shall mean that the particular Network Elements requested by BTI are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" Network Elements shall mean that the particular Network Elements requested by BTI are not already combined by BellSouth in the location requested by BTI but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" Network Elements shall mean that the particular Network Elements requested by BTI are not elements that BellSouth combines for its use in its network.
- 5.1.1 Except as otherwise set forth in this Agreement, upon request, BellSouth shall perform the functions necessary to combine Network Elements that BellSouth is required to provide under this Agreement in any manner, even if those elements are not ordinarily combined in BellSouth's network, provided that such Combination is technically feasible and will not undermine the ability of other carriers to obtain access to Network Elements or to interconnect with BellSouth's network.
- 5.1.2 To the extent BTI requests a Combination for which BellSouth does not have methods and procedures in place to provide such Combination, rates and/or methods or procedures for such Combination will be developed pursuant to the BFR process.

5.2 Rates

5.2.1 The rates for the Currently Combined Network Elements specifically set forth in Exhibit A shall be the rates associated with such Combinations. Where a Currently Combined Combination is not specifically set forth in Exhibit A, the rate for such Currently Combined Combination shall be the sum of the recurring rates for those individual Network Elements as set forth in Exhibit A and/or Exhibit B in addition to the applicable nonrecurring switch-as-is charge set forth in Exhibit A.

5.2.2 The rates for the Ordinarily Combined Network Elements specifically set forth in Exhibit A shall be the nonrecurring and recurring charges for those Combinations. Where an Ordinarily Combined Combination is not specifically set forth in Exhibit A, the rate for such Ordinarily Combined Combination shall be the sum of the recurring rates for those individual Network Elements as set forth in Exhibit A and/or Exhibit B and nonrecurring rates for those individual Network Elements as set forth in Exhibit A.

5.2.3 The rates for Not Typically Combined Combinations shall be developed pursuant to the BFR process upon request of BTI.

5.3 Enhanced Extended Links (EELs)

5.3.1 EELs are combinations of Loops and Dedicated Transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements. BellSouth shall provide BTI with EELs where the underlying Network Element are available and are required to be provided pursuant to this Agreement and in all instances where the requesting carrier meets the eligibility requirements, if applicable.

5.3.2 High-capacity EELs are (1) combinations of Loop and Dedicated Transport, (2) Dedicated Transport commingled with a wholesale loop, or (3) a loop commingled with wholesale transport at the DS1 and/or DS3 level as described in 47 C.F.R. § 51.318(b).

5.3.3 By placing an order for a high-capacity EEL, BTI thereby certifies that the service eligibility criteria set forth herein are met for access to a converted high-capacity EEL, a new high-capacity EEL, or part of a high-capacity commingled EEL as a UNE. BellSouth shall have the right to audit BTI's high-capacity EELs as specified below.

5.3.4 Service Eligibility Criteria

5.3.4.1 High capacity EELs must comply with the following service eligibility requirements. BTI must certify for each high-capacity EEL that all of the following service eligibility criteria are met:

- 5.3.4.1.1 BTI has received state certification to provide local voice service in the area being served;
- 5.3.4.2 For each combined circuit, including each DS1 circuit, each DS1 EEL, and each DS1-equivalent circuit on a DS3 EEL:
 - 5.3.4.2.1 1) Each circuit to be provided to each End User will be assigned a local number prior to the provision of service over that circuit;
 - 5.3.4.2.2 2) Each DS1-equivalent circuit on a DS3 EEL must have its own local number assignment so that each DS3 must have at least twenty-eight (28) local voice numbers assigned to it;
 - 5.3.4.2.3 3) Each circuit to be provided to each End User will have 911 or E911 capability prior to provision of service over that circuit;
 - 5.3.4.2.4 4) Each circuit to be provided to each End User will terminate in a collocation arrangement that meets the requirements of 47 C.F.R. § 51.318(c);
 - 5.3.4.2.5 5) Each circuit to be provided to each End User will be served by an interconnection trunk over which BTI will transmit the calling party's number in connection with calls exchanged over the trunk;
 - 5.3.4.2.6 6) For each twenty-four (24) DS1 EELs or other facilities having equivalent capacity, BTI will have at least one (1) active DS1 local service interconnection trunk over which BTI will transmit the calling party's number in connection with calls exchanged over the trunk; and
 - 5.3.4.2.7 7) Each circuit to be provided to each End User will be served by a switch capable of switching local voice traffic.
- 5.3.4.3 BellSouth may, on an annual basis, audit BTI's records in order to verify compliance with the qualifying service eligibility criteria. The audit shall be conducted by a third party independent auditor, and the audit must be performed in accordance with the standards established by the American Institute for Certified Public Accountants (AICPA). To the extent the independent auditor's report concludes that BTI failed to comply with the service eligibility criteria, BTI must true-up any difference in payments, convert all noncompliant circuits to the appropriate service, and make the correct payments on a going-forward basis. In the event the auditor's report concludes that BTI did not comply in any material respect with the service eligibility criteria, BTI shall reimburse BellSouth for the cost of the independent auditor. To the extent the auditor's report concludes that BTI did comply in all material respects with the service eligibility criteria, BellSouth will reimburse BTI for its reasonable and demonstrable costs associated

with the audit. BTI will maintain appropriate documentation to support its certifications.

5.3.4.3.1 Notwithstanding the foregoing, if as of the Effective Date of this Agreement, BTI has in place high-capacity EELs that do not comply with the Service Eligibility Criteria set forth herein, and that will not be rearranged pursuant to Section 5.3.5 below, BTI shall identify such EELs and submit orders to either disconnect such EELs or convert such EELs within sixty (60) days of the Effective Date. If as of the Effective Date BTI has in place high-capacity EELs that do not comply with the Service Eligibility Criteria but that will be rearranged pursuant to Section 5.3.5 below, BTI shall have 60 days from the placement of such rearrangement orders to rearrange such non-compliant EELs, so long as the orders are placed within 30 days of the date BellSouth makes available to BTI the process and procedures to place such rearrangement orders. To the extent any non-compliant EELs remain in place after the time periods set forth in this Section, BellSouth shall have the right to take such action as set forth in Section 5.3.4.3 above.

5.3.4.4 In the event BTI converts special access services to UNEs, BTI shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

5.3.5 EEL to DS1 Loop Rearrangements

5.3.5.1 BTI may submit orders to disconnect an EEL circuit, including the Dedicated Transport portion of the EEL, and reconnect the Loop in a collocation space in the End User Serving Wire Center ("EEL to DS1 Rearrangement"). The non-recurring charge (NRC) for each EEL to DS1 Loop Rearrangement shall be \$128 per DS1 Loop per LSR for the initial EEL to DS1 Rearrangement, and \$77 per DS1 Loop per LSR for each additional EEL to DS1 Rearrangement. OSS charges, and EEL Disconnect non-recurring charges, as set forth in Exhibit A hereto, and Cross Connect non-recurring charges, as set forth in Attachment 4 to this Agreement, are applicable in addition to the EEL to DS1 Rearrangement non-recurring charges set forth herein.

5.3.5.2 BellSouth shall make available processes and procedures to implement EEL to DS1 Rearrangements by the later of the Effective Date or November 15, 2005. BellSouth will use best efforts to complete such orders within a thirty (30) day interval, depending upon workload and receipt of correct ordering information from BTI via spreadsheets. BellSouth shall provide project management support for EEL to DS1 Rearrangements.

5.3.6 This Section left Blank intentionally

5.4 UNE-P

- 5.4.1 DS0 Local Switching, as defined in Section 4 above, in combination with a Loop and Common (Shared) Transport as defined in Section 4.4 above (UNE-P) provides local exchange service for the origination or termination of calls. UNE-P supports the same local calling and feature requirements as described in the Local Switching section of this Attachment and the ability to presubscribe to a primary carrier for intraLATA toll service and/or to presubscribe to a primary carrier for interLATA toll service.
- 5.4.2 Notwithstanding anything to the contrary in this Agreement, BellSouth is not required to provide UNE-P pursuant to this Agreement except as set forth in this Section 5.4.
- 5.4.3 Transition Period for UNE-P
- 5.4.3.1 For purposes of this Section 5.4, the Transition Period for UNE-P is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006.
- 5.4.3.2 For the purposes of this Section 5.4, Embedded Base shall mean UNE-P and any additional elements that are required to be provided in conjunction therewith that were in service for BTI as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.
- 5.4.3.3 During the Transition Period only, BellSouth shall make UNE-P available for the Embedded Base, in addition to all elements that are required to be provided in conjunction with UNE-P, at the rates, terms and conditions set forth in this Attachment. The Transition Period shall apply only to BTI's Embedded Base and BTI shall not place new orders for UNE-P pursuant to this Agreement.
- 5.4.3.4 Notwithstanding the Effective Date of this Agreement, the rates for BTI's Embedded Base of UNE-P during the Transition Period shall be as set forth in Exhibit A. BellSouth shall bill to BTI the amount owed for the Embedded Base of UNE-P for the period from March 11, 2005 to the Effective Date, and BTI shall pay such amount according to payment processes set forth in Attachment 7 of this Agreement.
- 5.4.3.5 BTI will provide to BellSouth via spreadsheet, no later than December 1, 2005, information regarding any remaining conversions of UNE-P to UNE-L, including but not limited to identification of UNE-P lines remaining, the time frame within which such lines are to be converted, whether the remaining lines will be disconnected or converted to alternative BellSouth services, as identified by BTI in the spreadsheet. To the extent BTI intends to convert UNE-P lines to UNE-L, BTI will utilize the Bulk Migration process set forth in Section 2.1.12.1.
- 5.4.3.5.1 If BTI fails to submit such spreadsheet as identified in Section 5.4.3.5 by December 1, 2005, BellSouth will identify BTI's remaining Embedded Base of UNE-P and will transition such UNE-P to resold BellSouth telecommunication

services, as set forth in Attachment 1, unless otherwise mutually agreed upon by the Parties. Those circuits identified and transitioned by BellSouth shall be subject to the applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of such BellSouth services as set forth in BellSouth's tariffs. The applicable recurring tariff charges shall apply as of the earlier of the date each circuit is converted or transitioned, as applicable, or March 11, 2006.

- 5.4.3.5.2 In the states of Georgia, and Louisiana, to the extent any UNE-P lines in BTI's Embedded Base of UNE-P carry Digital Subscriber Line (DSL) service provided in whole or in part by BellSouth, either as a wholesale service pursuant to BellSouth's FCC tariff for DSL transport or as the BellSouth FastAccess® Internet access service offered on a retail basis, the Parties agree that such lines shall be converted to resold services on or before March 11, 2006. BTI will identify via the spreadsheet described in Section 5.4.3.5 above those UNE-P lines carrying DSL service, and the Parties will work cooperatively to ensure that all such lines are converted to resold services before March 11, 2006. To the extent such lines are not converted by March 11, 2006, the BTI End User is subject to losing its DSL service provided over the UNE-P line.
- 5.4.3.5.3 Effective March 11, 2006, UNE-P will no longer be made available pursuant to this Agreement.
- 5.4.3.5.4 BellSouth shall make 911 updates in the BellSouth 911 database for BTI's UNE-P. BellSouth will not bill BTI for 911 surcharges. BTI is responsible for paying all 911 surcharges to the applicable governmental agency.

5.5 Intercarrier Compensation

- 5.5.1 Intercarrier compensation for seven (7) or ten (10) digit dialed calls originated by BTI utilizing Local Switching shall apply as follows:
- 5.5.2 For calls terminating to a BellSouth End User or to an End User served by BellSouth resold services, BellSouth shall charge BTI for End Office Switching as set forth in Exhibit A at the terminating end office.
- 5.5.3 For calls terminating to a CLEC where such CLEC is utilizing a BellSouth switch port or port/loop combination to provide service to its End User, BellSouth shall charge BTI for End Office Switching as set forth in Exhibit A at the terminating end office. BellSouth will not charge the terminating CLEC for End Office Switching as set forth in Exhibit A at the terminating end office.
- 5.5.3.1 For calls terminating to third party carriers, such as CLECs, wireless carriers and independent companies, utilizing their own switches to serve their End Users, BTI is required to enter into interconnection or traffic exchange agreements with such

third parties for the exchange of traffic through BellSouth's network. If BTI does not have such an agreement with a third party carrier and BellSouth is charged termination charges by a third party terminating a call originated by BTI, or if such third party carrier bills BellSouth for terminating such calls, despite the existence of such an agreement, then BellSouth may, at its option:

- 5.5.3.1.1 pay such charges as billed by the third party carrier and charge End Office Switching as set forth in Exhibit A to BTI for each such call; or
- 5.5.3.1.2 pay such charges as billed by the third party carrier and BTI will reimburse the full amount of such charges within thirty (30) days of BellSouth's request for reimbursement.
- 5.5.3.2 Intercarrier compensation for seven (7) or ten (10) digit dialed calls terminating to BTI utilizing Local Switching shall apply as follows:
 - 5.5.3.2.1 For calls originated by a BellSouth End User or by an End User served by resold BellSouth services, BellSouth shall not charge BTI for End Office Switching at the terminating end office for use of the network component; therefore, BTI shall not charge BellSouth intercarrier compensation or any other charges for termination of such calls.
 - 5.5.3.2.2 For calls originated by a CLEC where such CLEC is utilizing a BellSouth switch port or port/loop combination to provide service to its End User, BellSouth shall not charge BTI for End Office Switching at the terminating end office for use of the network component; therefore, BTI shall not charge the originating CLEC or BellSouth intercarrier compensation or any other charges for termination of such calls.
 - 5.5.3.2.3 For calls originated by third party carriers, such as CLECs, wireless carriers and independent companies,utilizing their own switches to serve their End Users, BTI is required to enter into interconnection or traffic exchange agreements with such third parties for the exchange of traffic through BellSouth's network. BTI may bill the third parties according to such agreements and shall not bill BellSouth for the exchange of traffic through BellSouth's network.
- 5.5.3.3 Intercarrier compensation shall apply as follows for intralata 1+ dialed calls originated by BTI utilizing Local Switching where BTI uses BellSouth's CIC for its End User's LPIC:
 - 5.5.3.3.1 For calls terminating to a BellSouth End User or to an End User served by BellSouth resold services, BellSouth shall charge BTI for End Office Switching as set forth in Exhibit A at the terminating end office.

- 5.5.3.3.2 For calls terminating to a CLEC where such CLEC is utilizing a BellSouth switch port or port/loop combination to provide service to its End User, BellSouth shall charge BTI for End Office Switching as set forth in Exhibit A at the terminating end office. BellSouth will not charge the terminating CLEC for End Office Switching at the terminating end office. In the event that BellSouth is charged termination charges by the CLEC, BellSouth may pay such charges and BTI will reimburse BellSouth the full amount of such charges within thirty (30) days following BellSouth's request for reimbursement.
- 5.5.3.3.3 For calls terminating to third party carriers, such as CLECs, wireless carriers and independent companies, utilizing their own switches to serve their End Users, BTI is required to enter into interconnection or traffic exchange agreements with such third parties for the exchange of traffic through BellSouth's network. If BTI does not have such an agreement with a third party carrier and BellSouth is charged termination charges by a third party terminating a call originated by BTI, or if such third party carrier bills BellSouth for terminating such calls, despite the existence of such an agreement, then BellSouth may, at its option:
- 5.5.3.3.3.1 pay such charges as billed by the third party carrier and charge End Office Switching as set forth in Exhibit A to BTI for each such call; or
- 5.5.3.3.3.2 pay such charges as billed by the third party carrier and BTI will reimburse BellSouth the full amount of such charges within thirty (30) days following BellSouth's request for reimbursement.
- 5.5.3.4 Intercarrier compensation shall apply as follows for intralata 1+ dialed calls terminating to BTI utilizing Local Switching where the originating carrier uses BellSouth's CIC for its End User's LPIC:
- 5.5.3.4.1 For calls originated by a BellSouth End User or by an End User served by BellSouth resold service, BellSouth shall charge BTI for End Office Switching as set forth in Exhibit A at the terminating end office for use of the End Office Switching network component in terminating such calls. BTI may charge BellSouth for intercarrier compensation at the End Office Switching as set forth in Exhibit A for such calls. BTI shall not charge originating or terminating switched access rates to BellSouth for termination of such calls.
- 5.5.3.5 For calls originated by or terminating to interexchange carriers through a switched access arrangement, BTI may bill the interexchange carrier in accordance with BTI's tariff and will not bill BellSouth any charges for such call. BTI shall pay BellSouth applicable charges for the use of BellSouth's network in accordance with the rates set forth in Exhibit A for originating and terminating such calls.

6 Dedicated Transport and Dark Fiber Transport

- 6.1 Dedicated Transport. Dedicated Transport is defined as BellSouth's transmission facilities between wire centers or switches owned by BellSouth, or between wire centers or switches owned by BellSouth and switches owned by BTI, including but not limited to DS1, DS3 and OCn level services, as well as dark fiber, dedicated to BTI. BellSouth shall not be required to provide access to OCn level Dedicated Transport under any circumstances pursuant to this Agreement. In addition, except as set forth in Section 6.2 below, BellSouth shall not be required to provide to BTI unbundled access to interoffice transmission facilities that do not connect a pair of wire centers or switches owned by BellSouth ("Entrance Facilities").
- 6.2 Transition for DS1 and DS3 Dedicated Transport Including DS1 and DS3 Entrance Facilities
- 6.2.1 For purposes of this Section 6.2, the Transition Period for the Embedded Base of DS1 and DS3 Dedicated Transport, Embedded Base Entrance Facilities and for Excess DS1 and DS3 Dedicated Transport, is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006.
- 6.2.2 For purposes of this Section 6.2, Embedded Base means DS1 and DS3 Dedicated Transport that were in service for BTI as of March 10, 2005 in those wire centers that, as of such date, met the criteria set forth in Sections 6.2.6.1 or 6.2.6.2 below. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.
- 6.2.3 For purposes of this Section 6, Embedded Base Entrance Facilities means Entrance Facilities that were in service for BTI as of March 10, 2005. Subsequent disconnects or loss of customers shall be removed from the Embedded Base.
- 6.2.4 For purposes of this Section 6, Excess DS1 and DS3 Dedicated Transport means those BTI DS1 and DS3 Dedicated Transport facilities in service as of March 10, 2005, in excess of the caps set forth in Section 6.6 below. Subsequent disconnects and loss of End Users shall be removed from Excess DS1 and DS3 Loops.
- 6.2.5 For purposes of this Section 6.2, a Business Line is as defined in 47 C.F.R. § 51.5.
- 6.2.6 Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dedicated Transport as described in this Section 6.2 only for BTI's Embedded Base during the Transition Period:
- 6.2.6.1 DS1 Dedicated Transport where both wire centers at the end points of the route contain 38,000 or more Business Lines or four (4) or more fiber-based collocators.
- 6.2.6.2 DS3 Dedicated Transport where both wire centers at the end points of the route contain 24,000 or more Business Lines or three (3) or more fiber-based collocators.

- 6.2.6.3 A list of wire centers meeting the criteria set forth in Sections 6.2.6.1 or 6.2.6.2 above as of March 10, 2005, is set forth as Exhibit C hereto or as modified by a subsequent notification via BellSouth's web site (Initial Wire Center List).
- 6.2.6.4 Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Entrance Facilities only for BTI's Embedded Base Entrance Facilities and only during the Transition Period.
- 6.2.6.5 Notwithstanding the Effective Date of this Agreement, during the Transition Period, the rates for BTI's Embedded Base of DS1 and DS3 Dedicated Transport and for BTI's Excess DS1 and DS3 Dedicated Transport, as described in this Section 6.2, shall be as set forth in Exhibit B, and the rates for BTI's Embedded Base Entrance Facilities as described in this Section 6.2 shall be as set forth in Exhibit A. On or after December 1, 2005, BellSouth shall bill to BTI the amount owed for the Embedded Base of DS1 and DS3 Dedicated Transport, Excess DS1 and DS3 Dedicated Transport, and Embedded Base Entrance Facilities for the period from March 11, 2005 to the Effective Date, and BTI shall pay such amount according to payment processes set forth in Attachment 7 of this Agreement.
- 6.2.6.6 The Transition Period shall apply only to (1) BTI's Embedded Base and Embedded Base Entrance Facilities; and (2) BTI's Excess DS1 and DS3 Dedicated Transport. BTI shall not add new Entrance Facilities pursuant to this Agreement. Further, BTI shall not add new DS1 or DS3 Dedicated Transport as described in this Section 6.2 pursuant to this Agreement, except pursuant to the self-certification process as set forth in Section 1.8 above and as set forth in Section 6.2.6.10 below.
- 6.2.6.7 Once a wire center exceeds either of the thresholds set forth in Section 6.2.6.1 above, no future DS1 Dedicated Transport unbundling will be required in that wire center.
- 6.2.6.8 Once a wire center exceeds either of the thresholds set forth in Section 6.2.6.2 above, no future DS3 Dedicated Transport will be required in that wire center.
- 6.2.6.9 No later than December 9, 2005 BTI shall submit spreadsheet(s) identifying all of the Embedded Base of circuits, Embedded Base Entrance Facilities, and Excess DS1 and DS3 Dedicated Transport to be either disconnected or converted pursuant to Section 1.6 above. The Parties shall negotiate a project schedule for the Conversion of the Embedded Base, Embedded Base Entrance Facilities and Excess DS1 and DS3 Dedicated Transport. For circuits for which BTI requests Conversion to tariffed wholesale services, BellSouth will not complete the Conversion until March 11, 2006, or later, and BellSouth will continue to bill BTI at the transitional rates set forth in Section 6.2.6.5 until the circuit is converted to the tariffed wholesale service, which will occur on March 11, 2006, or later.

- 6.2.6.9.1 If BTI fails to submit the spreadsheet(s) specified in Section 6.2.6.9 above for all of its Embedded Base, Embedded Base Entrance Facilities and Excess DS1 and DS3 Dedicated Transport by February 10, 2006, BellSouth will identify BTI's remaining Embedded Base, Embedded Base Entrance Facilities and Excess DS1 and DS3 Dedicated Transport, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth pursuant to this Section 6.2.6.9.1 shall be subject to all applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.
- 6.2.6.9.2 For Embedded Base circuits, Embedded Base Entrance Facilities and Excess DS1 and DS3 Dedicated Transport converted pursuant to Section 6.2.6.9 above or transitioned pursuant to Section 6.2.6.9.1 above, the applicable recurring tariff charge shall apply to each circuit as of the date each circuit is converted or transitioned, as applicable.
- 6.2.6.10 Modifications and Updates to the Wire Center List and Subsequent Transition Periods
- 6.2.6.10.1 In the event BellSouth identifies additional wire centers that meet the criteria set forth in Sections 6.2.6.1 or 6.2.6.2 above, but that were not included in the Initial Wire Center List, BellSouth shall include such additional wire centers in CNL. Each such list of additional wire centers shall be considered a Subsequent Wire Center List.
- 6.2.6.10.2 Effective ten (10) business days after the date of a BellSouth CNL providing a Subsequent Wire Center List, BellSouth shall not be required to provide DS1 and DS3 Dedicated Transport, as applicable, in such additional wire center(s), except pursuant to the self-certification process as set forth in Section 1.8 above.
- 6.2.6.10.3 For purposes of Section 6.2.6.10 above, BellSouth shall make available DS1 and DS3 Dedicated Transport that was in service for BTI in a wire center on the Subsequent Wire Center List as of the tenth (10th) business day after the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Embedded Base) until ninety (90) days after the tenth (10th) business day from the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Transition Period).
- 6.2.6.10.4 Subsequent disconnects or loss of End Users shall be removed from the Subsequent Embedded Base.
- 6.2.6.10.5 The rates set forth in Exhibit B shall apply to the Subsequent Embedded Base during the Subsequent Transition Period.

- 6.2.6.10.6 No later than forty (40) days from BellSouth's CNL identifying the Subsequent Wire Center List BTI shall submit a spreadsheet(s) identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other BellSouth services. The Parties shall negotiate a project schedule for the Conversion of the Subsequent Embedded Base.
- 6.2.6.10.6.1 If BTI fails to submit the spreadsheet(s) specified in Section 6.2.6.10.6 above for all of its Subsequent Embedded Base within forty (40) days after the date of BellSouth's CNL identifying the Subsequent Wire Center List, BellSouth will identify BTI's remaining Subsequent Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth shall be subject to the applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.
- 6.2.6.10.7 For Subsequent Embedded Base circuits converted pursuant to Section 6.2.6.10.6 above or transitioned pursuant to Section 6.2.6.10.6.1 above, the applicable recurring tariff charges shall apply as of the earlier of the date each circuit is converted or transitioned, as applicable, or the first day after the end of the Subsequent Transition Period.
- 6.3 BellSouth shall:
 - 6.3.1 Provide BTI exclusive use of Dedicated Transport to a particular customer or carrier;
 - 6.3.2 Provide all technically feasible features, functions, and capabilities of Dedicated Transport as outlined within the technical requirements of this section;
 - 6.3.3 Permit, to the extent technically feasible, BTI to connect Dedicated Transport to equipment designated by BTI, including but not limited to, BTI's collocated facilities; and
 - 6.3.4 Permit, to the extent technically feasible, BTI to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 6.4 BellSouth shall offer Dedicated Transport:
 - 6.4.1 As capacity on a shared facility; and
 - 6.4.2 As a circuit (i.e., DS0, DS1, DS3, STS-1) dedicated to BTI.
- 6.5 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.

- 6.6 BTI may obtain a maximum of (10) unbundled DS1 Dedicated Transport circuits, or their equivalent, on each route where DS3 Dedicated Transport is not available as a Network Element. BTI may obtain a maximum of twelve (12) unbundled DS3 Dedicated Transport circuits, or their equivalent, on each route where DS3 Dedicated Transport is available as a Network Element. A route is defined as a transmission path between one (1) of BellSouth's wire centers or switches and another of BellSouth's wire centers or switches. A route between two (2) points may pass through one (1) or more intermediate wire centers or switches. Transmission paths between identical end points are the same "route", irrespective of whether they pass through the same intermediate wire centers or switches, if any.
- 6.7 Technical Requirements
- 6.7.1 BellSouth shall offer DS0 equivalent interface transmission rates for DS0 or voice grade Dedicated Transport. For DS1 or DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office (CI to CO) connections in the applicable industry standards.
- 6.7.2 BellSouth shall offer the following interface transmission rates for Dedicated Transport:
- 6.7.2.1 DS0 Equivalent;
- 6.7.2.2 DS1;
- 6.7.2.3 DS3;
- 6.7.2.4 STS-1; and
- 6.7.2.5 SDH (Synchronous Digital Hierarchy) Standard interface rates are in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.
- 6.7.3 BellSouth shall design Dedicated Transport according to its network infrastructure. BTI shall specify the termination points for Dedicated Transport.
- 6.7.4 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references and BellSouth Technical References;
- 6.7.4.1 Telcordia TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.
- 6.7.4.2 BellSouth's TR 73501 LightGate® Service Interface and Performance Specifications, Issue D, June 1995.

6.7.4.3 BellSouth's TR 73525 MegaLink®Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.

6.8 Unbundled Channelization (Multiplexing)

6.8.1 To the extent BTI is purchasing DS1 or DS3 or STS-1 Dedicated Transport pursuant to this Agreement, Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) Network Elements to be multiplexed or channelized at a BellSouth central office. Channelization can be accomplished through the use of a multiplexer or a digital cross-connect system at the discretion of BellSouth. Once UC has been installed, BTI may request channel activation on a channelized facility and BellSouth shall connect the requested facilities via COCIs. The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility. This service is available as defined in NECA 4.

6.8.2 BellSouth shall make available the following channelization systems and interfaces:

6.8.2.1 DS1 Channelization System: channelizes a DS1 signal into a maximum of twenty-four (24) DS0s. The following COCI are available: Voice Grade, Digital Data and ISDN.

6.8.2.2 DS3 Channelization System: channelizes a DS3 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.

6.8.2.3 STS-1 Channelization System: channelizes a STS-1 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.

6.8.3 Technical Requirements. In order to assure proper operation with BellSouth provided central office multiplexing functionality, BTI's channelization equipment must adhere strictly to form and protocol standards. BTI must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.

6.9 Dark Fiber Transport. Dark Fiber Transport is defined as Dedicated Transport that consists of unactivated optical interoffice transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics. Except as set forth in Section 6.9.1 below, BellSouth shall not be required to provide access to Dark Fiber Transport Entrance Facilities pursuant to this Agreement.

6.9.1 Transition for Dark Fiber Transport and Dark Fiber Transport Entrance Facilities

- 6.9.1.1 For purposes of this Section 6.9, the Transition Period for the Embedded Base of Dark Fiber Transport is the eighteen (18) month period beginning March 11, 2005 and ending September 10, 2006.
- 6.9.1.2 For purposes of this Section 6.9, Embedded Base means Dark Fiber Transport that was in service for BTI as of March 10, 2005 in those wire centers that, as of such date, met the criteria set forth in 6.9.1.4.1 below. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.
- 6.9.1.3 For purposes of this Section 6.9, a Business Line is as defined in 47 C.F.R. § 51.5.
- 6.9.1.4 Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dark Fiber Transport as described in this Section 6.9 only for BTI's Embedded Base during the Transition Period:
 - 6.9.1.4.1 Dark Fiber Transport where both wire centers at the end points of the route contain twenty-four thousand (24,000) or more Business Lines or three (3) or more fiber-based collocators.
- 6.9.1.5 A list of wire centers meeting the criteria set forth in Section 6.9.1.4 above as of March 10, 2005, Initial Wire Center List is set forth in Exhibit C hereto or as modified by a subsequent notification via BellSouth's web site.
- 6.9.1.6 Notwithstanding the Effective Date of this Agreement, during the Transition Period, the rates for BTI's Embedded Base of Dark Fiber Transport as described in Section 6.9.1.2 above shall be as set forth in Exhibit B and the rates for BTI's Embedded Base of Dark Fiber Transport Entrance Facilities as described in Section 6.9.1 above shall be as set forth in Exhibit A. On or after December 1, 2005, BellSouth shall bill to BTI the amount owed for the Embedded Base of Dark Fiber Transport and the Embedded Base of Dark Fiber Transport Entrance Facilities for the period from March 11, 2005 to the Effective Date, and BTI shall pay such amount according to payment processes set forth in Attachment 7 of this Agreement.
- 6.9.1.7 The Transition Period shall apply only to BTI's Embedded Base of Dark Fiber Transport and Dark Fiber Entrance Facilities. BTI shall not add new Dark Fiber Transport as described in this Section 6.9 except pursuant to the self-certification process as set forth in Section 1.8 above and as set forth in Section 6.9.1.10 below. Further, BTI shall not add new Dark Fiber Entrance Facilities pursuant to this Agreement.
- 6.9.1.8 Once a wire center exceeds either of the thresholds set forth in this Section 6.9.1.4 above, no future Dark Fiber Transport unbundling will be required in that wire center.

- 6.9.1.9 No later than June 10, 2006 BTI shall submit spreadsheet(s) identifying all of the Embedded Base of Dark Fiber Transport and Dark Fiber Entrance Facilities to be either disconnected or converted to other BellSouth services as Conversions pursuant to Section 1.6 above. The Parties shall negotiate a project schedule for the Conversion of the Embedded Base.
- 6.9.1.9.1 If BTI fails to submit the spreadsheet(s) specified in Section 6.9.1.9 above for all of its Embedded Base prior to June 10, 2006, BellSouth will identify BTI's remaining Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth pursuant to this Section 6.9.1.9.1 shall be subject to all applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.
- 6.9.1.9.2 For Embedded Base circuits converted pursuant to Section 6.9.1.9 above or transitioned pursuant to Section 6.9.1.9.1 above, the applicable recurring tariff charge shall apply to each circuit as of the earlier of the date each circuit is converted or transitioned, as applicable, or September 11, 2006.
- 6.9.1.10 Modifications and Updates to the Wire Center List and Subsequent Transition Periods
- 6.9.1.10.1 In the event BellSouth identifies additional wire centers that meet the criteria set forth in Section 6.9.1.4.1 above, but that were not included in the Initial Wire Center List, BellSouth shall include such additional wire centers in a CNL. Each such list of additional wire centers shall be considered a "Subsequent Wire Center List".
- 6.9.1.10.2 Effective ten (10) business days after the date of a BellSouth CNL providing a Subsequent Wire Center List, BellSouth shall not be required to provide unbundled access to Dark Fiber Transport, as applicable, in such additional wire center(s), except pursuant to the self-certification process as set forth in Section 1.8 above.
- 6.9.1.10.3 For purposes of Section 6.9.1.10, BellSouth shall make available Dark Fiber Transport that was in service for BTI in a wire center on the Subsequent Wire Center List as of the tenth (10th) business day after the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Embedded Base) until ninety (90) days after the tenth (10th) business day from the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Transition Period).
- 6.9.1.10.4 Subsequent disconnects or loss of End Users shall be removed from the Subsequent Embedded Base.

- 6.9.1.10.5 The rates set forth in Exhibit B shall apply to the Subsequent Embedded Base during the Subsequent Transition Period.
- 6.9.1.10.6 No later than forty (40) days from BellSouth's CNL identifying the Subsequent Wire Center List BTI shall submit a spreadsheet(s) identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other BellSouth services. The Parties shall negotiate a project schedule for the Conversion of the Subsequent Embedded Base.
- 6.9.1.10.6.1 If BTI fails to submit the spreadsheet(s) specified in Section 6.9.1.10.6 above for all of its Subsequent Embedded Base within forty (40) days after the date of BellSouth's CNL identifying the Subsequent Wire Center List, BellSouth will identify BTI's remaining Subsequent Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth shall be subject to the applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.
- 6.9.1.10.6.2 For Subsequent Embedded Base circuits converted pursuant to Section 6.9.1.10.6 above or transitioned pursuant to Section 6.9.1.10.6.1 above, the applicable recurring tariff charges shall apply as of the earlier of the date each circuit is converted or transitioned, as applicable, or the first day after the end of the Subsequent Transition Period.
- 6.10 Rearrangements
- 6.10.1 A request to move a working BTI CFA to another BTI CFA, where both CFAs terminate in the same BellSouth Central Office (Change in CFA), shall not constitute the establishment of new service. The applicable rates set forth in Exhibit A.
- 6.10.2 Requests to re-terminate one end of a facility that is not a Change in CFA constitute the establishment of new service and require disconnection of existing service and the applicable rates set forth in Exhibit A shall apply.
- 6.10.3 Upon request of BTI, BellSouth shall project manage the Change in CFA or re-termination of a facility as described in Sections 6.10.1 and 6.10.2 above and BTI may request OC-TS for such orders.
- 6.10.4 BellSouth shall accept a LOA between BTI and another carrier that will allow BTI to connect a facility, or Combination that includes Dedicated Transport to the other carrier's collocation space or to another carrier's CFA associated with higher bandwidth transport.

- 6.10.5 To the extent BTI elects to rearrange a BellSouth multiplexer purchased pursuant to this Agreement to a BellSouth special access multiplexer terminating to an BTI collocation space, BellSouth will charge the applicable DS3 multiplexing and circuit charges (e.g., the multiplexer installation charge and DS3 cross connect charge) as set forth in the BellSouth FCC tariff. For circuits purchased pursuant to this Agreement that may be attached to the multiplexer being rearranged, charges shall be assessed pursuant to this Agreement where no physical rearrangement of such circuits is required. Where a physical rearrangement of such circuits is required, charges shall be pursuant to BellSouth's FCC tariff, Section 23.5.2.17, Reconfiguration Charges – Nonrecurring.

7 Call Related Databases and Signaling

- 7.1 Call Related Databases are the databases other than OSS, that are used in signaling networks, for billing and collection, or the transmission, routing or other provision of a Telecommunications Service. Notwithstanding anything to the contrary herein, BellSouth shall only provide unbundled access to call related databases and signaling including but not limited to, BellSouth Switched Access 8XX Toll Free Dialing Ten Digit Screening Service, LIDB, Signaling, Signaling Link Transport, STP, SS7 AIN Access, Service Control Point(SCP)\Databases, Local Number Portability (LNP) Databases and Calling Name (CNAM) Database Service pursuant to this Agreement where BellSouth is required to provide and is providing Local Switching or UNE-P to BTI pursuant to this Agreement.

7.2 BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service

- 7.2.1 The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database (8XX SCP Database) is a SCP that contains customer record information and the functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS/8XX database and provides the routing instructions in response to queries from the SSP or tandem. The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service (8XX TFD Service) utilizes the 8XX SCP Database to provide identification and routing of the 8XX calls, based on the ten digits dialed. At BTI's option, 8XX TFD Service is provided with or without POTS number delivery, dialing number delivery, and other optional complex features as selected by BTI.

- 7.2.2 The 8XX SCP Database is designated to receive and respond to queries using the ANSI Specification of SS7 protocol.

7.3 LIDB

- 7.3.1 LIDB is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. For access to LIDB, BTI must purchase appropriate

signaling links pursuant to Section 7.4 below. LIDB contains records associated with End User Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.

7.3.2 Technical Requirements

7.3.2.1 BellSouth will offer to BTI any additional capabilities that are developed for LIDB during the life of this Agreement.

7.3.2.2 BellSouth shall process BTI's customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions. BellSouth shall indicate to BTI what additional functions (if any) are performed by LIDB in the BellSouth network.

7.3.2.3 Within two (2) weeks after a request by BTI, BellSouth shall provide BTI with a list of the customer data items, which BTI would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.

7.3.2.4 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed thirty (30) minutes per year.

7.3.2.5 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed twelve (12) hours per year.

7.3.2.6 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than twelve (12) hours per year.

7.3.2.7 All additions, updates and deletions of BTI data to the LIDB shall be solely at the direction of BTI. Such direction from BTI will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).

7.3.2.8 BellSouth shall provide priority updates to LIDB for BTI data upon BTI's request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one (1) hour of notice from the established BellSouth contact.

- 7.3.2.9 BellSouth shall provide LIDB systems such that no more than 0.01% of BTI customer records will be missing from LIDB, as measured by BTI audits. BellSouth will audit BTI records in LIDB against Data Base Administration System (DBAS) to identify record mismatches and provide this data to a designated BTI contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mismatches to BTI within one (1) business day of audit. Once reconciled records are received back from BTI, BellSouth will update LIDB the same business day if less than five hundred (500) records are received before 1:00 p.m. Central Time. If more than five hundred (500) records are received, BellSouth will contact BTI to negotiate a time frame for the updates, not to exceed three (3) business days.
- 7.3.2.10 BellSouth shall perform backup and recovery of all of BTI's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis; and when a new software release is scheduled, a backup is performed prior to loading the new release.
- 7.3.2.11 BellSouth shall provide BTI with LIDB reports of data which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between BTI and BellSouth.
- 7.3.2.12 BellSouth shall prevent any access to or use of BTI data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by BTI in writing.
- 7.3.2.13 BellSouth shall provide BTI performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by BTI at least at parity with BellSouth Customer Data. BellSouth shall obtain from BTI the screening information associated with LIDB Data Screening of BTI data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to BTI under the BFR/NBR Process as set forth in Attachment 11.
- 7.3.2.14 BellSouth shall accept queries to LIDB associated with BTI customer records and shall return responses in accordance with industry standards.
- 7.3.2.15 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.

7.3.2.16 BellSouth shall provide processing time at the LIDB within one (1) second for ninety-nine percent (99%) of all messages under normal conditions as defined in industry standards.

7.3.3 Interface Requirements

7.3.3.1 BellSouth shall offer LIDB in accordance with the requirements of this subsection.

7.3.3.2 The interface to LIDB shall be in accordance with the technical references contained within.

7.3.3.3 The CCS interface to LIDB shall be the standard interface described herein.

7.3.3.4 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation (GTT) shall be maintained in the signaling network in order to support signaling network routing to the LIDB.

7.3.3.5 The application of the LIDB rates contained in Exhibit A will be based on a Percent CLEC LIDB Usage (PCLU) factor. BTI shall provide BellSouth a PCLU. The PCLU will be applied to determine the percentage of total LIDB usage to be billed to the other Party at local rates. BTI shall update its PCLU on the first of January, April, July and October and shall send it to BellSouth to be received no later than thirty (30) calendar days after the first of each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PCLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide.

7.4 Signaling. BellSouth shall offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the terms and conditions set forth in Attachment 3 and at the rates set forth in Exhibit A. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, STPs and SCPs. Signaling functionality will be available with both A-link and B-link connectivity.

7.4.1 Signaling Link Transport. Signaling Link Transport is a set of two (2) or four (4) dedicated 56 kbps transmission paths between BTI designated SPOI that provide appropriate physical diversity.

7.4.1.1 Technical Requirements

7.4.1.1.1 Signaling Link Transport shall consist of full duplex mode fifty-six (56) kbps transmission paths and shall perform in the following two (2) ways:

- 7.4.1.1.1.1 As an "A-link" Signaling Link Transport is a connection between a switch or SCP and a home STP switch pair; and
- 7.4.1.1.1.2 As a "B-link" Signaling Link Transport is a connection between two (2) STP switch pairs in different company networks (e.g., between two (2) STP switch pairs for two (2) CLECs).
- 7.4.1.2 Signaling Link Transport shall consist of two (2) or more signaling link layers as follows:
 - 7.4.1.2.1 An A-link layer shall consist of two (2) links; and
 - 7.4.1.2.2 A B-link layer shall consist of four (4) links.
- 7.4.1.3 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:
 - 7.4.1.3.1 No single failure of facilities or equipment causes the failure of both links in an A-link layer (i.e., the links should be provided on a minimum of two (2) separate physical paths end-to-end); and
 - 7.4.1.3.2 No two (2) concurrent failures of facilities or equipment shall cause the failure of all four (4) links in a B-link layer (i.e., the links should be provided on a minimum of three (3) separate physical paths end-to-end).
- 7.4.2 Interface Requirements. There shall be a DS1 (1.544 Mbps) interface at BTI's designated SPOIs. Each fifty-six (56) kbps transmission path shall appear as a DS0 channel within the DS1 interface.
- 7.4.3 STP. An STP is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches and their associated signaling links that enables the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches.
 - 7.4.3.1 Technical Requirements
 - 7.4.3.1.1 STPs shall provide access to BellSouth Local Switching or Tandem Switching and to BellSouth SCPs/Databases connected to BellSouth SS7 network. STPs also provide access to third party local or tandem switching and third party provided STPs.
 - 7.4.3.1.2 The connectivity provided by STPs shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This includes the use of the BellSouth SS7 network to convey messages that neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transit messages). When the BellSouth SS7 network is used to convey transit

messages, there shall be no alteration of the Integrated Services Digital Network User Part (ISDNUP) or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message. Rates for ISDNUP and TCAP messages are as set forth in Exhibit A.

7.4.3.1.3 If a BellSouth tandem switch routes traffic, based on dialed or translated digits, on SS7 trunks between a BTI local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between BTI local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.

7.4.3.1.4 STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as defined in Telcordia ANSI Interconnection Requirements. This includes GTT and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a BTI or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a BTI database, then BTI agrees to provide BellSouth with the Destination Point Code for BTI database.

7.4.3.1.5 STPs shall provide all functions of the Operations, Maintenance and Administration Part (OMAP) as specified in applicable industry standard technical references, which may include, where available in BellSouth's network, MTP Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT).

7.4.3.1.6 Where the destination signaling point is a BellSouth local or tandem switching system or database, or is a BTI or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement may be superseded by the specifications for Internetwork MRVT and SRVT when these become approved ANSI standards and available capabilities of BellSouth STPs.

7.4.4 SS7

7.4.4.1 When technically feasible and upon request by BTI, SS7 AIN Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the

BellSouth SS7 network with BTI's SS7 network to exchange TCAP queries and responses with a BTI SCP.

7.4.4.2 SS7 AIN Access shall provide BTI SCP access to an equipped BellSouth local switch via interconnection of BellSouth's SS7 and BTI SS7 Networks. BellSouth shall offer SS7 AIN Access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the BTI SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.

7.4.4.3 Interface Requirements

7.4.4.3.1 BellSouth shall provide the following STP options to connect BTI or BTI-designated Local Switching systems to the BellSouth SS7 network:

7.4.4.3.1.1 An A-link interface from BTI Local Switching systems; and

7.4.4.3.1.2 A B-link interface from BTI local STPs.

7.4.4.3.2 Each type of interface shall be provided by one (1) or more layers of signaling links.

7.4.4.3.3 The SPOI for each link shall be located at a cross-connect element in the CO where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.

7.4.4.3.4 BellSouth shall provide intraoffice diversity between the SPOI and BellSouth STPs so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.

7.4.4.3.5 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.

7.4.4.4 Message Screening

7.4.4.4.1 BellSouth shall set message screening parameters so as to accept valid messages from BTI local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the BTI switching system has a valid signaling relationship.

7.4.4.4.2 BellSouth shall set message screening parameters so as to pass valid messages from BTI local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the BTI switching system has a valid signaling relationship.

- 7.4.4.4.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from BTI from any signaling point or network interconnected through BellSouth's SS7 network where the BTI SCP has a valid signaling relationship.
- 7.4.5 SCP/Databases
- 7.4.5.1 Call Related Databases provide the storage of, access to, and manipulation of information required to offer a particular service and/or capability. BellSouth shall provide access to the following Databases: LNP, LIDB, Toll Free Number Database, ALI/DMS, and CNAM Database. BellSouth also provides access to SCE/SMS application databases and DA.
- 7.4.5.2 A SCP is deployed in a SS7 network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. SMS provides operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.
- 7.4.5.3 Technical Requirements for SCPs/Databases
- 7.4.5.3.1 BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.
- 7.4.5.3.2 BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g., SS7, ISDN and X.25).
- 7.4.5.3.3 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.
- 7.5 LNP Database. The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.
- 7.6 CNAM Database Service
- 7.6.1 CNAM is the ability to associate a name with the calling party number, allowing the End User (to which a call is being terminated) to view the calling party's name before the call is answered. The calling party's information is accessed by queries launched to the CNAM database. This service also provides BTI the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.
- 7.6.2 BTI shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services. Said notice shall be in writing no less than sixty (60)

days prior to BTI's access to BellSouth's CNAM Database Services and shall be addressed to BTI's Local Contract Manager.

- 7.6.2.1 BTI's End Users' names and numbers related to UNE-P Services and shall be stored in the BellSouth CNAM database, and shall be available, on a per query basis only, to all entities that launch queries to the BellSouth CNAM database. BellSouth, at its sole discretion, may opt to interconnect with and query other calling name databases. In the event BellSouth does not query a third party calling name database that stores the calling party's information, BellSouth cannot deliver the calling party's information to a called End User. In addition, BellSouth cannot deliver the calling party's information where the calling party subscribes to any service that would block or otherwise cause the information to be unavailable.
- 7.6.2.2 For each BTI End User that subscribes to a switch based vertical feature providing calling name information to that End User for calls received, BellSouth will launch a query on a per call basis to the BellSouth CNAM database, or, subject to Section 7.6.2.1 above, to a third party calling name database, to provide calling name information, if available, to BTI's End User. BTI shall pay the rates set forth in Exhibit A, on a per query basis, for each query to the BellSouth CNAM database made on behalf of an BTI End User that subscribes to the appropriate vertical features that support Caller ID or a variation thereof. In addition, BTI shall reimburse BellSouth for any charges BellSouth pays to third party calling name database providers for queries launched to such database providers for the benefit of BTI's End Users.
- 7.6.3 BellSouth shall bill for CNAM queries the rate set forth in Exhibit A. In the event BellSouth is unable to bill per query, BellSouth shall bill BTI at the applicable rates set forth in Exhibit A based on a surrogate of two hundred and fifty-six (256) database queries per month per BTI's End Users with the Caller ID feature.
- 7.7 SCE/SMS AIN Access
- 7.7.1 BellSouth's SCE/SMS AIN Access shall provide BTI the capability to create service applications in a BellSouth SCE and deploy those applications in a BellSouth SMS to a BellSouth SCP.
- 7.7.2 BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to BTI. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions but will not include support for the creation of a specific service application.
- 7.7.3 BellSouth SCP shall partition and protect BTI service logic and data from unauthorized access.

- 7.7.4 When BTI selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable BTI to use BellSouth's SCE/SMS AIN Access to create and administer applications.
- 7.7.5 BTI access will be provided via remote data connection (e.g., dial-in, ISDN).
- 7.7.6 BellSouth shall allow BTI to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth.

8 Automatic Location Identification/Data Management System

8.1 911 and E911 Databases

- 8.1.1 BellSouth shall provide BTI with nondiscriminatory access to 911 and E911 databases on an unbundled basis, in accordance with 47 C.F.R. § 51.319 (f).
- 8.1.2 The ALI/DMS database contains End User information (including name, address, telephone information, and sometimes special information from the local service provider or End User) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911. BTI will be required to provide the BellSouth 911 database vendor daily service order updates to E911 database in accordance with Section 8.2.1 below.

8.2 Technical Requirements

- 8.2.1 BellSouth's 911 database vendor shall provide BTI the capability of providing updates to the ALI/DMS database through a specified electronic interface. BTI shall contact BellSouth's 911 database vendor directly to request interface. BTI shall provide updates directly to BellSouth's 911 database vendor on a daily basis. Updates shall be the responsibility of BTI and BellSouth shall not be liable for the transactions between BTI and BellSouth's 911 database vendor.
- 8.2.2 It is BTI's responsibility to retrieve and confirm statistical data and to correct errors obtained from BellSouth's 911 database vendor on a daily basis. All errors will be assigned a unique error code and the description of the error and the corrective action is described in the CLEC Users Guide for Facility Based Providers that is found on the BellSouth Interconnection Web site.
- 8.2.3 BTI shall conform to the BellSouth standards as described in the CLEC Users Guide to E911 for Facilities Based Providers that is located on the BellSouth's Interconnection Web site: www.interconnection.bellsouth.com/guides.
- 8.2.4 Stranded Unlocks are defined as End User records in BellSouth's ALI/DMS database that have not been migrated for over ninety (90) days to BTI, as a new provider of local service to the End User. Stranded Unlocks are those End User records that have been "unlocked" by the previous local exchange carrier that

provided service to the End User and are open for BTI to assume responsibility for such records.

- 8.2.5 Based upon End User record ownership information available in the NPAC database, BellSouth shall provide a Stranded Unlock annual report to BTI that reflects all Stranded Unlocks that remain in the ALI/DMS database for over ninety (90) days. BTI shall review the Stranded Unlock report, identify its End User records and request to either delete such records or migrate the records to BTI within two (2) months following the date of the Stranded Unlock report provided by BellSouth. BTI shall reimburse BellSouth for any charges BellSouth's database vendor imposes on BellSouth for the deletion of BTI's records.
- 8.3 911 PBX Locate Service®. 911 PBX Locate Service is comprised of a database capability and a separate transport component.
- 8.3.1 Description of Product. The transport component provides a dedicated trunk path from a Private Branch Exchange (PBX) switch to the appropriate BellSouth 911 tandem.
- 8.3.1.1 The database capability allows BTI to offer an E911 service to its PBX End Users that identifies to the PSAP the physical location of the BTI PBX 911 End User station telephone number for the 911 call that is placed by the End User.
- 8.3.2 BTI may order either the database capability or the transport component as desired or BTI may order both components of the service.
- 8.3.3 911 PBX Locate Database Capability. BTI's End User or BTI's End User's database management agent (DMA) must provide the End User PBX station telephone numbers and corresponding address and location data to BellSouth's 911 database vendor. The data will be loaded and maintained in BellSouth's ALI database.
- 8.3.4 Ordering, provisioning, testing and maintenance shall be provided by BTI pursuant to the 911 PBX Locate Marketing Service Description (MSD) that is located on the BellSouth Interconnection Web site.
- 8.3.5 BTI's End User, or BTI's End User DMA must provide ongoing updates to BellSouth's 911 database vendor within a commercially reasonable timeframe of all PBX station telephone number adds, moves and deletions. It will be the responsibility of BTI to ensure that the End User or DMA maintain the data pertaining to each End User's extension managed by the 911 PBX Locate Service product. BTI should not submit telephone number updates for specific PBX station telephone numbers that are submitted by BTI's End User, or BTI's End User DMA under the terms of 911 PBX Locate product.

- 8.3.5.1 BTI must provision all PBX station numbers in the same LATA as the E911 tandem.
- 8.3.6 BTI agrees to release, indemnify, defend and hold harmless BellSouth from any and all loss, claims, demands, suits, or other action, or any liability whatsoever, whether suffered, made, instituted or asserted by BTI's End User or by any other party or person, for any personal injury to or death of any person or persons, or for any loss, damage or destruction of any property, whether owned by BTI or others, or for any infringement or invasion of the right of privacy of any person or persons, caused or claimed to have been caused, directly or indirectly, by the installation, operation, failure to operate, maintenance, removal, presence, condition, location or use of PBX Locate Service features or by any services which are or may be furnished by BellSouth in connection therewith, including but not limited to the identification of the telephone number, address or name associated with the telephone used by the party or parties accessing 911 services using 911 PBX Locate Service hereunder, except to the extent caused by BellSouth's gross negligence or wilful misconduct. BTI is responsible for assuring that its authorized End Users comply with the provisions of these terms and that unauthorized persons do not gain access to or use the 911 PBX Locate Service through user names, passwords, or other identifiers assigned to BTI's End User or DMA pursuant to these terms. Specifically, BTI's End User or DMA must keep and protect from use by any unauthorized individual identifiers, passwords, and any other security token(s) and devices that are provided for access to this product.
- 8.3.7 BTI may only use BellSouth PBX Locate Service solely for the purpose of validating and correcting 911 related data for BTI's End Users' telephone numbers for which it has direct management authority.
- 8.3.8 911 PBX Locate Transport Component. The 911 PBX Locate Service transport component requires BTI to order a CAMA type dedicated trunk from BTI's End User premise to the appropriate BellSouth 911 tandem pursuant to the following provisions.
- 8.3.8.1 Except as otherwise set forth below, a minimum of two (2) End User specific, dedicated 911 trunks are required between the BTI's End User premise and the BellSouth 911 tandem as described in BellSouth's TR 73576 and in accordance with the 911 PBX Locate Marketing Service Description located on the BellSouth Interconnection Web site. BTI is responsible for connectivity between the End User's PBX and BTI's switch or POP location. BTI will then order 911 trunks from their switch or POP location to the BellSouth 911 tandem. The dedicated trunks shall be, at a minimum, DS0 level trunks configured as part of a digital interface (delivered over a BTI purchased DS1 facility that hands off at a DS1 or higher level digital or optical interface). BTI is responsible for ensuring that the PBX switch is capable of sending the calling station's Direct Inward Dial (DID) telephone number to the BellSouth 911 tandem in a specified Multi-frequency

(MF) Address Signaling Protocol. If the PBX switch supports Primary Rate ISDN (PRI) and the calling stations are DID numbers, then the 911 call can be transmitted using PRI, and there will be no requirement for the PBX Locate Transport component.

- 8.3.9 Ordering and Provisioning. BTI will submit an Access Service Request (ASR) to BellSouth to order a minimum of two (2) End User specific 911 trunks from its switch or POP location to the BellSouth 911 tandem.
- 8.3.9.1 Testing and maintenance shall be provided by BTI pursuant to the 911 PBX Locate Marketing Service description that is located on the BellSouth Interconnection Web site.
- 8.3.10 Rates. Rates for the 911 PBX Locate Service database component are set forth in Exhibit A. Trunks and facilities for 911 PBX Locate transport component may be ordered by BTI pursuant to the terms and conditions set forth in Attachment 3.

Exhibit C

Wire Center List

Exhibit 1
 Attach 2-TRRO Amendment
 Exhibit D-Wire Centers

State	Wire Center	Total Business Lines	Number of FB Collocators if 3 or Greater	December 2004 Data with FBC count as of Oct 14			
				Interoffice Transport		High Capacity Loops	
				Tier 1	Tier 2	No Impairment for DS3	No Impairment for DS1
AL	BRHMALMT	39,078	-	X			
AL	HNVIALMT	26,690	-		X		
AL	MOBLALAZ	20,101	5	X			
AL	MTGMALDA	32,752	-		X		
AL	MTGMALMT	27,528	-		X		
FL	BCRTFLBT	26,601	-		X		
FL	BCRTFLMA	40,746	5	X		X	
FL	COCOFLMA	18,097	4	X			
FL	DRBHFLMA	24,695	1		X		
FL	DYBHFLMA	32,282	7	X			
FL	FTLDFLCY	31,487	4	X			
FL	FTLDFLJA	29,209	5	X			
FL	FTLDFLMR	55,881	8	X		X	
FL	FTLDFLOA	23,008	5	X			
FL	FTLDFLPL	29,469	5	X			
FL	GSVLFLMA	55,681	4	X		X	
FL	HLWDFLPE	37,415	4	X			
FL	HLWDFLWH	34,022	-		X		
FL	JCVLFLCL	42,452	6	X		X	
FL	JCVLFLSJ	24,088	3		X		
FL	JCVLFLSM	17,820	5	X			
FL	MIAMFLAE	41,912	5	X		X	
FL	MIAMFLBR	24,482	-		X		
FL	MIAMFLCA	22,645	3		X		
FL	MIAMFLGR	68,580	11	X		X	X
FL	MIAMFLHL	43,021	5	X		X	
FL	MIAMFLPB	24,380	4	X			
FL	MIAMFLPL	86,923	5	X		X	X
FL	MIAMFLRR	24,740	3		X		
FL	MIAMFLSO	23,802	3		X		
FL	MIAMFLWM	23,310	4	X			
FL	MLBRFLMA	32,547	4	X			
FL	MNDRFLLO	20,180	3		X		
FL	NDADFLGG	18,239	5	X			
FL	ORLDFLAP	31,234	3		X		
FL	ORLDFLCL	20,828	5	X			
FL	ORLDFLMA	57,966	10	X		X	
FL	ORLDFLPC	45,792	6	X		X	
FL	ORLDFLPH	33,148	4	X			
FL	ORLDFLSA	26,126	8	X			
FL	PMBHFLFE	25,909	4	X			
FL	PMBHFLMA	33,993	4	X			
FL	PNSCFLBL	28,685	4	X			
FL	PNSCFLFP	30,863	-		X		
FL	PRRNFLMA	37,969	3		X		

Exhibit 1
 Attach 2-TRRO Amendment
 Exhibit D-Wire Centers

FL	STRNFLMA	25,577	-		X		
FL	WPBHFLAN	33,521	4	X			
FL	WPBHFLGA	24,885	-		X		
FL	WPBHFLGR	26,527	3		X		
FL	WPBHFLHH	36,053	3		X		
FL	WPBHFLLE	13,622	3		X		
GA	AGSTGAMT	22,316	3		X		
GA	ALBYGAMA	29,095	-		X		
GA	ALPRGAMA	74,317	7	X		X	X
GA	ATHNGAMA	28,311	-		X		
GA	ATLNGABU	57,064	7	X		X	
GA	ATLNGACS	94,988	9	X		X	X
GA	ATLNGAEP	34,260	4	X			
GA	ATLNGAPP	71,905	7	X		X	X
GA	ATLNGASS	33,797	3		X		
GA	ATLNGATH	33,131	3		X		
GA	CHMBGAMA	30,860	-		X		
GA	CLMBGAMT	36,081	-		X		
GA	CMNGGAMA	24,408	-		X		
GA	DLTHGAHS	39,907	-	X			
GA	DNWDGAMA	47,862	7	X		X	
GA	LLBNGAMA	27,481	-		X		
GA	LRVLGAOS	32,076	-		X		
GA	MACNGAMT	24,148	-		X		
GA	MRTTGAMA	89,220	4	X		X	X
GA	NRCRGAMA	78,131	8	X		X	X
GA	RSWLGAMA	41,390	3	X			
GA	SMYRGAMA	29,316	5	X			
GA	SMYRGAPF	52,246	8	X		X	
GA	SVNHGABS	28,626	3		X		
GA	TUKRGAMA	27,383	-		X		
KY	LSVLKYAP	49,159	4	X		X	
KY	LSVLKYBR	16,989	3		X		
LA	BTRGLAGW	39,525	-	X			
LA	BTRGLAMA	39,089	4	X		X	
LA	LFYTLAMA	46,825	-	X			
LA	MONRLAMA	37,785	-		X		
LA	NWORLAMA	71,146	6	X		X	X
LA	NWORLAMT	31,726	-		X		
LA	SHPTLAMA	29,790	4	X			
MS	HTBGMSMA	12,829	3		X		
MS	JCSNMSCP	40,109	3	X			
NC	BURLNCDA	18,608	3		X		
NC	CARYNCCE	27,888	4	X			
NC	CHRLNCBO	24,980	8	X			
NC	CHRLNCCA	85,131	9	X		X	X
NC	CHRLNCDE	17,354	3		X		
NC	CHRLNCLP	9,811	4	X			
NC	CHRLNCRE	11,507	6	X			
NC	CHRLNCSH	13,484	5	X			
NC	CHRLNCUN	14,570	4	X			
NC	CPHLNCRO	41,802	4	X		X	

Exhibit 1
Attach 2-TRRO Amendment
Exhibit D-Wire Centers

NC	GNBONCAS	34,302	6	X			
NC	GNBONCEU	48,789	6	X		X	
NC	RLGHNCGL	26,809	5	X			
NC	RLGHNCHO	29,561	8	X			
NC	RLGHNCMO	75,174	7	X		X	X
NC	SLBRNCMA	11,462	3		X		
NC	WLMGNCWI	24,794	-		X		
NC	WNSLNCFI	33,021	3		X		
SC	CHTNSCDT	24,703	5	X			
SC	CHTNSCNO	24,107	-		X		
SC	CLMASCSA	13,939	3		X		
SC	CLMASCSN	48,403	5	X		X	
SC	GNVLSCDT	45,546	5	X		X	
SC	GNVLSCWR	33,639	-		X		
SC	MNPLSCES	24,061	-		X		
SC	SPBGSCMA	22,796	3		X		
TN	CHTGTNBR	24,314	-		X		
TN	CHTGTNNS	23,166	3		X		
TN	KNVLTNMA	37,284	3		X		
TN	MMPHTNBA	34,364	-		X		
TN	MMPHTNEL	30,973	3		X		
TN	MMPHTNGT	26,311	-		X		
TN	MMPHTNMA	23,520	6	X			
TN	MMPHTNMT	10,289	3		X		
TN	MMPHTNOA	36,686	2		X		
TN	NSVLTNBW	28,974	-		X		
TN	NSVLTNDO	24,914	-		X		
TN	NSVLTNMT	78,781	3	X			
TN	NSVLTNST	24,911	-		X		
TN	NSVLTNUN	19,987	3		X		

Totals

68

59

27

10

UNBUNDLED NETWORK ELEMENTS - Alabama									
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)		Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st
					First	Add'l			
					First	Add'l			
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website									
OPERATIONS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"									
NOTE (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions The OSS charges currently contained in this rate exhibit are the BellSouth "regional" service ordering charges CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has an interconnection contract established in each of the 9 states									
NOTE (2) Any element that can be ordered electronically will be billed according to the SOMECH rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the LOH, the listed SOMECH rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be applied to a CLEC bill when it submits an LSR to BellSouth									
	OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - LINE Only			SOMECH	3.50	0.00	3.50	0.00	
	OSS - Manual Service Order Charge, Per Local Service Request (LSR) - LINE Only			SOMAN	15.66	0.00	1.97	0.00	
UNE SERVICE RATE ADVANCEMENT CHARGE									
NOTE The Expedite charge will be maintained commensurate with BellSouth's FCC No 1 Tariff, Section 5 as applicable									
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			SDASP	200.00	200.00			
ORDER MODIFICATION CHARGE									
	Order Modification Charge (OMC)				35.13	0.00	0.00	0.00	
	Order Modification Additional Dispatch Charge (OMCAD)				150.00	0.00	0.00	0.00	
UNBUNDLED EXCHANGE ACCESS LOOP									
2-WIRE ANALOG VOICE GRADE LOOP									
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1	1	UEANL	UEAL2	12.58	37.81	17.56	23.49	5.30
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2	2	UEANL	UEAL2	21.05	37.81	17.56	23.49	5.30
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3	3	UEANL	UEAL2	34.34	37.81	17.56	23.49	5.30
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1	1	UEANL	UEASL	12.58	37.81	17.56	23.49	5.30
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2	2	UEANL	UEASL	21.05	37.81	17.56	23.49	5.30
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3	3	UEANL	UEASL	34.34	37.81	17.56	23.49	5.30
Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise									
	Loop Testing - Basic 1st Half Hour		UEANL	URETL		8.93	0.88		
	Loop Testing - Basic Additional Half Hour		UEANL	URET1		34.16	0.00		
	CLEC to CLEC Conversion Charge Without Outside Dispatch (LVL-SL)		UEANL	URET1		19.85	19.85		
			UEANL	UREWO		15.78	8.94		

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment 2 Exh A				
CATEGORY	RATE ELEMENTS	Interm Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
					Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First			Adff	SOME		
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - E 1)		UEANL	UEANM			13 44							
	Manual Order Coordination for UVL-SL1a (per loop)		UEANL	UEAMC			8 15	8 15						
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)		UEANL	OCOSL			18 09							
	Bulk Migration Mass market rate, per 2 Wire Voice Loop-SL1		UEANL	UREPN			31 40	13 81						
	Bulk Migration Mass market rate Order Coordination, per 2 Wire Voice Loop-SL1		UEANL	UREPM			8 15	8 15						
2-WIRE UNBUNDLED COPPER LOOP	2-Wire Unbundled Copper Loop - Non-Design Zone 1	1	UEQ	UEQ2X		11 20	34 14	15 10	21 25	4 15				
	2-Wire Unbundled Copper Loop - Non-Design - Zone 2	2	UEQ	UEQ2X		13 27	34 14	15 10	21 25	4 15				
	2-Wire Unbundled Copper Loop - Non-Design - Zone 3	3	UEQ	UEQ2X		15 07	34 14	15 10	21 25	4 15				
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise		UEQ	URETL										
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Design (per loop)		UEQ	USBMC			8 93	0 88						
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST providing make-up (Engineering Information - E 1)		UEQ	UEQMU			13 44							
	Loop Testing - Basic 1st Half Hour		UEQ	URET1			34 16	0 00						
	Loop Testing - Basic Additional Half Hour		UEQ	URETA			19 85	19 85						
	Bulk Migration Mass market rate, per 2 Wire UCL-ND		UEQ	UREPN			28 10	11 60						
	Bulk Migration Mass market rate Order Coordination, per 2 Wire Voice UCL-ND		UEQ	UREPM			8 15	8 15						
UNBUNDLED EXCHANGE ACCESS LOOP														
2-WIRE ANALOG VOICE GRADE LOOP	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1	1	UEA, NTCVG	UEAL2		14 38	88 00	55 00	47 24	7 44				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2	2	UEA, NTCVG	UEAL2		22 85	88 00	55 00	47 24	7 44				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3	3	UEA, NTCVG	UEAL2		36 14	88 00	55 00	47 24	7 44				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1	1	UEA, NTCVG	UEAR2		14 38	88 00	55 00	47 24	7 44				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2	2	UEA, NTCVG	UEAR2		22 85	88 00	55 00	47 24	7 44				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	3	UEA, NTCVG	UEAR2		36 14	88 00	55 00	47 24	7 44				
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DSO)		UEA, NTCVG	URES			24 89	3 51						
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet (per DSO)		UEA, NTCVG	URES			26 37	4 99						
	CLEC to CLEC Conversion Charge without outside dispatch		UEA, NTCVG	UREWO			11 21	1 10						
	Loop Tagging - Service Level 2 (SL2)		UEA, NTCVG	URETN			77 39	48 32						
4-WIRE ANALOG VOICE GRADE LOOP	Bulk Migration Mass Market rate, per 2 Wire Voice Loop SL2		UEA	UREPN										
	Bulk Migration Mass Market rate Order Coordination, per 2 Wire Voice Loop-SL2		UEA	UREPM			0 00	0 00						
	4-Wire Analog Voice Grade Loop - Zone 1	1	UEA, NTCVG	UEAL4		25 34	131 97	94 51	59 14	14 50				
	4-Wire Analog Voice Grade Loop - Zone 2	2	UEA, NTCVG	UEAL4		38 58	131 97	94 51	59 14	14 50				
	4-Wire Analog Voice Grade Loop - Zone 3	3	UEA, NTCVG	UEAL4		60 02	131 97	94 51	59 14	14 50				
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DSO)		UEA, NTCVG	URES			24 89	3 51						
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DSO)		UEA, NTCVG	URES			26 37	4 99						
	CLEC to CLEC Conversion Charge without outside dispatch		UEA, NTCVG	UREWO			87 72	36 36						
	2-WIRE ISDN DIGITAL GRADE LOOP													
	2-Wire ISDN Digital Grade Loop - Zone 1	1	UDN	U1L2X		21 88	117 24	79 77	52 88	10 54				
2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP	2-Wire ISDN Digital Grade Loop - Zone 2	2	UDN	U1L2X		32 85	117 24	79 77	52 88	10 54				
	2-Wire ISDN Digital Grade Loop - Zone 3	3	UDN	U1L2X		48 55	117 24	79 77	52 88	10 54				
	CLEC to CLEC Conversion Charge without outside dispatch		UDN	UREWO			91 63	44 16						
2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP														
	2-Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1	1	UAL	UAL2X		11 01	110 00	68 00	47 24	7 44				

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment 2 Exh. A			
CATEGORY	RATE ELEMENTS	Interm Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st
					Rec	Nonrecurring	First	Add'l	Nonrecurring Disconnect	SOME	SOMAN	SOMAN	SOMAN
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2	2	UAL	UAL2X	1273	110.00	68.00	7.44	7.44				
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3	3	UAL	UAL2X	1430	110.00	68.00	7.44	7.44				
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1	1	UAL	UAL2W	1101	90.00	57.00	7.44	7.44				
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2	2	UAL	UAL2W	1273	90.00	57.00	7.44	7.44				
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3	3	UAL	UAL2W	1430	90.00	57.00	7.44	7.44				
	CLEC to CLEC Conversion Charge without outside dispatch			UREWO	86.20	40.40							
2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1	1	UHL	UHL2X	874	110.00	68.00	7.44	7.44				
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2	2	UHL	UHL2X	1017	110.00	68.00	7.44	7.44				
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3	3	UHL	UHL2X	1144	110.00	68.00	7.44	7.44				
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	UHL	UHL2W	874	90.00	57.00	7.44	7.44				
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	2	UHL	UHL2W	1017	90.00	57.00	7.44	7.44				
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	3	UHL	UHL2W	1144	90.00	57.00	7.44	7.44				
	CLEC to CLEC Conversion Charge without outside dispatch			UREWO	86.14	40.40							
4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1	1	UHL	UHL4X	1395	148.36	68.00	51.70	9.73				
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2	2	UHL	UHL4X	1556	148.36	68.00	51.70	9.73				
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3	3	UHL	UHL4X	1525	148.36	68.00	51.70	9.73				
	4 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	UHL	UHL4W	1395	94.00	57.00	51.70	9.73				
	4 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	2	UHL	UHL4W	1556	94.00	57.00	51.70	9.73				
	4 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	3	UHL	UHL4W	1525	94.00	57.00	51.70	9.73				
	CLEC to CLEC Conversion Charge without outside dispatch			UREWO	86.14	40.40							
4-WIRE DS1 DIGITAL LOOP													
	4 Wire DS1 Digital Loop - Zone 1	1	USL	NTCD1	82.55	252.47	157.54	44.70	11.71				
	4 Wire DS1 Digital Loop - Zone 2	2	USL	NTCD1	154.18	252.47	157.54	44.70	11.71				
	4 Wire DS1 Digital Loop - Zone 3	3	USL	NTCD1	314.52	252.47	157.54	44.70	11.71				
	Switch-As is Conversion rate per UNE Loop, single LSR, (per DS1)			URES1	24.89	3.51							
	Switch-As is Conversion rate per UNE Loop, Spreadsheet, (per DS1)			URES1	26.37	4.99							
	CLEC to CLEC Conversion Charge without outside dispatch			URES1	101.09	43.05							
	EEL to Designated UNE-1 Conversion without outside dispatch, spreadsheet conversion, per Loop				128.00	77.00							
4-WIRE 19.2, 56 OR 64 Kbps DIGITAL GRADE LOOP													
	4 Wire Unbundled Digital 19.2 Kbps	1	UDL	NTCUD	26.09	126.27	88.80	59.14	14.50				
	4 Wire Unbundled Digital 19.2 Kbps	2	UDL	NTCUD	35.95	126.27	88.80	59.14	14.50				
	4 Wire Unbundled Digital 19.2 Kbps	3	UDL	NTCUD	37.88	126.27	88.80	59.14	14.50				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	UDL	NTCUD	26.09	126.27	88.80	59.14	14.50				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	2	UDL	NTCUD	35.95	126.27	88.80	59.14	14.50				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	3	UDL	NTCUD	37.88	126.27	88.80	59.14	14.50				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	UDL	NTCUD	26.09	126.27	88.80	59.14	14.50				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	2	UDL	NTCUD	35.95	126.27	88.80	59.14	14.50				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	3	UDL	NTCUD	37.88	126.27	88.80	59.14	14.50				
	Switch-As is Conversion rate per UNE Loop, single LSR, (per DS0)			URES1	24.89	3.51							
	Switch-As is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			URES1	26.37	4.99							

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment 2 Exh A			
CATEGORY	RATE ELEMENTS	Interm Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st
					Rec	Nonrecurring	First	Add'l	Nonrecurring Disconnect	SOME	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch		UDL, NTCUD	UREWO			102.13	49.75					
2-WIRE	Unbundled COPPER LOOP												
	2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1	1	UCL	UCLPB	11.01	112.46	65.30		7.44				
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2	2	UCL	UCLPB	12.73	112.46	65.30		7.44				
	2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3	3	UCL	UCLPB	14.30	112.46	65.30		7.44				
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		8.15	8.15						
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1	UCL	UCLPW	11.01	91.46	54.30		7.44				
	2 Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	2	UCL	UCLPW	12.73	91.46	54.30		7.44				
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	3	UCL	UCLPW	14.30	91.46	54.30		7.44				
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		8.15	8.15						
	CLEC to CLEC Conversion Charge without outside dispatch (UCL Des)		UCL	UREWO		97.23	42.48						
4-WIRE	COPPER LOOP												
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1	1	UCL	UCLAS	17.36	135.21	88.05		9.73				
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2	2	UCL	UCLAS	20.76	135.21	88.05		9.73				
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3	3	UCL	UCLAS	28.21	135.21	88.05		9.73				
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1	UCL	UCL4W	17.36	114.21	67.05		9.73				
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	2	UCL	UCL4W	20.76	114.21	67.05		9.73				
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	3	UCL	UCL4W	28.21	114.21	67.05		9.73				
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		8.15	8.15						
	CLEC to CLEC conversion Charge without outside dispatch		UCL	UREWO		97.23	42.48						
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		8.15	8.15						
	UCL, UCLN, UCL												
	UCL, UCL, NTCVG, NTCUD, UCL, NTC01, UEANL			OCOSL		18.09							
LOOP MODIFICATION	Order Coordination for Specified Conversion Time (per LSR)												
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18K ft. per Unbundled Loop		UCL, UCL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB			0.00	0.00						
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft. per Unbundled Loop		UCL, UCL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB			0.00	0.00						
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop		UCL, UCL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB			32.41	32.41						
SUB-LOOPS	Sub-Loop Distribution												
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up		UEANL, UEF	USBSA		244.42							
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up		UEANL, UEF	USBSB		22.64							
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up		UEANL	USBSC		177.45							
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up		UEANL	USBSD		55.15							
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	1	UEANL	USBN2	11.21	65.80	30.96		6.70				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	2	UEANL	USBN2	11.94	65.80	30.96		6.70				

UNBUNDLED NETWORK ELEMENTS - Alabama																						
CATEGORY	RATE ELEMENTS	Interm Zone	BCS	USOC	RATES(\$)					Svc Order Submitted Elec per LSR	Attachment: 2 Exh. A		Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st							
					Rec	Nonrecurring		Nonrecurring Disconnect			SOME	SOMAN	SOMAN	SOMAN	SOMAN							
						First	Add'l	First	Add'l													
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	3	UEANL	USBN2	16.86	65.80	30.96	45.25	6.70													
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEANL	USBMC		8.15	8.15															
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1	1	UEANL	USBN4	8.46	79.03	44.19	49.71	9.07													
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2	2	UEANL	USBN4	16.67	79.03	44.19	49.71	9.07													
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3	3	UEANL	USBN4	32.57	79.03	44.19	49.71	9.07													
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEANL	USBMC		8.15	8.15															
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)		UEANL	USBR2	2.27	53.01	18.17	45.25	6.70													
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEANL	USBMC		8.15	8.15															
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)		UEANL	USBR4	5.16	59.25	24.41	49.71	9.07													
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEANL	USBMC		8.15	8.15															
	Loop Testing - Basic 1st Half Hour		UEANL	URET1		34.16	0.00															
	Loop Testing - Basic Additional Half Hour		UEANL	URET1		19.85	19.85															
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	UEF	UCS2X	6.22	65.80	30.96	45.25	6.70													
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	2	UEF	UCS2X	8.76	65.80	30.96	45.25	6.70													
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	3	UEF	UCS2X	11.27	65.80	30.96	45.25	6.70													
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEF	USBMC		8.15	8.15															
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	UEF	UCS4X	6.11	79.03	44.19	49.71	9.07													
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	2	UEF	UCS4X	12.61	79.03	44.19	49.71	9.07													
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	3	UEF	UCS4X	15.36	79.03	44.19	49.71	9.07													
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEF	USBMC		8.15	8.15															
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-Designed and Distribution Subloops		UEF, UEANL	URETL		8.93	0.88															
	Loop Testing - Basic 1st Half Hour		UEF	URET1		34.16	0.00															
	Loop Testing - Basic Additional Half Hour		UEF	URET1		19.85	19.85															
	Unbundled Sub-Loop Modification																					
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load		UEF	ULM2X		175.78	5.10															
	Coil/Equip Removal per 2 W PR		UEF	ULM2X		175.78	5.10															
	Unbundled Sub-Loop Modification - 4-W Copper Dist Load		UEF	ULM4X		175.78	5.10															
	Coil/Equip Removal per 4-W PR		UEF	ULM4X		175.78	5.10															
	Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop		UEF	ULMBT		278.20	6.11															
	Unbundled Network Terminating Wire (UNTW)		UENTW	UFENPP	0.40	30.01																
	Unbundled Network Terminating Wire (UNTW) per Pair		UENTW	UFENPP																		
	Network Interface Device (NID)		UENTW	UND12		43.23	28.38															
	Network Interface Device (NID) - 1-2 lines		UENTW	UND12		43.23	28.38															
	Network Interface Device (NID) - 1-6 lines		UENTW	UND16		63.97	49.11															
	Network Interface Device Cross Connect - 2 W		UENTW	UNDC2		5.87	5.87															
	Network Interface Device Cross Connect - 4W		UENTW	UNDC4		5.87	5.87															
	UNE OTHER, PROVISIONING ONLY - NO RATE																					
	Unbundled Contact Name, Provisioning Only - no rate		UAL, UCL, UDC, UDL, UDN, UEA, UEL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD, NTCG1, USL	UNEON	0.00	0.00																
	Unbundled DS1 Loop - Superframe Format Option - no rate		USL	CCOSF	0.00	0.00																
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate		USL	CCOEF	0.00	0.00																
	NID - Dispatch and Service Order for NID installation		UENTW	UNDBX	0.00	0.00																
	UNTW Circuit Establishment, Provisioning Only - No Rate		UENTW	UNDCX	0.00	0.00																
	HIGH CAPACITY UNBUNDLED LOCAL LOOP																					
	NOTE minimum billing period of three months for DS3/STS-1 Local Loop																					
	High Capacity Unbundled Local Loop - DS3 Per Mile per month		UE3	1LSND	8.38																	

UNBUNDLED NETWORK ELEMENTS - Alabama																		
CATEGORY	RATE ELEMENTS	Intrnm	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	Attachment: 2 Exh. A			Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l		
						Rec	Nonrecurring		Nonrecurring Disconnect			OSS Rates(\$)						
							First	Add'l				First	SOMAN	SOMAN			SOMAN	
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	308.98	451.52	263.94	119.49	83.58								
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1LSND	8.38												
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	319.83	451.52	263.94	119.49	83.58								
LOOP MAKE-UP	Loop Makeup - Preordering Without Reservation, per working or spare facility, queried (Manual)				UMK													
	Loop Makeup - Preordering With Reservation, per spare facility, queried (Manual)			UMK	UMKLP		20.00	20.00										
	Loop Makeup - With or Without Reservation, per working or spare facility, queried (Mechanized)			UMK	UMKMQ		21.00	21.00										
LINE SPLITTING							0.59	0.59										
END USER ORDERING-CENTRAL OFFICE BASED																		
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UECOS	0.61												
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	37.01	21.19	20.02	9.83								
	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	37.01	21.19	20.02	9.83								
UNBUNDLED EXCHANGE ACCESS LOOP																		
2-WIRE ANALOG VOICE GRADE LOOP																		
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEALS	12.58	37.81	17.56	23.49	5.30								
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEABS	12.58	37.81	17.56	23.49	5.30								
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEALS	21.05	37.81	17.56	23.49	5.30								
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEABS	21.05	37.81	17.56	23.49	5.30								
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEALS	34.34	37.81	17.56	23.49	5.30								
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEABS	34.34	37.81	17.56	23.49	5.30								
PHYSICAL COLLOCATION																		
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.03	12.30	11.80	6.03	5.44								
VIRTUAL COLLOCATION																		
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.03	12.30	11.80	6.03	5.44								
UNBUNDLED DEDICATED TRANSPORT																		
INTEROFFICE CHANNEL - DEDICATED TRANSPORT																		
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1LSXX	0.008838												
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Facility Termination			U1TVX	U1TV2	21.13	40.54	27.41	16.74	6.90								
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Rev Bat - Per Mile per month			U1TVX	1LSXX	0.008838												
	Interoffice Channel - Dedicated Transport - 2-Wire VG Rev Bat - Facility Termination			U1TVX	U1TR2	21.13	40.54	27.41	16.74	6.90								
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1LSXX	0.008838												
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Facility Termination			U1TVX	U1TV4	18.73	40.54	27.41	16.74	6.90								
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1LSXX	0.008838												
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	U1TD5	15.12	40.54	27.41	16.74	6.90								
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1LSXX	0.008838												
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TDX	U1TD8	15.12	40.54	27.41	16.74	6.90								
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1LSXX	0.18												
	Interoffice Channel - Dedicated Transport - DS1 - Facility Termination			U1TD1	U1TF1	60.16	89.27	81.81	16.35	14.44								

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment 2 Exh A			
CATEGORY	RATE ELEMENTS	Interm Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st
					Rec	Nonrecurring	Nonrecurring	Disconnect					
					First	Add'l	First	Add'l	SOMEQ	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month		U1TD3	1L5XX	4 09								
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month		U1TD3	U1TF3	703 52	278 75	162 76	60 20	28 46				
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month		U1TS1	1L5XX	4 09								
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination		U1TS1	U1TF5	701 37	278 75	162 76	60 20	28 46				
	Local Channel - Dedicated - 2-Wire Voice Grade		ULDVX, UNCVX	ULDV2	16 07								
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat		ULDVX	ULDR2	16 07								
	Local Channel - Dedicated - 4-Wire Voice Grade		ULDVX, UNCVX	ULDV4	17 17								
	Local Channel - Dedicated - DS1 - Zone 1	1	ULDD1, UNCLX	ULDF1	41 12								
	Local Channel - Dedicated - DS1 - Zone 2	2	ULDD1, UNCLX	ULDF1	57 48								
	Local Channel - Dedicated - DS1 - Zone 3	3	ULDD1, UNCLX	ULDF1	123 77								
	Local Channel - Dedicated - DS3 - Per Mile per month		ULDD3, UNCSX	ULDF3	7 96								
	Local Channel - Dedicated - DS3 - Facility Termination		ULDD3, UNCSX	ULDF3	479 02								
	Local Channel - Dedicated - STS-1 - Per Mile per month		ULDS1, UNCSX	ULDF3	7 96								
	Local Channel - Dedicated - STS-1 - Facility Termination		ULDS1, UNCSX	ULDF3	469 76								
	UNBUNDLED DARK FIBER												
	Dark Fiber, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof - Interoffice Transport		UDF, UDFCX	1L50F	22 34	639 09	137 87	317 06	197 66				
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel		UDF, UDFCX	1L5DC	69 37								
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop		UDF, UDFCX	1L5DL	69 37								
	8XX ACCESS TEN DIGIT SCREENING												
	8XX Access Ten Digit Screening, Per Call				0 000565								
	8XX Access Ten Digit Screening, w/ 8FL No. Delivery				0 000565								
	8XX Access Ten Digit Screening, w/ POTS No. Delivery				0 000565								
	LINE INFORMATION DATA BASE ACCESS (LDB)												
	LDB Common Transport Per Query				0 000002								
	LDB Validation Per Query				0 012002								
	LDB Originating Point Code Establishment or Change		OOU	NRBPX	34 32			42 08					
	CALLING NAME (GNAM) SERVICE												
	GNAM for DB Owners, Per Query				0 000902								
	GNAM for Non DB Owners, Per Query				0 000902								
	LNP Query Service												
	LNP Charge Per Query				0 000757								
	LNP Service Establishment Manual												
	LNP Service Provisioning with Point Code Establishment												
	SELECTIVE ROUTING												
	Selective Routing Per Unique Line Class Code Per Request Per Switch				12 52			11 51					
	Regional Service Establishment				582 49			268 93	197 74				
	End Office Establishment												
	Query NRC, per query												
	AIN - BELL SOUTH AIN SMS ACCESS SERVICE												
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup		AIN	CAMSE	39 44			40 69	40 69				
	AIN SMS Access Service - Port Connection - Dial/Shared Access		AIN	CAMOP	7 83			9 09	9 09				
	AIN SMS Access Service - Port Connection - ISDN Access		AIN	CAMIP	7 83			9 09	9 09				
	AIN SMS Access Service - User Identification Codes - Per User ID Code		AIN	CAMAU	35 00			27 06	27 06				
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement		AIN	CAMRC	41 88			11 71	11 71				
	AIN SMS Access Service - Storage, Per Unit (100 Kibibytes)				0 002188								
	AIN SMS Access Service - Session, Per Minute				0 59								
	AIN SMS Access Service - Company Performed Session, Per Minute				0 73								
	SIGNALING (CCS7)												
	NOTE "bk" beside a rate indicates that the Parties have agreed to bill and keep for that element.												

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment 2 Exh A			
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st
					Rec	Flat	Add'l	Nonrecurring Disconnect	SOMECH	SOMAN	OSS Rates(\$)	SOMAN	SOMAN
	CCS7 Signaling Usage, Per TCAP Message				0.00005693K			Flat					
	CCS7 Signaling Usage, Per ISUP Message				0.00001428K			Add'l					
911 PBX LOCATE													
	911 PBX LOCATE DATABASE CAPABILITY												
	Service Establishment per CLEC per End User Account												
	Charges to TN Range on Customer Profile												
	Per Telephone Number (Monthly)												
	Change Company (Service Provider) ID												
	PBX Locate Service Support per CLEC (Monthly)												
	Service Order Charge												
911 PBX LOCATE TRANSPORT COMPONENT													
	See AR 3												
ENHANCED EXTENDED LINK (EELs)													
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-A-to-B Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements. The monthly recurring and non-recurring charges below will apply for UNE combinations provisioned as 'Currently Combined' Network Elements.													
EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT													
	First 2-Wire VG Loop (SL2) in Combination - Zone 1	1	UNCVX	UEAL2	14.38	88.00	55.00	47.24				7.44	
	First 2-Wire VG Loop (SL2) in Combination - Zone 2	2	UNCVX	UEAL2	22.85	88.00	55.00	47.24				7.44	
	First 2-Wire VG Loop (SL2) in Combination - Zone 3	3	UNCVX	UEAL2	36.14	88.00	55.00	47.24				7.44	
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month				0.18								
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month												
	1/0 Channelization System in combination Per Month				60.16	89.27	81.81	16.35				14.44	
	Voice Grade COCI - Per Month				101.06	91.04	82.57	10.54				9.79	
	Each Additional 2-Wire VG Loop (SL2) in Combination - Zone 1	1	UNCVX	UEAL2	14.38	88.00	55.00	47.24				7.44	
	Each Additional 2-Wire VG Loop (SL2) in Combination - Zone 2	2	UNCVX	UEAL2	22.85	88.00	55.00	47.24				7.44	
	Each Additional 2-Wire VG Loop (SL2) in Combination - Zone 3	3	UNCVX	UEAL2	36.14	88.00	55.00	47.24				7.44	
	Voice Grade COCI - Per Month				0.53	6.58	4.72						
EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT													
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1	1	UNCVX	UEAL4	25.34	131.97	94.51	59.14				14.50	
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2	2	UNCVX	UEAL4	38.58	131.97	94.51	59.14				14.50	
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3	3	UNCVX	UEAL4	60.02	131.97	94.51	59.14				14.50	
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month				0.18								
	1/0 Channel System in combination Per Month				60.16	89.27	81.81	16.35				14.44	
	Voice Grade COCI in combination - per month				101.06	91.04	82.57	10.54				9.79	
	Additional 4-Wire Analog Voice Grade Loop in same DS1				0.53	6.58	4.72						
	Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL4	25.34	131.97	94.51	59.14				14.50	
	Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL4	38.58	131.97	94.51	59.14				14.50	
	Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL4	60.02	131.97	94.51	59.14				14.50	
	Additional Voice Grade COCI in combination - per month				0.53	6.58	4.72						
EXTENDED 4-WIRE 56 Kbps EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT													
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	1	UNCVX	UDL56	26.09	126.27	88.80	59.14				14.50	
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	2	UNCVX	UDL56	35.95	126.27	88.80	59.14				14.50	
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	3	UNCVX	UDL56	37.88	126.27	88.80	59.14				14.50	
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month				0.18								
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month												
	1/0 Channel System in combination Per Month				60.16	89.27	81.81	16.35				14.44	
	Termination Per Month				101.06	91.04	82.57	10.54				9.79	

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment 2 Exh. A			
CATEGORY	RATE ELEMENTS	Interm Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
					Rec	Nonrecurring	Disconnect	First					
	OCU-DP COCI (data) per month (2 4-64kbs)		UNCDX			1 12	6 58	4 72					
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			UD1DD									
	Interoffice Transport Combination - Zone 1	1	UNCDX	UDL56		26 09	126 27	88 80	59 14	14 50			
	Additional 4 Wire 56Kbps Digital Grade Loop in same DS1												
	Interoffice Transport Combination - Zone 2	2	UNCDX	UDL56		35 95	126 27	88 80	59 14	14 50			
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1												
	Interoffice Transport Combination - Zone 3	3	UNCDX	UDL56		37 88	126 27	88 80	59 14	14 50			
	Additional OCU-DP COCI (data) - in combination per month (2 4-64kbs)		UNCDX	UD1DD		1 12	6 58	4 72					
EXTENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT													
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	1	UNCDX	UDL64		26 09	126 27	88 80	59 14	14 50			
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2	2	UNCDX	UDL64		35 95	126 27	88 80	59 14	14 50			
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	3	UNCDX	UDL64		37 88	126 27	88 80	59 14	14 50			
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1LSXX		0 18							
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		UNC1X	U1TF1		60 16	89 27	81 81	16 35	14 44			
	1/0 Channel System in combination Per Month		UNC1X	MC1		101 06	91 04	62 57	10 54	9 79			
	OCU-DP COCI (data) - in combination - per month (2 4-64kbs)		UNCDX	UD1DD		1 12	6 58	4 72					
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	1	UNCDX	UDL64		26 09	126 27	88 80	59 14	14 50			
	Interoffice Transport Combination - Zone 1												
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	2	UNCDX	UDL64		35 95	126 27	88 80	59 14	14 50			
	Interoffice Transport Combination - Zone 2												
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	3	UNCDX	UDL64		37 88	126 27	88 80	59 14	14 50			
	Interoffice Transport Combination - Zone 3												
	Additional OCU-DP COCI (data) - in combination - per month (2 4-64kbs)		UNCDX	UD1DD		1 12	6 58	4 72					
EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT													
	4-Wire DS1 Digital Loop in Combination - Zone 1	1	UNC1X	USLXX		82 55	252 47	157 54	44 70	11 71			
	4-Wire DS1 Digital Loop in Combination - Zone 2	2	UNC1X	USLXX		154 18	252 47	157 54	44 70	11 71			
	4-Wire DS1 Digital Loop in Combination - Zone 3	3	UNC1X	USLXX		314 52	252 47	157 54	44 70	11 71			
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1LSXX		0 18							
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		UNC1X	U1TF1		60 16	89 27	81 81	16 35	14 44			
EXTENDED 4-WIRE DS1 DIGIT AL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT													
	First DS1 Loop in Combination - Zone 1	1	UNC1X	USLXX		82 55	252 47	157 54	44 70	11 71			
	First DS1 Loop in Combination - Zone 2	2	UNC1X	USLXX		154 18	252 47	157 54	44 70	11 71			
	First DS1 Loop in Combination - Zone 3	3	UNC1X	USLXX		314 52	252 47	157 54	44 70	11 71			
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month		UNC3X	1LSXX		4 09							
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month		UNC3X	U1TF3		703 52	278 75	162 76	60 20	58 46			
	3/1 Channel System in combination per month		UNC3X	MC3		166 13	178 14	93 97	33 26	31 83			
	DS1 COCI in combination per month		UNC1X	UC1D1		12 70	6 58	4 72					
	Additional DS1 Loop in DS3 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX		82 55	252 47	157 54	44 70	11 71			
	Additional DS1 Loop in DS3 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX		154 18	252 47	157 54	44 70	11 71			
	Additional DS1 Loop in DS3 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX		314 52	252 47	157 54	44 70	11 71			
EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT													
	2 Wire VG Loop in combination - Zone 1	1	UNCVX	UEAL2		14 38	88 00	55 00	47 24	7 44			
	2-Wire VG Loop in combination - Zone 2	2	UNCVX	UEAL2		22 85	88 00	55 00	47 24	7 44			
	2-Wire VG Loop in combination - Zone 3	3	UNCVX	UEAL2		36 14	88 00	55 00	47 24	7 44			
	Interoffice Transport - 2-wire VG - Dedicated - Per Mile Per Month		UNCVX	1LSXX		0 008838							
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month		UNCVX	U1TV2		21 13	40 54	27 41	16 74	6 90			
EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT													

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment 2 Eth A				Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	
CATEGORY	RATE ELEMENTS	Interm Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
					Rec	First	Add'l	Nonrecurring Disconnect		SOME	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire/VG Loop in combination - Zone 1	1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50						
	4-Wire/VG Loop in combination - Zone 2	2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50						
	4-Wire/VG Loop in combination - Zone 3	3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50						
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month		UNCVX	1L5XX	0.008838										
	Interoffice Transport - 4-wire VG - Dedicated - Facility		UNCVX	U1TV4	18.79	40.54	27.41	16.74	6.90						
	TERMINATION PER MONTH		UNCVX	1L5ND	8.38										
	DS3 Local Loop in combination - per mile per month		UNCVX	1L5ND	8.38										
	DS3 Local Loop in combination - Facility Termination per month		UNCVX	UE3PX	308.98	451.52	263.94	119.49	83.58						
	Interoffice Transport - Dedicated - DS3 - Per Mile per month		UNCVX	1L5XX	4.09										
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month		UNCVX	U1TF3	703.52	278.75	162.76	60.20	58.46						
	EXTENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT		UNCVX	1L5ND	8.38										
	STS-1 Local Loop in combination - per mile per month		UNCVX	1L5ND	8.38										
	STS-1 Local Loop in combination - Facility Termination per month		UNCVX	UDLS1	319.83	451.52	263.94	119.49	83.58						
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month		UNCVX	1L5XX	4.09										
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month		UNCVX	U1TF5	701.37	278.75	162.76	60.20	58.46						
	EXTENDED 2-WIRE ISDN LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT		UNCVX	1L5XX	0.18										
	First 2-Wire ISDN Loop in combination - Zone 1	1	UNCVX	U1L2X	21.88	117.24	79.77	52.88	10.54						
	First 2-Wire ISDN Loop in combination - Zone 2	2	UNCVX	U1L2X	32.85	117.24	79.77	52.88	10.54						
	First 2-Wire ISDN Loop in combination - Zone 3	3	UNCVX	U1L2X	48.55	117.24	79.77	52.88	10.54						
	Interoffice Transport - Dedicated - DS1 combination - per mile per month		UNCVX	1L5XX	0.18										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month		UNCVX	U1TF1	60.16	89.27	81.81	16.35	14.44						
	1/10 Channel System in combination - per month		UNCVX	MQ1	101.06	91.04	62.57	10.54	9.79						
	2-wire ISDN COCI (BRITE) - in combination - per month		UNCVX	UC1CA	2.41	6.58	4.72								
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 1	1	UNCVX	U1L2X	21.88	117.24	79.77	52.88	10.54						
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 2	2	UNCVX	U1L2X	32.85	117.24	79.77	52.88	10.54						
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 3	3	UNCVX	U1L2X	48.55	117.24	79.77	52.88	10.54						
	Additional 2-wire ISDN COCI (BRITE) - in combination - per month		UNCVX	UC1CA	2.41	6.58	4.72								
	EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT		UNCVX	1L5XX	0.18										
	First DS1 Loop Combination - Zone 1	1	UNCVX	U1L2X	82.55	252.47	157.54	44.70	11.71						
	First DS1 Loop Combination - Zone 2	2	UNCVX	U1L2X	154.18	252.47	157.54	44.70	11.71						
	First DS1 Loop Combination - Zone 3	3	UNCVX	U1L2X	314.52	252.47	157.54	44.70	11.71						
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month		UNCVX	1L5XX	4.09										
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month		UNCVX	U1TF5	701.37	278.75	162.76	60.20	58.46						
	3/1 Channel System in combination per month		UNCVX	MQ3	166.13	178.14	93.97	33.26	31.83						
	DS1 COCI in combination per month		UNCVX	UC1D1	12.70	6.58	4.72								
	Additional DS1 Loop in the same STS-1 Interoffice Transport Combination - Zone 1	1	UNCVX	U1L2X	82.55	252.47	157.54	44.70	11.71						
	Additional DS1 Loop in the same STS-1 Interoffice Transport Combination - Zone 2	2	UNCVX	U1L2X	154.18	252.47	157.54	44.70	11.71						
	Additional DS1 Loop in the same STS-1 Interoffice Transport Combination - Zone 3	3	UNCVX	U1L2X	314.52	252.47	157.54	44.70	11.71						
	EXTENDED 4-WIRE 56 Kbps DIGITAL EXTENDED LOOP WITH 56 Kbps INTEROFFICE TRANSPORT		UNCVX	1L5XX	0.008838										
	4-wire 56 Kbps Local Loop in combination - Zone 1	1	UNCVX	U1L56	26.09	126.27	88.80	59.14	14.50						
	4-wire 56 Kbps Local Loop in combination - Zone 2	2	UNCVX	U1L56	35.95	126.27	88.80	59.14	14.50						
	4-wire 56 Kbps Local Loop in combination - Zone 3	3	UNCVX	U1L56	37.88	126.27	88.80	59.14	14.50						
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month		UNCVX	1L5XX	0.008838										

UNBUNDLED NETWORK ELEMENTS - Alabama													
CATEGORY	RATE ELEMENTS	Interm Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st
					Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	SOMEc	SOMAN	OSS Rates(\$)	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month												
	EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT		UNCDCX	U1TD5	15.12	40.54	27.41	16.74					
	4-wire 64 kbps Local Loop in Combination - Zone 1	1	UNCDCX	UDL64	26.09	126.27	88.80	59.14					
	4-wire 64 kbps Local Loop in Combination - Zone 2	2	UNCDCX	UDL64	35.95	126.27	88.80	59.14					
	4-wire 64 kbps Local Loop in Combination - Zone 3	3	UNCDCX	UDL64	37.88	126.27	88.80	59.14					
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month		UNCDCX	1L5XX	0.008838								
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month		UNCDCX	U1TD6	15.12	40.54	27.41	16.74					
	EXTENDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX												
	First 2-wire VG Loop (SL2) in Combination - Zone 1	1	UNCVCX	UEAL2	14.38	88.00	55.00	47.24					
	First 2-wire VG Loop (SL2) in Combination - Zone 2	2	UNCVCX	UEAL2	22.85	88.00	55.00	47.24					
	First 2-wire VG Loop (SL2) in Combination - Zone 3	3	UNCVCX	UEAL2	36.14	88.00	55.00	47.24					
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile		UNC1X	1L5XX	0.18								
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month		UNC1X	U1TF1	60.16	89.27	81.81	16.35					
	Per each DS1 Channelization System Per Month		UNC1X	MQ1	101.06	91.04	62.57	10.54					
	Per each Voice Grade COCI - Per Month per month		UNCVCX	1D1VG	0.53	6.58	4.72						
	3/1 Channel System in combination per month		UNC3X	MQ3	166.13	178.14	93.97	33.26					
	Per each DS1 COCI in combination per month		UNC1X	UC1D1	12.70	6.58	4.72						
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 1	1	UNCVCX	UEAL2	14.38	88.00	55.00	47.24					
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2	2	UNCVCX	UEAL2	22.85	88.00	55.00	47.24					
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3	3	UNCVCX	UEAL2	36.14	88.00	55.00	47.24					
	Each Additional Voice Grade COCI - in combination - per month		UNCVCX	1D1VG	0.53	6.58	4.72						
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month		UNC1X	1L5XX	0.18								
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month		UNC1X	U1TF1	60.16	89.27	81.81	16.35					
	Each Additional DS1 COCI combination per month		UNC1X	UC1D1	12.70	6.58	4.72						
	EXTENDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX												
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 1	1	UNCVCX	UEAL4	25.34	131.97	94.51	59.14					
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 2	2	UNCVCX	UEAL4	38.58	131.97	94.51	59.14					
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 3	3	UNCVCX	UEAL4	60.02	131.97	94.51	59.14					
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1L5XX	0.18								
	First Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month		UNC1X	U1TF1	60.16	89.27	81.81	16.35					
	Per each 1/0 Channel System in combination Per Month		UNC1X	MQ1	101.06	91.04	62.57	10.54					
	Per each Voice Grade COCI in combination - per month		UNCVCX	1D1VG	0.53	6.58	4.72						
	3/1 Channel System in combination per month		UNC3X	MQ3	166.13	178.14	93.97	33.26					
	Per each DS1 COCI in combination per month		UNC1X	UC1D1	12.70	6.58	4.72						
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1	1	UNCVCX	UEAL4	25.34	131.97	94.51	59.14					
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2	2	UNCVCX	UEAL4	38.58	131.97	94.51	59.14					
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3	3	UNCVCX	UEAL4	60.02	131.97	94.51	59.14					
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month		UNC1X	1L5XX	0.18								
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month		UNC1X	U1TF1	60.16	89.27	81.81	16.35					
	Additional Voice Grade COCI - in combination - per month		UNCVCX	1D1VG	0.53	6.58	4.72						
	EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX												
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 1	1	UNCDCX	UDL56	26.09	126.27	88.80	59.14					

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment 2 Exh. A			
CATEGORY	RATE ELEMENTS	Intrm Zone	BCS	USOC	RATES(\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
					Ree	Nonrecurring	First	Add'l	Nonrecurring Disconnect				
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 2	2	UNCDX	UDL56	35.95	126.27	88.80	14.50	59.14	14.50		SOMAN	SOMAN
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 3	3	UNCDX	UDL56	37.88	126.27	88.80	14.50	59.14	14.50			
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1L5XX	0.18								
	First Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month		UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44				
	Per each 1/0 Channel System in combination Per Month		UNC1X	U1TF1	101.06	91.04	62.57	10.54	9.79				
	Per each OCU-DP COCI (data) COCI per month (2 4-64Kbs)		UNC3X	1D1DD	1.12	6.58	4.72						
	31 Channel System in combination per month		UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83				
	Per each DS1 COCI in combination per month		UNC1X	UC1D1	12.70	6.58	4.72						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL56	26.09	126.27	88.80	14.50	59.14	14.50			
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL56	35.95	126.27	88.80	14.50	59.14	14.50			
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL56	37.88	126.27	88.80	14.50	59.14	14.50			
	OCU-DP COCI (data) COCI in combination per month (2 4-64Kbs)		UNC3X	1D1DD	1.12	6.58	4.72						
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month		UNC1X	1L5XX	0.18								
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month		UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44				
	Each Additional DS1 COCI in the same 3/1 channel system combination per month		UNC1X	UC1D1	12.70	6.58	4.72						
EXTENDED 4-WIRE 64 Kbps DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX													
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL64	26.09	126.27	88.80	14.50	59.14	14.50			
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL64	35.95	126.27	88.80	14.50	59.14	14.50			
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL64	37.88	126.27	88.80	14.50	59.14	14.50			
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1L5XX	0.18								
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44				
	Per each Channel System 1/0 in combination Per Month		UNC1X	MQ3	101.06	91.04	62.57	10.54	9.79				
	Per each OCU-DP COCI (data) in combination - per month (2 4-64Kbs)		UNC3X	1D1DD	1.12	6.58	4.72						
	31 Channel System in combination per month		UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83				
	Per each DS1 COCI in combination per month		UNC1X	UC1D1	12.70	6.58	4.72						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL64	26.09	126.27	88.80	14.50	59.14	14.50			
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL64	35.95	126.27	88.80	14.50	59.14	14.50			
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL64	37.88	126.27	88.80	14.50	59.14	14.50			
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64Kbs)		UNC3X	1D1DD	1.12	6.58	4.72						
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month		UNC1X	1L5XX	0.18								
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month		UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44				
	Each Additional DS1 COCI in the same 3/1 channel system combination per month		UNC1X	UC1D1	12.70	6.58	4.72						
EXTENDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1	1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2	2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3	3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54				

UNBUNDLED NETWORK ELEMENTS - Alabama																	
CATEGORY	RATE ELEMENTS		Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Attachment 2 Exh A		Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l		
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	Add'l	SOME	SOMAN	SOMAN	SOMAN	SOMAN		
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.18											
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44							
	Per each Channel System 1/0 in combination - per month			UNC1X	MG1	101.06	91.04	62.57	10.54	9.79							
	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	2.41	6.58	4.72									
	3/1 Channel System in combination per month			UNC3X	MG3	166.13	178.14	93.97	33.26	31.83							
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	12.70	6.58	4.72									
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 1	1		UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54							
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 2	2		UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54							
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 3	3		UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54							
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel system combination - per month			UNCNX	UC1CA	2.41	6.58	4.72									
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.18											
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44							
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	12.70	6.58	4.72									
	EXTENDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX			UNC1X	UC1D1	12.70	6.58	4.72									
	First 4-wire DS1 Digital Local Loop in Combination - Zone 1	1		UNC1X	U1LXX	82.55	252.47	157.54	44.70	11.71							
	First 4-wire DS1 Digital Local Loop in Combination - Zone 2	2		UNC1X	U1LXX	154.18	252.47	157.54	44.70	11.71							
	First 4-wire DS1 Digital Local Loop in Combination - Zone 3	3		UNC1X	U1LXX	314.52	252.47	157.54	44.70	11.71							
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.18											
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44							
	3/1 Channel System in combination per month			UNC3X	MG3	166.13	178.14	93.97	33.26	31.83							
	Per each DS1 COCI combination per month			UNC1X	UC1D1	12.70	6.58	4.72									
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.18											
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44							
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	12.70	6.58	4.72									
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 1	1		UNC1X	U1LXX	82.55	252.47	157.54	44.70	11.71							
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 2	2		UNC1X	U1LXX	154.18	252.47	157.54	44.70	11.71							
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 3	3		UNC1X	U1LXX	314.52	252.47	157.54	44.70	11.71							
	EXTENDED 4-WIRE 56 Kbps DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT			UNCDCX	U1L56	26.09	126.27	88.80	59.14	14.50							
	First 4-wire 56 kbps Local Loop in combination - Zone 1	1		UNCDCX	U1L56	35.95	126.27	88.80	59.14	14.50							
	First 4-wire 56 kbps Local Loop in combination - Zone 2	2		UNCDCX	U1L56	37.88	126.27	88.80	59.14	14.50							
	First 4-wire 56 kbps Local Loop in combination - Zone 3	3		UNCDCX	U1L56	0.008838											
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDCX	1L5XX	0.008838											
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDCX	U1TD5	15.12	40.54	27.41	16.74	6.90							
	EXTENDED 4-WIRE 64 Kbps DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT			UNCDCX	U1TD5	15.12	40.54	27.41	16.74	6.90							
	First 4-wire 64 kbps Local Loop in combination - Zone 1	1		UNCDCX	U1L64	26.09	126.27	88.80	59.14	14.50							
	First 4-wire 64 kbps Local Loop in combination - Zone 2	2		UNCDCX	U1L64	35.95	126.27	88.80	59.14	14.50							
	First 4-wire 64 kbps Local Loop in combination - Zone 3	3		UNCDCX	U1L64	37.88	126.27	88.80	59.14	14.50							
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDCX	1L5XX	0.008838											
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDCX	U1TD6	15.12	40.54	27.41	16.74	6.90							
ADDITIONAL NETWORK ELEMENTS																	
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch Aa is charge does apply																	
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch Aa is charge does apply																	
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch Aa is charge does apply																	
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch Aa is charge does apply																	
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch Aa is charge does apply																	
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch Aa is charge does apply																	
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch Aa is charge does apply																	
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch Aa is charge does apply																	
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch Aa is charge does apply																	
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch Aa is charge does apply																	
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch Aa is charge does apply																	
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch Aa is charge does apply																	
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch Aa is charge does apply																	
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch Aa is charge does apply																	
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch Aa is charge does apply																	
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch Aa is charge does apply																	
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch Aa is charge does apply																	
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch Aa is charge does apply																	
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch Aa is charge does apply																	
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch Aa is charge does apply																	
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch Aa is charge does apply																	
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch Aa is charge does apply																	
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch Aa is charge does apply																	
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch Aa is charge does apply																	
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch Aa is charge does apply																	
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch Aa is charge does apply																	
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch Aa is charge does apply																	
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch Aa is charge does apply																	
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch Aa is charge does apply																	
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch Aa is charge does apply																	
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch Aa is charge does apply																	
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch Aa is charge does apply																	
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch Aa is charge does apply																	
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch Aa is charge does apply																	
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch Aa is charge does apply																	
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch Aa is charge does apply																	
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch Aa is charge does apply																	
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch Aa is charge does apply																	
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch Aa is charge does apply																	
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch Aa is charge does apply																	
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch Aa is charge does apply																	
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch Aa is charge does apply																	
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch Aa is charge does apply																	
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch Aa is charge does apply																	
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch Aa is charge does apply																	
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch Aa is charge does apply																	
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch Aa is charge does apply																	
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch Aa is charge does apply																	
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch Aa is charge does apply																	
When used as a part of																	

UNBUNDLED NETWORK ELEMENTS - Alabama

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment 2 Exh. A			
CATEGORY	RATE ELEMENTS	Interm Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st
					Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	Add'l	SOME	SOMAN	SOMAN	SOMAN
	Miscellaneous												
	LINE Multiplexer Reconfiguration Charge per DS1 Circuit				0.00	0.00	0.00	0.00	0.00				
	INFC - Order Coordination Specific Time Dedicated Transport					35.00							
	UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)												
	1 The Exchange Switching Port Rates Reflected Here Apply to Embedded Base Switching Ports as of March 10, 2005 and Consist of the TELRIC Cost Based Rates Plus \$1.00 in Accordance with the TRRO												
	EXCHANGE PORT RATES												
	NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the cleared features will need to be ordered using retail USOCs												
	2-WIRE VOICE GRADE LINE PORT RATES (RES)												
	Exchange Ports - 2-Wire Analog Line Port - Res				UEPSR	2.38	2.27	1.42	1.33				
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res				UEPSR	2.38	2.27	1.42	1.33				
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res				UEPSR	2.38	2.27	1.42	1.33				
	Exchange Ports - 2-Wire VG unburled AL extended local dialing party Port with Caller ID - Res				UEPSR	2.38	2.27	1.42	1.33				
	Exchange Ports - 2-Wire VG unburled res, low usage line port with Caller ID (LUM)				UEPSR	2.38	2.27	1.42	1.33				
	Exchange Ports - 2-Wire VG Alabama Residence Dialing Plan without Caller ID				UEPSR	2.38	2.27	1.42	1.33				
	2-Wire voice unburled Low Usage Line Port without Caller ID				UEPSR	2.38	2.27	1.42	1.33				
	Capacity				UEPSR	2.38	2.27	1.42	1.33				
	Subsequent Activity				UEPSR	0.00	0.00						
	FEATURES				UEPSR	1.98	0.00						
	All Available Vertical Features				UEPSR	0.00	0.00						
	2-WIRE VOICE GRADE LINE PORT RATES (BUS)												
	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus				UEPSB	2.38	2.27	1.42	1.33				
	Exchange Ports - 2-Wire VG unburled Line Port with unburled Port with Caller ID - Bus				UEPSB	2.38	2.27	1.42	1.33				
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus				UEPSB	2.38	2.27	1.42	1.33				
	Exchange Ports - 2-Wire VG unburled AL extended local dialing party Port with Caller ID - Bus				UEPSB	2.38	2.27	1.42	1.33				
	Exchange Ports - 2-Wire VG unburled incoming only port with Caller ID - Bus				UEPSB	2.38	2.27	1.42	1.33				
	Exchange Ports - 2-Wire Voice Alabama Business Dialing Plan without Caller ID				UEPSB	2.38	2.27	1.42	1.33				
	2-Wire voice unburled Incoming Only Port without Caller ID				UEPSB	2.38	2.27	1.42	1.33				
	Capacity				UEPSB	2.38	2.27	1.42	1.33				
	Subsequent Activity				UEPSB	0.00	0.00						
	FEATURES				UEPSB	1.98	0.00						
	All Available Vertical Features				UEPSB	0.00	0.00						
	EXCHANGE PORT RATES (DID & PBX)												
	2-Wire VG Unburled 2-Way PBX Trunk - Res				UEPRD	2.38	31.27	14.85	13.94	0.90			
	2-Wire VG Line Side Unburled 2-Way PBX Trunk - Bus				UEPPC	2.38	31.27	14.85	13.94	0.90			
	2-Wire VG Line Side Unburled Outward PBX Trunk - Bus				UEPPO	2.38	31.27	14.85	13.94	0.90			
	2-Wire VG Line Side Unburled Incoming PBX Trunk - Bus				UEPPI	2.38	31.27	14.85	13.94	0.90			
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus				UEPLD	2.38	31.27	14.85	13.94	0.90			
	2-Wire Voice Unburled 2-Way PBX Alabama Calling Port				UEPA2	2.38	31.27	14.85	13.94	0.90			
	2-Wire Voice Unburled PBX LD Terminal Ports				UEPLD	2.38	31.27	14.85	13.94	0.90			
	2-Wire Voice Unburled 2-Way PBX Usage Port				UEPXA	2.38	31.27	14.85	13.94	0.90			
	2-Wire Voice Unburled PBX LD Terminal Hotel Ports				UEPSP	2.38	31.27	14.85	13.94	0.90			
	2-Wire Voice Unburled PBX LD DDD Terminal Port				UEPXB	2.38	31.27	14.85	13.94	0.90			
	2-Wire Voice Unburled PBX LD Terminal Switchboard Port				UEPXC	2.38	31.27	14.85	13.94	0.90			
	2-Wire Voice Unburled PBX LD Terminal Switchboard IDD				UEPXD	2.38	31.27	14.85	13.94	0.90			
	Capable Port				UEPXE	2.38	31.27	14.85	13.94	0.90			

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment 2 Exh A			
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st
					Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	SOME	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port		UEPSP	UEPXL	2.38	31.27	14.85	13.94	0.90				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port		UEPSP	UEPXM	2.38	31.27	14.85	13.94	0.90				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port		UEPSP	UEPXP	2.38	31.27	14.85	13.94	0.90				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		UEPSP	UEPXS	2.38	31.27	14.85	13.94	0.90				
	Subsequent Activity		UEPSP	USASC	0.00	0.00	0.00						
FEATURES													
	All Available Vertical Features		UEPSP UEPSE	UEPVE	1.98	0.00	0.00						
NOTE	Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports												
NOTE	Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process												
2-WIRE VOICE GRADE LINE PORT RATES (GID)													
	Exchange Ports - 2-Wire DID Port		UEPEX	UEPP2	9.05	119.31	18.74	59.90	3.76				
	Exchange Ports - 2-Wire ISDN Port (See Notes below)		UEPTX, UEPSPX	UEPMA	10.79	72.77	52.69	47.79	10.74				
	All Features Offered		UEPTX, UEPSPX	UEPVE	1.08	0.00	0.00						
	Exchange Ports - 2-Wire ISDN Port - Channel Profiles		UEPTX, UEPSPX	UEPMA	0.00	0.00	0.00						
NOTE	Transmission/usage charges associated with POTS circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports												
NOTE	Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process												
UNBUNDLED PORT WITH REMOTE CALL FORWARDING CAPABILITY													
UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE													
	Unbundled Remote Call Forwarding Service - Area Calling - Res		UEPVR	UEPAC	2.38	2.38	2.27	1.42	1.33				
	Unbundled Remote Call Forwarding Service - Local Calling - Res		UEPVR	UEPAC	2.38	2.38	2.27	1.42	1.33				
	Unbundled Remote Call Forwarding Service - InterLATA - Res		UEPVR	UEPAC	2.38	2.38	2.27	1.42	1.33				
	Unbundled Remote Call Forwarding Service - IntraLATA - Res		UEPVR	UEPAC	2.38	2.38	2.27	1.42	1.33				
Non-Recurring													
	Unbundled Remote Call Forwarding Service - Conversion - Switch as-is		UEPVR	USAC2	0.10	0.10	0.10						
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)		UEPVR	USACC	0.10	0.10	0.10						
UNBUNDLED REMOTE CALL FORWARDING - BUS													
	Unbundled Remote Call Forwarding Service - Area Calling - Bus		UEPVB	UEPAC	2.38	2.38	2.27	1.42	1.33				
	Unbundled Remote Call Forwarding Service - Local Calling - Bus		UEPVB	UEPAC	2.38	2.38	2.27	1.42	1.33				
	Unbundled Remote Call Forwarding Service - InterLATA - Bus		UEPVB	UEPAC	2.38	2.38	2.27	1.42	1.33				
	Unbundled Remote Call Forwarding Service - IntraLATA - Bus		UEPVB	UEPAC	2.38	2.38	2.27	1.42	1.33				
	Exception Local Calling		UEPVB	UEPAC	2.38	2.38	2.27	1.42	1.33				
Non-Recurring													
	Unbundled Remote Call Forwarding Service - Conversion - Switch as-is		UEPVB	USAC2	0.10	0.10	0.10						
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)		UEPVB	USACC	0.10	0.10	0.10						
UNBUNDLED LOCAL SWITCHING, PORT USAGE													
	End Office Switching (Port Usage)												
	End Office Trunk Port - Shared, Per MOU				0.0007025								
	End Office Trunk Port - Shared, Per MOU				0.0001638								
	Tandem Switching (Port Usage) (Local or Access Tandem)				0.0000985								
	Tandem Trunk Port - Shared, Per MOU				0.0002015								
	Tandem Switching Function Per MOU (Molded)				0.000040993								
	Tandem Trunk Port - Shared, Per MOU (Molded)				0.00006947								
	Molded Factor 43 15% of the Tandem Rate												
Common Transport													
	Common Transport - Per Mile, Per MOU				0.0000023								
	Common Transport - Facilities Termination Per MOU				0.0003224								
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES													
>Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports													
>The UNE-P Switching Port Rates Reflected in the Cost Based Section Apply to Embedded Base UNE-P as of March 10, 2005 and Consist of the TELRIC Cost Based Rates Plus \$1.00 in Accordance with the TFRQ													
>Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit.													
>End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Cdn Port/Loop Combinations													

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment 2 Exh A				Incremental Charge - Manual Svc Order vs Electronic-1st				Incremental Charge - Manual Svc Order vs Electronic-1st			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	SOMECC	SOMAN	SOMECC	SOMAN	SOMECC	SOMAN	SOMECC	SOMAN	SOMECC	SOMAN
						Rec	First	Add'l	Nonrecurring	Nonrecurring Disconnect First	Add'l	SOMECC	SOMAN	SOMECC	SOMAN	SOMECC	SOMAN	SOMECC	SOMAN	SOMECC	SOMAN
	2-Wire first and additional Port nonrecurring charges apply to Not Currently Combined Combos For Currently Combined Combos the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections																				
	2-WIRE VOICE LOOP WITH 2-WIRE LINE PORT (RES)																				
	UNE Port/Loop Combination Rates																				
	2-Wire VG Loop/Port Combo - Zone 1						13 70														
	2-Wire VG Loop/Port Combo - Zone 2						22 19														
	2-Wire VG Loop/Port Combo - Zone 3						35 80														
	UNE Loop Rates																				
	2-Wire Voice Grade Loop (SL1) - Zone 1																				
	2-Wire Voice Grade Loop (SL1) - Zone 2						11 55														
	2-Wire Voice Grade Loop (SL1) - Zone 3						20 04														
	2-Wire Voice Grade Line Port Rates (Res)						33 65														
	2-Wire voice unbundled port - residence																				
	2-Wire voice unbundled port with Caller ID - res						2 15														
	2-Wire voice unbundled port outgoing only - res						2 15														
	2-Wire voice Grade unbundled Alabama extended local dialing party port with Caller ID - res						2 15														
	2-Wire voice unbundled res. low usage line port with Caller ID (LUM)						2 15														
	2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID						2 15														
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability						2 15														
	FEATURES																				
	All Features Offered						1 98														
	NONRECURRING CHARGES (NRCA) - CURRENTLY COMBINED																				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is																				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change																				
	2-Wire Voice Grade Loop / Line Port Platform - Installation Charge at CuckService location - Not Conversion of Existing Service																				
	ADDITIONAL NRCS																				
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity						0 00														
	Unbundled Miscellaneous Rate Element Tag Loop at End User Premises						8 33														
	OFF/ON PREMISES EXTENSION CHANNELS																				
	2-Wire Analog Voice Grade Extension Loop - Non-Design						12 58														
	2-Wire Analog Voice Grade Extension Loop - Non-Design						21 05														
	2-Wire Analog Voice Grade Extension Loop - Non-Design						34 34														
	2-Wire Analog Voice Grade Extension Loop - Design						14 38														
	2-Wire Analog Voice Grade Extension Loop - Design						22 85														
	2-Wire Analog Voice Grade Extension Loop - Design						36 14														
	INTEROFFICE TRANSPORT																				
	Interoffice Transport - Dedicated - 2-Wire Voice Grade - Facility Termination						21 13														
	Interoffice Transport - Dedicated - 2-Wire Voice Grade - Per Mile or Fraction Mile																				
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)																				
	UNE Port/Loop Combination Rates																				
	2-Wire VG Loop/Port Combo - Zone 1						13 70														
	2-Wire VG Loop/Port Combo - Zone 2						22 19														
	2-Wire VG Loop/Port Combo - Zone 3						35 80														
	UNE Loop Rates																				
	2-Wire Voice Grade Loop (SL1) - Zone 1						11 55														
	2-Wire Voice Grade Loop (SL1) - Zone 2						20 04														
	2-Wire Voice Grade Loop (SL1) - Zone 3						33 65														
	2-Wire Voice Grade Line Port (Bus)																				
	2-Wire voice unbundled port without Caller ID - bus						1 15														
	2-Wire voice unbundled port with Caller + E-884 ID - bus						1 15														
	2-Wire voice unbundled port outgoing only - bus						1 15														
	2-Wire voice Grade unbundled Alabama extended local dialing party port with Caller ID - bus						1 15														

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment 2 Exh A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Add'l
						Rec	First	Adj'd	Nonrecurring Disconnect				
	2 Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1.15	40.19	19.83	First	Adj'd	Nonrecurring Disconnect		
	2 Wire Voice Unbundled Alabama Business Dialing Plan without Caller ID			UEPBX	UEPBW	1.15	40.19	19.83	First	Adj'd	Nonrecurring Disconnect		
	2 Wire voice unbundled Incoming Only Port without Caller ID Capability			UEPBX	UEPBE	1.15	40.19	19.83	First	Adj'd	Nonrecurring Disconnect		
FEATURES													
	All Features Offered			UEPBX	UEPVF	1.98	0.00	0.00					
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED													
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPBX	USAC2		0.10	0.10					
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPBX	USACC		0.10	0.10					
ADDITIONAL NRCs													
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPBX	USAS2		0.00	0.00					
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPBX	URETL		8.33	0.83					
OFFON PREMISES EXTENSION CHANNELS													
	2 Wire Analog Voice Grade Extension Loop - Non-Design	1		UEPBX	UEAEN	12.58	37.81	17.56			23.49	5.30	
	2 Wire Analog Voice Grade Extension Loop - Non-Design	2		UEPBX	UEAEN	21.06	37.81	17.56			23.49	5.30	
	2 Wire Analog Voice Grade Extension Loop - Non-Design	3		UEPBX	UEAEN	34.34	37.81	17.56			23.49	5.30	
	2 Wire Analog Voice Grade Extension Loop - Design	1		UEPBX	UEAED	14.36	88.00	55.00			47.24	7.44	
	2 Wire Analog Voice Grade Extension Loop - Design	2		UEPBX	UEAED	22.65	88.00	55.00			47.24	7.44	
	2 Wire Analog Voice Grade Extension Loop - Design	3		UEPBX	UEAED	36.14	88.00	55.00			47.24	7.44	
INTEROFFICE TRANSPORT													
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPBX	U1TV2	21.13	40.54	27.41			16.74	6.90	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPBX	U1TVM	0.008838	0.00	0.00					
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)													
UNE Port/Loop Combination Rates													
	2 Wire VG Loop/Port Combo - Zone 1					13.70							
	2 Wire VG Loop/Port Combo - Zone 2					22.19							
	2 Wire VG Loop/Port Combo - Zone 3					35.80							
UNE Loop Rates													
	2 Wire Voice Grade Loop (SL 1) - Zone 1	1		UEPRG	UEPLX	11.55							
	2 Wire Voice Grade Loop (SL 1) - Zone 2	2		UEPRG	UEPLX	20.04							
	2 Wire Voice Grade Loop (SL 1) - Zone 3	3		UEPRG	UEPLX	33.65							
2-Wire Voice Grade Line Port Rates (RES - PBX)													
FEAT URES													
	2 Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	1.15	69.08	32.41			37.43	6.20	
All Features Offered													
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED													
	2-Wire Voice Grade Loop/Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPRG	UEPVF	1.98	0.00	0.00					
	2-Wire Voice Grade Loop/Line Port Combination (PBX) - Conversion - Switch with Change			UEPRG	USAC2		7.91	1.90					
ADDITIONAL NRCs													
	2 Wire Voice Grade Loop/Line Port Combination (PBX) - Subsequent Activity			UEPRG	USACC		7.91	1.90					
	PBX Subsequent Activity - Change/Rearrange Midline Hunt Group Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPRG	USAS2	0.00	0.00	0.00					
OFFON PREMISES EXTENSION CHANNELS													
	Local Channel Voice grade, per termination	1		UEPRG	P2JHX	14.38	88.00	55.00			47.24	7.44	
	Local Channel Voice grade, per termination	2		UEPRG	P2JHX	22.85	88.00	55.00			47.24	7.44	
	Local Channel Voice grade, per termination	3		UEPRG	P2JHX	36.14	88.00	55.00			47.24	7.44	
	Non-Wire Direct Serve Channel Voice Grade	1		UEPRG	SDDX	22.41	131.60	61.92			90.50	13.40	
	Non-Wire Direct Serve Channel Voice Grade	2		UEPRG	SDDX	23.88	131.60	61.92			90.50	13.40	
	Non-Wire Direct Serve Channel Voice Grade	3		UEPRG	SDDX	33.72	131.60	61.92			90.50	13.40	
INTEROFFICE TRANSPORT													

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment 2 Exh A				Attachment 2 Exh A			
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Svc Order Submitted per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	SOME	SOMAN	SOMAN	SOMAN	SOME	SOMAN	SOMAN	SOMAN
	Interface Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPRG	UITV2	21 13	40 54	27 41	16 74	6 90							
	Interface Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPRG	UITVM	0 008838	0 00	0 00									
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX) UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1					13 70											
	2-Wire VG Loop/Port Combo - Zone 2					22 19											
	2-Wire VG Loop/Port Combo - Zone 3					35 80											
	UNE Loop Rates																
	2 Wire Voice Grade Loop (SL 1) - Zone 1	1		UEPPX	UEPLX	11 55											
	2 Wire Voice Grade Loop (SL 1) - Zone 2	2		UEPPX	UEPLX	20 04											
	2 Wire Voice Grade Loop (SL 1) - Zone 3	3		UEPPX	UEPLX	33 65											
	2-Wire Voice Grade Line Port Rates (BUS - PBX)																
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	2 15	69 08	32 41	37 43	6 20							
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	2 15	69 08	32 41	37 43	6 20							
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPPI	2 15	69 08	32 41	37 43	6 20							
	2-Wire Voice Unbundled 2-Way Combination PBX Alabama Calling Port			UEPPX	UEPA2	2 15	69 08	32 41	37 43	6 20							
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	2 15	69 08	32 41	37 43	6 20							
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	2 15	69 08	32 41	37 43	6 20							
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	2 15	69 08	32 41	37 43	6 20							
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	2 15	69 08	32 41	37 43	6 20							
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	2 15	69 08	32 41	37 43	6 20							
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	2 15	69 08	32 41	37 43	6 20							
	2-Wire Voice Unbundled 2 Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	2 15	69 08	32 41	37 43	6 20							
	2 Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	2 15	69 08	32 41	37 43	6 20							
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	2 15	69 08	32 41	37 43	6 20							
	2 Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	2 15	69 08	32 41	37 43	6 20							
	FEATURES																
	Toll Features Offered			UEPVF	UEPVF	1 98	0 00	0 00									
	NONRECURRING CHARGES (MRCa) - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPPX	USAC2		7 91	1 90									
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPPX	USACC		7 91	1 90									
	ADDITIONAL NRCS																
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPPX	USAS2	0 00	0 00	0 00									
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPPX	UEPRL		7 32	7 32									
	OFFICE PREMISES EXTENSION CHANNELS																
	Local Channel Voice grade, per termination	1		UEPPX	P2JHX	14 38	88 00	55 00	47 24	7 44							
	Local Channel Voice grade, per termination	2		UEPPX	P2JHX	22 85	88 00	55 00	47 24	7 44							
	Local Channel Voice grade, per termination	3		UEPPX	P2JHX	36 14	88 00	55 00	47 24	7 44							
	Non-Wire Direct Serve Channel Voice Grade	1		UEPPX	SDD2X	22 41	131 60	61 92	90 50	13 40							
	Non-Wire Direct Serve Channel Voice Grade	2		UEPPX	SDD2X	23 88	131 60	61 92	90 50	13 40							
	Non-Wire Direct Serve Channel Voice Grade	3		UEPPX	SDD2X	33 72	131 60	61 92	90 50	13 40							
	INTEROFFICE TRANSPORT																
	Interface Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPPX	UITV2	21 13	40 54	27 41	16 74	6 90							
	Interface Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPPX	UITVM	0 008838	0 00	0 00									
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT UNE Port/Loop Combination Rates																
	2-Wire VG Coin Port/Loop Combo - Zone 1					13 70											
	2-Wire VG Coin Port/Loop Combo - Zone 2					22 19											

UNBUNDLED NETWORK ELEMENTS - Alabama														
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Attachment 2 Exh A	Incremental Charge - Manual Svc Order vs Electronic-Disc Addl	Incremental Charge - Manual Svc Order vs Electronic-Disc Addl	
						Roc	Nonrecurring	Nonrecurring Disconnect						
						First	Add'l	First			SOME C	SOMAN	SOMAN	
	2-Wire VG Coin Port/Loop Combo - Zone 3					35.80								
	UNE Loop Rates													
	2-Wire Voice Grade Loop (SL1) - Zone 1	1		UEPCO	UEPLX	11.55								
	2-Wire Voice Grade Loop (SL1) - Zone 2	2		UEPCO	UEPLX	20.04								
	2-Wire Voice Grade Loop (SL1) - Zone 3	3		UEPCO	UEPLX	33.65								
	2-Wire Voice Grade Line Ports (COIN)													
	2-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	2.15	40.19	19.83	24.91	6.63				
	2-Wire Coin 2-Way with Operator Screening (AL, KY)			UEPCO	UEPRE	2.15	40.19	19.83	24.91	6.63				
	2-Wire Coin 2-Way with Operator Screening and Blocking 011, 900/976 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	2.15	40.19	19.83	24.91	6.63				
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (AL, LA, MS)			UEPCO	UEPRB	2.15	40.19	19.83	24.91	6.63				
	2-Wire Coin 2-Way with Operator Screening & Blocking 900/976, 1+DDD, 011+ & Local (AL, KY, LA, MS)			UEPCO	UEPCD	2.15	40.19	19.83	24.91	6.63				
	2-Wire Coin Outward with Operator Screening and 011 Blocking (AL, FL)			UEPCO	UEPRK	2.15	40.19	19.83	24.91	6.63				
	2-Wire Coin Outward with Operator Screening and Blocking 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	2.15	40.19	19.83	24.91	6.63				
	2-Wire Coin Outward Operator Screening & Blocking 900/976, 1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	2.15	40.19	19.83	24.91	6.63				
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	2.15	40.19	19.83	24.91	6.63				
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	2.15	40.19	19.83	24.91	6.63				
	ADDITIONAL UNE COIN PORT/LOOP (RC)			UEPCO	URECU	1.56	0.00	0.00	0.00	0.00				
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.56	0.00	0.00	0.00	0.00				
	NONRECURRING CHARGES - CURRENTLY COMBINED													
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPCO	USAC2		0.10	0.10						
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	USACC		0.10	0.10						
	ADDITIONAL NRCs													
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2		0.00	0.00						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPCO	URETL		8.33	0.83						
	2-WIRE VOICE LOOP/2-WIRE VOICE GRADE TO TRANSPORT/2-WIRE LINE PORT (RES)													
	UNE Port/Loop Combination Rates													
	2-Wire VG Loop/IO Transport/Port Combo - Zone 1					16.76								
	2-Wire VG Loop/IO Transport/Port Combo - Zone 2					25.23								
	2-Wire VG Loop/IO Transport/Port Combo - Zone 3					38.52								
	UNE Loop Rates													
	2-Wire Voice Grade Loop (SL2) - Zone 1	1		UEPR	UECF2	14.38								
	2-Wire Voice Grade Loop (SL2) - Zone 2	2		UEPR	UECF2	22.85								
	2-Wire Voice Grade Loop (SL2) - Zone 3	3		UEPR	UECF2	36.14								
	2-Wire Voice Grade Line Port Rates (Res)													
	2-Wire voice unbundled port - residence			UEPR	UEPRL	2.38	90.38	57.27	48.66	8.77				
	2-Wire voice unbundled port with Caller ID - res			UEPR	UEPRC	2.38	90.38	57.27	48.66	8.77				
	2-Wire voice unbundled port outgoing only - res			UEPR	UEPRO	2.38	90.38	57.27	48.66	8.77				
	2-Wire voice Grade unbundled Alabama extended local dialing party port with Caller ID - res			UEPR	UEPAR	2.38	90.38	57.27	48.66	8.77				
	2-Wire voice unbundled res. low usage line port with Caller ID (LUM)			UEPR	UEPAP	2.38	90.38	57.27	48.66	8.77				
	2-Wire Unbundled Alabama Residence Dialing Plan without Caller ID			UEPR	UEPWA	2.38	90.38	57.27	48.66	8.77				
	INTEROFFICE TRANSPORT													
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPR	U1TV2	21.13	40.54	27.41	16.74	6.90				
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPR	1L5XX	0.008338								
	FEATURES													
	All Features Offered			UEPR	UEPVF	1.88	0.00	0.00						
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED													

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment 2 Exh A			
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
					Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	ADD'l	SOME C	SOMAN	SOMAN	SOMAN
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port												
	Combination - Conversion - Switch-as-is												
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		UEPFR	USAC2		8.48	1.87						
	Combination - Conversion - Switch-With-Charge												
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at		UEPFR	USACC		8.48	1.87						
	End User Premise												
	2-WIRE VOICE LOOP/2WIRE VOICE GRADE IO TRANSPORT/2-WIRE LINE PORT (BUS)		UEPFR	URETN		11.21	1.10						
	UNE Port Loop Combination Rates												
	2-Wire VG Loop/IO Transport/Port Combo - Zone 1				18.76								
	2-Wire VG Loop/IO Transport/Port Combo - Zone 2				25.23								
	2-Wire VG Loop/IO Transport/Port Combo - Zone 3				38.52								
	UNE Loop Rates												
	2-Wire Voice Grade Loop (SL2) - Zone 1	1	UEPFB	UECF2									
	2-Wire Voice Grade Loop (SL2) - Zone 2	2	UEPFB	UECF2	14.38								
	2-Wire Voice Grade Loop (SL2) - Zone 3	3	UEPFB	UECF2	22.85								
	2-Wire Voice Grade Line Port (BUS)				36.14								
	2-Wire voice unbundled port without Caller ID - bus		UEPFB	UEPBL	2.38	90.38	57.27	48.66	8.77				
	2-Wire voice unbundled port with Caller ID - bus		UEPFB	UEPBC	2.38	90.38	57.27	48.66	8.77				
	2-Wire voice unbundled port outgoing only - bus		UEPFB	UEPBO	2.38	90.38	57.27	48.66	8.77				
	2-Wire voice unbundled Alabama extended local dialing party with Caller ID - bus		UEPFB	UEPAW	2.38	90.38	57.27	48.66	8.77				
	2-Wire voice unbundled incoming only port with Caller ID - Bus		UEPFB	UEPBI	2.38	90.38	57.27	48.66	8.77				
	2-Wire Voice Unbundled Alabama Business Dialing Plan without Caller ID		UEPFB	UEPWB	2.38	90.38	57.27	48.66	8.77				
	INTEROFFICE TRANSPORT												
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination		UEPFB	UITV2	21.13	40.54	27.41	16.74	6.90				
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile		UEPFB	1LSXX	0.00838								
	FEATURES												
	All Features Offered		UEPFB	UEPVF	1.98	0.00	0.00						
	NONRECURRING CHARGES (NRCA) - CURRENTLY COMBINED												
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		UEPFB	USAC2		8.48	1.87						
	Combination - Conversion - Switch-as-is												
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		UEPFB	USACC		8.48	1.87						
	Combination - Conversion - Switch with charge												
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at												
	End User Premise		UEPFB	URETN		11.21	1.10						
	2-WIRE VOICE LOOP/2WIRE VOICE GRADE IO TRANSPORT/2-WIRE LINE PORT (PBX)		UEPFB										
	UNE Port Loop Combination Rates												
	2-Wire VG Loop/IO Transport/Port Combo - Zone 1				18.76								
	2-Wire VG Loop/IO Transport/Port Combo - Zone 2				25.23								
	2-Wire VG Loop/IO Transport/Port Combo - Zone 3				38.52								
	UNE Loop Rates												
	2-Wire Voice Grade Loop (SL2) - Zone 1	1	UEPFP	UECF2	14.38								
	2-Wire Voice Grade Loop (SL2) - Zone 2	2	UEPFP	UECF2	22.85								
	2-Wire Voice Grade Loop (SL2) - Zone 3	3	UEPFP	UECF2	36.14								
	2-Wire Voice Grade Line Port Rates (BUS - PBX)												
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		UEPFP	UEPPC	2.38	119.27	69.85	61.18	8.34				
	Line Side Unbundled Outward PBX Trunk Port - Bus		UEPFP	UEPPO	2.38	119.27	69.85	61.18	8.34				
	Line Side Unbundled Incoming PBX Trunk Port - Bus		UEPFP	UEPP1	2.38	119.27	69.85	61.18	8.34				
	2-Wire Voice Unbundled 2-Way Combination PBX Alabama Calling Port		UEPFP	UEPA2	2.38	119.27	69.85	61.18	8.34				
	2-Wire Voice Unbundled PBX LD Terminal Ports		UEPFP	UEPLD	2.38	119.27	69.85	61.18	8.34				
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		UEPFP	UEPXA	2.38	119.27	69.85	61.18	8.34				
	2-Wire Voice Unbundled PBX Toll Terminal Ports		UEPFP	UEPXB	2.38	119.27	69.85	61.18	8.34				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		UEPFP	UEPXC	2.38	119.27	69.85	61.18	8.34				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		UEPFP	UEPXD	2.38	119.27	69.85	61.18	8.34				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		UEPFP	UEPXE	2.38	119.27	69.85	61.18	8.34				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port		UEPFP	UEPXL	2.38	119.27	69.85	61.18	8.34				

UNBUNDLED NETWORK ELEMENTS - Alabama														
CATEGORY	RATE ELEMENTS	Interm Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Exh A		Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st
					Rec	Nonrecurring		Nonrecurring Disconnect			GSS Rates(\$)			
						First	Add'l	First	Add'l	SOME-C	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port		UEPFP	UEPXM	2.38	119.27	69.85	61.18	8.34					
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port		UEPFP	UEPXO	2.38	119.27	69.85	61.18	8.34					
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		UEPFP	UEPXS	2.38	119.27	69.85	61.18	8.34					
INTEROFFICE TRANSPORT														
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination		UEPFP	UITV2	21.13	40.54	27.41	18.74	6.90					
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile		UEPFP	1LSXX	0.008838									
FEATURES														
	All Features Offered		UEPFP	UEPVF	1.98	0.00	0.00							
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED														
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port													
	Combination - Conversion - Switch-as-is													
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		UEPFP	USAC2		8.48	1.87							
	Combination - Conversion - Switch with change													
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise		UEPFP	USACC		8.48	1.87							
2-WIRE VOICE GRADE LOOP - BUS ONLY - WITH 2-WIRE DID TRUNK PORT			UEPFP	URETN		11.21	1.10							
UNE Port/Loop Combination Rates														
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1				23.40									
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2				31.88									
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3				45.17									
UNE Loop Rates														
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	1	UEPPX	UECD1	14.38									
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	2	UEPPX	UECD1	22.85									
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	3	UEPPX	UECD1	36.14									
UNE Port Rate														
	Exchange Ports - 2 Wire DID Port		UEPPX	UEPD1	9.02	207.31	73.74	107.14	11.20					
NONRECURRING CHARGES - CURRENTLY COMBINED														
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is		UEPPX	USAC1		7.31	1.87							
	2 Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes		UEPPX	USA1C		7.31	1.87							
ADDITIONAL NRCs														
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk		UEPPX	USAS1		26.78	26.78							
	Unbundled Miscellaneous Rate Element Tag Designed Loop at End User Premise		UEPPX	URETN		11.21	1.10							
Telephone Number/Trunk Group Establishment Charges														
	DID Trunk Termination (One Per Port)		UEPPX	NDT	0.00	0.00	0.00							
	Additional DID Numbers for each Group of 20 DID Numbers		UEPPX	ND4	0.00	0.00	0.00							
	DID Numbers, Non- consecutive DID Numbers - Per Number		UEPPX	ND5	0.00	0.00	0.00							
	Reserve Non-Consecutive DID numbers		UEPPX	ND6	0.00	0.00	0.00							
	Reserve DID Numbers		UEPPX	NDV	0.00	0.00	0.00							
2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT														
UNE Port/Loop Combination Rates														
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1				28.28									
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2				38.86									
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3				53.84									
UNE Loop Rates														
	2-Wire ISDN Digital Grade Loop - UNE Zone 1	1	UEPPB	UEPPR	19.03									
	2-Wire ISDN Digital Grade Loop - UNE Zone 2	2	UEPPB	UEPPR	29.62									
	2-Wire ISDN Digital Grade Loop - UNE Zone 3	3	UEPPB	UEPPR	45.60									
UNE Port Rate														
	Exchange Port - 2 Wire ISDN Line Side Port		UEPPR	UEPPR	9.24	190.01	132.76	100.67	21.28					
	Exchange Port - 2 Wire ISDN Line Side Port		UEPPB	UEPPB	9.24	190.01	132.76	100.67	21.28					
NONRECURRING CHARGES - CURRENTLY COMBINED														
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion		UEPPB	UEPPR	0.00	38.51	27.02							

UNBUNDLED NETWORK ELEMENTS - Alabama														
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st Add'l	
						Nonrecurring		Nonrecurring Disconnect						
						Rec	First	Add'l	First					Add'l
	ADDITIONAL NRCA													
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premises			UEPPB UEPPR	URETN			11.21	1.10					
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premises			UEPPB UEPPR	URETL			8.33	0.83					
	B-CHANNEL USER PROFILE ACCESS													
	CVS/CSD (DMS/ESS)			UEPPB UEPPR	UIUCA		0.00	0.00	0.00					
	CVS (EWS)			UEPPB UEPPR	UIUCB		0.00	0.00	0.00					
	CSD			UEPPB UEPPR	UIUC		0.00	0.00	0.00					
	B-CHANNEL AREA PLUS USER PROFILE ACCESS (AL, KY, LA, MS, SC, TN)													
	CVS/CSD (DMS/ESS)			UEPPB UEPPR	UIUCD		0.00	0.00	0.00					
	CVS (EWS)			UEPPB UEPPR	UIUC		0.00	0.00	0.00					
	CSD			UEPPB UEPPR	UIUCF		0.00	0.00	0.00					
	USER TERMINAL PROFILE													
	User Terminal Profile (EWS only)			UEPPB UEPPR	UIUMA		0.00	0.00	0.00					
	VERTICAL FEATURES													
	All Vertical Features - One per Channel B User Profile			UEPPB UEPPR	UEPVF		1.98	0.00	0.00					
	INTEROFFICE CHANNEL MILEAGE													
	Interoffice Channel mileage each, including first mile and facilities termination			UEPPB UEPPR	MTGNC		21.13	40.54	27.41	16.74	6.90			
	Interoffice Channel mileage each, additional mile			UEPPB UEPPR	MTGNM		0.008838	0.00	0.00					
	UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES													
	UNE-P CENTREX - TAESS - (Valid in AL, FL, GA, KY, LA, MS, & TN only)													
	2-Wire VG Loop2-Wire Voice Grade Port (Centrex) Combo													
	UNE Port/Loop Combination Rates (Non-Design)													
	2-Wire VG Loop2 Wire Voice Grade Port (Centrex) Port Combo - Non-Design						13.70							
	2-Wire VG Loop2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design						22.19							
	2-Wire VG Loop2 Wire Voice Grade Port (Centrex)Port Combo - Non-Design						35.80							
	UNE Port/Loop Combination Rates (Design)													
	2-Wire VG Loop2 Wire Voice Grade Port (Centrex) Port Combo - Design						16.53							
	2-Wire VG Loop2-Wire Voice Grade Port (Centrex)Port Combo - Design						25.00							
	2-Wire VG Loop2 Wire Voice Grade Port (Centrex)Port Combo - Design						38.29							
	UNE Loop Rate													
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1									
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1		11.55							
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1		20.04							
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2		33.65							
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2		14.38							
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2		22.85							
	UNE Ports						36.14							
	ALL STATES (Except North Carolina and South Carolina)													
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA		2.15	40.19	19.83	24.91	6.63			
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP91	UEPYB		2.15	40.19	19.83	24.91	6.63			
	2 Wire Voice Grade Port (Centrex with Caller ID)Not a Basic Local Area			UEP91	UEPYH		2.15	40.19	19.83	24.91	6.63			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)Not a Basic Local Area			UEP91	UEPYM		2.15	90.38	57.27	48.66	8.77			
	2-Wire Voice Grade Port - 800 Service Term - Basic Local Area			UEP91	UEPYZ		2.15	90.38	57.27	48.66	8.77			
	2 Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP91	UEPY9		2.15	40.19	19.83	24.91	6.63			
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP91	UEPY2		2.15	40.19	19.83	24.91	6.63			
	AL, KY, LA, MS, & TN Only													
	2-Wire Voice Grade Port (Centrex)			UEP91	UEPOA		2.15	40.19	19.83	24.91	6.63			
	2 Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPOB		2.15	40.19	19.83	24.91	6.63			
	2 Wire Voice Grade Port (Centrex with Caller ID)			UEP91	UEPOH		2.15	40.19	19.83	24.91	6.63			

[illegible]

UNBUNDLED NETWORK ELEMENTS - Alabama																	
CATEGORY	RATE ELEMENTS	Intrnm Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Exh. A			Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	
					Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	SOMECS	SOMAN	GSS Rates(\$)	SOMAN	SOMAN			
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design				38.29												
UNE Loop Rate	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	UEP95	UECS1													
	2-Wire Voice Grade Loop (SL 1) - Zone 2	2	UEP95	UECS1	11.55												
	2-Wire Voice Grade Loop (SL 1) - Zone 3	3	UEP95	UECS1	20.04												
	2-Wire Voice Grade Loop (SL 2) - Zone 1	1	UEP95	UECS2	33.65												
	2-Wire Voice Grade Loop (SL 2) - Zone 2	2	UEP95	UECS2	14.38												
	2-Wire Voice Grade Loop (SL 2) - Zone 3	3	UEP95	UECS2	22.85												
UNE Port Rate					36.14												
All States	2-Wire Voice Grade Port (Centrex) Basic Local Area		UEP95	UEPYA	2.15	40.19	19.83	24.91	6.63								
	2-Wire Voice Grade Port (Centrex 800 termination)		UEP95	UEPYB	2.15	40.19	19.83	24.91	6.63								
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area		UEP95	UEPYH	2.15	40.19	19.83	24.91	6.63								
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2.3 Basic Local Area		UEP95	UEPYM	2.15	90.38	57.27	48.66	8.77								
	2-Wire Voice Grade Port, Diff Serving Wire Center 2.3 - 800 Service Term - Basic Local Area		UEP95	UEPYZ	2.15	90.38	57.27	48.66	8.77								
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area		UEP95	UEPY9	2.15	40.19	19.83	24.91	6.63								
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area		UEP95	UEPY2	2.15	40.19	19.83	24.91	6.63								
	2-Wire Voice Grade Port (Centrex)		UEP95	UEPOA	2.15	40.19	19.83	24.91	6.63								
	2-Wire Voice Grade Port (Centrex 800 termination)		UEP95	UEPOB	2.15	40.19	19.83	24.91	6.63								
	2-Wire Voice Grade Port (Centrex with Caller ID)1		UEP95	UEPOH	2.15	40.19	19.83	24.91	6.63								
Centrex/2.3	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2.3		UEP95	UEPQM	2.15	90.38	57.27	48.66	8.77								
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2.3		UEP95	UEPQZ	2.15	90.38	57.27	48.66	8.77								
2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPO9	2.15	40.19	19.83	24.91	6.63								
	2-Wire Voice Grade Port Terminated on 800 Service Term		UEP95	UEPO2	2.15	40.19	19.83	24.91	6.63								
Local Switching																	
	Centrex Intercom Functionality, per port		UEP95	UEPCS	0.5488												
Features																	
	All Standard Features Offered, per port		UEP95	UEPVF	1.98												
All Select Features Offered, per port			UEP95	UEPVS	0.00	405.52											
	All Centrex Control Features Offered, per port		UEP95	UEPVC	1.98												
NARS																	
	Unbundled Network Access Register - Combination		UEP95	UARCX	0.00	0.00	0.00	0.00	0.00								
Unbundled Network Access Register - Individual			UEP95	UARYX	0.00	0.00	0.00	0.00	0.00								
	Unbundled Network Access Register - Outdial		UEP95	UAROX	0.00	0.00	0.00	0.00	0.00								
Miscellaneous Terminations																	
	2-Wire Trunk Side																
Trunk Side Terminations, each																	
	4-Wire Digital (1.544 Megabits)		UEP95	CEND6	8.05	119.31	18.74	59.90	3.76								
DS1 Circuit Terminations, each			UEP95	M1HD1	60.09	202.02	95.69	72.59	2.46								
	DS0 Channels Activated, each		UEP95	M1HDO	0.00	14.48											
Interface Channel Mileage - 2-Wire																	
	Interface Channel Facilities Termination		UEP95	M1GBC	21.13	40.54	27.41	16.74	6.90								
Interface Channel Mileage, per mile or fraction of mile			UEP95	M1GBM	0.008838												
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service																
D4 Channel Bank Feature Activations																	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		UEP95	1PQWS	0.56												
Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP95	1POW6	0.56												
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot		UEP95	1POW7	0.56												
Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP95	1POWP	0.56												
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		UEP95	1POWW	0.56												

UNBUNDLED NETWORK ELEMENTS - Alabama																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
CATEGORY	RATE ELEMENTS	Intrm Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Exh A																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
					Rec	Nonrecurring		Nonrecurring Disconnect			Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
						First	Add'l							First	Add'l	SOME	SOMAN	SOMAN	SOMAN																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					</

CATEGORY	RATE ELEMENTS	Interm Zone	BCS	USOC	RATES(\$)					Attachment 2 Exh A				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l					
										OSS Rates(\$)													
					Rec	Nonrecurring		Nonrecurring Disconnect		SOME	SOMAN	SOMAN	SOMAN										
						Frst	Add'l	Frst	Add'l														
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication)4 Basic Local Area		UEP9D		2.15	40.19	19.83	24.91	6.63														
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4 Basic Local Area		UEP9D		2.15	40.19	19.83	24.91	6.63														
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2.3-Basic Local Area		UEP9D		2.15	90.38	57.27	48.66	8.77														
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSE1)2,3,4 Basic Local Area		UEP9D		2.15	90.38	57.27	48.66	8.77														
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area		UEP9D		2.15	90.38	57.27	48.66	8.77														
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local Area		UEP9D		2.15	90.38	57.27	48.66	8.77														
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area		UEP9D		2.15	90.38	57.27	48.66	8.77														
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area		UEP9D		2.15	90.38	57.27	48.66	8.77														
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area		UEP9D		2.15	90.38	57.27	48.66	8.77														
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area		UEP9D		2.15	90.38	57.27	48.66	8.77														
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area		UEP9D		2.15	90.38	57.27	48.66	8.77														
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local Area		UEP9D		2.15	90.38	57.27	48.66	8.77														
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2.3		UEP9D		2.15	90.38	57.27	48.66	8.77														
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area		UEP9D		2.15	90.38	57.27	48.66	8.77														
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area		UEP9D		2.15	40.19	19.83	24.91	6.63														
AL, KY, LA, MS, SC, & TN Only			UEP9D		2.15	40.19	19.83	24.91	6.63														
	2-Wire Voice Grade Port (Centrex)		UEP9D		2.15	40.19	19.83	24.91	6.63														
	2-Wire Voice Grade Port (Centrex 800 termination)		UEP9D		2.15	40.19	19.83	24.91	6.63														
	2-Wire Voice Grade Port (Centrex / EBS-PSE1)4		UEP9D		2.15	40.19	19.83	24.91	6.63														
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4		UEP9D		2.15	40.19	19.83	24.91	6.63														
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4		UEP9D		2.15	40.19	19.83	24.91	6.63														
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4		UEP9D		2.15	40.19	19.83	24.91	6.63														
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4		UEP9D		2.15	40.19	19.83	24.91	6.63														
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4		UEP9D		2.15	40.19	19.83	24.91	6.63														
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4		UEP9D		2.15	40.19	19.83	24.91	6.63														
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4		UEP9D		2.15	40.19	19.83	24.91	6.63														
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4		UEP9D		2.15	40.19	19.83	24.91	6.63														
	2-Wire Voice Grade Port (Centrex with Caller ID) Indication)4		UEP9D		2.15	40.19	19.83	24.91	6.63														
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4		UEP9D		2.15	40.19	19.83	24.91	6.63														
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2.3		UEP9D		2.15	90.38	57.27	48.66	8.77														
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSE1)2,3,4		UEP9D		2.15	90.38	57.27	48.66	8.77														
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4		UEP9D		2.15	90.38	57.27	48.66	8.77														
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4		UEP9D		2.15	90.38	57.27	48.66	8.77														
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4		UEP9D		2.15	90.38	57.27	48.66	8.77														
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4		UEP9D		2.15	90.38	57.27	48.66	8.77														
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4		UEP9D		2.15	90.38	57.27	48.66	8.77														
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4		UEP9D		2.15	90.38	57.27	48.66	8.77														
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4		UEP9D		2.15	90.38	57.27	48.66	8.77														
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4		UEP9D		2.15	90.38	57.27	48.66	8.77														

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment 2 Exh. A			
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st
						Rec	Nonrecurring	Nonrecurring Disconnect	Svc Order Elec per LSR				
						First	Add'l	First	Add'l	SOME-C	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/differ SWC/EBS-M5316)2,3,4			UEP9D		2.15	90.38	57.27	48.66	8.77			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3			UEP9D		2.15	90.38	57.27	48.66	8.77			
	2-Wire Voice Grade Port terminated in non-Megalink or equivalent			UEP9D		2.15	40.19	19.83	24.91	6.63			
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D		2.15	40.19	19.83	24.91	6.63			
	Local Switching												
	Centrex Intercom Functionality, per port			UEP9D		0.5488							
	Features												
	All Standard Features Offered, per port			UEP9D		1.98							
	All Select Features Offered, per port			UEP9D		0.00							
	All Centrex Control Features Offered, per port			UEP9D		1.98	405.52						
	NARS												
	Unbundled Network Access Register - Combination			UEP9D		0.00	0.00	0.00	0.00	0.00			
	Unbundled Network Access Register - Inward			UEP9D		0.00	0.00	0.00	0.00	0.00			
	Unbundled Network Access Register - Outdial			UEP9D		0.00	0.00	0.00	0.00	0.00			
	Miscellaneous Terminations												
	2-Wire Trunk Side												
	Trunk Side Terminations, each			UEP9D		8.05	119.31	18.74	59.90	3.78			
	4-Wire Digital (1.544 Megabits)												
	DST Circuit Terminations, each			UEP9D		60.09	202.02	95.69	72.59	2.46			
	DSO Channels Activated per Channel			UEP9D		0.00	14.48						
	Interoffice Channel Mileage - 2-Wire												
	Interoffice Channel Facilities Termination			UEP9D		21.13	40.54	27.41	16.74	6.90			
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D		0.00838							
	Feature Activations (DSO) Centrex Loops on Channelized DS1 Service												
	D4 Channel Bank Feature Activations												
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D		0.56							
	Feature Activation on D-4 Channel Bank FX Line Loop Slot			UEP9D		0.56							
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D		0.56							
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D		0.56							
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D		0.56							
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP9D		0.56							
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D		0.56							
	Non-Recruiting Charges (NRC) Associated with UNE-P Centrex												
	NRC Conversion Currently Combined Switch-A-is with allowed charges, per port			UEP9D			0.10	0.10					
	Conversion of existing Centrex Common Block, each			UEP9D			37.75	16.58					
	New Centrex Standard Common Block			UEP9D		0.00	667.21						
	New Centrex Customized Common Block			UEP9D		0.00	667.21						
	NAR Establishment Charge, Per Occasion			UEP9D		0.00	72.73						
	Additional Non-Recruiting Charges (NRC)												
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use			UEP9D			8.33	0.83					
	Premise												
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use			UEP9D			11.21	1.10					
	UNE-P CENTREX - EVSD (Valid in AL, FL, KY, LA, MS & TN)												
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo												
	UNE Port Loop Combination Rates (Non-Design)												
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design					13.70							
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design					22.19							
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design					35.80							
	UNE Port Loop Combination Rates (Design)												
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design					16.53							

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment 2 Exh A			
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st
					Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	SOMEc	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design				25.00								
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design				38.29								
UNE Loop Rate	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	UEP9E	UECS1									
	2-Wire Voice Grade Loop (SL 1) - Zone 2	2	UEP9E	UECS1	11.55								
	2-Wire Voice Grade Loop (SL 1) - Zone 3	3	UEP9E	UECS1	20.04								
	2-Wire Voice Grade Loop (SL 2) - Zone 1	1	UEP9E	UECS2	33.65								
	2-Wire Voice Grade Loop (SL 2) - Zone 2	2	UEP9E	UECS2	14.38								
UNE Port Rate	2-Wire Voice Grade Loop (SL 2) - Zone 3	3	UEP9E	UECS2	22.85								
	2-Wire Voice Grade Loop (SL 2) - Zone 3	3	UEP9E	UECS2	36.14								
AL, FL, KY, LA, MS, & TN Only	2-Wire Voice Grade Port (Centrex) Basic Local Area		UEP9E	UEPYA	2.15	40.19	19.83	24.91	6.63				
	2-Wire Voice Grade Port (Centrex 800 termination) Basic Local Area		UEP9E	UEPYB	2.15	40.19	19.83	24.91	6.63				
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area		UEP9E	UEPYH	2.15	40.19	19.83	24.91	6.63				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2.3 Basic Local Area		UEP9E	UEPYM	2.15	90.38	57.27	48.66	8.77				
	2-Wire Voice Grade Port, Diff Serving Wire Center 2.3 - 800 Service Term - Basic Local Area		UEP9E	UEPYZ	2.15	90.38	57.27	48.66	8.77				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area		UEP9E	UEPY6	2.15	40.19	19.83	24.91	6.63				
	2-Wire Voice Grade Port 1 Terminated on 800 Service Term - Basic Local Area		UEP9E	UEPY2	2.15	40.19	19.83	24.91	6.63				
	2-Wire Voice Grade Port (Centrex)		UEP9E	UEPQA	2.15	40.19	19.83	24.91	6.63				
	2-Wire Voice Grade Port (Centrex 800 termination)		UEP9E	UEPQB	2.15	40.19	19.83	24.91	6.63				
	2-Wire Voice Grade Port (Centrex with Caller ID)		UEP9E	UEPQH	2.15	40.19	19.83	24.91	6.63				
Local Switching	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2.3		UEP9E	UEPQM	2.15	90.38	57.27	48.66	8.77				
	2-Wire Voice Grade Port, Diff Serving Wire Center 2.3 - 800 Service Term		UEP9E	UEPQZ	2.15	90.38	57.27	48.66	8.77				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		UEP9E	UEPQ8	2.15	40.19	19.83	24.91	6.63				
	2-Wire Voice Grade Port Terminated on 800 Service Term		UEP9E	UEPQ2	2.15	40.19	19.83	24.91	6.63				
	Centrex Intercom Functionality, per port		UEP9E	UEPCS	0.5488								
	All Standard Features Offered, per port		UEP9E	UEPVF	1.98								
	All Select Features Offered, per port		UEP9E	UEPVS	0.00	405.52							
	All Centrex Control Features Offered, per port		UEP9E	UEPVC	1.98								
	Unbundled Network Access Register - Combination		UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00				
	Unbundled Network Access Register - Initial		UEP9E	UARI1	0.00	0.00	0.00	0.00	0.00				
Miscellaneous Terminations	Unbundled Network Access Register - Outdial		UEP9E	UARO1	0.00	0.00	0.00	0.00	0.00				
	2-Wire Trunk Side												
	Trunk Side Terminations, each		UEP9E	CEND8	8.05	119.31	18.74	59.90	3.76				
	DS1 Circuit Terminations, each		UEP9E	M1HD1	60.09	202.02	95.69	72.59	2.46				
	DSO Channel Activated Per Channel		UEP9E	M1HD0	0.00	14.48							
	Interoffice Channel Migrate - 2-Wire												
	Interoffice Channel Facilities Termination		UEP9E	M1GBC	21.13	40.54	27.41	16.74	6.90				
	Interoffice Channel Mileage, per mile or fraction of mile		UEP9E	M1GBM	0.008838								
	Feature Activation (DSO) Centrex Loops on Channelized DS1 Service												
	D4 Channel Bank Feature Activation												
Feature Activation on D-4 Channel Bank	Feature Activation on D-4 Channel Bank Centrex Loop Slot		UEP9E	1PQWS	0.56								
	Feature Activation on D-4 Channel Bank FX In Side Loop Slot		UEP9E	1PQW6	0.56								
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot		UEP9E	1PQW7	0.56								

UNBUNDLED NETWORK ELEMENTS - Alabama															
CATEGORY	RATE ELEMENTS	Interm Zone	BCS	USOC	RATES(\$)				Attachment 2 Exh A				Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	
					Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	SOME	SOMAN	OSS RATES(\$)	SOMAN	SOMAN		
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center		UEP9E	1QWPP	0.56										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		UEP9E	1QWVV	0.56										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot		UEP9E	1QWVQ	0.56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot		UEP9E	1QWVA	0.56										
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex														
	NRC Conversion Currently Combined Switch-As-is with allowed charges, per port														
	Conversion of Existing Centrex Common Block, each		UEP9E	USAC2		0.10	0.10								
	New Centrex Standard Common Block		UEP9E	USACN		37.75	16.58								
	New Centrex Customized Common Block		UEP9E	M1ACS	0.00	667.21									
	NAR Establishment Charge, Per Occasion		UEP9E	M1ACC	0.00	667.21									
	Additional Non-Recurring Charges (NRC)		UEP9E	URECA	0.00	72.73									
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use														
	Premise		UEP9E	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use														
	Premise		UEP9E	URETN		11.21	1.10								
	UNE-P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN														
	2-Wire VG Loop2-Wire Voice Grade Port (Centrex) Combo														
	UNE Port Loop Combination Rates (Non-Design)														
	2-Wire VG Loop2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design				13.70										
	2-Wire VG Loop2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design				22.19										
	2-Wire VG Loop2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design				35.80										
	UNE Port Loop Combination Rates (Design)														
	2-Wire VG Loop2-Wire Voice Grade Port (Centrex) Port Combo - Design				16.53										
	2-Wire VG Loop2-Wire Voice Grade Port (Centrex)Port Combo - Design				25.00										
	2-Wire VG Loop2-Wire Voice Grade Port (Centrex)Port Combo - Design				38.29										
	UNE Loop Rate														
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	UEP93	UECS1	11.55										
	2-Wire Voice Grade Loop (SL 1) - Zone 2	2	UEP93	UECS1	20.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 3	3	UEP93	UECS1	33.65										
	2-Wire Voice Grade Loop (SL 2) - Zone 1	1	UEP93	UECS2	14.38										
	2-Wire Voice Grade Loop (SL 2) - Zone 2	2	UEP93	UECS2	22.85										
	2-Wire Voice Grade Loop (SL 2) - Zone 3	3	UEP93	UECS2	36.14										
	UNE Port Rate														
	AL, KY, LA, MS, & TN only														
	2-Wire Voice Grade Port (Centrex) Basic Local Area		UEP93	UEPYA	2.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area		UEP93	UEPYB	2.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex with Caller ID)Basic Local Area		UEP93	UEPYH	2.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2.3 Basic Local Area		UEP93	UEPYM	2.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2.3 - 800 Service Term - Basic Local Area		UEP93	UEPYZ	2.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area		UEP93	UEPY9	2.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area		UEP93	UEPY2	2.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex)		UEP93	UEPOA	2.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex 800 termination)		UEP93	UEPOB	2.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex with Caller ID)1		UEP93	UEPOH	2.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2.3		UEP93	UEPOM	2.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2.3 - 800 Service Term		UEP93	UEPOZ	2.15	90.38	57.27	48.66	8.77						

UNBUNDLED NETWORK ELEMENTS - Alabama										
CATEGORY	RATE ELEMENTS	Intram Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Attachment 2 Eth A
					Nonrecurring	First	Rec	Nonrecurring	SOME	SOME
					First	Add'l		First	per LSR	Charge - Manual Svc Order vs Electronic-1st
										Charge - Manual Svc Order vs Electronic-1st
	2-Wire Voice Grade Port terminated in on Megalink or equivalent									
	2-Wire Voice Grade Port Terminated on 800 Service Term									
	Local Switching									
	Centrex Intercom Functionality, per port									
	Features									
	All Standard Features Offered, per port									
	All Centrex Control Features Offered, per port									
	MARS									
	Unbundled Network Access Register - Combination									
	Unbundled Network Access Register - Initial									
	Unbundled Network Access Register - Outdial									
	Miscellaneous Terminations									
	2-Wire Trunk Side									
	Trunk Side Terminations, each									
	4-Wire Digital (1.544 Megabits)									
	DS1 Circuit Terminations, each									
	DS0 Channels Activated, Per Channel									
	Interoffice Channel Mileage - 2-Wire									
	Interoffice Channel Facilities Termination									
	Interoffice Channel Mileage, per mile or fraction of mile									
	Feature Activation (DS0) Centrex Loops on Channelized DS1 Service									
	D4 Channel Bank Feature Activations									
	Feature Activation on D-4 Channel Bank Centrex Loop Slot									
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot									
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot									
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center									
	Feature Activation on D-4 Channel Bank Private Line Loop Slot									
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot									
	Feature Activation on D-4 Channel Bank WATS Loop Slot									
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex									
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port									
	Conversion of Existing Centrex Common Block, each									
	New Centrex Standard Common Block									
	New Centrex Customized Common Block									
	NAR Establishment Charge - Per Occasion									
	Additional Non-Recurring Charges (NRC)									
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use									
	Premise									
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use									
	Use Premise									
	Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD									
	Note 2 - Requires Interoffice Channel Mileage									
	Note 3 - Installation is combination of installation charge for SL2 Loop and Port									
	Note 4 - Requires Specific Customer Premises Equipment									
	Note - Rates displaying an "I" in Intram column are interim as a result of a Commission order									

UNBUNDLED NETWORK ELEMENTS - Florida									
CATEGORY	RATE ELEMENTS	Intrnm Zone	BCS	USOC	RATES(\$)		Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st
					Nonrecurring First	Add'l	SOME C	SOMAN	SOMAN
					Rec			OSS Rate(\$)	
					First	Add'l			
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm									
OPERATIONS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"									
NOTE: (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions The OSS charges currently contained in this rate exhibit are the BellSouth "regional" service ordering charges CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has an interconnection contract established in each of the 9 states.									
(2) Any element that can be ordered electronically will be billed according to the SOME C rate listed in the category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the LOH, the listed SOME C rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be applied to a CLEC's bill when it submits an LSR to BellSouth.									
OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - LINE Only									
				SOME C	1.52	0.00	0.00		
OSS - Manual Service Order Charge, Per Local Service Request (LSR) - LINE Only									
			SOMAN		11.90	0.00	0.00		
UNE SERVICE DATE ADVANCEMENT CHARGE									
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No 1 Tariff, Section 6 as applicable									
			UCL, UEANL, UCL, UEF, UDF, UEQ, UDL, UENTW, UDIN, UEA, UHL, ULG, USL, UTI12, UT148, UTD1, UTID3, UITDX, UITO3, UITST, UITVX, UCIBC, UCIBL, UCICC, UCICL, UCIDC, UCIDL, UCIEC, UCIEL, UCIFC, UCIFL, UCIGC, UCIGL, UC1HC, UC1HL, UDI12, UDL48, UDIO3, UDLSX, UE3, UIID12, ULD48, ULDD1, ULDD3, ULDDX, ULDO3, ULDS1, ULDVX, UNCIY, UNC3X, UNCDX, UNCNG, UNCSX, UNCVX, UNLD1, UNLD3, UKTD1, UKTD3, UKTS1, UKTUC, UKTUD, UKTUB, NTCUD, NTCD1	SDASP	200.00	200.00			
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day									
ORDER MODIFICATION CHARGE									
Order Modification Charge (OMC)									
Credit Modification Additional Dispatch Charge (CMCAD)									
UNBUNDLED EXCHANGE ACCESS LOOP									
2-WIRE ANALOG VOICE GRADE LOOP									
		1	UEANL		38.00	18.00	25.62	6.57	
	2 Wire Analog Voice Grade Loop - Service Level 1- Zone 1		UEAL2		38.00	18.00	25.62	6.57	
	2 Wire Analog Voice Grade Loop - Service Level 1- Zone 2		UEAL2		38.00	18.00	25.62	6.57	
	2 Wire Analog Voice Grade Loop - Service Level 1- Zone 3		UEAL2		38.00	18.00	25.62	6.57	
	2 Wire Analog Voice Grade Loop - Service Level 1- Zone 1		UEANL		38.00	18.00	25.62	6.57	
	2 Wire Analog Voice Grade Loop - Service Level 1- Zone 2		UEANL		38.00	18.00	25.62	6.57	
	2 Wire Analog Voice Grade Loop - Service Level 1- Zone 3		UEANL		38.00	18.00	25.62	6.57	
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise		URETL		8.93	0.88			
	Loop Testing - Basic 1st Half Hour		URET1		48.65	0.00			
	Loop Testing - Basic Additional Half Hour		URETA		23.95	23.95			
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UULSL1)		UREWO		15.78	8.94			

UNBUNDLED NETWORK ELEMENTS - Florida										
CATEGORY	RATE ELEMENTS	Interm Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Attachment 2 Exh A
					Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	SOME C	SOMEAN
	Unbundled Voice Loop, Non-Design Voice Loop, Billing for BST providing make-up (Engineering Information - E1)		UEANL	UEANM		13 49				
	Manual Order Coordination for UVE-SL1's (per loop)		UEANL	UEAMC		9 00	9 00			
	Unbundled Miscellaneous Rate Element, Bulk Migration Mass Market rate, per Loop		UEANL	UREPN		31 50	25 00			
	Unbundled Miscellaneous Rate Element, Bulk Migration Mass Market Order Coordination Rate, per Loop		UEANL	UREPM		9 00	9 00			
2-WIRE UNBUNDLED COPPER LOOP										
	1 2 Wire Unbundled Copper Loop - Non-Design Zone 1	1	UEQ	UEQ2X	7 69	44 98	20 90	24 88		6 45
	2 2 Wire Unbundled Copper Loop - Non-Design - Zone 2	2	UEQ	UEQ2X	10 92	44 98	20 90	24 88		8 45
	3 2 Wire Unbundled Copper Loop - Non-Design - Zone 3	3	UEQ	UEQ2X	19 98	44 98	20 90	24 88		6 45
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise		UEQ	URETL		8 93	0 88			
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Design (per loop)		UEQ	USBMC		9 00				
	Unbundled Copper Loop, Non-Design Copper Loop, Billing for BST providing make-up (Engineering Information - E1)		UEQ	UEOMU		13 49				
	Loop Testing - Basic 1st Half Hour		UEQ	URET1		48 65	0 00			
	Loop Testing - Basic Additional Half Hour		UEQ	URETA		23 95	23 95			
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UCLAND)		UEQ	UREWO		14 27	7 43			
	Unbundled Miscellaneous Rate Element, Bulk Migration Mass Market rate, per Loop		UEQ	UREPN		38 61	17 19			
	Unbundled Miscellaneous Rate Element Bulk Migration Mass Market Order Coordination Rate, per Loop		UEQ	UREPM		9 00	9 00			
UNBUNDLED EXCHANGE ACCESS LOOP										
2-WIRE ANALOG VOICE GRADE LOOP										
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1	1	UEA, NTCVG	UEAL2	12 24	102 00	62 00	63 53		12 01
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2	2	UEA, NTCVG	UEAL2	17 40	102 00	62 00	63 53		12 01
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3	3	UEA, NTCVG	UEAL2	30 87	102 00	62 00	63 53		12 01
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1	1	UEA, NTCVG	UEAR2	12 24	102 00	62 00	63 53		12 01
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2	2	UEA, NTCVG	UEAR2	17 40	102 00	62 00	63 53		12 01
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	3	UEA, NTCVG	UEAR2	30 87	102 00	62 00	63 53		12 01
	Switch-Ae-is Conversion rate per UNE Loop, Single LSR, (per DS0)		UEA, NTCVG	URES1		24 97	3 52			
	Switch-Ae-is Conversion rate per UNE Loop, Spreadsheet, (per DS0)		UEA, NTCVG	URES2		26 46	5 01			
	CLEC to CLEC Conversion Charge without outside dispatch Loop Tagging - Service Level 2 (SL2)		UEA, NTCVG	UREWO		87 71	36 35			
	Loop Tagging - Service Level 2 (SL2)		UEA, NTCVG	URETL		11 21	1 10			
4-WIRE ANALOG VOICE GRADE LOOP										
	4 Wire Analog Voice Grade Loop - Zone 1	1	UEA, NTCVG	UEAL4	18 89	167 86	115 15	67 08		15 56
	4 Wire Analog Voice Grade Loop - Zone 2	2	UEA, NTCVG	UEAL4	26 84	167 86	115 15	67 08		15 56
	4 Wire Analog Voice Grade Loop - Zone 3	3	UEA, NTCVG	UEAL4	47 62	167 86	115 15	67 08		15 56
	Switch-Ae-is Conversion rate per UNE Loop, Single LSR, (per DS0)		UEA, NTCVG	URES1		24 97	3 52			
	Switch-Ae-is Conversion rate per UNE Loop, Spreadsheet, (per DS0)		UEA, NTCVG	URES2		26 46	5 01			
	CLEC to CLEC Conversion Charge without outside dispatch		UEA, NTCVG	UREWO		87 71	36 35			
	Unbundled Miscellaneous Rate Element, Bulk Migration Mass Market rate, per Loop		UEA	UREPN		97 00	59 00			
	Unbundled Miscellaneous Rate Element, Bulk Migration Mass Market Order Coordination Rate, per Loop		UEA	UREPM		0 00	0 00			
2-WIRE ISDN DIGITAL GRADE LOOP										
	2-Wire ISDN Digital Grade Loop - Zone 1	1	UDN	U1L2X	19 28	147 69	94 41	62 23		10 71
	2-Wire ISDN Digital Grade Loop - Zone 2	2	UDN	U1L2X	27 40	147 69	94 41	62 23		10 71
	2-Wire ISDN Digital Grade Loop - Zone 3	3	UDN	U1L2X	48 62	147 69	94 41	62 23		10 71
	CLEC to CLEC Conversion Charge without outside dispatch		UDN	UREWO		91 61	44 15			
2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP										

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment: 2 Exh. A			
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st
					Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	SOME C	SOMAN	SOMAN	SOMAN
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1	1	UAL	UAL2X	8.30	112.00	77.00	75.05	15.63				
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2	2	UAL	UAL2X	11.80	112.00	77.00	75.05	15.63				
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3	3	UAL	UAL2X	20.94	112.00	77.00	75.05	15.63				
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1	1	UAL	UAL2W	8.30	112.00	77.00	60.64	9.12				
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2	2	UAL	UAL2W	11.80	112.00	77.00	60.64	9.12				
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3	3	UAL	UAL2W	20.94	112.00	77.00	60.64	9.12				
	CLEC to CLEC Conversion Charge without outside dispatch					86.19	40.39						
	2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP												
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1	1	UHL	UHL2X	7.22	159.09	113.41	75.05	15.63				
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2	2	UHL	UHL2X	10.26	159.09	113.41	75.05	15.63				
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3	3	UHL	UHL2X	18.21	159.09	113.41	75.05	15.63				
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	UHL	UHL2W	7.22	134.40	80.69	60.64	9.12				
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	2	UHL	UHL2W	10.26	134.40	80.69	60.64	9.12				
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	3	UHL	UHL2W	18.21	134.40	80.69	60.64	9.12				
	CLEC to CLEC Conversion Charge without outside dispatch					86.12	40.39						
	4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP												
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1	1	UHL	UHL4X	10.86	193.31	138.98	77.15	12.61				
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2	2	UHL	UHL4X	15.44	193.31	138.98	77.15	12.61				
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3	3	UHL	UHL4X	27.39	193.31	138.98	77.15	12.61				
	4 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	UHL	UHL4W	10.86	168.62	115.47	62.74	11.22				
	4 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	2	UHL	UHL4W	15.44	168.62	115.47	62.74	11.22				
	4 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	3	UHL	UHL4W	27.39	168.62	115.47	62.74	11.22				
	CLEC to CLEC Conversion Charge without outside dispatch					86.12	40.39						
	4-WIRE DS1 DIGITAL LOOP												
	4-Wire DS1 Digital Loop - Zone 1	1	USL	NTCD1	70.74	240.50	145.18	61.22	13.53				
	4-Wire DS1 Digital Loop - Zone 2	2	USL	NTCD1	100.54	240.50	145.18	61.22	13.53				
	4-Wire DS1 Digital Loop - Zone 3	3	USL	NTCD1	178.39	240.50	145.18	61.22	13.53				
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DS1)					24.97	3.52						
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DS1)					26.46	5.01						
	CLEC to CLEC Conversion Charge without outside dispatch					101.07	43.04						
	EEL to Designed UNE-1, Conversion without outside dispatch, spreadsheet conversion, per Loop					128.00	77.00						
	4-WIRE 19.2, 56 OR 64 Kbps DIGITAL GRADE LOOP												
	4 Wire Unbundled Digital 19.2 Kbps	1	UDL	NTCUD	22.20	161.56	108.85	67.08	15.56				
	4 Wire Unbundled Digital 19.2 Kbps	2	UDL	NTCUD	31.56	161.56	108.85	67.08	15.56				
	4 Wire Unbundled Digital 19.2 Kbps	3	UDL	NTCUD	55.99	161.56	108.85	67.08	15.56				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	UDL	NTCUD	22.20	161.56	108.85	67.08	15.56				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	2	UDL	NTCUD	31.56	161.56	108.85	67.08	15.56				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	3	UDL	NTCUD	55.99	161.56	108.85	67.08	15.56				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	UDL	NTCUD	22.20	161.56	108.85	67.08	15.56				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	2	UDL	NTCUD	31.56	161.56	108.85	67.08	15.56				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	3	UDL	NTCUD	55.99	161.56	108.85	67.08	15.56				

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment 2 Exh A			
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st
						Rec	Nonrecurring	Nonrecurring	Disconnect				
						First	Add'l	First	Add'l	SOME	SOMAN	SOMAN	SOMAN
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)			UDL, NTCUD	URES		24 97	3 52					
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			UDL, NTCUD	URES		28 46	5 01					
	CLEC to CLEC Conversion Charge without outside dispatch			UDL, NTCUD	UREWO		102 11	49 74					
2-WIRE UNBUNDLED COPPER LOOP													
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	8 30	148 50	102 82	75 05	15 83			
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11 80	148 50	102 82	75 05	15 83			
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	20 84	148 50	102 82	75 05	15 83			
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	8 30	123 81	70 09	60 64	9 12			
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11 80	123 81	70 09	60 64	9 12			
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	20 84	123 81	70 09	60 64	9 12			
	CLEC to CLEC Conversion Charge without outside dispatch (UCL -Dis)			UCL	UREWO		97 21	42 47					
4-WIRE COPPER LOOP													
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1		1	UCL	UCLAS	11 83	177 87	132 76	77 15	17 73			
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2		2	UCL	UCLAS	16 81	177 87	132 76	77 15	17 73			
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3		3	UCL	UCLAS	29 82	177 87	132 76	77 15	17 73			
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1		1	UCL	UCLAW	11 83	153 18	100 03	62 74	11 22			
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	UCLAW	16 81	153 18	100 03	62 74	11 22			
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3		3	UCL	UCLAW	29 82	153 18	100 03	62 74	11 22			
	CLEC to CLEC Conversion Charge without outside dispatch			UCL	UREWO		97 21	42 47					
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9 00	9 00					
				UEA, UDN, UAL, UHL, UDL, NTCVG, NTCUD, USL, NTCDD1, UEANL	OCOSL		23 02						
LOOP MODIFICATION													
	Order Coordination for Specified Conversion Time (per LSR)												
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop			UCL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB			0 00	0 00					
	Unbundled Loop Modification, Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unbundled Loop			UHL, UCL, UEA, UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB			0 00	0 00					
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UHL, UCL, UEA, UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB			10 52	10 52					
SUB-LOOPS													
	Sub-Loop Distribution												
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up			UEANL, UEF	USBSA		487 23						
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL, UEF	USBSB		6 25						
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up			UEANL	USBSC		169 25						
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up			UEANL	USBSD		38 65						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	1		UEANL	USBN2	6 46	60 19	21 78	47 50	5 26			
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	2		UEANL	USBN2	9 18	60 19	21 78	47 50	5 26			

UNBUNDLED NETWORK ELEMENTS - Florida												
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Manually Submitted per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	SOME C	SOME M	Incremental Charge - Manual Svc Order vs Electronic-1st
	Sub-Loop Distribution Per 2 Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN2	16.29	60.19	21.78	47.50	5.26		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair											
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBMC		9.00	9.00				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	7.37	68.83	30.42	49.71	6.60		
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	10.47	68.83	30.42	49.71	6.60		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair											
	Sub-Loop 2-Wire IntraBuilding Network Cable (INC)					3.96	51.84	13.44	47.50	5.26		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair											
	Sub-Loop 4-Wire IntraBuilding Network Cable (INC)					9.37	55.91	17.51	49.71	6.60		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair											
	Loop Testing - Basic 1st Half Hour						9.00	9.00				
	Loop Testing - Basic Additional Half Hour						48.65	0.00				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	5.15	60.19	21.78	47.50	5.26		
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X	7.31	60.19	21.78	47.50	5.26		
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	12.98	60.19	21.78	47.50	5.26		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair											
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	USBMC	5.36	68.83	30.42	49.71	6.60		
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS4X	7.61	68.83	30.42	49.71	6.60		
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	13.51	68.83	30.42	49.71	6.60		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair											
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-Designed and Distribution Subloops						9.00	9.00				
	Loop Testing - Basic 1st Half Hour						8.93	0.88				
	Loop Testing - Basic Additional Half Hour						48.65	0.00				
	Unbundled Sub-Loop Modification						23.95	23.95				
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load						10.11	10.11				
	Cable Equip Removal per 2-W PR											
	Unbundled Sub-loop Modification - 4-W Copper Dist Load						10.11	10.11				
	Cable Equip Removal per 4-W PR											
	Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop						15.58	15.58				
	Unbundled Network Terminating Wire (UNTW)											
	Unbundled Network Terminating Wire (UNTW) per Pair					0.4572	13.02					
	Network Interface Device (NID)											
	Network Interface Device (NID) - 1-2 lines						71.49	48.87				
	Network Interface Device (NID) - 1-6 lines						113.89	89.07				
	Network Interface Device Cross Connect - 2 W						7.63	7.63				
	Network Interface Device Cross Connect - 4W						7.63	7.63				
	UNE OTHER, PROVISIONING ONLY - NO RATE											
	UAL, UCL, UDC, UDL, UDN, UEA, UEL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD, NTCOT, USL											
	Unbundled Contact Name, Provisioning Only - no rate					0.00	0.00					
	Unbundled DS1 Loop - Superframe Format Option - no rate					0.00	0.00					
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate											
	NID - Dispatch and Service Order for NID installation					0.00	0.00					
	UNTW Circuit Establishment, Provisioning Only - No Rate					0.00	0.00					
	UNTW Circuit Establishment, Provisioning Only - No Rate					0.00	0.00					
	NOTE minimum billing period of three months for DS3/STS-1 Local Loop											
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1LSND	10.92						

UNBUNDLED NETWORK ELEMENTS - Florida																		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Exh. A				Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
						Nonrecurring		Disconnect Add'l	OSS Rates(\$)									
						First	Add'l		SOME			SOMAN	SOMAN	SOMAN				
						Rec												
	High Capacity Unbundled Local Loop DSS - Facility Termination per month			UE3	UE3PX	386.88	556.37	343.01	139.13	96.84								
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	10.92												
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	426.60	556.37	343.01	139.13	96.84								
LOOP MAKE-UP																		
	Loop Makeup - Preordering Without Reservation, per working or spare facility (queued Manual)			UMK	UMK1W		52.17	52.17										
	Loop Makeup - Preordering With Reservation, per spare facility (queued Manual)			UMK	UMK1P		55.07	55.07										
	Loop Makeup - With or Without Reservation, per working or spare facility (queued Mechanized)			UMK	UMKMQ		0.6784	0.6784										
LINE SPLITTING																		
END USER ORDERING-CENTRAL OFFICE BASED																		
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UEEOS	0.61												
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UEEBP	0.61	29.68	21.28	19.57	9.61								
	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UEEBV	1.134	29.68	21.28	19.57	9.61								
UNBUNDLED EXCHANGE ACCESS LOOP																		
2-WIRE ANALOG VOICE GRADE LOOP																		
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1	1		UEPSR UEPSB	UEALS	10.69	49.57	22.83	25.62	6.57								
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1	1		UEPSR UEPSB	UEABS	10.69	49.57	22.83	25.62	6.57								
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 2	2		UEPSR UEPSB	UEALS	15.20	49.57	22.83	25.62	6.57								
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 2	2		UEPSR UEPSB	UEABS	15.20	49.57	22.83	25.62	6.57								
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3	3		UEPSR UEPSB	UEALS	26.97	49.57	22.83	25.62	6.57								
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3	3		UEPSR UEPSB	UEABS	26.97	49.57	22.83	25.62	6.57								
PHYSICAL COLLOCATION																		
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.0276	8.22	7.22	5.74	4.58								
VIRTUAL COLLOCATION																		
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.0502	11.57	11.57	0.00	0.00								
UNBUNDLED DEDICATED TRANSPORT																		
INTEROFFICE CHANNEL - DEDICATED TRANSPORT																		
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0091												
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Facility Termination			U1TVX	U1TV2	25.32	47.35	31.78	18.31	7.03								
	Interoffice Channel - Dedicated Transport 1-2-Wire Voice Grade Rev Bat - Per Mile per month			U1TVX	1L5XX	0.0091												
	Interoffice Channel - Dedicated Transport - 2-Wire VG Rev Bat - Facility Termination			U1TVX	U1TR2	25.32	47.35	31.78	18.31	7.03								
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0091												
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Facility Termination			U1TVX	U1TV4	22.58	47.35	31.78	18.31	7.03								
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0091												
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	U1TD5	18.44	47.35	31.78	18.31	7.03								
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0091												
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TDX	U1TD6	18.44	47.35	31.78	18.31	7.03								
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.1856												
	Interoffice Channel - Dedicated Transport - DS1 - Facility Termination			U1TD1	U1TF1	88.44	105.54	98.47	21.47	19.05								

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment 2 Exh. A							
CATEGORY	RATE ELEMENTS	Interm Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Manually Submitted per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st
					Rec	Nonrecurring	Nonrecurring	Nonrecurring	Disconnect		SOME	SOME	SOME	SOME	SOME	SOME	SOME
					Frat	Add'l	Frat	Add'l	Frat	Add'l							
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month																
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month																
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month																
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination																
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 1	1	ULDX, UNCVX	ULDX	1,066.00	219.28	335.46	219.28	72.03	70.56							
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 2	2	ULDX, UNCVX	ULDX	23.52												
	Local Channel - Dedicated - 4-Wire Voice Grade - Zone 3	3	ULDX, UNCVX	ULDX	33.42												
	Local Channel - Dedicated - DS1 - Zone 1	1	ULDX, UNCVX	ULDX	59.29												
	Local Channel - Dedicated - DS1 - Zone 2	2	ULDX, UNCVX	ULDX	41.96												
	Local Channel - Dedicated - DS1 - Zone 3	3	ULDX, UNCVX	ULDX	59.63												
	Local Channel - Dedicated - DS3 - Per Mile per month				105.80												
	Local Channel - Dedicated - DS3 - Facility Termination				9.78												
	Local Channel - Dedicated - STS-1 - Per Mile per month				611.70												
	Local Channel - Dedicated - STS-1 - Facility Termination				9.78												
	UNBUNDLED DARK FIBER				621.79												
	Dark Fiber, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof - Interoffice Transport				26.85	751.34	193.88										
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel				53.87												
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop				53.87												
	8XX Access Ten Digit Screening, Per Call				0.0006252	0.0006165											
	8XX Access Ten Digit Screening, w/ 8FL No. Delivery, per query				0.0006252												
	8XX Access Ten Digit Screening, w/ POTS No. Delivery, per query				0.0006252												
	LINE INFORMATION DATA BASE ACCESS (LDB)																
	LDB Common Transport Per Query				0.000203	0.000105											
	LDB Validation Per Query				0.0136959	0.0132254											
	LDB Originating Point Code Establishment or Change				55.13	55.13											
	CALLING NAME (CNAM) SERVICE																
	CNAM for DB Owners Per Query				0.001024	0.0010161											
	CNAM for Non DB Owners Per Query				0.001024												
	LNP Query Service				0.000852	0.000442											
	LNP Charge Per query				13.83	13.83											
	LNP Service Establishment Manual				655.50	334.88											
	LNP Service Provisioning with Point Code Establishment																
	SELECTIVE ROUTING																
	Selective Routing Per Unique Line Class Code Per Request Per Switch				93.55	93.55											
	AIN SELECTIVE CARRIER ROUTING																
	Regional Service Establishment				193.444.00	7.737.00											
	End Office Establishment				187.36	0.69											
	Query NRC, per query				0.0031858	0.0030998											
	AIN - BELLSOUTH AIN SMS ACCESS SERVICE																
	Initial Setup				43.56	43.56											
	AIN SMS Access Service - Service Establishment, Per State																
	AIN SMS Access Service - Port Connection - Dual/Shared Access																
	AIN SMS Access Service - Port Connection - ISDN Access																
	AIN SMS Access Service - User Identification Codes - Per User ID Code																
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement																
	AIN SMS Access Service - Storage, Per Unit (100 Kbytes)																
	AIN SMS Access Service - Session, Per Minute																
	AIN SMS Access Service - Company Performed Session, Per Minute																

UNBUNDLED NETWORK ELEMENTS - Florida												
CATEGORY	RATE ELEMENTS	Interm Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Attachment 2 Eth A	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st
					Nonrecurring	First	Add'l	Nonrecurring Disconnect	SOMECH	SOMAN	SOMAN	SOMAN
					Rec	First	Add'l	First	Add'l			
SIGNALING (CCS7)	NOTE "bk" denotes a rate indicates that the Parties have agreed to bill and keep for that element.											
	CCS7 Signaling Usage, Per TCAP Message				0.0000607/HK							
	CCS7 Signaling Usage, Per ISUP Message				0.0000152/HK							
	911 PBX LOCATE											
911 PBX LOCATE	Service Establishment per CLEC per End User Account											
	Charges to TN Range of Customer Profile					1,820.00						
	Per Telephone Number (Monthly)					182.14						
	Change Company (Service Provider) ID				0.07							
911 PBX LOCATE	PBX Locate Service Support per CLEC (Monthly)					534.66						
	Service Order Charge				178.80							
	911 PBX LOCATE TRANSPORT COMPONENT					11.90						
	See Att 3											
ENHANCED EXTENDED LINK (EEL)	NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as "Ordinarily Combined" Network Elements											
	NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as "Currently Combined" Network Elements											
	EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT											
	First 2-Wire VG Loop (SL2) in Combination - Zone 1	1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81			
EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT	First 2-Wire VG Loop (SL2) in Combination - Zone 2	2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81			
	First 2-Wire VG Loop (SL2) in Combination - Zone 3	3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81			
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month		UNCVX	1LSXX	0.1856							
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month		UNCVX	U1TF1	88.44	174.46	122.46	45.61	17.95			
EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT	1/0 Channel System in combination Per Month		UNCVX	MDT	146.77	51.83	10.75					
	Voice Grade COCI - Per Month		UNCVX	1D1VG	1.38	12.16	8.77	6.71	4.84			
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1	1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81			
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2	2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81			
EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3	3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81			
	Voice Grade COCI - Per Month		UNCVX	1D1VG	1.38	12.16	8.77	6.71	4.84			
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1	1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81			
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2	2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81			
EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3	3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81			
	Interoffice Transport - Dedicated - DS1 combination - Per Month		UNCVX	1LSXX	0.1856							
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month		UNCVX	U1TF1	88.44	174.46	122.46	45.61	17.95			
	1/0 Channel System in combination Per Month		UNCVX	MDT	146.77	51.83	10.75					
EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT	Voice Grade COCI in combination - Per month		UNCVX	1D1VG	1.38	12.16	8.77	6.71	4.84			
	Additional 4-Wire Analog Voice Grade Loop in same DS1	1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81			
	Additional 4-Wire Analog Voice Grade Loop in same DS1	2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81			
	Additional 4-Wire Analog Voice Grade Loop in same DS1	3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81			
EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT	Additional Voice Grade COCI in combination - per month		UNCVX	1D1VG	1.38	12.16	8.77	6.71	4.84			
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81			
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81			
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81			
EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNCVX	1LSXX	0.1856							

Exhibit 1
Attach 2-TIRO Amendment
Exhibit A Rates
BTI

UNBUNDLED NETWORK ELEMENTS - Florida														
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Eth A		
					Rec	Nonrecurring		Nonrecurring Disconnect First	Incremental Charge - Manual Svc Order vs Electronic-1st					
						Add'l	First		Add'l			SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month		UNCIX	UITF1	88.44	174.46	122.46	45.61	17.95					
	1/0 Channel System in combination Per Month		UNCIX	MO1	146.77	51.83	10.75							
	OCU-DP COCI (data) per month (2 4-64Kbps)		UNCIX	UD1DD	2.10	10.07	8.77	6.71	4.84					
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1	1	UNCIX	UD1S6	22.20	127.59	60.54	42.79	2.81					
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2	2	UNCIX	UD1S6	31.56	127.59	60.54	42.79	2.81					
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3	3	UNCIX	UD1S6	55.99	127.59	60.54	42.79	2.81					
	Additional OCU-DP COCI (data) - in combination per month (2 4-64Kbps)		UNCIX	UD1DD	2.10	10.07	8.77	6.71	4.84					
EXTENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT														
	First 4 Wire 64Kbps Digital Grade Loop in Combination - Zone 1	1	UNCIX	UD164	22.20	127.59	60.54	42.79	2.81					
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2	2	UNCIX	UD164	31.56	127.59	60.54	42.79	2.81					
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	3	UNCIX	UD164	55.99	127.59	60.54	42.79	2.81					
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		UNCIX	IL5XX	0.1856									
	1/0 Channel System in combination Per Month		UNCIX	UITF1	88.44	174.46	122.46	45.61	17.95					
	OCU-DP COCI (data) - in combination - per month (2 4-64Kbps)		UNCIX	MO1	146.77	51.83	10.75							
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1	1	UNCIX	UD1DD	2.10	10.07	8.77	6.71	4.84					
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2	2	UNCIX	UD164	22.20	127.59	60.54	42.79	2.81					
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3	3	UNCIX	UD164	31.56	127.59	60.54	42.79	2.81					
	Additional OCU-DP COCI (data) - in combination - per month (2 4-64Kbps)		UNCIX	UD1DD	2.10	10.07	8.77	6.71	4.84					
EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT														
	4-Wire DS1 Digital Loop in Combination - Zone 1	1	UNCIX	USLXX	70.74	217.75	121.62	51.44	14.45					
	4-Wire DS1 Digital Loop in Combination - Zone 2	2	UNCIX	USLXX	100.54	217.75	121.62	51.44	14.45					
	4-Wire DS1 Digital Loop in Combination - Zone 3	3	UNCIX	USLXX	178.39	217.75	121.62	51.44	14.45					
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNCIX	IL5XX	0.1856									
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		UNCIX	UITF1	88.44	174.46	122.46	45.61	17.95					
EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT														
	First DS1 Loop in Combination - Zone 1	1	UNCIX	USLXX	70.74	217.75	121.62	51.44	14.45					
	First DS1 Loop in Combination - Zone 2	2	UNCIX	USLXX	100.54	217.75	121.62	51.44	14.45					
	First DS1 Loop in Combination - Zone 3	3	UNCIX	USLXX	178.39	217.75	121.62	51.44	14.45					
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month		UNCIX	IL5XX	3.87									
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month		UNCIX	UITF3	1,071.00	314.45	130.88	38.60	18.23					
	3/1 Channel System in combination per month		UNCIX	MO3	211.19	115.60	59.93	5.45	0.00					
	DS1 COCI in combination per month		UNCIX	UC1D1	13.76	10.07	7.08	0.00	0.00					
	Additional DS1 Loop in DS3 Interoffice Transport Combination - Zone 1	1	UNCIX	USLXX	70.74	217.75	121.62	51.44	14.45					
	Additional DS1 Loop in DS3 Interoffice Transport Combination - Zone 2	2	UNCIX	USLXX	100.54	217.75	121.62	51.44	14.45					
	Additional DS1 Loop in DS3 Interoffice Transport Combination - Zone 3	3	UNCIX	USLXX	178.39	217.75	121.62	51.44	14.45					
EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP/2 WIRE VOICE GRADE INTEROFFICE TRANSPORT														
	Additional DS1 COCI in combination per month		UNCIX	UC1D1	13.76	10.07	7.08	0.00	0.00					
	2-WireVG Loop in combination - Zone 1	1	UNCIX	UEAL2	12.24	127.59	60.54	42.79	2.81					
	2-WireVG Loop in combination - Zone 2	2	UNCIX	UEAL2	17.40	127.59	60.54	42.79	2.81					
	2-WireVG Loop in combination - Zone 3	3	UNCIX	UEAL2	30.87	127.59	60.54	42.79	2.81					
	Interoffice Transport - 2 wire VG - Dedicated - Per Mile Per Month		UNCIX	IL5XX	0.0091									

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment: 2 Eth A			
CATEGORY	RATE ELEMENTS	Interm Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st
					Rec	Nonrecurring Add'l	First	Nonrecurring Add'l	SOME	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - 2-wire VG Dedicated - Facility Termination per month		UNCVX	U1TV2	25.32	94.70	52.59	50.49	21.53				
	EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP/4 WIRE VOICE GRADE INTEROFFICE TRANSPORT		UNCVX										
	1 4-Wire VG Loop in combination - Zone 1		UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81				
	2 4-Wire VG Loop in combination - Zone 2		UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81				
	3 4-Wire VG Loop in combination - Zone 3		UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81				
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month Termination per month		UNCVX	1LSXX	0.0091								
	EXTENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT		UNCVX	U1TV4	22.58	94.70	52.59	50.49	21.53				
	DS3 Local Loop in combination - per mile per month		UNC3X	1LSND	10.92								
	DS3 Local Loop in combination - Facility Termination per month		UNC3X	UE3PX	388.88	249.97	162.05	67.10	26.82				
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month		UNC3X	1LSXX	3.87								
	EXTENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT		UNC3X	U1TF3	1,071.00	314.45	130.88	38.60	18.23				
	STS-1 Local Loop in combination - per mile per month		UNC3X	1LSND	10.92								
	STS-1 Local Loop in combination - Facility Termination per month		UNC3X	UDLS1	428.60	249.97	162.05	67.10	26.82				
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month		UNC3X	1LSXX	3.87								
	EXTENDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT		UNC3X	U1TFS	1,056.00	314.45	130.88	38.60	18.23				
	1 First 2-Wire ISDN Loop in combination - Zone 1		UNC3X	U1L2X	19.28	127.59	60.60	42.79	2.81				
	2 First 2-Wire ISDN Loop in combination - Zone 2		UNC3X	U1L2X	27.40	127.59	60.60	42.79	2.81				
	3 First 2-Wire ISDN Loop in combination - Zone 3		UNC3X	U1L2X	48.62	127.59	60.60	42.79	2.81				
	Interoffice Transport - Dedicated - DS1 combination - per mile per month		UNC1X	1LSXX	0.1856								
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month		UNC1X	U1TF1	88.44	174.48	122.46	45.61	17.95				
	1/6 Channel System in combination - per month		UNC1X	MQ1	146.77	51.83	10.75	6.71	4.84				
	2-Wire ISDN COCI (BRIE) - in combination - per month		UNC1X	UCICA	3.66	12.16	8.77						
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 1		UNC1X	U1L2X	19.28	127.59	60.60	42.79	2.81				
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 2		UNC1X	U1L2X	27.40	127.59	60.60	42.79	2.81				
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 3		UNC1X	U1L2X	48.62	127.59	60.60	42.79	2.81				
	Additional 2-wire ISDN COCI (BRIE) - in combination - per month		UNC1X	UCICA	3.66	12.16	8.77	6.71	4.84				
	EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT		UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45				
	1 First DS1 Loop in combination - Zone 1		UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45				
	2 First DS1 Loop in combination - Zone 2		UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45				
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month		UNC1X	1LSXX	3.87								
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month		UNC1X	U1TFS	1,056.00	314.45	130.88	38.60	18.23				
	3/1 Channel System in combination per month		UNC1X	MQ3	211.19	115.60	59.83	5.45	0.00				
	DS1 COCI in combination per month		UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00				
	Additional DS1 Loop in the same STS-1 Interoffice Transport Combination - Zone 1		UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45				
	Additional DS1 Loop in the same STS-1 Interoffice Transport Combination - Zone 2		UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45				
	Additional DS1 Loop in the same STS-1 Interoffice Transport Combination - Zone 3		UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45				
	DS1 COCI in combination per month		UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00				
	EXTENDED 4-WIRE 56 Kbps DIGITAL EXTENDED LOOP WITH 56 Kbps INTEROFFICE TRANSPORT		UNC1X	UDL56	22.20	127.59	60.54	42.79	2.81				
	4-wire 56 kbps Local Loop in combination - Zone 1		UNC1X	UDL56	31.58	127.59	60.54	42.79	2.81				
	4-wire 56 kbps Local Loop in combination - Zone 2		UNC1X	UDL56	55.99	127.59	60.54	42.79	2.81				
	4-wire 56 kbps Local Loop in combination - Zone 3		UNC1X	UDL56									

UNBUNDLED NETWORK ELEMENTS - Florida															
CATEGORY	RATE ELEMENTS	Interm Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Exh A	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l		
					Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	SOME	SOMAN	SOMAN	SOMAN	SOMAN		
	Interoffice Transport - Dedicated - 4 wire 56 kbps combination - Per Mile per month		UNCIX	1L5XX	0.0091										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month		UNCIX	U1TDS	18.44	94.70	52.59	50.49	21.53						
EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT															
	4-wire 64 kbps Local Loop in Combination - Zone 1	1	UNCIX	U1TDS	22.20	127.59	60.54	42.79	2.81						
	4-wire 64 kbps Local Loop in Combination - Zone 2	2	UNCIX	U1TDS	31.56	127.59	60.54	42.79	2.81						
	4-wire 64 kbps Local Loop in Combination - Zone 3	3	UNCIX	U1TDS	55.99	127.59	60.54	42.79	2.81						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month		UNCIX	1L5XX	0.0091										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month		UNCIX	U1TDS	18.44	94.70	52.59	50.49	21.53						
EXTENDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX															
	First 2-wire VG Loop (SL2) in Combination - Zone 1	1	UNCIX	UEAL2	12.24	127.59	60.54	42.79	2.81						
	First 2-wire VG Loop (SL2) in Combination - Zone 2	2	UNCIX	UEAL2	17.40	127.59	60.54	42.79	2.81						
	First 2-wire VG Loop (SL2) in Combination - Zone 3	3	UNCIX	UEAL2	30.87	127.59	60.54	42.79	2.81						
	First Interoffice Transport - Dedicated DS1 combination - Per Mile		UNCIX	1L5XX	0.1856										
	First Interoffice Transport - Dedicated DS1 combination - Facility Termination per month		UNCIX	U1TDS	88.44	174.46	122.46	45.61	17.95						
	Per each DS1 Channelization System Per Month		UNCIX	U1TDS	146.77	51.83	10.75	6.71	4.84						
	Per each Voice Grade COCI - Per Month per month		UNCIX	U1TDS	12.16	8.77	5.45	0.00	0.00						
	3/1 Channel System in combination per month		UNCIX	U1TDS	211.19	115.60	59.93	5.45	0.00						
	Per each DS1 COCI in combination per month		UNCIX	U1TDS	13.76	10.07	7.08	0.00	0.00						
	Each Additional 2-Wire VG Loop (SL2) in the same DS1 Interoffice Transport Combination - Zone 1	1	UNCIX	UEAL2	12.24	127.59	60.54	42.79	2.81						
	Each Additional 2-Wire VG Loop (SL2) in the same DS1 Interoffice Transport Combination - Zone 2	2	UNCIX	UEAL2	17.40	127.59	60.54	42.79	2.81						
	Each Additional 2-Wire VG Loop (SL2) in the same DS1 Interoffice Transport Combination - Zone 3	3	UNCIX	UEAL2	30.87	127.59	60.54	42.79	2.81						
	Each Additional Voice Grade COCI in combination - per month		UNCIX	U1TDS	12.16	8.77	5.45	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month		UNCIX	1L5XX	0.1856										
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month		UNCIX	U1TDS	88.44	174.46	122.46	45.61	17.95						
	Each Additional DS1 COCI combination per month		UNCIX	U1TDS	13.76	10.07	7.08	0.00	0.00						
EXTENDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX															
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 1	1	UNCIX	UEAL4	18.89	127.59	60.54	42.79	2.81						
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 2	2	UNCIX	UEAL4	26.84	127.59	60.54	42.79	2.81						
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 3	3	UNCIX	UEAL4	47.62	127.59	60.54	42.79	2.81						
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNCIX	1L5XX	0.1856										
	First Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month		UNCIX	U1TDS	88.44	174.46	122.46	45.61	17.95						
	Per each 1/0 Channel System in combination Per Month		UNCIX	U1TDS	146.77	51.83	10.75	6.71	4.84						
	Per each Voice Grade COCI in combination - per month		UNCIX	U1TDS	12.16	8.77	5.45	0.00	0.00						
	3/1 Channel System in combination per month		UNCIX	U1TDS	211.19	115.60	59.93	5.45	0.00						
	Per each DS1 COCI in combination per month		UNCIX	U1TDS	13.76	10.07	7.08	0.00	0.00						
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1	1	UNCIX	UEAL4	18.89	127.59	60.54	42.79	2.81						
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2	2	UNCIX	UEAL4	26.84	127.59	60.54	42.79	2.81						
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3	3	UNCIX	UEAL4	47.62	127.59	60.54	42.79	2.81						
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month		UNCIX	1L5XX	0.1856										
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month		UNCIX	U1TDS	88.44	174.46	122.46	45.61	17.95						
	Additional Voice Grade COCI - in combination - per month		UNCIX	U1TDS	13.76	12.16	8.77	6.71	4.84						
EXTENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX															

Exhibit 1
Attach 2-TRHO Amendment
Exhibit A Rates
BT1

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment 2 Exh. A			
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st
					Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	SOMECH	SOMECH	SOMAN	SOMAN	SOMAN
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 1	1	UNCDX	UDL56	22 20	127 59	60 54	42 79	2 81				
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 2	2	UNCDX	UDL56	31 56	127 59	60 54	42 79	2 81				
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 3	3	UNCDX	UDL56	55 99	127 59	60 54	42 79	2 81				
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNCIX	1LSXX	0 1856								
	First Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month		UNCIX	UITF1	88 44	174 46	122 46	45 61	17 95				
	Per each 1/0 Channel System in combination Per Month		UNCIX	MQ1	146 77	51 83	10 75						
	Per each OC4-DP COCI (data) per month (2 4-64Kbps)		UNCIX	1D1DD	2 10	10 07	8 77	6 71	4 84				
	3/1 Channel System in combination per month		UNCIX	UC3X	211 19	115 60	59 93	5 45	0 00				
	Per each DS1 COCI in combination per month		UNCIX	UC1D1	13 76	10 07	7 08	0 00	0 00				
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL56	22 20	127 59	60 54	42 79	2 81				
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL56	31 56	127 59	60 54	42 79	2 81				
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL56	55 99	127 59	60 54	42 79	2 81				
	OC4-DP COCI (data) COCI in combination per month (2 4-64Kbps)		UNCDX	1D1DD	2 10	10 07	8 77	6 71	4 84				
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month		UNCIX	1LSXX	0 1856								
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month		UNCIX	UITF1	88 44	174 46	122 46	45 61	17 95				
	Each Additional DS1 COCI in the same 3/1 channel system combination per month		UNCIX	UC1D1	13 76	10 07	7 08	0 00	0 00				
EXTENDED 4-WIRE 64 Kbps DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX													
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL64	22 20	127 59	60 54	42 79	2 81				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL64	31 56	127 59	60 54	42 79	2 81				
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL64	55 99	127 59	60 54	42 79	2 81				
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNCIX	1LSXX	0 1856								
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		UNCIX	UITF1	88 44	174 46	122 46	45 61	17 95				
	Per each Channel System 1/0 in combination - per month (2 4-64Kbps)		UNCIX	MQ1	146 77	51 83	10 75						
	Per each OC4-DP COCI (data) in combination - per month (2 4-64Kbps)		UNCIX	1D1DD	2 10	10 07	8 77	6 71	4 84				
	3/1 Channel System in combination per month		UNCIX	UC3X	211 19	115 60	59 93	5 45	0 00				
	Per each DS1 COCI in combination per month		UNCIX	UC1D1	13 76	10 07	7 08	0 00	0 00				
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL64	22 20	127 59	60 54	42 79	2 81				
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL64	31 56	127 59	60 54	42 79	2 81				
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL64	55 99	127 59	60 54	42 79	2 81				
	Additional OC4-DP COCI (data) - DS1 to DSO Channel System combination - per month (2 4-64Kbps)		UNCDX	1D1DD	2 10	10 07	8 77	6 71	4 84				
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month		UNCIX	1LSXX	0 1856								
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month		UNCIX	UITF1	88 44	174 46	122 46	45 61	17 95				
	Each Additional DS1 COCI in the same 3/1 channel system combination per month		UNCIX	UC1D1	13 76	10 07	7 08	0 00	0 00				
EXTENDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1	1	UNCNX	UIL2X	19 28	127 59	60 60	42 79	2 81				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2	2	UNCNX	UIL2X	27 40	127 59	60 60	42 79	2 81				

UNBUNDLED NETWORK ELEMENTS - Florida																			
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)						Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment- 2 Exh. A			Incremental Charge - Manual Svc Order vs Electronic- Disc Addl	Incremental Charge - Manual Svc Order vs Electronic- Disc Addl		
					Rec	Nonrecurring		Nonrecurring Disconnect		SOME			SOMAN	SOMAN	SOMAN				
						First	Add'l	First	Add'l										
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3	3	UNCNX	U1L2X	48 62	127 59	60 60	42 79	2 81										
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile per month		UNC1X	1L5XX	0 1856														
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month		UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95										
	Per each Channel System 1/0 in combination - per month		UNC1X	MO1	146 77	51 83	10 75												
	Per each 2-wire ISDN COCI (BRITE) in combination - per month		UNCNX	UC1CA	3 66	12 16	8 77	6 71	4 84										
	3/1 Channel System in combination per month		UNC3X	MO3	211 19	115 60	59 93	5 45	0 00										
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 1	1	UNC1X	UC1D1	13 76	10 07	7 08	0 00	0 00										
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 2		UNCNX	U1L2X	19 28	127 59	60 60	42 79	2 81										
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 3	2	UNCNX	U1L2X	27 40	127 59	60 60	42 79	2 81										
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel system combination - per month	3	UNCNX	U1L2X	48 62	127 59	60 60	42 79	2 81										
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month		UNCNX	UC1CA	3 66	12 16	8 77	6 71	4 84										
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month		UNC1X	1L5XX	0 1856														
	Each Additional DS1 COCI in the same 3/1 channel system combination per month		UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95										
	EXTENDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX		UNC1X	UC1D1	13 76	10 07	7 08	0 00	0 00										
	First 4-wire DS1 Digital Local Loop in Combination - Zone 1	1	UNC1X	US1XX	70 74	217 75	121 62	51 44	14 45										
	First 4-wire DS1 Digital Local Loop in Combination - Zone 2	2	UNC1X	US1XX	100 54	217 75	121 62	51 44	14 45										
	First 4-wire DS1 Digital Local Loop in Combination - Zone 3	3	UNC1X	US1XX	178 39	217 75	121 62	51 44	14 45										
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1L5XX	0 1856														
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95										
	3/1 Channel System in combination per month		UNC3X	MO3	211 19	115 60	59 93	5 45	0 00										
	Per each DS1 COCI combination per month		UNC1X	UC1D1	13 76	10 07	7 08	0 00	0 00										
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month		UNC1X	1L5XX	0 1856														
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month		UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95										
	Each Additional DS1 COCI in the same 3/1 channel system combination per month		UNC1X	UC1D1	13 76	10 07	7 08	0 00	0 00										
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 1	1	UNC1X	US1XX	70 74	217 75	121 62	51 44	14 45										
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 2	2	UNC1X	US1XX	100 54	217 75	121 62	51 44	14 45										
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 3	3	UNC1X	US1XX	178 39	217 75	121 62	51 44	14 45										
	EXTENDED 4-WIRE 56 Kbps DIGIT AL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT		UNC1X	US1XX	178 39	217 75	121 62	51 44	14 45										
	First 4-wire 56 kbps Local Loop in combination - Zone 1	1	UNC1X	UDL56	22 20	127 59	60 54	42 79	2 81										
	First 4-wire 56 kbps Local Loop in combination - Zone 2	2	UNC1X	UDL56	31 56	127 59	60 54	42 79	2 81										
	First 4-wire 56 kbps Local Loop in combination - Zone 3	3	UNC1X	UDL56	55 99	127 59	60 54	42 79	2 81										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Per Mile per month		UNC1X	1L5XX	0 0091														
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month		UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95										
	EXTENDED 4-WIRE 64 Kbps DIGIT AL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT		UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95										
	First 4-wire 64 kbps Local Loop in combination - Zone 1	1	UNC1X	UDL64	22 20	127 59	60 54	42 79	2 81										
	First 4-wire 64 kbps Local Loop in combination - Zone 2	2	UNC1X	UDL64	31 56	127 59	60 54	42 79	2 81										
	First 4-wire 64 kbps Local Loop in combination - Zone 3	3	UNC1X	UDL64	55 99	127 59	60 54	42 79	2 81										
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Per Mile per month		UNC1X	1L5XX	0 0091														
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month		UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95										
	ADDITIONAL NETWORK ELEMENTS		UNC1X	U1TF1	88 44	174 46	122 46	45 61	17 95										

UNBUNDLED NETWORK ELEMENTS - Florida															
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	
						First	Add'l	Nonrecurring Disconnect		SOME	SOMAN	SOMAN	SOMAN	SOMAN	
						Rec									
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As is charge does apply															
When used as a currently combined network elements in All States, the non-recurring charges apply and the Switch As is Charge does not.															
Nonrecurring Currently Combined Network Elements "Switch As Is" Charge															
Optional Features & Functions															
	Clear Channel Capability Extended Frame Option - per DS1	I		U1TD1, U1DD1, U1NC1X	COCEF		0.00	0.00	0.00						
	Clear Channel Capability Super FrameOption - per DS1	I		U1TD1, U1DD1, U1NC1X	COCSF		0.00	0.00	0.00						
	Clear Channel Capability (SF/ESP) Option - Subsequent Activity - per DS1	I		U1DD1, U1TD1, U1NC1X, U1SL	NRCOC		184.92	23.82	2.07	0.80					
	C-bit Penny Option - Subsequent Activity - per DS3	I		U1TD3, U1DD3, U1NC3X, U1UD3, U1VC3X, U1NC3X, U1NC3X	NRCOC3		219.09	7.67	0.773	0.00					
	Wholesale to UNE, Switch-As-Is Conversion Charge			U1NC3X	UNCC		8.98	8.98	8.98	8.98					
	Unbundled Misc Rate Element, SNE SAI, Single Network Element Switch As Is Non-recurring Charge, per circuit (LSR)	I		U1TVX, U1TDX, U1TD1, U1DD1, U1TS1, U1DF, UE3	URES		40.28	13.52							
	Unbundled Misc Rate Element, SNE SAI, Single Network Element Switch As Is Non-recurring Charge, per circuit (Spreadsheet)	I		U1TVX, U1TDX, U1TD1, U1DD1, U1TS1, U1DF, UE3	URES		64.09	25.64							
MULTI-LEVEL	Interfaces														
	DS1 to DS0 Channel System per month			U1NC1X	MQ1		146.77	51.83	10.75						
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs) used for a Local Loop			U1DL	1D1DD		2.10	10.07	7.08						
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD		2.10	10.07	7.08	0.00					
	2 wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop			U1DN	UC1CA		3.66	10.07	7.08						
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA		3.66	10.07	7.08	0.00					
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG		1.38	10.07	7.08						
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG		1.38	10.07	7.08	0.00					
	DS3 to DS1 Channel System per month			U1NC3X	MC3		211.19	115.60	59.93	0.00					
	DS1 to DS1 Channel System per month			U1NC3X	MC3		211.19	115.60	59.93	0.00					
	DS1 COCI used with Loop per month			U1SL	UC1D1		13.76	10.07	7.08						
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month			U1TUA	UC1D1		13.76	10.07	7.08	0.00					
	DS1 COCI (used with Interface Channel) per month			U1TD1	UC1D1		13.76	10.07	7.08	0.00					
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month			U1DD1	UC1D1		13.76	10.07	7.08	0.00					
Access to DCS - Customer Reconfiguration (FlexServ)															
Customer Reconfiguration Establishment							1.63								
DS1 DSC Termination with DS0 Switching							27.39	32.89	23.58	12.77					
DS1 DSC Termination with DS1 Switching							11.70	25.07	15.76	8.86					
DS3 DSC Termination with DS1 Switching							146.81	32.89	23.58	12.77					
Service Rearrangements															
				U1TVX, U1TDX, U1TUA, U1TUB, U1UDX, U1DDX, U1VCX, U1NCX	URETD										
NRC - Change in Facility Assignment per circuit Service Rearrangement		I		U1TVX, U1TDX, U1TUA, U1TUB, U1UDX, U1DDX, U1VCX, U1NCX	URETD		270.08	47.13							
NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed)		I		U1TVX, U1TDX, U1TUA, U1TUB, U1UDX, U1DDX, U1VCX, U1NCX	URETB										
							1.28			1.28					

UNBUNDLED NETWORK ELEMENTS - Florida										
CATEGORY	RATE ELEMENTS	Interm Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-Add'l
					Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	SOME	SOMAN
					Rec					
	COMMINGLING AUTHORIZATION				0.00	0.00	0.00	0.00		
	LINE Multiplexer Reconfiguration Charge per DS1 Circuit									
	Miscellaneous									
	INRC - Order Coordination Specific Time - Dedicated Transport									
	UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)									
	NOTE: The Exchange Switching Port Rates Reflected Here Apply to Embedded Base Switching Ports as of March 10, 2005 and Consist of the TELRIC Cost Based Rates Plus \$1.00 in Accordance with the TRRO Exchange Ports									
	2-WIRE VOICE GRADE LINE PORT RATES (RES)									
	Exchange Ports - 2-Wire Analog Line Port- Res				2.40	3.74	3.63	1.88	1.80	
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res				2.40	3.74	3.63	1.88	1.80	
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res				2.40	3.74	3.63	1.88	1.80	
	Exchange Ports - 2-Wire VG unbundled Florida area calling with Caller ID - Res				2.40	3.74	3.63	1.88	1.80	
	Exchange Ports - 2-Wire VG unbundled Florida Residence Area Calling Plan, without Caller ID capability				2.40	3.74	3.63	1.88	1.80	
	Exchange Ports - 2-Wire VG unbundled Florida extended dialing port for use with CREX7 and Caller ID				2.40	3.74	3.63	1.88	1.80	
	Exchange Ports - 2-Wire VG unbundled Florida extended dialing port for use with CREX7, without Caller ID capability				2.40	3.74	3.63	1.88	1.80	
	Exchange Ports - 2-Wire VG unbundled res. low usage line port with Caller ID (LUM)				2.40	3.74	3.63	1.88	1.80	
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability				2.40	3.74	3.63	1.88	1.80	
	Subsequent Activity				0.00	0.00	0.00			
	FEATURES									
	AT Available Vertical Features				2.26	0.00	0.00			
	2-WIRE VOICE GRADE LINE PORT RATES (BUS)									
	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus				2.40	3.74	3.63	1.88	1.80	
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller ID-E484 ID - Bus				2.40	3.74	3.63	1.88	1.80	
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus				2.40	3.74	3.63	1.88	1.80	
	Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus				2.40	3.74	3.63	1.88	1.80	
	2-Wire voice unbundled Incoming Only Port without Caller ID Capability				2.40	3.74	3.63	1.88	1.80	
	Subsequent Activity				0.00	0.00	0.00			
	FEATURES									
	AT Available Vertical Features				2.26	0.00	0.00			
	EXCHANGE PORT RATES (DD & PBX)									
	2-Wire VG Unbundled 2-Way PBX Trunk - Res				2.40	39.06	18.18	12.35	0.7187	
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus				2.40	39.06	18.18	12.35	0.7187	
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus				2.40	39.06	18.18	12.35	0.7187	
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus				2.40	39.06	18.18	12.35	0.7187	
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus				2.40	39.06	18.18	12.35	0.7187	
	2-Wire Voice Unbundled PBX LD Terminal Ports				2.40	39.06	18.18	12.35	0.7187	
	2-Wire Voice Unbundled 2-Way PBX Usage Port				2.40	39.06	18.18	12.35	0.7187	
	2-Wire Voice Unbundled PBX Toll Terminal Port				2.40	39.06	18.18	12.35	0.7187	
	2-Wire Voice Unbundled PBX LD Terminal Port				2.40	39.06	18.18	12.35	0.7187	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port				2.40	39.06	18.18	12.35	0.7187	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port				2.40	39.06	18.18	12.35	0.7187	

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment 2 Exh A			
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st
					Rec	Nonrecurring	Nonrecurring	Nonrecurring Disconnect					
	2 Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port		UEPSP	UEPXL	2.40	39.06	18.18	12.35	0.7187				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port		UEPSP	UEPXM	2.40	39.06	18.18	12.35	0.7187				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port		UEPSP	UEPXD	2.40	39.06	18.18	12.35	0.7187				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port Subsequent Activity		UEPSP	UEPXS	0.00	0.00	0.00						
	FEATURES												
	NOTE: Transmission/Usage charges associated with POT's circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports												
	NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process												
	2-WIRE VOICE GRADE LINE PORT RATES (DID)												
	Exchange Ports - 2-Wire DID Port		UEPEX	UEPP2	9.73	78.41	15.92	41.94	4.26				
	2-WIRE VOICE GRADE LINE PORT RATES (ISDN-BRI)												
	Exchange Ports - 2 Wire ISDN Port (See Notes below)		UEPTX, UEPSPX	UEPMA	8.83	48.83	50.68	27.64	11.93				
	All Features Offered		UEPTX, UEPSPX	UEPVE	2.26	0.00	0.00						
	Exchange Ports - 2-Wire ISDN Port - Channel Profiles		UEPTX, UEPSPX	UEPMA	0.00	0.00	0.00						
	NOTE: Transmission/Usage charges associated with POT's circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports												
	NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process												
	UNBUNDLED PORT with REMOTE CALL FORWARDING CAPABILITY												
	UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE												
	Unbundled Remote Call Forwarding Service, Area Calling, Res		UEPVR	UEPRC	2.40	3.74	3.63	1.88	1.80				
	Unbundled Remote Call Forwarding Service, Local Calling - Res		UEPVR	UEPRC	2.40	3.74	3.63	1.88	1.80				
	Unbundled Remote Call Forwarding Service, InterLATA - Res		UEPVR	UEPRC	2.40	3.74	3.63	1.88	1.80				
	Unbundled Remote Call Forwarding Service, IntraLATA - Res		UEPVR	UEPRC	2.40	3.74	3.63	1.88	1.80				
	Non-Recurring												
	Unbundled Remote Call Forwarding Service Conversion - Switch as-is		UEPVR	USAC2		0.102	0.102						
	Unbundled Remote Call Forwarding Service Conversion with allowed change (PIC and LPIC)		UEPVR	USACC		0.102	0.102						
	UNBUNDLED REMOTE CALL FORWARDING - BUS												
	Unbundled Remote Call Forwarding Service, Area Calling - Bus		UEPVB	UEPRC	2.40	3.74	3.63	1.88	1.80				
	Unbundled Remote Call Forwarding Service, Local Calling - Bus		UEPVB	UEPRC	2.40	3.74	3.63	1.88	1.80				
	Unbundled Remote Call Forwarding Service, InterLATA - Bus		UEPVB	UEPRC	2.40	3.74	3.63	1.88	1.80				
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus		UEPVB	UEPRC	2.40	3.74	3.63	1.88	1.80				
	Non-Recurring												
	Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling		UEPVB	UEPRC	2.40	3.74	3.63	1.88	1.80				
	Unbundled Remote Call Forwarding Service Conversion - Switch as-is		UEPVB	USAC2		0.102	0.102						
	Unbundled Remote Call Forwarding Service Conversion with allowed change (PIC and LPIC)		UEPVB	USACC		0.102	0.102						
	UNBUNDLED LOCAL SWITCHING, PORT USAGE												
	End Office Switching (Port Usage)												
	End Office Switching Function, Per MOU					0.0007662							
	End Office Trunk Port - Shared, Per MOU					0.000164							
	Tandem Switching (Port Usage) (Local or Access Tandem)												
	Tandem Switching Function Per MOU					0.0001319							
	Tandem Trunk Port - Shared, Per MOU					0.000235							
	Tandem Switching Function Per MOU (Mated)					0.00027185							
	Mated Factor - 20.61% of the Tandem Rate					0.00048434							
	Common Transport												
	Common Transport - Per Mile, Per MOU					0.0000035							
	Common Transport - Facilities Termination Per MOU					0.0004372							
	UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES												
	>Coast Based Rates are applied where both South is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports												
	>The UNE-P Switching Port Rates Reflected in the Cost Based Section Apply to Embodied Base UNE-Ps as of March 10, 2005 and Consist of the TELRIC Cost Based Rates Plus \$1.00 in Accordance with the TRRO												
	>Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit												
	>End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Con Port/Loop Combinations												

UNBUNDLED NETWORK ELEMENTS - Florida									
CATEGORY	RATE ELEMENTS	Interm Zone	BCS	USOC	RATES(\$)				Attachment 2 Exh. A
					Rec	Nonrecurring	First	Disconnect	Incremental Charge - Manual Svc Order vs Electronic-Dis Add'l
						First	Disconnect	First	Incremental Charge - Manual Svc Order vs Electronic-Dis Add'l
									Incremental Charge - Manual Svc Order vs Electronic-Dis Add'l
	> The first and additional Port nonrecurring charges apply to Not Currently Combined Combs								SOMAN
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)								SOMAN
	UNE Port Loop Combination Rates								SOMAN
	2-Wire VG LoopPort Combo - Zone 1				11 94				
	2-Wire VG LoopPort Combo - Zone 2				16 05				
	2-Wire VG LoopPort Combo - Zone 3				26 80				
	UNE Loop Rates								
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPRX	UEPRL	2 17	53 31	26 46	8 37	
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPRX	UEPRL	13 88				
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPRX	UEPRL	24 63				
	2-Wire Voice Grade Line Port Rates (Res)								
	2-Wire voice unbundled port - residence								
	2-Wire voice unbundled port with Caller ID - res				2 17	53 31	26 46	8 37	
	2-Wire voice unbundled port outgoing only - res				2 17	53 31	26 46	8 37	
	2-Wire voice unbundled Florida Area Calling with Caller ID - res				2 17	53 31	26 46	8 37	
	2-Wire voice unbundled res. low usage line port with Caller ID (LUM)				2 17	53 31	26 46	8 37	
	2-Wire voice unbundled Florida extended dialing with Caller ID				2 17	53 31	26 46	8 37	
	2-Wire voice unbundled Florida extended dialing port without Caller ID capability				2 17	53 31	26 46	8 37	
	2-Wire voice unbundled Florida Area Calling Port without Caller ID Capability				2 17	53 31	26 46	8 37	
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability				2 17	53 31	26 46	8 37	
	FEATURES								
	All Features Offered				2 26	0 00	0 00		
	NONRECURRING CHARGES (MRCs) - CURRENTLY COMBINED								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is					0 102	0 102		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change					0 102	0 102		
	2-Wire Voice Grade Loop / Line Port Platform - Installation Charge at QuickService location - Not Conversion of Existing Service					0 102			
	ADDITIONAL MRCs								
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity				0 00	0 00	0 00		
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise					8 33	0 83		
	OFFON PREMISES EXTENSION CHANNELS								
	2-Wire Analog Voice Grade Extension Loop - Non-Design	1	UEPRX	UEAEN	10 69	49 57	22 83	25 62	6 57
	2-Wire Analog Voice Grade Extension Loop - Non-Design	2	UEPRX	UEAEN	15 20	49 57	22 83	25 62	6 57
	2-Wire Analog Voice Grade Extension Loop - Non-Design	3	UEPRX	UEAEN	26 87	49 57	22 83	25 62	6 57
	2-Wire Analog Voice Grade Extension Loop - Design	1	UEPRX	UEAED	12 24	135 75	82 47	63 53	12 01
	2-Wire Analog Voice Grade Extension Loop - Design	2	UEPRX	UEAED	17 40	135 75	82 47	63 53	12 01
	2-Wire Analog Voice Grade Extension Loop - Design	3	UEPRX	UEAED	30 87	135 75	82 47	63 53	12 01
	INTEROFFICE TRANSPORT								
	Interoffice Transport - Dedicated - 2-Wire Voice Grade - Facility Termination				25 32	47 35	31 78		
	Interoffice Transport - Dedicated - 2-Wire Voice Grade - Per Mile or Fraction Mile					0 00	0 00		
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)								
	UNE Port Loop Combination Rates								
	2-Wire VG LoopPort Combo - Zone 1				11 94				
	2-Wire VG LoopPort Combo - Zone 2				16 05				
	2-Wire VG LoopPort Combo - Zone 3				26 80				
	UNE Loop Rates								
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPBX	UEPBL	9 77				
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPBX	UEPBL	13 88				
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPBX	UEPBL	24 63				
	2-Wire Voice Grade Line Port (Bus)								
	2-Wire voice unbundled port without Caller ID - bus				2 17	53 31	26 46	8 37	
	2-Wire voice unbundled port with Caller ID - E494 ID - bus				2 17	53 31	26 46	8 37	

UNBUNDLED NETWORK ELEMENTS - Florida															
CATEGORY	RATE ELEMENTS	Intrm	Zone	BCS	USOC	RATES(\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Exh A	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
						Rec	Nonrecurring	Nonrecurring	Disconnect			SOMECH	SOMAN	SOMAN	SOMAN
						First	Add'l	First	Add'l						
	2-Wire voice unbundled port outgoing only - bus			UEPBX		2.17	53.31	26.46	8.37						
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX		2.17	53.31	26.46	8.37						
	2-Wire voice unbundled Incoming Only Port without Caller ID Capability			UEPBX		2.17	53.31	26.46	8.37						
FEATURES															
	All Features Offered			UEPVF		2.26	0.00	0.00							
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPBX											
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPBX			0.102	0.102							
ADDITIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPBX			0.00	0.00							
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPBX			8.33	0.83							
OFFER PREMISES EXTENSION CHANNELS															
	2-Wire Analog Voice Grade Extension Loop - Non-Design	1		UEPBX		10.69	49.57	22.83	25.62	6.57					
	2-Wire Analog Voice Grade Extension Loop - Non-Design	2		UEPBX		15.20	49.57	22.83	25.62	6.57					
	2-Wire Analog Voice Grade Extension Loop - Non-Design	3		UEPBX		26.87	49.57	22.83	25.62	6.57					
	2-Wire Analog Voice Grade Extension Loop - Design	1		UEPBX		12.24	135.75	82.47	63.53	12.01					
	2-Wire Analog Voice Grade Extension Loop - Design	2		UEPBX		17.40	135.75	82.47	63.53	12.01					
	2-Wire Analog Voice Grade Extension Loop - Design	3		UEPBX		30.87	135.75	82.47	63.53	12.01					
INTEROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2-Wire Voice Grade - Facility Termination			UEPBX	UITV2	25.32	47.35	31.78							
	Interoffice Transport - Dedicated - 2-Wire Voice Grade - Per Mile or Fraction Mile			UEPBX	UITVM	0.0091	0.00	0.00							
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1					11.94									
	2-Wire VG Loop/Port Combo - Zone 2					16.05									
	2-Wire VG Loop/Port Combo - Zone 3					26.80									
LINE Loop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1		UEPRG	UEPLX	9.77									
	2-Wire Voice Grade Loop (SL 1) - Zone 2	2		UEPRG	UEPLX	13.88									
	2-Wire Voice Grade Loop (SL 1) - Zone 3	3		UEPRG	UEPLX	24.63									
2-Wire Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res			UEPRG	UEPRD	2.17	174.81	100.65	75.88	12.73					
FEATURES															
	All Features Offered			UEPRG	UEPVF	2.26	0.00	0.00							
NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPRG			8.45	1.91							
	2-Wire Voice Grade Loop/Line Port Combination (PBX) - Conversion - Switch with Change			UEPRG	USACC		8.45	1.91							
ADDITIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination (PBX) - Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00							
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPRG			7.86	7.86							
OFFER PREMISES EXTENSION CHANNELS															
	Local Channel Voice grade, per termination	1		UEPRG	P2JHX	12.24	135.75	82.47	63.53	12.01					
	Local Channel Voice grade, per termination	2		UEPRG	P2JHX	17.40	135.75	82.47	63.53	12.01					
	Local Channel Voice grade, per termination	3		UEPRG	P2JHX	30.87	135.75	82.47	63.53	12.01					
	Non-Wire Direct Serve Channel Voice Grade	1		UEPRG	SDD2X	12.92	120.38	43.56	95.00	10.54					
	Non-Wire Direct Serve Channel Voice Grade	2		UEPRG	SDD2X	18.36	120.38	43.56	95.00	10.54					
	Non-Wire Direct Serve Channel Voice Grade	3		UEPRG	SDD2X	32.58	120.38	43.56	95.00	10.54					
INTEROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2-Wire Voice Grade - Facility Termination			UEPRG	UITV2	25.32	47.35	31.78							

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment 2 Eth A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Manually Submitted per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	SOMECH	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile					0.0091	0.00	0.00					
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)			UEPRG	UITVM								
	UNE Port/Loop Combination Rates												
	2-Wire VG Loop/Port Combo - Zone 1					11.94							
	2-Wire VG Loop/Port Combo - Zone 2					16.05							
	2-Wire VG Loop/Port Combo - Zone 3					26.80							
	UNE Loop Rates												
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1		UEPPX	UEPLX	9.77							
	2-Wire Voice Grade Loop (SL 1) - Zone 2	2		UEPPX	UEPLX	13.88							
	2-Wire Voice Grade Loop (SL 1) - Zone 3	3		UEPPX	UEPLX	24.63							
	2-Wire Voice Grade Line Port Rates (BUS - PBX)												
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	2.17	174.81	100.65	75.88	12.73			
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	2.17	174.81	100.65	75.88	12.73			
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPPI	2.17	174.81	100.65	75.88	12.73			
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	2.17	174.81	100.65	75.88	12.73			
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	2.17	174.81	100.65	75.88	12.73			
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	2.17	174.81	100.65	75.88	12.73			
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPAC	2.17	174.81	100.65	75.88	12.73			
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	2.17	174.81	100.65	75.88	12.73			
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	2.17	174.81	100.65	75.88	12.73			
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	2.17	174.81	100.65	75.88	12.73			
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	2.17	174.81	100.65	75.88	12.73			
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	2.17	174.81	100.65	75.88	12.73			
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	2.17	174.81	100.65	75.88	12.73			
	FEATURES												
	[All Features Offered]			UEPPX	UEPVF	2.26	0.00	0.00					
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED												
	2-Wire Voice Grade Loop/Line Port Combination (PBX) - Conversion - Switch-A6 Is			UEPPX	USAC2		8.45	1.91					
	2-Wire Voice Grade Loop/Line Port Combination (PBX) - Conversion - Switch with Change			UEPPX	USACC		8.45	1.91					
	ADDITIONAL NRCs												
	2-Wire Voice Grade Loop/Line Port Combination (PBX) - Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00					
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group												
	Unbundled Miscellaneous Rate Element, 1-eg Loop at End User Premise			UEPPX	URETL		7.86	7.86					
	OFFER PREMISES EXTENSION CHANNELS												
	Local Channel Voice grade, per termination	1		UEPPX	P2JHX	12.24	135.75	82.47	63.53	12.01			
	Local Channel Voice grade, per termination	2		UEPPX	P2JHX	17.40	135.75	82.47	63.53	12.01			
	Local Channel Voice grade, per termination	3		UEPPX	P2JHX	30.87	135.75	82.47	63.53	12.01			
	Non-Wire Direct Serve Channel Voice Grade	1		UEPPX	SDD2X	12.92	120.38	43.56	95.00	10.54			
	Non-Wire Direct Serve Channel Voice Grade	2		UEPPX	SDD2X	18.36	120.38	43.56	95.00	10.54			
	Non-Wire Direct Serve Channel Voice Grade	3		UEPPX	SDD2X	32.58	120.38	43.56	95.00	10.54			
	INTEROFFICE TRANSPORT												
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPPX	UITV2	25.32	47.35	31.78					
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPPX	UITVM	0.0091	0.00	0.00					
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT												
	UNE Port/Loop Combination Rates												
	2-Wire VG Coin Port/Loop Combo - Zone 1					11.94							
	2-Wire VG Coin Port/Loop Combo - Zone 2					16.05							
	2-Wire VG Coin Port/Loop Combo - Zone 3					26.80							
	UNE Loop Rates												
	2-Wire Voice Grade Loop (SL1) - Zone 1	1		UEPCC	UEPLX	9.77							
	2-Wire Voice Grade Loop (SL1) - Zone 2	2		UEPCC	UEPLX	13.88							

Attachment 2 Ely A			
--------------------	--	--	--

CATEGORY	RATE ELEMENTS	Intrnm	Zone	BCS	USOC	RATES(\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
						Nonrecurring		Nonrecurring Disconnect		OSS Rates(\$)				
						First	Add'l	First	Add'l					
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPCO	UEPLX									
	2-Wire Voice Grade Line Ports (COIN)	3		UEPCO		24 63								
	900/976, 1+DDDD (FL)			UEPCO	UEP2F	2 17	53 31	26 46	27 50	8 37				
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (FL)			UEPCO	UEPFA	2 17	53 31	26 46	27 50	8 37				
	2-Wire Coin 2-Way with Operator Screening and Blocking			UEPCO	UEPCG	2 17	53 31	26 46	27 50	8 37				
	900/976, 1+DDDD, 011+, and Local (FL)			UEPCO	UEPRK	2 17	53 31	26 46	27 50	8 37				
	2-Wire Coin Outward with Operator Screening and 011 Blocking (AL, FL)			UEPCO	UEP2F	2 17	53 31	26 46	27 50	8 37				
	2-Wire Coin Outward with Operator Screening and Blocking			UEPCO	UEPOF	2 17	53 31	26 46	27 50	8 37				
	900/976, 1+DDDD, 011+, (FL)			UEPCO	UEPCO	2 17	53 31	26 46	27 50	8 37				
	2-Wire Coin Outward with Operator Screening and Blocking			UEPCO	UEPCK	2 17	53 31	26 46	27 50	8 37				
	900/976, 1+DDDD, 011+, and Local (FL, GA)			UEPCO	UEPCK	2 17	53 31	26 46	27 50	8 37				
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	2 17	53 31	26 46	27 50	8 37				
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	2 17	53 31	26 46	27 50	8 37				
	ADDITIONAL ONE COIN PORT/LOOP (RC)			UEPCO	URECU	1 86	0 00	0 00	0 00					
	ONE COIN Port/Loop Combo Usage (Flat Rate)			UEPCO										
	NONRECURRING CHARGES - CURRENTLY COMBINED													
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPCO	USAC2		0 102	0 102						
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	USACC		0 102	0 102						
	ADDITIONAL NRCS													
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2		0 00	0 00						
	Unburied Miscellaneous Rate Element, Tag Loop at End User Premise			UEPCO	URETL		8 33	0 83						
	2-WIRE VOICE LOOP/2WIRE VOICE GRADE IO TRANSPORT/2-WIRE LINE PORT (RES)													
	UNE Port/Loop Combination Rates													
	2-Wire VG Loop/IO Transport/Port Combo - Zone 1					14 64								
	2-Wire VG Loop/IO Transport/Port Combo - Zone 2					19 80								
	2-Wire VG Loop/IO Transport/Port Combo - Zone 3					33 27								
	UNE Loop Rates													
	2-Wire Voice Grade Loop (SL2) - Zone 1	1		UEPFR	UECF2	12 24								
	2-Wire Voice Grade Loop (SL2) - Zone 2	2		UEPFR	UECF2	17 40								
	2-Wire Voice Grade Loop (SL2) - Zone 3	3		UEPFR	UECF2	30 87								
	2-Wire Voice Grade Line Port Rates (Res)													
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	2 40	174 81	100 65	75 88	12 73				
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	2 40	174 81	100 65	75 88	12 73				
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	2 40	174 81	100 65	75 88	12 73				
	2-Wire voice unbundled Florida Area Calling with Caller ID - res			UEPFR	UEPAF	2 40	174 81	100 65	75 88	12 73				
	2-Wire voice unbundled res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	2 40	174 81	100 65	75 88	12 73				
	INTEROFFICE TRANSPORT													
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFR	UITV2	25 32	47							

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment 2 Exh A				Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l		Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	
CATEGORY	RATE ELEMENTS	Inhibit	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First			SOME	SOMAN	SOME	SOMAN	SOME	SOMAN
UNE	2-Wire VG Loop/IO Transport/Port Combo - Zone 3					33 27											
	UNE Loop Rates																
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UEPFB	12 24											
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UEPFB	17 40											
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UEPFB	30 87											
	2-Wire Voice Grade Line Port (Bus)																
	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPFB	2 40	174 81	100 65	75 88								
	2-Wire voice unbundled port with Caller ID - bus			UEPFB	UEPFB	2 40	174 81	100 65	75 88								
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPFB	2 40	174 81	100 65	75 88								
	2-Wire voice unbundled incoming only port with Caller ID - bus			UEPFB	UEPFB	2 40	174 81	100 65	75 88								
INTEROFFICE	TRANSPORT																
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFB	U1TV2	25 32	47 35	31 78									
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFB	1L5XX	0 0091											
	FEATURES																
	All Features Offered			UEPFB	UEPFB	2 28	0 00	0 00									
	2 Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UEPFB	USAC2		16 97	3 73									
	2 Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UEPFB	USAC2		16 97	3 73									
	Combination - Conversion - Switch as is			UEPFB	USACC		16 97	3 73									
	Combination - Conversion - Switch with change			UEPFB	USACC		16 97	3 73									
	Undurled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPFB	URETN		11 21	1 10									
2-WIRE VOICE LOOP/2-WIRE VOICE GRADE IO TRANSPORT/2-WIRE LINE PORT (PBX)	UNE Port/Loop Combination Rates																
	2-Wire VG Loop/IO Transport/Port Combo - Zone 1					14 84											
	2-Wire VG Loop/IO Transport/Port Combo - Zone 2					19 80											
	2-Wire VG Loop/IO Transport/Port Combo - Zone 3					33 27											
	UNE Loop Rates																
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UEPFB	12 24											
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UEPFB	17 40											
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UEPFB	30 87											
	2-Wire Voice Grade Line Port Rates (BUS - PBX)																
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFB	UEPFB	2 40	174 81	100 65	75 88								
2-WIRE VOICE GRADE LINE PORT (BUS - PBX)	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFB	UEPFB	2 40	174 81	100 65	75 88								
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFB	UEPFB	2 40	174 81	100 65	75 88								
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFB	UEPFB	2 40	174 81	100 65	75 88								
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFB	UEPFB	2 40	174 81	100 65	75 88								
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFB	UEPFB	2 40	174 81	100 65	75 88								
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFB	UEPFB	2 40	174 81	100 65	75 88								
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFB	UEPFB	2 40	174 81	100 65	75 88								
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDO Capable Port			UEPFB	UEPFB	2 40	174 81	100 65	75 88								
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFB	UEPFB	2 40	174 81	100 65	75 88								
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPFB	UEPFB	2 40	174 81	100 65	75 88								
INTEROFFICE TRANSPORT	2 Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPFB	UEPFB	2 40	174 81	100 65	75 88								
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFB	UEPFB	2 40	174 81	100 65	75 88								
	INTEROFFICE TRANSPORT																
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFB	U1TV2	25 32	47 35	31 78									
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFB	1L5XX	0 0091											
	FEATURES																
	All Features Offered			UEPFB	UEPFB	2 28	0 00	0 00									
	2 Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UEPFB	USAC2		16 97	3 73									
	Combination - Conversion - Switch as is			UEPFB	USACC		16 97	3 73									
	Combination - Conversion - Switch with change			UEPFB	USACC		16 97	3 73									

UNBUNDLED NETWORK ELEMENTS - Florida														
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Exh A			Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
					Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	SOME	SOMAN	OSS Rate(\$)	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise		UEPFP	URETN		11 21	1 10						SOMAN	
	2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT													
	UNE Port Loop Combination Rates													
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1				21 95									
	2-Wire VG Loop/2 Wire DID Trunk Port Combo - UNE Zone 2				27 11									
	2-Wire VG Loop/2 Wire DID Trunk Port Combo - UNE Zone 3				40 58									
	UNE Loop Rates													
	2 Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	1	UEPPX	UECD1	12 24									
	2 Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	2	UEPPX	UECD1	17 40									
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	3	UEPPX	UECD1	30 87									
	UNE Port Rate													
	Exchange Ports - 2-Wire DID Port		UEPPX	UEPD1	9 71	214 16	98 29							
	NONRECURRING CHARGES - CURRENTLY COMBINED													
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is		UEPPX	USAC1		7 85	1 87							
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Charges		UEPPX	USAC1		7 85	1 87							
	ADDITIONAL NRCS													
	2 Wire DID Subsequent Activity - Add Trunks, Per Trunk Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise		UEPPX	USAS1		32 26	32 26							
	Telephone Number/Trunk Group Establishment Charges		UEPPX	URETN		11 21	1 10							
	DID Trunk Termination (One Per Port)		UEPPX	NDT	0 00	0 00	0 00							
	20 DID Numbers		UEPPX	NDZ	0 00	0 00	0 00							
	Additional DID Numbers for each Group of 20 DID Numbers		UEPPX	ND4	0 00	0 00	0 00							
	DID Numbers, Non- consecutive DID Numbers - Per Number		UEPPX	ND5	0 00	0 00	0 00							
	Reserve Non-Consecutive DID numbers		UEPPX	ND6	0 00	0 00	0 00							
	Reserve DID Numbers		UEPPX	NDV	0 00	0 00	0 00							
	2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT													
	UNE Port Loop Combination Rates													
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1				23 63									
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2				30 05									
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3				46 84									
	UNE Loop Rates													
	2-Wire ISDN Digital Grade Loop - UNE Zone 1	1	UEPPB UEPPR	USL2X	15 25									
	2-Wire ISDN Digital Grade Loop - UNE Zone 2	2	UEPPB UEPPR	USL2X	21 67									
	2 Wire ISDN Digital Grade Loop - UNE Zone 3	3	UEPPB UEPPR	USL2X	38 46									
	UNE Port Rate													
	Exchange Port - 2-Wire ISDN Line Side Port		UEPPR	UEPPR	8 38	194 52	145 09							
	Exchange Port - 2 Wire ISDN Line Side Port		UEPPB	UEPPB	8 38	194 52	145 09							
	NONRECURRING CHARGES - CURRENTLY COMBINED													
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion		UEPPB UEPPR	USACB	0 00	25 22	17 00							
	ADDITIONAL NRCS													
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise		UEPPB UEPPR	URETN		11 21	1 10							
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise		UEPPB UEPPR	URETL		8 33	0 83							
	B-CANAL USER PROFILE ACCESS													
	CVS/CSD (DMS/SESS)		UEPPB UEPPR	U1UCA	0 00	0 00	0 00							
	GVS (EWSID)		UEPPB UEPPR	U1UCB	0 00	0 00	0 00							
	CSD		UEPPB UEPPR	U1UCC	0 00	0 00	0 00							
	B-CANAL AREA PLUS USER PROFILE ACCESS (AL,KY,LA,MS,SC,NM, & TN)													
	USER TERMINAL PROFILE													
	User Terminal Profile (EWSID only)		UEPPB UEPPR	U1UMA	0 00	0 00	0 00							
	VERTICAL FEATURES													
	Vertical Features - One per Channel B User Profile		UEPPB UEPPR	UEPVF	2 26	0 00	0 00							
	INTEROFFICE CHANNEL MILEAGE													

UNBUNDLED NETWORK ELEMENTS - Florida														
CATEGORY	RATE ELEMENTS	Interm	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- 1st		
					Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	SOMECS	SOMAN	SOMAN	SOMAN	SOMAN
	Interface Channel mileage each, including first mile and facilities termination		UEP9B UEP9R	MTGNC	25.3291	47.35	31.78	18.31	7.03					
	Interface Channel mileage each, additional mile		UEP9B UEP9R	MTGNM	0.0091	0.00	0.00							
UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES														
UNE-P CENTREX - 1AESS - (Valid in AL, FL, GA, KY, LA, MS, & TN only)														
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo														
UNE Port/Loop Combination Rates (Non-Design)														
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design					11.94									
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design					16.05									
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design					26.80									
UNE Port/Loop Combination Rates (Design)														
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design					14.41									
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design					19.57									
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design					33.04									
UNE Loop Rate														
1 2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	9.77									
2 2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	13.88									
3 2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	24.63									
1 2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	12.24									
2 2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	17.40									
3 2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	30.67									
UNE Ports														
All States (Except North Carolina and South Carolina)														
2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	2.17	53.31	26.46	27.50	8.37					
2-Wire Voice Grade Port (Centrex 800 termination) Basic Local Area			UEP91	UEPYB	2.17	53.31	26.46	27.50	8.37					
2-Wire Voice Grade Port (Centrex with Caller ID) Note 1 Basic Local Area			UEP91	UEPYH	2.17	53.31	26.46	27.50	8.37					
2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) Note 2, 3 Basic Local Area			UEP91	UEPYM	2.17	139.49	86.10	65.41	13.81					
2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term. Basic Local Area			UEP91	UEPYZ	2.17	139.49	86.10	65.41	13.81					
2-Wire Voice Grade Port terminated on 800 Service Term. Basic Local Area			UEP91	UEPY9	2.17	53.31	26.46	27.50	8.37					
2-Wire Voice Grade Port terminated on 800 Service Term. Basic Local Area			UEP91	UEPY2	2.17	53.31	26.46	27.50	8.37					
Georgia and Florida Only														
2-Wire Voice Grade Port (Centrex)			UEP91	UEPHA	2.17	53.31	26.46	27.50	8.37					
2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPHB	2.17	53.31	26.46	27.50	8.37					
2-Wire Voice Grade Port (Centrex with Caller ID) 1			UEP91	UEPHH	2.17	53.31	26.46	27.50	8.37					
2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2,3			UEP91	UEPHM	2.17	139.49	86.10	65.41	13.81					
2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 Service Term			UEP91	UEPHZ	2.17	139.49	86.10	65.41	13.81					
2-Wire Voice Grade Port terminated on 800 Service Term or equivalent			UEP91	UEPH9	2.17	53.31	26.46	27.50	8.37					
2-Wire Voice Grade Port terminated on 800 Service Term			UEP91	UEPH2	2.17	53.31	26.46	27.50	8.37					
Local Switching														
Centrex Intercom Functionality per port			UEP91	URECS	0.7384									
Features														
All Standard Features Offered, per port			UEP91	UEPVF	2.26									
All Select Features Offered, per port			UEP91	UEPVS	0.00									
All Centrex Control Features Offered, per port			UEP91	UEPVC	2.28									
NARS														
Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00					
Unbundled Network Access Register - Individual			UEP91	UARYX	0.00	0.00	0.00	0.00	0.00					
Unbundled Network Access Register - Outfall			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00					
Miscellaneous Terminations														

UNBUNDLED NETWORK ELEMENTS - Florida															
CATEGORY	RATE ELEMENTS	Intrm Zone	BCS	USOC	RATES(\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Exh. A		Incremental Charge - Manual Svc Order vs Electronic-Disc Adtl	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st
					Rec	Nonrecurring		Nonrecurring Disconnect				OSS Rates(\$)			
						First	Adtl	First	Adtl				SOMAN		
	2-Wire Trunk Side														
	Trunk Side Terminations, each		UEP91	CEN46	8.73										
	Introoffice Channel Mileage - 2-Wire														
	Introoffice Channel Facilities Termination - Voice Grade		UEP91	M1GBC	25.32										
	Introoffice Channel Mileage, per mile or fraction of mile		UEP91	M1GBM	0.0091										
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service														
	D4 Channel Bank Feature Activations														
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		UEP91	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot		UEP91	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot		UEP91	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center		UEP91	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		UEP91	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot		UEP91	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot		UEP91	1PQWA	0.66										
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex Conversion - Currently Combined Switch-As is with allowed changes per port		UEP91	USAC2	21.50	8.42									
	Conversion of Existing Centrex Common Block		UEP91	USACN	5.17	8.32									
	New Centrex Standard Common Block		UEP91	M1ACS	0.00	618.82									
	New Centrex Customized Common Block		UEP91	M1ACC	0.00	618.82									
	Secondary Block, per Block		UEP91	M2CC1	0.00	71.31									
	NAR Establishment Charge, Per Occasion		UEP91	URECA	0.00	66.48									
	UNE-P CENTREX - SESS (Valid in All States)														
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo														
	UNE Port/Loop Combination Rates (Non-Design)														
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design				11.94										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design				16.05										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design				26.80										
	UNE Port/Loop Combination Rates (Design)														
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design				14.41										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design				19.57										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design				33.04										
	UNE Loop Rate														
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	UEP95	UECS1	9.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2	2	UEP95	UECS1	13.88										
	2-Wire Voice Grade Loop (SL 1) - Zone 3	3	UEP95	UECS1	24.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 1	1	UEP95	UECS2	12.24										
	2-Wire Voice Grade Loop (SL 2) - Zone 2	2	UEP95	UECS2	17.40										
	2-Wire Voice Grade Loop (SL 2) - Zone 3	3	UEP95	UECS2	30.87										
	UNE Port Rate														
	All States														
	2-Wire Voice Grade Port (Centrex) Basic Local Area		UEP95	UEPYA	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex 800 termination)		UEP95	UEPYB	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area		UEP95	UEPYH	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) Basic Local Area		UEP95	UEPYM	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2.3 - 800 Service Term - Basic Local Area		UEP95	UEPYZ	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area		UEP95	UEPY9	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area		UEP95	UEPY2	2.17	53.31	26.46	27.50	8.37						

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment 2 Exh. A			
CATEGORY	RATE ELEMENTS	Interm Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st
					Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First			SOMEK	SOMAN	SOMAN
	AL, KY, LA, MS, SC, & TN Only				2.17								
	FL & GA Only				2.17								
	2-Wire Voice Grade Port (Centrex)				2.17	53.31	26.46	27.50	8.37				
	2-Wire Voice Grade Port (Centrex 800 termination)				2.17	53.31	26.46	27.50	8.37				
	2-Wire Voice Grade Port (Centrex with Caller ID)				2.17	53.31	26.46	27.50	8.37				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)				2.17	139.49	86.10	65.41	13.81				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2/3				2.17	139.49	86.10	65.41	13.81				
	2-Wire Voice Grade Port terminated in on Megalink or equivalent				2.17	53.31	26.46	27.50	8.37				
	2 Wire Voice Grade Port Terminated on 800 Service Term				2.17	53.31	26.46	27.50	8.37				
	Local Switching												
	Centrex Intercom Functionality, per port				0.7384								
	Features												
	All Standard Features Offered, per port				2.26								
	All Select Features Offered, per port				2.26								
	All Centrex Control Features Offered, per port				2.26	370.70							
	NARS												
	Unbundled Network Access Register - Combination				0.00	0.00	0.00	0.00	0.00				
	Unbundled Network Access Register - Individual				0.00	0.00	0.00	0.00	0.00				
	Unbundled Network Access Register - Outdial				0.00	0.00	0.00	0.00	0.00				
	Miscellaneous Terminations												
	2-Wire Trunk Side												
	Trunk Side Terminations, each				8.73								
	4-Wire Digital (1.544 Megabits)												
	DS1 Circuit Terminations, each												
	DSO Channels Activated each				54.95								
	Interoffice Channel Message - 2-Wire				0.00	15.69							
	Interoffice Channel Facilities Termination				25.32								
	Interoffice Channel mileage, per mile or fraction of mile				0.0091								
	Feature Activations (DSO) Centrex Loops on Channelized DS1 Service												
	D4 Channel Bank Feature Activations												
	Feature Activation on D-4 Channel Bank Centrex Loop Slot				0.66								
	Feature Activation on D-4 Channel Bank FX Line Loop Slot				0.66								
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot				0.66								
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center				0.66								
	Feature Activation on D-4 Channel Bank Private Line Loop Slot				0.66								
	Feature Activation on D-4 Channel Bank T1a Line/Trunk Loop Slot				0.66								
	Feature Activation on D-4 Channel Bank WATS Loop Slot				0.66								
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex				0.66								
	NRC Conversion Currently Combined Switch-As-Is with allowed charges, per port												
	Conversion of Existing Centrex Common Block, each				0.00	21.50	8.42						
	New Centrex Standard Common Block				0.00	5.17	8.32						
	New Centrex Customized Common Block				0.00	618.82							
	NAR Establishment Charge, Per Occasion				0.00	618.82							
	Additional Non-Recurring Charges (NRC)				0.00	66.48							
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use												
	Premise					8.33	0.83						
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use												
	Use Premise					11.21	1.10						
	UNE-P CENTREX - DMS100 (Valid in All States)												
	2-Wire VG Loop2-Wire Voice Grade Port (Centrex) Combo												
	UNE Port Loop Combination Rates (Non-Design)												
	2-Wire VG Loop2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design				11.94								
	2-Wire VG Loop2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design				16.05								

UNBUNDLED NETWORK ELEMENTS - Florida

CATEGORY	RATE ELEMENTS	Intrnm	Zone	BCS	USOC	RATES(\$)						Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Eth A			Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Addl
						Nonrecurring		Nonrecurring Disconnect		OSS Rates(\$)								
						First	Addl	First	Addl	SOMEc	SOMAN			SOMAN				
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local Area			UEP9D	UEPY7	2.17	139.49	86.10	65.41	13.81								
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3			UEP9D	UEPYZ	2.17	139.49	86.10	65.41	13.81								
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPY9	2.17	53.31	26.46	27.50	8.37								
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	2.17	53.31	26.46	27.50	8.37								
	FL & GA Only																	
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPHA	2.17	53.31	26.46	27.50	8.37								
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPHB	2.17	53.31	26.46	27.50	8.37								
	2-Wire Voice Grade Port (Centrex / EBS-PSE)7,4			UEP9D	UEPHC	2.17	53.31	26.46	27.50	8.37								
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPHD	2.17	53.31	26.46	27.50	8.37								
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPHE	2.17	53.31	26.46	27.50	8.37								
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPHF	2.17	53.31	26.46	27.50	8.37								
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPHG	2.17	53.31	26.46	27.50	8.37								
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPHI	2.17	53.31	26.46	27.50	8.37								
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPHJ	2.17	53.31	26.46	27.50	8.37								
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPHV	2.17	53.31	26.46	27.50	8.37								
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPHQ	2.17	53.31	26.46	27.50	8.37								
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPHH	2.17	53.31	26.46	27.50	8.37								
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wlg Lamp Indicator)4			UEP9D	UEPHW	2.17	53.31	26.46	27.50	8.37								
	2-Wire Voice Grade Port (Centrex/Msg Wlg Lamp Indicator)4			UEP9D	UEPHU	2.17	53.31	26.46	27.50	8.37								
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPHM	2.17	139.49	86.10	65.41	13.81								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPHO	2.17	139.49	86.10	65.41	13.81								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPHP	2.17	139.49	86.10	65.41	13.81								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPHQ	2.17	139.49	86.10	65.41	13.81								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPHR	2.17	139.49	86.10	65.41	13.81								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPHS	2.17	139.49	86.10	65.41	13.81								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPHS	2.17	139.49	86.10	65.41	13.81								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5209)2,3,4			UEP9D	UEPH4	2.17	139.49	86.10	65.41	13.81								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5209)2,3,4			UEP9D	UEPH5	2.17	139.49	86.10	65.41	13.81								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPH6	2.17	139.49	86.10	65.41	13.81								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPH7	2.17	139.49	86.10	65.41	13.81								
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3			UEP9D	UEPHZ	2.17	139.49	86.10	65.41	13.81								
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPH9	2.17	53.31	26.46	27.50	8.37								
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPH2	2.17	53.31	26.46	27.50	8.37								
	Local Switching																	
	Centrex Intercom Functionality, per port			UEP9D	URECS	0.7384												
	Features																	
	All Standard Features Offered, per port			UEP9D	UEPVF	2.26												
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	370.70											
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	2.26												
	NARS																	
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00								
	Unbundled Network Access Register - Inward			UEP9D	UARIX	0.00	0.00	0.00	0.00	0.00								
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00								
	Miscellaneous Terminations																	
	2-Wire Trunk Side																	
	Trunk Side Terminations, each			UEP9D	CEND6	8.73												
	Digital (1.544 Megabits)																	
	DS1 Circuit Terminators, each			UEP9D	M1HD1	54.95												

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment 2 Exh. A				Incremental Charge - Manual Svc Order via Electronic- Disc Add'l			
CATEGORY	RATE ELEMENTS	Instrum	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	SOME	SOMAN	Incremental Charge - Manual Svc Order via Electronic- Disc Add'l	Incremental Charge - Manual Svc Order via Electronic- Disc Add'l	Incremental Charge - Manual Svc Order via Electronic- Disc Add'l	Incremental Charge - Manual Svc Order via Electronic- Disc Add'l
						Rec	First	Nonrecurring	Disconnect								
	DSO Channels Activated per Channel			UEP9D	M1HDO	0.00	15.69		Adtl								
	Interoffice Channel Mileage - 2-Wire			UEP9D	M1HDO	0.00	15.69		Adtl								
	Interoffice Channel Facilities Termination			UEP9D	M1HDO	0.00	15.69		Adtl								
	Interoffice Channel Mileage, per mile or fraction of mile			UEP9D	M1HDO	0.00	15.69		Adtl								
	Feature Activation (DSO) Centrex Loops on Channelized DS1 Service			UEP9D	M1HDO	0.00	15.69		Adtl								
	D4 Channel Bank Feature Activations			UEP9D	M1HDO	0.00	15.69		Adtl								
	Feature Activation on D4 Channel Bank Centrex Loop Slot			UEP9D	M1HDO	0.00	15.69		Adtl								
	Feature Activation on D4 Channel Bank Private Line Loop Slot			UEP9D	M1HDO	0.00	15.69		Adtl								
	Feature Activation on D4 Channel Bank FX Line Side Loop Slot			UEP9D	M1HDO	0.00	15.69		Adtl								
	Feature Activation on D4 Channel Bank FX Trunk Side Loop Slot			UEP9D	M1HDO	0.00	15.69		Adtl								
	Feature Activation on D4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	M1HDO	0.00	15.69		Adtl								
	Feature Activation on D4 Channel Bank Private Line Loop Slot			UEP9D	M1HDO	0.00	15.69		Adtl								
	Feature Activation on D4 Channel Bank Trunk Loop Slot			UEP9D	M1HDO	0.00	15.69		Adtl								
	Feature Activation on D4 Channel Bank WATS Loop Slot			UEP9D	M1HDO	0.00	15.69		Adtl								
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex			UEP9D	M1HDO	0.00	15.69		Adtl								
	NRC Conversion Currently Combined Switch-As-is with allowed changes, per port			UEP9D	M1HDO	0.00	15.69		Adtl								
	Conversion of existing Centrex Common Block, each			UEP9D	M1HDO	0.00	15.69		Adtl								
	New Centrex Standard Common Block			UEP9D	M1HDO	0.00	15.69		Adtl								
	New Centrex Customized Common Block			UEP9D	M1HDO	0.00	15.69		Adtl								
	NAR Establishment Charge, Per Occasion			UEP9D	M1HDO	0.00	15.69		Adtl								
	Additional Non-Recurring Charges (NRC)			UEP9D	M1HDO	0.00	15.69		Adtl								
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use			UEP9D	M1HDO	0.00	15.69		Adtl								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use			UEP9D	M1HDO	0.00	15.69		Adtl								
	UNE-P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS, & TN)			UEP9D	M1HDO	0.00	15.69		Adtl								
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo			UEP9D	M1HDO	0.00	15.69		Adtl								
	UNE Port/Loop Combination Rates (Non-Design)			UEP9D	M1HDO	0.00	15.69		Adtl								
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo			UEP9D	M1HDO	0.00	15.69		Adtl								
	Non-Design			UEP9D	M1HDO	0.00	15.69		Adtl								
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design			UEP9D	M1HDO	0.00	15.69		Adtl								
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design			UEP9D	M1HDO	0.00	15.69		Adtl								
	UNE Port/Loop Combination Rates (Design)			UEP9D	M1HDO	0.00	15.69		Adtl								
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design			UEP9D	M1HDO	0.00	15.69		Adtl								
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design			UEP9D	M1HDO	0.00	15.69		Adtl								
	UNE Loop Rate			UEP9D	M1HDO	0.00	15.69		Adtl								
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1		UEP9E	UECS1	9.77											
	2-Wire Voice Grade Loop (SL 1) - Zone 2	2		UEP9E	UECS1	13.88											
	2-Wire Voice Grade Loop (SL 1) - Zone 3	3		UEP9E	UECS1	24.63											
	2-Wire Voice Grade Loop (SL 2) - Zone 1	1		UEP9E	UECS2	12.24											
	2-Wire Voice Grade Loop (SL 2) - Zone 2	2		UEP9E	UECS2	17.40											
	2-Wire Voice Grade Loop (SL 2) - Zone 3	3		UEP9E	UECS2	30.87											
	UNE Port Rate			UEP9E	UECS2	30.87											
	AL, FL, KY, LA, MS, & TN only			UEP9E	UECS2	30.87											
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEP9E	UEPYA	2.17	53.31	28.46	27.50	8.37							
	2-Wire Voice Grade Port (Centrex 600 termination) Basic Local Area			UEP9E	UEPYB	2.17	53.31	28.46	27.50	8.37							
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9E	UEPYH	2.17	53.31	28.46	27.50	8.37							
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) Basic Local Area			UEP9E	UEPYM	2.17	139.49	86.10	65.41	13.81							
	2-Wire Voice Grade Port, Diff Serving Wire Center 2.3 - 800 Service Term. Basic Local Area			UEP9E	UEPYZ	2.17	139.49	86.10	65.41	13.81							

UNBUNDLED NETWORK ELEMENTS - Florida										
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES(\$)				Attachment 2 Exh A
						Rec	Nonrecurring	Nonrecurring Disconnect	Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st
						First	Add'l	First	Add'l	SOMAN
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP9E	UEP9Y	2.17	53.31	26.46	8.37	SOMAN
	2-Wire Voice Grade Port terminated on 800 Service Term - Basic Local Area			UEP9E	UEP9Y	2.17	53.31	26.46	8.37	SOMAN
	2-Wire Voice Grade Port (Centrex)			UEP9E	UEP9Y	2.17	53.31	26.46	8.37	SOMAN
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEP9Y	2.17	53.31	26.46	8.37	SOMAN
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9E	UEP9Y	2.17	53.31	26.46	8.37	SOMAN
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center/2.3			UEP9E	UEP9Y	2.17	53.31	26.46	8.37	SOMAN
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2.3			UEP9E	UEP9Y	2.17	53.31	26.46	8.37	SOMAN
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEP9Y	2.17	53.31	26.46	8.37	SOMAN
	2-Wire Voice Grade Port terminated on 800 Service Term			UEP9E	UEP9Y	2.17	53.31	26.46	8.37	SOMAN
	Local Switching			UEP9E	UEP9Y	2.17	53.31	26.46	8.37	SOMAN
	Centrex Intercom Functionality, per port			UEP9E	UEP9Y	2.17	53.31	26.46	8.37	SOMAN
	Features			UEP9E	UEP9Y	2.17	53.31	26.46	8.37	SOMAN
	All Standard Features Offered, per port			UEP9E	UEP9Y	2.17	53.31	26.46	8.37	SOMAN
	All Select Features Offered, per port			UEP9E	UEP9Y	2.17	53.31	26.46	8.37	SOMAN
	All Centrex Control Features Offered, per port			UEP9E	UEP9Y	2.17	53.31	26.46	8.37	SOMAN
	NARS			UEP9E	UEP9Y	2.17	53.31	26.46	8.37	SOMAN
	Unbundled Network Access Register - Combination			UEP9E	UEP9Y	2.17	53.31	26.46	8.37	SOMAN
	Unbundled Network Access Register - Initial			UEP9E	UEP9Y	2.17	53.31	26.46	8.37	SOMAN
	Unbundled Network Access Register - Outdial			UEP9E	UEP9Y	2.17	53.31	26.46	8.37	SOMAN
	Miscellaneous Terminations			UEP9E	UEP9Y	2.17	53.31	26.46	8.37	SOMAN
	2-Wire Trunk Side			UEP9E	UEP9Y	2.17	53.31	26.46	8.37	SOMAN
	Trunk Side Terminations, each			UEP9E	UEP9Y	2.17	53.31	26.46	8.37	SOMAN
	4-Wire Digital (1.544 Megabits)			UEP9E	UEP9Y	2.17	53.31	26.46	8.37	SOMAN
	DS1 Circuit Terminations, each			UEP9E	UEP9Y	2.17	53.31	26.46	8.37	SOMAN
	DS0 Channel Activated Per Channel			UEP9E	UEP9Y	2.17	53.31	26.46	8.37	SOMAN
	Interoffice Channel Migration - 2-Wire			UEP9E	UEP9Y	2.17	53.31	26.46	8.37	SOMAN
	Interoffice Channel Facilities Termination			UEP9E	UEP9Y	2.17	53.31	26.46	8.37	SOMAN
	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	UEP9Y	2.17	53.31	26.46	8.37	SOMAN
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service			UEP9E	UEP9Y	2.17	53.31	26.46	8.37	SOMAN
	D4 Channel Bank Feature Activations			UEP9E	UEP9Y	2.17	53.31	26.46	8.37	SOMAN
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	UEP9Y	2.17	53.31	26.46	8.37	SOMAN
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot			UEP9E	UEP9Y	2.17	53.31	26.46	8.37	SOMAN
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	UEP9Y	2.17	53.31	26.46	8.37	SOMAN
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9E	UEP9Y	2.17	53.31	26.46	8.37	SOMAN
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	UEP9Y	2.17	53.31	26.46	8.37	SOMAN
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP9E	UEP9Y	2.17	53.31	26.46	8.37	SOMAN
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	UEP9Y	2.17	53.31	26.46	8.37	SOMAN
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex			UEP9E	UEP9Y	2.17	53.31	26.46	8.37	SOMAN
	NRC Conversion Currently Combined Switch-As-is with above changes, per port			UEP9E	UEP9Y	2.17	53.31	26.46	8.37	SOMAN
	Conversion of Existing Centrex Common Block, each			UEP9E	UEP9Y	2.17	53.31	26.46	8.37	SOMAN
	New Centrex Standard Common Block			UEP9E	UEP9Y	2.17	53.31	26.46	8.37	SOMAN
	New Centrex Customized Common Block			UEP9E	UEP9Y	2.17	53.31	26.46	8.37	SOMAN
	NAR Establishment Charge - Per Occasion			UEP9E	UEP9Y	2.17	53.31	26.46	8.37	SOMAN
	Additional Non-Recurring Charges (NRC)			UEP9E	UEP9Y	2.17	53.31	26.46	8.37	SOMAN
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9E	UEP9Y	2.17	53.31	26.46	8.37	SOMAN
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9E	UEP9Y	2.17	53.31	26.46	8.37	SOMAN
	Note 1 - Required Port for Centrex Control in 1AESS, SESS & EWSD			UEP9E	UEP9Y	2.17	53.31	26.46	8.37	SOMAN
	Note 2 - Require Interoffice Channel Migration			UEP9E	UEP9Y	2.17	53.31	26.46	8.37	SOMAN
	Note 3 - Installation is combination of installation charge for SL2 Loop and Port			UEP9E	UEP9Y	2.17	53.31	26.46	8.37	SOMAN
	Note 4 - Require Specific Customer Premises Equipment			UEP9E	UEP9Y	2.17	53.31	26.46	8.37	SOMAN

Exhibit 1

UNBUNDLED NETWORK ELEMENTS - Florida

UNBUNDLED NETWORK ELEMENTS - Florida													
CATEGORY	RATE ELEMENTS	Intrm	Zone	BCS	USOC	RATES(\$)	Svc Order Submitted		Attachment 2 Exh A		Incremental Charge - Manual Svc Order vs Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
							Elec per LSR	Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st Add'l			

Note Rates displaying an "I" in Interim column are interim as a result of a Commission order

UNBUNDLED NETWORK ELEMENTS - Georgia										
CATEGORY	RATE ELEMENTS	Intrm Zone	BCS	USOC	RATES(\$)			Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs Electronic-1st
					Nonrecurring	Nonrecurring Disconnect				
					First	First				
					First	First				
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to internet Website http://www.ata.net										
OPERATIONS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"										
NOTE (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this rate exhibit are the BellSouth "regional" service ordering charges CLE										
NOTE (2) Any element that can be ordered electronically will be billed according to the SOMECS rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those el										
OSS - Electronic Service Order Charge, Per Local Service										
Request (LSR) - UNE Only										
OSS Manual Service Order Charge, Per Local Service Request (LSR) - UNE Only										
UNE SERVICE DATE ADVANCEMENT CHARGE										
NOTE The Expedite charge will be maintained commensurate with BellSouth's FCC No 1 Tariff, Section 5 as applicable										
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day										
ORDER MODIFICATION CHARGE										
Order Modification Charge (OMC)										
Order Modification Additional Dispatch Charge (OMCAD)										
UNBUNDLED EXCHANGE ACCESS LOOP										
2-WIRE ANALOG VOICE GRADE LOOP										
2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1										
2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2										
2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3										
2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1										
2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2										
2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3										
Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise										
Loop Testing - Basic 1st Half Hour										
Loop Testing - Basic Additional Half Hour										
CLEC to CLEC Conversion Charge Without Outside Dispatch (U/L-SL)										
Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - E 1)										
Manual Order Coordination for U/L-SL (per loop)										
Bulk Migration Mass market rate, per 2 Wire Voice Loop-SL 1										
Bulk Migration Mass market rate Order Coordination, per 2 Wire Voice Loop-SL 1										
2-WIRE UNBUNDLED COPPER LOOP - NON-DESIGNED										
2 Wire Unbundled Copper Loop Non-Designed - Zone 1										
2 Wire Unbundled Copper Loop Non-Designed - Zone 2										
2 Wire Unbundled Copper Loop Non-Designed - Zone 3										
Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise										

UNBUNDLED NETWORK ELEMENTS - Georgia										Attachment 2 Eth A			
CATEGORY	RATE ELEMENTS	Interm Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st
					Rec	Nonrecurring	Nonrecurring Disconnect	Nonrecurring Disconnect					
						First	Add'l	First	SOME	SOMAN	SOMAN	SOMAN	SOMAN
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per bop)												
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST, providing make-up (Engineering Information - E1)			UEQ		18.92	18.92						
	Loop Testing - Basic 1st Half Hour			UEQ		7.30	7.30						
	Loop Testing - Basic Additional Half Hour			UEQ		25.12	0.00						
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND)			UEQ		13.62	13.62						
	Bulk Migration Mass market rate, per 2 Wires UCL-ND			UEQ		14.25	7.42						
	Bulk Migration Mass market rate Order Coordination, per 2 Wire Voice UCL-ND			UEQ		38.33	18.27						
	UNBUNDLED EXCHANGE ACCESS LOOP					18.92	18.92						
	2-WIRE ANALOG VOICE GRADE LOOP												
	2 Wire Analog Voice Grade Loop - Service Level 2 w/loop or Ground Start Signaling - Zone 1	1	UEA NTCVG	UEAL2	11.57	79.85	24.65	18.92	7.87				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/loop or Ground Start Signaling - Zone 2	2	UEA NTCVG	UEAL2	16.95	79.85	24.65	18.92	7.87				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/loop or Ground Start Signaling - Zone 3	3	UEA NTCVG	UEAL2	33.08	79.85	24.65	18.92	7.87				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1	1	UEA NTCVG	UEAR2	11.57	79.85	24.65	18.92	7.87				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2	2	UEA NTCVG	UEAR2	16.95	79.85	24.65	18.92	7.87				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	3	UEA NTCVG	UEAR2	33.08	79.85	24.65	18.92	7.87				
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DSO)			UESL		25.06	3.53						
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DSO)			UESP		26.55	5.03						
	CLEC to CLEC Conversion Charge without outside dispatch Loop Tagging - Service Level 2 (SL2)			UEAL4		25.27	36.36						
	Bulk Migration Mass Market rate, per 2 Wire Voice Loop-SL2			UEAL4		11.19	1.10						
	Bulk Migration Mass Market rate Order Coordination, per 2 Wire Voice Loop-SL2			UEAL4		71.87	22.19						
	4-WIRE ANALOG VOICE GRADE LOOP					0.00	0.00						
	4-Wire Analog Voice Grade Loop - Zone 1	1	UEA NTCVG	UEAL4	17.80	93.01	28.17	19.52	8.12				
	4-Wire Analog Voice Grade Loop - Zone 2	2	UEA NTCVG	UEAL4	21.68	93.01	28.17	19.52	8.12				
	4-Wire Analog Voice Grade Loop - Zone 3	3	UEA NTCVG	UEAL4	30.25	93.01	28.17	19.52	8.12				
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DSO)			UESL		25.06	3.53						
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DSO)			UESP		26.55	5.03						
	CLEC to CLEC Conversion Charge without outside dispatch			UEWO		87.72	36.36						
	2-WIRE ISDN DIGITAL GRADE LOOP												
	2-Wire ISDN Digital Grade Loop - Zone 1	1	UDN	U1L2X	21.69	180.06	35.25	18.23	6.97				
	2-Wire ISDN Digital Grade Loop - Zone 2	2	UDN	U1L2X	25.27	180.06	35.25	18.23	6.97				
	2-Wire ISDN Digital Grade Loop - Zone 3	3	UDN	U1L2X	40.17	180.06	35.25	18.23	6.97				
	CLEC to CLEC Conversion Charge without outside dispatch			UEWO		120.88	33.04						
	2-WIRE ASYMMETRIC DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP												
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1	1	UAL	UAL2X	11.23	44.69	31.55	0.00	0.00				
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2	2	UAL	UAL2X	12.97	44.69	31.55	0.00	0.00				
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3	3	UAL	UAL2X	20.62	44.69	31.55	0.00	0.00				
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1	1	UAL	UAL2W	11.23	44.69	31.55	0.00	0.00				
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2	2	UAL	UAL2W	12.97	44.69	31.55	0.00	0.00				
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3	3	UAL	UAL2W	20.62	44.69	31.55	0.00	0.00				
	CLEC to CLEC Conversion Charge without outside dispatch			UAL		44.69	29.28						
	2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP												

UNBUNDLED NETWORK ELEMENTS - Georgia													
CATEGORY	RATE ELEMENTS	Interm Zone	BCS	USOC	RATES(\$)					Svc Order Submitted Manually per LSR	Attachment 2 Exh. A		
					Rec	Nonrecurring		Nonrecurring Disconnect			SOMECH	OSS Rates(\$)	
						First	Add'l	First	Add'l			SOMAN	SOMAN
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1	1	UHL	UHL2X	7.88	44.69	31.55	0.00	0.00				SOMAN
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2	2	UHL	UHL2X	9.09	44.69	31.55	0.00	0.00				
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3	3	UHL	UHL2X	14.48	44.69	31.55	0.00	0.00				
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	UHL	UHL2W	7.88	44.69	31.55	0.00	0.00				
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	2	UHL	UHL2W	9.09	44.69	31.55	0.00	0.00				
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	3	UHL	UHL2W	14.48	44.69	31.55	0.00	0.00				
	CLEC to CLEC Conversion Charge without outside dispatch												
	4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP												
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1	1	UHL	UHL4X	10.39	44.69	31.55	0.00	0.00				
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2	2	UHL	UHL4X	12.00	44.69	31.55	0.00	0.00				
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3	3	UHL	UHL4X	19.07	44.69	31.55	0.00	0.00				
	4 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	UHL	UHL4W	10.39	44.69	31.55	0.00	0.00				
	4 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	2	UHL	UHL4W	12.00	44.69	31.55	0.00	0.00				
	4 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	3	UHL	UHL4W	19.07	44.69	31.55	0.00	0.00				
	CLEC to CLEC Conversion Charge without outside dispatch												
	4-WIRE DS1 DIGITAL LOOP												
	4-Wire DS1 Digital Loop - Zone 1	1	USL	USLXX	41.02	211.93	72.49	38.24	7.20				
	4-Wire DS1 Digital Loop - Zone 2	2	USL	USLXX	46.41	211.93	72.49	38.24	7.20				
	4-Wire DS1 Digital Loop - Zone 3	3	USL	USLXX	62.03	211.93	72.49	38.24	7.20				
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DS1)			URES		25.06	3.53						
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DS1)			URES		26.55	5.03						
	CLEC to CLEC Conversion Charge without outside dispatch			URESP		100.91	42.97						
	EEL to Designed UNE-1, Conversion without outside dispatch, spreadsheet conversion, per Loop			UREWO									
	4-WIRE 19.2, 56 OR 64 Kbps DIGITAL GRADE LOOP					128.00	77.00						
	4 Wire Unbundled Digital 19.2 Kbps	1	UDL	UDL19	21.86	196.66	37.00	18.82	7.20				
	4 Wire Unbundled Digital 19.2 Kbps	2	UDL	UDL19	28.36	196.66	37.00	18.82	7.20				
	4 Wire Unbundled Digital 19.2 Kbps	3	UDL	UDL19	38.22	196.66	37.00	18.82	7.20				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	UDL	UDL56	21.86	196.66	37.00	18.82	7.20				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	2	UDL	UDL56	28.36	196.66	37.00	18.82	7.20				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	3	UDL	UDL56	38.22	196.66	37.00	18.82	7.20				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	UDL	UDL64	21.86	196.66	37.00	18.82	7.20				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	2	UDL	UDL64	28.36	196.66	37.00	18.82	7.20				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	3	UDL	UDL64	38.22	196.66	37.00	18.82	7.20				
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DS0)			URES		25.06	3.53						
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			URES		26.55	5.03						
	CLEC to CLEC Conversion Charge without outside dispatch			UREWO		101.95	49.66						
	2-WIRE UNBUNDLED COPPER LOOP												
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1	1	UCL	UCLPB	12.02	44.69	31.55	0.00	0.00				
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2	2	UCL	UCLPB	13.88	44.69	31.55	0.00	0.00				
	2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3	3	UCL	UCLPB	22.07	44.69	31.55	0.00	0.00				
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1	UCL	UCLPW	12.02	44.69	31.55	0.00	0.00				
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	2	UCL	UCLPW	13.88	44.69	31.55	0.00	0.00				

UNBUNDLED NETWORK ELEMENTS - Georgia										
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR
						Rec	Nonrecurring First	Nonrecurring Addl	Disconnect Addl	SOMECH
										SOMAN
										Incremental Charge - Manual Svc Order vs Electronic-Dis Addl
										Incremental Charge - Manual Svc Order vs Electronic-Dis Addl
										Incremental Charge - Manual Svc Order vs Electronic-Dis Addl
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	22.07	44.69	31.55	0.00	0.00
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Das)			UCL	UREWO		44.69	31.55		
	4-WIRE COPPER LOOP									
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1		1	UCL	UCLAS	16.65	44.69	31.55	0.00	0.00
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2		2	UCL	UCLAS	19.22	44.69	31.55	0.00	0.00
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3		3	UCL	UCLAS	30.55	44.69	31.55	0.00	0.00
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4W	16.65	44.69	31.55	0.00	0.00
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W	19.22	44.69	31.55	0.00	0.00
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4W	30.55	44.69	31.55	0.00	0.00
	CLEC to CLEC conversion Charge without outside dispatch			UCL	UREWO		44.69	31.55		
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92		
	Order Coordination for Specified Conversion Time (per LSR)			UEA, UDN, UAL, NTCUD, USL, NTCOD, UEANL	OCOSL		57.79			
	LOOP MODIFICATION									
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18K ft. per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		0.00	0.00		
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft. per Unbundled Loop			UHL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM4L		0.00	0.00		
	Unbundled Loop Modification Removal of Bridged Tap Removal per Unbundled Loop			UEPSB	ULMBT		17.91			
	SUB-LOOPS									
	Sub-Loop Distribution									
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up			UEANL, UEF	USBSA		255.76			
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL, UEF	USBSB		7.20			
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up			UEANL	USBSB		175.09			
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up			UEANL	USBSB		51.61			
	Unbundled Sub-Loops, Riser Cable 2-Wire per Loop, Working and Spare Loop Activation			UEANL	USBRD	3.61	28.46	3.85	2.20	0.01
	Unbundled Sub-Loops, Riser Cable, 4-Wire per Loop, Working and Spare Loop Activation			UEANL	USBRD	7.67	31.07	4.79	2.27	0.01
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	1		UEANL	USBN2	6.52	28.46	3.85	2.20	0.01
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	2		UEANL	USBN2	10.18	28.46	3.85	2.20	0.01
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	3		UEANL	USBN2	19.51	28.46	3.85	2.20	0.01
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1	1		UEANL	USBN4	5.93	31.07	4.79	2.27	0.01
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2	2		UEANL	USBN4	9.71	31.07	4.79	2.27	0.01
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3	3		UEANL	USBN4	18.85	31.07	4.79	2.27	0.01
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92		
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	3.61	28.46	3.85	2.20	0.01

UNBUNDLED NETWORK ELEMENTS - Georgia																		
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Manually per LSR	Attachment 2 Eth A			Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	
						Nonrecurring		Disconnect				SOMEK	SOMAN	SOMAN				SOMAN
						Rec	Add'l	First	Add'l									
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC			18 92	18 92									
	Sub-Loop 4-Wire Intra-Building Network Cable (INC)			UEANL	USBR4		7 67	31 07	4 79	2 27	0 01							
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC			18 92	18 92									
	Loop Testing - Basic 1st Half Hour			UEANL	URET1			25 12	0 00									
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEANL	URET1			13 62	13 62									
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEEF	UCS2X		5 94	28 46	3 85	2 20	0 01							
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEEF	UCS2X		7 51	28 46	3 85	2 20	0 01							
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEEF	USBMC		9 22	28 46	3 85	2 20	0 01							
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEEF	UCS4X		6 37	31 07	4 79	2 27	0 01							
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEEF	UCS4X		6 32	31 07	4 79	2 27	0 01							
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEEF	UCS4X		9 10	31 07	4 79	2 27	0 01							
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEEF	USBMC			18 92	18 92									
	Loop Testing - Basic 1st Half Hour			UEEF	URET1			8 92	0 88									
	Loop Testing - Basic Additional Half Hour			UEEF	URET1			25 12	0 00									
	Unbundled Sub-Loop Modification			UEEF	URET1			13 62	13 62									
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load			UEEF	ULM2X			0 00	0 00									
	Coil/Equip Removal per 2-W PR			UEEF	ULM4X			0 00	0 00									
	Unbundled Sub-loop Modification - 4-W Copper Dist Load			UEEF	ULM4X			0 00	0 00									
	Coil/Equip Removal per 4-W PR			UEEF	ULM4X			0 00	0 00									
	Unbundled Loop Modification, Removal of bridge Tap, per unbundled loop			UEEF	ULM4T			17 91	17 91									
	Unbundled Network Terminating Wire (UNTW)			UNTW	UEANL			25 12	12 28									
	Network Interface Device (NID)			UNTW	UEANL			32 86	20 69									
	Network Interface Device (NID) - 1-2 lines			UNTW	UNTW			56 03	43 86									
	Network Interface Device (NID) - 1-6 lines			UNTW	UNTW			2 45	2 45									
	Network Interface Device Cross Connect - 2-W			UNTW	UNTW			2 45	2 45									
	Network Interface Device Cross Connect - 4W			UNTW	UNTW			2 45	2 45									
	UNTW OTHER - PROVISIONING ONLY - NO RATE			UNTW	UNTW			0 00	0 00									
	Unbundled Contact Name, Provisioning Only - no rate			UNTW	UNTW			0 00	0 00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			UNTW	UNTW			0 00	0 00									
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate			UNTW	UNTW			0 00	0 00									
	NID - Dispatch and Service Order for NID installation			UNTW	UNTW			0 00	0 00									
	UNTW Circuit Establishment, Provisioning Only - No Rate			UNTW	UNTW			0 00	0 00									
	HIGH CAPACITY UNBUNDLED LOCAL LOOP																	
	NOTE minimum billing period of three months for DS3/STS-1 Local Loop																	
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND		10 97											
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX		253 38	1,753 23	131 90	112 91	75 88							
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND		10 97											
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1		305 42	1,753 23	131 90	112 91	75 88							
	LOOP MAKE-UP																	
	Loop Makeup - Preordering Without Reservation, per working or spare facility (Manual)			UMK	UMK1W			15 19	15 19									
	Loop Makeup - Preordering With Reservation, per spare facility (Manual)			UMK	UMK1P			19 85	19 85									
	Loop Makeup - With or Without Reservation, per working or spare facility (Manual)			UMK	UMK1MQ			0 82	0 82									

UNBUNDLED NETWORK ELEMENTS - Georgia															
CATEGORY	RATE ELEMENTS	Interm Zone	BCS	USOC	RATES(\$)					Svc Order Submitted Elec per LSR	Attachment 2 Exh A			Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
					Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	Add'l	SOME	SOMAN	SOMAN	SOMAN	SOMAN	
LINE SPLITTING															
END USER ORDERING-CENTRAL OFFICE BASED															
Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UECOS	0.61										
Line Splitting - per line activation BSI owned - physical			UEPSR UEPSB	UREBP	0.8297	20.10	12.40	7.68	4.30						
Line Splitting - per line activation BSI owned - virtual			UEPSR UEPSB	UREBV	0.8298	20.10	12.40	7.68	4.30						
UNBUNDLED EXCHANGE ACCESS LOOP															
2-WIRE ANALOG VOICE GRADE LOOP															
UNE Loop Rates for Line Splitting (in Ga PSC ordered the line splitting loop USOCs match the lower port-loop combo rates UEPLX)															
2-Wire Voice Grade Loop (SLI) for Line Splitting - Zone 1		1	UEPSR UEPSB	UEALS	10.80	10.05	7.36	1.37	1.28						
2-Wire Voice Grade Loop (SLI) for Line Splitting - Zone 1		1	UEPSR UEPSB	UEABS	10.80	10.05	7.36	1.37	1.28						
2-Wire Voice Grade Loop (SLI) for Line Splitting - Zone 2		2	UEPSR UEPSB	UEALS	12.47	10.05	7.36	1.37	1.28						
2-Wire Voice Grade Loop (SLI) for Line Splitting - Zone 2		2	UEPSR UEPSB	UEABS	12.47	10.05	7.36	1.37	1.28						
2-Wire Voice Grade Loop (SLI) for Line Splitting - Zone 3		3	UEPSR UEPSB	UEALS	19.83	10.05	7.36	1.37	1.28						
2-Wire Voice Grade Loop (SLI) for Line Splitting - Zone 3		3	UEPSR UEPSB	UEABS	19.83	10.05	7.36	1.37	1.28						
PHYSICAL COLLOCATION															
Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.0197	0.00	0.00								
VIRTUAL COLLOCATION															
Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.0188	0.00	0.00	0.00	0.00						
UNBUNDLED DEDICATED TRANSPORT															
INTEROFFICE CHANNEL - DEDICATED TRANSPORT															
Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0057										
Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Facility Termination			U1TVX	U1TV2	12.87	48.46	19.48	16.58	5.00						
Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Rev Bat. - Per Mile per month			U1TVX	1L5XX	0.0057										
Interoffice Channel - Dedicated Transport - 2-Wire VG Rev Bat. - Facility Termination			U1TVX	U1TR2	12.87	48.46	19.48	16.58	5.00						
Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0057										
Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Facility Termination			U1TVX	U1TV4	10.78	48.46	19.48	16.58	5.00						
Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0057										
Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	U1TD5	7.83	48.46	19.48	16.58	5.00						
Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0057										
Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TDX	U1TD6	7.83	48.46	19.48	16.58	5.00						
Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.1154										
Interoffice Channel - Dedicated Transport - DS1 - Facility Termination			U1TD1	U1TF1	34.19	111.03	80.28	31.36	21.73						
Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	2.53										
Interoffice Channel - Dedicated Transport - DS3 - Facility Termination			U1TD3	U1TF3	342.02	320.47	86.32	66.77	52.81						
Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	2.53										
Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination			U1TS1	U1TFS	358.67	320.47	86.32	66.77	52.81						
Local Channel - Dedicated - 2-Wire Voice Grade			U1DXV	U1DXV	8.90										
Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat			U1DXV	U1DX2	8.90										
Local Channel - Dedicated - 4-Wire Voice Grade			U1DXV	U1DXV	10.03										
Local Channel - Dedicated - DS1 Zone 1		1	U1DD1	U1DD1	21.24										
Local Channel - Dedicated - DS1 Zone 2		2	U1DD1	U1DD1	64.75										
Local Channel - Dedicated - DS1 Zone 3		3	U1DD1	U1DD1	189.41										
Local Channel - Dedicated - DS3 - Per Mile per month			U1DD3	U1DD3	1.66										
Local Channel - Dedicated - DS3 - Facility Termination			U1DD3	U1DD3	169.08										
Local Channel - Dedicated - STS-1 - Per Mile per month			U1DS1	U1DS1	1.66										
Local Channel - Dedicated - STS-1 - Facility Termination			U1DS1	U1DFS	177.81										

UNBUNDLED NETWORK ELEMENTS - Georgia															
CATEGORY	RATE ELEMENTS	Intrm	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Exh A		Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring First	Nonrecurring Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
	UNBUNDLED DARK FIBER														
	Dark Fiber, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof - Interoffice Transport			UDF, UDFCX	1L5DF	23.28	1,776.53	89.75	73.53	18.70					
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel			UDF, UDFCX	1L5DC	46.84									
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop			UDF, UDFCX	1L5DL	46.84									
	8XX ACCESS TEN DIGIT SCREENING														
	8XX Access Ten Digit Screening, Per Call					0.0008543									
	8XX Access Ten Digit Screening, w/8FL No. Delivery					0.0008543									
	8XX Access Ten Digit Screening, w/POTS No. Delivery					0.0008543									
	LINE INFORMATION DATA BASE ACCESS (LIDB)														
	LIDB Common Transport Per Query					0.00000338									
	LIDB Validation Per Query					0.0105974									
	LIDB Originating Point Code Establishment or Change														
	CALLING NAME (CNAM) SERVICE														
	CNAM for DB Owners, Per Query					0.01									
	CNAM for Non DB Owners, Per Query					0.01									
	LNP Query Service														
	LNP Charge Per Query					0.0008034									
	LNP Service Establishment Manual														
	LNP Service Provisioning with Point Code Establishment					12.49	574.87	293.68	11.09	184.91					
	SELECTIVE ROUTING														
	Selective Routing Per Unique Line Class Code Per Request Per Switch						102.19	61.15	12.68	6.34					
	AIN SELECTIVE CARRIER ROUTING														
	Regional Service Establishment						101.311.67	101.311.67	7.833.25	7.833.25					
	End Office Establishment						158.92	158.92	1.64	1.64					
	Line/Port NHC, per end user						2.06	2.06							
	Query NHC, per query					0.0020368									
	AIN - BELLSOUTH AIN SMS ACCESS SERVICE														
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup				AIN		41.41	41.41	41.83	41.83					
	AIN SMS Access Service - Port Connection - Dual/Shared Access				AIN		8.15	8.15	9.16	9.16					
	AIN SMS Access Service - Port Connection - ISDN Access				AIN		8.15	8.15	9.16	9.16					
	AIN SMS Access Service - User Identification Codes - Per User ID Code				AIN		35.29	35.29	26.50	26.50					
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement				AIN		40.24	40.24	11.72	11.72					
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0038									
	AIN SMS Access Service - Session, Per Minute					1.81									
	AIN SMS Access Service - Company Performed Session, Per Minute					0.8323									
	SIGNALING (CCS7)														
	NOTE "bk" beside a rate indicates that the Parties have agreed to bill and keep for that element.														
	CCS7 Signaling Usage, Per TCAP Message					0.000052764									
	CCS7 Signaling Usage, Per ISUP Message (same as E 3.3)					0.000013264									
	811 PBX LOCATE														
	811 PBX LOCATE DATABASE CAPABILITY														
	Service Establishment per CLEC per End User Account				9PBDC										
	Charges to TN Range or Customer Profile				9PBDC		1,825.00								
	Per Telephone Number (Monthly)				9PBDC		182.67								
	Charge Company (Service Provider) ID				9PBDC	0.07									
	PBX Locate Service Support per CLEC (Monthly)				9PBDC		538.23								
	Service Order Charge				9PBDC		176.96								
	811 PBX LOCATE TRANSPORT COMPONENT				9PBDC		11.73								
	See ATT 3														
	ENHANCED EXTENDED LINK (EEL)														
	NOTE The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements														
	NOTE The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as 'Currently Combined' Network Elements														
	EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTERFACE TRANSPORT														
	First 2-Wire VG Loop (SL2) in Combination - Zone 1			1	UNCVX										
					UEAL2	11.57	195.94	36.38	18.42	6.86					

UNBUNDLED NETWORK ELEMENTS - Georgia																			
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	Attachment 2 Exh. A								
					Nonrecurring			Nonrecurring Disconnect			SOMECH	SOMAN	SOMAN	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l			
					Rec	First	Add'l												
	First 2-Wire VG Loop (SL2) in Combination - Zone 2	2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86										
	First 2-Wire VG Loop (SL2) in Combination - Zone 3	3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month		UNCVX	1LSXX	0.1154														
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month		UNCVX	U1TF1	34.19	87.76	45.73	43.80	27.97										
	1/0 Channelization System in combination Per Month		UNCVX	MG1	69.75	86.10													
	Voice Grade COCI - Per Month		UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04										
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1	1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86										
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2	2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86										
	Each Additional 2 Wire VG Loop (SL 2) in Combination - Zone 3	3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86										
	Voice Grade COCI - Per Month		UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04										
	EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																		
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1	1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86										
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2	2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86										
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3	3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNCVX	1LSXX	0.1154														
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month		UNCVX	U1TF1	34.19	87.76	45.73	43.80	27.97										
	1/0 Channel System in combination - per month		UNCVX	MG1	69.75	86.10													
	Voice Grade COCI in combination - per month		UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04										
	Additional 4-Wire Analog Voice Grade Loop in same DS1	1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86										
	Interoffice Transport Combination - Zone 1		UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86										
	Additional 4-Wire Analog Voice Grade Loop in same DS1	2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86										
	Interoffice Transport Combination - Zone 2		UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86										
	Additional 4-Wire Analog Voice Grade Loop in same DS1	3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86										
	Interoffice Transport Combination - Zone 3		UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86										
	Additional Voice Grade COCI in combination - per month		UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04										
	EXTENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																		
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86										
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86										
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNCDX	1LSXX	0.1154														
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month		UNCDX	U1TF1	34.19	87.76	45.73	43.80	27.97										
	1/0 Channel System in combination Per Month		UNCDX	MG1	69.75	86.10													
	OCU-DP COCI (data) per month (2 4-54Kbps)		UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04										
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86										
	Interoffice Transport Combination - Zone 1		UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86										
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86										
	Interoffice Transport Combination - Zone 2		UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86										
	Additional 4 Wire 56Kbps Digital Grade Loop in same DS1	3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86										
	Interoffice Transport Combination - Zone 3		UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86										
	Additional OCU-DP COCI (data) - in combination per month (2 4-54Kbps)		UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04										
	EXTENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																		
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86										
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2	2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86										
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86										

UNBUNDLED NETWORK ELEMENTS - Georgia													
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Est. A	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
					Rec	Nonrecurring First	Add'l	First	Disconnect Add'l	SOME C	SOMAN	OSS Rates(\$)	SOMAN
	Interface Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1L5XX	0.1154								SOMAN
	Interface Transport - Dedicated - DS1 combination - Facility Termination Per Month		UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97				SOMAN
	10 Channel System in combination - Per Month		UNC1X	MO1	69.75								
	OCU-DP COCI (data) - in combination - per month (2 + 64Kbps)		UNC0X	1D1DD	0.9963	27.33	2.90	16.86	1.04				
	Additional 4 Wire 64Kbps Digital Grade Loop in same DS1 Interface Transport Combination - Zone 1	1	UNC0X	UDL64	21.86	195.94	36.38	18.42	6.86				
	Additional 4 Wire 64Kbps Digital Grade Loop in same DS1 Interface Transport Combination - Zone 2	2	UNC0X	UDL64	28.36	195.94	36.38	18.42	6.86				
	Additional 4 Wire 64Kbps Digital Grade Loop in same DS1 Interface Transport Combination - Zone 3	3	UNC0X	UDL64	38.22	195.94	36.38	18.42	6.86				
	Additional OCU-DP COCI (data) - in combination - per month (2 + 64Kbps)		UNC0X	1D1DD	0.9963	27.33	2.90	16.86	1.04				
	EXTENDED 4-WIRE DS1 DIGIT AL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT												
	4-Wire DS1 Digital Loop in Combination - Zone 1	1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86				
	4-Wire DS1 Digital Loop in Combination - Zone 2	2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86				
	4-Wire DS1 Digital Loop in Combination - Zone 3	3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86				
	Interface Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1L5XX	0.1154								
	Interface Transport - Dedicated - DS1 combination - Facility Termination Per Month		UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97				
	EXTENDED 4-WIRE DS1 DIGIT AL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT												
	First DS1 Loop in Combination - Zone 1	1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86				
	First DS1 Loop in Combination - Zone 2	2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86				
	First DS1 Loop in Combination - Zone 3	3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86				
	Interface Transport - Dedicated - DS3 combination - Per Mile Per Month		UNC3X	1L5XX	2.53								
	Interface Transport - Dedicated - DS3 - Facility Termination per month		UNC3X	U1TF3	342.02	325.91	77.07	49.56	32.88				
	31 Channel System in combination per month		UNC3X	MO3	121.90								
	DS1 COCI in combination per month		UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04				
	Additional DS1 Loop in DS3 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86				
	Additional DS1 Loop in DS3 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86				
	Additional DS1 Loop in DS3 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86				
	Additional DS1 COCI in combination per month		UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04				
	EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT												
	2 WireVG Loop in combination - Zone 1	1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86				
	2 WireVG Loop in combination - Zone 2	2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86				
	2 WireVG Loop in combination - Zone 3	3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86				
	Interface Transport - 2-wire VG - Dedicated - Per Mile Per Month		UNCVX	1L5XX	0.0057								
	Interface Transport - 2-wire VG - Dedicated - Facility Termination per month		UNCVX	U1TV2	12.87	66.53	33.61	43.42	27.60				
	EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT												
	4 WireVG Loop in combination - Zone 1	1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86				
	4 WireVG Loop in combination - Zone 2	2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86				
	4 WireVG Loop in combination - Zone 3	3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86				
	Interface Transport - 4-wire VG - Dedicated - Per Mile Per Month		UNCVX	1L5XX	0.0057								
	Interface Transport - 4-wire VG - Dedicated - Facility Termination per month		UNCVX	U1TV4	10.78	66.53	33.61	43.42	27.60				
	EXTENDED DS3 DIGIT AL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT												
	DS3 Local Loop in combination - per mile per month		UNC3X	1L5ND	10.97								
	DS3 Local Loop in combination - Facility Termination per month		UNC3X	UE3PX	253.38	1,260.47	628.84	41.53	20.76				
	Interface Transport - Dedicated - DS3 - Per Mile per month		UNC3X	1L5XX	2.53								
	Interface Transport - Dedicated - DS3 combination - Facility Termination per month		UNC3X	U1TF3	342.02	325.91	77.07	49.56	32.88				
	EXTENDED STS-1 DIGIT AL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT												
	STS-1 Local Loop in combination - per mile per month		UNC3X	1L5ND	10.97								

UNBUNDLED NETWORK ELEMENTS - Georgia										Attachment 2 Exh A				Incremental Charge - Manual Svc Order vs Electronic-Add'l						
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	OSS Rates(\$)				Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Add'l				
					Nonrecurring						Disconnect									
					Rec	First	Add'l	First			SOMEC	SOMAN	SOMAN	SOMAN						
	STS-1 Local Loop in combination - Facility Termination per month		UNCSX	UOL51	305.42	1,260.47	628.84	41.53			20.76									
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month		UNCSX	1L5XX	2.53															
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month		UNCSX	U1TFS	358.67	325.91	77.07	49.56			32.88									
EXTENDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPORT																				
	First 2-Wire ISDN Loop in Combination - Zone 1	1	UNCNX	U1L2X	19.82	195.94	36.38	18.42			6.86									
	First 2-Wire ISDN Loop in Combination - Zone 2	2	UNCNX	U1L2X	26.26	195.94	36.38	18.42			6.86									
	First 2-Wire ISDN Loop in Combination - Zone 3	3	UNCNX	U1L2X	42.17	195.94	36.38	18.42			6.86									
	Interoffice Transport - Dedicated - DS1 combination - per mile per month		UNCIX	1L5XX	0.1154															
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month		UNCIX	U1TF1	34.19	87.76	45.73	43.80			27.97									
	1/0 Channel System in combination - per month		UNCIX	MC1	69.75	86.10														
	2-wire ISDN COCI (BRITE) - in combination - per month		UNCNX	UC1CA	1.66	27.33	2.90	16.86			1.04									
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 1	1	UNCNX	U1L2X	19.82	195.94	36.38	18.42			6.86									
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 2	2	UNCNX	U1L2X	26.26	195.94	36.38	18.42			6.86									
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 3	3	UNCNX	U1L2X	42.17	195.94	36.38	18.42			6.86									
	Additional 2-wire ISDN COCI (BRITE) - in combination - per month		UNCNX	UC1CA	1.66	27.33	2.90	16.86			1.04									
EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT																				
	First DS1 Loop Combination - Zone 1	1	UNCIX	USLXX	41.02	209.45	70.44	37.91			6.86									
	First DS1 Loop Combination - Zone 2	2	UNCIX	USLXX	46.41	209.45	70.44	37.91			6.86									
	First DS1 Loop Combination - Zone 3	3	UNCIX	USLXX	62.03	209.45	70.44	37.91			6.86									
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month		UNCIX	1L5XX	2.53															
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month		UNCIX	U1TFS	358.67	325.91	77.07	49.56			32.88									
	3/1 Channel System in combination per month		UNCIX	MC3	121.90															
	DS1 COCI in combination per month		UNCIX	UC1D1	7.35	27.33	2.90	16.86			1.04									
	Additional DS1 Loop in the same STS-1 Interoffice Transport Combination - Zone 1	1	UNCIX	USLXX	41.02	209.45	70.44	37.91			6.86									
	Additional DS1 Loop in the same STS-1 Interoffice Transport Combination - Zone 2	2	UNCIX	USLXX	46.41	209.45	70.44	37.91			6.86									
	Additional DS1 Loop in the same STS-1 Interoffice Transport Combination - Zone 3	3	UNCIX	USLXX	62.03	209.45	70.44	37.91			6.86									
	DS1 COCI in combination per month		UNCIX	UC1D1	7.35	27.33	2.90	16.86			1.04									
EXTENDED 4-WIRE 66 KBPS DIGITAL EXTENDED LOOP WITH 66 KBPS INTEROFFICE TRANSPORT																				
	4-wire 56 kbps Local Loop in combination - Zone 1	1	UNCIX	UOL56	21.86	195.94	36.38	18.42			6.86									
	4-wire 56 kbps Local Loop in combination - Zone 2	2	UNCIX	UOL56	26.36	195.94	36.38	18.42			6.86									
	4-wire 56 kbps Local Loop in combination - Zone 3	3	UNCIX	UOL56	38.22	195.94	36.38	18.42			6.86									
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month		UNCIX	1L5XX	0.0057															
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month		UNCIX	U1TD5	7.83	66.53	33.61	43.42			27.60									
EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT																				
	4-wire 64 kbps Local Loop in Combination - Zone 1	1	UNCIX	UOL64	21.86	195.94	36.38	18.42			6.86									
	4-wire 64 kbps Local Loop in Combination - Zone 2	2	UNCIX	UOL64	26.36	195.94	36.38	18.42			6.86									
	4-wire 64 kbps Local Loop in Combination - Zone 3	3	UNCIX	UOL64	38.22	195.94	36.38	18.42			6.86									
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month		UNCIX	1L5XX	0.0057															
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month		UNCIX	U1TD6	7.83	66.53	33.61	43.42			27.60									
EXTENDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 31 MUX																				
	First 2-wire VG Loop (SL2) in Combination - Zone 1	1	UNCIX	UEAL2	11.57	195.94	36.38	18.42			6.86									
	First 2-wire VG Loop (SL2) in Combination - Zone 2	2	UNCIX	UEAL2	16.95	195.94	36.38	18.42			6.86									
	First 2-wire VG Loop (SL2) in Combination - Zone 3	3	UNCIX	UEAL2	33.08	195.94	36.38	18.42			6.86									
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile		UNCIX	1L5XX	0.1154															

UNBUNDLED NETWORK ELEMENTS - Georgia										Attachment 2 Exh. A			
CATEGORY	RATE ELEMENTS	Intrnm Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
					Ree	Nonrecurring	First	Add'l	Nonrecurring Disconnect	SOMEc	SOMAN	SOMAN	SOMAN
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month		UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97				
	Per each DS1 Channelization System Per Month		UNC1X	MC1	69.75	86.10							
	Per each Voice Grade COCI - Per Month per month		UNC3X	UD1VG	0.4689	27.33	2.90	16.86	1.04				
	3/1 Channel System in combination per month		UNC3X	MC3	121.90								
	Per each DS1 COCI in combination per month		UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04				
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1	1	UNC1X	UEAL2	11.57	195.94	36.38	18.42	6.86				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2	2	UNC1X	UEAL2	16.95	195.94	36.38	18.42	6.86				
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3	3	UNC1X	UEAL2	33.08	195.94	36.38	18.42	6.86				
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month		UNC3X	UD1VG	0.4689	27.33	2.90	16.86	1.04				
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month		UNC1X	1LSXX	0.1154								
	Each Additional DS1 COCI combination per month		UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97				
	Each Additional DS1 COCI combination per month		UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04				
EXTENDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX													
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 1	1	UNC1X	UEAL4	17.80	195.94	36.38	18.42	6.86				
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 2	2	UNC1X	UEAL4	21.68	195.94	36.38	18.42	6.86				
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 3	3	UNC1X	UEAL4	30.25	195.94	36.38	18.42	6.86				
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1LSXX	0.1154								
	First Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month		UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97				
	Per each 1/0 Channel System in combination per month		UNC1X	MC1	69.75	86.10							
	Per each Voice Grade COCI in combination - per month		UNC3X	UD1VG	0.4689	27.33	2.90	16.86	1.04				
	3/1 Channel System in combination per month		UNC3X	MC3	121.90								
	Per each DS1 COCI in combination per month		UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04				
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1	1	UNC1X	UEAL4	17.80	195.94	36.38	18.42	6.86				
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2	2	UNC1X	UEAL4	21.68	195.94	36.38	18.42	6.86				
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3	3	UNC1X	UEAL4	30.25	195.94	36.38	18.42	6.86				
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month		UNC1X	1LSXX	0.1154								
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month		UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97				
	Additional Voice Grade COCI - in combination - per month		UNC3X	UD1VG	0.4689	27.33	2.90	16.86	1.04				
EXTENDED 4-WIRE 56 Kbps DIGITAL EXTENDED LOOP WITH 56 Kbps INTEROFFICE TRANSPORT w/ 3/1 MUX													
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 1	1	UNC1X	UDL56	21.86	195.94	36.38	18.42	6.86				
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 2	2	UNC1X	UDL56	28.36	195.94	36.38	18.42	6.86				
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 3	3	UNC1X	UDL56	38.22	195.94	36.38	18.42	6.86				
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1LSXX	0.1154								
	First Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month		UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97				
	Per each 1/0 Channel System in combination Per Month		UNC1X	MC1	69.75	86.10							
	Per each COCI-DF COCI (data) COCI per month (2 4-56Kbps)		UNC3X	UD1DD	0.9983	27.33	2.90	16.86	1.04				
	3/1 Channel System in combination per month		UNC3X	MC3	121.90								
	Per each DS1 COCI in combination per month		UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04				
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1	1	UNC1X	UDL56	21.86	195.94	36.38	18.42	6.86				
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2	2	UNC1X	UDL56	28.36	195.94	36.38	18.42	6.86				

UNBUNDLED NETWORK ELEMENTS - Georgia																	
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)					Svc Order Submitted Elec per LSR	Svc Order Manually Submitted per LSR	Attachment 2 Exn A			Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
					Nonrecurring		Disconnect Add'l	SOME	SOMAN			SOMAN	SOMAN				
					Rec	First								Add'l			
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL56	38 22	195 94	36 38	18 42	6 86								
	OCU-DP COCI (data) COCI in combination per month (2 4-64kbs)		UNCDX	1D1DD	0 9963	27 33	2 90	16 86	1 04								
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month		UNC1X	1L5XX	0 1154												
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month		UNC1X	U1TF1	34 19	87 76	45 73	43 80	27 97								
	Each Additional DS1 COCI in the same 3/1 channel system combination per month		UNC1X	UC1D1	7 35	27 33	2 90	16 86	1 04								
	EXTENDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																
	First 4 Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL64	21 86	195 94	36 38	18 42	6 86								
	First 4 Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL64	28 36	195 94	36 38	18 42	6 86								
	First 4 Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL64	38 22	195 94	36 38	18 42	6 86								
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNC1X	1L5XX	0 1154												
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		UNC1X	U1TF1	34 19	87 76	45 73	43 80	27 97								
	Per each Channel System 1/0 in combination Per Month		UNC1X	MO1	69 75	86 10											
	Per each OCU-DP COCI (data) in combination - per month (2 4-64kbs)		UNCDX	1D1DD	0 9963	27 33	2 90	16 86	1 04								
	3/1 Channel System in combination per month		UNC3X	MO3	121 90												
	Per each DS1 COCI in combination per month		UNC1X	UC1D1	7 35	27 33	2 90	16 86	1 04								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL64	21 86	195 94	36 38	18 42	6 86								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL64	28 36	195 94	36 38	18 42	6 86								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL64	38 22	195 94	36 38	18 42	6 86								
	Additional OCU-DP COCI (data) - DS1 to DSO Channel System combination - per month (2 4-64kbs)		UNCDX	1D1DD	0 9963	27 33	2 90	16 86	1 04								
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month		UNC1X	1L5XX	0 1154												
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month		UNC1X	U1TF1	34 19	87 76	45 73	43 80	27 97								
	Each Additional DS1 COCI in the same 3/1 channel system combination per month		UNC1X	UC1D1	7 35	27 33	2 90	16 86	1 04								
	EXTENDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX																
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1	1	UNCNX	U1L2X	19 82	195 94	36 38	18 42	6 86								
	First 2 Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2	2	UNCNX	U1L2X	26 26	195 94	36 38	18 42	6 86								
	First 2 Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3	3	UNCNX	U1L2X	42 17	195 94	36 38	18 42	6 86								
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile per month		UNC1X	1L5XX	0 1154												
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month		UNC1X	U1TF1	34 19	87 76	45 73	43 80	27 97								
	Per each Channel System 1/0 in combination - per month		UNC1X	MO1	69 75	86 10											
	Per each 2 wire ISDN COCI (BRITE) in combination - per month		UNCNX	UC1CA	1 66	27 33	2 90	16 86	1 04								
	3/1 Channel System in combination per month		UNC3X	MO3	121 90												
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 1	1	UNCNX	UC1D1	7 35	27 33	2 90	16 86	1 04								
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 2	2	UNCNX	U1L2X	19 82	195 94	36 38	18 42	6 86								
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 3	3	UNCNX	U1L2X	26 26	195 94	36 38	18 42	6 86								
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel system combination- per month		UNCNX	UC1CA	1 66	27 33	2 90	16 86	1 04								

CATEGORY	RATE ELEMENTS	Interm Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	Attachment 2 Exh A				Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs Electronic-1st Add'l					
					Nonrecurring						OSS Rates(\$)											
					Rec	First	Add'l	Nonrecurring Disconnect			SOME	SOMAN	SOMAN	SOMAN								
								First														
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month		UNCIX	1LSXX	0.1154																	
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month		UNCIX	UITF1	34.19	87.76	45.73	43.80	27.97													
	Each Additional DS1 COCI in the same 3/1 channel system combination per month		UNCIX	UC1D1	7.35	27.33	2.90	16.86	1.04													
EXTENDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT 3/1 MUX																						
	First 4-wire DS1 Digital Local Loop in Combination - Zone 1	1	UNCIX	USLXX	41.02	209.45	70.44	37.91	6.86													
	First 4-wire DS1 Digital Local Loop in Combination - Zone 2	2	UNCIX	USLXX	46.41	209.45	70.44	37.91	6.86													
	First 4-wire DS1 Digital Local Loop in Combination - Zone 3	3	UNCIX	USLXX	62.03	209.45	70.44	37.91	6.86													
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNCIX	1LSXX	0.1154																	
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		UNCIX	UITF1	34.19	87.76	45.73	43.80	27.97													
	3/1 Channel System in combination per month		UNCIX	UC1D1	121.90	7.35	2.90	16.86	1.04													
	Per each DS1 COCI combination per month		UNCIX	UC1D1	7.35	27.33	2.90															
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month		UNCIX	1LSXX	0.1154																	
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month		UNCIX	UITF1	34.19	87.76	45.73	43.80	27.97													
	Each Additional DS1 COCI in the same 3/1 channel system combination per month		UNCIX	UC1D1	7.35	27.33	2.90	16.86	1.04													
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 1	1	UNCIX	USLXX	41.02	209.45	70.44	37.91	6.86													
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 2	2	UNCIX	USLXX	46.41	209.45	70.44	37.91	6.86													
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 3	3	UNCIX	USLXX	62.03	209.45	70.44	37.91	6.86													
EXTENDED 4-WIRE 56 Kbps DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT																						
	First 4-wire 56 kbps Local Loop in combination - Zone 1	1	UNCIX	UDL56	21.86	195.94	36.38	18.42	6.86													
	First 4-wire 56 kbps Local Loop in combination - Zone 2	2	UNCIX	UDL56	28.38	195.94	36.38	18.42	6.86													
	First 4-wire 56 kbps Local Loop in combination - Zone 3	3	UNCIX	UDL56	38.22	195.94	36.38	18.42	6.86													
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Per Mile per month		UNCIX	1LSXX	0.0057																	
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month		UNCIX	UITD5	7.83	66.53	33.61	43.42	27.60													
EXTENDED 4-WIRE 64 Kbps DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT																						
	First 4-wire 64 kbps Local Loop in combination - Zone 1	1	UNCIX	UDL64	21.86	195.94	36.38	18.42	6.86													
	First 4-wire 64 kbps Local Loop in combination - Zone 2	2	UNCIX	UDL64	28.38	195.94	36.38	18.42	6.86													
	First 4-wire 64 kbps Local Loop in combination - Zone 3	3	UNCIX	UDL64	38.22	195.94	36.38	18.42	6.86													
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Per Mile per month		UNCIX	1LSXX	0.0057																	
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month		UNCIX	UITD6	7.83	66.53	33.61	43.42	27.60													
ADDITIONAL NETWORK ELEMENTS																						
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As is charge does apply.																						
When used as an ordinarily combined network element in all States, the non-recurring charges apply and the Switch As is Charge does not.																						
Non-recurring Currently Combined Network Elements "Switch As is Charge"																						
Optional Features & Functions																						
	Clear Channel Capability Extended Frame Option - per DS1	1	UITD1, UNCC	CCOEF		0.00	0.00	0.00	0.00													
	Clear Channel Capability Super Frame Option - per DS1	1	UITD1, UNCC	CCOEF		0.00	0.00	0.00	0.00													
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	1	UITD1, UNCC	NRCCC		184.82	23.78	2.03	0.79													
	C-bit Parity Option - Subsequent Activity - per DS3	1	UITD3, UNCC	NRCCC		218.74	7.66	0.7591	0.00													
	Wholesale to UNE, Switch-As is Conversion Charge		UNCC	UNCC		5.70	5.70	6.61	6.61													
	Unbundled Misc Rate Element, SNE SAI, Single Network Element - Switch As is Non-recurring Charge, per circuit (LSR)	1	UITD1, UNCC	UNCC		40.26	13.51															

UNBUNDLED NETWORK ELEMENTS - Georgia										Attachment 2 Exh A			
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Add'l
					Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First					
									SOME	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Misc Rate Element, SNE SAI, Single Network Element, Switch Aa is Non-recurring Charge, per circuit. (Spreadsheet)	I	U1TVX, U1TDX, U1TD1, U1T03, U1TS1, UDF, UE3	URESP		64.05	25.62						
	MULTIPL EXER Interfaces												
	DS1 to DS0 Channel System - per month		UNC1X		69.75	86.10							
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64bs) used for a Local Loop		UDL		0.9963	11.98	11.39	6.61	6.61				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64bs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation		U1TUD		0.9963	11.98	11.39	6.61	6.61				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop		UDN		1.66	15.81	11.39	6.61	6.61				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation		U1TUB		1.66	15.81	11.39	6.61	6.61				
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop		UEA		0.4689	11.98	11.39	6.61	6.61				
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation		U1TUC		0.4689	11.98	11.39	6.61	6.61				
	DS3 to DS1 Channel System per month		UNC3X		121.90								
	DS3 to DS1 Channel System per month		UNC3X		121.90								
	DS3 to DS1 Channel System per month		USL		7.35	15.81	11.39	6.61	6.61				
	DS1 COCI used with Loop per month		UC1D1		7.35	15.81	11.39	6.61	6.61				
	DS1 COCI used for connection to a channelized DS1 Local Channel in the same SWC as collocation per month		UC1D1		7.35	15.81	11.39	6.61	6.61				
	DS1 COCI used with Interface Channel per month		UC1D1		7.35	15.81	11.39	6.61	6.61				
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month		ULDD1		7.35	15.81	11.39	6.61	6.61				
	Access to DCS - Customer Reconfiguration (FlexServ)												
	Customer Reconfiguration Establishment				1.40			1.63					
	DS1 DSC Termination with DSO Switching				19.65	24.90	18.92	15.04	11.95				
	DS1 DSC Termination with DS1 Switching				7.08	18.18	12.20	11.14	8.03				
	DS3 DSC Termination with DS1 Switching				125.62	24.90	18.92	15.04	11.95				
	Service Rearrangements												
	U1TVX, U1TDX, UEA, UDL, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX			URETD	269.92	47.10							
	U1TVX, U1TDX, UEA, UDL, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX			URETB	1.28		1.28						
	U1TVX, U1TDX, UEA, UDL, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX			CMGAU	0.00	0.00	0.00	0.00	0.00				
	Commencing Authorization												
	UNE Multiplexer Reconfiguration Charge per DS1 Circuit					35.00							
	Miscellaneous												
	NRIC - Order Coordination Specific Time - Dedicated Transport		UNC1X	OCOSR		18.89	18.89						
	UNBUNDLED LOCAL EXCHANGE SWITCHING (PORTS)												
	The Exchange Switching Port Rates Reflected Here Apply to Embedded Base Switching Ports as of March 10, 2005 and Consist of the TELRIC Cost Based Rates Plus \$1.00 in Accordance with the TRRO												
	Exchange Ports												
	NOTE: Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs												
	2-WIRE VOICE GRADE LINE PORT RATES (RES)												
	Exchange Ports - 2-Wire Analog Line Port - Res		UEPSR	UEPRL	2.85	2.42	2.31	1.37	1.28				
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res		UEPSR	UEPRC	2.85	2.42	2.31	1.37	1.28				

UNBUNDLED NETWORK ELEMENTS - Georgia																
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Exh A					
					Rec	Nonrecurring		Nonrecurring Disconnect			SOME	SOMAN	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	
						First	Add'l	First								Add'l
	Exchange Ports - 2 Wire Analog Line Port outgoing only - Res		UEPSR	UEPRO	2.85	2.42	2.31	1.37	1.28							
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)		UEPSR	UEPAP	2.85	2.42	2.31	1.37	1.28							
	Exchange Ports - 2-Wire Voice Georgia basic dialing port without Caller ID		UEPSR	UEPWC	2.85	2.42	2.31	1.37	1.28							
	2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - res		UEPSR	UEPWQ	2.85	2.42	2.31	1.37	1.28							
	2-Wire voice unbundled Georgia basic dialing port - outgoing only		UEPSR	UEPWR	2.85	2.42	2.31	1.37	1.28							
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability		UEPSR	UEPRT	2.85	2.42	2.31	1.37	1.28							
	2-Wire Voice Grade Unbundled Port without Caller ID capability, Georgia		UEPSR	UEPRV	2.85	2.42	2.31	1.37	1.28							
	2-Wire Voice Grade Unbundled Port with Caller ID capability, Georgia		UEPSR	UEPRU	2.85	2.42	2.31	1.37	1.28							
	Subsequent Activity		UEPSR	USASC	0.00	0.00	0.00									
FEATURES																
	All Available Vertical Features		UEPSR	UEPVF	0.000	0.00	0.00									
2-WIRE VOICE GRADE LINE PORT RATES (BUS)																
	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus		UEPSB	UEPBL	2.85	2.42	2.31	1.37	1.28							
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus		UEPSB	UEPBC	2.85	2.42	2.31	1.37	1.28							
	Exchange Ports - 2-Wire Voice Georgia Business Basic Dialing Port, with Caller ID capability		UEPSB	UEPWP	2.85	2.42	2.31	1.37	1.28							
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus		UEPSB	UEPBO	2.85	2.42	2.31	1.37	1.28							
	Exchange Ports - 2 Wire VG unbundled incoming only port with Caller ID - Bus		UEPSB	UEPBI	2.85	2.42	2.31	1.37	1.28							
	Exchange Ports - 2-Wire Voice Georgia Business Dialing Plan without Caller ID		UEPSB	UEPWD	2.85	2.42	2.31	1.37	1.28							
	2-Wire voice unbundled Incoming Only Port without Caller ID Capability		UEPSB	UEPBE	2.85	2.42	2.31	1.37	1.28							
	Subsequent Activity		UEPSB	USASC	0.00	0.00	0.00									
FEATURES																
	All Available Vertical Features		UEPSB	UEPVF	0.000	0.00	0.00									
EXCHANGE PORT RATES (IDD & PBX)																
	2-Wire VG Unbundled 2-Way PBX Trunk - Res		UEPSE	UEPRO	2.85	28.88	13.63	11.48	0.83							
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus		UEPSP	UEPPC	2.85	28.88	13.63	11.48	0.83							
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus		UEPSP	UEPPO	2.85	28.88	13.63	11.48	0.83							
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus		UEPSP	UEPPI	2.85	28.88	13.63	11.48	0.83							
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus		UEPSP	UEPLD	2.85	28.88	13.63	11.48	0.83							
	2-Wire Voice Unbundled PBX LD Terminal Ports		UEPSP	UEPLD	2.85	28.88	13.63	11.48	0.83							
	2-Wire Voice Unbundled 2-Way PBX Usage Port		UEPSP	UEPXA	2.85	28.88	13.63	11.48	0.83							
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		UEPSP	UEPXB	2.85	28.88	13.63	11.48	0.83							
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		UEPSP	UEPXC	2.85	28.88	13.63	11.48	0.83							
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		UEPSP	UEPXD	2.85	28.88	13.63	11.48	0.83							
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		UEPSP	UEPXE	2.85	28.88	13.63	11.48	0.83							
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port		UEPSP	UEPXL	2.85	28.88	13.63	11.48	0.83							
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port		UEPSP	UEPXM	2.85	28.88	13.63	11.48	0.83							
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port		UEPSP	UEPXO	2.85	28.88	13.63	11.48	0.83							
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		UEPSP	UEPXS	2.85	28.88	13.63	11.48	0.83							
	2-Wire voice unbundled Georgia basic dialing port - 1-Way Outdial Trunk		UEPSP	UEPWS	2.85	28.88	13.63	11.48	0.83							
	2-Wire voice unbundled Georgia basic dialing port - 2-Way Trunk		UEPSP	UEPWT	2.85	28.88	13.63	11.48	0.83							
	2-Wire voice unbundled Georgia basic dialing port - 2-way PBX Trunk		UEPSP	UEPQO	2.85	28.88	13.63	11.48	0.83							
	Subsequent Activity		UEPSP	USASC	0.00	0.00	0.00									

UNBUNDLED NETWORK ELEMENTS - Georgia																
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l			
					Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	Add'l	SOME C	SOMAN	SOMAN	SOMAN			
FEATURES	All Available Vertical Features		UEPSP, UEPSE	UEPVF	0.000	0.00	0.00									
NOTE	Transmission/usage charges associated with POTs circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports. Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.															
2-WIRE VOICE GRADE LINE PORT RATES (IDD)	Exchange Ports - 2 Wire DID Port		UEPEX	UEPP2	6.50	122.26	18.65	54.82	3.45							
2-WIRE VOICE GRADE LINE PORT RATES (ISDN-BRI)	Exchange Ports - 2 Wire ISDN Port (See Notes below)		UEPTX, UEPXS	UEPMA	7.09	76.39	51.50	45.67	10.36							
	All Features Offered		UEPTX, UEPXS	UEPVF	0.000	0.00	0.00									
	Exchange Ports - 2-Wire ISDN Port - Channel Profiles		UEPTX, UEPXS	UEPUMA	0.00	0.00	0.00									
NOTE	Transmission/usage charges associated with POTs circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports. Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.															
UNBUNDLED PORT WITH REMOTE CALL FORWARDING CAPABILITY	UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
	Unbundled Remote Call Forwarding Service, Area Calling, Res		UEPVR	UERAC	2.85	2.42	2.31	1.37	1.28							
	Unbundled Remote Call Forwarding Service, Local Calling, Res		UEPVR	UERLC	2.85	2.42	2.31	1.37	1.28							
	Unbundled Remote Call Forwarding Service, InterLATA - Res		UEPVR	UERTE	2.85	2.42	2.31	1.37	1.28							
	Unbundled Remote Call Forwarding Service, IntraLATA - Res		UEPVR	UERTR	2.85	2.42	2.31	1.37	1.28							
Non-Recurring																
	Unbundled Remote Call Forwarding Service - Conversion - Switch as-is		UEPVR	USAC2		2.01	0.31									
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)		UEPVR	USACC		2.01	0.31									
UNBUNDLED REMOTE CALL FORWARDING - BUS																
	Unbundled Remote Call Forwarding Service, Area Calling - Bus		UEPVB	UERAC	2.85	2.42	2.31	1.37	1.28							
	Unbundled Remote Call Forwarding Service, Local Calling - Bus		UEPVB	UERLC	2.85	2.42	2.31	1.37	1.28							
	Unbundled Remote Call Forwarding Service, InterLATA - Bus		UEPVB	UERTE	2.85	2.42	2.31	1.37	1.28							
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus		UEPVB	UERTR	2.85	2.42	2.31	1.37	1.28							
	Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling		UEPVB	UERVJ	2.85	2.42	2.31	1.37	1.28							
Non-Recurring																
	Unbundled Remote Call Forwarding Service - Conversion - Switch as-is		UEPVB	USAC2		2.01	0.31									
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)		UEPVB	USACC		2.01	0.31									
UNBUNDLED LOCAL SWITCHING, PORT USAGE																
End Office Switching (Port Usage)																
	End Office Switching Function, Per MOU				0.0016333											
	End Office Trunk Port - Shared, Per MOU				0.0001564											
Tandem Switching (Port Usage) (Local or Access Tandem)																
	Tandem Switching Function Per MOU				0.0006757											
	Tandem Trunk Port - Shared, Per MOU				0.0002126											
	Tandem Switching Function Per MOU (Melded)				0.000017904											
	Tandem Trunk Port - Shared, Per MOU (Melded)				0.00002668											
Melded Factor, 18.42% of the Tandem Rate																
Common Transport																
	Common Transport - Per Mile, Per MOU				0.000008											
	Common Transport - Facilities Termination Per MOU				0.0004152											
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES																
>Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports																
>The UNE-P Switching Port Rates Reflected in the Cost Based Section Apply to Embedded Base UNE-Ps as of March 10, 2005 and Consist of the TELRIC Cost Based Rates Plus \$1.00 in Accordance with the TRRO																
>Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit.																
>End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations																
>The first and additional Port nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections																
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)																
UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1				13.59											
	2-Wire VG Loop/Port Combo - Zone 2				15.26											
	2-Wire VG Loop/Port Combo - Zone 3				22.62											
UNE Loop Rates																
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPRX	UEPLX												
					10.80											

UNBUNDLED NETWORK ELEMENTS - Georgia																		
CATEGORY	RATE ELEMENTS	Interm Zone	BCS	USOC	RATES(\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Exh. A			Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	
					Nonrecurring			Nonrecurring Disconnect				SOMECH	SOMAN	SOMAN				SOMAN
					Rec	First	Add'l	First	Add'l									
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPRX	UEPLX		12.47												
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPRX	UEPLX		19.83												
	2-Wire Voice Grade Line Port Rates (Res)																	
	2-Wire voice unbundled port - residence		UEPRX	UEPRL	2.79	10.05	7.36	1.37	1.28									
	2-Wire voice unbundled port with Caller ID - res		UEPRX	UEPRC	2.79	10.05	7.36	1.37	1.28									
	2-Wire voice unbundled port outgoing only - res		UEPRX	UEPRO	2.79	10.05	7.36	1.37	1.28									
	2-Wire voice unbundled res, low usage line port with Caller ID (LUM)		UEPRX	UEPAP	2.79	10.05	7.36	1.37	1.28									
	2-Wire voice unbundled Georgia basic dialing port without Caller ID capability - res		UEPRX	UEPWC	2.79	10.05	7.36	1.37	1.28									
	2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - res		UEPRX	UEPWQ	2.79	10.05	7.36	1.37	1.28									
	2-Wire voice unbundled Georgia basic dialing port - outgoing only		UEPRX	UEPWR	2.79	10.05	7.36	1.37	1.28									
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability		UEPRX	UEPRT	2.79	10.05	7.36	1.37	1.28									
	2-Wire Voice Grade Unbundled Port without Caller ID, Georgia		UEPRX	UEPRV	2.79	10.05	7.36	1.37	1.28									
	2-Wire Voice Grade Unbundled Port with Caller ID, Georgia		UEPRX	UEPRU	2.79	10.05	7.36	1.37	1.28									
	FEAT URES																	
	All Features Offered		UEPRX	UEPVF	0.00	0.00	0.00											
	NONRECURRING CHARGES (NRCA) - CURRENTLY COMBINED																	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switches		UEPRX	USAC2		0.10	0.10											
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change		UEPRX	USACC		0.10	0.10											
	2-Wire Voice Grade Loop / Line Port Platform - Installation Charge at QuickService location - Not Conversion of Existing Service		UEPRX	URECC		0.10												
	ADDITIONAL NRCA																	
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		UEPRX	USAS2	0.00	0.00	0.00											
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise		UEPRX	URETL		8.33	0.83											
	OFFON PREMISES EXTENSION CHANNELS																	
	2-Wire Analog Voice Grade Extension Loop - Non-Design	1	UEPRX	UEAEN	10.51	40.02	9.99	5.61	1.72									
	2-Wire Analog Voice Grade Extension Loop - Non-Design	2	UEPRX	UEAEN	15.85	40.02	9.99	5.61	1.72									
	2-Wire Analog Voice Grade Extension Loop - Non-Design	3	UEPRX	UEAEN	31.97	40.02	9.99	5.61	1.72									
	2-Wire Analog Voice Grade Extension Loop - Design	1	UEPRX	UEAED	11.57	79.85	24.65	18.92	7.87									
	2-Wire Analog Voice Grade Extension Loop - Design	2	UEPRX	UEAED	16.85	79.85	24.65	18.92	7.87									
	2-Wire Analog Voice Grade Extension Loop - Design	3	UEPRX	UEAED	33.08	79.85	24.65	18.92	7.87									
	INTEROFFICE TRANSPORT																	
	Interoffice Transport - Dedicated - 2-Wire Voice Grade - Facility Termination		UEPRX	UITV2	12.87	48.46	19.48	16.58	5.00									
	Interoffice Transport - Dedicated - 2-Wire Voice Grade - Per Mile or Fraction Mile		UEPRX	UITVM	0.0057	0.00	0.00											
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)																	
	UNE Port/Loop Combination Rates																	
	2-Wire VG Loop/Port Combo - Zone 1				13.59													
	2-Wire VG Loop/Port Combo - Zone 2				15.26													
	2-Wire VG Loop/Port Combo - Zone 3				22.62													
	UNE Loop Rates																	
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPRX	UEPLX	10.80													
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPRX	UEPLX	12.47													
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPRX	UEPLX	19.83													
	2-Wire Voice Grade Line Port (Bus)																	
	2-Wire voice unbundled port without Caller ID - bus		UEPRX	UEPBL	2.7900	10.05	7.36	1.37	1.28									
	2-Wire voice unbundled port with Caller + E484 ID - bus		UEPRX	UEPBC	2.7900	10.05	7.36	1.37	1.28									
	2-Wire voice unbundled port outgoing only - bus		UEPRX	UEPBB	2.7900	10.05	7.36	1.37	1.28									
	2-Wire voice unbundled incoming only port with Caller ID - Bus		UEPRX	UEPB1	2.7900	10.05	7.36	1.37	1.28									
	2-Wire voice unbundled Georgia basic dialing port, without Caller ID capability - bus		UEPRX	UEPWB	2.7900	10.05	7.36	1.37	1.28									
	2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - bus		UEPRX	UEPWP	2.7900	10.05	7.36	1.37	1.28									

UNBUNDLED NETWORK ELEMENTS - Georgia																	
CATEGORY	RATE ELEMENTS	Intrm	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR		Attachment 2 Exh. A		Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	
						Rec	Nonrecurring	Nonrecurring	Disconnect								
						First	Add'l	First	Add'l								
	2-Wire voice unbundled Incoming Only Port without Caller ID Capability					2 7900	10 05	7 36	1 37	1 28							
FEATURES	All Features Offered																
	NONRECURRING CHARGES (NRCA) - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is					0 000	0 00	0 00									
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change						0 10	0 10									
ADDITIONAL NRCS	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity						0 10	0 10									
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise						0 00	0 00									
OFFER PREMISES EXTENSION CHANNELS	2-Wire Analog Voice Grade Extension Loop - Non-Design	1				10 51	40 02	9 99	5 61	1 72							
	2-Wire Analog Voice Grade Extension Loop - Non-Design	2				15 85	40 02	9 99	5 61	1 72							
	2-Wire Analog Voice Grade Extension Loop - Non-Design	3				31 97	40 02	9 99	5 61	1 72							
	2-Wire Analog Voice Grade Extension Loop - Design	1				11 57	79 85	24 65	18 92	7 87							
	2-Wire Analog Voice Grade Extension Loop - Design	2				16 95	79 85	24 65	18 92	7 87							
	2-Wire Analog Voice Grade Extension Loop - Design	3				33 08	79 85	24 65	18 92	7 87							
INTEROFFICE TRANSPORT	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination					12 87	48 46	19 48	16 58	5 00							
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile					0 0057	0 00	0 00									
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	UNE Port/Loop Combination Rates																
	2-Wire VG Loop/Port Combo - Zone 1					13 59											
	2-Wire VG Loop/Port Combo - Zone 2					12 47											
	2-Wire VG Loop/Port Combo - Zone 3					19 83											
UNE Loop Rates	2-Wire Voice Grade Loop (SL 1) - Zone 1	1				10 80											
	2-Wire Voice Grade Loop (SL 1) - Zone 2	2				12 47											
	2-Wire Voice Grade Loop (SL 1) - Zone 3	3				19 83											
2-Wire Voice Grade Line Port Rates (RES - PBX)																	
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res					2 7900	10 05	7 36	1 37	1 28							
FEATURES	All Features Offered																
NONRECURRING CHARGES (NRCA) - CURRENTLY COMBINED	Conversion - Switch-As-Is					0 000	0 00	0 00									
	Conversion - Switch-As-Is																
	2-Wire Voice Grade Loop/Line Port Combination (PBX) - Conversion - Switch with Change						0 10	0 10									
ADDITIONAL NRCS	2-Wire Voice Grade Loop/Line Port Combination (PBX) - Subsequent Activity					0 00	0 00	0 00									
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise						6 70	6 70									
OFFER PREMISES EXTENSION CHANNELS	Local Channel Voice grade, per termination	1				11 57	79 85	24 65	18 92	7 87							
	Local Channel Voice grade, per termination	2				16 95	79 85	24 65	18 92	7 87							
	Local Channel Voice grade, per termination	3				33 08	79 85	24 65	18 92	7 87							
	Non-Wire Direct Serve Channel Voice Grade	1				12 74	56 92	7 70	4 40	0 02							
	Non-Wire Direct Serve Channel Voice Grade	2				19 76	56 92	7 70	4 40	0 02							
	Non-Wire Direct Serve Channel Voice Grade	3				37 18	56 92	7 70	4 40	0 02							
INTEROFFICE TRANSPORT	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination					12 87	48 46	19 48	16 58	5 00							
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile					0 0057	0 00	0 00									

UNBUNDLED NETWORK ELEMENTS - Georgia																
CATEGORY	RATE ELEMENTS	Inhibit	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l		
						Rec	First	Add'l	Nonrecurring	First	Add'l	Disconnect	SOME	SOMAN	SOMAN	
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
	UNE Port/Loop Combination Rates															
	2 Wire VG Loop/Port Combo - Zone 1					13.59										
	2 Wire VG Loop/Port Combo - Zone 2					15.26										
	2 Wire VG Loop/Port Combo - Zone 3					22.62										
	UNE Loop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	10.80										
	2 Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	12.47										
	2 Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	19.83										
	2-Wire Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	2.7900	10.05	7.36		1.37		1.28				
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	2.7900	10.05	7.36		1.37		1.28				
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	2.7900	10.05	7.36		1.37		1.28				
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	2.7900	10.05	7.36		1.37		1.28				
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	2.7900	10.05	7.36		1.37		1.28				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	2.7900	10.05	7.36		1.37		1.28				
	2-Wire Voice Unbundled PBX LD DDD Terminal Ports			UEPPX	UEPXC	2.7900	10.05	7.36		1.37		1.28				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	2.7900	10.05	7.36		1.37		1.28				
	Capable Port			UEPPX	UEPXE	2.7900	10.05	7.36		1.37		1.28				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	2.7900	10.05	7.36		1.37		1.28				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	2.7900	10.05	7.36		1.37		1.28				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	2.7900	10.05	7.36		1.37		1.28				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	2.7900	10.05	7.36		1.37		1.28				
	2-Wire voice unbundled Georgia basic dialing port - 1-Way Outdial Trunk			UEPPX	UEPWS	2.7900	10.05	7.36		1.37		1.28				
	2-Wire voice unbundled Georgia basic dialing port - 2-Way Trunk			UEPPX	UEPWT	2.7900	10.05	7.36		1.37		1.28				
	2-Wire voice unbundled Georgia basic dialing port - 2-Way PBX Trunk			UEPPX	UEPPQ	2.7900	10.05	7.36		1.37		1.28				
	2-Wire voice unbundled Georgia basic dialing port - PBX LD Terminal Ports					2.7900	10.05	7.36		1.37		1.28				
	2-Wire voice unbundled Georgia basic dialing port - PBX Toll Terminal Ports					2.7900	10.05	7.36		1.37		1.28				
	2-Wire voice unbundled Georgia basic dialing port - PBX LD DDD Terminal Port					2.7900	10.05	7.36		1.37		1.28				
	2-Wire voice unbundled Georgia basic dialing port - PBX LD Terminal Switchboard Port					2.7900	10.05	7.36		1.37		1.28				
	2-Wire voice unbundled Georgia basic dialing port - PBX 2-Way Trunk			UEPPX	UEPPC	2.7900	10.05	7.36		1.37		1.28				
	FEATURES															
	All Features Offered			UEPPX	UEPVF	0.000	0.00	0.00								
	NONRECURRING CHARGES (NRCA) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPPX	USAC2		0.10	0.10								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPPX	USACC		0.10	0.10								
	ADDITIONAL NRCA															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise						6.70	6.70								
	OFFICE PREMISES EXTENSION CHANNELS			UEPPX	UPRTL		8.33	0.83								
	Local Channel Voice grade, per termination		1	UEPPX	P2JHX	11.57	79.85	24.65		18.92		7.87				
	Local Channel Voice grade, per termination		2	UEPPX	P2JHX	16.95	79.85	24.65		18.92		7.87				
	Local Channel Voice grade, per termination		3	UEPPX	P2JHX	33.08	79.85	24.65		18.92		7.87				

UNBUNDLED NETWORK ELEMENTS - Georgia										Attachment 2 Exh A			
CATEGORY	RATE ELEMENTS	Instrum Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st
					Rec	Nonsecuring	First	Add'l	Nonsecuring Disconnect	SOMECH	SOMAN	SOMAN	SOMAN
	Non-Wire Direct Serve Channel Voice Grade	1	UEPPX	SDD2X	12.74	56.92	7.70	4.40	0.02				
	Non-Wire Direct Serve Channel Voice Grade	2	UEPPX	SDD2X	19.76	56.92	7.70	4.40	0.02				
	Non-Wire Direct Serve Channel Voice Grade	3	UEPPX	SDD2X	37.18	56.92	7.70	4.40	0.02				
	INTEROFFICE TRANSPORT												
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination		UEPPX	UITV2	12.87	48.46	19.48	18.58	5.00				
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile		UEPPX	UITVM	0.0057	0.00	0.00						
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT												
	UNE Port/Loop Combination Rates												
	2-Wire VG Coin Port/Loop Combo - Zone 1				13.59								
	2-Wire VG Coin Port/Loop Combo - Zone 2				15.28								
	2-Wire VG Coin Port/Loop Combo - Zone 3				22.62								
	UNE Loop Rates												
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPCO	UEPLX	10.80								
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPCO	UEPLX	12.47								
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPCO	UEPLX	19.83								
	2-Wire Voice Grade Line Port Rates (COIN)												
	2-Wire Coin 2-Way with Operator Screening (GA)		UEPCO	UEPGC	2.7900	10.05	7.36	1.37	1.28				
	2-Wire Coin 2-Way with Operator Screening and Blocking 011, 900/976, 1+DDD (GA)		UEPCO	UEPGC	2.7900	10.05	7.36	1.37	1.28				
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (GA)		UEPCO	UEPGA	2.7900	10.05	7.36	1.37	1.28				
	2-Wire Coin 2-Way with Operator Screening and 900/976 Blocking (GA)		UEPCO	UEPGB	2.7900	10.05	7.36	1.37	1.28				
	2-Wire Coin 2-Way with Operator Screening and Blocking 900/976, 1+DDD, 011+, and Local (GA)		UEPCO	UEPCH	2.7900	10.05	7.36	1.37	1.28				
	2-Wire Coin Outward with Operator Screening and 011 Blocking (GA, KY, MS)		UEPCO	UEPRJ	2.7900	10.05	7.36	1.37	1.28				
	2-Wire Coin Outward with Operator Screening and Blocking 900/976, 1+DDD, 011+, and Local (FL, GA)		UEPCO	UEPCO	2.7900	10.05	7.36	1.37	1.28				
	2-Wire 2-Way Smartline with 900/976 (all states except LA)		UEPCO	UEPKK	2.7900	10.05	7.36	1.37	1.28				
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)		UEPCO	UEPKR	2.7900	10.05	7.36	1.37	1.28				
	ADDITIONAL LINE COIN PORT/LOOP (RC)												
	UNE Coin Port/Loop Combo Usage (Flat Rate)		UEPCO	URECU	3.59	0.00	0.00	0.00	0.00				
	NONRECURRING CHARGES - CURRENTLY COMBINED												
	Switch-as-is		UEPCO	USAC2		0.10	0.10						
	Switch with change		UEPCO	USACC		0.10	0.10						
	ADDITIONAL NRCS												
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		UEPCO	USAS2		0.00	0.00						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Promise		UEPCO	URETL		8.33	0.83						
	2-WIRE VOICE LOOP/2-WIRE VOICE GRADE IO TRANSPORT/2-WIRE LINE PORT (RES)												
	UNE Port/Loop Combination Rates												
	2-Wire VG Loop/IO Transport/Port Combo - Zone 1				26.53								
	2-Wire VG Loop/IO Transport/Port Combo - Zone 2				31.92								
	2-Wire VG Loop/IO Transport/Port Combo - Zone 3				48.04								
	UNE Loop Rates												
	2-Wire Voice Grade Loop (SL2) - Zone 1	1	UEPFR	UECF2	11.57								
	2-Wire Voice Grade Loop (SL2) - Zone 2	2	UEPFR	UECF2	16.95								
	2-Wire Voice Grade Loop (SL2) - Zone 3	3	UEPFR	UECF2	33.08								
	2-Wire Voice Grade Line Port Rates (Res)												
	2-Wire voice unbundled port - residence		UEPFR	UEPRL	2.09	166.05	43.66	41.89	15.44				
	2-Wire voice unbundled port with Caller ID - res		UEPFR	UEPRC	2.09	166.05	43.66	41.89	15.44				
	2-Wire voice unbundled port outgoing only - res		UEPFR	UEPRO	2.09	166.05	43.66	41.89	15.44				
	2-Wire voice unbundled res, low usage line port with Caller ID (LUM)		UEPFR	UEPAP	2.09	166.05	43.66	41.89	15.44				
	2-Wire voice unbundled Georgia basic dialing port, without Caller ID capability - res		UEPFR	UEPWC	2.09	166.05	43.66	41.89	15.44				

UNBUNDLED NETWORK ELEMENTS - Georgia										Attachment 2 Exh A				
CATEGORY	RATE ELEMENTS	Interm Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st		Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	
					Rec	Nonrecurring		Nonrecurring Disconnect			OSS Rates(\$)			
						First	Add'l	First	Add'l	SOMAN	SOMAN			
	2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - res		UEPFR	UEPWO	2.09	166.05	43.66	41.89	15.44					
	2-Wire voice unbundled Georgia basic dialing port - outgoing only		UEPFR	UEPWR	2.09	166.05	43.66	41.89	15.44					
	INTEROFFICE TRANSPORT - Dedicated - 2 Wire Voice Grade - Facility Termination		UEPFR	U1TV2	12.87	48.46	19.48	16.58	5.00					
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile for Fraction Mile		UEPFR	1LSXX	0.0057	0.00	0.00							
	FEATURES													
	All Features Offered		UEPFR	UEPVF	0.775	0.00	0.00							
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED													
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		UEPFR	USAC2										
	Combination - Conversion - Switch-as-is		UEPFR	USACC		7.85	1.86							
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		UEPFR	USACC		7.85	1.86							
	Combination - Conversion - Switch-With-Charge		UEPFR	URETN		11.19	1.10							
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise		UEPFR											
	2-WIRE VOICE LOOP/2WIRE VOICE GRADE IO TRANSPORT/2-WIRE LINE PORT (BUS)													
	UNE Port/Loop Combination Rates													
	2-Wire VG Loop/IO Transport/Port Combo - Zone 1				28.53									
	2-Wire VG Loop/IO Transport/Port Combo - Zone 2				31.92									
	2-Wire VG Loop/IO Transport/Port Combo - Zone 3				48.04									
	UNE Loop Rates													
	2-Wire Voice Grade Loop (SL2) - Zone 1	1	UEPFB	UECF2	11.57									
	2-Wire Voice Grade Loop (SL2) - Zone 2	2	UEPFB	UECF2	16.85									
	2-Wire Voice Grade Loop (SL2) - Zone 3	3	UEPFB	UECF2	33.08									
	2-Wire Voice Grade Line Port (Bus)													
	2-Wire voice unbundled port without Caller ID - bus		UEPFB	UEPBI	2.09	166.05	43.66	41.89	15.44					
	2-Wire voice unbundled port with Caller ID + E484 ID - bus		UEPFB	UEPBC	2.09	166.05	43.66	41.89	15.44					
	2-Wire voice unbundled port outgoing only - bus		UEPFB	UEPBO	2.09	166.05	43.66	41.89	15.44					
	2-Wire voice unbundled incoming only port with Caller ID - bus		UEPFB	UEPBI	2.09	166.05	43.66	41.89	15.44					
	2-Wire voice unbundled Georgia basic dialing port, without Caller ID capability - bus		UEPFB	UEPBD	2.09	166.05	43.66	41.89	15.44					
	2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - bus		UEPFB	UEPWP	2.09	166.05	43.66	41.89	15.44					
	INTEROFFICE TRANSPORT													
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination		UEPFB	U1TV2	12.87	48.46	19.48	16.58	5.00					
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile for Fraction Mile		UEPFB	1LSXX	0.0057	0.00	0.00							
	FEATURES													
	All Features Offered		UEPFB	UEPVF	0.775	0.00	0.00							
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED													
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		UEPFB	USAC2		7.85	1.86							
	Combination - Conversion - Switch-as-is		UEPFB	USACC		7.85	1.86							
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		UEPFB	USACC		7.85	1.86							
	Combination - Conversion - Switch with charge		UEPFB	URETN		11.19	1.10							
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise		UEPFB											
	2-WIRE VOICE LOOP/2WIRE VOICE GRADE IO TRANSPORT/2-WIRE LINE PORT (PBX)													
	UNE Port/Loop Combination Rates													
	2-Wire VG Loop/IO Transport/Port Combo - Zone 1				26.53									
	2-Wire VG Loop/IO Transport/Port Combo - Zone 2				31.92									
	2-Wire VG Loop/IO Transport/Port Combo - Zone 3				48.04									
	UNE Loop Rates													
	2-Wire Voice Grade Loop (SL2) - Zone 1	1	UEPFP	UECF2	11.57									
	2-Wire Voice Grade Loop (SL2) - Zone 2	2	UEPFP	UECF2	16.85									
	2-Wire Voice Grade Loop (SL2) - Zone 3	3	UEPFP	UECF2	33.08									
	2-Wire Voice Grade Line Port Rates (BUS - PBX)													
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		UEPFP	UEPPC	2.09	166.05	43.66	41.89	15.44					
	Line Side Unbundled Outward PBX Trunk Port - Bus		UEPFP	UEPPO	2.09	166.05	43.66	41.89	15.44					
	Line Side Unbundled Incoming PBX Trunk Port - Bus		UEPFP	UEPPI	2.09	166.05	43.66	41.89	15.44					

UNBUNDLED NETWORK ELEMENTS - Georgia															
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES(\$)					Svc Order Submitted Elec per LSR	Svc Order Manually per LSR	Attachment 2 Exh A Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st
						Rec	First	Add'l	Nonrecurring	Nonrecurring Disconnect	SOME C	SOMAN	SOMAN	SOMAN	
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	2.09	166.05	43.66	41.89	15.44					
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	2.09	166.05	43.66	41.89	15.44					
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	2.09	166.05	43.66	41.89	15.44					
	2-Wire Voice Unbundled PBX LD DDD Terminal Hotel Ports			UEPFP	UEPXC	2.09	166.05	43.66	41.89	15.44					
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	2.09	166.05	43.66	41.89	15.44					
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	2.09	166.05	43.66	41.89	15.44					
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEPXL	2.09	166.05	43.66	41.89	15.44					
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPXM	2.09	166.05	43.66	41.89	15.44					
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPFP	UEPXD	2.09	166.05	43.66	41.89	15.44					
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	2.09	166.05	43.66	41.89	15.44					
	2-Wire voice unbundled Georgia basic dialing port - 1-Way Outdial Trunk			UEPFP	UEPWS	2.09	166.05	43.66	41.89	15.44					
	2-Wire voice unbundled Georgia basic dialing port - 2-Way Trunk			UEPFP	UEPWT	2.09	166.05	43.66	41.89	15.44					
	INTEROFFICE TRANSPORT														
	Interoffice Transport - Dedicated - 2-Wire Voice Grade - Facility Termination			UEPFP	UITV2	12.87	49.46	19.48	16.58	5.00					
	Interoffice Transport - Dedicated - 2-Wire Voice Grade - Per Mile or Fraction Mile			UEPFP	1L5XX	0.0057	0.00	0.00							
	FEATURES			UEPFP	UEPVF	0.775	0.00	0.00							
	All Features Offered														
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED														
	2-Wire Loop / Dedicated IO Transport / 2-Wire Line Port Combination - Conversion - Switch-as-is			UEPFP	USAC2		7.85	1.86							
	2-Wire Loop / Dedicated IO Transport / 2-Wire Line Port Combination - Conversion - Switch with change			UEPFP	USACC		7.85	1.86							
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPFP	URETN		11.19	1.10							
	2-WIRE VOICE GRADE LOOP - BUS ONLY - WITH 2-WIRE DID TRUNK PORT														
	UNE Port Loop Combination Rates														
	2-Wire VG Loop2-Wire DID Trunk Port Combo - UNE Zone 1					29.19									
	2-Wire VG Loop2-Wire DID Trunk Port Combo - UNE Zone 2					19.45									
	2-Wire VG Loop2-Wire DID Trunk Port Combo - UNE Zone 3					30.92									
	UNE Loop Rates														
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1			UEPXP	UECD1	16.84									
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2			UEPXP	UECD1	19.45									
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3			UEPXP	UECD1	30.92									
	UNE Port Rate														
	Exchange Ports - 2-Wire DID Port			UEPXP	UEPD1	12.35	174.55	13.64	59.31	4.27					
	NONRECURRING CHARGES - CURRENTLY COMBINED														
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is			UEPXP	USAC1		6.66	1.86							
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes			UEPXP	USA1C		6.66	1.86							
	ADDITIONAL NRCs														
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPXP	URETN		11.19	1.10							
	Telephone Number Trunk Group Establishment Charges														
	DID Trunk Termination (One Per Port)			UEPXP	NDT	0.00	0.00	0.00							
	DID Numbers - Establish Trunk Group and Provide First Group of 20 DID Numbers			UEPXP	NDZ	0.00	0.00	0.00							
	Additional DID Numbers for each Group of 20 DID Numbers			UEPXP	ND4	0.00	0.00	0.00							
	DID Numbers - Non-consecutive DID Numbers - Per Number			UEPXP	ND5	0.00	0.00	0.00							
	Reserve Non-Consecutive DID numbers			UEPXP	ND6	0.00	0.00	0.00							
	Reserve DID Numbers			UEPXP	NDV	0.00	0.00	0.00							
	2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT														
	UNE Port Loop Combination Rates														
	2-Wire ISDN Digital Grade Loop2W ISDN Digital Line Side Port - UNE Zone 1					36.36									

UNBUNDLED NETWORK ELEMENTS - Georgia										Attachment 2 Exh A			
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st
					Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	Add'l	SOME	SOMAN	SOMAN	SOMAN
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2				39.74								
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3				40.17								
	UNE Loop Rates												
	2-Wire ISDN Digital Grade Loop - UNE Zone 1	1	UEPPB UEPPR USL2X		21.86								
	2-Wire ISDN Digital Grade Loop - UNE Zone 2	2	UEPPB UEPPR USL2X		25.27								
	2-Wire ISDN Digital Grade Loop - UNE Zone 3	3	UEPPB UEPPR USL2X		40.17								
	UNE Port Rate												
	Exchange Port - 2-Wire ISDN Line Side Port		UEPPR		14.47	161.36	141.68	43.68	8.37				
	Exchange Port - 2-Wire ISDN Line Side Port		UEPPB		14.47	161.36	141.68	43.68	8.37				
	2-Wire ISDN Digital Grade Loop/2-Wire ISDN Line Side Port		UEPPB		0.00	42.52	26.99						
	Combination - Conversion		UEPPB UEPPR USACB										
	ADDITIONAL NRC's												
	2 Wire ISDN Loop / 2 Wire ISDN Port Combination - Sub Active - Non Feature/Add Trunk		UEPPB UEPPR USASB			0.00							
	Unbundled Miscellaneous Rate Element, Tag Designated Loop at End User Promise		UEPPB UEPPR URETN			11.19	1.10						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Promise		UEPPB UEPPR URETN			8.33	0.83						
	B-CANAL USER PROFILE ACCESS		UEPPB UEPPR		0.00	0.00	0.00						
	CYS(CSD (DMS95SS))		UEPPB UEPPR		0.00	0.00	0.00						
	CYS(EWSD)		UEPPB UEPPR		0.00	0.00	0.00						
	CSO		UEPPB UEPPR		0.00	0.00	0.00						
	B-CANAL AREA PLUS USER PROFILE ACCESS (AL KY LAMS SC MS, & TN)												
	USER TERMINAL PROFILE		UEPPB UEPPR		0.00	0.00	0.00						
	User Terminal Profile (EWSO only)		UEPPB UEPPR		0.00	0.00	0.00						
	VERTICAL FEATURES		UEPPB UEPPR		0.00	0.00	0.00						
	All Vertical Features - One per Channel B User Profile		UEPPB UEPPR		0.00	0.00	0.00						
	INTEROFFICE CHANNEL MILEAGE												
	Interoffice Channel mileage each, including first mile and facilities termination		UEPPB UEPPR		17.07	48.46	19.48	16.58	5.00				
	Interoffice Channel mileage each, additional mile		UEPPB UEPPR		0.0222	0.00	0.00						
	UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES												
	UNE-2 CENTREX - 1AESS - (Valid in AL, FL, GA, KY, LA, MS, & TN only)												
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo												
	UNE Port/Loop Combination Rates (Non-Design)												
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design												
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design				15.38								
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design				17.05								
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design				24.41								
	UNE Port/Loop Combination Rates (Design)												
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design				21.42								
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design				24.03								
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design				35.50								
	UNE Loop Rates												
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	UEP91		12.59								
	2-Wire Voice Grade Loop (SL 1) - Zone 2	2	UEP91		14.26								
	2-Wire Voice Grade Loop (SL 1) - Zone 3	3	UEP91		21.62								
	2-Wire Voice Grade Loop (SL 2) - Zone 1	1	UEP91		18.63								
	2-Wire Voice Grade Loop (SL 2) - Zone 2	2	UEP91		21.24								
	2-Wire Voice Grade Loop (SL 2) - Zone 3	3	UEP91		32.71								
	UNE Ports												
	All States (Except North Carolina and South Carolina)												
	2-Wire Voice Grade Port (Centrex) Basic Local Area		UEP91		2.7900	10.05	7.36	1.37	1.28				
	2-Wire Voice Grade Port (Centrex 800 termination) Basic Local Area		UEP91		2.7900	10.05	7.36	1.37	1.28				

UNBUNDLED NETWORK ELEMENTS - Georgia										Attachment 2 Exh A					
CATEGORY	RATE ELEMENTS	Intrnm Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st		
					Nonrecurring		Add'l	Nonrecurring Disconnect First							
					Rec	First		SOME			SOMAN	SOMAN			
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo														
	UNE Port/Loop Combination Rates (Non-Design)														
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design														
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design				15.38										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design				17.05										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design				24.41										
	UNE Port/Loop Combination Rates (Design)														
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design				21.42										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design				24.03										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design				35.50										
	UNE Loop Rates														
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	UEP95	UECS1	12.58										
	2-Wire Voice Grade Loop (SL 1) - Zone 2	2	UEP95	UECS1	14.26										
	2-Wire Voice Grade Loop (SL 1) - Zone 3	3	UEP95	UECS1	21.62										
	2-Wire Voice Grade Loop (SL 2) - Zone 1	1	UEP95	UECS2	16.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 2	2	UEP95	UECS2	21.24										
	2-Wire Voice Grade Loop (SL 2) - Zone 3	3	UEP95	UECS2	32.71										
	UNE Port Rates														
	All States														
	2-Wire Voice Grade Port (Centrex) Basic Local Area			UEPYA	2.7900	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEPYB	2.7900	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEPYH	2.7900	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2.3 Basic Local Area			UEPYM	2.7900	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2.3 - 800 Service Term - Basic Local Area			UEPYZ	2.7900	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEPY9	2.7900	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEPY2	2.7900	10.05	7.36	1.37	1.28						
	FL & GA Only														
	2-Wire Voice Grade Port (Centrex)			UEPHA	2.7900	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEPHB	2.7900	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex with Caller ID) 1			UEPHH	2.7900	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2.3			UEPHM	2.7900	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2.3			UEPHZ	2.7900	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEPH9	2.7900	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEPH2	2.7900	10.05	7.36	1.37	1.28						
	Local Switching														
	Centrex Intercom Functionality per port			UEPCS	0.4237										
	Features														
	All Standard Features Offered, per port			UEPVF	0.000										
	All Select Features Offered, per port			UEPVS	0.00										
	All Centrex Control Features Offered, per port			UEPVC	0.00										
	NARS														
	Unbundled Network Access Register - Combination			UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - India			UARIY	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UAROY	0.00	0.00	0.00	0.00	0.00						
	Miscellaneous Terminations														
	2-Wire Trunk Side														
	Trunk Side Terminations, each			CEND6	5.50	122.26	18.65	54.82	3.45						
	4-Wire Digital (1.544 Megabits)														
	DST Circuit Terminations, each			MTHD1	41.20	200.96	92.00	65.81	2.33						
	DST Channel Activated, each			MTHD0	0.00	13.95									
	Interoffice Channel Mileage - 2-Wire														

UNBUNDLED NETWORK ELEMENTS - Georgia										Attachment 2 Eth A			
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	First	Add'l	Nonrecurring	Nonrecurring Disconnect	SOMECH	SOMAN	SOMAN
	Interface Channel Facilities Termination					17.07	48.46	19.48		5.00			
	Interface Channel Mileage, per mile or fraction of mile					0.0222							
	Feature Activation (DSO) Centrex Loops on Channelized DS1 Service												
	D4 Channel Bank Feature Activation												
	Feature Activation on D-4 Channel Bank Centrex Loop Slot					0.4689							
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot					0.4689							
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot					0.4689							
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center					0.4689							
	Feature Activation on D-4 Channel Bank Private Line Loop Slot					0.4689							
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot					0.4689							
	Feature Activation on D-4 Channel Bank WATS Loop Slot					0.4689							
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex changes, per port												
	NRC Conversion Currently Combined Switch-As-Is with allowed												
	New Centrex Standard Common Block					0.00	0.10	0.10					
	New Centrex Customized Common Block					317.90	317.90	37.59		48.99			
	NAR Establishment Charge, Per Occasion					0.00	317.90	37.59		48.99			
	Additional Non-Recurring Charges (NRC)					0.00	0.00						
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use						8.33	0.83					
	Premises												
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use						11.19	1.10					
	Premises												
	UNE-P CENTREX - DMS 100 (Valid in All States)												
	2-Wire VG Loop2-Wire Voice Grade Port (Centrex) Combo												
	UNE Port/Loop Combination Rates (Non-Design)												
	2-Wire VG Loop2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design					15.38							
	2-Wire VG Loop2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design					17.05							
	2-Wire VG Loop2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design					24.41							
	UNE Port/Loop Combination Rates (Design)												
	2-Wire VG Loop2-Wire Voice Grade Port (Centrex) Port Combo - Design					21.42							
	2-Wire VG Loop2-Wire Voice Grade Port (Centrex) Port Combo - Design					24.03							
	2-Wire VG Loop2-Wire Voice Grade Port (Centrex) Port Combo - Design					35.50							
	UNE Loop Rate												
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1				12.59							
	2-Wire Voice Grade Loop (SL 1) - Zone 2	2				14.28							
	2-Wire Voice Grade Loop (SL 1) - Zone 3	3				21.62							
	2-Wire Voice Grade Loop (SL 2) - Zone 1	1				18.63							
	2-Wire Voice Grade Loop (SL 2) - Zone 2	2				21.24							
	2-Wire Voice Grade Loop (SL 2) - Zone 3	3				32.71							
	UNE Port Rate												
	ALL STATES												
	2-Wire Voice Grade Port (Centrex) Basic Local Area					2.7900	10.05	7.36		1.37			
	2-Wire Voice Grade Port (Centrex 800 termination) Basic Local Area					2.7900	10.05	7.36		1.37			
	2-Wire Voice Grade Port (Centrex / EBS PSET) Basic Local Area					2.7900	10.05	7.36		1.37			
	2-Wire Voice Grade Port (Centrex / EBS-M5009) Basic Local Area					2.7900	10.05	7.36		1.37			
	2-Wire Voice Grade Port (Centrex / EBS-M5029) Basic Local Area					2.7900	10.05	7.36		1.37			
	2-Wire Voice Grade Port (Centrex / EBS M5112) Basic Local Area					2.7900	10.05	7.36		1.37			
	2-Wire Voice Grade Port (Centrex / EBS M5112) Basic Local Area					2.7900	10.05	7.36		1.37			

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)					Svc Order Submitted Elec per LSR	Attachment 2 Edt A			Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add1
					Nonrecurring						OSS Rates(\$)				
					Rec	First	Add1	Nonrecurring Disconnect	First	Add1	SOME	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M512)/3 Basic Local Area		UEP9D		2 7900	10 05	7 36	1 37	1 28						
	2-Wire Voice Grade Port (Centrex / EBS-M5008)/3 Basic Local Area		UEP9D		2 7900	10 05	7 36	1 37	1 28						
	2-Wire Voice Grade Port (Centrex / EBS-M5208)/3 Basic Local Area		UEP9D		2 7900	10 05	7 36	1 37	1 28						
	2-Wire Voice Grade Port (Centrex / EBS-M5216)/3 Basic Local Area		UEP9D		2 7900	10 05	7 36	1 37	1 28						
	2-Wire Voice Grade Port (Centrex / EBS-M5316)/3 Basic Local Area		UEP9D		2 7900	10 05	7 36	1 37	1 28						
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area		UEP9D		2 7900	10 05	7 36	1 37	1 28						
	2-Wire Voice Grade Port (Centrex/Caller ID/Mag Wig Lamp Indication)/4 Basic Local Area		UEP9D		2 7900	10 05	7 36	1 37	1 28						
	2-Wire Voice Grade Port (Centrex/Mag Wig Lamp Indication)/4 Basic Local Area		UEP9D		2 7900	10 05	7 36	1 37	1 28						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 3-Basic Local Area		UEP9D		2 7900	10 05	7 36	1 37	1 28						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)/2,3,4 Basic Local Area		UEP9D		2 7900	82 27	26 96	20 29	9 15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)/2,3,4 Basic Local Area		UEP9D		2 7900	82 27	26 96	20 29	9 15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5209)/2,3,4 Basic Local Area		UEP9D		2 7900	82 27	26 96	20 29	9 15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5209)/2,3,4 Basic Local Area		UEP9D		2 7900	82 27	26 96	20 29	9 15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M512)/2,3,4 Basic Local Area		UEP9D		2 7900	82 27	26 96	20 29	9 15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)/2,3,4 Basic Local Area		UEP9D		2 7900	82 27	26 96	20 29	9 15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)/2,3,4 Basic Local Area		UEP9D		2 7900	82 27	26 96	20 29	9 15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)/2,3,4 Basic Local Area		UEP9D		2 7900	82 27	26 96	20 29	9 15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)/2,3,4 Basic Local Area		UEP9D		2 7900	82 27	26 96	20 29	9 15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)/2,3,4 Basic Local Area		UEP9D		2 7900	82 27	26 96	20 29	9 15						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3		UEP9D		2 7900	10 05	7 36	1 37	1 28						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area		UEP9D		2 7900	10 05	7 36	1 37	1 28						
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area		UEP9D		2 7900	10 05	7 36	1 37	1 28						
	FL & GA ONLY														
	2-Wire Voice Grade Port (Centrex)		UEP9D		2 7900	10 05	7 36	1 37	1 28						
	2-Wire Voice Grade Port (Centrex 800 termination)		UEP9D		2 7900	10 05	7 36	1 37	1 28						
	2-Wire Voice Grade Port (Centrex / EBS-PSET)/4		UEP9D		2 7900	10 05	7 36	1 37	1 28						
	2-Wire Voice Grade Port (Centrex / EBS-M5009)/4		UEP9D		2 7900	10 05	7 36	1 37	1 28						
	2-Wire Voice Grade Port (Centrex / EBS-M5209)/4		UEP9D		2 7900	10 05	7 36	1 37	1 28						
	2-Wire Voice Grade Port (Centrex / EBS-M5112)/4		UEP9D		2 7900	10 05	7 36	1 37	1 28						
	2-Wire Voice Grade Port (Centrex / EBS-M5312)/4		UEP9D		2 7900	10 05	7 36	1 37	1 28						
	2-Wire Voice Grade Port (Centrex / EBS-M5008)/4		UEP9D		2 7900	10 05	7 36	1 37	1 28						
	2-Wire Voice Grade Port (Centrex / EBS-M5209)/4		UEP9D		2 7900	10 05	7 36	1 37	1 28						
	2-Wire Voice Grade Port (Centrex / EBS-M5216)/4		UEP9D		2 7900	10 05	7 36	1 37	1 28						
	2-Wire Voice Grade Port (Centrex / EBS-M5316)/4		UEP9D		2 7900	10 05	7 36	1 37	1 28						
	2-Wire Voice Grade Port (Centrex with Caller ID) Indication/4		UEP9D		2 7900	10 05	7 36	1 37	1 28						
	2-Wire Voice Grade Port (Centrex/Mag Wig Lamp Indication)/4		UEP9D		2 7900	10 05	7 36	1 37	1 28						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2,3		UEP9D		2 7900	82 27	26 96	20 29	9 15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)/2,3,4		UEP9D		2 7900	82 27	26 96	20 29	9 15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)/2,3,4		UEP9D		2 7900	82 27	26 96	20 29	9 15						

UNBUNDLED NETWORK ELEMENTS - Georgia																		
CATEGORY	RATE ELEMENTS	Interm Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Est A			Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l		
					Rec	Nonrecurring		Nonrecurring Disconnect			SOME C	SOMAN	SOMAN				SOMAN	
						First	Add'l	First										Add'l
	2-Wire Voice Grade Port (Centrex/diffr SWC /EBS-5209)2,3,4		UEP9D	UEPHQ	2 7900	82 27	26 96	20 29	9 15							SOMAN		
	2-Wire Voice Grade Port (Centrex/diffr SWC /EBS-M5112)2,3,4		UEP9D	UEPHR	2 7900	82 27	26 96	20 29	9 15									
	2-Wire Voice Grade Port (Centrex/diffr SWC /EBS-M5312)2, 3, 4		UEP9D	UEPHS	2 7900	82 27	26 96	20 29	9 15									
	2 Wire Voice Grade Port (Centrex/diffr SWC /EBS-M5009)2,3,4		UEP9D	UEPH4	2 7900	82 27	26 96	20 29	9 15									
	2 Wire Voice Grade Port (Centrex/diffr SWC /EBS-M5209)2,3,4		UEP9D	UEPH5	2 7900	82 27	26 96	20 29	9 15									
	2-Wire Voice Grade Port (Centrex/diffr SWC /EBS-M5216)2,3,4		UEP9D	UEPH6	2 7900	82 27	26 96	20 29	9 15									
	2-Wire Voice Grade Port (Centrex/diffr SWC /EBS-M5316)2,3,4		UEP9D	UEPH7	2 7900	82 27	26 96	20 29	9 15									
	2 Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3		UEP9D	UEPHZ	2 7900	82 27	26 96	20 29	9 15									
	2 Wire Voice Grade Port terminated in on Megalink or equivalent		UEP9D	UEPH9	2 7900	10 05	7 36	1 37	1 28									
	2-Wire Voice Grade Port 1 terminated on 800 Service Term		UEP9D	UEPH2	2 7900	10 05	7 36	1 37	1 28									
	Local Switching																	
	Centrex Intercom Functionality, per port		UEP9D	URECS	0 4237													
	All Select Features Offered, per port		UEP9D	UEPVS	0 00	0 00												
	All Centrex Control Features Offered, per port		UEP9D	UEPVC	0 00													
	NARS																	
	Unbundled Network Access Register - Combination		UEP9D	UARCX	0 00	0 00	0 00	0 00	0 00									
	Unbundled Network Access Register - Inward		UEP9D	UARIY	0 00	0 00	0 00	0 00	0 00									
	Unbundled Network Access Register - Outdial		UEP9D	UAROY	0 00	0 00	0 00	0 00	0 00									
	Miscellaneous Terminations																	
	2-Wire Trunk Side																	
	Trunk Side Terminations, each		UEP9D	CEND6	5 50	122 26	18 65	54 82	3 45									
	4-Wire Digital (1.544 Megabits)																	
	DS1 Circuit Terminations, each		UEP9D	MTHD1	41 20	200 86	93 00	65 81	2 33									
	DS0 Channels Activated per Channel		UEP9D	MHDO	0 00	13 95												
	Interoffice Channel Message - 2-Wire																	
	Interoffice Channel Facilities Termination		UEP9D	MTGBC	17 07	48 46	19 48	16 58	5 00									
	Interoffice Channel Mileage, per mile or fraction of mile		UEP9D	MTGBM	0 0222													
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service																	
	D4 Channel Bank Feature Activations																	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		UEP9D	1PQWS	0 4689													
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot		UEP9D	1PQW6	0 4689													
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot		UEP9D	1PQW7	0 4689													
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center		UEP9D	1PQWP	0 4689													
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		UEP9D	1PQWV	0 4689													
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot		UEP9D	1PQWQ	0 4689													
	Feature Activation on D-4 Channel Bank WATS Loop Slot		UEP9D	1PQWA	0 4689													
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex																	
	NRC Conversion Currency Combined Switch-A6-is with allowed changes, per port		UEP9D	USAC2		0 10	0 10											
	New Centrex Standard Common Block		UEP9D	MIACS	0 00	317 90	37 59	48 99	5 92									
	New Centrex Customized Common Block		UEP9D	MIACC	0 00	317 90	37 59	48 99	5 92									
	NAR Establishment Charge, Per Occasion		UEP9D	URECA	0 00	0 00												
	Additional Non-Recurring Charges (NRC)																	
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use		UEP9D	URETL		8 33	0 83											
	Premise																	
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use		UEP9D	URETN		11 19	1 10											
	Use Premise																	
	Additional Non-Recurring Charges (NRC)																	
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use		UEP9E	URETL														
	Premise																	

UNBUNDLED NETWORK ELEMENTS - Kentucky												
CATEGORY	RATE ELEMENTS	Intrnm Zone	BCS	USOC	RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
					Nonrecurring	First	Nonrecurring Disconnect					
					Add'l		First	Add'l	SOME	SOMAN	SOMAN	SOMAN
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to internet Website http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm OPERATIONS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"												
NOTE (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges currently contained in this rate exhibit are the BellSouth "regional" service ordering charges. CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charges, however, CLEC can not obtain a mixture of the two regardless if CLEC has an interconnection contract established in each of the 9 states NOTE (2) Any element that can be ordered electronically will be billed according to the SOME rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the LOH, the listed SOME rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be applied to a CLEC's bill when it submits an LSR to BellSouth.												
	OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only			SOME	3.50	0.00	3.50	0.00				
	OSS - Manual Service Order Charge, Per Local Service Request (LSR) - UNE Only			SOMAN	7.86	0.00	0.89	0.00				
UNE SERVICE DATE ADVANCEMENT CHARGE NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No 1 Tariff, Section 5 as applicable												
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			SDASP	200.00			200.00				
ORDER MODIFICATION CHARGE Order Modification Charge (OMC) Order Modification Additional Dispatch Charge (OMCAD)												
UNBUNDLED EXCHANGE ACCESS LOOP												
2-WIRE ANALOG VOICE GRADE LOOP												
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1	1	UEANL	UEAL2	10.56	46.66	22.57	26.65	7.65			
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2	2	UEANL	UEAL2	15.34	46.66	22.57	26.65	7.65			
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3	3	UEANL	UEAL2	31.11	46.66	22.57	26.65	7.65			
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1	1	UEANL	UEASL	10.56	46.66	22.57	26.65	7.65			
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2	2	UEANL	UEASL	15.34	46.66	22.57	26.65	7.65			
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3	3	UEANL	UEASL	31.11	46.66	22.57	26.65	7.65			
	Unbundled Miscellaneous Rate Element, 1sg Loop at End User Premise			URETL		8.83	0.88					
	Loop Testing - Basic 1st Half Hour			URET1		46.89	0.00					
	Loop Testing - Basic Additional Half Hour			URETA		24.16	24.16					
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UWL-SL1)			UPEWO		15.78	8.94					

UNBUNDLED NETWORK ELEMENTS - Kentucky										Attachment 2 Exh A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Add'l
						Rec	Nonrecurring	Nonrecurring	Disconnect	SOME	SOMAN	SOMAN	SOMAN
							First	Add'l	First				
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - E1)												
	Manual Order Coordination for U1L-SL1s (per loop)				UEANL		13.49	13.49					
	Bulk Migration Mass market rate, per 2 Wire Voice Loop-SL1				UEAMC		9.00	9.00					
	Bulk Migration Mass market rate Order Coordination, per 2 Wire Voice Loop-SL1				UEANL		37.84	17.05					
	2-WIRE UNBUNDLED COPPER LOOP												
	2 Wire Unbundled Copper Loop - Non-Design Zone 1	1			UEQ2X	10.58	44.97	20.89	25.64				
	2 Wire Unbundled Copper Loop - Non-Design Zone 2	2			UEQ2X	11.51	44.97	20.89	25.64				
	2 Wire Unbundled Copper Loop - Non-Design Zone 3	3			UEQ2X	13.19	44.97	20.89	25.64				
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise				UEQ								
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Design (per loop)				URETL		8.93	0.88					
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST providing make-up (Engineering Information - E1)				USBMC		9.00	9.00					
	Loop Testing - Basic 1st Half Hour				UEOMU		13.49	13.49					
	Loop Testing - Basic Additional Half Hour				URET1		46.88	0.00					
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND)				URETA		24.16	24.16					
	Bulk Migration Mass market rate, per 2 Wire UCL-ND				UREWO		14.27	7.43					
	Bulk Migration Mass market rate Order Coordination, per 2 Wire Voice UCL-ND				UREPM		36.32	15.53					
	2-WIRE ANALOG VOICE GRADE LOOP												
	2 Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1	1		UEA, NTCVG	UEAL2	12.67	134.89	81.87	73.65				
	2 Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2	2		UEA, NTCVG	UEAL2	17.45	134.89	81.87	73.65				
	2 Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3	3		UEA, NTCVG	UEAL2	33.22	134.89	81.87	73.65				
	Battery Signaling - Zone 1	1		UEA, NTCVG	UEAR2	12.67	134.89	81.87	73.65				
	Battery Signaling - Zone 2	2		UEA, NTCVG	UEAR2	17.45	134.89	81.87	73.65				
	Battery Signaling - Zone 3	3		UEA, NTCVG	UEAR2	33.22	134.89	81.87	73.65				
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DSO)			UEA, NTCVG	URES1		24.96	3.52					
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DSO)			UEA, NTCVG	URES1		26.44	5.01					
	CLEC to CLEC Conversion Charge without outside dispatch			UEA, NTCVG	UREWO		87.72	36.36					
	Loop Tagging - Service Level 2 (SL2)			UEA, NTCVG	URETL		11.21	1.10					
	Bulk Migration Mass Market rate, per 2 Wire Voice Loop-SL2			UEA	UREPN		118.15	48.63					
	Bulk Migration Mass Market rate Order Coordination, per 2 Wire Voice Loop-SL2			UEA	UREPM		0.00	0.00					
	4-WIRE ANALOG VOICE GRADE LOOP												
	4 Wire Analog Voice Grade Loop - Zone 1	1		UEA, NTCVG	UEAL4	29.26	164.11	112.36	78.91				
	4 Wire Analog Voice Grade Loop - Zone 2	2		UEA, NTCVG	UEAL4	34.25	164.11	112.36	78.91				
	4 Wire Analog Voice Grade Loop - Zone 3	3		UEA, NTCVG	UEAL4	85.06	164.11	112.36	78.91				
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DSO)			UEA, NTCVG	URES1		24.96	3.52					
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DSO)			UEA, NTCVG	URES1		26.44	5.01					
	CLEC to CLEC Conversion Charge without outside dispatch			UEA, NTCVG	UREWO		87.72	36.36					
	2-WIRE ISDN DIGITAL GRADE LOOP												
	2-Wire ISDN Digital Grade Loop - Zone 1	1		UDN	U1L2X	18.44	146.77	95.02	71.38				
	2-Wire ISDN Digital Grade Loop - Zone 2	2		UDN	U1L2X	25.08	146.77	95.02	71.38				
	2-Wire ISDN Digital Grade Loop - Zone 3	3		UDN	U1L2X	42.87	146.77	95.02	71.38				
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.63	44.16					
	2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP												
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1	1		UAL	UAL2X	10.82	141.98	79.73	69.02				

UNBUNDLED NETWORK ELEMENTS - Kentucky												
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Attachment 2 Exh A	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
					Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	SOME	SOMAN	Charge - Manual Svc Order vs Electronic- Disc 1st	Charge - Manual Svc Order vs Electronic- Disc 1st
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2	2	UAL	UAL2X	11 79	141 98	79 73	69 02				
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3	3	UAL	UAL2X	12 87	141 98	79 73	69 02				
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1	1	UAL	UAL2W	10 82	121 18	69 00	69 09				
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2	2	UAL	UAL2W	11 79	121 18	69 00	69 09				
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3	3	UAL	UAL2W	12 87	121 18	69 00	69 09				
	CLEC to CLEC Conversion Charge without outside dispatch			UREWO		86 20	40 40					
2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP											
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1	1	UHL	UHL2X	8 75	151 54	89 29	69 09				
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2	2	UHL	UHL2X	9 56	151 54	89 29	69 09				
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3	3	UHL	UHL2X	10 61	151 54	89 29	69 09				
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	UHL	UHL2W	8 75	130 74	78 56	69 09				
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	2	UHL	UHL2W	9 56	130 74	78 56	69 09				
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	3	UHL	UHL2W	10 61	130 74	78 56	69 09				
4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP											
	CLEC to CLEC Conversion Charge without outside dispatch			UREWO		86 14	40 40					
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1	1	UHL	UHL4X	13 95	185 75	123 50	74 95				
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2	2	UHL	UHL4X	15 68	185 75	123 50	74 95				
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3	3	UHL	UHL4X	16 98	185 75	123 50	74 95				
	4 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	UHL	UHL4W	13 95	164 95	114 04	77 32				
	4 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	2	UHL	UHL4W	15 68	164 95	114 04	77 32				
	4 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	3	UHL	UHL4W	16 98	164 95	114 04	77 32				
4-WIRE	DST DIGITAL LOOP											
	CLEC to CLEC Conversion Charge without outside dispatch			UREWO		86 14	40 40					
	4-Wire DST Digital Loop - Zone 1	1	USL, NTCOD1	USLXX	88 47	306 69	174 44	65 83				
	4-Wire DST Digital Loop - Zone 2	2	USL, NTCOD1	USLXX	114 10	306 89	174 44	65 83				
	4-Wire DST Digital Loop - Zone 3	3	USL, NTCOD1	USLXX	297 76	306 89	174 44	65 83				
	Switch-Ae-is Conversion rate per UNE Loop, Single LSR (per DS1)			URES		24 96	3 52					
	Switch-Ae-is Conversion rate per UNE Loop, Spreadsheet, (per DS1)			URES		28 44	5 01					
	CLEC to CLEC Conversion Charge without outside dispatch			URES		101 09	43 04					
	EEL to Designated UNE-L Conversion without outside dispatch, spreadsheet conversion, per Loop					128 00	77 00					
4-WIRE	19.2, 56 OR 64 Kbps DIGITAL GRADE LOOP											
	4 Wire Unbundled Digital 19.2 Kbps	1	UDL, NTCUD	UDL19	27 59	157 81	106 06	78 91				
	4 Wire Unbundled Digital 19.2 Kbps	2	UDL, NTCUD	UDL19	32 48	157 81	106 06	78 91				
	4 Wire Unbundled Digital 19.2 Kbps	3	UDL, NTCUD	UDL19	36 37	157 81	106 06	78 91				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	UDL, NTCUD	UDL56	27 59	157 81	106 06	78 91				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	2	UDL, NTCUD	UDL56	32 48	157 81	106 06	78 91				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	3	UDL, NTCUD	UDL56	36 37	157 81	106 06	78 91				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	UDL, NTCUD	UDL64	27 59	157 81	106 06	78 91				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	2	UDL, NTCUD	UDL64	32 48	157 81	106 06	78 91				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	3	UDL, NTCUD	UDL64	36 37	157 81	106 06	78 91				
	Switch-Ae-is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			URES		24 96	3 52					
	Switch-Ae-is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			URES		28 44	5 01					

UNBUNDLED NETWORK ELEMENTS - Kentucky																	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Exh A				Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring Disconnect			SOME	SOMAN	SOMAN	SOMAN		
							First	Add'l									
	CLEC to CLEC Conversion Charge without outside dispatch			UCL, NTCUD	UREWO			102.13	49.75								
2-WIRE	Unbundled Copper Loop																
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	10.82	140.95	78.70	69.09	11.54							
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.79	140.95	78.70	69.09	11.54							
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	12.87	140.95	78.70	69.09	11.54							
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	10.82	120.15	67.97	69.09	11.54							
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.79	120.15	67.97	69.09	11.54							
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	12.87	120.15	67.97	69.09	11.54							
	CLEC to CLEC Conversion Charge without outside dispatch (UCL Dis)			UCL	UREWO		97.23	42.48									
	4-WIRE COPPER LOOP																
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	16.92	170.31	108.06	74.95	14.69							
4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	17.36	170.31	108.06	74.95	14.69								
4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	28.10	170.31	108.06	74.95	14.69								
4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4W	16.92	149.52	97.33	74.95	14.69								
4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W	17.36	149.52	97.33	74.95	14.69								
4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4W	28.10	149.52	97.33	74.95	14.69								
CLEC to CLEC Conversion Charge without outside dispatch (UCL Dis)			UCL	UREWO		97.23	42.48										
Order Coordination for Unbundled Copper Loops (per bop)			UCL	UCLMC		9.00	9.00										
Order Coordination for Specified Conversion Time (per LSR)				UEA, UD, UAL, NTCUD, USL, NTCDD1, UEANL	OCOSL		23.01										
LOOP MODIFICATION	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft. per Unbundled Loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		9.24	9.24									
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft. per Unbundled Loop			UHL, UCL, UEA, UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM4L		9.24	9.24									
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop				ULMBT		10.47	10.47									
	Sub-Loop Distribution																
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up			UEANL, UEF	USBSA		207.91	207.91									
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL, UEF	USBSB		12.50	12.50									
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up			UEANL	USBSC		80.87	80.87									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up			UEANL	USBSD		45.04	45.04									
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN2	6.34	85.03	39.05	59.81	7.90							
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN2	9.06	85.03	39.05	59.81	7.90							
Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN2	14.82	85.03	39.05	59.81	7.90								

UNBUNDLED NETWORK ELEMENTS - Kentucky															
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Exh A			
						Rec	Nonrecurring		Nonrecurring Disconnect		SOME	SOMAN	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st
							First	Add'l	First	Add'l			SOMAN	SOMAN	SOMAN
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC			9.00							
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	8.14	102.31	56.32		10.88					
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	8.63	102.31	56.32		10.88					
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	25.60	102.31	56.32		10.88					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC			9.00							
	Sub Loop 2-Wire IntraBuilding Network Cable (INC)			UEANL	USBR2	2.57	68.35	22.36		7.90					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC			9.00							
	Sub-Loop 4-Wire IntraBuilding Network Cable (INC)			UEANL	USBR4	4.98	76.43	30.51		10.88					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC			9.00							
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		46.88	0.00							
	Loop Testing - Basic Additional Half Hour			UEANL	URET1A		24.16	24.16							
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	5.46	85.03	39.05		7.90					
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X	7.06	85.03	39.05		7.90					
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	9.67	85.03	39.05		7.90					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC			9.00							
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	7.09	102.31	56.32		10.88					
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS4X	8.66	102.31	56.32		10.88					
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	19.40	102.31	56.32		10.88					
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC			9.00							
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-Designed and Distribution Subloops			UEF, UEANL	URETL		8.93	0.88							
	Loop Testing - Basic 1st Half Hour			UEF	URET1		46.88	0.00							
	Loop Testing - Basic Additional Half Hour			UEF	URET1A		24.16	24.16							
	Unbundled Sub-Loop Modification														
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load			UEF	ULM2X		5.23	5.23							
	Coi/Equip Removal per 2-W PR			UEF	ULM4X		5.23	5.23							
	Unbundled Sub-Loop Modification - 4 W Copper Dist Load			UEF	ULM4X		5.23	5.23							
	Coi/Equip Removal per 4-W PR			UEF	ULM4X		5.23	5.23							
	Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop			UEF	ULMBT		7.97	7.97							
	Unbundled Network Terminating Wire (UNTW)			UENTW	UENPP	0.53	23.51	23.51							
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP										
	Network Interface Device (NID)			UENTW	UND12										
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		73.53	49.47							
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		115.96	91.91							
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		8.56	8.56							
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		8.56	8.56							
	UNE OTHER, PROVISIONING ONLY - NO RATE														
				UAL, UCL, UDC, UDL, UDN, UEA, UEL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD, NTCDD1, USL	UNEQN										
	Unbundled Contact Name, Provisioning Only - no rate			USL	CCOSF	0.00	0.00								
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00								
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	CCOEF	0.00	0.00								
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00								
	UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00								
	UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00								
	UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00								
	UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00								
	UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00								
	UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00								
	UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00								
	UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00								
	UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00								
	UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00								
	UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00								
	UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00								
	UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00								
	UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00								
	UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00								
	UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00								
	UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00								
	UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00								
	UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00								
	UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00								
	UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00								
	UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00								
	UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00								
	UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00								
	UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00								
	UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00								
	UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00								
	UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00								
	UN														

UNBUNDLED NETWORK ELEMENTS - Kentucky																
CATEGORY	RATE ELEMENTS	Interm Zone	BCS	USOC	RATES(\$)					Svc Order Submitted Manually per LSR	Attachment 2 Exh A		Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l			
					Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	Add'l	SOME	SOMAN	SOMAN	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l			
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month		UDLSX	1L5ND	9.25											
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month		UDLSX	UDLS1	320.51	551.38	338.08	173.00	120.42							
LOOP MAKE-UP																
	Loop Makeup - Prioritizing Without Reservation, per working or spare facility (Manual)		UMK	UMKLW		23.40	23.40									
	Loop Makeup - Prioritizing With Reservation, per spare facility (Manual)		UMK	UMKLP		24.85	24.85									
	Loop Makeup - With or Without Reservation, per working or spare facility (Mechanized)		UMK	UMKMQ		0.67	0.67									
LINE SPLITTING																
	END USER ORDERING-CENTRAL OFFICE BASED															
	Line Splitting - per line activation DLEC owned splitter		UEPSR UEPSB	UEOS	0.61											
	Line Splitting - per line activation BST owned - physical		UEPSR UEPSB	UREBP	0.61	37.02	21.20	21.10	9.87							
	Line Splitting - per line activation BST owned - virtual		UEPSR UEPSB	UREBV	0.61	37.02	21.20	21.10	9.87							
UNBUNDLED EXCHANGE ACCESS LOOP																
2-WIRE ANALOG VOICE GRADE LOOP																
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1	1	UEPSR UEPSB	UEALS	10.56	46.66	22.57	26.65	7.65							
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1	1	UEPSR UEPSB	UEABS	10.56	46.66	22.57	26.65	7.65							
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 2	2	UEPSR UEPSB	UEALS	15.34	46.66	22.57	26.65	7.65							
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 2	2	UEPSR UEPSB	UEABS	15.34	46.66	22.57	26.65	7.65							
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3	3	UEPSR UEPSB	UEALS	31.11	46.66	22.57	26.65	7.65							
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3	3	UEPSR UEPSB	UEABS	31.11	46.66	22.57	26.65	7.65							
PHYSICAL COLLOCATION																
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting		UEPSR UEPSB	PE1LS	0.0333	24.68	23.68	12.14	10.95							
	VIRTUAL COLLOCATION															
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting		UEPSR UEPSB	VE1LS	0.0309	24.68	23.68	12.14	10.95							
UNBUNDLED DEDICATED TRANSPORT																
INTEROFFICE CHANNEL - DEDICATED TRANSPORT																
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month		U1TVX	1L5XX	0.01											
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Facility Termination		U1TVX	U1TV2	29.11	47.34	31.78	22.77	8.75							
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Rev Bat - Per Mile per month		U1TVX	1L5XX	0.01											
	Interoffice Channel - Dedicated Transport - 2-Wire VG Rev Bat - Facility Termination		U1TVX	U1TR2	29.11	47.34	31.78	22.77	8.75							
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month		U1TVX	1L5XX	0.01											
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Facility Termination		U1TVX	U1TV4	25.86	47.34	31.78	22.77	8.75							
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month		U1TDX	1L5XX	0.0115											
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination		U1TDX	U1TD5	20.97	47.35	31.78	22.77	8.75							
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month		U1TDX	1L5XX	0.0115											
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination		U1TDX	U1TD6	20.97	47.35	31.78	22.77	8.75							
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month		U1TD1	1L5XX	0.23											
	Interoffice Channel - Dedicated Channel - DS1 - Facility Termination		U1TD1	U1TF1	96.04	105.52	98.46	23.09	20.49							
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month		U1TD3	1L5XX	4.97											

UNBUNDLED NETWORK ELEMENTS - Kentucky										
CATEGORY	RATE ELEMENTS	Intram Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Attachment 2 Eth A
					Nonrecurring	First	Add'l	Nonrecurring Disconnect	SOME	Incremental Charge - Manual Svc Order vs Electronic-1st
					Rec	First	Add'l	First	SOME	Incremental Charge - Manual Svc Order vs Electronic-1st
	Interface Channel - Dedicated Transport - DS3 - Facility Termination per month		U1TD3		1,175.15	335.40	219.24	89.57	87.75	SOMAN
	Interface Channel - Dedicated Transport - STS-1 - Per Mile per month		U1TS1		4.97					SOMAN
	Interface Channel - Dedicated Transport - STS-1 - Facility Termination		U1TS1							SOMAN
	Local Channel - Dedicated - 2-Wire Voice Grade		ULDVX, UNCVX		1,149.51	335.40	219.24	89.57	87.75	SOMAN
	Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat		ULDVX		21.36					SOMAN
	Local Channel - Dedicated - 4-Wire Voice Grade		ULDR2		21.36					SOMAN
	Local Channel - Dedicated - DS1 - Zone 1	1	ULDD1, UNCDX		46.53					SOMAN
	Local Channel - Dedicated - DS1 - Zone 2	2	ULDD1, UNCDX		49.90					SOMAN
	Local Channel - Dedicated - DS1 - Zone 3	3	ULDD1, UNCDX		189.18					SOMAN
	Local Channel - Dedicated - DS3 - Per Mile per month		ULDD3, UNCDX		10.05					SOMAN
	Local Channel - Dedicated - DS3 - Facility Termination		ULDD3, UNCDX		662.46					SOMAN
	Local Channel - Dedicated - STS-1 - Per Mile per month		ULDD1, UNCDX		10.05					SOMAN
	Local Channel - Dedicated - STS-1 - Facility Termination		ULDD1, UNCDX		624.73					SOMAN
	UNBUNDLED DARK FIBER									SOMAN
	Dark Fiber, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof - Interoffice Transport		UDF, UDFCX		30.74	732.53	192.67	377.27	241.67	SOMAN
	Dark Fiber, Four Fiber Strands, Per Route Mile Or Fraction Thereof per month - Local Channel		UDF, UDFCX		54.06					SOMAN
	Dark Fiber, Four Fiber Strands, Per Route Mile Or Fraction Thereof per month - Local Loop		UDF, UDFCX		54.06					SOMAN
	8XX ACCESS TEN DIGIT SCREENING									SOMAN
	8XX Access Ten Digit Screening, Per Call				0.0006478					SOMAN
	8XX Access Ten Digit Screening w/ 8PL No. Delivery				0.0006478					SOMAN
	8XX Access Ten Digit Screening w/ POTS No. Delivery				0.0006478					SOMAN
	LINE INFORMATION DATA BASE ACCESS (LIDB)									SOMAN
	LIDB Common Transport Per Query				0.000023					SOMAN
	LIDB Validation Per Query				0.0137322					SOMAN
	LIDB Originating Point Code Establishment or Change		OOU	NBXPX	55.12			67.59		SOMAN
	CALLING NAME (CNAM) SERVICE									SOMAN
	CNAM for DB Owners, Per Query				0.0010348					SOMAN
	CNAM for Non DB Owners, Per Query				0.0010348					SOMAN
	LNP Query Service									SOMAN
	LNP Charge Per query									SOMAN
	LNP Service Establishment Manual				13.82	13.82	13.82	12.71	12.71	SOMAN
	LNP Service Provisioning with Point Code Establishment				953.27	487.00	431.95	317.61		SOMAN
	SELECTIVE ROUTING									SOMAN
	Selective Routing Per Unique Line Class Code Per Request Per Switch				93.53	93.53		15.58	15.58	SOMAN
	AIN SELECTIVE CARRIER ROUTING									SOMAN
	Regional Service Establishment									SOMAN
	End Office Establishment				193.401.00	193.401.00	9.483.34	9.483.34		SOMAN
	Line/Port NRC, per end user				194.09	194.09	0.85	0.85		SOMAN
	Query NRC, per query				2.06	2.06				SOMAN
	AIN - BELL SOUTH AIN SMS ACCESS SERVICE				0.0037502					SOMAN
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup		AIN	CAMSE		43.55	43.55	44.93	44.93	SOMAN
	AIN SMS Access Service - Port Connection - Dial/Shared Access		AIN	CAMP		8.64	8.64	10.03	10.03	SOMAN
	AIN SMS Access Service - Port Connection - ISDN Access		AIN	CAMP		8.64	8.64	10.03	10.03	SOMAN
	AIN SMS Access Service - User Identification Codes - Per User ID Code		AIN	CAMAU		38.65	38.65	29.88	29.88	SOMAN
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement		AIN	CAMRC		75.08	75.08	12.93	12.93	SOMAN
	AIN SMS Access Service - Storage, Per Unit (100 Kibibytes)				0.0025					SOMAN
	AIN SMS Access Service - Session Per Minute				0.666					SOMAN
	AIN SMS Access Service - Company Performed Session Per Minute				0.4608					SOMAN
	SIGNALING (CSS7)									SOMAN
	NOTE "bk" beside a rate indicates that the Parties have agreed to bill and keep for that element.									SOMAN
	CCS7 Signaling Usage, Per TCAP Message				0.00006560k					SOMAN

UNBUNDLED NETWORK ELEMENTS - Kentucky														
CATEGORY	RATE ELEMENTS	Interum Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-Dis 1st	Attachment 2 Exh A	Incremental Charge - Manual Svc Order vs Electronic-Dis 1st	Incremental Charge - Manual Svc Order vs Electronic-Dis Add'l	
					Rec	Nonrecurring	Nonrecurring Disconnect							
					0.00001645K	First	Add'l	First	Add'l	SOME	SOMAN	SOMAN	SOMAN	
911 PBX LOCATE	CCS7 Signaling Usage, Per ISUP Message													
911 PBX LOCATE DATABASE CAPABILITY														
	Service Establishment per CLEC per End User Account			9PBDC										
	Charges to TN Range or Customer Profile			9PBSTN		1,814.00								
	Per Telephone Number (Monthly)			9PBMM		181.57								
	Charge Company (Service Provider) ID			9PBDC	0.07									
	PBX Locate Service Support per CLEC (Monthly)			9PBDC		533.00								
	Service Order Charge			9PBMR	179.88									
				9PBSC		7.86								
911 PBX LOCATE TRANSPORT COMPONENT														
See Att 3														
ENHANCED EXTENDED LINK (EELs)														
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-A-Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements														
NOTE: The monthly recurring and the Switch-As-A-Charge and not the non-recurring charges below will apply for UNE combinations provisioned as 'Currently Combined' Network Elements														
EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT														
	First 2-Wire VG Loop (SL2) in Combination - Zone 1	1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84					
	First 2-Wire VG Loop (SL2) in Combination - Zone 2	2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84					
	First 2-Wire VG Loop (SL2) in Combination - Zone 3	3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84					
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month		UNCVX	1LSXX	0.19									
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month		UNCVX	UITF1	79.02	181.24	123.53	56.72	22.32					
	1/0 Channelization System in combination Per Month		UNCVX	MQ1	113.33	57.26	14.74	1.86	1.67					
	Voice Grade COCI - Per Month		UNCVX	1D1VG	0.62	6.71	4.84							
	Each Additional 2-Wire VG Loop (SL2) in Combination - Zone 1	1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84					
	Each Additional 2 Wire VG Loop (SL2) in Combination - Zone 2	2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84					
	Each Additional 2-Wire VG Loop (SL2) in Combination - Zone 3	3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84					
	Voice Grade COCI - Per Month		UNCVX	1D1VG	0.62	6.71	4.84							
EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT														
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1	1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84					
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2	2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84					
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3	3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84					
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNCVX	1LSXX	0.19									
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month		UNCVX	UITF1	79.02	181.24	123.53	56.72	22.32					
	1/0 Channel System in combination Per Month		UNCVX	MQ1	113.33	57.26	14.74	1.86	1.67					
	Voice Grade COCI in combination - per month		UNCVX	1D1VG	0.62	6.71	4.84							
	Additional 4-Wire Analog Voice Grade Loop in same DS1	1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84					
	Interoffice Transport Combination - Zone 1		UNCVX	UEAL4										
	Additional 4-Wire Analog Voice Grade Loop in same DS1	2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84					
	Interoffice Transport Combination - Zone 2		UNCVX	UEAL4										
	Additional 4-Wire Analog Voice Grade Loop in same DS1	3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84					
	Interoffice Transport Combination - Zone 3		UNCVX	UEAL4										
	Additional 4-Wire Analog Voice Grade COCI in combination - per month		UNCVX	1D1VG	0.62	6.71	4.84							
EXTENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT														
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84					
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84					
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84					
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNCDX	1LSXX	0.19									
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month		UNCDX	UITF1	79.02	181.24	123.53	56.72	22.32					
	1/0 Channel System in combination Per Month		UNCDX	MQ1	113.33	57.26	14.74	1.86	1.67					
	OCU DP COCI (data) per month (2 4-64Kbps)		UNCDX	1D1DD	1.32	6.71	4.84							

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)					Attachment 2 Exh. A			
					Rec	Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st
						First	Add'l	First	Add'l				
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL56	27 59	125 22	60 48	59 69	7 84				
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL56	32 48	125 22	60 48	59 69	7 84				
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL56	36 37	125 22	60 48	59 69	7 84				
	Additional OCU-DP COC1 (data) - in combination per month (2 4-64Kbs)		UNCDX	101DD	1 32	6 71	4 84						
EXTENDED 4-WIRE 64 Kbps EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT													
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	1	UNCDX	UDL64	27 59	125 22	60 48	59 69	7 84				
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2	2	UNCDX	UDL64	32 48	125 22	60 48	59 69	7 84				
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	3	UNCDX	UDL64	36 37	125 22	60 48	59 69	7 84				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNCDX	1L5XX	0 19								
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		UNCDX	U1TF1	79 02	181 24	123 53	56 72	22 32				
	10 Channel System in combination - Per Month		UNCDX	MQ1	113 33	57 26	14 74	1 86	1 67				
	OCU-DP COC1 (data) - in combination - per month (2 4 64Kbs)		UNCDX	101DD	1 32	6 71	4 84						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL64	27 59	125 22	60 48	59 69	7 84				
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL64	32 48	125 22	60 48	59 69	7 84				
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL64	36 37	125 22	60 48	59 69	7 84				
	Additional OCU-DP COC1 (data) - in combination - per month (2 4-64Kbs)		UNCDX	101DD	1 32	6 71	4 84						
EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT													
	4-Wire DS1 Digital Loop in Combination - Zone 1	1	UNCDX	USLXX	86 47	210 70	114 60	63 96	17 97				
	4-Wire DS1 Digital Loop in Combination - Zone 2	2	UNCDX	USLXX	114 10	210 70	114 60	63 96	17 97				
	4-Wire DS1 Digital Loop in Combination - Zone 3	3	UNCDX	USLXX	297 76	210 70	114 60	63 96	17 97				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNCDX	1L5XX	0 19								
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		UNCDX	U1TF1	79 02	181 24	123 53	56 72	22 32				
EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT													
	First DS1 Loop in Combination - Zone 1	1	UNCDX	USLXX	86 47	210 70	114 60	63 96	17 97				
	First DS1 Loop in Combination - Zone 2	2	UNCDX	USLXX	114 10	210 70	114 60	63 96	17 97				
	First DS1 Loop in Combination - Zone 3	3	UNCDX	USLXX	297 76	210 70	114 60	63 96	17 97				
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month		UNCDX	1L5XX	4 09								
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month		UNCDX	U1TF3	968 89	350 56	141 58	48 00	23 39				
	3/1 Channel System in combination per month		UNCDX	MC3	158 20	115 48	56 53	15 12	5 30				
	DS1 COC1 in combination per month		UNCDX	UC1D1	11 80	6 71	4 84						
	Additional DS1 Loop in DS3 Interoffice Transport Combination - Zone 1	1	UNCDX	USLXX	86 47	210 70	114 60	63 96	17 97				
	Additional DS1 Loop in DS3 Interoffice Transport Combination - Zone 2	2	UNCDX	USLXX	114 10	210 70	114 60	63 96	17 97				
	Additional DS1 Loop in DS3 Interoffice Transport Combination - Zone 3	3	UNCDX	USLXX	297 76	210 70	114 60	63 96	17 97				
EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE GRADE INTEROFFICE TRANSPORT													
	Additional DS1 COC1 in combination per month		UNCDX	UC1D1	11 80	6 71	4 84						
	2-Wire VG Loop in combination - Zone 1	1	UNCDX	UEAL2	12 67	125 22	60 48	59 69	7 84				
	2-Wire VG Loop in combination - Zone 2	2	UNCDX	UEAL2	17 45	125 22	60 48	59 69	7 84				
	2-Wire VG Loop in combination - Zone 3	3	UNCDX	UEAL2	33 22	125 22	60 48	59 69	7 84				
	Interoffice Transport - 2-wire VG - Dedicated - Per Mile Per Month		UNCDX	1L5XX	0 01								
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month		UNCDX	U1TF2	23 95	98 09	53 67	56 31	22 42				
EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE GRADE INTEROFFICE TRANSPORT													
	4-Wire VG Loop in combination - Zone 1	1	UNCDX	UEAL4	29 26	125 22	60 48	59 69	7 84				

UNBUNDLED NETWORK ELEMENTS - Kentucky													
CATEGORY	RATE ELEMENTS	Interm Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l		
					Rec	First	Add'l	Nonrecurring Disconnect					
	4-Wire/VG Loop in combination - Zone 2	2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84				
	4-Wire/VG Loop in combination - Zone 3	3	UNCVX	UEAL4	65.06	125.22	60.48	59.69	7.84				
	Interface Transport - 4 wire VG - Dedicated - Per Mile Per Month		UNCVX	1L5XX	0.01								
	Interface Transport - 4 wire VG - Dedicated - Facility		UNCVX	U1TV4	21.28	98.09	53.67	56.31	22.42				
	Termination per month		UNCVX										
EXTENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT			UNCVX	1L5ND	9.25								
	DS3 Local Loop in combination - per mile per month		UNCVX										
	DS3 Local Loop in combination - Facility Termination per month		UNCVX	UE3PX	308.31	237.36	147.69	83.43	32.67				
	Interface Transport - Dedicated - DS3 - Per Mile per month		UNCVX	1L5XX	4.09								
	Interface Transport - Dedicated - DS3 combination - Facility		UNCVX	U1TF3	966.89	350.56	141.58	48.00	23.39				
	Termination per month		UNCVX										
EXTENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT			UNCVX	1L5ND	9.25								
	STS-1 Local Loop in combination - per mile per month		UNCVX										
	STS-1 Local Loop in combination - Facility Termination per month		UNCVX	U1L51	320.51	237.36	147.69	83.43	32.67				
	Interface Transport - Dedicated - STS-1 combination - per mile per month		UNCVX	1L5XX	4.09								
	Interface Transport - Dedicated - STS-1 combination - Facility		UNCVX	U1TF5	945.79	350.56	141.58	48.00	23.39				
	Termination per month		UNCVX										
EXTENDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT			UNCVX	U1L2X	18.44	125.22	60.48	59.69	7.84				
	First 2-Wire ISDN Loop in Combination - Zone 1	1	UNCVX	U1L2X	25.08	125.22	60.48	59.69	7.84				
	First 2-Wire ISDN Loop in Combination - Zone 2	2	UNCVX	U1L2X	42.87	125.22	60.48	59.69	7.84				
	First 2-Wire ISDN Loop in Combination - Zone 3	3	UNCVX	U1L2X									
	Interface Transport - Dedicated - DS1 combination - per mile per month		UNCVX	1L5XX	0.19								
	Interface Transport - Dedicated - DS1 combination - Facility		UNCVX	U1TF1	79.02	181.24	123.53	56.72	22.32				
	Termination per month		UNCVX	U1TF1	113.33	57.26	14.74	1.86	1.67				
	1/0 Channel System in combination - per month		UNCVX	U1L2X	2.84	6.71	4.84						
	2-wire ISDN COC(BRTE) - in combination - per month		UNCVX	U1L2X									
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport		UNCVX	U1L2X	18.44	125.22	60.48	59.69	7.84				
	Combination - Zone 1	1	UNCVX	U1L2X									
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport		UNCVX	U1L2X	25.08	125.22	60.48	59.69	7.84				
	Combination - Zone 2	2	UNCVX	U1L2X									
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport		UNCVX	U1L2X	42.87	125.22	60.48	59.69	7.84				
	Combination - Zone 3	3	UNCVX	U1L2X									
	Additional 2-wire ISDN COC(BRTE) - in combination - per month		UNCVX	U1L2X	2.84	6.71	4.84						
EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT			UNCVX	U1L2X									
	First DS1 Loop Combination - Zone 1	1	UNCVX	U1L2X	86.47	210.70	114.60	63.96	17.97				
	First DS1 Loop Combination - Zone 2	2	UNCVX	U1L2X	114.10	210.70	114.60	63.96	17.97				
	First DS1 Loop Combination - Zone 3	3	UNCVX	U1L2X	297.76	210.70	114.60	63.96	17.97				
	Interface Transport - Dedicated - STS-1 combination - Per Mile Per Month		UNCVX	1L5XX	4.09								
	Interface Transport - Dedicated - STS-1 combination - Facility		UNCVX	U1TF5	945.79	350.56	141.58	48.00	23.39				
	Termination per month		UNCVX	U1TF5	158.20	115.48	55.53	15.12	5.30				
	3/1 Channel System in combination per month		UNCVX	U1L2X	11.80	6.71	4.84						
	DS1 COC in combination per month		UNCVX	U1L2X									
	Additional DS1 Loop in the same STS-1 Interoffice Transport		UNCVX	U1L2X	86.47	210.70	114.60	63.96	17.97				
	Combination - Zone 1	1	UNCVX	U1L2X									
	Additional DS1 Loop in the same STS-1 Interoffice Transport		UNCVX	U1L2X	114.10	210.70	114.60	63.96	17.97				
	Combination - Zone 2	2	UNCVX	U1L2X									
	Additional DS1 Loop in the same STS-1 Interoffice Transport		UNCVX	U1L2X	297.76	210.70	114.60	63.96	17.97				
	Combination - Zone 3	3	UNCVX	U1L2X									
	DS1 COC in combination per month		UNCVX	U1L2X	11.80	6.71	4.84						
EXTENDED 4-WIRE 56 Kbps DIGITAL EXTENDED LOOP WITH 56 Kbps INTEROFFICE TRANSPORT			UNCVX	U1L56	27.59	125.22	60.48	59.69	7.84				
	4-wire 56 kbps Local Loop in combination - Zone 1	1	UNCVX	U1L56	32.48	125.22	60.48	59.69	7.84				
	4-wire 56 kbps Local Loop in combination - Zone 2	2	UNCVX	U1L56	36.37	125.22	60.48	59.69	7.84				
	4-wire 56 kbps Local Loop in combination - Zone 3	3	UNCVX	U1L56									
	Interface Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month		UNCVX	1L5XX	0.01								
	Interface Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month		UNCVX	U1TF5	17.25	98.09	53.67	56.31	22.42				

UNBUNDLED NETWORK ELEMENTS - Kentucky																
CATEGORY	RATE ELEMENTS	Interm Zone	BCS	USOC	RATES(\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Exh A	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l		
					Rec	First	Add'l	Nonrecurring	Disconnect Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN		
	EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT															
	4-wire 64 kbps Local Loop in Combination - Zone 1	1	UNCDCX	UDL64	27 59	125 22	60 48		59 69	7 84						
	4-wire 64 kbps Local Loop in Combination - Zone 2	2	UNCDCX	UDL64	32 48	125 22	60 48		59 69	7 84						
	4-wire 64 kbps Local Loop in Combination - Zone 3	3	UNCDCX	UDL64	36 37	125 22	60 48		59 69	7 84						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month		UNCDCX	1LSXX	0 01											
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month		UNCDCX	U1TD6	17 25	98 09	53 67		56 31	22 42						
	EXTENDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX															
	First 2-wire VG Loop (SL2) in Combination - Zone 1	1	UNCVCX	UEAL2	12 67	125 22	60 48		59 69	7 84						
	First 2-wire VG Loop (SL2) in Combination - Zone 2	2	UNCVCX	UEAL2	17 45	125 22	60 48		59 69	7 84						
	First 2-wire VG Loop (SL2) in Combination - Zone 3	3	UNCVCX	UEAL2	33 22	125 22	60 48		59 69	7 84						
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile		UNCVCX	1LSXX	0 19											
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month		UNCVCX	U1TF1	79 02	181 24	123 53		56 72	22 32						
	Per each DS1 Channelization System Per Month		UNCVCX	MQ1	113 33	57 26	14 74		1 86	1 67						
	3/1 Channel System in combination per month		UNCVCX	1D1VG	0 62	6 71	4 84									
	Per each DS1 COCI in combination per month		UNCVCX	MC3	158 20	115 48	56 53		15 12	5 30						
	Each Additional 2 Wire VG Loop(SL 2) in the same DS1 Interoffice Transport Combination - Zone 1		UNCVCX	UC1D1	11 80	6 71	4 84									
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2	1	UNCVCX	UEAL2	12 67	125 22	60 48		59 69	7 84						
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3	2	UNCVCX	UEAL2	17 45	125 22	60 48		59 69	7 84						
	Each Additional Voice Grade COCI in combination - per month	3	UNCVCX	UEAL2	33 22	125 22	60 48		59 69	7 84						
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month		UNCVCX	1D1VG	0 62	6 71	4 84									
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month		UNCVCX	1LSXX	0 19											
	Each Additional DS1 COCI combination per month		UNCVCX	U1TF1	79 02	181 24	123 53		56 72	22 32						
	EXTENDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX		UNCVCX	UC1D1	11 80	6 71	4 84									
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 1	1	UNCVCX	UEAL4	29 26	125 22	60 48		59 69	7 84						
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 2	2	UNCVCX	UEAL4	34 25	125 22	60 48		59 69	7 84						
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 3	3	UNCVCX	UEAL4	85 06	125 22	60 48		59 69	7 84						
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNCVCX	1LSXX	0 19											
	First Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month		UNCVCX	U1TF1	79 02	181 24	123 53		56 72	22 32						
	Per each 1/0 Channel System in combination Per Month		UNCVCX	MQ1	113 33	57 26	14 74		1 86	1 67						
	Per each Voice Grade COCI in combination - per month		UNCVCX	1D1VG	0 62	6 71	4 84									
	3/1 Channel System in combination per month		UNCVCX	MC3	158 20	115 48	56 53		15 12	5 30						
	Per each DS1 COCI in combination per month		UNCVCX	UC1D1	11 80	6 71	4 84									
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1	1	UNCVCX	UEAL4	29 26	125 22	60 48		59 69	7 84						
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2	2	UNCVCX	UEAL4	34 25	125 22	60 48		59 69	7 84						
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3	3	UNCVCX	UEAL4	85 06	125 22	60 48		59 69	7 84						
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month		UNCVCX	1LSXX	0 19											
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month		UNCVCX	U1TF1	79 02	181 24	123 53		56 72	22 32						
	EXTENDED 2-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX		UNCVCX	UDL56	27 59	125 22	60 48		59 69	7 84						
	First 4-Wire 64Kbps Digital Grade Local Loop in Combination - Zone 1	1	UNCDCX	UDL56	32 48	125 22	60 48		59 69	7 84						
	First 4-Wire 64Kbps Digital Grade Local Loop in Combination - Zone 2	2	UNCDCX	UDL56	32 48	125 22	60 48		59 69	7 84						

UNBUNDLED NETWORK ELEMENTS - Kentucky										Attachment 2 Exh A			
CATEGORY	RATE ELEMENTS	Interm Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st
					Rec	First	Add'l	Nonrecurring	Nonrecurring Disconnect	SOME	SOMAN	SOMAN	SOMAN
									First				
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 3	3	UNCDX	UDL56	38.37	125.22	60.48		59.69	7.84			
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNCI1X	1L5XX	0.19								
	First Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month		UNCI1X	U1TF1	79.02	181.24	123.53		56.72	22.32			
	Per each 10 Channel System in combination Per Month		UNCI1X	MG1	113.33	57.26	14.74		1.86	1.67			
	Per each OCUP COCI (data) COCI per month (2.4-64Kbps)		UNCDX	1D1DD	1.32	6.71	4.84						
	31 Channel System in combination per month		UNCDX	MG3	158.20	115.48	56.53		15.12	5.30			
	Per each DS1 COCI in combination per month		UNCI1X	UC1D1	11.80	6.71	4.84						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL56	27.59	125.22	60.48		59.69	7.84			
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL56	32.48	125.22	60.48		59.69	7.84			
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL56	36.37	125.22	60.48		59.69	7.84			
	OCUP COCI (data) COCI in combination per month (2.4-64Kbps)		UNCDX	1D1DD	1.32	6.71	4.84						
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month		UNCI1X	1L5XX	0.19								
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month		UNCI1X	U1TF1	79.02	181.24	123.53		56.72	22.32			
	Each Additional DS1 COCI in the same 3/1 channel system combination per month		UNCI1X	UC1D1	11.80	6.71	4.84						
EXTENDED 4-WIRE 64 Kbps DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX													
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL64	27.59	125.22	60.48		59.69	7.84			
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL64	32.48	125.22	60.48		59.69	7.84			
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL64	36.37	125.22	60.48		59.69	7.84			
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNCI1X	1L5XX	0.19								
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		UNCI1X	U1TF1	79.02	181.24	123.53		56.72	22.32			
	Per each OCUP COCI (data) in combination - per month (2.4-64Kbps)		UNCI1X	MG1	113.33	57.26	14.74		1.86	1.67			
	31 Channel System in combination per month		UNCDX	1D1DD	1.32	6.71	4.84						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1	1	UNCDX	UDL64	158.20	115.48	56.53		15.12	5.30			
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2	2	UNCDX	UDL64	27.59	125.22	60.48		59.69	7.84			
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3	3	UNCDX	UDL64	32.48	125.22	60.48		59.69	7.84			
	Additional OCUP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64Kbps)		UNCDX	UDL64	36.37	125.22	60.48		59.69	7.84			
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month		UNCI1X	1D1DD	1.32	6.71	4.84						
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month		UNCI1X	1L5XX	0.19								
	Each Additional DS1 COCI in the same 3/1 channel system combination per month		UNCI1X	U1TF1	79.02	181.24	123.53		56.72	22.32			
	Each Additional DS1 COCI in the same 3/1 channel system combination per month		UNCI1X	UC1D1	11.80	6.71	4.84						
EXTENDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1	1	UNCNX	U1L2X	18.44	125.22	60.48		59.69	7.84			
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2	2	UNCNX	U1L2X	25.08	125.22	60.48		59.69	7.84			
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3	3	UNCNX	U1L2X	42.87	125.22	60.48		59.69	7.84			
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile per month		UNCI1X	1L5XX	0.19								
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month		UNCI1X	U1TF1	79.02	181.24	123.53		56.72	22.32			

used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply
used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not.

UNBUNDLED NETWORK ELEMENTS - Kentucky													
CATEGORY	RATE ELEMENTS	Interm	Zone	BCS	USOC	RATES(\$)				Attachment 2 Est. A			
						Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st
	Clear Channel Capacity Super Frame Option - per DS1			U1TD1, U1DD1, U1NC1X	CCOSF								
	Clear Channel Capacity (SF/ESF) Option - Subsequent Activity - per DS1			U1DD1, U1TD1, U1NC1X, U1UD1, U1UD3, U1UDX	NRCCC								
	C-bit Parity Option - Subsequent Activity - per DS3			U1TD3, U1DD3, U1UD3, U1UDX, U1UD1, U1UD3, U1UDX	NRCCC3								
	Wholesale to UNE, Switch-As-is Conversion Charge			U1NC1X, U1UDX, U1UD1, U1UD3, U1UDX	UNCCC								
	Unbundled Misc Rate Element, SNE SAI, Single Network Element Switch As Is Non-recurring Charge, per circuit (LSR)			U1TVX, U1TDX, U1TD1, U1TDX, U1TS1, U1DF, UE3	URES								
	Unbundled Misc Rate Element, SNE SAI, Single Network Element Switch As Is Non-recurring Charge, per circuit (Spreadsheet)			U1TVX, U1TDX, U1TD1, U1TDX, U1TS1, U1DF, UE3	URES								
	MULTI-LEXER Interfaces												
	DS1 to DS0 Channel System per month			U1NC1X	MQ1								
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2-4-64kb) used for a Local Loop			U1DL	1D1DD								
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2-4-64kb) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop			U1DN	UC1CA								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA								
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG								
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG								
	DS3 to DS1 Channel System per month			U1NCX	MC3								
	STS-1 to DS1 Channel System per month			U1UDX	MC3								
	DS1 COCI used with Loop per month			U1UD1	UC1D1								
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month			U1TUA	UC1D1								
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1								
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month			U1DD1	UC1D1								
	Access to DCS - Customer Reconfiguration (FlexServ)												
	Customer Reconfiguration Establishment												
	DS1 DSC Termination with DS0 Switching												
	DS1 DSC Termination with DS1 Switching												
	DS3 DSC Termination with DS1 Switching												
	Service Rearrangements												
				U1TVX, U1TDX, U1UD1, U1TUC, U1UD3, U1UDX, U1UD1, U1UD3, U1UDX	URETD								
	NRC - Change in Facility Assignment per circuit Service Rearrangement			U1TVX, U1TDX, U1UD1, U1TUC, U1UD3, U1UDX, U1UD1, U1UD3, U1UDX	URETB								
	NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed)			U1NCX, U1UDX, U1UD1, U1UD3, U1UDX									
	Commingling Authorization			U1TVX, U1TDX, U1UD1, U1TUC, U1UD3, U1UDX, U1UD1, U1UD3, U1UDX	CMGAU								

UNBUNDLED NETWORK ELEMENTS - Kentucky										Attachment 2 Exh A			
CATEGORY	RATE ELEMENTS	Interm Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st
					Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	SOME	SOMAN	SOMAN	SOMAN	SOMAN
	LINE Multiplex Reconfiguration Charge per DS1 Circuit					35.00	35.00						
	Miscellaneous												
	INR - Order Coordination Specific Time - Dedicated Transport												
	UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)												
	The Exchange Switching Port Rates Reflected Here Apply to Embedded Base Switching Ports as of March 10, 2005 and Consist of the TELRIC Cost Based Rates Plus \$1.00 in Accordance with the TRRO												
	Exchange Ports												
	NOTE Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs												
	2-WIRE VOICE GRADE LINE PORT RATES (RES)												
	Exchange Ports - 2-Wire Analog Line Port - Res												
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res												
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res												
	Exchange Ports - 2-Wire VG unburled KY extended local dialing												
	Exchange Ports - 2-Wire VG unburled res, low usage line port												
	Exchange Ports - 2-Wire VG unburled res, low usage line port with Caller ID (LUM)												
	Exchange Ports - 2-Wire Voice Kentucky Residence Dialing Plan without Caller ID												
	Exchange Ports - 2-Wire Voice Kentucky Residence Dialing Plan without Caller ID												
	2-Wire voice unburled Low Usage Line Port without Caller ID												
	Capability												
	Subsequent Activity												
	FEATURES												
	All Available Vertical Features												
	2-WIRE VOICE GRADE LINE PORT RATES (BUS)												
	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus												
	Exchange Ports - 2-Wire VG unburled Line Port with unburled port with Caller+E484 ID - Bus												
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus												
	Exchange Ports - 2-Wire VG unburled KY extended local dialing												
	Exchange Ports - 2-Wire VG unburled res, low usage line port												
	Exchange Ports - 2-Wire VG unburled res, low usage line port with Caller ID - Bus												
	Exchange Ports - 2-Wire Voice Kentucky Business Dialing Plan without Caller ID												
	Exchange Ports - 2-Wire voice unburled Incoming Only Port without Caller ID												
	Capability												
	Subsequent Activity												
	FEATURES												
	All Available Vertical Features												
	EXCHANGE PORT RATES (DD & PBX)												
	2-Wire VG Unburled 2-Way PBX Trunk - Res												
	2-Wire VG Line Side Unburled 2-Way PBX Trunk - Bus												
	2-Wire VG Line Side Unburled Incoming PBX Trunk - Bus												
	2-Wire VG Line Side Unburled Incoming PBX Trunk - Bus												
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus												
	2-Wire Voice Unburled PBX LD Terminal Ports												
	2-Wire Voice Unburled PBX LD Terminal Ports												
	2-Wire Voice Unburled PBX Toll Terminal Ports												
	2-Wire Voice Unburled PBX LD DDD Terminal Ports												
	2-Wire Voice Unburled PBX LD Terminal Switchboard Port												
	2-Wire Voice Unburled PBX LD Terminal Switchboard Port												
	Capable Port												
	2-Wire Voice Unburled 2-Way PBX Kentucky Room Area Calling Port Without LUD												
	2-Wire Voice Unburled PBX Kentucky LUD Area Calling Port												
	2-Wire Voice Unburled PBX Kentucky Premium Calling Port												
	2-Wire Voice Unburled 2-Way PBX Kentucky Area Calling Port Without LUD												
	2-Wire Voice Unburled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port												

UNBUNDLED NETWORK ELEMENTS - Kentucky												
CATEGORY	RATE ELEMENTS	Intrm Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st
					Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	SOMECD	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port		UEPXM		2.49	39.05	18.17	15.38	0.89			
	2 Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port		UEPSP		2.49	39.05	18.17	15.38	0.89			
	2 Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		UEPSP		2.49	39.05	18.17	15.38	0.89			
	Subsequent Activity		UEPSP		0.00	0.00	0.00					
FEATURES												
	All Available Vertical Features		UEPSP UEPSE	UEPVF	0.00	0.00	0.00					
	Local Switching Features offered with Port											
	NOTE: Transmission charges associated with POTs circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports											
	NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process											
	2-WIRE VOICE GRADE LINE PORT RATES (OID)											
	Exchange Ports - 2-Wire DID Port		UEPEX	UEPP2	11.51	52.18	15.82	52.16	5.30			
	Exchange Ports - 2-Wire ISDN Port (See Notes below)		UEPTX, UEPXS	UTPMA	14.46	60.60	50.67	32.83	14.17			
	All Features Offered		UEPTX, UEPXS	UEPVF	0.00	0.00	0.00					
	Exchange Ports - 2-Wire ISDN Port - Channel Profiles		UEPTX, UEPXS	UTUMA	0.00	0.00	0.00					
	NOTE: Transmission charges associated with POTs circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports											
	NOTE: Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process											
	UNBUNDLED PORT with REMOTE CALL FORWARDING CAPABILITY											
	UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE											
	Unbundled Remote Call Forwarding Service, Area Calling, Res		UEPVR	UERAC	2.49	3.74	3.63					
	Unbundled Remote Call Forwarding Service, Local Calling - Res		UEPVR	UERLC	2.49	3.74	3.63					
	Unbundled Remote Call Forwarding Service, InterLATA - Res		UEPVR	UERTE	2.49	3.74	3.63					
	Unbundled Remote Call Forwarding Service, IntraLATA - Res		UEPVR	UERTR	2.49	3.74	3.63					
	Non-Recurring											
	Unbundled Remote Call Forwarding Service - Conversion - Switch as-is		UEPVR	USAC2	0.10	0.10	0.10					
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)		UEPVR	USACC	0.10	0.10	0.10					
	UNBUNDLED REMOTE CALL FORWARDING - Bus											
	Unbundled Remote Call Forwarding Service, Area Calling - Bus		UEPVB	UERAC	2.49	3.74	3.63					
	Unbundled Remote Call Forwarding Service, Local Calling - Bus		UEPVB	UERLC	2.49	3.74	3.63					
	Unbundled Remote Call Forwarding Service, InterLATA - Bus		UEPVB	UERTE	2.49	3.74	3.63					
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus		UEPVB	UERTR	2.49	3.74	3.63					
	Exception Local Calling		UEPVB	UERVJ	2.49	3.74	3.63					
	Non-Recurring											
	Unbundled Remote Call Forwarding Service - Conversion - Switch as-is		UEPVB	USAC2	0.10	0.10	0.10					
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)		UEPVB	USACC	0.10	0.10	0.10					
	UNBUNDLED LOCAL SWITCHING - PORT USAGE											
	End Office Switching (Port Usage)											
	End Office Switching Function, Per MOU				0.0011971							
	End Office Trunk Port - Shared Per MOU				0.002112							
	Tandem Switching (Port Usage) (Local or Access Tandem)											
	Tandem Switching Function Per MOU				0.000194							
	Tandem Trunk Port - Shared, Per MOU				0.0002416							
	Tandem Switching Function Per MOU (Mekled)				0.00094381							
	Tandem Trunk Port - Shared, Per MOU (Mekled)				0.00117538							
	Mekled Factor - 48.65% of the Tandem Rate											
	Common Transport											
	(Common Transport - Per Mile, Per MOU				0.000003							
	Common Transport - Facilities Termination Per MOU				0.0007466							
	UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES											
	>Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports											
	>The UNE-P Switching Port Rates Reflected in the Cost Based Section Apply to Embedded Base UNE-P as of March 10, 2005 and Consist of the TELRIC Cost Based Rates Plus \$1.00 in Accordance with the TRRO											
	>Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit.											
	>End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of the rate exhibit shall apply to all combinations of loop/port network elements except for UNE Coin Port/Loop Combinations											
	>The first and additional Port nonrecurring charges apply to Not Currently Combined Combos for Currently Combined Combos the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections											

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)					Attachment 2 Exh A			
					Rec	Nonrecurring		First	Add'l	Nonrecurring Disconnect	SOME	SOMAN	Incremental Charge - Manual Svc Order vs Electronic-Dis 1st
						First	Add'l						
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)												
	UNE Port/Loop Combination Rates												
	2-Wire VG Loop/Port Combo - Zone 1					11.79							
	2-Wire VG Loop/Port Combo - Zone 2					16.52							
	2-Wire VG Loop/Port Combo - Zone 3					32.74							
	UNE Loop Rates												
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPRX			9.64							
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPRX			14.37							
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPRX			30.59							
	2-Wire Voice Grade Line Port Rates (Res)												
	2-Wire voice unbundled port - residence		UEPRX			2.15	15.49	2.85	2.67				
	2-Wire voice unbundled port with Caller ID - res		UEPRC			2.15	15.49	2.85	2.67				
	2-Wire voice unbundled port outgoing only - res		UEPRX			2.15	15.49	2.85	2.67				
	2-Wire voice Grade unbundled Kentucky extended local dialing party port with Caller ID - res		UEPRX			2.15	15.49	2.85	2.67				
	2-Wire voice unbundled res. low usage line port with Caller ID (LUM)		UEPRM			2.15	15.49	2.85	2.67				
	2-Wire Voice Unbundled Kentucky Residence Dialing Plan without Caller ID		UEPAP			2.15	15.49	2.85	2.67				
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability		UEPWE			2.15	15.49	2.85	2.67				
	FEATURES												
	All Features Offered		UEPRT			2.15	15.49	2.85	2.67				
	UEPVF		UEPVF			0.00	0.00						
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED												
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		UEPRX				0.10						
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change		UEPRX				0.10						
	2-Wire Voice Grade Loop / Line Port Platform - Installation Charge at QuickService location - Not Conversion of Existing Service		UEPRX				0.10						
	ADDITIONAL NRCs												
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		UEPRX				0.00						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise		UEPRX				8.33		0.83				
	OFFER PREMISES EXTENSION CHANNELS												
	2-Wire Analog Voice Grade Extension Loop - Non-Design	1	UEPRX			10.58	46.66	22.57	26.65	7.65			
	2-Wire Analog Voice Grade Extension Loop - Non-Design	2	UEPRX			15.34	46.66	22.57	26.65	7.65			
	2-Wire Analog Voice Grade Extension Loop - Non-Design	3	UEPRX			31.11	46.66	22.57	26.65	7.65			
	2-Wire Analog Voice Grade Extension Loop - Design	1	UEPRX			12.67	134.89	81.87	73.65	14.88			
	2-Wire Analog Voice Grade Extension Loop - Design	2	UEPRX			17.45	134.89	81.87	73.65	14.88			
	2-Wire Analog Voice Grade Extension Loop - Design	3	UEPRX			33.22	134.89	81.87	73.65	14.88			
	INTEROFFICE TRANSPORT												
	Interoffice Transport - Dedicated - 2-Wire Voice Grade - Facility Termination		UEPRX			23.95	98.09	53.67	56.31	22.42			
	Interoffice Transport - Dedicated - 2-Wire Voice Grade - Per Mile or Fraction Mile		UEPRX			0.0035	0.00						
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)												
	UNE Port/Loop Combination Rates												
	2-Wire VG Loop/Port Combo - Zone 1					11.79							
	2-Wire VG Loop/Port Combo - Zone 2					16.52							
	2-Wire VG Loop/Port Combo - Zone 3					32.74							
	UNE Loop Rates												
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPRX			9.64							
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPRX			14.37							
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPRX			30.59							
	2-Wire Voice Grade Line Port (Bus)												
	2-Wire voice unbundled port without Caller ID - bus		UEPBL			2.15	15.49	2.85	2.67				
	2-Wire voice unbundled port with Caller - E484 ID - bus		UEPBC			2.15	15.49	2.85	2.67				
	2-Wire voice unbundled port outgoing only - bus		UEPBO			2.15	15.49	2.85	2.67				
	2-Wire voice Grade unbundled Kentucky extended local dialing party port with Caller ID - bus		UEPBM			2.15	15.49	2.85	2.67				
	2-Wire voice unbundled incoming only port with Caller ID - Bus		UEPBI			2.15	15.49	2.85	2.67				

UNBUNDLED NETWORK ELEMENTS - Kentucky										Attachment 2 Exh A				Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l		Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	SOME	SOMAN	OSS Rates(\$)	SOMAN	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
					Rec	First	Add'l	Nonrecurring	Nonrecurring Disconnect								
	2-Wire Voice Unbundled Kentucky Business Dialing Plan without Caller ID		UEPWF		2.15	21.29	15.49		2.67								
	2-Wire voice unbundled Incoming Only Port without Caller ID Capability		UEPBE		2.15	21.29	15.49		2.67								
FEATURES																	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		UEPBF		0.00	0.00	0.00										
NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED																	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change		USAC2			0.10	0.10										
ADDITIONAL NRCS																	
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity		USACC			0.10	0.10										
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise		USAS2			0.00	0.00										
OFFICE PREMISES EXTENSION CHANNELS			UEPBL			8.33	0.83										
	2-Wire Analog Voice Grade Extension Loop - Non-Design	1	UEPBL		10.56	46.66	22.57		7.65								
	2-Wire Analog Voice Grade Extension Loop - Non-Design	2	UEPBL		15.34	46.66	22.57		7.65								
	2-Wire Analog Voice Grade Extension Loop - Non-Design	3	UEPBL		31.11	46.66	22.57		7.65								
	2-Wire Analog Voice Grade Extension Loop - Design	1	UEPBL		12.67	134.89	81.87		14.88								
	2-Wire Analog Voice Grade Extension Loop - Design	2	UEPBL		17.45	134.89	81.87		14.88								
	2-Wire Analog Voice Grade Extension Loop - Design	3	UEPBL		33.22	134.89	81.87		14.88								
INTEROFFICE TRANSPORT																	
	Interface Transport - Dedicated - 2-Wire Voice Grade - Facility Termination		UEPBL	U1TV2	23.95	98.09	53.67		56.31								
	Interface Transport - Dedicated - 2-Wire Voice Grade - Per Mile or Fraction Mile		UEPBL	U1TVM	0.0095	0.00	0.00										
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)																	
LINE Port/Loop Combination Rates																	
	2-Wire VG Loop/Port Combo - Zone 1				11.79												
	2-Wire VG Loop/Port Combo - Zone 2				16.52												
	2-Wire VG Loop/Port Combo - Zone 3				32.74												
LINE Loop Rates																	
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	UEPRG	UEPLX	9.84												
	2-Wire Voice Grade Loop (SL 1) - Zone 2	2	UEPRG	UEPLX	14.37												
	2-Wire Voice Grade Loop (SL 1) - Zone 3	3	UEPRG	UEPLX	30.59												
2-Wire Voice Grade Line Port Rates (RES - PBX)																	
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res		UEPRG	UEPRO	2.15	21.29	15.49		2.67								
FEATURES																	
	2-Wire Voice Grade Loop/Line Port Combination (PBX) - Conversion - Switch-As-Is		UEPVE		0.00	0.00	0.00										
NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED																	
	2-Wire Voice Grade Loop/Line Port Combination (PBX) - Conversion - Switch with Change		USAC2			8.45	1.91										
ADDITIONAL NRCS																	
	2-Wire Voice Grade Loop/Line Port Combination (PBX) - Subsequent Activity		USACC			8.45	1.91										
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise		USAS2		0.00	0.00	0.00										
OFFICE PREMISES EXTENSION CHANNELS																	
	Local Channel Voice grade, per termination	1	UEPRG	URETL	12.67	134.89	81.87		14.88								
	Local Channel Voice grade, per termination	2	UEPRG	P2JHX	17.45	134.89	81.87		14.88								
	Local Channel Voice grade, per termination	3	UEPRG	P2JHX	33.22	134.89	81.87		14.88								
	Non-Wire Direct Serve Channel Voice Grade	1	UEPRG	SDD2X	12.68	170.06	78.10		15.80								
	Non-Wire Direct Serve Channel Voice Grade	2	UEPRG	SDD2X	18.12	170.06	78.10		15.80								
	Non-Wire Direct Serve Channel Voice Grade	3	UEPRG	SDD2X	29.64	170.06	78.10		15.80								
INTEROFFICE TRANSPORT																	
	Interface Transport - Dedicated - 2-Wire Voice Grade - Facility Termination		UEPRG	U1TV2	23.95	98.09	53.67		56.31								

UNBUNDLED NETWORK ELEMENTS - Kentucky										
CATEGORY	RATE ELEMENTS	Interm Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Attachment 2 Exh A
					Nonrecurring	First	Add'l	Nonrecurring Disconnect	SOME C	SOMAN
					Rec	First	Add'l	First	SOME C	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile		UEPRG	U1TVM	0.0095	0.00	0.00			SOMAN
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)									
	UNE Port/Loop Combination Rates									
	2-Wire VG Loop/Port Combo - Zone 1				11.79					
	2-Wire VG Loop/Port Combo - Zone 2				16.52					
	2-Wire VG Loop/Port Combo - Zone 3				32.74					
	UNE Loop Rates									
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	UEPPX	UEPLX	9.64					
	2-Wire Voice Grade Loop (SL 1) - Zone 2	2	UEPPX	UEPLX	14.37					
	2-Wire Voice Grade Loop (SL 1) - Zone 3	3	UEPPX	UEPLX	30.59					
	2-Wire Voice Grade Line Port Rates (BUS - PBX)									
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		UEPPX	UEPPX	2.15	21.29	15.49	2.85	2.67	
	Line Side Unbundled Outward PBX Trunk Port - Bus		UEPPX	UEPPX	2.15	21.29	15.49	2.85	2.67	
	Line Side Unbundled Incoming PBX Trunk Port - Bus		UEPPX	UEPPX	2.15	21.29	15.49	2.85	2.67	
	2-Wire Voice Unbundled PBX LD Terminal Ports		UEPPX	UEPLD	2.15	21.29	15.49	2.85	2.67	
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		UEPPX	UEPLA	2.15	21.29	15.49	2.85	2.67	
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		UEPPX	UEPXB	2.15	21.29	15.49	2.85	2.67	
	2-Wire Voice Unbundled PBX LD DDD Terminal Ports		UEPPX	UEPXC	2.15	21.29	15.49	2.85	2.67	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		UEPPX	UEPXD	2.15	21.29	15.49	2.85	2.67	
	Capable Port									
	2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area Calling Port without LUD		UEPPX	UEPXE	2.15	21.29	15.49	2.85	2.67	
	2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port		UEPPX	UEPXF	2.15	21.29	15.49	2.85	2.67	
	2-Wire Voice Unbundled PBX Kentucky Premium Calling Port		UEPPX	UEPXF	2.15	21.29	15.49	2.85	2.67	
	2-Wire Voice Unbundled 2-Way Kentucky Area Calling Port without LUD		UEPPX	UEPXF	2.15	21.29	15.49	2.85	2.67	
	2-Wire Voice Unbundled Out/In Kentucky NAR Area Calling Port		UEPPX	UEPXF	2.15	21.29	15.49	2.85	2.67	
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port		UEPPX	UEPXL	2.15	21.29	15.49	2.85	2.67	
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port		UEPPX	UEPXL	2.15	21.29	15.49	2.85	2.67	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port		UEPPX	UEPXM	2.15	21.29	15.49	2.85	2.67	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		UEPPX	UEPXM	2.15	21.29	15.49	2.85	2.67	
	FEATURES									
	All Features Offered				0.00	0.00	0.00			
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED									
	2-Wire Voice Grade Loop Line Port Combination (PBX) - Conversion - Switch-As-Is		UEPPX	USAC2		8.45	1.91			
	2-Wire Voice Grade Loop Line Port Combination (PBX) - Conversion - Switch with Change		UEPPX	USACC		8.45	1.91			
	ADDITIONAL NRCs									
	2-Wire Voice Grade Loop Line Port Combination (PBX) - Subsequent Activity		UEPPX	USAS2	0.00	0.00	0.00			
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise		UEPPX	URETL		7.86	7.86			
	OFFICE PREMISES EXTENSION CHANNELS									
	Local Channel Voice grade, per termination	1	UEPPX	P2JHX	12.67	134.89	81.87	73.65	14.88	
	Local Channel Voice grade, per termination	2	UEPPX	P2JHX	17.45	134.89	81.87	73.65	14.88	
	Local Channel Voice grade, per termination	3	UEPPX	P2JHX	33.22	134.89	81.87	73.65	14.88	
	Non-Wire Direct Serve Channel Voice Grade	1	UEPPX	SD02X	12.68	170.06	78.10	119.62	15.80	
	Non-Wire Direct Serve Channel Voice Grade	2	UEPPX	SD02X	18.12	170.06	78.10	119.62	15.80	
	Non-Wire Direct Serve Channel Voice Grade	3	UEPPX	SD02X	29.64	170.06	78.10	119.62	15.00	
	INTEROFFICE TRANSPORT									
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination		UEPPX	U1TV2	23.95	98.09	53.67	56.31	22.42	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile		UEPPX	U1TVM	0.0095	0.00	0.00			

UNBUNDLED NETWORK ELEMENTS - Kentucky														
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l		
					Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	SOME	SOMAN	OSR Rates(\$)	SOMAN	SOMAN	
UNBUNDLED NETWORK ELEMENTS - Kentucky	2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT													
	UNE Port/Loop Combination Rates													
	2-Wire VG Coin Port/Loop Combo - Zone 1				11 79									
	2-Wire VG Coin Port/Loop Combo - Zone 2				16 52									
	2-Wire VG Coin Port/Loop Combo - Zone 3				32 74									
	UNE Loop Rates													
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPCO	UEPLX	9 64									
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPCO	UEPLX	14 37									
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPCO	UEPLX	30 59									
	2-Wire Voice Grade Line Ports (COIN)													
	2-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY, LA, MS)													
	2-Wire Coin 2-Way with Operator Screening (AL, KY)			UEPCO	UEPRF	2 15	21 29	15 49	2 85	2 67				
	2-Wire Coin 2-Way with Operator Screening and Blocking 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRE	2 15	21 29	15 49	2 85	2 67				
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (KY)			UEPCO	UEPRA	2 15	21 29	15 49	2 85	2 67				
	2-Wire Coin 2-Way with Operator Screening & Blocking 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPKA	2 15	21 29	15 49	2 85	2 67				
	2-Wire Coin Outward without Blocking and without Operator Screening (KY, LA, MS)			UEPCO	UEPCD	2 15	21 29	15 49	2 85	2 67				
	2-Wire Coin Outward with Operator Screening and 011 Blocking (GA, KY, MS)			UEPCO	UEPRN	2 15	21 29	15 49	2 85	2 67				
	2-Wire Coin Outward with Operator Screening and Blocking 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRJ	2 15	21 29	15 49	2 85	2 67				
	2-Wire Coin Outward Operator Screening & Blocking 900/976, 1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPRH	2 15	21 29	15 49	2 85	2 67				
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCN	2 15	21 29	15 49	2 85	2 67				
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	2 15	21 29	15 49	2 85	2 67				
	ADDITIONAL UNE COIN PORT/LOOP (RC)			UEPCO	UEPCR	2 15	21 29	15 49	2 85	2 67				
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	2 57	0 00	0 00	0 00	0 00				
	NONRECURRING CHARGES - CURRENTLY COMBINED													
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPCO	USAC2		0 10	0 10						
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	USACC		0 10	0 10						
ADDITIONAL NRCS														
2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2		0 00	0 00							
Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPCO	URETL		8 33	0 83							
2-WIRE VOICE LOOP/2-WIRE VOICE GRADE ID TRANSPORT/2-WIRE LINE PORT (RES)														
UNE Port/Loop Combination Rates														
2-Wire VG Loop/IO Transport/Port Combo - Zone 1					14 90									
2-Wire VG Loop/IO Transport/Port Combo - Zone 2					19 68									
2-Wire VG Loop/IO Transport/Port Combo - Zone 3					35 45									
UNE Loop Rates														
2-Wire Voice Grade Loop (SL2) - Zone 1	1	UEPFR	UECF2	12 67										
2-Wire Voice Grade Loop (SL2) - Zone 2	2	UEPFR	UECF2	17 45										
2-Wire Voice Grade Loop (SL2) - Zone 3	3	UEPFR	UECF2	33 22										
2-Wire Voice Grade Line Port Rates (Res)														
2-Wire voice unbundled port - residence			UEPFR	UEPRL	2 23	128 96	64 11	61 92	9 97					
2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	2 23	128 96	64 11	61 92	9 97					
2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRG	2 23	128 96	64 11	61 92	9 97					
2-Wire voice Grade unbundled Kentucky extended local dialing party port with Caller ID - res			UEPFR	UEPRM	2 23	128 96	64 11	61 92	9 97					
2-Wire voice unbundled res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	2 23	128 96	64 11	61 92	9 97					
2-Wire Voice Unbundled Kentucky Residence Dialing Plan without Caller ID			UEPFR	UEPWE	2 23	128 96	64 11	61 92	9 97					
INTEROFFICE TRANSPORT														
Interoffice Transport - Dedicated - 2 Wire Voice Grade Facility Termination			UEPFR	UITV2	23 95	98 09	53 67	56 31	22 42					

Exhibit 1
Attach 2-TFRRO Amendment
Exhibit A Rates
BT1

UNBUNDLED NETWORK ELEMENTS - Kentucky												
CATEGORY	RATE ELEMENTS	Interm Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Attachment 2 Exh A	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st
					Rec	First	Nonrecurring Add'l	Nonrecurring Disconnect First	SOME C	SOMAN	SOMAN	SOMAN
FEATURES	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile		UEPFR	1L5XX	0.0095							
	All Features Offered											
	NONRECURRING CHARGES (NRCA) - CURRENTLY COMBINED											
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		UEPFR	UEPVF	0.00	0.00	0.00					
	Combination - Conversion - Switch-as-is											
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		UEPFR	USAC2			9.03	1.87				
	Combination - Conversion - Switch-With-Charge		UEPFR	USACC			9.03	1.87				
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise		UEPFR	URETN			11.21	1.10				
	2-WIRE VOICE LOOP/2WIRE VOICE GRADE IO TRANSPORT/2-WIRE LINE PORT (BUS)											
	UNE Port/Loop Combination Rates											
UNE Loop Rates	2-Wire VG Loop/IO Transport/Port Combo - Zone 1				14.90							
	2-Wire VG Loop/IO Transport/Port Combo - Zone 2				19.68							
	2-Wire VG Loop/IO Transport/Port Combo - Zone 3				35.45							
	2-Wire Voice Grade Loop (SL2) - Zone 1	1	UEPFB	UECF2	12.67							
	2-Wire Voice Grade Loop (SL2) - Zone 2	2	UEPFB	UECF2	17.45							
	2-Wire Voice Grade Loop (SL2) - Zone 3	3	UEPFB	UECF2	33.22							
	2-Wire voice unbundled port without Caller ID - bus		UEPFB	UEPBL	2.23	128.96	64.11	61.92	9.97			
	2-Wire voice unbundled port with Caller + E-64 ID - bus		UEPFB	UEPBC	2.23	128.96	64.11	61.92	9.97			
	2-Wire voice unbundled port outgoing only - bus		UEPFB	UEPBO	2.23	128.96	64.11	61.92	9.97			
	2-Wire voice Grade unbundled Kentucky extended local dialing party port with Caller ID - bus		UEPFB	UEPBM	2.23	128.96	64.11	61.92	9.97			
INTEROFFICE TRANSPORT	2-Wire voice unbundled incoming only port with Caller ID - Bus		UEPFB	UEPBI	2.23	128.96	64.11	61.92	9.97			
	2-Wire Voice Unbundled Kentucky Business Dialing Plan without Caller ID		UEPFB	UEPWF	2.23	128.96	64.11	61.92	9.97			
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination		UEPFB	U1TV2	23.95	98.09	53.67	56.31	22.42			
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile		UEPFB	1L5XX	0.0095							
	All Features Offered											
	NONRECURRING CHARGES (NRCA) - CURRENTLY COMBINED											
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		UEPFB	UEPVF	0.00	0.00	0.00					
	Combination - Conversion - Switch-as-is											
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		UEPFB	USAC2			9.03	1.87				
	Combination - Conversion - Switch with charge		UEPFB	USACC			9.03	1.87				
2-WIRE VOICE LOOP/2WIRE VOICE GRADE IO TRANSPORT/2-WIRE LINE PORT (PBX)	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise		UEPFB	URETN			11.21	1.10				
	UNE Port/Loop Combination Rates											
	2-Wire VG Loop/IO Transport/Port Combo - Zone 1				14.90							
	2-Wire VG Loop/IO Transport/Port Combo - Zone 2				19.68							
	2-Wire VG Loop/IO Transport/Port Combo - Zone 3				35.45							
	2-Wire Voice Grade Loop (SL2) - Zone 1	1	UEPFP	UECF2	12.67							
	2-Wire Voice Grade Loop (SL2) - Zone 2	2	UEPFP	UECF2	17.45							
	2-Wire Voice Grade Loop (SL2) - Zone 3	3	UEPFP	UECF2	33.22							
	2-Wire voice unbundled port without Caller ID - bus		UEPFP	UEPFC	2.23	164.27	78.65	75.05	8.73			
	2-Wire voice unbundled port with Caller ID - bus		UEPFP	UEPFO	2.23	164.27	78.65	75.05	8.73			
2-Wire Voice Grade Line Port Rates (BUS - PBX)	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		UEPFP	UEPFC	2.23	164.27	78.65	75.05	8.73			
	Line Side Unbundled Outward PBX Trunk Port - Bus		UEPFP	UEPFP	2.23	164.27	78.65	75.05	8.73			
	Line Side Unbundled Incoming PBX Trunk Port - Bus		UEPFP	UEPPI	2.23	164.27	78.65	75.05	8.73			
	2-Wire Voice Unbundled PBX LD Terminal Ports		UEPFP	UEPPLD	2.23	164.27	78.65	75.05	8.73			
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		UEPFP	UEPXA	2.23	164.27	78.65	75.05	8.73			
	2-Wire Voice Unbundled PBX Toll Terminal Ports		UEPFP	UEPXB	2.23	164.27	78.65	75.05	8.73			
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		UEPFP	UEPXC	2.23	164.27	78.65	75.05	8.73			
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		UEPFP	UEPXD	2.23	164.27	78.65	75.05	8.73			
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		UEPFP	UEPXE	2.23	164.27	78.65	75.05	8.73			