

# RECEIVED

ZUUS NOV 30 PH 12: 32

**BellSouth Telecommunications, Inc** 

333 Commerce Street Suite 2101

Nashville, TN 37201-3300

guy hicks@bellsouth.com

T.R.A. DOCKET ROOM

Guy M Hicks General Counsel

615 214 6301 Fax 615 214 7406

November 29, 2005

#### VIA HAND DELIVERY

Hon Ron Jones Chairman Tennessee Regulatory Authority 460 James Robertson Parkway Nashville, Tennessee 37243-0505

Re:

Approval of the Interconnection Agreement Negotiated by BellSouth Telecommunications, Inc and Verizon Avenue Corp Pursuant to Sections 251 and 252 of the Telecommunications Act of 1996

Declet No. 212

Docket No. <u>05-00319</u>

#### Dear Chairman Jones:

Enclosed are six paper copies and a CD Rom of the executed Interconnection Agreement between BellSouth Telecommunications, Inc. and Verizon Avenue Corp. The parties request approval of the Interconnection Agreement by the Tennessee Regulatory Authority.

Thank you for your attention to this matter.

Surcerely yours,

Guy M Hicks

Paul Miller, Director of Carrier Relations, Verizon Avenue Corp

cc

# BEFORE THE TENNESSEE REGULATORY AUTHORITY Nashville, Tennessee

In re:

Approval of the Interconnection Agreement Negotiated by BellSouth Telecommunications, Inc. and Verizon Avenue Corp Pursuant to Sections 251 and 252 of the Telecommunications Act of 1996

Docket No.	
------------	--

# PETITION FOR APPROVAL OF THE INTERCONNECTION AGREEMENT NEGOTIATED BETWEEN BELLSOUTH TELECOMMUNICATIONS, INC. AND VERIZON AVENUE CORP. PURSUANT TO THE TELECOMMUNICATIONS ACT OF 1996

COME NOW, Verizon Avenue Corp. ("Verizon Avenue") and BellSouth Telecommunications, Inc., ("BellSouth"), and file this request for approval of the Interconnection Agreement (the "Agreement") negotiated between the two companies pursuant to Sections 251 and 252 of the Telecommunications Act of 1996, (the "Act"). In support of their request, Verizon Avenue and BellSouth state the following:

- 1. Verizon Avenue and BellSouth have recently negotiated an agreement for interconnection of their networks, the unbundling of specific network elements offered by BellSouth and the resale of BellSouth's telecommunications services to Verizon Avenue. A copy of the Agreement is attached hereto and incorporated herein by reference.
- 2. Pursuant to Section 252(e) of the Telecommunications Act of 1996, Verizon Avenue and BellSouth are submitting their Agreement to the TRA for its consideration and approval.
- 3. In accordance with Section 252(e) of the Act, the TRA is charged with approving or rejecting the negotiated Agreement between BellSouth and Verizon Avenue within 90 days of its submission. The Act provides that the TRA may only reject such an agreement if it finds that the agreement or any portion of the agreement discriminates against a telecommunications

carrier not a party to the agreement or the implementation of the agreement or any portion of the agreement is not consistent with the public interest, convenience and necessity.

- 4. Verizon Avenue and BellSouth aver that the Agreement is consistent with the standards for approval.
- 5. Pursuant to 47 USC Section 252(1) and 47 C.F.R. Section 51.809, BellSouth shall make available the entire Interconnection Agreement approved pursuant to 47 USC Section 252.

Verizon Avenue and BellSouth respectfully request that the TRA approve the Agreement negotiated between the parties.

This 29th day of \_\_\_\_\_\_\_\_, 2005.

Respectfully submitted,

BELLSOUTH TELECOMMUNICATIONS, INC.

By:\_

Guy M. Hıcks

333 Commerce Street, Suite 2101 Nashville, Tennessee 37201-3300

(615) 214-6301

Attorney for BellSouth

#### **CERTIFICATE OF SERVICE**

I, Guy M. Hicks, hereby certify that I have served a copy of the foregoing Petition for Approval of the Interconnection Agreement on the following via United States Mail on the day of \_\_\_\_\_\_\_, 2005.

Paul Miller Director of Carrier Relations Verizon Avenue Corp. 12901 Worldgate Drive Herndon, VA 20170

Guy M. Hicks

# BELLSOUTH® / CLEC Agreement

## Customer Name: Verizon Avenue Corp.

Verizon Ave - 2Q05 Reneg IA	2
Table of Contents	3
General Terms and Conditions	5
Signature Page	24
Att 1 - Resale	25
Att 1 - Resale Discounts & Rates	45
Att 2 - Network Elements & Other Services	49
Att 2 - Network Element Rates, Exh A	117
Att 2 - Network Element Rates, Exh B	244
Att 3 - Network Interconnection	259
Att 3 - Network Interconnection Rates	289
Att 4 - Collocation - Central Office	297
Att 4 - Collocation - Remote Site	347
Att 4 - Collocation Rates - Exhibit B	386
Att 5 - Access to Numbers and Number Portability	407
Att 6 - Ordering	413
Att 7 - Billing	422
Att 7 - CMDS ODUF & ADUF Rates	441
Att 8 - Rights of Way	445
Att 9 - Perf Meas Intro	447
Att 10 - Disaster Recovery Plan	449
Att 11 - RER and NRR Process	158

Note: This page is not part of the actual signed contract/amendment, but is present for record keeping purposes only.

## **Interconnection Agreement**

Between

**BellSouth Telecommunications, Inc.** 

and

Verizon Avenue Corp.

#### **TABLE OF CONTENTS**

#### **General Terms and Conditions**

$\mathbf{r}$	· ·		•				
IJ	efi	n	11	Ħ	N	n	S

- 1. CLEC Certification
- 2. Term of the Agreement
- 3. Nondiscriminatory Access
- 4. Court Ordered Requests for Call Detail Records and Other Subscriber Information
- 5. Liability and Indemnification
- 6. Intellectual Property Rights and Indemnification
- 7. Proprietary and Confidential Information
- 8. Resolution of Disputes
- 9. Taxes
- 10. Force Majeure
- 11. Adoption of Agreements
- 12. Modification of Agreement
- 13. Legal Rights
- 14. Indivisibility
- 15. Severability
- 16. Non-Waivers
- 17. Governing Law
- 18. Assignments and Transfers
- 19. Notices
- 20. Rule of Construction
- 21. Headings of No Force or Effect
- 22. Multiple Counterparts
- 23. Filing of Agreement
- 24. Compliance with Law
- 25. Necessary Approvals
- **26.** Good Faith Performance
- 27. Rates
- 28. Rate True-Up
- 29. Survival
- 30. Entire Agreement

#### **TABLE OF CONTENTS (cont'd)**

- **Attachment 1 Resale**
- **Attachment 2 Network Elements and Other Services**
- **Attachment 3 Network Interconnection**
- **Attachment 4 Physical Collocation Central Office**
- **Attachment 4 Physical Collocation Remote Site**
- **Attachment 5 Access to Numbers and Number Portability**
- Attachment 6 Pre-Ordering, Ordering, Provisioning and Maintenance and Repair
- **Attachment 7 Billing**
- **Attachment 8 Rights-of-Way, Conduits and Pole Attachments**
- **Attachment 9 Performance Measurements**
- **Attachment 10- BellSouth Disaster Recovery Plan**
- **Attachment 11–Bona Fide Request and New Business Request Process**

#### AGREEMENT GENERAL TERMS AND CONDITIONS

**THIS AGREEMENT** is made by and between BellSouth Telecommunications, Inc., (BellSouth), a Georgia corporation, and Verizon Avenue Corp. (Verizon Ave), a Delaware corporation, and shall be effective on the Effective Date, as defined herein. This Agreement may refer to either BellSouth or Verizon Ave or both as a "Party" or "Parties."

#### WITNESSETH

WHEREAS, BellSouth is a local exchange telecommunications company authorized to provide Telecommunications Services (as defined below) in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee; and

**WHEREAS**, Verizon Ave is or seeks to become a CLEC authorized to provide telecommunications services in the states of Florida, Georgia, South Carolina, and Tennessee; and

**WHEREAS**, pursuant to Sections 251 and 252 of the Act; Verizon Ave wishes to purchase certain services from BellSouth; and

**WHEREAS**, Parties wish to interconnect their facilities, exchange traffic, and perform Local Number Portability (LNP) pursuant to Sections 251 and 252 of the Act as set forth herein; and

**NOW THEREFORE**, in consideration of the mutual agreements contained herein, BellSouth and Verizon Ave agree as follows:

#### **Definitions**

**Affiliate** is defined as a person that (directly or indirectly) owns or controls, is owned or controlled by, or is under common ownership or control with, another person. For purposes of this paragraph, the term "own" means to own an equity interest (or equivalent thereof) of more than 10 percent (10%).

**Commission** is defined as the appropriate regulatory agency in each state of BellSouth's nine-state region (Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee).

Competitive Local Exchange Carrier (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.

**Effective Date** is defined as the date that the Agreement is effective for purposes of rates, terms and conditions and shall be thirty (30) days after the date of the last

Version: 2Q05 Standard ICA

signature executing the Agreement. Future amendments for rate changes will also be effective thirty (30) days after the date of the last signature executing the amendment.

**End User** means the ultimate user of the Telecommunications Service.

**FCC** means the Federal Communications Commission.

**Telecommunications** means the transmission, between or among points specified by the user, of information of the user's choosing, without change in the form or content of the information as sent and received.

**Telecommunications Service** means the offering of telecommunications for a fee directly to the public, or to such classes of users as to be effectively available directly to the public, regardless of the facilities used.

**Telecommunications Act of 1996 (Act)** means Public Law 104-104 of the United States Congress effective February 8, 1996. The Act amended the Communications Act of 1934 (47 U.S.C. Section 1 et. seq.).

#### 1. CLEC Certification

- 1.1 Verizon Ave agrees to provide BellSouth in writing Verizon Ave's CLEC certification for all states covered by this Agreement prior to BellSouth filing this Agreement with the appropriate Commission for approval.
- 1.2 To the extent Verizon Ave is not certified as a CLEC in each state covered by this Agreement as of the execution hereof, Verizon Ave may not purchase services hereunder in that state. Verizon Ave will notify BellSouth in writing and provide CLEC certification when it becomes certified to operate in any other state covered by this Agreement and upon receipt thereof, Verizon Ave may thereafter purchase services pursuant to this Agreement in that state. BellSouth will file this Agreement with the appropriate Commission for approval.
- 1.3 Should Verizon Ave's certification in any state be rescinded or otherwise terminated, BellSouth may, at its election, terminate this Agreement immediately and all monies owed on all outstanding invoices shall become due, or BellSouth may refuse to provide services hereunder in that state until certification is reinstated in that state, provided such notification is made prior to expiration of the term of this Agreement. Verizon Ave shall provide an effective certification to do business issued by the secretary of state or equivalent authority in each state covered by this Agreement.

#### 2. Term of the Agreement

Version: 2Q05 Standard ICA

- 2.1 The initial term of this Agreement shall be three (3) years, beginning on the Effective Date and shall apply to the BellSouth territory in the state(s) of Florida, Georgia, South Carolina and Tennessee. Notwithstanding any prior agreement of the Parties, the rates, terms and conditions of this Agreement shall not be applied retroactively prior to the Effective Date.
- The Parties agree that by no earlier than two hundred seventy (270) days and no later than one hundred and eighty (180) days prior to the expiration of the initial term of this Agreement, they shall commence negotiations for a new agreement to be effective beginning on the expiration date of this Agreement (Subsequent Agreement). If as of the expiration of the initial term of this Agreement, a Subsequent Agreement has not been executed by the Parties, then except as set forth in Sections 2.3.1 and 2.3.2 below, this Agreement shall continue on a month-to-month basis while a Subsequent Agreement is being negotiated. The Parties' rights and obligations with respect to this Agreement after expiration of the initial term shall be as set forth in Section 2.3 below.
- 2.3 If, within one hundred and thirty-five (135) days of commencing the negotiation referred to in Section 2.2 above, the Parties are unable to negotiate new terms, conditions and prices for a Subsequent Agreement, either Party may petition the Commission to establish appropriate rates, terms and conditions for the Subsequent Agreement pursuant to 47 U.S.C. § 252.
- 2.3.1 Verizon Ave may request termination of this Agreement only if it is no longer purchasing services pursuant to this Agreement. Except as set forth in Section 2.3.2 below, notwithstanding the foregoing, in the event that as of the date of expiration of the initial term of this Agreement and conversion of this Agreement to a month-to-month term, the Parties have not entered into a Subsequent Agreement and no arbitration proceeding has been filed in accordance with Section 2.3 above, then BellSouth may terminate this Agreement upon sixty (60) days notice to Verizon Ave. In the event that BellSouth terminates this Agreement as provided above, BellSouth shall continue to offer services to Verizon Ave pursuant to the rates, terms and conditions set forth in BellSouth's then current standard interconnection agreement. In the event that BellSouth's standard interconnection agreement becomes effective between the Parties, the Parties may continue to negotiate a Subsequent Agreement.
- 2.3.2 Notwithstanding Section 2.2 above, in the event that as of the expiration of the initial term of this Agreement the Parties have not entered into a Subsequent Agreement and no arbitration proceeding has been filed in accordance with Section 2.3 above and BellSouth is not providing any services under this Agreement as of the date of expiration of the initial term of this Agreement, then this Agreement shall not continue on a month-to-month basis but shall be deemed terminated as of the expiration date hereof.
- 2.4 If, at any time during the term of this Agreement, BellSouth is unable to contact Verizon Ave pursuant to the Notices provision hereof or any other contact

Version: 2Q05 Standard ICA

information provided by Verizon Ave under this Agreement, and there are no active services being provisioned under this Agreement, then BellSouth may, at its discretion, terminate this Agreement, without any liability whatsoever, upon sending of notification to Verizon Ave pursuant to the Notices section hereof.

In addition to as otherwise set forth in this Agreement, BellSouth reserves the right to suspend access to ordering systems, refuse to process additional or pending applications for service, or terminate service in the event of prohibited, unlawful or improper use of BellSouth's facilities or service, abuse of BellSouth's facilities or any other material breach of this Agreement, and all monies owed on all outstanding invoices shall become due.

#### 3. Nondiscriminatory Access

When Verizon Ave purchases Telecommunications Services from BellSouth pursuant to Attachment 1 of this Agreement for the purposes of resale to End Users, such services shall be equal in quality, subject to the same conditions, and provided within the same provisioning time intervals that BellSouth provides to others, including its End Users. To the extent technically feasible, the quality of a Network Element, as well as the quality of the access to such Network Element provided by BellSouth to Verizon Ave shall be at least equal to that which BellSouth provides to itself and shall be the same for all Telecommunications carriers requesting access to that Network Element. The quality of the interconnection between the network of BellSouth and the network of Verizon Ave shall be at a level that is equal to that which BellSouth provides itself, a subsidiary, an Affiliate, or any other party. The interconnection facilities shall be designed to meet the same technical criteria and service standards that are used within BellSouth's network and shall extend to a consideration of service quality as perceived by BellSouth's End Users and service quality as perceived by Verizon Ave

## 4 Court Ordered Requests for Call Detail Records and Other Subscriber Information

- 4.1 <u>Subpoenas Directed to BellSouth.</u> Where BellSouth provides resold services for Verizon Ave, or, if applicable under this Agreement, switching, BellSouth shall respond to subpoenas and court ordered requests delivered directly to BellSouth for the purpose of providing call detail records when the targeted telephone numbers belong to Verizon Ave End Users. Billing for such requests will be generated by BellSouth and directed to the law enforcement agency initiating the request. BellSouth shall maintain such information for Verizon Ave End Users for the same length of time it maintains such information for its own End Users.
- 4.2 <u>Subpoenas Directed to Verizon Ave.</u> Where BellSouth is providing resold services to Verizon Ave, or, if applicable under this Agreement, switching, then Verizon Ave agrees that in those cases where Verizon Ave receives subpoenas or court ordered requests regarding targeted telephone numbers belonging to Verizon Ave End Users, and where Verizon Ave does not have the requested information,

Version: 2Q05 Standard ICA

Verizon Ave will advise the law enforcement agency initiating the request to redirect the subpoena or court ordered request to BellSouth for handling in accordance with Section 4.1 above.

In all other instances, where either Party receives a request for information involving the other Party's End User, the Party receiving the request will advise the law enforcement agency initiating the request to redirect such request to the other Party.

#### 5 Liability and Indemnification

- 5.1 <u>Verizon Ave Liability.</u> In the event that Verizon Ave consists of two (2) or more separate entities as set forth in this Agreement and/or any Amendments hereto, or any third party places orders under this Agreement using Verizon Ave's company codes or identifiers, all such entities shall be jointly and severally liable for the obligations of Verizon Ave under this Agreement.
- 5.2 <u>Liability for Acts or Omissions of Third Parties.</u> BellSouth shall not be liable to Verizon Ave for any act or omission of another entity providing any services to Verizon Ave.
- Except for any indemnification obligations of the Parties hereunder, each Party's liability to the other for any loss, cost, claim, injury, liability or expense, including reasonable attorneys' fees relating to or arising out of any cause whatsoever, whether based in contract, negligence or other tort, strict liability or otherwise, relating to the performance of this Agreement, shall not exceed a credit for the actual cost of the services or functions not performed or improperly performed. Any amounts paid to Verizon Ave pursuant to Attachment 9 hereof shall be credited against any damages otherwise payable to Verizon Ave pursuant to this Agreement.
- Limitations in Tariffs. A Party may, in its sole discretion, provide in its tariffs and contracts with its End Users and third parties that relate to any service, product or function provided or contemplated under this Agreement, that to the maximum extent permitted by Applicable Law, such Party shall not be liable to the End User or third party for (i) any loss relating to or arising out of this Agreement, whether in contract, tort or otherwise, that exceeds the amount such Party would have charged that applicable person for the service, product or function that gave rise to such loss and (ii) consequential damages. To the extent that a Party elects not to place in its tariffs or contracts such limitations of liability, and the other Party incurs a loss as a result thereof, such Party shall, except to the extent caused by the other Party's gross negligence or willful misconduct, indemnify and reimburse the other Party for that portion of the loss that would have been limited had the first Party included in its tariffs and contracts the limitations of liability that such other Party included in its own tariffs at the time of such loss.

Version: 2Q05 Standard ICA

- 5.3.2 Neither BellSouth nor Verizon Ave shall be liable for damages to the other Party's terminal location, equipment or End User premises resulting from the furnishing of a service, including, but not limited to, the installation and removal of equipment or associated wiring, except to the extent caused by a Party's negligence or willful misconduct or by a Party's failure to ground properly a local loop after disconnection.
- Under no circumstance shall a Party be responsible or liable for indirect, incidental, or consequential damages, including, but not limited to, economic loss or lost business or profits, damages arising from the use or performance of equipment or software, or the loss of use of software or equipment, or accessories attached thereto, delay, error, or loss of data. In connection with this limitation of liability, each Party recognizes that the other Party may, from time to time, provide advice, make recommendations, or supply other analyses related to the services or facilities described in this Agreement, and, while each Party shall use diligent efforts in this regard, the Parties acknowledge and agree that this limitation of liability shall apply to provision of such advice, recommendations, and analyses.
- To the extent any specific provision of this Agreement purports to impose liability, or limitation of liability, on either Party different from or in conflict with the liability or limitation of liability set forth in this Section, then with respect to any facts or circumstances covered by such specific provisions, the liability or limitation of liability contained in such specific provision shall apply.
- Indemnification for Certain Claims. Except to the extent caused by the indemnified Party's gross negligence or willful misconduct, the Party providing services hereunder, its Affiliates and its parent company, shall be indemnified, defended and held harmless by the Party receiving services hereunder against any claim, loss or damage arising from the receiving Party's use of the services provided under this Agreement pertaining to (1) claims for libel, slander or invasion of privacy arising from the content of the receiving Party's own communications, or (2) any claim, loss or damage claimed by the End User of the Party receiving services arising from such company's use or reliance on the providing Party's services, actions, duties, or obligations arising out of this Agreement.
- 5.5 <u>Disclaimer.</u> EXCEPT AS SPECIFICALLY PROVIDED TO THE CONTRARY IN THIS AGREEMENT, NEITHER PARTY MAKES ANY REPRESENTATIONS OR WARRANTIES TO THE OTHER PARTY CONCERNING THE SPECIFIC QUALITY OF ANY SERVICES, OR FACILITIES PROVIDED UNDER THIS AGREEMENT. THE PARTIES DISCLAIM, WITHOUT LIMITATION, ANY WARRANTY OR GUARANTEE OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARISING FROM COURSE OF PERFORMANCE, COURSE OF DEALING, OR FROM USAGES OF TRADE.

#### 6 Intellectual Property Rights and Indemnification

Version: 2Q05 Standard ICA

- No License. Except as expressly set forth in Section 6.2 below, no patent, copyright, trademark or other proprietary right is licensed, granted or otherwise transferred by this Agreement. The Parties are strictly prohibited from any use, including but not limited to, in the selling, marketing, promoting or advertising of telecommunications services, of any name, service mark, logo or trademark (collectively, the "Marks") of the other Party. The Marks include those Marks owned directly by a Party or its Affiliate(s) and those Marks that a Party has a legal and valid license to use. The Parties acknowledge that they are separate and distinct and that each provides a separate and distinct service and agree that neither Party may, expressly or impliedly, state, advertise or market that it is or offers the same service as the other Party or engage in any other activity that may result in a likelihood of confusion between its own service and the service of the other Party.
- 6.2 Ownership of Intellectual Property. Any intellectual property that originates from or is developed by a Party shall remain the exclusive property of that Party. Except for a limited, non-assignable, non-exclusive, non-transferable license to use patents or copyrights to the extent necessary for the Parties to use any facilities or equipment (including software) or to receive any service solely as provided under this Agreement, no license in patent, copyright, trademark or trade secret, or other proprietary or intellectual property right, now or hereafter owned, controlled or licensable by a Party, is granted to the other Party. Neither shall it be implied nor arise by estoppel. Any trademark, copyright or other proprietary notices appearing in association with the use of any facilities or equipment (including software) shall remain on the documentation, material, product, service, equipment or software. It is the responsibility of each Party to ensure at no additional cost to the other Party that it has obtained any necessary licenses in relation to intellectual property of third Parties used in its network that may be required to enable the other Party to use any facilities or equipment (including software), to receive any service, or to perform its respective obligations under this Agreement.

#### 6.3 <u>Intellectual Property Remedies</u>

6.3.1 <u>Indemnification.</u> The Party providing a service pursuant to this Agreement will defend the Party receiving such service or data provided as a result of such service against claims of infringement arising solely from the use by the receiving Party of such service in the manner contemplated under this Agreement and will indemnify the receiving Party for any damages awarded based solely on such claims in accordance with Section 5 above.

#### 6.3.2 Claim of Infringement

6.3.2.1 In the event that use of any facilities or equipment (including software), becomes, or in the reasonable judgment of the Party who owns the affected network is likely to become, the subject of a claim, action, suit, or proceeding based on intellectual property infringement, then said Party, promptly and at its sole expense and sole option, but subject to the limitations of liability set forth below, shall:

Version: 2Q05 Standard ICA

- 6.3.2.2 modify or replace the applicable facilities or equipment (including software) while maintaining form and function, or
- 6.3.2.3 obtain a license sufficient to allow such use to continue.
- In the event Sections 6.3.2.2 or 6.3.2.3 above are commercially unreasonable, then said Party may terminate, upon reasonable notice, this contract with respect to use of, or services provided through use of, the affected facilities or equipment (including software), but solely to the extent required to avoid the infringement claim.
- 6.3.3 Exception to Obligations. Neither Party's obligations under this Section shall apply to the extent the infringement is caused by: (i) modification of the facilities or equipment (including software) by the indemnitee; (ii) use by the indemnitee of the facilities or equipment (including software) in combination with equipment or facilities (including software) not provided or authorized by the indemnitor, provided the facilities or equipment (including software) would not be infringing if used alone; (iii) conformance to specifications of the indemnitee which would necessarily result in infringement; or (iv) continued use by the indemnitee of the affected facilities or equipment (including software) after being placed on notice to discontinue use as set forth herein.
- 6.3.4 <u>Exclusive Remedy.</u> The foregoing shall constitute the Parties' sole and exclusive remedies and obligations with respect to a third party claim of intellectual property infringement arising out of the conduct of business under this Agreement.
- 6.3.5 <u>Dispute Resolution.</u> Any claim arising under Sections 6.1 and 6.2 above shall be excluded from the dispute resolution procedures set forth in Section 8 below and shall be brought in a court of competent jurisdiction.

#### 7 Proprietary and Confidential Information

Proprietary and Confidential Information. It may be necessary for BellSouth and Verizon Ave, each as the "Discloser," to provide to the other Party, as "Recipient," certain proprietary and confidential information (including trade secret information) including but not limited to technical, financial, marketing, staffing and business plans and information, strategic information, proposals, request for proposals, specifications, drawings, maps, prices, costs, costing methodologies, procedures, processes, business systems, software programs, techniques, customer account data, call detail records and like information (collectively the "Information"). All such Information conveyed in writing or other tangible form shall be clearly marked with a confidential or proprietary legend. Information conveyed orally by the Discloser to Recipient shall be designated as proprietary and confidential at the time of such oral conveyance, shall be reduced to writing by the Discloser within forty-five (45) days thereafter, and shall be clearly marked with a confidential or proprietary legend.

Version: 2Q05 Standard ICA

7.2 <u>Use and Protection of Information.</u> Recipient agrees to protect such Information of the Discloser provided to Recipient from whatever source from distribution, disclosure or dissemination to anyone except employees of Recipient with a need to know such Information solely in conjunction with Recipient's analysis of the Information and for no other purpose except as authorized herein or as otherwise authorized in writing by the Discloser. Recipient will not make any copies of the Information inspected by it.

#### 7.3 <u>Exceptions</u>

- 7.3.1 Recipient will not have an obligation to protect any portion of the Information which:
- 7.3.2 (a) is made publicly available by the Discloser or lawfully by a nonparty to this Agreement; (b) is lawfully obtained by Recipient from any source other than Discloser; (c) is previously known to Recipient without an obligation to keep it confidential; or (d) is released from the terms of this Agreement by Discloser upon written notice to Recipient.
- Recipient agrees to use the Information solely for the purposes of negotiations pursuant to 47 U.S.C. § 251 or in performing its obligations under this Agreement and for no other entity or purpose, except as may be otherwise agreed to in writing by the Parties. Nothing herein shall prohibit Recipient from providing information requested by the FCC or a state regulatory agency with jurisdiction over this matter, or to support a request for arbitration or an allegation of failure to negotiate in good faith.
- 7.5 Recipient agrees not to publish or use the Information for any advertising, sales or marketing promotions, press releases, or publicity matters that refer either directly or indirectly to the Information or to the Discloser or any of its affiliated companies.
- 7.6 The disclosure of Information neither grants nor implies any license to the Recipient under any trademark, patent, copyright, application or other intellectual property right that is now or may hereafter be owned by the Discloser.
- 7.7 <u>Survival of Confidentiality Obligations.</u> The Parties' rights and obligations under this Section 7 shall survive and continue in effect until two (2) years after the expiration or termination date of this Agreement with regard to all Information exchanged during the term of this Agreement. Thereafter, the Parties' rights and obligations hereunder survive and continue in effect with respect to any Information that is a trade secret under applicable law.

#### **8** Resolution of Disputes

Except as otherwise stated in this Agreement, if any dispute arises as to the interpretation of any provision of this Agreement or as to the proper implementation of this Agreement, the aggrieved Party, if it elects to pursue

Version: 2Q05 Standard ICA

resolution of the dispute, shall petition the Commission for a resolution of the dispute. However, each Party reserves any rights it may have to seek judicial review of any ruling made by the Commission concerning this Agreement.

#### 9 Taxes

- 9.1 <u>Definition.</u> For purposes of this Section, the terms "taxes" and "fees" shall include but not be limited to federal, state or local sales, use, excise, gross receipts or other taxes or tax-like fees of whatever nature and however designated (including tariff surcharges and any fees, charges or other payments, contractual or otherwise, for the use of public streets or rights of way, whether designated as franchise fees or otherwise) imposed, or sought to be imposed, on or with respect to the services furnished hereunder or measured by the charges or payments therefore, excluding any taxes levied on income.
- 9.2 Taxes and Fees Imposed Directly On Either Providing Party or Purchasing Party
- 9.2.1 Taxes and fees imposed on the providing Party, which are not permitted or required to be passed on by the providing Party to its customer, shall be borne and paid by the providing Party.
- 9.2.2 Taxes and fees imposed on the purchasing Party, which are not required to be collected and/or remitted by the providing Party, shall be borne and paid by the purchasing Party.
- 9.3 <u>Taxes and Fees Imposed on Purchasing Party But Collected And Remitted By Providing Party</u>
- 9.3.1 Taxes and fees imposed on the purchasing Party shall be borne by the purchasing Party, even if the obligation to collect and/or remit such taxes or fees is placed on the providing Party.
- 9.3.2 To the extent permitted by applicable law, any such taxes and/or fees shall be shown on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- 9.3.3 If the purchasing Party determines that in its opinion any such taxes or fees are not payable, the providing Party shall not bill such taxes or fees to the purchasing Party if the purchasing Party provides written certification, reasonably satisfactory to the providing Party, stating that it is exempt or otherwise not subject to the tax or fee, setting forth the basis therefor, and satisfying any other requirements under applicable law. If any authority seeks to collect any such tax or fee that the purchasing Party has determined and certified not to be payable, or any such tax or fee that was not billed by the providing Party, the purchasing Party may contest the same in good faith, at its own expense. In any such contest, the purchasing Party shall promptly furnish the providing Party with copies of all filings in any

Version: 2Q05 Standard ICA

proceeding, protest, or legal challenge, all rulings issued in connection therewith, and all correspondence between the purchasing Party and the taxing authority.

- 9.3.4 In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.
- 9.3.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 9.3.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other charges or payable expenses (including reasonable attorney fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.
- 9.3.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- 9.4 Taxes and Fees Imposed on Providing Party But Passed On To Purchasing Party
- 9.4.1 Taxes and fees imposed on the providing Party, which are permitted or required to be passed on by the providing Party to its customer, shall be borne by the purchasing Party.
- 9.4.2 To the extent permitted by applicable law, any such taxes and/or fees shall be shown on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- 9.4.3 If the purchasing Party disagrees with the providing Party's determination as to the application or basis for any such tax or fee, the Parties shall consult with respect to the imposition and billing of such tax or fee. Notwithstanding the foregoing, the providing Party shall retain ultimate responsibility for determining whether and to what extent any such taxes or fees are applicable, and the purchasing Party shall abide by such determination and pay such taxes or fees to the providing Party. The providing Party shall further retain ultimate responsibility for determining whether and how to contest the imposition of such taxes and fees; provided,

Version: 2Q05 Standard ICA

however, that any such contest undertaken at the request of the purchasing Party shall be at the purchasing Party's expense.

- 9.4.4 In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.
- 9.4.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 9.4.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other reasonable charges or payable expenses (including reasonable attorneys' fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.
- 9.4.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- 9.5 <u>Mutual Cooperation.</u> In any contest of a tax or fee by one Party, the other Party shall cooperate fully by providing records, testimony and such additional information or assistance as may reasonably be necessary to pursue the contest. Further, the other Party shall be reimbursed for any reasonable and necessary out-of-pocket copying and travel expenses incurred in assisting in such contest.

#### 10 Force Majeure

In the event performance of this Agreement, or any obligation hereunder, is either directly or indirectly prevented, restricted, or interfered with by reason of fire, flood, earthquake or like acts of God, wars, revolution, civil commotion, explosion, acts of public enemy, embargo, acts of the government in its sovereign capacity, labor difficulties, including without limitation, strikes, slowdowns, picketing, or boycotts, unavailability of equipment from vendor, changes requested by Verizon Ave, or any other circumstances beyond the reasonable control and without the fault or negligence of the Party affected, the Party affected, upon giving prompt notice to the other Party, shall be excused from such performance on a day-to-day basis to the extent of such prevention, restriction, or interference (and the other Party shall likewise be excused from performance of its obligations on a day-to-day basis until the delay, restriction or interference has ceased);

Version: 2Q05 Standard ICA

provided, however, that the Party so affected shall use diligent efforts to avoid or remove such causes of non-performance and both Parties shall proceed whenever such causes are removed or cease.

#### 11 Adoption of Agreements

Pursuant to 47 U.S.C. § 252(i) and 47 C.F.R. § 51.809, BellSouth shall make available to Verizon Ave any entire interconnection agreement filed and approved pursuant to 47 U.S.C. § 252. The adopted agreement shall apply to the same states as the agreement that was adopted, and the term of the adopted agreement shall expire on the same date as set forth in the agreement that was adopted.

#### 12 Modification of Agreement

- 12.1 If Verizon Ave changes its name or makes changes to its company structure or identity due to a merger, acquisition, transfer or any other reason, it is the responsibility of Verizon Ave to notify BellSouth of said change, request that an amendment to this Agreement, if necessary, be executed to reflect said change and notify the appropriate state commission of such modification of company structure in accordance with the state rules governing such modification in company structure if applicable. Additionally, Verizon Ave shall provide BellSouth with any necessary supporting documentation.
- 12.2 No modification, amendment, supplement to, or waiver of the Agreement or any of its provisions shall be effective and binding upon the Parties unless it is made in writing and duly signed by the Parties.
- In the event that any effective legislative, regulatory, judicial or other legal action materially affects any material terms of this Agreement, or the ability of Verizon Ave or BellSouth to perform any material terms of this Agreement, Verizon Ave or BellSouth may, on thirty (30) days' written notice, require that such terms be renegotiated, and the Parties shall renegotiate in good faith such mutually acceptable new terms as may be required. In the event that such new terms are not renegotiated within forty-five (45) days after such notice, and either Party elects to pursue resolution of such amendment such Party shall pursue the dispute resolution process set forth in Section 8 above.

#### 13 Legal Rights

Execution of this Agreement by either Party does not confirm or imply that the executing Party agrees with any decision(s) issued pursuant to the Telecommunications Act of 1996 and the consequences of those decisions on specific language in this Agreement. Neither Party waives its rights to appeal or otherwise challenge any such decision(s) and each Party reserves all of its rights to pursue any and all legal and/or equitable remedies, including appeals of any such decision(s).

#### 14 Indivisibility

Version: 2Q05 Standard ICA

Subject to Section 15 below, the Parties intend that this Agreement be indivisible and nonseverable, and each of the Parties acknowledges that it has assented to all of the covenants and promises in this Agreement as a single whole and that all of such covenants and promises, taken as a whole, constitute the essence of the contract. Without limiting the generality of the foregoing, each of the Parties acknowledges that any provision by BellSouth of collocation space under this Agreement is solely for the purpose of facilitating the provision of other services under this Agreement as set forth in Attachment 4. The Parties further acknowledge that this Agreement is intended to constitute a single transaction and that the obligations of the Parties under this Agreement are interdependent.

#### 15 Severability

If any provision of this Agreement, or part thereof, shall be held invalid or unenforceable in any respect, the remainder of the Agreement or provision shall not be affected thereby, provided that the Parties shall negotiate in good faith to reformulate such invalid provision, or part thereof, or related provision, to reflect as closely as possible the original intent of the parties, consistent with applicable law, and to effectuate such portions thereof as may be valid without defeating the intent of such provision. In the event the Parties are unable to mutually negotiate such replacement language, either Party may elect to pursue the dispute resolution process set forth in Section 8 above.

#### 16 Non-Waivers

A failure or delay of either Party to enforce any of the provisions hereof, to exercise any option which is herein provided, or to require performance of any of the provisions hereof shall in no way be construed to be a waiver of such provisions or options, and each Party, notwithstanding such failure, shall have the right thereafter to insist upon the performance of any and all of the provisions of this Agreement.

#### 17 Governing Law

Where applicable, this Agreement shall be governed by and construed in accordance with federal and state substantive telecommunications law, including rules and regulations of the FCC and appropriate Commission. In all other respects, this Agreement shall be governed by and construed and enforced in accordance with the laws of the State of Georgia without regard to its conflict of laws principles.

#### 18 Assignments and Transfers

Any assignment by either Party to any entity of any right, obligation or duty, or of any other interest hereunder, in whole or in part, without the prior written consent of the other Party shall be void. The assignee must provide evidence of a Commission approved certification to provide Telecommunications Service in each

Version: 2Q05 Standard ICA

state that Verizon Ave is entitled to provide Telecommunications Service. After BellSouth's consent, the Parties shall amend this Agreement to reflect such assignments and shall work cooperatively to implement any changes required due to such assignment. All obligations and duties of any Party under this Agreement shall be binding on all successors in interest and assigns of such Party. No assignment or delegation hereof shall relieve the assignor of its obligations under this Agreement in the event that the assignee fails to perform such obligations. Notwithstanding anything to the contrary in this Section, Verizon Ave shall not be permitted to assign this Agreement in whole or in part to any entity unless either (1) Verizon Ave pays all bills, past due and current, under this Agreement, or (2) Verizon Ave's assignee expressly assumes liability for payment of such bills.

In the event that Verizon Ave desires to transfer any services hereunder to another provider of Telecommunications Service, or Verizon Ave desires to assume hereunder any services provisioned by BellSouth to another provider of Telecommunications Service, such transfer of services shall be subject to separately negotiated rates, terms and conditions.

#### 19 Notices

With the exception of billing notices, governed by Attachment 7, every notice, consent or approval of a legal nature, required or permitted by this Agreement shall be in writing and shall be delivered either by hand, by overnight courier or by US mail postage prepaid, or email if an email address is listed below, addressed to:

#### **BellSouth Telecommunications, Inc.**

BellSouth Local Contract Manager 600 North 19<sup>th</sup> Street, 10<sup>th</sup> floor Birmingham, AL 35203

and

ICS Attorney Suite 4300 675 West Peachtree Street Atlanta, GA 30375

Verizon Avenue Corp.

Paul Miller

Director of Carrier Relations 12901 Worldgate Drive Herndon, VA 20170

Version: 2Q05 Standard ICA

or at such other address as the intended recipient previously shall have designated by written notice to the other Party.

- Unless otherwise provided in this Agreement, notice by mail shall be effective on the date it is officially recorded as delivered by return receipt or equivalent, and in the absence of such record of delivery, it shall be presumed to have been delivered the fifth day, or next business day after the fifth day, after it was deposited in the mails.
- 19.3 Notwithstanding the above, BellSouth will post to BellSouth's Interconnection Web site changes to business processes and policies and shall post to BellSouth's Interconnection Web site or submit through applicable electronic systems, other service and business related notices not requiring an amendment to this Agreement.

#### **20** Rule of Construction

No rule of construction requiring interpretation against the drafting Party hereof shall apply in the interpretation of this Agreement.

#### 21 Headings of No Force or Effect

The headings of Articles and Sections of this Agreement are for convenience of reference only, and shall in no way define, modify or restrict the meaning or interpretation of the terms or provisions of this Agreement.

#### 22 Multiple Counterparts

This Agreement may be executed in multiple counterparts, each of which shall be deemed an original, but all of which shall together constitute but one and the same document.

#### Filing of Agreement

This Agreement, and any amendments hereto, shall be filed with the appropriate state regulatory agency pursuant to the requirements of Section 252 of the Act, or as otherwise required by the state and the Parties shall share equally in any applicable fees. Notwithstanding the foregoing, this Agreement shall not be submitted for approval by the appropriate state regulatory agency unless and until such time as Verizon Ave is duly certified as a local exchange carrier in such state, except as otherwise required by a Commission.

#### 24 Compliance with Law

The Parties have negotiated their respective rights and obligations pursuant to substantive Federal and State Telecommunications law and this Agreement is intended to memorialize the Parties' mutual agreement with respect to each Party's rights and obligations under the Act and applicable FCC and Commission orders,

Version: 2Q05 Standard ICA

rules and regulations. Nothing contained herein, nor any reference to applicable rules and orders, is intended to expand on the Parties' rights and obligations as set forth herein. To the extent the provisions of this Agreement differ from the provisions of any Federal or State Telecommunications statute, rule or order in effect as of the execution of this Agreement, this Agreement shall control. Each Party shall comply at its own expense with all other laws of general applicability.

#### 25 Necessary Approvals

Each Party shall be responsible for obtaining and keeping in effect all approvals from, and rights granted by, governmental authorities, building and property owners, other carriers, and any other persons that may be required in connection with the performance of its obligations under this Agreement. Each Party shall reasonably cooperate with the other Party in obtaining and maintaining any required approvals and rights for which such Party is responsible.

#### **26** Good Faith Performance

Each Party shall act in good faith in its performance under this Agreement and, in each case in which a Party's consent or agreement is required or requested hereunder, such Party shall not unreasonably withhold or delay such consent or agreement.

#### 27. Rates

- Verizon Ave shall pay the charges set forth in this Agreement. In the event that BellSouth is unable to bill the applicable rate or no rate is established or included in this Agreement for any services provided pursuant to this Agreement, BellSouth reserves the right to back bill Verizon Ave for such rate or for the difference between the rate actually billed and the rate that should have been billed pursuant to this Agreement. To the extent a rate element is omitted or no rate is established, BellSouth has the right not to provision such service until the Agreement is amended to include such rate.
- To the extent Verizon Ave requests services not included in this Agreement, such services shall be provisioned pursuant to the rates, terms and conditions set forth in the applicable tariffs or a separately negotiated Agreement, unless the Parties agree to amend this Agreement to include such service prospectively.

#### 28 Rate True-Up

- 28.1 This section applies to rates that are expressly subject to true-up.
- The rates shall be trued-up, either up or down, based on final prices determined either by further agreement between the Parties, or by a final and effective order of the Commission. The Parties shall implement the true-up by comparing the actual volumes and demand for each item, together with the rates for each item, with the

Version: 2Q05 Standard ICA

final prices determined for each item. Each Party shall keep its own records upon which the true-up can be based, and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any discrepancy between the records or disagreement between the Parties regarding the amount of such true-up, the dispute shall be subject to the dispute resolution process set forth in this Agreement.

A final and effective order of the Commission that forms the basis of a true-up shall be based upon cost studies submitted by either or both Parties to the Commission and shall be binding upon BellSouth and Verizon Ave specifically or upon all carriers generally, such as a generic cost proceeding.

#### 29 Survival

The Parties' obligations under this Agreement which by their nature are intended to continue beyond the termination or expiration of this Agreement shall survive the termination or expiration of this Agreement.

#### 30 Entire Agreement

- 30.1 This Agreement means the General Terms and Conditions, the Attachments hereto and all documents identified therein, as such may be amended from time to time and which are incorporated herein by reference, all of which, when taken together, are intended to constitute one indivisible agreement. This Agreement sets forth the entire understanding and supersedes prior agreements between the Parties relating to the subject matter contained in this Agreement and merges all prior discussions between them. Any orders placed under prior agreements between the Parties shall be governed by the terms of this Agreement and Verizon Ave acknowledges and agrees that any and all amounts and obligations owed for services provisioned or orders placed under prior agreements between the Parties, related to the subject matter hereof, shall, as of the Effective Date, be due and owing under this Agreement and be governed by the terms and conditions of this Agreement as if such services or orders were provisioned or placed under this Agreement. Neither Party shall be bound by any definition, condition, provision, representation, warranty, covenant or promise other than as expressly stated in this Agreement or as is contemporaneously or subsequently set forth in writing and executed by a duly authorized officer or representative of the Party to be bound thereby.
- Any reference throughout this Agreement to a tariff, industry guideline, BellSouth's technical guideline or reference, BellSouth business rule, guide or other such document containing processes or specifications applicable to the services provided pursuant to this agreement, shall be construed to refer to only those provisions thereof that are applicable to these services, and shall include any successor or replacement versions thereof, all as they are amended from time to time and all of which are incorporated herein by reference, and may be found at BellSouth's Interconnection Web site at: www.interconnection.bellsouth.com.

Version: 2Q05 Standard ICA

References to state tariffs throughout this Agreement shall be to the tariff for the state in which the services were provisioned.

Version: 2Q05 Standard ICA

#### General Terms and Conditions Signature Page

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

BellSouth Telecommunications, Inc.	Verizon Avenue Corp.			
By: Int- 7. Show	By: William J. Wallace			
Name: Kristen E. Rowe Shere	Name: WILLIAM F. WALLACE			
Title: Director	Title: CEO			
Date: $\frac{10}{25}$ 05	Date: 10 21 2605			

Version: 2Q05 Standard ICA

### **Attachment 1**

Resale

Version: 2Q05 Standard ICA

#### **Table of Contents**

1.	Discount Rates	3
2.	Definition of Terms	3
3.	General Provisions	3
4	BellSouth's Provision of Services to Verizon Ave	7
5.	Maintenance of Services	8
6.	Discontinuance of Service	8
7.	White Pages Listings	9
8.	<b>Operator Services (Operator Call Processing and Directory Assistance).</b>	11
9.	Branding for Wholesale OCP and DA	12
10.	LIDB	13
11.	Revenue Accounting Office (RAO) Hosting	13
12.	Optional Daily Usage File (ODUF)	13
13.	Enhanced Optional Daily Usage File (EODUF)	14
Res	ale Restrictions	Exhibit A
Opt	ional Daily Usage File (ODUF)	Exhibit B
Enh	anced Option Daily Usage File (EODUF)	Exhibit C
Res	ale Discounts and Rates	Exhibit D

Version: 2Q05 Standard ICA

#### RESALE

#### 1. Discount Rates

- 1.1 The discounts rates applied to Verizon Ave's purchases of BellSouth Telecommunications Services for the purpose of resale shall be as set forth in Exhibit D. Such discounts have been determined by the applicable Commission to reflect the costs avoided by BellSouth when selling a service for wholesale purposes.
- 1.2 The telecommunications services available for purchase by Verizon Ave for the purposes of resale to Verizon Ave's End Users shall be available at BellSouth's tariffed rates less the discount set forth in Exhibit D and subject to the exclusions and limitations set forth in Exhibit A.

#### 2. Definition of Terms

- 2.1 COMPETITIVE LOCAL EXCHANGE COMPANY (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.
- 2.2 CUSTOMER OF RECORD means the entity responsible for placing application for service; requesting additions, rearrangements, maintenance or discontinuance of service; payment in full of charges incurred such as nonrecurring, monthly recurring, toll, directory assistance, etc.
- 2.3 DEPOSIT means assurance provided by a customer in the form of cash, surety bond or bank letter of credit to be held by BellSouth.
- 2.4 END USER means the ultimate user of the Telecommunications Service.
- 2.5 END USER CUSTOMER LOCATION means the physical location of the premises where an End User makes use of the telecommunications services.
- 2.6 NEW SERVICES means functions, features or capabilities that are not currently offered by BellSouth. This includes packaging of existing services or combining a new function, feature or capability with an existing service.
- 2.7 RESALE means an activity wherein a certificated CLEC, such as Verizon Ave, subscribes to the telecommunications services of BellSouth and then offers those telecommunications services to the public.

#### 3. General Provisions

All of the negotiated rates, terms and conditions set forth in this Attachment pertain to the resale of BellSouth's retail telecommunications services and other services specified in this Attachment. Subject to effective and applicable FCC and Commission rules and orders, BellSouth shall make available to Verizon Ave for resale those telecommunications services BellSouth makes available, pursuant to its General Subscriber Services Tariff (GSST) and Private Line Services Tariff, to customers who are not telecommunications carriers.

Version: 2Q05 Standard ICA

- 3.1.1 When Verizon Ave provides Resale service in a cross boundary area (areas that are part of the local serving area of another state's exchange) the rates, regulations and discounts for the tariffing state will apply. Billing will be from the serving state.
- Verizon Ave as a reseller of Lifeline and Link-Up Services hereby certifies that it has and will comply with the FCC requirements governing the Lifeline and Link-Up programs as set forth in 47 C.F.R. § 417(a) and (b). This includes the requirements set forth in BellSouth's GSST, Sections A3.31 and A4.7.
- 3.2.1 Verizon Ave shall maintain records to document FCC or applicable state eligibility and verification records to document compliance governing the Lifeline/Link-Up programs for the three (3) full preceding calendar years, and Verizon Ave shall provide such documentation to the FCC or it's Administrator upon request.
- 3.2.2 In Tennessee, if Verizon Ave does not resell Lifeline service to any End Users, and if Verizon Ave agrees to order an appropriate Operator Services/Directory Assistance block as set forth in BellSouth's GSST, the discount shall be twenty-one point fifty-six percent (21.56%).
- 3.2.2.1 In the event Verizon Ave resells Lifeline service to any End User in Tennessee, BellSouth will begin applying the sixteen percent (16%) discount rate to all services. Upon Verizon Ave and BellSouth's implementation of a billing arrangement whereby a separate Master Account (Q-account) associated with a separate Operating Customer Number (OCN) is established for billing of Lifeline service End Users, the discount shall be applied as set forth in Section 3.2.2 above for the non-Lifeline affected Master Account (Q-account).
- 3.2.2.2 Verizon Ave must provide written notification to BellSouth within thirty (30) days prior to either providing its own operator services/directory services or orders the appropriate operator services/directory assistance blocking, to qualify for the higher discount rate of twenty-one point fifty-six percent (21.56%).
- 3.3 Verizon Ave may purchase resale services from BellSouth for its own use in operating its business. The resale discount will apply to those services under the following conditions:
- 3.3.1 Verizon Ave must resell services to other End users.
- 3.3.2 Verizon Ave cannot be a competitive local exchange telecommunications company for the single purpose of selling to itself.
- 3.3.3 Verizon Ave will be the customer of record for all services purchased from BellSouth. Except as specified herein, BellSouth will take orders from, bill and receive payment from Verizon Ave for said services.
- 3.4 Verizon Ave will be BellSouth's single point of contact for all services purchased pursuant to this Agreement. BellSouth shall have no contact with the End User except to the extent provided for herein.
- 3.5 BellSouth will continue to bill the End User for any services that the End User specifies it wishes to receive directly from BellSouth. BellSouth maintains the

Version: 2Q05 Standard ICA

right to serve directly any End User within the service area of Verizon Ave. BellSouth will continue to market directly its own telecommunications products and services and in doing so may establish independent relationships with End Users of Verizon Ave. Neither Party shall interfere with the right of any person or entity to obtain service directly from the other Party.

- 3.5.1 BellSouth will accept a request from another CLEC for conversion of the End User's service from Verizon Ave to such other CLEC. Upon completion of the conversion BellSouth will notify Verizon Ave that such conversion has been completed.
- 3.5.2 When an End User of Verizon Ave or BellSouth elects to change his/her carrier to the other Party, both Parties agree to release the End User's service to the other Party concurrent with the due date of the service order, which shall be established based on the standard interval for the End User's requested service as set forth in the BellSouth Product and Services Interval Guide.
- 3.5.3 BellSouth and Verizon Ave will refrain from contacting an End User who has placed or whose selected carrier has placed on the End User's behalf an order to change the End User's service provider from BellSouth or Verizon Ave to the other Party until such time that the order for service has been completed.
- 3.6 Current telephone numbers may normally be retained by the End User and are assigned to the service furnished. However, neither Party nor the End User has a property right to the telephone number or any other call number designation associated with services furnished by BellSouth, and no right to the continuance of service through any particular central office. BellSouth reserves the right to change such numbers, or the central office designation associated with such numbers, or both, whenever BellSouth deems it necessary to do so in the conduct of its business and in accordance with BellSouth practices and procedures on a nondiscriminatory basis.
- Where BellSouth provides resold services to Verizon Ave, BellSouth will provide Verizon Ave with on-line access to intermediate telephone numbers as defined by applicable FCC rules and regulations on a first come first served basis. Verizon Ave acknowledges that such access to numbers shall be in accordance with the appropriate FCC rules and regulations. Verizon Ave acknowledges that there may be instances where there is a shortage of telephone numbers in a particular Common Language Location Identifier Code (CLLIC); and in such instances, Verizon Ave shall return unused intermediate telephone numbers to BellSouth upon BellSouth's request. BellSouth shall make all such requests on a nondiscriminatory basis.
- 3.8 BellSouth will allow Verizon Ave to designate up to one hundred (100) intermediate telephone numbers per CLLIC, for Verizon Ave's sole use. Assignment, reservation and use of telephone numbers shall be governed by applicable FCC rules and regulations. Verizon Ave acknowledges that there may be instances where there is a shortage of telephone numbers in a particular CLLIC and BellSouth has the right to limit access to blocks of intermediate telephone numbers. These instances include: 1) where jeopardy status has been declared by

Version: 2Q05 Standard ICA

the North American Numbering Plan (NANP) for a particular Numbering Plan Area (NPA); or 2) where a rate center has less than six (6) months supply of numbering resources.

- 3.9 Service is furnished subject to the condition that it will not be used for any unlawful purpose.
- 3.10 Service will be discontinued if any law enforcement agency advises that the service being used is in violation of the law.
- 3.11 BellSouth can refuse service when it has grounds to believe that service will be used in violation of the law.
- 3.12 BellSouth will cooperate with law enforcement agencies with subpoenas and court orders relating to Verizon Ave's End Users, pursuant to Section 4 of General Terms and Conditions.
- 3.13 If Verizon Ave or its End Users utilize a BellSouth resold telecommunications service in a manner other than that for which the service was originally intended as described in BellSouth's retail tariffs, Verizon Ave has the responsibility to notify BellSouth. BellSouth will only provision and maintain said service consistent with the terms and conditions of the tariff describing said service.
- 3.14 Facilities and/or equipment utilized by BellSouth to provide service to Verizon Ave remain the property of BellSouth.
- 3.15 Service Ordering and Operations Support Systems (OSS)
- 3.15.1 Verizon Ave must order services through resale interfaces, i.e., the Local Carrier Service Center (LCSC) and/or appropriate Complex Resale Support Group (CRSG) pursuant to this Agreement. BellSouth has developed and made available the interactive interfaces by which Verizon Ave may submit a Local Service Request (LSR) electronically as set forth in Attachment 6. Service orders will be in a standard format designated by BellSouth.
- 3.15.2 LSRs submitted by means of one of these interactive interfaces will incur an electronic service order charge as set forth in Exhibit D. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (e.g., mail, fax, courier, etc.) will incur a manual service order charge as set forth in Exhibit D. Supplements or clarifications to a previously billed LSR will not incur another OSS charge.
- Where available to BellSouth's End Users, BellSouth shall provide the following telecommunications services at a discount to allow for voice mail services:
  - Message Waiting Indicator (MWI), stutter dialtone and message waiting light feature capabilities
  - Call Forward Busy Line (CF/B)
  - Call Forward Don't Answer (CF/DA)

Version: 2Q05 Standard ICA

Further, BellSouth messaging services set forth in BellSouth's Messaging Service Information Package shall be made available for resale without the wholesale discount.

- 3.17 BellSouth shall provide branding for, or shall unbrand, voice mail services for Verizon Ave per the Bona Fide Request/New Business Request process as set forth in Attachment 11.
- 3.18 BellSouth's Inside Wire Maintenance Service Plan is available for resale at rates, terms and conditions as set forth by BellSouth and without the wholesale discount.
- 3.19 In the event Verizon Ave acquires an End User whose service is provided pursuant to a BellSouth Special Assembly, BellSouth shall make available to Verizon Ave that Special Assembly at the wholesale discount at Verizon Ave's option. Verizon Ave shall be responsible for all terms and conditions of such Special Assembly including but not limited to termination liability if applicable.
- 3.20 BellSouth shall provide 911/E911 for Verizon Ave End Users in the same manner that it is provided to BellSouth customers. BellSouth shall provide and validate Verizon Ave customer information to the Public Safety Answering Point (PSAP). BellSouth shall use its service order process to update and maintain, on the same schedule that it uses for its customers, the Verizon Ave customer information in the Automatic Location Identification/Data Management System (ALI/DMS) databases used to support 911/E911 services.
- 3.21 Pursuant to 47 C.F.R. § 51.617, BellSouth shall bill to Verizon Ave, and Verizon Ave shall pay, the End User common line charges identical to the End User common line charges BellSouth bills its End Users.

#### 4 BellSouth's Provision of Services to Verizon Ave

- 4.1 Resale of BellSouth services shall be as follows:
- 4.1.1 The resale of telecommunications services shall be limited to users and uses conforming to the class of service restrictions.
- 4.1.2 Hotel and Hospital PBX services are the only telecommunications services available for resale to Hotel/Motel and Hospital End Users, respectively. Similarly, Access Line Service for Customer Provided Coin Telephones is the only local service available for resale to Payphone Service Provider (PSP) customers. Shared Tenant Service customers can only be sold those local exchange access services available in BellSouth's GSST, Section A23, Shared Tenant Service Section in the states of Florida, Georgia, North Carolina and South Carolina, and in A27 in the states of Alabama, Kentucky, Louisiana, Mississippi and Tennessee.
- 4.1.3 BellSouth reserves the right to periodically audit services purchased by Verizon Ave to establish authenticity of use. Such audit shall not occur more than once in a calendar year. Verizon Ave shall make any and all records and data available to BellSouth or BellSouth's auditors on a reasonable basis. BellSouth shall bear the cost of said audit. Any information provided by Verizon Ave for purposes of

Version: 2Q05 Standard ICA

- such audit shall be deemed Confidential Information pursuant to the General Terms and Conditions.
- 4.2 Subject to Exhibit A hereto, resold services can only be used in the same manner as specified in BellSouth's Tariffs. Resold services are subject to the same terms and conditions as are specified for such services when furnished to an individual End User of BellSouth in the appropriate section of BellSouth's Tariffs. Specific tariff features (e.g., a usage allowance per month) shall not be aggregated across multiple resold services.
- 4.3 If Verizon Ave cancels an order for resold services, any costs incurred by BellSouth in conjunction with provisioning of such order will be recovered in accordance with BellSouth's GSST and Private Line Services Tariffs.
- 4.4 <u>Service Jointly Provisioned with an Independent Company or CLEC</u>
- 4.4.1 BellSouth will in some instances provision resold services in accordance with BellSouth's GSST and Private Line Tariffs jointly with an Independent Company (ICO) or other CLEC.
- 4.4.2 When Verizon Ave assumes responsibility for such service, all terms and conditions defined in the Tariff will apply for services provided within the BellSouth service area only.
- 4.4.3 Service terminating in an ICO or other CLEC area will be provisioned and billed by the ICO or other CLEC directly to Verizon Ave.
- 4.4.4 Verizon Ave must establish a billing arrangement with the ICO or other CLEC prior to assuming an End User account where such circumstances apply.
- 4.4.5 Specific guidelines regarding such services are available on the BellSouth Interconnection Web site.

#### 5. Maintenance of Services

- 5.1 Services resold pursuant to this Attachment and BellSouth's GSST and Private Line Service Tariff and facilities and equipment provided by BellSouth shall be maintained by BellSouth.
- Verizon Ave or its End Users may not rearrange, move, disconnect, remove or attempt to repair any facilities owned by BellSouth except with the written consent of BellSouth.
- Verizon Ave accepts responsibility to notify BellSouth of situations that arise that may result in a service problem.
- Verizon Ave will contact the appropriate repair centers in accordance with procedures established by BellSouth.
- For all repair requests, Verizon Ave shall adhere to BellSouth's prescreening guidelines prior to referring the trouble to BellSouth.
- BellSouth reserves the right to contact Verizon Ave's End Users, if deemed necessary, for maintenance purposes.

#### **6.** Discontinuance of Service

Version: 2Q05 Standard ICA

- 6.1 The procedures for discontinuing service to an End User are as follows:
- 6.1.1 BellSouth will deny service to Verizon Ave's End User on behalf of, and at the request of, Verizon Ave. Upon restoration of the End User's service, restoral charges will apply and will be the responsibility of Verizon Ave.
- At the request of Verizon Ave, BellSouth will disconnect a Verizon Ave End User.
- All requests by Verizon Ave for denial or disconnection of an End User for nonpayment must be in writing.
- Verizon Ave will be made solely responsible for notifying the End User of the proposed disconnection of the service.
- 6.1.5 BellSouth will continue to process calls made to the Annoyance Call Center and will advise Verizon Ave when it is determined that annoyance calls are originated from one of its End User's locations. BellSouth shall be indemnified, defended and held harmless by Verizon Ave and/or the End User against any claim, loss or damage arising from providing this information to Verizon Ave. It is the responsibility of Verizon Ave to take the corrective action necessary with its End Users who make annoying calls. (Failure to do so will result in BellSouth's disconnecting the End User's service.)

## 7. White Pages Listings

- 7.1 BellSouth shall provide Verizon Ave and its End Users access to white pages directory listings under the following terms:
- 7.1.1 Listings. Verizon Ave shall provide all new, changed and deleted listings on a timely basis and BellSouth or its agent will include Verizon Ave residential and business End User listings in the appropriate White Pages (residential and business) or alphabetical directories in the geographic areas covered by this Agreement. Directory listings will make no distinction between Verizon Ave and BellSouth End Users. Verizon Ave shall provide listing information in accordance with the procedures set forth in The BellSouth Business Rules for Local Ordering found at BellSouth's Interconnection Services Web site.
- 7.1.2 <u>Unlisted/Non-Published End Users.</u> Verizon Ave will be required to provide to BellSouth the names, addresses and telephone numbers of all Verizon Ave End Users who wish to be omitted from directories. Unlisted/Non-Published listings will be subject to the rates as set forth in BellSouth's GSST and shall not be subject to the wholesale discount.
- 7.1.3 <u>Inclusion of Verizon Ave End Users in Directory Assistance Database.</u> BellSouth will include and maintain Verizon Ave End User listings in BellSouth's Directory Assistance databases. Verizon Ave shall provide such Directory Assistance listings to BellSouth at no charge.
- 7.1.4 <u>Listing Information Confidentiality.</u> BellSouth will afford Verizon Ave's directory listing information the same level of confidentiality that BellSouth affords its own directory listing information.

Version: 2Q05 Standard ICA

- 7.1.5 Additional and Designer Listings. Additional and designer listings will be offered by BellSouth at tariffed rates as set forth in BellSouth's GSST and shall not be subject to the wholesale discount.
- 7.1.6 <u>Rates.</u> So long as Verizon Ave provides listing information to BellSouth as set forth in Section 7.1.2 above, BellSouth shall provide to Verizon Ave one (1) basic White Pages directory listing per Verizon Ave End User at no charge other than the manual service order charge or the electronic service order charge, as appropriate, as described in Attachment 6.
- 7.2 <u>Directories.</u> BellSouth or its agent shall make available White Pages directories to Verizon Ave End User at no charge or as specified in a separate agreement between Verizon Ave and BellSouth's agent.
- 7.3 Procedures for submitting Verizon Ave Subscriber Listing Information (SLI) are found in The BellSouth Business Rules for Local Ordering found at BellSouth's Interconnection Services Web site.
- 7.3.1 Verizon Ave authorizes BellSouth to release all Verizon Ave SLI provided to BellSouth by Verizon Ave to qualifying third parties pursuant to either a license agreement or BellSouth's Directory Publishers Database Service (DPDS) in BellSouth's GSST. Such Verizon Ave SLI shall be intermingled with BellSouth's own End User listings and listings of any other CLEC that has authorized a similar release of SLI.
- No compensation shall be paid to Verizon Ave for BellSouth's receipt of Verizon Ave's SLI, or for the subsequent release to third parties of such SLI. In addition, to the extent BellSouth incurs costs to modify its systems to enable the release of Verizon Ave's SLI, or costs on an ongoing basis to administer the release of Verizon Ave's SLI, Verizon Ave shall pay to BellSouth its proportionate share of the reasonable costs associated therewith. At any time that costs may be incurred to administer the release of Verizon Ave's SLI, Verizon Ave will be notified. If Verizon Ave does not wish to pay its proportionate share of these reasonable costs, Verizon Ave may instruct BellSouth that it does not wish to release its SLI to independent publishers, and Verizon Ave shall amend this Agreement accordingly. Verizon Ave will be liable for all costs incurred until the effective date of the amendment.
- Neither BellSouth nor any agent shall be liable for the content or accuracy of any SLI provided by Verizon Ave under this Agreement. Verizon Ave shall indemnify, except to the extent caused by BellSouth's gross negligence or willful misconduct, hold harmless and defend BellSouth and its agents from and against any damages, losses, liabilities, demands, claims, suits, judgments, costs and expenses (including but not limited to reasonable attorneys' fees and expenses) arising from BellSouth's Tariff obligations or otherwise and resulting from or arising out of any third party's claim of inaccurate Verizon Ave listings or use of the SLI provided pursuant to this Agreement. BellSouth may forward to Verizon Ave any complaints received by BellSouth relating to the accuracy or quality of Verizon Ave listings.

changes and/or update scheduling requirements. 8. **Operator Services (Operator Call Processing and Directory Assistance)** 8.1 Operator Call Processing (OCP) provides: (1) operator handling for call completion (for example, collect, third number billing, and manual calling-card calls); (2) operator or automated assistance for billing after the End User has dialed the called number (for example, calling card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call and operator-assisted Directory Assistance (DA). 8.2 Upon request for BellSouth OCP. BellSouth shall: 8.2.1 Process 0+ and 0- dialed local calls. 8.2.2 Process 0+ and 0- intraLATA toll calls. 8.2.3 Process calls that are billed to Verizon Ave End User's calling card that can be validated by BellSouth. 8.2.4 Process person-to-person calls. 8.2.5 Process collect calls. 8.2.6 Provide the capability for callers to bill a third party and shall also process such calls. 8.2.7 Process station-to-station calls. 8.2.8 Process Busy Line Verify and ELI requests. 8.2.9 Process emergency call trace originated by PSAP. 8.2.10 Process operator-assisted DA calls. 8.2.11 Adhere to equal access requirements, providing Verizon Ave local End Users the same IXC access that BellSouth provides its own operator service (OS). 8.2.12 Exercise at least the same level of fraud control in providing OS to Verizon Ave that BellSouth provides for its own OS. 8.2.13 Perform Billed Number Screening when handling Collect, Person-to-Person, and Billed-To-Third-Party calls. 8.2.14 Direct customer account and other similar inquiries to the customer service center designated by Verizon Ave. 8.2.15 Provide call records to Verizon Ave in accordance with Optional Daily Usage File (ODUF) standards. 8.2.16 The interface requirements shall conform to the interface specifications for the platform used to provide OS as long as the interface conforms to industry standards. 8.3 **DA Service** 

Listings and subsequent updates will be released consistent with BellSouth system

Version: 2Q05 Standard ICA

07/06/05

7.3.4

- 8.3.1 DA Service provides local and non-local End User telephone number listings with the option to complete the call at the caller's direction separate and distinct from local switching.
- 8.3.2 DA Service shall provide up to two (2) listing requests per call, if available and if requested by Verizon Ave's End User. BellSouth shall provide caller-optional DA call completion service at rates set forth in BellSouth's GSST to one of the provided listings.
- 8.4 <u>DA Service Updates.</u> BellSouth shall update End User listings changes daily. These changes include:
- 8.4.1 New End User connections;
- 8.4.2 End User disconnections;
- 8.4.3 End User address changes; and
- Non-listed and non-published numbers for use in emergencies.

### 9. Branding for Wholesale OCP and DA

- 9.1 BellSouth's branding feature provides a definable announcement to Verizon Ave's End Users using BellSouth's DA/OCP prior to placing such End Users in queue or connecting them to an available operator or automated operator system. This feature allows Verizon Ave to have its calls custom branded with Verizon Ave's name on whose behalf BellSouth is providing DA and/or OCP. Rates for the branding features are set forth in Exhibit D.
- 9.2 BellSouth offers three (3) branding options to Verizon Ave when ordering BellSouth's DA and OCP: BellSouth Branding, Unbranding and Custom Branding.
- 9.3 Verizon Ave's order for Custom Branding is considered firm ten (10) business days after BellSouth's receipt of the order. Verizon Ave may cancel its order more than ten (10) business days after BellSouth's receipt of the order. Verizon Ave shall notify BellSouth in writing and shall pay all charges per the order. For branding and unbranding via Originating Line Number Screening (OLNS), Verizon Ave must contact its Local Contract Manager to initiate the order via the OLNS Branding Order form.

## 9.4 Branding via OLNS

- 9.4.1 BellSouth Branding, Unbranding and Custom Branding are also available for DA, OCP or both via OLNS software. When utilizing this method of Unbranding or Custom Branding, Verizon Ave shall not be required to purchase dedicated trunking.
- 9.4.2 BellSouth Branding is the default branding offering.
- 9.4.3 For BellSouth to provide Unbranding or Custom Branding via OLNS software for OCP or for DA, Verizon Ave must have its Operating Company Number (OCN(s)) and telephone numbers reside in BellSouth's Line Information Database (LIDB). To implement Unbranding and Custom Branding via OLNS

Version: 2Q05 Standard ICA

software, Verizon Ave must submit a manual order form which requires, among other things, Verizon Ave's OCN and a forecast, pursuant to the appropriate BellSouth form provided, for the traffic volume anticipated for each BellSouth Traffic Operator Position System (TOPS) during the peak busy hour. Verizon Ave shall provide updates to such forecast on a quarterly basis and at any time such forecasted traffic volumes are expected to change significantly. Upon Verizon Ave's purchase of Unbranding or Custom Branding using OLNS software for any particular TOPS, all Verizon Ave End Users served by that TOPS will receive the Unbranded "no announcement" or the Custom Branded announcement.

### 10. LIDB

- BellSouth LIDB stores current information on working telephone numbers and billing account numbers. LIDB data is used by providers of Telecommunications Services to validate billing of collect calls, calls billed to a third party number and nonproprietary calling card calls, to screen out attempts to bill calls to payphones, for billing and for fraud prevention.
- Where Verizon Ave is purchasing Resale services BellSouth shall utilize BellSouth's service order generated from Verizon Ave LSR's to populate LIDB with Verizon Ave's End User information. BellSouth provides access to information in its LIDB, including Verizon Ave End User information, to various providers of Telecommunications Services via queries to LIDB pursuant to applicable tariffs. Information stored for Verizon Ave, pursuant to this Agreement, shall be available to those Telecommunications Service providers.
- When necessary for fraud control measures, BellSouth may perform additions, updates and deletions of Verizon Ave data to the LIDB (e.g., calling card deactivation).
- 10.3 <u>Responsibilities of the Parties</u>
- 10.3.1 BellSouth will administer the data provided by Verizon Ave pursuant to this Agreement in the same manner as BellSouth administers its own data.
- 10.3.2 Verizon Ave is responsible for completeness and accuracy of the data being provided to BellSouth.
- 10.3.3 BellSouth shall not be responsible to Verizon Ave for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.
- 11. Revenue Accounting Office (RAO) Hosting
- 11.2 RAO Hosting is not required for resale in the BellSouth region.
- 12. Optional Daily Usage File (ODUF)
- 12.1 The ODUF Agreement with terms and conditions is included in this Attachment as Exhibit B. Rates for ODUF are as set forth in Exhibit D.
- BellSouth will provide ODUF service upon written request.

Version: 2Q05 Standard ICA

- 13. Enhanced Optional Daily Usage File (EODUF)
- The EODUF service Agreement with terms and conditions is included in this Attachment as Exhibit C. Rates for EODUF are as set forth in Exhibit D.
- BellSouth will provide EODUF service upon written request.

# **EXCLUSIONS AND LIMITATIONS ON SERVICES AVAILABLE FOR RESALE (Note 4)**

Type of Service		AL		FL		GA	]	KY	]	LA	I	MS		NC		SC	,	ΓN
Type of Service	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount
1 Grandfathered Services (Note 1)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
2 Promotions - > 90 Days(Note 2 & 3)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
3 Promotions - ≤ 90 Days (Note 2 & 3)	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
4 Lifeline/Link Up Services	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
5 911/E911 Services	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
6 N11 Services (Note 1)	Yes	Yes	Yes	Yes	Yes	Yes	No	No	No	No	Yes	Yes	Yes	Yes	No	No	Yes	Yes
7 MemoryCall <sup>®</sup> Service		No	No	No	No	No	No	No	Yes	No	No	No	No	No	Yes	No	No	No
8 Mobile Services	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
9 Federal Subscriber Line Charges	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
10 Nonrecurring Charges	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No
11 End User Line Chg- Number Portability	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
12 Public Telephone Access Svc(PTAS)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes
13 Inside Wire Maint Service Plan	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
Applicable N																		
1. Grandfather											. 10				.,	D 110		
2. Where availal									would h	ave qualif	ied for t	he promot	ion had	it been pr	ovided b	by BellSou	th direc	tly.
3. Promotions sh			•			1 1					1 00							
4. Some of Bells	south's lo	cal exchar	nge and	toll teleco	mmunic	ations serv	vices are	e not availa	able in c	ertain cent	tral offic	es and are	eas.					

Version: 2Q05 Standard ICA

# **Optional Daily Usage File**

1.	Upon written request from Verizon Ave, BellSouth will provide the ODUF service to Verizon Ave pursuant to the terms and conditions set forth in this section.
2.	Verizon Ave shall furnish all relevant information required by BellSouth for the provision of the ODUF.
3.	The ODUF feed provides Verizon Ave messages that were carried over the BellSouth network and processed by BellSouth for Verizon Ave.
4.	Charges for ODUF will appear on Verizon Ave's monthly bills for the previous month's usage in arrears. The charges are as set forth in Exhibit D.
5.	The ODUF feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) Exchange Message Interface (EMI) record format.
6.	ODUF Specifications
6.1	ODUF Message to be Transmitted
6.1.1	The following messages recorded by BellSouth will be transmitted to Verizon Ave:
6.1.1.1	Message recording for per use/per activation type services (examples: Three Way Calling, Verify, Interrupt, Call Return, etc.);
6.1.1.2	Measured local calls;
6.1.1.3	Directory Assistance messages;
6.1.1.4	IntraLATA Toll;
6.1.1.5	WATS and 800 Service;
6.1.1.6	N11;
6.1.1.7	Information Service Provider Messages;
6.1.1.8	OS Messages;
6.1.1.9	OS Message Attempted Calls;
6.1.1.10	Credit/Cancel Records; and
6.1.1.11	Usage for Voice Mail Message Service.
6.1.2	Rated Incollects (messages BellSouth receives from other revenue accounting offices) appear on ODUF. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately.
6.1.3	BellSouth will perform duplicate record checks on records processed to ODUF. Any duplicate messages detected will be deleted and not sent to Verizon Ave.

Version: 2Q05 Standard ICA

- 6.1.4 In the event that Verizon Ave detects a duplicate on ODUF they receive from BellSouth, Verizon Ave will drop the duplicate message and will not return the duplicate to BellSouth.
- 6.2 ODUF Physical File Characteristics
- ODUF will be distributed to Verizon Ave via Secure File Transfer Protocol (FTP). The ODUF feed will be a variable block format. The data on the ODUF feed will be in a non-compacted EMI format (one hundred seventy-five (175) byte format plus modules). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one (1) dataset per workday per OCN. If BellSouth determines the Secure FTP Mailbox is nearing capacity levels, BellSouth may move the customer to CONNECT:Direct file delivery.
- 6.2.2 If the customer is moved, CONNECT:Direct data circuits (private line or dial-up) will be required between BellSouth and Verizon Ave for the purpose of data transmission. Where a dedicated line is required, Verizon Ave will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Verizon Ave will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit messages successfully on an ongoing basis will be negotiated on an individual case basis. Any costs incurred for such equipment will be Verizon Ave's responsibility. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Verizon Ave. Additionally, all message toll charges associated with the use of the dial circuit by Verizon Ave will be the responsibility of Verizon Ave. Associated equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on Verizon Ave's end for the purpose of data transmission will be the responsibility of Verizon Ave.
- 6.2.3 If Verizon Ave utilizes FTP for data file transmission, purchase of the FTP software will be the responsibility of Verizon Ave.
- 6.3 ODUF Packing Specifications
- 6.3.1 The data will be packed using ATIS EMI records. A pack will contain a minimum of one (1) message record or a maximum of ninety-nine thousand nine hundred and ninety-nine (99,999) message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of ninety-nine (99) packs and a minimum of one (1) pack.
- The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Verizon Ave which BellSouth RAO is sending the message. BellSouth and Verizon Ave will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Verizon Ave and resend the data as appropriate.

## 6.4 ODUF Pack Rejection

6.4.1 Verizon Ave will notify BellSouth within one (1) business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (e.g., out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI error codes will be used. Verizon Ave will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to Verizon Ave by BellSouth.

#### 6.5 ODUF Control Data

Verizon Ave will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate Verizon Ave's receipt of the pack and the acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by Verizon Ave for reasons stated in the above section.

## 6.6 <u>ODUF Testing</u>

6.6.1 Upon request from Verizon Ave, BellSouth shall send ODUF test files to Verizon Ave. The Parties agree to review and discuss the ODUF file content and/or format. For testing of usage results, BellSouth shall request that Verizon Ave set up a production (live) file. The live test may consist of Verizon Ave's employees making test calls for the types of services Verizon Ave requests on ODUF. These test calls are logged by Verizon Ave, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be completed within thirty (30) days from the date on which the initial test file was sent.

Version: 2Q05 Standard ICA

## **Enhanced Optional Daily Usage File**

- 1. Upon written request from Verizon Ave, BellSouth will provide the EODUF service to Verizon Ave pursuant to the terms and conditions set forth in this section. EODUF will only be sent to existing ODUF subscribers who request the EODUF option.
- 2. Verizon Ave shall furnish all relevant information required by BellSouth for the provision of the EODUF.
- 3. The EODUF will provide usage data for local calls originating from resold Flat Rate Business and Residential Lines.
- 4. Charges for EODUF will appear on Verizon Ave's monthly bills for the previous month's usage in arrears. The charges are as set forth in Exhibit D.
- 5. All messages will be in the standard ATIS EMI record format.
- Messages that error in the billing system of Verizon Ave will be the responsibility of Verizon Ave. If, however, Verizon Ave should encounter significant volumes of errored messages that prevent processing by Verizon Ave within its systems, BellSouth will work with Verizon Ave to determine the source of the errors and the appropriate resolution.
- 7. EODUF Specifications
- 7.1 EODUF Usage To Be Transmitted
- 7.1.1 The following messages recorded by BellSouth will be transmitted to Verizon Ave:
- 7.1.1.1 Customer usage data for flat rated local calls originating from Verizon Ave's End User lines (1FB or 1FR). The EODUF record for flat rate messages will include:
- 7.1.1.1.1 Date of Call
- 7.1.1.1.2 From Number
- 7.1.1.1.3 To Number
- 7.1.1.1.4 Connect Time
- 7.1.1.1.5 Conversation Time
- 7.1.1.1.6 Method of Recording
- 7.1.1.1.7 From RAO
- 7.1.1.1.8 Rate Class
- 7.1.1.1.9 Message Type
- 7.1.1.1.10 Billing Indicators
- 7.1.1.1.11 Bill to Number

Version: 2Q05 Standard ICA

- 7.1.2 BellSouth will perform duplicate record checks on EODUF records processed to ODUF. Any duplicate messages detected will be deleted and not sent to Verizon Ave.
- 7.1.3 In the event that Verizon Ave detects a duplicate on EODUF they receive from BellSouth, Verizon Ave will drop the duplicate message and will not return the duplicate to BellSouth.
- 7.2 EODUF Physical File Characteristics
- 7.2.1 EODUF feed will be distributed to Verizon Ave via FTP. The EODUF messages will be intermingled among Verizon Ave's ODUF messages. The EODUF will be a variable block format. The data on the EODUF will be in a non-compacted EMI format (one hundred seventy-five (175) byte format plus modules). It will be created on a daily basis Monday through Friday except holiday. If BellSouth determines the Secure FTP mailbox is nearing capacity levels, BellSouth may move the customer to CONNECT:Direct file delivery.
- 7.2.2 Data circuits (private line or dial-up) may be required between BellSouth and Verizon Ave for the purpose of data transmission. Where a dedicated line is required, Verizon Ave will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. Verizon Ave will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on an individual case basis. Where a dialup facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to Verizon Ave. Additionally, all message toll charges associated with the use of the dial circuit by Verizon Ave will be the responsibility of Verizon Ave. Associated equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on Verizon Ave's end for the purpose of data transmission will be the responsibility of Verizon Ave.
- 7.2.3 If Verizon Ave utilizes FTP for data file transmission, purchase of the FTP software will be the responsibility of Verizon Ave.
- 7.3 EODUF Packing Specifications
- 7.3.1 The data will be packed using ATIS EMI records. A pack will contain a minimum of one (1) message record or a maximum of ninety-nine thousand nine hundred and ninety-nine (99,999) message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of ninety-nine (99) packs and a minimum of one (1) pack.
- The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to Verizon Ave which BellSouth RAO is sending the message. BellSouth and Verizon Ave will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by Verizon Ave and resend the data as appropriate.

	SCOUNTS & RATES - Florida												Attachment:	1 Exh D		
											Submitted	Submitted	Charge -	Incremental Charge -	Charge -	Incrementa Charge -
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'l	Manual Svc Order vs. Electronic- Disc 1st	Manual Sv Order vs. Electronic Disc Add
			1		-		Nonrec	urring	Nonrecurring	n Disconnect			088	Rates(\$)		
			1		+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
								71441		7.44	0020	00				
APPLICABLE	DISCOUNTS															
	Residence %					21.83										
	Business %					16.81										
	CSAs %					16.81										
OPERATIONS	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
	of the 9 states.  OSS - Electronic Service Order Charge, Per Local Service	ice orde	ering ch	arges, or CLEC ma	y elect the re	gional service o	ordering charge	e, however, Cl	EC can not ob	otain a mixture	of the two	regardless i	f CLEC has a	interconnecti	ion contract e	stablished i
	Request (LSR) - Resale Only				SOMEC		3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge, Per Local Service Request (LSR) - Resale Only				SOMAN		19.99	0.00	19.99	0.00						
DIRECTORY A	ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFT	WARE													
DIRECTORY A	Recording of DA Custom Branded Announcement	SOFT	WARE				3,000.00	3,000.00								
	Recording of DA Custom Branded Announcement Loading of DA Custom Branded Anouncement per Switch per OCN	SOFT	WARE				3,000.00	3,000.00								
	Recording of DA Custom Branded Announcement Loading of DA Custom Branded Anouncement per Switch per OCN SSISTANCE UNBRANDING via OLNS SOFTWARE	SOFT	WARE				,	1,170.00								
	Recording of DA Custom Branded Announcement Loading of DA Custom Branded Anouncement per Switch per OCN SSISTANCE UNBRANDING via OLNS SOFTWARE Loading of DA per OCN (1 OCN per Order)	SOFT	WARE				1,170.00	1,170.00								
DIRECTORY A	Recording of DA Custom Branded Announcement Loading of DA Custom Branded Anouncement per Switch per OCN INSURANCE UNBRANDING via OLNS SOFTWARE Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN						1,170.00	1,170.00								
DIRECTORY A	Recording of DA Custom Branded Announcement Loading of DA Custom Branded Anouncement per Switch per OCN ASSISTANCE UNBRANDING via OLNS SOFTWARE Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS						1,170.00 420.00 16.00	1,170.00 420.00 16.00								
DIRECTORY A	Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN ISSISTANCE UNBRANDING via OLNS SOFTWARE Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement						1,170.00	1,170.00								
DIRECTORY A	Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN SSISTANCE UNBRANDING via OLNS SOFTWARE Loading of DA per OCN (1 OCN per Order) Loading of DA Per Switch per OCN SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN						1,170.00 420.00 16.00	1,170.00 420.00 16.00								
DIRECTORY A	Recording of DA Custom Branded Announcement Loading of DA Custom Branded Anouncement per Switch per OCN ISSISTANCE UNBRANDING via OLNS SOFTWARE Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Loading of OA Custom Branded Announcement per Switch per OCN						1,170.00 420.00 16.00 7,000.00	1,170.00 420.00 16.00 7,000.00								
DIRECTORY A	Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN ISSISTANCE UNBRANDING via OLNS SOFTWARE Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Loading of OA Custom Branded Announcement per Switch per OCN SSISTANCE UNBRANDING via OLNS SOFTWARE						1,170.00 420.00 16.00 7,000.00 500.00 1,170.00	1,170.00 420.00 16.00 7,000.00 500.00 1,170.00								
DIRECTORY A	Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN SSISTANCE UNBRANDING via OLNS SOFTWARE Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Loading of OA Custom Branded Announcement per Switch per OCN SSISTANCE UNBRANDING via OLNS SOFTWARE Loading of OA per OCN (Regional)						1,170.00 420.00 16.00 7,000.00 500.00	1,170.00 420.00 16.00 7,000.00 500.00								
DPERATOR A DPERATOR A DDPERATOR A DDUF/EODUF	Recording of DA Custom Branded Announcement Loading of DA Custom Branded Anouncement per Switch per OCN ISSISTANCE UNBRANDING via OLNS SOFTWARE Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Loading of OA Custom Branded Announcement per Switch per OCN SSISTANCE UNBRANDING via OLNS SOFTWARE Loading of OA per OCN (Regional) SERVICES						1,170.00 420.00 16.00 7,000.00 500.00 1,170.00	1,170.00 420.00 16.00 7,000.00 500.00 1,170.00								
DPERATOR A DPERATOR A DDPERATOR A DDUF/EODUF	Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN ISSISTANCE UNBRANDING via OLNS SOFTWARE Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Loading of OA Custom Branded Announcement per Switch per OCN SSISTANCE UNBRANDING via OLNS SOFTWARE Loading of OA per OCN (Regional) SERVICES INAL DAILY USAGE FILE (ODUF)						1,170.00 420.00 16.00 7,000.00 500.00 1,170.00	1,170.00 420.00 16.00 7,000.00 500.00 1,170.00								
DPERATOR A DPERATOR A DDPERATOR A DDUF/EODUF	Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN SSISTANCE UNBRANDING via OLNS SOFTWARE Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Loading of OA Custom Branded Announcement per Switch per OCN SSISTANCE UNBRANDING via OLNS SOFTWARE Loading of OA per OCN (Regional) SERVICES UNAL DAILY USAGE FILE (ODUF) ODUF: Recording, per message					0.0000071	1,170.00 420.00 16.00 7,000.00 500.00 1,170.00	1,170.00 420.00 16.00 7,000.00 500.00 1,170.00								
DPERATOR A DPERATOR A DDPERATOR A DDUF/EODUF	Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN  SSISTANCE UNBRANDING via OLNS SOFTWARE Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Loading of OA Custom Branded Announcement per Switch per OCN SSISTANCE UNBRANDING via OLNS SOFTWARE Loading of OA per OCN (Regional) SERVICES NAL DAILY USAGE FILE (ODUF) ODUF: Recording, per message ODUF: Message Processing, per message					0.002146	1,170.00 420.00 16.00 7,000.00 500.00 1,170.00	1,170.00 420.00 16.00 7,000.00 500.00 1,170.00								
DPERATOR A DPERATOR A DDPERATOR A DDUF/EODUF	Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN ISSISTANCE UNBRANDING via OLNS SOFTWARE Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN SSISTANCE USTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Loading of OA Custom Branded Announcement per Switch per OCN SSISTANCE UNBRANDING via OLNS SOFTWARE Loading of OA per OCN (Regional) SERVICES DIAL DAILY USAGE FILE (ODUF) ODUF: Recording, per message ODUF: Message Processing, per message ODUF: Message Processing, per Magnetic Tape provisioned					0.002146 35.91	1,170.00 420.00 16.00 7,000.00 500.00 1,170.00	1,170.00 420.00 16.00 7,000.00 500.00 1,170.00								
DPERATOR A  DPERATOR A  DPERATOR A  DPERATOR A	Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN  SSISTANCE UNBRANDING via OLNS SOFTWARE Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Loading of OA Custom Branded Announcement per Switch per OCN SSISTANCE UNBRANDING via OLNS SOFTWARE Loading of OA per OCN (Regional) SERVICES NAL DAILY USAGE FILE (ODUF) ODUF: Recording, per message ODUF: Message Processing, per message					0.002146	1,170.00 420.00 16.00 7,000.00 500.00 1,170.00	1,170.00 420.00 16.00 7,000.00 500.00 1,170.00								

RESALE DISCOUNTS & RATES - Georgia												Attachment:	1 Exh D		
										Submitted	Submitted	Charge -	Incremental Charge -	Charge -	Incrementa Charge -
CATEGORY RATE ELEMENTS	Interi m	Zone	BCS	USOC	RATES(\$)					Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-	Manual Sv Order vs. Electronic
												1st	Add'l	Disc 1st	Disc Add'
	1	1 1		†	B	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	1														
APPLICABLE DISCOUNTS		1													<b></b>
Residence %		1			20.30										<b></b>
Business % CSAs %	-	-		_	17.30 17.30										-
OPERATIONS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	-	+ - 1		+	17.30										<b>├</b>
NOTE: (1) CLEC should contact its contract negotiator if it prefers	la latat		- 000		ha Ctata Camun	inniana Tha C	CC -b				the Delice		 		CI FC
elect either the state specific Commission ordered rates for the ser each of the 9 states.  OSS - Electronic Service Order Charge, Per Local Service	1	T T		1	1	J. 40g	.,	I		1			I	I	T
Request (LSR) - Resale Only				SOMEC		3.50	0.00	3.50	0.00						
OSS - Manual Service Order Charge, Per Local Service Reques (LSR) - Resale Only				SOMAN		19.99	0.00	19.99	0.00						
DIRECTORY ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLN	S SOFT	WARE													
Recording of DA Custom Branded Announcement						3,000.00	3,000.00								
Loading of DA Custom Branded Anouncement per Switch per OCN						1,170.00	1,170.00								
DIRECTORY ASSISTANCE UNBRANDING via OLNS SOFTWARE	1														
Loading of DA per OCN (1 OCN per Order)						420.00	420.00								
Loading of DA per Switch per OCN						16.00	16.00								
DPERATOR ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLN	S SOFT	VARE													
Recording of Custom Branded OA Announcement						7,000.00	7,000.00								
Loading of Custom Branded OA Announcement per shelf/NAV per OCN						500.00	500.00								
Loading of OA Custom Branded Announcement per Switch per OCN						1,170.00	1,170.00								
OPERATOR ASSISTANCE UNBRANDING via OLNS SOFTWARE	İ														
Loading of OA per OCN (Regional)	İ					1,200.00	1,200.00								
DDUF/EODUF SERVICES															
OPTIONAL DAILY USAGE FILE (ODUF)			•				•								
ODUF: Recording, per message					0.0000068										
ODUF: Message Processing, per message					0.002167										
ODUF: Message Processing, per Magnetic Tape provisioned			<u>-</u>		36.06										
ODUF: Data Transmission (CONNECT:DIRECT), per message	1				0.00010856										
ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)															<b></b>
EODUF: Message Processing, per message	1				0.227409										1

RESALE DI	SCOUNTS & RATES - South Carolina												Attachment:	1 Exh D		
0, Di	- Country Coun	1	1		1						Svc Order	Svc Order		Incremental	Incremental	Incremental
												Submitted				
														Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Elec				Manual Svc	Manual Svc
CATEGORI	RATE ELEMENTS	m	Zone	603	0300			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
		<del>                                     </del>	1		+		Nonrec	urring	Nonrecurring	Disconnect		L	oss	Rates(\$)	I.	I.
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
								71441		7.44	0020	00				
APPLICABLE	DISCOUNTS															
1	Residence %		1			14.80										
	Business %					14.80										
	CSAs %					8.98										
OPERATIONS	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"		1													
	: (1) CLEC should contact its contract negotiator if it prefers th	e "state	e speci	fic" OSS charges as	ordered by t	he State Comm	issions. The C	SS charges c	urrently contai	ned in this rat	e exhibit are	the BellSo	uth "regional	" service orde	ring charges.	CLFC may
	either the state specific Commission ordered rates for the servi															
	of the 9 states.	100 014	oiling oi	larges, or occorna	y cicot the re	gioriai scriioc i	oracining onargo	o, 110 W C V C 1 , O 1		ruin a mixture	or the two	regulatess i	. OLLO mas a	microomicon	on contract c	Stabilolica III
eacii	OSS - Electronic Service Order Charge, Per Local Service	1	1		1						1	1				
	Request (LSR) - Resale Only				SOMEC		3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge, Per Local Service Request		+		SOIVILO		3.30	0.00	3.30	0.00	1					
	(LSR) - Resale Only				SOMAN		19.99	0.00	19.99	0.00						
DIRECTORY A	ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	COET	MADE	-	SOIVIAIN	ļ	19.99	0.00	19.99	0.00	<b>-</b>	<b>-</b>				
DIRECTORT	Recording of DA Custom Brandled Announcement	JOFT	WARE	-	<b>+</b>	ļ	3,000.00	3.000.00			<b>-</b>	<b>-</b>				
<b></b>	Loading of DA Custom Branded Annual Cement  Loading of DA Custom Branded Annual Per Switch per	<del>                                     </del>	+	-	<b>+</b>	ļ	3,000.00	3,000.00			<b>-</b>	<b>-</b>				
	OCN						1,170.00	1,170.00								
DIRECTORY A	ASSISTANCE UNBRANDING via OLNS SOFTWARE															
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00								
	Loading of DA per Switch per OCN						16.00	16.00								
OPERATOR A	SSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLNS	SOFT	NARE													
	Recording of Custom Branded OA Announcement						7,000.00	7,000.00								
	Loading of Custom Branded OA Announcement per shelf/NAV															
	per OCN						500.00	500.00								
	Loading of OA Custom Branded Announcement per Switch per															
	OCN						1,170.00	1,170.00								
OPERATOR A	SSISTANCE UNBRANDING via OLNS SOFTWARE															
	Loading of OA per OCN (Regional)						1,200.00	1,200.00								
ODUF/EODUF											1	1				
	NAL DAILY USAGE FILE (ODUF)															
	ONAL DAILY USAGE FILE (ODUF) ODUF: Recording, per message					0.0000216										
	ONAL DAILY USAGE FILE (ODUF)  ODUF: Recording, per message  ODUF: Message Processing, per message					0.0000216 0.004704										
	ONAL DAILY USAGE FILE (ODUF) ODUF: Recording, per message															
OPTIO	ONAL DAILY USAGE FILE (ODUF)  ODUF: Recording, per message  ODUF: Message Processing, per message  ODUF: Message Processing, per Magnetic Tape provisioned  ODUF: Data Transmission (CONNECT:DIRECT), per message					0.004704										
OPTIO	ONAL DAILY USAGE FILE (ODUF)  ODUF: Recording, per message  ODUF: Message Processing, per message  ODUF: Message Processing, per Magnetic Tape provisioned					0.004704 48.87										

RESALE DISCOUNTS & RATES - Tennessee												Attachment:	1 Exh D		
										Submitted	Submitted	Charge -	Incremental Charge -	Charge -	Incrementa Charge -
CATEGORY RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Elec per LSR	Manually per LSR	Order vs. Electronic-	Order vs. Electronic-	Manual Svc Order vs. Electronic-	Order vs.
												1st	Add'l	Disc 1st	Disc Add'l
					Rec	Nonrecurring		Nonrecurring	g Disconnect				Rates(\$)		
					1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE DISCOUNTS	1	-		-	<b>.</b>										
Residence %	+				16.00					1					
Business %				+	16.00					-	-				<b>+</b>
CSAs %	+	+		+	16.00					1	1				<del>                                     </del>
OPERATIONS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"				+	10.00					1					-
NOTE: (1) CLEC should contact its contract negotiator if it prefers t elect either the state specific Commission ordered rates for the serv each of the 9 states.															
OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - Resale Only				SOMEC		3.50	0.00	3.50	0.00						
OSS - Manual Service Order Charge, Per Local Service Reques (LSR) - Resale Only				SOMAN		19.99	0.00	19.99	0.00						
DIRECTORY ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLN	S SOFT	WARE													
Recording of DA Custom Branded Announcement						3,000.00	3,000.00								
Loading of DA Custom Branded Anouncement per Switch per OCN						1,170.00	1,170.00								
DIRECTORY ASSISTANCE UNBRANDING via OLNS SOFTWARE															
Loading of DA per OCN (1 OCN per Order)						420.00	420.00								
Loading of DA per Switch per OCN						16.00	16.00								
OPERATOR ASSISTANCE CUSTOM BRANDING ANNOUNCEMENT via OLN	SOFTV	VARE													
Recording of Custom Branded OA Announcement						7,000.00	7,000.00								
Loading of Custom Branded OA Announcement per shelf/NAV per OCN						500.00	500.00								
Loading of OA Custom Branded Announcement per Switch per OCN						1,170.00	1,170.00								
OPERATOR ASSISTANCE UNBRANDING via OLNS SOFTWARE															
Loading of OA per OCN (Regional)						1,200.00	1,200.00								
ODUF/EODUF SERVICES															
OPTIONAL DAILY USAGE FILE (ODUF)															
ODUF: Recording, per message					0.0000044										
ODUF: Message Processing, per message					0.002446										
ODUF: Message Processing, per Magnetic Tape provisioned					35.54										
ODUF: Data Transmission (CONNECT:DIRECT), per message					0.0000339										
ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)															
EODUF: Message Processing, per message	1				0.229779								l		

# **Attachment 2**

**Network Elements and Other Services** 

Version: 2Q05 Standard ICA

# **TABLE OF CONTENTS**

1	Introduction	3
2	Loops	7
3	Line Splitting	29
4	Local Switching	31
5	Unbundled Network Element Combinations	39
6	Dedicated Transport and Dark Fiber Transport	46
7	Call Related Databases and Signaling	54
8	Automatic Location Identification/Data Management System	63
9	White Page Listings	67
Ra	tes	Exhibit A
Ra	tes	Exhibit B

Version: 2Q05 Standard ICA

#### ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

#### 1 Introduction

- 1.1 This Attachment sets forth rates, terms and conditions for unbundled network elements (Network Elements) and combinations of Network Elements (Combinations) that BellSouth offers to Verizon Ave for Verizon Ave's provision of Telecommunications Services in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services BellSouth makes available to Verizon Ave (Other Services). Additionally, the provision of a particular Network Element or Other Service may require Verizon Ave to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.
- 1.2 The rates for each Network Element, Combinations and Other Services are set forth in Exhibits A and B. If no rate is identified in this Agreement, the rate will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party. If Verizon Ave purchases service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply. A one-month minimum billing period shall apply to all Network Elements, Combinations and Other Services.
- 1.3 Verizon Ave may purchase and use Network Elements and Other Services from BellSouth in accordance with 47 C.F.R § 51.309.
- 1.4 The Parties shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.5 Verizon Ave shall not obtain a Network Element for the exclusive provision of mobile wireless services or interexchange services.
- Conversion of Wholesale Services to Network Elements or Network Elements to Wholesale Services. Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent Network Element or Combination that is available to Verizon Ave pursuant to Section 251 of the Act and under this Agreement or convert a Network Element or Combination that is available to Verizon Ave pursuant to Section 251 of the Act and under this Agreement to an equivalent wholesale service or group of wholesale services offered by BellSouth (collectively "Conversion"). BellSouth shall charge the applicable nonrecurring switch-as-is rates for Conversions to specific Network Elements or Combinations found in Exhibit A. BellSouth shall also charge the same nonrecurring switch-as-is rates when converting from Network Elements or Combinations. Any rate change resulting from the Conversion will be effective as of the next billing cycle following BellSouth's receipt of a complete and accurate Conversion request from Verizon Ave. A Conversion shall be considered termination for purposes of any volume

Version: 2Q05 Standard ICA

and/or term commitments and/or grandfathered status between Verizon Ave and BellSouth. Any change from a wholesale service/group of wholesale services to a Network Element/Combination, or from a Network Element/Combination to a wholesale service/group of wholesale services, that requires a physical rearrangement will not be considered to be a Conversion for purposes of this Agreement. BellSouth will not require physical rearrangements if the Conversion can be completed through record changes only. Orders for Conversions will be handled in accordance with the guidelines set forth in the Ordering Guidelines and Processes and CLEC Information Packages as referenced in Sections 1.13.1 and 1.13.2 below.

- 1.7 Except to the extent expressly provided otherwise in this Attachment, Verizon Ave may not maintain unbundled network elements or combinations of unbundled network elements, that are no longer offered pursuant to this Agreement (collectively "Arrangements"). In the event BellSouth determines that Verizon Ave has in place any Arrangements after the Effective Date of this Agreement, BellSouth will provide Verizon Ave with thirty (30) days written notice to disconnect or convert such Arrangements. If Verizon Ave fails to submit orders to disconnect or convert such Arrangements within such thirty (30) day period, BellSouth will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth pursuant to this Section 1.7 shall be subject to all applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs. The applicable recurring tariff charge shall apply to each circuit as of the Effective Date of this Agreement.
- 1.8 Prior to submitting an order pursuant to this Agreement for high capacity (DS1 or above) Dedicated Transport or high capacity Loops, Verizon Ave shall undertake a reasonably diligent inquiry to determine whether Verizon Ave is entitled to unbundled access to such Network Elements in accordance with the terms of this Agreement. By submitting any such order, Verizon Ave self-certifies that to the best of Verizon Ave's knowledge, the high capacity Dedicated Transport or high capacity Loop requested is available as a Network Element pursuant to this Agreement. Upon receiving such order, BellSouth shall process the request in reliance upon Verizon Ave's self-certification. To the extent BellSouth believes that such request does not comply with the terms of this Agreement, BellSouth shall seek dispute resolution in accordance with the General Terms and Conditions of this Agreement. In the event such dispute is resolved in BellSouth's favor, BellSouth shall bill Verizon Ave the difference between the rates for such circuits pursuant to this Agreement and the applicable nonrecurring and recurring charges for the equivalent tariffed service from the date of installation to the date the circuit is transitioned to the equivalent tariffed service. Within thirty (30) days following a decision finding in BellSouth's favor, Verizon Ave shall submit a

Version: 2Q05 Standard ICA

spreadsheet identifying those non-compliant circuits to be transitioned to tariffed services or disconnected.

- 1.9 Verizon Ave may utilize Network Elements and Other Services to provide services in accordance with this Agreement, as long as such services are consistent with industry standards and applicable BellSouth Technical References.
- BellSouth will perform Routine Network Modifications (RNM) in accordance with FCC 47 C.F.R. § 51.319 (a)(7) and (e)(4) for Loops and Dedicated Transport provided under this Attachment. If BellSouth has anticipated such RNM and performs them during normal operations and has recovered the costs for performing such modifications through the rates set forth in Exhibit A, then BellSouth shall perform such RNM at no additional charge. RNM shall be performed within the intervals established for the Network Element and subject to the performance measurements and associated remedies set forth in Attachment 9 of this Agreement to the extent such RNM were anticipated in the setting of such intervals. If BellSouth has not anticipated a requested network modification as being a RNM and has not recovered the costs of such RNM in the rates set forth in Exhibit A, then such request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request and, upon receipt of payment from Verizon Ave, BellSouth shall perform the RNM.

## 1.11 <u>Commingling of Services</u>

- 1.11.1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Combination, to one or more Telecommunications Services or facilities that Verizon Ave has obtained at wholesale from BellSouth, or the combining of a Network Element or Combination with one or more such wholesale Telecommunications Services or facilities. Verizon Ave must comply with all rates, terms or conditions applicable to such wholesale Telecommunications Services or facilities.
- 1.11.2 Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a Combination on the grounds that one or more of the elements: (1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or (2) shares part of BellSouth's network with access services or inputs for mobile wireless services and/or interexchange services.
- 1.11.3 Unless otherwise agreed to by the Parties, the Network Element portion of a commingled circuit will be billed at the rates set forth in Exhibit A and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates or rates set forth in a separate agreement between the Parties.
- 1.11.4 When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment will be billed from the same agreement or tariff as the higher bandwidth

Version: 2005 Standard ICA

circuit. Central Office Channel Interfaces (COCI) will be billed from the same agreement or tariff as the lower bandwidth circuit.

- 1.11.5 Notwithstanding any other provision of this Agreement, BellSouth shall not be obligated to commingle or combine Network Elements or Combinations with any service, network element or other offering that it is obligated to make available only pursuant to Section 271 of the Act.
- 1.12 Terms and conditions for order cancellation charges and Service Date
  Advancement Charges will apply in accordance with Attachment 6 and are
  incorporated herein by this reference. The charges shall be as set forth in Exhibit
  A.
- 1.13 <u>Ordering Guidelines and Processes</u>
- 1.13.1 For information regarding Ordering Guidelines and Processes for various Network Elements, Combinations and Other Services, Verizon Ave should refer to the "Guides" section of the BellSouth Interconnection Web site.
- 1.13.2 Additional information may also be found in the individual CLEC Information Packages located at the "CLEC UNE Products" on BellSouth's Interconnection Web site at: <a href="www.interconnection.bellsouth.com/guides/html/unes.html">www.interconnection.bellsouth.com/guides/html/unes.html</a>.
- 1.13.3 The provisioning of Network Elements, Combinations and Other Services to Verizon Ave's Collocation Space will require cross-connections within the central office to connect the Network Element, Combinations or Other Services to the demarcation point associated with Verizon Ave's Collocation Space. These cross-connects are separate components that are not considered a part of the Network Element, Combinations or Other Services and, thus, have a separate charge pursuant to this Agreement.
- 1.13.4 Testing/Trouble Reporting.
- 1.13.4.1 Verizon Ave will be responsible for testing and isolating troubles on Network Elements. Verizon Ave must test and isolate trouble to the BellSouth network before reporting the trouble to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. Upon request from BellSouth at the time of the trouble report, Verizon Ave will be required to provide the results of the Verizon Ave test which indicate a problem on the BellSouth network.
- Once Verizon Ave has isolated a trouble to the BellSouth network, and has issued a trouble report to BellSouth, BellSouth will take the actions necessary to repair the Network Element when trouble is found. BellSouth will repair its network facilities to its wholesale customers in the same time frames that BellSouth repairs similar services to its retail End Users.

Version: 2Q05 Standard ICA

- 1.13.4.3 If Verizon Ave reports a trouble on a BellSouth Network Element and no trouble is found in BellSouth's network, BellSouth will charge Verizon Ave a Maintenance of Service Charge for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Network Element's working status. BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No.1 Tariff, Section 13.3.1.
- In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by Verizon Ave (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill Verizon Ave for each additional dispatch required to repair the Network Element due to the incorrect/incomplete information provided. BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No.1 Tariff, Section 13.3.1.

## 2 Loops

- 2.1 General. The local loop Network Element is defined as a transmission facility that BellSouth provides pursuant to this Attachment between a distribution frame (or its equivalent) in BellSouth's central office and the loop demarcation point at an End User premises (Loop). Facilities that do not terminate at a demarcation point at an End User premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute local Loops. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device, and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers (DSLAMs)), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the End User's premises, including inside wire owned or controlled by BellSouth. Verizon Ave shall purchase the entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties, BellSouth shall not subdivide the frequency of the Loop.
- 2.1.1 The Loop does not include any packet switched features, functions or capabilities.
- 2.1.2 Fiber to the Home (FTTH) loops are local loops consisting entirely of fiber optic cable, whether dark or lit, serving an End User's premises or, in the case of predominantly residential multiple dwelling units (MDUs), a fiber optic cable, whether dark or lit, that extends to the MDU minimum point of entry (MPOE). Fiber to the Curb (FTTC) loops are local loops consisting of fiber optic cable connecting to a copper distribution plant that is not more than five hundred (500) feet from the End User's premises or, in the case of predominantly residential MDUs, not more than five hundred (500) feet from the MDU's MPOE. The fiber optic cable in a FTTC loop must connect to a copper distribution plant at a serving

Version: 2Q05 Standard ICA

area interface from which every other copper distribution subloop also is not more than five hundred (500) feet from the respective End User's premises.

- 2.1.2.1 In new build (Greenfield) areas, where BellSouth has only deployed FTTH/FTTC facilities, BellSouth is under no obligation to provide Loops. FTTH facilities include fiber loops deployed to the MPOE of a MDU that is predominantly residential regardless of the ownership of the inside wiring from the MPOE to each End User in the MDU.
- 2.1.2.2 In FTTH/FTTC overbuild situations where BellSouth also has copper Loops, BellSouth will make those copper Loops available to Verizon Ave on an unbundled basis, until such time as BellSouth chooses to retire those copper Loops using the FCC's network disclosure requirements. In these cases, BellSouth will offer a sixty-four (64) kilobits per second (kbps) second voice grade channel over its FTTH/FTTC facilities.
- 2.1.2.3 Furthermore, in FTTH/FTTC overbuild areas where BellSouth has not yet retired copper facilities, BellSouth is not obligated to ensure that such copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by Verizon Ave. If a request is received by BellSouth for a copper Loop, and the copper facilities have not yet been retired, BellSouth will restore the copper Loop to serviceable condition if technically feasible. In these instances of Loop orders in an FTTH/FTTC overbuild area, BellSouth's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval
- A hybrid Loop is a local Loop, composed of both fiber optic cable, usually in the feeder plant, and copper twisted wire or cable, usually in the distribution plant. BellSouth shall provide Verizon Ave with nondiscriminatory access to the time division multiplexing features, functions and capabilities of such hybrid Loop, on an unbundled basis to establish a complete transmission path between BellSouth's central office and an End User's premises.

# 2.1.4 <u>Transition for DS1 and DS3 Loops</u>

- 2.1.4.1 For purposes of this Section 2, the Transition Period for the Embedded Base of DS1 and DS3 Loops and for the Excess DS1 and DS3 Loops (defined in 2.1.4.3) is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006.
- 2.1.4.2 For purposes of this Section 2, Embedded Base means DS1 and DS3 Loops that were in service for Verizon Ave as of March 10, 2005 in those wire centers that, as of such date, met the criteria set forth in Sections 2.1.4.5.1 or 2.1.4.5.2 below. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.

Version: 2Q05 Standard ICA

- 2.1.4.3 Excess DS1 and DS3 Loops are those Verizon Ave DS1 and DS3 Loops in service as of March 10, 2005, in excess of the caps set forth in Sections 2.3.6.2 and 2.3.12 below, respectively. Subsequent disconnects or loss of End Users shall be removed from Excess DS1 and DS3 Loops.
- 2.1.4.4 For purposes of this Section 2, a Business Line is defined in 47 C.F.R. § 51.5.
- 2.1.4.5 Notwithstanding anything to the contrary in this Agreement, and except as set forth in Section 2.1.4.12 below, BellSouth shall make available DS1 and DS3 Loops as described in this Section 2.1.4 only for Verizon Ave's Embedded Base during the Transition Period:
- 2.1.4.5.1 DS1 Loops at any location within the service area of a wire center containing 60,000 or more Business Lines and four (4) or more fiber-based collocators.
- 2.1.4.5.2 DS3 Loops at any location within the service area of a wire center containing 38,000 or more Business Lines and four (4) or more fiber-based collocators.
- 2.1.4.6 A list of wire centers meeting the criteria set forth in Sections 2.1.4.5.1 and 2.1.4.5.2 above as of March 10, 2005 (Initial Wire Center List), is available on BellSouth's Interconnection Web site.
- 2.1.4.7 Notwithstanding the Effective Date of this Agreement, during the Transition Period, the rates for Verizon Ave's Embedded Base of DS1 and DS3 Loops and Verizon Ave's Excess DS1 and DS3 Loops described in this Section 2.1.4 shall be as set forth in Exhibit B.
- 2.1.4.8 The Transition Period shall apply only to (1) Verizon Ave's Embedded Base and (2) Verizon Ave's Excess DS1 and DS3 Loops. Verizon Ave shall not add new DS1 or DS3 loops as described in this Section 2.1.4 pursuant to this Agreement, except pursuant to the self-certification process as set forth in Section 1.8 above and as set forth in Section 2.1.4.12 below.
- 2.1.4.9 Once a wire center exceeds both of the thresholds set forth in Section 2.1.4.5.1 above, no future DS1 Loop unbundling will be required in that wire center.
- 2.1.4.10 Once a wire center exceeds both of the thresholds set forth in Section 2.1.4.5.2 above, no future DS3 Loop unbundling will be required in that wire center.
- 2.1.4.11 No later than December 9, 2005 Verizon Ave shall submit spreadsheet(s) identifying all of the Embedded Base of circuits and Excess DS1 and DS3 Loops to be either disconnected or converted to other BellSouth services pursuant to Section 1.6 above. The Parties shall negotiate a project schedule for the Conversion of the Embedded Base and Excess DS1 and DS3 Loops.
- 2.1.4.11.1 If Verizon Ave fails to submit the spreadsheet(s) specified in Section 2.1.4.11 above for all of its Embedded Base and Excess DS1 and DS3 Loops prior to

December 9, 2005, BellSouth will identify Verizon Ave's remaining Embedded Base and Excess DS1 and DS3 Loops, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth pursuant to this Section 2.1.4.11.1 shall be subject to all applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.

- 2.1.4.11.2 For Embedded Base circuits and Excess DS1 and DS3 Loops converted pursuant to Section 2.1.4.11 above or transitioned pursuant to Section 2.1.4.11.1 above, the applicable recurring tariff charge shall apply to each circuit as of the earlier of the date each circuit is converted or transitioned, as applicable, or March 11, 2006.
- 2.1.4.12 <u>Modifications and Updates to the Wire Center List and Subsequent Transition Periods</u>
- 2.1.4.12.1 In the event BellSouth identifies additional wire centers that meet the criteria set forth in Section 2.1.4.5 above, but that were not included in the Initial Wire Center List, BellSouth shall include such additional wire centers in a carrier notification letter (CNL). Each such list of additional wire centers shall be considered a "Subsequent Wire Center List".
- 2.1.4.12.2 Effective ten (10) business days after the date of a BellSouth CNL providing a Subsequent Wire Center List, BellSouth shall not be required to unbundle DS1 and/or DS3 Loops, as applicable, in such additional wire center(s), except pursuant to the self-certification process as set forth in Section 1.8 above.
- 2.1.4.12.3 For purposes of Section 2.1.4.12 above, BellSouth shall make available DS1 and DS3 Loops that were in service for Verizon Ave in a wire center on the Subsequent Wire Center List as of the tenth (10<sup>th</sup>) business day after the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Embedded Base) until ninety (90) days after the tenth (10th) business day from the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Transition Period).
- 2.1.4.12.4 Subsequent disconnects or loss of End Users shall be removed from the Subsequent Embedded Base.
- 2.1.4.12.5 The rates set forth in Exhibit B shall apply to the Subsequent Embedded Base during the Subsequent Transition Period.
- 2.1.4.12.6 No later than forty (40) days from BellSouth's CNL identifying the Subsequent Wire Center List, Verizon Ave shall submit a spreadsheet(s) identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other BellSouth services. The Parties shall negotiate a project schedule for the Conversion of the Subsequent Embedded Base.

Version: 2Q05 Standard ICA

- 2.1.4.12.6.1 If Verizon Ave fails to submit the spreadsheet(s) specified in Section 2.1.4.12.6 above for all of its Subsequent Embedded Base within forty (40) days after the date of BellSouth's CNL identifying the Subsequent Wire Center List, BellSouth will identify Verizon Ave's remaining Subsequent Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth shall be subject to the applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.
- 2.1.4.12.6.2 For Subsequent Embedded Base circuits converted pursuant to Section 2.1.4.12.6 above or transitioned pursuant to Section 2.1.4.12.6.1 above, the applicable recurring tariff charges shall apply as of the earlier of the date each circuit is converted or transitioned, as applicable, or the first day after the end of the Subsequent Transition Period.
- 2.1.5 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at BellSouth's Web site. For orders of fifteen (15) or more Loops, the installation and any applicable Order Coordination as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.
- 2.1.6 The Loop shall be provided to Verizon Ave in accordance with BellSouth's TR 73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.7 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered.
- 2.1.8 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the End User's location. If Verizon Ave wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g., UVL-SL1, UVL-SL2, and UCL-ND), Verizon Ave may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit A.
- 2.1.8.1 For voice grade Loop orders (or orders for Loops intended to provide voice grade services), Verizon Ave shall have dial-tone available for that Loop forty-eight (48) hours prior to the Loop order completion due date.
- 2.1.9 Order Coordination (OC) and Order Coordination-Time Specific (OC-TS)

- 2.1.9.1 OC allows BellSouth and Verizon Ave to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to Verizon Ave's facilities to limit End User service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the End User. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.
- 2.1.9.2 OC-TS allows Verizon Ave to order a specific time for OC to take place. BellSouth will make commercially reasonable efforts to accommodate Verizon Ave's specific conversion time request. However, BellSouth reserves the right to negotiate with Verizon Ave a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. Verizon Ave may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If Verizon Ave specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in BellSouth's intrastate Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per LSR basis.

#### 2.1.10

	Order Coordination (OC)	Order Coordination - Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1 (Non- Designed)	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
UCL-ND (Non- Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
Unbundled Voice Loops	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office

Version: 2Q05 Standard ICA

- SL-2 (including 2- and 4-wire UVL) (Designed)					
Unbundled Digital Loop (Designed)	Included	Chargeable Option	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office

For UVL-SL1 and UCLs, Verizon Ave must order and will be billed for both OC and OC-TS if requesting OC-TS.

# 2.1.11 <u>CLEC to CLEC Conversions for Unbundled Loops</u>

- 2.1.11.1 The CLEC to CLEC conversion process for Loops may be used by Verizon Ave when converting an existing Loop from another CLEC for the same End User. The Loop type being converted must be included in Verizon Ave's Agreement before requesting a conversion.
- 2.1.11.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same End User location from the same serving wire center, and must not require an outside dispatch to provision.
- 2.1.11.3 The Loops converted to Verizon Ave pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Agreement for the specific Loop type.

#### 2.1.12 <u>Bulk Migration</u>

2.1.12.1 BellSouth will make available to Verizon Ave a Bulk Migration process pursuant to which Verizon Ave may request to migrate port/loop combinations, provisioned pursuant to a separate agreement between the parties, to Loops (UNE-L). The Bulk Migration process may be used if such loop/port combinations are (1) associated with two (2) or more Existing Account Telephone Numbers (EATNs); and (2) located in the same Central Office. The terms and conditions for use of the Bulk Migration process are described in the BellSouth CLEC Information Package. The CLEC Information Package is located on BellSouth's Interconnection Web site at:

www.interconnection.bellsouth.com/guides/html/unes.html. The rates for the Bulk Migration process shall be the nonrecurring rates associated with the Loop type being requested on the Bulk Migration, as set forth in Exhibit A. Additionally,

Version: 2Q05 Standard ICA

OSS charges will also apply. Loops connected to Integrated Digital Loop Carrier (IDLC) systems will be migrated pursuant to Section 2.6 below.

- 2.1.12.2 Should Verizon Ave request migration for two (2) or more EATNs containing fifteen (15) or more circuits, Verizon Ave must use the Bulk Migration process referenced in 2.1.11.1 above.
- 2.2 <u>Unbundled Voice Loops (UVLs)</u>
- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed);
- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed); or
- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed)
- 2.2.2 UVL may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber/copper combination (hybrid loop) or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that Verizon Ave will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two (2) different service levels Service Level One (SL1) and Service Level Two (SL2).
- 2.2.3 <u>Unbundled Voice Loop SL1 (UVL-SL1).</u> Loops are 2-wire loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has been requested by Verizon Ave, however, OC is always required on UCLs that involve the reuse of facilities that are currently providing service. Verizon Ave may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its End Users.
- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that Verizon Ave may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A.

Version: 2Q05 Standard ICA

2.2.5 <u>Unbundled Voice Loop – SL2 (UVL-SL2).</u> Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to Verizon Ave. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow Verizon Ave to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

## 2.3 <u>Unbundled Digital Loops</u>

- 2.3.1 BellSouth will offer UDLs. UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 BellSouth shall make available the following UDLs, subject to restrictions set forth herein:
- 2.3.2.1 2-wire Unbundled ISDN Digital Loop;
- 2.3.2.2 2-wire Unbundled ADSL Compatible Loop;
- 2.3.2.3 2-wire Unbundled HDSL Compatible Loop;
- 2.3.2.4 4-wire Unbundled HDSL Compatible Loop;
- 2.3.2.5 4-wire Unbundled DS1 Digital Loop;
- 2.3.2.6 4-wire Unbundled Digital Loop/DS0 64 kbps, 56 kbps and below;
- 2.3.2.7 DS3 Loop; or
- 2.3.2.8 STS-1 Loop.
- 2.3.3 <u>2-wire Unbundled ISDN Digital Loops.</u> These will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. Verizon Ave will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and End User. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service.
- 2.3.4 <u>2-wire ADSL-Compatible Loop.</u> This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18,000 feet long and may have up to 6,000 feet of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.

Version: 2Q05 Standard ICA

- 2.3.5 <u>2-wire or 4-wire HDSL-Compatible Loop.</u> This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.6 <u>4-wire Unbundled DS1 Digital Loop.</u>
- 2.3.6.1 This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-wire DS1 Network Interface at the End User's location. For purposes of this Agreement, including the transition of DS1 and DS3 Loops described in Section 2.1.4 above, DS1 Loops include 2-wire and 4-wire copper Loops capable of providing high-bit rate digital subscriber line services, such as 2-wire and 4-wire HDSL Compatible Loops.
- 2.3.6.2 BellSouth shall not provide more than ten (10) unbundled DS1 Loops to Verizon Ave at any single building in which DS1 Loops are available as unbundled Loops.
- 2.3.7 4-wire Unbundled Digital/DS0 Loop. These are designed 4-wire Loops that may be configured as sixty-four (64)kbps, fifty-six (56)kbps, nineteen (19)kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.
- 2.3.8 <u>DS3 Loop.</u> DS3 Loop is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of forty-four point seven thirty-six (44.736) megabits per second (Mbps) that is dedicated to the use of the ordering CLEC. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.
- 2.3.9 STS-1 Loop. STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer. It is a two (2)-point digital transmission path which provides for simultaneous two (2)-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of fifty-one point eighty-four (51.84) Mbps. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 Both DS3 Loop and STS-1 Loop require a SI in order to ascertain availability.

- 2.3.11 DS3 services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one (1) mile applies. BellSouth's TR 73501

  LightGate® Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 services.
- Verizon Ave may obtain a maximum of a single Unbundled DS3 Loop to any single building in which DS3 Loops are available as Unbundled Loops.
- 2.4 <u>Unbundled Copper Loops (UCL)</u>
- 2.4.1 BellSouth shall make available UCLs. The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two (2) types Designed and Non-Designed.
- 2.4.2 Unbundled Copper Loop Designed (UCL-D)
- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair (2-wire or 4-wire) Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters).
- 2.4.2.2 A UCL-D will be eighteen thousand (18,000) feet or less in length and is provisioned according to Resistance Design parameters, may have up to six thousand (6,000) feet of bridged tap and will have up to thirteen hundred (1300) Ohms of resistance.
- 2.4.2.3 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by Verizon Ave.
- 2.4.2.4 These Loops are not intended to support any particular services and may be utilized by Verizon Ave to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3 Unbundled Copper Loop Non-Designed (UCL-ND)
- 2.4.3.1 The UCL–ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame (MDF) to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to six thousand (6,000) feet of bridged tap between the End User's premises and the serving wire center. The UCL-ND

typically will be thirteen hundred (1300) Ohms resistance and in most cases will not exceed eighteen thousand (18,000) feet in length, although the UCL-ND will not have a specific length limitation. For Loops less than eighteen thousand (18,000) feet and with less than thirteen hundred (1300) Ohms resistance, the Loop will provide a voice grade transmission channel suitable for loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.

- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, Verizon Ave can request LMU for which additional charges would apply.
- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that Verizon Ave may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit A.
- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by Verizon Ave to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.
- 2.4.3.6 Verizon Ave may use BellSouth's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.
- 2.5 Unbundled Loop Modifications (Line Conditioning)
- 2.5.1 Line Conditioning is defined as routine network modification that BellSouth regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Subloop that may diminish the capability of the Loop or Subloop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serves no network design purpose and that are beyond the limits set according to industry standards and/or the BellSouth's TR 73600 Unbundled Local Loop Technical Specification.
- 2.5.2 BellSouth will remove load coils only on copper Loops and Subloops that are less than eighteen thousand (18,000) feet in length.

Version: 2Q05 Standard ICA

- 2.5.3 For any copper loop being ordered by Verizon Ave which has over six thousand (6,000) feet of combined bridged tap will be modified, upon request from Verizon Ave, so that the loop will have a maximum of six thousand (6,000) feet of bridged tap. This modification will be performed at no additional charge to Verizon Ave. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper Loop that will result in a combined total of bridged tap between two thousand five hundred (2,500) and six thousand (6,000) feet will be performed at the rates set forth in Exhibit A.
- 2.5.4 Verizon Ave may request removal of any unnecessary and non-excessive bridged tap (bridged tap between zero (0) and two thousand five hundred (2,500) feet which serves no network design purpose), at rates pursuant to BellSouth's SC Process as mutually agreed to by the Parties.
- 2.5.5 Rates for ULM are as set forth in Exhibit A.
- 2.5.6 BellSouth will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered.
- 2.5.7 If Verizon Ave requests ULM on a reserved facility for a new Loop order, BellSouth may perform a pair change and provision a different Loop facility in lieu of the reserved facility with ULM if feasible. The Loop provisioned will meet or exceed specifications of the requested Loop facility as modified. Verizon Ave will not be charged for ULM if a different Loop is provisioned. For Loops that require a DLR or its equivalent, BellSouth will provide LMU detail of the Loop provisioned.
- 2.5.8 Verizon Ave shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that Verizon Ave desires BellSouth to condition.
- 2.5.9 When requesting ULM for a Loop that BellSouth has previously provisioned for Verizon Ave, Verizon Ave will submit a SI to BellSouth. If a spare Loop facility that meets the Loop modification specifications requested by Verizon Ave is available at the location for which the ULM was requested, Verizon Ave will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, Verizon Ave will not be charged for ULM but will only be charged the service order charges for submitting an order.
- 2.6 Loop Provisioning Involving IDLC
- 2.6.1 Where Verizon Ave has requested an Unbundled Loop and BellSouth uses IDLC systems to provide the local service to the End User and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available

to Verizon Ave. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for Verizon Ave (e.g., hairpinning):

- 1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
- 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
- 3. If capacity exists, provide "side-door" porting through the switch.
- 4. If capacity exists, provide "Digital Access Cross-Connect System (DACS)-door" porting (if the IDLC routes through a DACS prior to integration into the switch).
- 2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.
- 2.6.3 If no alternate facility is available, and upon request from Verizon Ave, and if agreed to by both Parties, BellSouth may utilize its SC process to determine the additional costs required to provision facilities. Verizon Ave will then have the option of paying the one-time SC rates to place the Loop.

## 2.7 Network Interface Device

- 2.7.1 The NID is defined as any means of interconnection of the End User's customer premises wiring to BellSouth's distribution plant, such as a cross-connect device used for that purpose. The NID is a single line termination device or that portion of a multiple line termination device required to terminate a single line or circuit at the premises. The NID features two (2) independent chambers or divisions that separate the service provider's network from the End User's premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the End User each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.
- 2.7.2 BellSouth shall permit Verizon Ave to connect Verizon Ave's Loop facilities to the End User's customer premises wiring through the BellSouth NID or at any other technically feasible point.

### 2.7.3 Access to NID

- 2.7.3.1 Verizon Ave may access the End User's premises wiring by any of the following means and Verizon Ave shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 BellSouth shall allow Verizon Ave to connect its Loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used

Version: 2Q05 Standard ICA

by BellSouth or any other telecommunications carriers to provide service to the premises;

- 2.7.3.1.2 Where an adequate length of the End User's customer premises wiring is present and environmental conditions permit, either Party may remove the End User premises wiring from the other Party's NID and connect such wiring to that Party's own NID;
- 2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a cross-connect or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or
- 2.7.3.1.4 Verizon Ave may request BellSouth to make other rearrangements to the End User premises wiring terminations or terminal enclosure on a time and materials cost basis.
- 2.7.3.2 In no case shall either Party remove or disconnect the other Party's loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be Verizon Ave's responsibility to ensure there is no safety hazard, and Verizon Ave will hold BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's loop has been disconnected from the NID, to reconnect the disconnected loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected loop must be appropriately cleared, capped and stored.
- 2.7.3.3 Verizon Ave shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 Verizon Ave shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with Verizon Ave to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.4 Technical Requirements

Version: 2Q05 Standard ICA

- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the End User's customer premises and the distribution media and/or cross-connect to Verizon Ave's NID.
- 2.7.4.3 Existing BellSouth NIDs will be operational and provided in "as is" condition. Verizon Ave may request BellSouth to do additional work to the NID on a time and material basis. When Verizon Ave deploys its own local loops in a multiple-line termination device, Verizon Ave shall specify the quantity of NID connections that it requires within such device.
- 2.8 <u>Subloop Elements.</u>
- 2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Subloop (USL) elements as specified herein.
- 2.8.2 Unbundled Subloop Distribution (USLD)
- 2.8.2.1 The USLD facility is a dedicated transmission facility that BellSouth provides from an End User's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The USLD media is a copper twisted pair that can be provisioned as a 2-wire or 4-wire facility. BellSouth will make available the following subloop distribution offerings where facilities exist:

USLD – Voice Grade (USLD-VG)
Unbundled Copper Subloop (UCSL)
USLD – Intrabuilding Network Cable (USLD-INC (aka riser cable))

- 2.8.2.2 USLD-VG is a copper subloop facility from the cross-box in the field up to and including the point of demarcation at the End User's premises and may have load coils.
- 2.8.2.3 UCSL is a copper facility eighteen thousand (18,000) feet or less in length provided from the cross-box in the field up to and including the End User's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the End User and the cross-box.
- 2.8.2.3.1 If Verizon Ave requests a UCSL and it is not available, Verizon Ave may request the copper Subloop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.

Version: 2Q05 Standard ICA

- 2.8.2.4 USLD-INC is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross-connect device in the building equipment room up to and including the point of demarcation at the End User's premises.
- 2.8.2.4.1 Upon request for USLD-INC from Verizon Ave, BellSouth will install a cross-connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in twenty five (25) pair increments for Verizon Ave's use on this cross-connect panel. Verizon Ave will be responsible for connecting its facilities to the twenty five (25) pair cross-connect block(s).
- 2.8.2.5 For access to Voice Grade USLD and UCSL, Verizon Ave shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in Attachment 4. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. Verizon Ave's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.2.6 Through the SI process, BellSouth will determine whether access to USLs at the location requested by Verizon Ave is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet Verizon Ave's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at BellSouth's Interconnection Web site: www.interconnection.bellsouth.com/products/html/unes.html.
- 2.8.2.7 The site set-up must be completed before Verizon Ave can order Subloop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice Verizon Ave's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.8 Once the site set-up is complete, Verizon Ave will request Subloop pairs through submission of a LSR form to the LCSC. OC is required with USL pair provisioning when Verizon Ave requests reuse of an existing facility, and the OC charge shall be billed in addition to the USL pair rate. For expedite requests by Verizon Ave for Subloop pairs, expedite charges will apply for intervals less than five (5) days.
- 2.8.2.9 USLs will be provided in accordance with BellSouth's TR 73600 Unbundled Local Loop Technical Specifications.

### 2.8.3 Unbundled Network Terminating Wire (UNTW)

- 2.8.3.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual End User's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.
- 2.8.3.2 This element will be provided in MDUs and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the End User's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the End User's premises, where a third party owns the wiring to the End User's premises.

# 2.8.3.3 <u>Requirements</u>

- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the End Users premises, and Verizon Ave does own or control such wiring, Verizon Ave will install UNTW Access Terminals for BellSouth under the same terms and conditions as BellSouth provides UNTW Access Terminals to Verizon Ave.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate Verizon Ave for each pair activated commensurate to the price specified in Verizon Ave's Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW SI requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the End User has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the

Version: 2Q05 Standard ICA

Provisioning Party, the Requesting Party is responsible for ensuring the End User is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.

- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or within thirty (30) days after completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.
- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.
- 2.8.3.3.9 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that End User if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten percent (10%) of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the End User began receiving service from the Requesting Party at that location. Upon request, the Requesting Party

Version: 2Q05 Standard ICA

will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

## 2.8.4 <u>Dark Fiber Loop</u>

- 2.8.4.1 Dark Fiber Loop is an unused optical transmission facility, without attached signal regeneration, multiplexing, aggregation or other electronics, from the demarcation point at an End User's premises to the End User's serving wire center. Dark Fiber Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Verizon Ave to utilize Dark Fiber Loops.
- 2.8.4.2 <u>Transition for Dark Fiber Loop</u>
- 2.8.4.2.1 For purposes of this Section 2.8.4, the Transition Period for Dark Fiber Loops is the eighteen (18) month period beginning March 11, 2005 and ending September 10, 2006.
- 2.8.4.2.2 For purposes of this Section 2.8.4, Embedded Base means Dark Fiber Loops that were in service for Verizon Ave as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.
- 2.8.4.3 During the Transition Period only, BellSouth shall make available for the Embedded Base Dark Fiber Loops for Verizon Ave at the terms and conditions set forth in this Attachment.
- 2.8.4.4 Notwithstanding the Effective Date of this Agreement, the rates for Verizon Ave's Embedded Base of Dark Fiber Loops during the Transition Period shall be as set forth in Exhibit A.
- 2.8.4.5 The Transition Period shall apply only to Verizon Ave's Embedded Base and Verizon Ave shall not add new Dark Fiber Loops pursuant to this Agreement.
- 2.8.4.6 Effective September 11, 2006, Dark Fiber Loops will no longer be made available pursuant to this Agreement.
- 2.8.4.7 No later than June 10, 2006 Verizon Ave shall submit spreadsheet(s) identifying all of the Embedded Base of circuits to be either disconnected or converted to other BellSouth services as Conversions pursuant to Section 1.6 above. The Parties shall negotiate a project schedule for the Conversion of the Embedded Base.
- 2.8.4.7.1 If Verizon Ave fails to submit the spreadsheet(s) specified in Section 2.8.4.7 above for all of its Embedded Base prior to June 10, 2006, BellSouth will identify Verizon Ave's remaining Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth pursuant to this Section 2.8.4.7.1 shall be subject to all

Version: 2Q05 Standard ICA

applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.

- 2.8.4.7.2 For Embedded Base circuits converted pursuant to Section 2.8.4.7 above or transitioned pursuant to Section 2.8.4.7.1 above, the applicable recurring tariff charge shall apply to each circuit as of the earlier of the date each circuit is converted or transitioned, as applicable, or September 11, 2006.
- 2.9 <u>Loop Makeup</u>
- 2.9.1 <u>Description of Service</u>
- 2.9.1.1 BellSouth shall make available to Verizon Ave LMU information with respect to Loops that are required to be unbundled under this Agreement so that Verizon Ave can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment Verizon Ave intends to install and the services Verizon Ave wishes to provide. LMU is a preordering transaction, distinct from Verizon Ave ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) and mechanized LMU queries for preordering LMU are likewise unique from other preordering functions with associated SIs as described in this Agreement.
- 2.9.1.2 BellSouth will provide Verizon Ave LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pair-gain devices; the Loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to Verizon Ave as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a LOA from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.
- 2.9.1.5 Verizon Ave may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by Verizon Ave and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned

Version: 2Q05 Standard ICA

over said Loop. The specific Loop type (e.g., ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee Verizon Ave's ability to provide advanced data services over the ordered Loop type. Furthermore, the LMU information for Loops other than copper-only Loops (e.g., ADSL, UCLND, etc.) that support xDSL services, is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Except as set forth in Section 2.9.1.6 below, copper-only Loops will not be subject to change due to modification and/or upgrades to BellSouth's network and will remain on copper facilities until the Loop is disconnected by Verizon Ave or the End User, or until BellSouth retires the copper facilities via the FCC's and any applicable Commission's requirements. Verizon Ave is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.

2.9.1.6 If BellSouth retires its copper facilities using 47 C.F.R § 51.325(a) requirements; or is required by a governmental agency or regulatory body to move or replace copper facilities as a maintenance procedure, BellSouth will notify Verizon Ave, according to the applicable network disclosure requirements. It will be Verizon Ave's responsibility to move any service it may provide over such facilities to alternative facilities. If Verizon Ave fails to move the service to alternative facilities by the date in the network disclosure notice, BellSouth may terminate the service to complete the network change.

#### 2.9.2 Submitting LMUSI

- 2.9.2.1 Verizon Ave may obtain LMU information and reserve facilities by submitting a mechanized LMU query or a manual LMUSI according to the terms and conditions as described in the LMU CLEC Information Package, incorporated herein by reference as it may be amended from time to time. The CLEC Information Package is located at the "CLEC UNE Product" on the BellSouth Interconnection Web site:

  www.interconnection.bellsouth.com/guides/html/unes.html. After obtaining the Loop information from the mechanized LMU process, if Verizon Ave needs further Loop information in order to determine Loop service capability, Verizon Ave may initiate a separate Manual SI for a separate nonrecurring charge as set forth in Exhibit A.
- 2.9.2.2 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. Verizon Ave will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, Verizon Ave does not reserve facilities upon an initial LMUSI, Verizon Ave's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A.

Version: 2Q05 Standard ICA

- 2.9.2.3 Where Verizon Ave has reserved multiple Loop facilities on a single reservation, Verizon Ave may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to Verizon Ave, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by Verizon Ave.
- 2.9.2.4 Charges for preordering manual LMUSI or mechanized LMU are separate from any charges associated with ordering other services from BellSouth.

# 3 Line Splitting

- 3.1 Line splitting shall mean that a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to End Users over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers.
- 3.2 <u>Line Splitting UNE-L.</u> In the event Verizon Ave provides its own switching or obtains switching from a third party, Verizon Ave may engage in line splitting arrangements with another CLEC using a splitter, provided by Verizon Ave, in a Collocation Space at the central office where the loop terminates into a distribution frame or its equivalent.
- 3.3 <u>Line Splitting –Loop and UNE Port (UNE-P)</u>
- 3.3.1 To the extent Verizon Ave is purchasing UNE-P pursuant to this Agreement, BellSouth will permit Verizon Ave to replace UNE-P with Line Splitting. The UNE-P arrangement will be converted to a stand-alone Loop, a Network Element switch port, two (2) collocation cross-connects and the high frequency spectrum line activation. The resulting arrangement shall continue to be included in Verizon Ave's Embedded Base as described in Section 5.4.3.2 below.
- 3.3.2 Verizon Ave shall provide BellSouth with a signed LOA between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services, if Verizon Ave will not provide voice and data services.
- 3.3.3 Line Splitting arrangements in service pursuant to this Section 3.3 must be disconnected or provisioned pursuant to Section 3.2 above on or before March 10, 2006.
- 3.4 <u>Provisioning Line Splitting and Splitter Space UNE-P</u>
- 3.4.1 The Data LEC, Voice CLEC or BellSouth may provide the splitter. When Verizon Ave or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the End User's location; a collocation cross-connection connecting the Loop to the collocation space; a second collocation cross-connection from the collocation

Version: 2Q05 Standard ICA

space connected to a voice port; the high frequency spectrum line activation, and a splitter. When BellSouth owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the End User's location with CFA and splitter port assignments, and a collocation cross-connection from the collocation space connected to a voice port.

- 3.4.2 An unloaded 2-wire copper Loop must serve the End User. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.
- 3.4.3 The foregoing procedures are applicable to migration from a UNE-P arrangement to Line Splitting Service.
- 3.5 <u>Provisioning Line Splitting and Splitter Space UNE-L</u>
- 3.5.1 The Voice CLEC provides the splitter when providing Line Splitting with UNE-L. When Verizon Ave owns the splitter, Line Splitting requires the following: a loop from NID at the End User's location to the serving wire center and terminating into a distribution frame or its equivalent.
- 3.6 <u>CLEC Provided Splitter Line Splitting UNE-P and UNE-L</u>
- 3.6.1 To order High Frequency Spectrum on a particular Loop, Verizon Ave must have a DSLAM collocated in the central office that serves the End User of such Loop.
- 3.6.2 Verizon Ave may purchase, install and maintain central office POTS splitters in its collocation arrangements. Verizon Ave may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.
- 3.6.3 Any splitters installed by Verizon Ave in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. Verizon Ave may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.
- 3.7 Maintenance Line Splitting UNE-P and UNE-L
- 3.7.1 BellSouth will be responsible for repairing voice troubles and the troubles with the physical loop between the NID at the End User's premises and the termination point.
- 3.7.2 Verizon Ave shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the

Version: 2Q05 Standard ICA

other service provider, except to the extent caused by BellSouth's gross negligence or willful misconduct.

### 4 Local Switching

- 4.1 Notwithstanding anything to the contrary in this Agreement, the services offered pursuant to this Section 4 are limited to DS0 level Local Switching and BellSouth is not required to provide Local Switching pursuant to this Agreement except as set forth in Section 4.2 below.
- 4.1.1 BellSouth shall not be required to unbundle local circuit switching for Verizon Ave for a particular End User when Verizon Ave: (1) serves an End User with four (4) or more voice-grade (DS0) equivalents or lines served by BellSouth in Zone 1 of the following MSAs: Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA; or (2) serves an End User with a DS1 or higher capacity Loop in any service area covered by this Agreement. To the extent that Verizon Ave is serving any End User as described in (2) of this Section 4.1.1 as of the Effective Date of this Agreement, such End User's arrangement may not remain in place and such Arrangement must be terminated by Verizon Ave or transitioned by Verizon Ave, or BellSouth shall disconnect such Arrangements upon thirty (30) days notice.

## 4.2 <u>Transition for Local Switching</u>

- 4.2.1 For purposes of this Section 4, the Transition Period for the Embedded Base of Local Switching is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006.
- 4.2.2 For the purposes of this Section 4, Embedded Base shall mean Local Switching and any additional elements that are required to be provided in conjunction therewith that were in service for Verizon Ave as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.
- 4.2.3 During the Transition Period only, BellSouth shall make Local Switching available for the Embedded Base, in addition to all elements that are required to be provided in conjunction with Local Switching, at the rates, terms and conditions set forth in this Attachment. The Transition Period shall apply only to Verizon Ave's Embedded Base and Verizon Ave shall not place new orders for Local Switching pursuant to this Agreement.
- 4.2.4 Notwithstanding the Effective Date of this Agreement, the rates for Verizon Ave's Embedded Base of Local Switching during the Transition Period shall be as set forth in Exhibit A.

Version: 2Q05 Standard ICA

- 4.2.5 Verizon Ave must submit orders, to disconnect or convert all of its Embedded Base of Local Switching to other BellSouth services as Conversions pursuant to Section 1.6 above by October 1, 2005.
- 4.2.5.1 If Verizon Ave fails to submit orders to disconnect or convert all of its Embedded Base of Local Switching as specified in Section 4.2.5 above prior to October 1, 2005, BellSouth will identify Verizon Ave's remaining Embedded Base of Local Switching and will disconnect such Local Switching. Those circuits identified and disconnected by BellSouth shall be subject to the applicable disconnect charges as set forth in this Agreement.
- 4.2.6 Effective March 11, 2006, Local Switching will no longer be made available pursuant to this Agreement.
- 4.3 <u>Local Switching Capability, including Tandem Switching Capability</u>
- 4.3.1 Local Switching capability is defined as all line-side and trunk-side facilities, plus the features, functions, and capabilities of the switch. The features, functions, and capabilities of the switch shall include the basic switching function of connecting lines to lines, lines to trunks, trunks to lines, and trunks to trunks. Local Switching includes all vertical features that the switch is capable of providing, including custom calling, custom local area signaling service features, and Centrex, as well as any technically feasible customized routing functions.
- 4.3.2 Unbundled local switching consists of three (3) separate components: Unbundled Ports, End Office Switching Functionality, and End Office Interoffice Trunk Ports.
- 4.3.3 Unbundled Local Switching combined with Common Transport and, if necessary, Tandem Switching provides to Verizon Ave's End User local calling and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.
- 4.3.4 Provided that Verizon Ave has unbundled Local Switching from BellSouth and uses the BellSouth Carrier Identification Code (CIC) for its End Users' Local Preferred Interexchange Carrier (LPIC) or if a BellSouth local End User selects BellSouth as its LPIC, then the Parties will consider as local any calls originated by a Verizon Ave local End User, or originated by a BellSouth local End User and terminated to a Verizon Ave local End User, where such calls originate and terminate in the same LATA, except for those calls originated and terminated through switched access arrangements (i.e., calls that are transported by a Party other than BellSouth). For such calls, BellSouth will charge Verizon Ave the Network Elements for the BellSouth facilities utilized. Neither Party shall bill the other originating or terminating switched access charges for such calls. Intercarrier compensation for local calls between BellSouth and Verizon Ave shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's Interconnection Web site: www.interconnection.bellsouth.com/products/docs.

- 4.3.5 Where Verizon Ave has unbundled Local Switching from BellSouth but does not use the BellSouth CIC for its End Users' LPIC, BellSouth will consider as local those direct dialed telephone calls that originate from a Verizon Ave End User and terminate within the basic local calling area or within the extended local calling areas and that are dialed using seven (7) or ten (10) digits as defined and specified in Section A3 of BellSouth's GSST. For such local calls, BellSouth will charge Verizon Ave the Network Elements for the BellSouth facilities utilized. Intercarrier compensation for local calls between BellSouth and Verizon Ave shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's Interconnection Web site at www.interconnection.bellsouth.com/products/docs.
- 4.3.6 For any calls that originate and terminate through switched access arrangements (i.e., calls that are transported by a party other than BellSouth), BellSouth shall bill Verizon Ave the Network Elements for the BellSouth facilities utilized. Each Party may bill the toll provider originating or terminating switched access charges as appropriate.
- 4.3.7 Unbundled Ports may or may not include individual features. Where applicable and available, non-switch-based services may be ordered with the Unbundled Port at BellSouth's retail rates.
- 4.3.8 Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR Process as set forth in Attachment 11.
- 4.3.9 BellSouth will provide to Verizon Ave selective routing of calls to a requested Operator System platform pursuant to this Agreement. Any other routing requests by Verizon Ave will be made pursuant to the BFR/NBR Process as set forth in Attachment 11.
- 4.3.10 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.
- 4.3.11 BellSouth shall control congestion points such as those caused by radio station call-ins and network routing abnormalities. All traffic shall be restricted in a nondiscriminatory manner.
- 4.3.12 BellSouth shall perform manual call trace and permit customer originated call trace. BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.
- 4.3.13 BellSouth shall provide interfaces to adjuncts through Telcordia standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit

Node and Automatic Call Distributors. BellSouth shall offer to Verizon Ave all Advanced Intelligent Network (AIN) triggers in connection with its Service Creation Environment and Service Management System (SCE/SMS) offering.

- 4.3.14 BellSouth shall provide access to SS7 Signaling Network or Multi-Frequency trunking if requested by Verizon Ave.
- 4.3.15 BellSouth shall provide the following Local Switching interfaces:
- 4.3.15.1 Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);
- 4.3.15.2 Coin phone signaling;
- 4.3.15.3 Basic Rate Interface ISDN adhering to appropriate Telcordia Technical Requirements;
- 4.3.15.4 2-wire analog interface to PBX;
- 4.3.15.5 4-wire analog interface to PBX; and
- 4.3.15.6 Loops adhering to Telcordia TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.
- 4.3.16 Verizon Ave shall maintain the individual telephone number and the correct corresponding address/location data, including maintaining the End User listed address as the actual physical End User location in the E911 ALI Database.
- 4.3.17 Verizon Ave will be responsible and liable for any errors resulting from the submission of invalid telephone number and address/location data for the Verizon Ave's End Users.
- 4.4 Common (Shared) Transport.
- 4.4.1 Common (Shared) Transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network. Where BellSouth Network Elements are connected by intraoffice wiring, such wiring is provided as part of the Network Element and is not Common (Shared) Transport.
- 4.4.2 Notwithstanding any other provision of this Agreement, BellSouth will only provide unbundled access to Common (Shared) Transport to the extent BellSouth is required to provide and is providing Local Switching to Verizon Ave.
- 4.4.3 Technical Requirements of Common (Shared) Transport

Version: 2Q05 Standard ICA

- 4.4.3.1 Common (Shared) Transport provided on DS1, DS3, and STS-1 circuits shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office (CO to CO) connections in the applicable industry standards.
- 4.4.3.2 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.
- 4.4.3.3 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standards.

## 4.5 <u>Tandem Switching</u>

- 4.5.1 The Tandem Switching capability Network Element is defined as:
  (i) trunk-connect facilities, which include, but are not limited to, the connection between trunk termination at a cross-connect panel and switch trunk card; (ii) the basic switch trunk function of connecting trunks to trunks; and (iii) the functions that are centralized in the Tandem Switches (as distinguished from separate end office switches), including but not limited to call recording, the routing of calls to operator services and signaling conversion features.
- 4.5.2 Where Verizon Ave utilizes portions of the BellSouth network in originating or terminating traffic, the Tandem Switching rates are applied in call scenarios where the Tandem Switching Network Element has been utilized. Because switch recordings cannot accurately indicate on a per call basis when the Tandem Switching Network Element has been utilized for an interoffice call originating from a UNE port and terminating to a BellSouth, ICO or Facility-Based CLEC office, BellSouth has developed, based upon call studies, a melded rate that takes into account the average percentage of calls that utilize Tandem Switching in these scenarios. BellSouth shall apply the melded Tandem Switching rate for every call in these scenarios. BellSouth shall utilize the melded Tandem Switching Rate until BellSouth has the capability to measure actual Tandem Switch usage in each call scenario specifically mentioned above, at which point the rate for the actual Tandem Switch usage shall apply. The UNE Local Call Flows set forth on BellSouth's Interconnection Web site: www.interconnection.bellsouth.com/products/docs, illustrate when the full or melded Tandem Switching rates apply for specific scenarios.

## 4.5.3 <u>Technical Requirements</u>

4.5.3.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Telcordia TR-TSY-000540 Issue 2R2, Tandem Supplement, June 1, 1990. The requirements for Tandem Switching include but are not limited to the following:

Version: 2Q05 Standard ICA

- 4.5.3.1.1 Tandem Switching shall provide signaling to establish a tandem connection;
- 4.5.3.1.2 Tandem Switching will provide screening as jointly agreed to by Verizon Ave and BellSouth;
- 4.5.3.1.3 Where applicable, Tandem Switching shall provide AIN triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;
- 4.5.3.1.4 Where applicable, Tandem Switching shall provide access to Toll Free number database;
- 4.5.3.1.5 Tandem Switching shall provide connectivity to Public Safety Answering Point (PSAP)s where 911 solutions are deployed and the tandem is used for 911; and
- 4.5.3.1.6 Where appropriate, Tandem Switching shall provide connectivity for the purpose of routing transit traffic to and from other carriers.
- 4.5.3.2 BellSouth may perform testing and fault isolation on the underlying switch that is providing Tandem Switching. Such testing shall be testing routinely performed by BellSouth. The results and reports of the testing shall be made available to Verizon Ave.
- 4.5.3.3 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner.
- 4.5.3.4 Tandem Switching shall process originating toll free traffic received from Verizon Ave's local switch.
- 4.5.3.5 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element to the extent such Tandem Switch has such capability.
- 4.5.4 Upon Verizon Ave's purchase of overflow trunk groups, Tandem Switching shall provide an alternate routing pattern for Verizon Ave's traffic overflowing from direct end office high usage trunk groups.
- 4.6 <u>Remote Call Forwarding (URCF)</u>
- 4.6.1 As an option, BellSouth shall make available to Verizon Ave an unbundled port with Remote Call Forwarding capability. URCF service combines the functionality of unbundled Local Switching, Tandem Switching and common transport to forward calls from the URCF service telephone number (the number dialed by the calling party) to another telephone number selected by the URCF service subscriber. Verizon Ave must ensure that the following conditions are satisfied:

- 4.6.1.1 the End User of the forward-to number (service) agrees to receive calls forwarded using the URCF service (if such End User is different from the URCF service End User);
- 4.6.1.2 the forward-to number (service) is equipped with sufficient capacity to receive the volume of calls that will be generated from the URCF service;
- 4.6.1.3 the URCF service will not be utilized to forward calls to another URCF or similar service; and
- 4.6.1.4 the forward-to number (service) is not a public safety number (e.g., 911, fire or police number).
- 4.6.2 In addition to the charge for the URCF service port, BellSouth shall charge Verizon Ave the rates set forth in Exhibit A for unbundled Local Switching, Tandem Switching, and Common Transport, including all associated usage incurred for calls from the URCF service telephone number (the number dialed by the calling party) to the forward-to number (service).
- 4.7 AIN Selective Carrier Routing for OS, DA and Repair Centers
- 4.7.1 Where BellSouth provides Local Switching to Verizon Ave, BellSouth will provide AIN Selective Carrier Routing (AIN SCR) at the request of Verizon Ave. AIN SCR will provide Verizon Ave with the capability of routing operator calls, 0+ and 0- and 0+ NPA Local Numbering Plan Area (LNPA), 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to pre-selected destinations.
- 4.7.2 Verizon Ave shall order AIN SCR through its Account Team and/or Local Contract Manager. AIN SCR must first be established regionally and then on a per central office per state basis.
- 4.7.3 AIN SCR is not available in DMS 10 switches.
- 4.7.4 Where AIN SCR is utilized by Verizon Ave, the routing of Verizon Ave's End User calls shall be pursuant to information provided by Verizon Ave and stored in BellSouth's AIN SCR Service Control Point database. AIN SCR shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an "as needed" basis. The same LCCs will be assigned in each central office where AIN SCR is established.
- 4.7.5 Upon ordering AIN SCR Regional Service, Verizon Ave shall remit to BellSouth the nonrecurring Regional Service Order charge set forth in Exhibit A. There shall be a nonrecurring End Office Establishment Charge as set forth in Exhibit A, per office, due at the addition of each central office where AIN SCR will be utilized. For each Verizon Ave End User activated, there shall be a nonrecurring End User

Establishment charge as set forth in Exhibit A. Verizon Ave shall pay the AIN SCR Per Query Charge set forth in Exhibit A.

- 4.7.6 This nonrecurring Regional Service Order charge will be non-refundable and will be paid with one half due up-front with the submission of all fully completed required forms including: Regional SCR Order Request-Form A, Central Office AIN SCR Order Request Form B, AIN SCR Central Office Identification Form Form C, AIN SCR Routing Options Selection Form Form D, and Routing Combinations Table Form E. BellSouth has thirty (30) days to respond to Verizon Ave's fully completed firm order as a Regional Service Order. With the delivery of this firm order response to Verizon Ave, BellSouth considers that the delivery schedule of this service commences. The remaining half of the nonrecurring Regional Service Order payment must be paid when at least ninety percent (90%) of the Central Offices listed on the original order have been turned up for the service.
- 4.7.7 The nonrecurring End Office Establishment charge will be billed to Verizon Ave following BellSouth's normal monthly billing cycle for this type of order.
- 4.7.8 End-User Establishment Orders will not be turned-up until the second payment is received for the Regional Service Order. The nonrecurring End Office Establishment charges will be billed to Verizon Ave following BellSouth's normal monthly billing cycle for this type of order.
- 4.7.9 Additionally, the AIN SCR Per Query Charge will be billed to Verizon Ave following the normal billing cycle for per query charges.
- 4.7.10 All other network components needed, (i.e., unbundled switching, unbundled local transport, etc.) will be billed per contracted rates.
- 4.8 Selective Call Routing Using Line Class Codes (SCR-LCC)
- 4.8.1 Where Verizon Ave has purchased unbundled Local Switching from BellSouth and utilizes an operator services provider other than BellSouth, BellSouth will route Verizon Ave's End User calls to that provider through Selective Call Routing.
- 4.8.2 SCR-LCC provides the capability for Verizon Ave to have its Operator Call Processing/Directory Assistance (OCP/DA) calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if capacity is available in the requested BellSouth end office switches.
- 4.8.3 Custom Branding for DA is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service, and certain PBX services.

Version: 2Q05 Standard ICA

- Where available, Verizon Ave specific and unique LCCs are programmed in each BellSouth end office switch where Verizon Ave intends to serve End Users with customized OCP/DA branding. The LCCs specifically identify Verizon Ave's End Users so OCP/DA calls can be routed over the appropriate trunk group to the requested OCP/DA platform. Additional LCCs are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and Verizon Ave intends to provide Verizon Ave -branded OCP/DA to its End Users in these multiple rate areas.
- 4.8.5 SCR-LCC supporting Custom Branding and Self Branding require Verizon Ave to order dedicated trunking from each BellSouth end office identified by Verizon Ave, either to the BellSouth TOPS for Custom Branding or to the Verizon Ave Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for DA. Rates for trunks are set forth in applicable BellSouth's FCC No. 1 Tariff.
- 4.8.6 Unbranding Unbranded DA and/or OCP calls ride common trunk groups provisioned by BellSouth from those end offices identified by Verizon Ave to the BellSouth TOPS.
- 4.8.7 The rates for SCR-LCC are as set forth in Exhibit A. There is a nonrecurring charge for the establishment of each LCC in each BellSouth central office. Furthermore, for Unbranded and Custom Branded OCP/DA provided by BellSouth Operator Services with unbundled ports and unbundled port/loop switch combinations, monthly recurring usage charges shall apply for the UNEs necessary to provide the service, such as end office and tandem switching and common transport. A flat rated end office switching charge shall apply to Self-Branded OCP/DA when used in conjunction with unbundled ports and unbundled port/loop switch combinations.

#### 5 Unbundled Network Element Combinations

- 5.1 For purposes of this Section, references to "Currently Combined" Network Elements shall mean that the particular Network Elements requested by Verizon Ave are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" Network Elements shall mean that the particular Network Elements requested by Verizon Ave are not already combined by BellSouth in the location requested by Verizon Ave but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" Network Elements shall mean that the particular Network Elements requested by Verizon Ave are not elements that BellSouth combines for its use in its network.
- 5.1.1 Except as otherwise set forth in this Agreement, upon request, BellSouth shall perform the functions necessary to combine Network Elements that BellSouth is

Version: 2Q05 Standard ICA

required to provide under this Agreement in any manner, even if those elements are not ordinarily combined in BellSouth's network, provided that such Combination is technically feasible and will not undermine the ability of other carriers to obtain access to Network Elements or to interconnect with BellSouth's network.

To the extent Verizon Ave requests a Combination for which BellSouth does not have methods and procedures in place to provide such Combination, rates and/or methods or procedures for such Combination will be developed pursuant to the BFR process.

#### 5.2 Rates

- 5.2.1 The rates for the Currently Combined Network Elements specifically set forth in Exhibit A shall be the rates associated with such Combinations. Where a Currently Combined Combination is not specifically set forth in Exhibit A, the rate for such Currently Combined Combination shall be the sum of the recurring rates for those individual Network Elements as set forth in Exhibit A and/or Exhibit B in addition to the applicable nonrecurring switch-as-is charge set forth in Exhibit A.
- The rates for the Ordinarily Combined Network Elements specifically set forth in Exhibit A shall be the nonrecurring and recurring charges for those Combinations. Where an Ordinarily Combined Combination is not specifically set forth in Exhibit A, the rate for such Ordinarily Combined Combination shall be the sum of the recurring rates for those individual Network Elements as set forth in Exhibit A and/or Exhibit B and nonrecurring rates for those individual Network Elements as set forth in Exhibit A.
- 5.2.3 The rates for Not Typically Combined Combinations shall be developed pursuant to the BFR process upon request of Verizon Ave.

#### 5.3 Enhanced Extended Links (EELs)

- 5.3.1 EELs are combinations of Loops and Dedicated Transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements. BellSouth shall provide Verizon Ave with EELs where the underlying Network Element are available and are required to be provided pursuant to this Agreement and in all instances where the requesting carrier meets the eligibility requirements, if applicable.
- 5.3.2 High-capacity EELs are (1) combinations of Loop and Dedicated Transport, (2) Dedicated Transport commingled with a wholesale loop, or (3) a loop commingled with wholesale transport at the DS1 and/or DS3 level as described in 47 C.F.R. § 51.318(b).

Version: 2Q05 Standard ICA

By placing an order for a high-capacity EEL, Verizon Ave thereby certifies that the service eligibility criteria set forth herein are met for access to a converted high-capacity EEL, a new high-capacity EEL, or part of a high-capacity commingled EEL as a UNE. BellSouth shall have the right to audit Verizon Ave's high-capacity EELs as specified below.

### 5.3.4 Service Eligibility Criteria

- 5.3.4.1 High capacity EELs must comply with the following service eligibility requirements. Verizon Ave must certify for each high-capacity EEL that all of the following service eligibility criteria are met:
- 5.3.4.1.1 Verizon Ave has received state certification to provide local voice service in the area being served;
- 5.3.4.2 For each combined circuit, including each DS1 circuit, each DS1 EEL, and each DS1-equivalent circuit on a DS3 EEL:
- 5.3.4.2.1 1) Each circuit to be provided to each End User will be assigned a local number prior to the provision of service over that circuit;
- 5.3.4.2.2 2) Each DS1-equivalent circuit on a DS3 EEL must have its own local number assignment so that each DS3 must have at least twenty-eight (28) local voice numbers assigned to it;
- 5.3.4.2.3 3) Each circuit to be provided to each End User will have 911 or E911 capability prior to provision of service over that circuit;
- 5.3.4.2.4 4) Each circuit to be provided to each End User will terminate in a collocation arrangement that meets the requirements of 47 C.F.R. § 51.318(c);
- 5.3.4.2.5 5) Each circuit to be provided to each End User will be served by an interconnection trunk over which Verizon Ave will transmit the calling party's number in connection with calls exchanged over the trunk;
- 5.3.4.2.6 6) For each twenty-four (24) DS1 EELs or other facilities having equivalent capacity, Verizon Ave will have at least one (1) active DS1 local service interconnection trunk over which Verizon Ave will transmit the calling party's number in connection with calls exchanged over the trunk; and
- 5.3.4.2.7 7) Each circuit to be provided to each End User will be served by a switch capable of switching local voice traffic.
- 5.3.4.3 BellSouth may, on an annual basis, audit Verizon Ave's records in order to verify compliance with the qualifying service eligibility criteria. The audit shall be conducted by a third party independent auditor, and the audit must be performed in accordance with the standards established by the American Institute for Certified

Version: 2Q05 Standard ICA

Public Accountants (AICPA). To the extent the independent auditor's report concludes that Verizon Ave failed to comply with the service eligibility criteria, Verizon Ave must true-up any difference in payments, convert all noncompliant circuits to the appropriate service, and make the correct payments on a going-forward basis. In the event the auditor's report concludes that Verizon Ave did not comply in any material respect with the service eligibility criteria, Verizon Ave shall reimburse BellSouth for the cost of the independent auditor. To the extent the auditor's report concludes that Verizon Ave did comply in all material respects with the service eligibility criteria, BellSouth will reimburse Verizon Ave for its reasonable and demonstrable costs associated with the audit. Verizon Ave will maintain appropriate documentation to support its certifications.

5.3.4.4 In the event Verizon Ave converts special access services to UNEs, Verizon Ave shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

## 5.4 <u>UNE-P</u>

- DS0 Local Switching, as defined in Section 4 above, in combination with a Loop and Common (Shared) Transport as defined in Section 4.4 above (UNE-P) provides local exchange service for the origination or termination of calls. UNE-P supports the same local calling and feature requirements as described in the Local Switching section of this Attachment and the ability to presubscribe to a primary carrier for interLATA toll service and/or to presubscribe to a primary carrier for interLATA toll service.
- 5.4.2 Notwithstanding anything to the contrary in this Agreement, BellSouth is not required to provide UNE-P pursuant to this Agreement except as set forth in this Section 5.4.

### 5.4.3 Transition Period for UNE-P

- 5.4.3.1 For purposes of this Section 5.4, the Transition Period for UNE-P is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006.
- 5.4.3.2 For the purposes of this Section 5.4, Embedded Base shall mean UNE-P and any additional elements that are required to be provided in conjunction therewith that were in service for Verizon Ave as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.
- During the Transition Period only, BellSouth shall make UNE-P available for the Embedded Base, in addition to all elements that are required to be provided in conjunction with UNE-P, at the rates, terms and conditions set forth in this Attachment. The Transition Period shall apply only to Verizon Ave's Embedded Base and Verizon Ave shall not place new orders for UNE-P pursuant to this Agreement.

Version: 2Q05 Standard ICA

- 5.4.3.4 Notwithstanding the Effective Date of this Agreement, the rates for Verizon Ave's Embedded Base of UNE-P during the Transition Period shall be as set forth in Exhibit A.
- 5.4.3.5 By October 1, 2005, Verizon Ave must submit orders or spreadsheets or if migrating to UNE Loops must use the Bulk Migration process in accordance with Section 2.1.12 above, to either disconnect or convert all of its Embedded Base of UNE-P to other BellSouth services.
- 5.4.3.5.1 If Verizon Ave fails to submit orders or spreadsheets converting all of the Embedded Base of UNE-P as specified in Section 5.4.3.5 above prior to October 1, 2005, BellSouth will identify Verizon Ave's remaining Embedded Base of UNE-P and will transition such UNE-P to resold BellSouth telecommunication services, as set forth in Attachment 1. Those circuits identified and transitioned by BellSouth shall be subject to the applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of such BellSouth services as set forth in BellSouth's tariffs.
- 5.4.3.5.2 For Embedded Base UNE-P converted pursuant to Section 5.4.3.5 above or transitioned pursuant to Section 5.4.3.5. above, the applicable recurring tariff charges shall apply as of the earlier of the date each circuit is converted or transitioned, as applicable, or March 11, 2006.
- 5.4.3.6 Effective March 11, 2006, UNE-P will no longer be made available pursuant to this Agreement.
- 5.4.4 BellSouth shall make 911 updates in the BellSouth 911 database for Verizon Ave's UNE-P. BellSouth will not bill Verizon Ave for 911 surcharges. Verizon Ave is responsible for paying all 911 surcharges to the applicable governmental agency.
- 5.5 <u>Intercarrier Compensation</u>
- 5.5.1 Intercarrier compensation for seven (7) or ten (10) digit dialed calls originated by Verizon Ave utilizing Local Switching shall apply as follows:
- 5.5.2 For calls terminating to a BellSouth End User or to an End User served by BellSouth resold services, BellSouth shall charge Verizon Ave for End Office Switching as set forth in Exhibit A at the terminating end office.
- 5.5.3 For calls terminating to a CLEC where such CLEC is utilizing a BellSouth switch port or port/loop combination to provide service to its End User, BellSouth shall charge Verizon Ave for End Office Switching as set forth in Exhibit A at the terminating end office. BellSouth will not charge the terminating CLEC for End Office Switching as set forth in Exhibit A at the terminating end office.

- 5.5.3.1 For calls terminating to third party carriers, such as CLECs, wireless carriers and independent companies, utilizing their own switches to serve their End Users, Verizon Ave is required to enter into interconnection or traffic exchange agreements with such third parties for the exchange of traffic through BellSouth's network. If Verizon Ave does not have such an agreement with a third party carrier and BellSouth is charged termination charges by a third party terminating a call originated by Verizon Ave, or if such third party carrier bills BellSouth for terminating such calls, despite the existence of such an agreement, then BellSouth may, at its option:
- 5.5.3.1.1 pay such charges as billed by the third party carrier and charge End Office Switching as set forth in Exhibit A to Verizon Ave for each such call; or
- 5.5.3.1.2 pay such charges as billed by the third party carrier and Verizon Ave will reimburse the full amount of such charges within thirty (30) days of BellSouth's request for reimbursement.
- 5.5.3.2 Intercarrier compensation for seven (7) or ten (10) digit dialed calls terminating to Verizon Ave utilizing Local Switching shall apply as follows:
- 5.5.3.2.1 For calls originated by a BellSouth End User or by an End User served by resold BellSouth services, BellSouth shall not charge Verizon Ave for End Office Switching at the terminating end office for use of the network component; therefore, Verizon Ave shall not charge BellSouth intercarrier compensation or any other charges for termination of such calls.
- 5.5.3.2.2 For calls originated by a CLEC where such CLEC is utilizing a BellSouth switch port or port/loop combination to provide service to its End User, BellSouth shall not charge Verizon Ave for End Office Switching at the terminating end office for use of the network component; therefore, Verizon Ave shall not charge the originating CLEC or BellSouth intercarrier compensation or any other charges for termination of such calls.
- 5.5.3.2.3 For calls originated by third party carriers, such as CLECs, wireless carriers and independent companies, utilizing their own switches to serve their End Users, Verizon Ave is required to enter into interconnection or traffic exchange agreements with such third parties for the exchange of traffic through BellSouth's network. Verizon Ave may bill the third parties according to such agreements and shall not bill BellSouth for the exchange of traffic through BellSouth's network.
- 5.5.3.3 Intercarrier compensation shall apply as follows for intralata 1+ dialed calls originated by Verizon Ave utilizing Local Switching where Verizon Ave uses BellSouth's CIC for its End User's LPIC:

- 5.5.3.3.1 For calls terminating to a BellSouth End User or to an End User served by BellSouth resold services, BellSouth shall charge Verizon Ave for End Office Switching as set forth in Exhibit A at the terminating end office.
- 5.5.3.3.2 For calls terminating to a CLEC where such CLEC is utilizing a BellSouth switch port or port/loop combination to provide service to its End User, BellSouth shall charge Verizon Ave for End Office Switching as set forth in Exhibit A at the terminating end office. BellSouth will not charge the terminating CLEC for End Office Switching at the terminating end office. In the event that BellSouth is charged termination charges by the CLEC, BellSouth may pay such charges and Verizon Ave will reimburse BellSouth the full amount of such charges within thirty (30) days following BellSouth's request for reimbursement.
- 5.5.3.3.3 For calls terminating to third party carriers, such as CLECs, wireless carriers and independent companies, utilizing their own switches to serve their End Users, Verizon Ave is required to enter into interconnection or traffic exchange agreements with such third parties for the exchange of traffic through BellSouth's network. If Verizon Ave does not have such an agreement with a third party carrier and BellSouth is charged termination charges by a third party terminating a call originated by Verizon Ave, or if such third party carrier bills BellSouth for terminating such calls, despite the existence of such an agreement, then BellSouth may, at its option:
- 5.5.3.3.3.1 pay such charges as billed by the third party carrier and charge End Office Switching as set forth in Exhibit A to Verizon Ave for each such call; or
- 5.5.3.3.2 pay such charges as billed by the third party carrier and Verizon Ave will reimburse BellSouth the full amount of such charges within thirty (30) days following BellSouth's request for reimbursement.
- 5.5.3.4 Intercarrier compensation shall apply as follows for intralata 1+ dialed calls terminating to Verizon Ave utilizing Local Switching where the originating carrier uses BellSouth's CIC for its End User's LPIC:
- 5.5.3.4.1 For calls originated by a BellSouth End User or by an End User served by BellSouth resold service, BellSouth shall charge Verizon Ave for End Office Switching as set forth in Exhibit A at the terminating end office for use of the End Office Switching network component in terminating such calls. Verizon Ave may charge BellSouth for intercarrier compensation at the End Office Switching as set forth in Exhibit A for such calls. Verizon Ave shall not charge originating or terminating switched access rates to BellSouth for termination of such calls.
- 5.5.3.5 For calls originated by or terminating to interexchange carriers through a switched access arrangement, Verizon Ave may bill the interexchange carrier in accordance with Verizon Ave's tariff and will not bill BellSouth any charges for such call. Verizon Ave shall pay BellSouth applicable charges for the use of BellSouth's

network in accordance with the rates set forth in Exhibit A for originating and terminating such calls.

### 6 Dedicated Transport and Dark Fiber Transport

- Dedicated Transport. Dedicated Transport is defined as BellSouth's transmission facilities between wire centers or switches owned by BellSouth, or between wire centers or switches owned by BellSouth and switches owned by Verizon Ave, including but not limited to DS1, DS3 and OCn level services, as well as dark fiber, dedicated to Verizon Ave. BellSouth shall not be required to provide access to OCn level Dedicated Transport under any circumstances pursuant to this Agreement. In addition, except as set forth in Section 6.2 below, BellSouth shall not be required to provide to Verizon Ave unbundled access to interoffice transmission facilities that do not connect a pair of wire centers or switches owned by BellSouth ("Entrance Facilities").
- 6.2 <u>Transition for DS1 and DS3 Dedicated Transport Including DS1 and DS3 Entrance Facilities</u>
- 6.2.1 For purposes of this Section 6.2, the Transition Period for the Embedded Base of DS1 and DS3 Dedicated Transport, Embedded Base Entrance Facilities and for Excess DS1 and DS3 Dedicated Transport, is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006.
- For purposes of this Section 6.2, Embedded Base means DS1 and DS3 Dedicated Transport that were in service for Verizon Ave as of March 10, 2005 in those wire centers that, as of such date, met the criteria set forth in Sections 6.2.6.1 or 6.2.6.2 below. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.
- 6.2.3 For purposes of this Section 6, Embedded Base Entrance Facilities means Entrance Facilities that were in service for Verizon Ave as of March 10, 2005. Subsequent disconnects or loss of customers shall be removed from the Embedded Base.
- 6.2.4 For purposes of this Section 6, Excess DS1 and DS3 Dedicated Transport means those Verizon Ave DS1 and DS3 Dedicated Transport facilities in service as of March 10, 2005, in excess of the caps set forth in Section 6.6 below. Subsequent disconnects and loss of End Users shall be removed from Excess DS1 and DS3 Loops.
- 6.2.5 For purposes of this Section 6.2, a Business Line is as defined in 47 C.F.R. § 51.5.
- 6.2.6 Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dedicated Transport as described in this Section 6.2 only for Verizon Ave's Embedded Base during the Transition Period:

Version: 2Q05 Standard ICA

- 6.2.6.1 DS1 Dedicated Transport where both wire centers at the end points of the route contain 38,000 or more Business Lines or four (4) or more fiber-based collocators.
- 6.2.6.2 DS3 Dedicated Transport where both wire centers at the end points of the route contain 24,000 or more Business Lines or three (3) or more fiber-based collocators.
- 6.2.6.3 A list of wire centers meeting the criteria set forth in Sections 6.2.6.1 or 6.2.6.2 above as of March 10, 2005, is available on BellSouth's Interconnection Web site, as (Initial Wire Center List).
- 6.2.6.4 Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Entrance Facilities only for Verizon Ave's Embedded Base Entrance Facilities and only during the Transition Period.
- 6.2.6.5 Notwithstanding the Effective Date of this Agreement, during the Transition Period, the rates for Verizon Ave's Embedded Base of DS1 and DS3 Dedicated Transport and for Verizon Ave's Excess DS1 and DS3 Dedicated Transport, as described in this Section 6.2, shall be as set forth in Exhibit B, and the rates for Verizon Ave's Embedded Base Entrance Facilities as described in this Section 6.2 shall be as set forth in Exhibit A.
- 6.2.6.6 The Transition Period shall apply only to (1) Verizon Ave's Embedded Base and Embedded Base Entrance Facilities; and (2) Verizon Ave's Excess DS1 and DS3 Dedicated Transport. Verizon Ave shall not add new Entrance Facilities pursuant to this Agreement. Further, Verizon Ave shall not add new DS1 or DS3 Dedicated Transport as described in this Section 6.2 pursuant to this Agreement, except pursuant to the self-certification process as set forth in Section 1.8 above and as set forth in Section 6.2.6.10 below.
- 6.2.6.7 Once a wire center exceeds either of the thresholds set forth in Section 6.2.6.1 above, no future DS1 Dedicated Transport unbundling will be required in that wire center.
- 6.2.6.8 Once a wire center exceeds either of the thresholds set forth in Section 6.2.6.2 above, no future DS3 Dedicated Transport will be required in that wire center.
- 6.2.6.9 No later than December 9, 2005 Verizon Ave shall submit spreadsheet(s) identifying all of the Embedded Base of circuits, Embedded Base Entrance Facilities, and Excess DS1 and DS3 Dedicated Transport to be either disconnected or converted to other BellSouth services pursuant to Section 1.6 above. The Parties shall negotiate a project schedule for the Conversion of the Embedded Base, Embedded Base Entrance Facilities and Excess DS1 and DS3 Dedicated Transport.

- 6.2.6.9.1 If Verizon Ave fails to submit the spreadsheet(s) specified in Section 6.2.6.9 above for all of its Embedded Base, Embedded Base Entrance Facilities and Excess DS1 and DS3 Dedicated Transport prior to December 9, 2005, BellSouth will identify Verizon Ave's remaining Embedded Base, Embedded Base Entrance Facilities and Excess DS1 and DS3 Dedicated Transport, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth pursuant to this Section 6.2.6.9.1 shall be subject to all applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.
- 6.2.6.9.2 For Embedded Base circuits, Embedded Base Entrance Facilities and Excess DS1 and DS3 Dedicated Transport converted pursuant to Section 6.2.6.9 above or transitioned pursuant to Section 6.2.6.9.1 above, the applicable recurring tariff charge shall apply to each circuit as of the earlier of the date each circuit is converted or transitioned, as applicable, or March 11, 2006.
- 6.2.6.10 <u>Modifications and Updates to the Wire Center List and Subsequent Transition</u>
  Periods
- 6.2.6.10.1 In the event BellSouth identifies additional wire centers that meet the criteria set forth in Sections 6.2.6.1 or 6.2.6.2 above, but that were not included in the Initial Wire Center List, BellSouth shall include such additional wire centers in CNL. Each such list of additional wire centers shall be considered a Subsequent Wire Center List.
- 6.2.6.10.2 Effective ten (10) business days after the date of a BellSouth CNL providing a Subsequent Wire Center List, BellSouth shall not be required to provide DS1 and DS3 Dedicated Transport, as applicable, in such additional wire center(s), except pursuant to the self-certification process as set forth in Section 1.8 above.
- 6.2.6.10.3 For purposes of Section 6.2.6.10 above, BellSouth shall make available DS1 and DS3 Dedicated Transport that was in service for Verizon Ave in a wire center on the Subsequent Wire Center List as of the tenth (10<sup>th</sup>) business day after the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Embedded Base) until ninety (90) days after the tenth (10th) business day from the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Transition Period).
- 6.2.6.10.4 Subsequent disconnects or loss of End Users shall be removed from the Subsequent Embedded Base.
- 6.2.6.10.5 The rates set forth in Exhibit B shall apply to the Subsequent Embedded Base during the Subsequent Transition Period.

- 6.2.6.10.6 No later than forty (40) days from BellSouth's CNL identifying the Subsequent Wire Center List Verizon Ave shall submit a spreadsheet(s) identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other BellSouth services. The Parties shall negotiate a project schedule for the Conversion of the Subsequent Embedded Base.
- 6.2.6.10.6.1 If Verizon Ave fails to submit the spreadsheet(s) specified in Section 6.2.6.10.6 above for all of its Subsequent Embedded Base within forty (40) days after the date of BellSouth's CNL identifying the Subsequent Wire Center List, BellSouth will identify Verizon Ave's remaining Subsequent Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth shall be subject to the applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.
- 6.2.6.10.7 For Subsequent Embedded Base circuits converted pursuant to Section 6.2.6.10.6 above or transitioned pursuant to Section 6.2.6.10.6.1 above, the applicable recurring tariff charges shall apply as of the earlier of the date each circuit is converted or transitioned, as applicable, or the first day after the end of the Subsequent Transition Period.
- 6.3 BellSouth shall:
- 6.3.1 Provide Verizon Ave exclusive use of Dedicated Transport to a particular customer or carrier;
- Provide all technically feasible features, functions, and capabilities of Dedicated Transport as outlined within the technical requirements of this section;
- 6.3.3 Permit, to the extent technically feasible, Verizon Ave to connect Dedicated Transport to equipment designated by Verizon Ave, including but not limited to, Verizon Ave's collocated facilities; and
- Permit, to the extent technically feasible, Verizon Ave to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 6.4 BellSouth shall offer Dedicated Transport:
- 6.4.1 As capacity on a shared facility; and
- As a circuit (i.e., DS0, DS1, DS3, STS-1) dedicated to Verizon Ave.
- 6.5 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.

Verizon Ave may obtain a maximum of ten (10) unbundled DS1 Dedicated Transport circuits or twelve (12) unbundled DS3 Dedicated Transport circuits, or their equivalent, on each route where the respective Dedicated Transport is available as a Network Element. A route is defined as a transmission path between one (1) of BellSouth's wire centers or switches and another of BellSouth's wire centers or switches. A route between two (2) points may pass through one (1) or more intermediate wire centers or switches. Transmission paths between identical end points are the same "route", irrespective of whether they pass through the same intermediate wire centers or switches, if any.

# 6.7 <u>Technical Requirements</u>

- 6.7.1 BellSouth shall offer DS0 equivalent interface transmission rates for DS0 or voice grade Dedicated Transport. For DS1 or DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office (CI to CO) connections in the applicable industry standards.
- 6.7.2 BellSouth shall offer the following interface transmission rates for Dedicated Transport:
- 6.7.2.1 DS0 Equivalent;
- 6.7.2.2 DS1;
- 6.7.2.3 DS3;
- 6.7.2.4 STS-1; and
- 6.7.2.5 SDH (Synchronous Digital Hierarchy) Standard interface rates are in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.
- 6.7.3 BellSouth shall design Dedicated Transport according to its network infrastructure. Verizon Ave shall specify the termination points for Dedicated Transport.
- At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references and BellSouth Technical References;
- 6.7.4.1 Telcordia TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.
- 6.7.4.2 BellSouth's TR 73501 LightGate®Service Interface and Performance Specifications, Issue D, June 1995.

Version: 2Q05 Standard ICA

- 6.7.4.3 BellSouth's TR 73525 MegaLink®Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.
- 6.8 <u>Unbundled Channelization (Multiplexing)</u>
- To the extent Verizon Ave is purchasing DS1 or DS3 or STS-1 Dedicated Transport pursuant to this Agreement, Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) Network Elements to be multiplexed or channelized at a BellSouth central office. Channelization can be accomplished through the use of a multiplexer or a digital cross-connect system at the discretion of BellSouth. Once UC has been installed, Verizon Ave may request channel activation on a channelized facility and BellSouth shall connect the requested facilities via COCIs. The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility. This service is available as defined in NECA 4.
- 6.8.2 BellSouth shall make available the following channelization systems and interfaces:
- 6.8.2.1 DS1 Channelization System: channelizes a DS1 signal into a maximum of twenty-four (24) DS0s. The following COCI are available: Voice Grade, Digital Data and ISDN.
- 6.8.2.2 DS3 Channelization System: channelizes a DS3 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 6.8.2.3 STS-1 Channelization System: channelizes a STS-1 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 6.8.3 <u>Technical Requirements.</u> In order to assure proper operation with BellSouth provided central office multiplexing functionality, Verizon Ave's channelization equipment must adhere strictly to form and protocol standards. Verizon Ave must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.
- 6.9 <u>Dark Fiber Transport.</u> Dark Fiber Transport is defined as Dedicated Transport that consists of unactivated optical interoffice transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics. Except as set forth in Section 6.9.1 below, BellSouth shall not be required to provide access to Dark Fiber Transport Entrance Facilities pursuant to this Agreement.
- 6.9.1 <u>Transition for Dark Fiber Transport and Dark Fiber Transport Entrance Facilities</u>

- 6.9.1.1 For purposes of this Section 6.9, the Transition Period for the Embedded Base of Dark Fiber Transport is the eighteen (18) month period beginning March 11, 2005 and ending September 10, 2006.
- 6.9.1.2 For purposes of this Section 6.9, Embedded Base means Dark Fiber Transport that was in service for Verizon Ave as of March 10, 2005 in those wire centers that, as of such date, met the criteria set forth in 6.9.1.4.1 below. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.
- 6.9.1.3 For purposes of this Section 6.9, a Business Line is as defined in 47 C.F.R. § 51.5.
- 6.9.1.4 Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dark Fiber Transport as described in this Section 6.9 only for Verizon Ave's Embedded Base during the Transition Period:
- 6.9.1.4.1 Dark Fiber Transport where both wire centers at the end points of the route contain twenty-four thousand (24,000) or more Business Lines or three (3) or more fiber-based collocators.
- 6.9.1.5 A list of wire centers meeting the criteria set forth in Section 6.9.1.4 above as of March 10, 2005, ("Initial List") is available on BellSouth's Interconnection Web site.
- Notwithstanding the Effective Date of this Agreement, during the Transition Period, the rates for Verizon Ave's Embedded Base of Dark Fiber Transport as described in Section 6.9.1.2 above shall be as set forth in Exhibit B and the rates for Verizon Ave's Embedded Base of Dark Fiber Transport Entrance Facilities as described in Section 6.9.1 above shall be as set forth in Exhibit A.
- 6.9.1.7 The Transition Period shall apply only to Verizon Ave's Embedded Base of Dark Fiber Transport and Dark Fiber Entrance Facilities. Verizon Ave shall not add new Dark Fiber Transport as described in this Section 6.9 except pursuant to the self-certification process as set forth in Section 1.8 above and as set forth in Section 6.9.1.10 below. Further, Verizon Ave shall not add new Dark Fiber Entrance Facilities pursuant to this Agreement.
- 6.9.1.8 Once a wire center exceeds either of the thresholds set forth in this Section 6.9.1.4 above, no future Dark Fiber Transport unbundling will be required in that wire center.
- 6.9.1.9 No later than June 10, 2006 Verizon Ave shall submit spreadsheet(s) identifying all of the Embedded Base of Dark Fiber Transport and Dark Fiber Entrance Facilities to be either disconnected or converted to other BellSouth services as Conversions pursuant to Section 1.6 above. The Parties shall negotiate a project schedule for the Conversion of the Embedded Base.

- 6.9.1.9.1 If Verizon Ave fails to submit the spreadsheet(s) specified in Section 6.9.1.9 above for all of its Embedded Base prior to June 10, 2006, BellSouth will identify Verizon Ave's remaining Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth pursuant to this Section 6.9.1.9.1 shall be subject to all applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.
- 6.9.1.9.2 For Embedded Base circuits converted pursuant to Section 6.9.1.9 above or transitioned pursuant to Section 6.9.1.9.1 above, the applicable recurring tariff charge shall apply to each circuit as of the earlier of the date each circuit is converted or transitioned, as applicable, or September 11, 2006.
- 6.9.1.10 <u>Modifications and Updates to the Wire Center List and Subsequent Transition Periods</u>
- 6.9.1.10.1 In the event BellSouth identifies additional wire centers that meet the criteria set forth in Section 6.9.1.4.1 above, but that were not included in the Initial Wire Center List, BellSouth shall include such additional wire centers in a CNL. Each such list of additional wire centers shall be considered a "Subsequent Wire Center List".
- 6.9.1.10.2 Effective ten (10) business days after the date of a BellSouth CNL providing a Subsequent Wire Center List, BellSouth shall not be required to provide unbundled access to Dark Fiber Transport, as applicable, in such additional wire center(s), except pursuant to the self-certification process as set forth in Section 1.8 above.
- 6.9.1.10.3 For purposes of Section 6.9.1.10, BellSouth shall make available Dark Fiber Transport that was in service for Verizon Ave in a wire center on the Subsequent Wire Center List as of the tenth (10<sup>th</sup>) business day after the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Embedded Base) until ninety (90) days after the tenth (10th) business day from the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Transition Period).
- 6.9.1.10.4 Subsequent disconnects or loss of End Users shall be removed from the Subsequent Embedded Base.
- 6.9.1.10.5 The rates set forth in Exhibit B shall apply to the Subsequent Embedded Base during the Subsequent Transition Period.
- 6.9.1.10.6 No later than forty (40) days from BellSouth's CNL identifying the Subsequent Wire Center List Verizon Ave shall submit a spreadsheet(s) identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other

BellSouth services. The Parties shall negotiate a project schedule for the Conversion of the Subsequent Embedded Base.

- 6.9.1.10.6.1 If Verizon Ave fails to submit the spreadsheet(s) specified in Section 6.9.1.10.6 above for all of its Subsequent Embedded Base within forty (40) days after the date of BellSouth's CNL identifying the Subsequent Wire Center List, BellSouth will identify Verizon Ave's remaining Subsequent Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth shall be subject to the applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.
- 6.9.1.10.6.2 For Subsequent Embedded Base circuits converted pursuant to Section 6.9.1.10.6 above or transitioned pursuant to Section 6.9.1.10.6.1 above, the applicable recurring tariff charges shall apply as of the earlier of the date each circuit is converted or transitioned, as applicable, or the first day after the end of the Subsequent Transition Period.

## 6.10 Rearrangements

- A request to move a working Verizon Ave CFA to another Verizon Ave CFA, where both CFAs terminate in the same BellSouth Central Office (Change in CFA), shall not constitute the establishment of new service. The applicable rates set forth in Exhibit A.
- 6.10.2 Requests to re-terminate one end of a facility that is not a Change in CFA constitute the establishment of new service and require disconnection of existing service and the applicable rates set forth in Exhibit A shall apply.
- 6.10.3 Upon request of Verizon Ave, BellSouth shall project manage the Change in CFA or re-termination of a facility as described in Sections 6.10.1 and 6.10.2 above and Verizon Ave may request OC-TS for such orders.
- BellSouth shall accept a LOA between Verizon Ave and another carrier that will allow Verizon Ave to connect a facility, or Combination that includes Dedicated Transport to the other carrier's collocation space or to another carrier's CFA associated with higher bandwidth transport.

### 7 Call Related Databases and Signaling

7.1 Call Related Databases are the databases other than OSS, that are used in signaling networks, for billing and collection, or the transmission, routing or other provision of a Telecommunications Service. Notwithstanding anything to the contrary herein, BellSouth shall only provide unbundled access to call related databases and signaling including but not limited to, BellSouth Switched Access 8XX Toll Free

Version: 2Q05 Standard ICA

Dialing Ten Digit Screening Service, LIDB, Signaling, Signaling Link Transport, STP, SS7 AIN Access, Service Control Point(SCP\Databases, Local Number Portability (LNP) Databases and Calling Name (CNAM) Database Service pursuant to this Agreement where BellSouth is required to provide and is providing Local Switching or UNE-P to Verizon Ave pursuant to this Agreement.

- 7.2 <u>BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening</u> Service
- 7.2.1 The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database (8XX SCP Database) is a SCP that contains customer record information and the functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS/8XX database and provides the routing instructions in response to queries from the SSP or tandem. The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service (8XX TFD Service) utilizes the 8XX SCP Database to provide identification and routing of the 8XX calls, based on the ten digits dialed. At Verizon Ave's option, 8XX TFD Service is provided with or without POTS number delivery, dialing number delivery, and other optional complex features as selected by Verizon Ave.
- 7.2.2 The 8XX SCP Database is designated to receive and respond to queries using the ANSI Specification of SS7 protocol.
- 7.3 <u>LIDB</u>
- 7.3.1 LIDB is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. For access to LIDB, Verizon Ave must purchase appropriate signaling links pursuant to Section 7.4 below. LIDB contains records associated with End User Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.
- 7.3.2 Technical Requirements
- 7.3.2.1 BellSouth will offer to Verizon Ave any additional capabilities that are developed for LIDB during the life of this Agreement.
- 7.3.2.2 BellSouth shall process Verizon Ave's customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions. BellSouth shall indicate to Verizon Ave what additional functions (if any) are performed by LIDB in the BellSouth network.

Version: 2Q05 Standard ICA

- 7.3.2.3 Within two (2) weeks after a request by Verizon Ave, BellSouth shall provide Verizon Ave with a list of the customer data items, which Verizon Ave would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.
- 7.3.2.4 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed thirty (30) minutes per year.
- 7.3.2.5 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed twelve (12) hours per year.
- 7.3.2.6 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than twelve (12) hours per year.
- 7.3.2.7 All additions, updates and deletions of Verizon Ave data to the LIDB shall be solely at the direction of Verizon Ave. Such direction from Verizon Ave will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).
- 7.3.2.8 BellSouth shall provide priority updates to LIDB for Verizon Ave data upon Verizon Ave's request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one (1) hour of notice from the established BellSouth contact.
- 7.3.2.9 BellSouth shall provide LIDB systems such that no more than 0.01% of Verizon Ave customer records will be missing from LIDB, as measured by Verizon Ave audits. BellSouth will audit Verizon Ave records in LIDB against Data Base Administration System (DBAS) to identify record mismatches and provide this data to a designated Verizon Ave contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mismatches to Verizon Ave within one (1) business day of audit. Once reconciled records are received back from Verizon Ave, BellSouth will update LIDB the same business day if less than five hundred (500) records are received before 1:00 p.m. Central Time. If more than five hundred (500) records are received, BellSouth will contact Verizon Ave to negotiate a time frame for the updates, not to exceed three (3) business days.
- 7.3.2.10 BellSouth shall perform backup and recovery of all of Verizon Ave's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis; and when a new software release is scheduled, a backup is performed prior to loading the new release.

- 7.3.2.11 BellSouth shall provide Verizon Ave with LIDB reports of data which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between Verizon Ave and BellSouth.
- 7.3.2.12 BellSouth shall prevent any access to or use of Verizon Ave data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by Verizon Ave in writing.
- 7.3.2.13 BellSouth shall provide Verizon Ave performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by Verizon Ave at least at parity with BellSouth Customer Data. BellSouth shall obtain from Verizon Ave the screening information associated with LIDB Data Screening of Verizon Ave data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to Verizon Ave under the BFR/NBR Process as set forth in Attachment 11.
- 7.3.2.14 BellSouth shall accept queries to LIDB associated with Verizon Ave customer records and shall return responses in accordance with industry standards.
- 7.3.2.15 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.
- 7.3.2.16 BellSouth shall provide processing time at the LIDB within one (1) second for ninety-nine percent (99%) of all messages under normal conditions as defined in industry standards.
- 7.3.3 <u>Interface Requirements</u>
- 7.3.3.1 BellSouth shall offer LIDB in accordance with the requirements of this subsection.
- 7.3.3.2 The interface to LIDB shall be in accordance with the technical references contained within.
- 7.3.3.3 The CCS interface to LIDB shall be the standard interface described herein.
- 7.3.3.4 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation (GTT) shall be maintained in the signaling network in order to support signaling network routing to the LIDB.
- 7.3.3.5 The application of the LIDB rates contained in Exhibit A will be based on a Percent CLEC LIDB Usage (PCLU) factor. Verizon Ave shall provide BellSouth a PCLU. The PCLU will be applied to determine the percentage of total LIDB

Version: 2Q05 Standard ICA

usage to be billed to the other Party at local rates. Verizon Ave shall update its PCLU on the first of January, April, July and October and shall send it to BellSouth to be received no later than thirty (30) calendar days after the first of each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PCLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide.

- 7.4 <u>Signaling.</u> BellSouth shall offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the terms and conditions set forth in Attachment 3 and at the rates set forth in Exhibit A. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, STPs and SCPs. Signaling functionality will be available with both A-link and B-link connectivity.
- 7.4.1 <u>Signaling Link Transport.</u> Signaling Link Transport is a set of two (2) or four (4) dedicated 56 kbps transmission paths between Verizon Ave designated SPOI that provide appropriate physical diversity.
- 7.4.1.1 <u>Technical Requirements</u>
- 7.4.1.1.1 Signaling Link Transport shall consist of full duplex mode fifty-six (56) kbps transmission paths and shall perform in the following two (2) ways:
- 7.4.1.1.1 As an "A-link" Signaling Link Transport is a connection between a switch or SCP and a home STP switch pair; and
- 7.4.1.1.2 As a "B-link" Signaling Link Transport is a connection between two (2) STP switch pairs in different company networks (e.g., between two (2) STP switch pairs for two (2) CLECs).
- 7.4.1.2 Signaling Link Transport shall consist of two (2) or more signaling link layers as follows:
- 7.4.1.2.1 An A-link layer shall consist of two (2) links; and
- 7.4.1.2.2 A B-link layer shall consist of four (4) links.
- 7.4.1.3 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:
- 7.4.1.3.1 No single failure of facilities or equipment causes the failure of both links in an Alink layer (i.e., the links should be provided on a minimum of two (2) separate physical paths end-to-end); and

- 7.4.1.3.2 No two (2) concurrent failures of facilities or equipment shall cause the failure of all four (4) links in a B-link layer (i.e., the links should be provided on a minimum of three (3) separate physical paths end-to-end).
- 7.4.2 <u>Interface Requirements.</u> There shall be a DS1 (1.544 Mbps) interface at Verizon Ave's designated SPOIs. Each fifty-six (56) kbps transmission path shall appear as a DS0 channel within the DS1 interface.
- 7.4.3 STP. An STP is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches and their associated signaling links that enables the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches.

# 7.4.3.1 <u>Technical Requirements</u>

- 7.4.3.1.1 STPs shall provide access to BellSouth Local Switching or Tandem Switching and to BellSouth SCPs/Databases connected to BellSouth SS7 network. STPs also provide access to third party local or tandem switching and third party provided STPs.
- 7.4.3.1.2 The connectivity provided by STPs shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This includes the use of the BellSouth SS7 network to convey messages that neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transit messages). When the BellSouth SS7 network is used to convey transit messages, there shall be no alteration of the Integrated Services Digital Network User Part (ISDNUP) or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message. Rates for ISDNUP and TCAP messages are as set forth in Exhibit A.
- 7.4.3.1.3 If a BellSouth tandem switch routes traffic, based on dialed or translated digits, on SS7 trunks between a Verizon Ave local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between Verizon Ave local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.
- 7.4.3.1.4 STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as defined in Telcordia ANSI Interconnection Requirements. This includes GTT and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a Verizon Ave or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of

Version: 2Q05 Standard ICA

STPs in an SS7 network connected with BellSouth SS7 network and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a Verizon Ave database, then Verizon Ave agrees to provide BellSouth with the Destination Point Code for Verizon Ave database.

- 7.4.3.1.5 STPs shall provide all functions of the Operations, Maintenance and Administration Part (OMAP) as specified in applicable industry standard technical references, which may include, where available in BellSouth's network, MTP Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT).
- 7.4.3.1.6 Where the destination signaling point is a BellSouth local or tandem switching system or database, or is a Verizon Ave or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement may be superseded by the specifications for Internetwork MRVT and SRVT when these become approved ANSI standards and available capabilities of BellSouth STPs.

## 7.4.4 SS7

- 7.4.4.1 When technically feasible and upon request by Verizon Ave, SS7 AIN Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with Verizon Ave's SS7 network to exchange TCAP queries and responses with a Verizon Ave SCP.
- 7.4.4.2 SS7 AIN Access shall provide Verizon Ave SCP access to an equipped BellSouth local switch via interconnection of BellSouth's SS7 and Verizon Ave SS7 Networks. BellSouth shall offer SS7 AIN Access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the Verizon Ave SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.

#### 7.4.4.3 <u>Interface Requirements</u>

- 7.4.4.3.1 BellSouth shall provide the following STP options to connect Verizon Ave or Verizon Ave-designated Local Switching systems to the BellSouth SS7 network:
- 7.4.4.3.1.1 An A-link interface from Verizon Ave Local Switching systems; and
- 7.4.4.3.1.2 A B-link interface from Verizon Ave local STPs.

Version: 2Q05 Standard ICA

- 7.4.4.3.2 Each type of interface shall be provided by one (1) or more layers of signaling links.
- 7.4.4.3.3 The SPOI for each link shall be located at a cross-connect element in the CO where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 7.4.4.3.4 BellSouth shall provide intraoffice diversity between the SPOI and BellSouth STPs so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 7.4.4.3.5 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.

# 7.4.4.4 <u>Message Screening</u>

- 7.4.4.4.1 BellSouth shall set message screening parameters so as to accept valid messages from Verizon Ave local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the Verizon Ave switching system has a valid signaling relationship.
- 7.4.4.4.2 BellSouth shall set message screening parameters so as to pass valid messages from Verizon Ave local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the Verizon Ave switching system has a valid signaling relationship.
- 7.4.4.4.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from Verizon Ave from any signaling point or network interconnected through BellSouth's SS7 network where the Verizon Ave SCP has a valid signaling relationship.

### 7.4.5 SCP/Databases

- 7.4.5.1 Call Related Databases provide the storage of, access to, and manipulation of information required to offer a particular service and/or capability. BellSouth shall provide access to the following Databases: LNP, LIDB, Toll Free Number Database, ALI/DMS, and CNAM Database. BellSouth also provides access to SCE/SMS application databases and DA.
- 7.4.5.2 A SCP is deployed in a SS7 network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. SMS provides operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.

#### 7.4.5.3 Technical Requirements for SCPs/Databases

Version: 2Q05 Standard ICA

- 7.4.5.3.1 BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.
- 7.4.5.3.2 BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g., SS7, ISDN and X.25).
- 7.4.5.3.3 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.
- 7.5 <u>LNP Database.</u> The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

## 7.6 <u>CNAM Database Service</u>

- 7.6.1 CNAM is the ability to associate a name with the calling party number, allowing the End User (to which a call is being terminated) to view the calling party's name before the call is answered. The calling party's information is accessed by queries launched to the CNAM database. This service also provides Verizon Ave the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.
- 7.6.2 Verizon Ave shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services. Said notice shall be in writing no less than sixty (60) days prior to Verizon Ave's access to BellSouth's CNAM Database Services and shall be addressed to Verizon Ave's Local Contract Manager.
- 7.6.2.1 Verizon Ave's End Users' names and numbers related to UNE-P Services and shall be stored in the BellSouth CNAM database, and shall be available, on a per query basis only, to all entities that launch queries to the BellSouth CNAM database. BellSouth, at its sole discretion, may opt to interconnect with and query other calling name databases. In the event BellSouth does not query a third party calling name database that stores the calling party's information, BellSouth cannot deliver the calling party's information to a called End User. In addition, BellSouth cannot deliver the calling party's information where the calling party subscribes to any service that would block or otherwise cause the information to be unavailable.
- 7.6.2.2 For each Verizon Ave End User that subscribes to a switch based vertical feature providing calling name information to that End User for calls received, BellSouth will launch a query on a per call basis to the BellSouth CNAM database, or, subject to Section 7.6.2.1 above, to a third party calling name database, to provide calling name information, if available, to Verizon Ave's End User. Verizon Ave shall pay the rates set forth in Exhibit A, on a per query basis, for each query to the BellSouth CNAM database made on behalf of an Verizon Ave End User that subscribes to the appropriate vertical features that support Caller ID or a variation

Version: 2Q05 Standard ICA

thereof. In addition, Verizon Ave shall reimburse BellSouth for any charges BellSouth pays to third party calling name database providers for queries launched to such database providers for the benefit of Verizon Ave's End Users.

7.6.3 BellSouth shall bill for CNAM queries the rate set forth in Exhibit A. In the event BellSouth is unable to bill per query, BellSouth shall bill Verizon Ave at the applicable rates set forth in Exhibit A based on a surrogate of two hundred and fifty-six (256) database queries per month per Verizon Ave's End Users with the Caller ID feature.

# 7.7 <u>SCE/SMS AIN Access</u>

- 7.7.1 BellSouth's SCE/SMS AIN Access shall provide Verizon Ave the capability to create service applications in a BellSouth SCE and deploy those applications in a BellSouth SMS to a BellSouth SCP.
- 7.7.2 BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to Verizon Ave. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions but will not include support for the creation of a specific service application.
- 7.7.3 BellSouth SCP shall partition and protect Verizon Ave service logic and data from unauthorized access.
- 7.7.4 When Verizon Ave selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable Verizon Ave to use BellSouth's SCE/SMS AIN Access to create and administer applications.
- 7.7.5 Verizon Ave access will be provided via remote data connection (e.g., dial-in, ISDN).
- 7.7.6 BellSouth shall allow Verizon Ave to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth.

### 8 Automatic Location Identification/Data Management System

### 8.1 911 and E911 Databases

- 8.1.1 BellSouth shall provide Verizon Ave with nondiscriminatory access to 911 and E911 databases on an unbundled basis, in accordance with 47 C.F.R. § 51.319 (f).
- 8.1.2 The ALI/DMS database contains End User information (including name, address, telephone information, and sometimes special information from the local service provider or End User) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911.

Version: 2Q05 Standard ICA

Verizon Ave will be required to provide the BellSouth 911 database vendor daily service order updates to E911 database in accordance with Section 8.2.1 below.

- 8.2 <u>Technical Requirements</u>
- 8.2.1 BellSouth's 911 database vendor shall provide Verizon Ave the capability of providing updates to the ALI/DMS database through a specified electronic interface. Verizon Ave shall contact BellSouth's 911 database vendor directly to request interface. Verizon Ave shall provide updates directly to BellSouth's 911 database vendor on a daily basis. Updates shall be the responsibility of Verizon Ave and BellSouth shall not be liable for the transactions between Verizon Ave and BellSouth's 911 database vendor.
- 8.2.2 It is Verizon Ave's responsibility to retrieve and confirm statistical data and to correct errors obtained from BellSouth's 911 database vendor on a daily basis. All errors will be assigned a unique error code and the description of the error and the corrective action is described in the CLEC Users Guide for Facility Based Providers that is found on the BellSouth Interconnection Web site.
- 8.2.3 Verizon Ave shall conform to the BellSouth standards as described in the CLEC Users Guide to E911 for Facilities Based Providers that is located on the BellSouth's Interconnection Web site: <a href="https://www.interconnection.bellsouth.com/guides">www.interconnection.bellsouth.com/guides</a>.
- 8.2.4 Stranded Unlocks are defined as End User records in BellSouth's ALI/DMS database that have not been migrated for over ninety (90) days to Verizon Ave, as a new provider of local service to the End User. Stranded Unlocks are those End User records that have been "unlocked" by the previous local exchange carrier that provided service to the End User and are open for Verizon Ave to assume responsibility for such records.
- 8.2.5 Based upon End User record ownership information available in the NPAC database, BellSouth shall provide a Stranded Unlock annual report to Verizon Ave that reflects all Stranded Unlocks that remain in the ALI/DMS database for over ninety (90) days. Verizon Ave shall review the Stranded Unlock report, identify its End User records and request to either delete such records or migrate the records to Verizon Ave within two (2) months following the date of the Stranded Unlock report provided by BellSouth. Verizon Ave shall reimburse BellSouth for any charges BellSouth's database vendor imposes on BellSouth for the deletion of Verizon Ave's records.
- 8.3 <u>911 PBX Locate Service®</u>. 911 PBX Locate Service is comprised of a database capability and a separate transport component.
- 8.3.1 <u>Description of Product.</u> The transport component provides a dedicated trunk path from a Private Branch Exchange (PBX) switch to the appropriate BellSouth 911 tandem.

Version: 2Q05 Standard ICA

- 8.3.1.1 The database capability allows Verizon Ave to offer an E911 service to its PBX End Users that identifies to the PSAP the physical location of the Verizon Ave PBX 911 End User station telephone number for the 911 call that is placed by the End User.
- 8.3.2 Verizon Ave may order either the database capability or the transport component as desired or Verizon Ave may order both components of the service.
- 8.3.3 <u>911 PBX Locate Database Capability.</u> Verizon Ave's End User or Verizon Ave's End User's database management agent (DMA) must provide the End User PBX station telephone numbers and corresponding address and location data to BellSouth's 911 database vendor. The data will be loaded and maintained in BellSouth's ALI database.
- 8.3.4 Ordering, provisioning, testing and maintenance shall be provided by Verizon Ave pursuant to the 911 PBX Locate Marketing Service Description (MSD) that is located on the BellSouth Interconnection Web site.
- 8.3.5 Verizon Ave's End User, or Verizon Ave's End User DMA must provide ongoing updates to BellSouth's 911 database vendor within a commercially reasonable timeframe of all PBX station telephone number adds, moves and deletions. It will be the responsibility of Verizon Ave to ensure that the End User or DMA maintain the data pertaining to each End User's extension managed by the 911 PBX Locate Service product. Verizon Ave should not submit telephone number updates for specific PBX station telephone numbers that are submitted by Verizon Ave's End User, or Verizon Ave's End User DMA under the terms of 911 PBX Locate product.
- 8.3.5.1 Verizon Ave must provision all PBX station numbers in the same LATA as the E911 tandem.
- 8.3.6 Verizon Ave agrees to release, indemnify, defend and hold harmless BellSouth from any and all loss, claims, demands, suits, or other action, or any liability whatsoever, whether suffered, made, instituted or asserted by Verizon Ave's End User or by any other party or person, for any personal injury to or death of any person or persons, or for any loss, damage or destruction of any property, whether owned by Verizon Ave or others, or for any infringement or invasion of the right of privacy of any person or persons, caused or claimed to have been caused, directly or indirectly, by the installation, operation, failure to operate, maintenance, removal, presence, condition, location or use of PBX Locate Service features or by any services which are or may be furnished by BellSouth in connection therewith, including but not limited to the identification of the telephone number, address or name associated with the telephone used by the party or parties accessing 911 services using 911 PBX Locate Service hereunder, except to the extent caused by BellSouth's gross negligence or wilful misconduct. Verizon Ave is responsible for assuring that its authorized End Users comply with the

Version: 2Q05 Standard ICA

provisions of these terms and that unauthorized persons do not gain access to or use the 911 PBX Locate Service through user names, passwords, or other identifiers assigned to Verizon Ave's End User or DMA pursuant to these terms. Specifically, Verizon Ave's End User or DMA must keep and protect from use by any unauthorized individual identifiers, passwords, and any other security token(s) and devices that are provided for access to this product.

- 8.3.7 Verizon Ave may only use BellSouth PBX Locate Service solely for the purpose of validating and correcting 911 related data for Verizon Ave's End Users' telephone numbers for which it has direct management authority.
- 8.3.8 <u>911 PBX Locate Transport Component.</u> The 911 PBX Locate Service transport component requires Verizon Ave to order a CAMA type dedicated trunk from Verizon Ave's End User premise to the appropriate BellSouth 911 tandem pursuant to the following provisions.
- 8.3.8.1 Except as otherwise set forth below, a minimum of two (2) End User specific, dedicated 911 trunks are required between the Verizon Ave's End User premise and the BellSouth 911 tandem as described in BellSouth's TR 73576 and in accordance with the 911 PBX Locate Marketing Service Description located on the BellSouth Interconnection Web site. Verizon Ave is responsible for connectivity between the End User's PBX and Verizon Ave's switch or POP location. Verizon Ave will then order 911 trunks from their switch or POP location to the BellSouth 911 tandem. The dedicated trunks shall be, at a minimum, DS0 level trunks configured as part of a digital interface (delivered over a Verizon Ave purchased DS1 facility that hands off at a DS1 or higher level digital or optical interface). Verizon Ave is responsible for ensuring that the PBX switch is capable of sending the calling station's Direct Inward Dial (DID) telephone number to the BellSouth 911 tandem in a specified Multi-frequency (MF) Address Signaling Protocol. If the PBX switch supports Primary Rate ISDN (PRI) and the calling stations are DID numbers, then the 911call can be transmitted using PRI, and there will be no requirement for the PBX Locate Transport component.
- 8.3.9 Ordering and Provisioning. Verizon Ave will submit an Access Service Request (ASR) to BellSouth to order a minimum of two (2) End User specific 911 trunks from its switch or POP location to the BellSouth 911 tandem.
- 8.3.9.1 Testing and maintenance shall be provided by Verizon Ave pursuant to the 911 PBX Locate Marketing Service description that is located on the BellSouth Interconnection Web site.
- 8.3.10 Rates. Rates for the 911 PBX Locate Service database component are set forth in Exhibit A. Trunks and facilities for 911 PBX Locate transport component may be ordered by Verizon Ave pursuant to the terms and conditions set forth in Attachment 3.

Version: 2Q05 Standard ICA

# 9 White Page Listings

- 9.1 BellSouth shall provide Verizon Ave and its End Users access to white pages directory listings under the following terms:
- 9.1.1 <u>Listings.</u> Verizon Ave shall provide all new, changed and deleted listings on a timely basis and BellSouth or its agent will include Verizon Ave residential and business End User listings in the appropriate White Pages (residential and business) or alphabetical directories in the geographic areas covered by this Agreement. Directory listings will make no distinction between Verizon Ave and BellSouth End Users. Verizon Ave shall provide listing information in accordance with the procedures set forth in The BellSouth Business Rules for Local Ordering found at BellSouth's Interconnection Web site.
- 9.1.2 <u>Unlisted/Non-Published End Users.</u> Verizon Ave will be required to provide to BellSouth the names, addresses and telephone numbers of all Verizon Ave End Users who wish to be omitted from directories. Unlisted/Non-Published listings will be subject to the rates as set forth in BellSouth's GSST and shall not be subject to wholesale discount.
- 9.1.3 <u>Inclusion of Verizon Ave End Users in Directory Assistance Database.</u> BellSouth will include and maintain Verizon Ave End User listings in BellSouth's Directory Assistance databases. Verizon Ave shall provide such Directory Assistance listings to BellSouth at no charge.
- 9.1.4 <u>Listing Information Confidentiality.</u> BellSouth will afford Verizon Ave's directory listing information the same level of confidentiality that BellSouth affords its own directory listing information.
- 9.1.5 <u>Additional and Designer Listings.</u> Additional and designer listings will be offered by BellSouth at tariffed rates as set forth in BellSouth's GSST and shall not be subject to the wholesale discount.
- 9.1.6 Rates. So long as Verizon Ave provides listing information to BellSouth as set forth in Section 9.1.1 above, BellSouth shall provide to Verizon Ave one (1) basic White Pages directory listing per Verizon Ave End User at no charge other than applicable service order charges as set forth in BellSouth's tariffs. Except in the case of an LSR submitted solely to port a number from BellSouth, if such listing is requested on the initial LSR associated with the request for services, a single manual service order charge or electronic service order charge, as appropriate, as described in Attachment 6, will apply to both the request for service and the request for the directory listing. Where a subsequent LSR is placed solely to request a directory listing, or is placed to port a number and request a directory listing, separate service order charges as set forth in BellSouth's tariffs shall apply, as well as the manual service order charge or the electronic service order charge, as appropriate, as described in Attachment 6.

Version: 2Q05 Standard ICA

- 9.2 <u>Directories.</u> BellSouth or its agent shall make available White Pages directories to Verizon Ave End User at no charge or as specified in a separate agreement between Verizon Ave and BellSouth's agent.
- 9.3 Procedures for submitting Verizon Ave Subscriber Listing Information (SLI) are found in The BellSouth Business Rules for Local Ordering found at BellSouth's Interconnection Web site.
- 9.3.1 Verizon Ave authorizes BellSouth to release all Verizon Ave SLI provided to BellSouth by Verizon Ave to qualifying third parties pursuant to either a license agreement or BellSouth's Directory Publishers Database Service (DPDS), GSST. Such Verizon Ave SLI shall be intermingled with BellSouth's own End User listings and listings of any other CLEC that has authorized a similar release of SLI.
- 9.3.2 No compensation shall be paid to Verizon Ave for BellSouth's receipt of Verizon Ave SLI, or for the subsequent release to third parties of such SLI. In addition, to the extent BellSouth incurs costs to modify its systems to enable the release of Verizon Ave's SLI, or costs on an ongoing basis to administer the release of Verizon Ave SLI, Verizon Ave shall pay to BellSouth its proportionate share of the reasonable costs associated therewith. At any time that costs may be incurred to administer the release of Verizon Ave's SLI, Verizon Ave will be notified. If Verizon Ave does not wish to pay its proportionate share of these reasonable costs, Verizon Ave may instruct BellSouth that it does not wish to release its SLI to independent publishers, and Verizon Ave shall amend this Agreement accordingly. Verizon Ave will be liable for all costs incurred until the effective date of the agreement.
- 9.3.3 Neither BellSouth nor any agent shall be liable for the content or accuracy of any SLI provided by Verizon Ave under this Agreement. Verizon Ave shall indemnify, except to the extent caused by BellSouth's gross negligence or willful misconduct, hold harmless and defend BellSouth and its agents from and against any damages, losses, liabilities, demands, claims, suits, judgments, costs and expenses (including but not limited to reasonable attorneys' fees and expenses) arising from BellSouth's tariff obligations or otherwise and resulting from or arising out of any third party's claim of inaccurate Verizon Ave listings or use of the SLI provided pursuant to this Agreement. BellSouth may forward to Verizon Ave any complaints received by BellSouth relating to the accuracy or quality of Verizon Ave listings.
- 9.3.4 Listings and subsequent updates will be released consistent with BellSouth system changes and/or update scheduling requirements.

Version: 2Q05 Standard ICA

UNBUND	DLED	NETWORK ELEMENTS - Florida												Attachment:	2 Exh. A		
	Ť					l						Svc Order	Svc Order	Incremental		Incremental	Increment
																	1
													Submitted	Charge -	Charge -	Charge -	Charge -
			Interi	l_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
CATEGOR	Y	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
												-	· .	Electronic-	Electronic-	Electronic-	Electronic
														1st	Add'l	Disc 1st	Disc Add
														130	Addi	Diac rat	Disc Add
							D	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	•	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
The	0 "70	ne" shown in the sections for stand-alone loops or loops as	nart of	2 com	hination refere to Go	ographically	Dogworgand II	NE Zonos To	viou Googran	hically Doayora	and LINE 7on	Docianatio	ne by Cont	al Office ref	or to internet	Moheito:	
						ograpilically	Deaverageu U	NE ZONES. 10	view Geograpi	ilically Deavera	iged DIVE ZOIN	Designation	ons by Centi	ai Office, reit	er to internet	website.	
		ww.interconnection.bellsouth.com/become_a_clec/html/inter	rconnec	tion.n	m												
		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
NO	OTE: (	<ol> <li>CLEC should contact its contract negotiator if it prefers th</li> </ol>	e "state	speci	fic" OSS charges as	ordered by t	he State Comm	issions. The C	OSS charges c	urrently contain	ned in this rate	e exhibit are	the BellSo	uth "regional	" service orde	ering charges	. CLEC ma
ele	ect eitl	her the state specific Commission ordered rates for the servi	ice orde	ring cl	narges, or CLEC may	elect the re	gional service of	ordering charge	e, however, CL	EC can not ob	tain a mixture	of the two r	regardless if	CLEC has a	interconnect	ion contract e	established
eac	ch of	the 9 states.		•													
		2) Any element that can be ordered electronically will be bill	ed acco	ordina	to the SOMEC rate lie	sted in this	rategory Pleas	se refer to Rells	South's Local (	Ordering Hand	book (LOH) to	determine i	f a product	can he order	ed electronic	ally For thos	e elements
		not be ordered electronically at present per the LOH, the list															
					e iii tiiis category rei	iects the ch	arge mai would	i be billed to a	CLEC once en	ectronic ordeni	ng capabilities	Come on-ii	ne ioi mai e	ilement. Oth	erwise, the m	anuai oruenni	g charge,
so		, will be applied to a CLECs bill when it submits an LSR to B	ellSout	h.													
		OSS - Electronic Service Order Charge, Per Local Service			1							l					1
	[F	Request (LSR) - UNE Only			1	SOMEC		3.50	0.00	3.50	0.00	1				1	1
	(	OSS - Manual Service Order Charge, Per Local Service Request															
		(LSR) - UNE Only			1	SOMAN		11.90	0.00	1.83	0.00	1				1	1
LINE SERV		DATE ADVANCEMENT CHARGE															1
		The Expedite charge will be maintained commensurate with	Relisor	ith's Fi	C No 1 Tariff Section	n 5 ac annli	cable					l					
140	/1 L.	The Expedite charge will be maintained commensurate with	Delioot	1	UAL. UEANL. UCL.	Ι σασαρριί	Cable.								1	1	
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL. U1T12. U1T48.												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
ı I					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
	1		1		U1TUC, U1TUD,	1						1			1	1	1
					U1TUB,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUA,NTCVG,	1						1				1	1
		Day	1		NTCUD, NTCD1	SDASP		200.00	200.00			l					1
ORDER MO	ODIFI	CÁTION CHARGE															
		Order Modification Charge (OMC)	i e	1	İ	İ		26.21	0.00	0.00	0.00	İ					İ
		Order Modification Additional Dispatch Charge (OMCAD)		t -	<u> </u>			150.00	0.00	0.00	0.00				1	1	1
LINDIND		XCHANGE ACCESS LOOP	<b>—</b>	<del>                                     </del>	+	l		130.00	0.00	0.00	0.00	<b> </b>			<del>                                     </del>	<del>                                     </del>	1
				1	<b></b>	<b> </b>						<b> </b>					1
2-V		ANALOG VOICE GRADE LOOP															
	2	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	10.69	49.57	22.83	25.62	6.57	L	<u> </u>				L
	2	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	15.20	49.57	22.83	25.62	6.57						
-	- 1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	i e	3	UEANL	UEAL2	26.97	49.57	22.83	25.62	6.57	İ					İ
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	<b>—</b>	1	UEANL	UEASL	10.69	49.57	22.83	25.62	6.57	<b> </b>			1	1	<del>                                     </del>
$\vdash \vdash$			-	<u>.                                    </u>								<b> </b>			-	-	├──
	- 12	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	15.20	49.57	22.83	25.62	6.57	L			ļ	ļ	<u> </u>
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	26.97	49.57	22.83	25.62	6.57						

UNBUNDI	LED NETWORK ELEMENTS - Florida								·				Attachment:	2 Exh. A		
CATEGORY		Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Order vs.	Charge - Manual Sv Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Miscellaneous Rate Element, Tag Loop at End User				LIDETI		0.00	0.00								
	Premise Premis		-	UEANL UEANL	URETL URET1		8.93 48.65	0.88								+
	Loop Testing - Basic 1st Half Hour		-	UEANL	URETA		23.95	23.95							-	+
	Loop Testing - Basic Additional Half Hour  CLEC to CLEC Conversion Charge Without Outside Dispatch		-	UEANL	URETA		23.95	23.95							-	+
	(UVL-SL1)			UEANL	UREWO		15.78	8.94								
-	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST			OLANL	UKLWO		13.76	0.54								+
	providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.49									
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		9.00	9.00							1	+
2-W	IRE Unbundled COPPER LOOP															†
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	7.69	44.98	20.90	24.88	6.45						1
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	10.92	44.98	20.90	24.88	6.45						1
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	19.38	44.98	20.90	24.88	6.45						1
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEQ	URETL		8.93	0.88								
	Manual Order Coordination 2 Wire Unbundled Copper Loop -															
	Non-Designed (per loop)			UEQ	USBMC		9.00									
	Unbundled Copper Loop, Non-Design Cooper Loop, billing for															
	BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.49									
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		48.65	0.00								1
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		23.95	23.95								
	CLEC to CLEC Conversion Charge Without Outside Dispatch															
	(UCL-ND)			UEQ	UREWO		14.27	7.43								
	ED EXCHANGE ACCESS LOOP IRE ANALOG VOICE GRADE LOOP		-	-											-	+
2-00	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		-		+											+
	Ground Start Signaling - Zone 1		1	UEA, NTCVG	UEAL2	12.24	135.75	82.47	63.53	12.01						
<del> </del>	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		<u> </u>	ULA, NICVO	ULALZ	12.24	133.73	02.47	03.33	12.01				1		+
	Ground Start Signaling - Zone 2		2	UEA, NTCVG	UEAL2	17.40	135.75	82.47	63.53	12.01						
<del>                                     </del>	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			OLA, NICVO	OLALZ	17.40	100.70	02.47	05.55	12.01				1		+
	Ground Start Signaling - Zone 3		3	UEA, NTCVG	UEAL2	30.87	135.75	82.47	63.53	12.01						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		Ŭ	027,111010	OL/ ILL	00.07	100.70	02	00.00	12.01						†
	Battery Signaling - Zone 1		1	UEA, NTCVG	UEAR2	12.24	135.75	82.47	63.53	12.01						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			, , , , , ,												†
	Battery Signaling - Zone 2		2	UEA, NTCVG	UEAR2	17.40	135.75	82.47	63.53	12.01						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			,												1
	Battery Signaling - Zone 3		3	UEA, NTCVG	UEAR2	30.87	135.75	82.47	63.53	12.01						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
	DS0)			UEA, NTCVG	URESL		24.97	3.52								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
	DS0)			UEA, NTCVG	URESP		26.46	5.01								↓
	CLEC to CLEC Conversion Charge without outside dispatch			UEA, NTCVG	UREWO		87.71	36.35								1
	Loop Tagging - Service Level 2 (SL2)			UEA, NTCVG	URETL		11.21	1.10								1
4-W	IRE ANALOG VOICE GRADE LOOP															<b>_</b>
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA, NTCVG	UEAL4	18.89	167.86	115.15	67.08	15.56						
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA, NTCVG	UEAL4 UEAL4	26.84 47.62	167.86	115.15	67.08 67.08	15.56				<del>                                     </del>	<del>                                     </del>	+
	4-Wire Analog Voice Grade Loop - Zone 3	<b>-</b>	3	UEA, NTCVG	UEAL4	47.62	167.86	115.15	67.08	15.56	-				<del>                                     </del>	+
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)			UEA, NTCVG	URESL		24.97	3.52			1				I	
$\vdash$	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per		-	OLA, NICVO	UKESL		24.97	3.52			<b> </b>				<del>                                     </del>	+
	DS0)			UEA, NTCVG	URESP		26.46	5.01							1	
	CLEC to CLEC Conversion Charge without outside dispatch			UEA, NTCVG	UREWO		87.71	36.35						<del> </del>	<del>                                     </del>	+
2-1//	IRE ISDN DIGITAL GRADE LOOP		<del>                                     </del>	OLA, NIOVO	JILWO		01.71	30.33						<del> </del>	<del>                                     </del>	+
2-44	2-Wire ISDN Digital Grade Loop - Zone 1	<b>-</b>	1	UDN	U1L2X	19.28	147.69	94.41	62.23	10.71	<b>-</b>			<del> </del>	<del>                                     </del>	+
	2-Wire ISDN Digital Grade Loop - Zone 1			UDN	U1L2X	27.40	147.69	94.41	62.23	10.71	<b> </b>				t	<del>                                     </del>
	2-Wire ISDN Digital Grade Loop - Zone 3			UDN	U1L2X	48.62	147.69	94.41	62.23	10.71					t	
$\vdash$	CLEC to CLEC Conversion Charge without outside dispatch		٦	UDN	UREWO	70.02	91.61	44.15	02.20	10.71				l	<b>†</b>	<del>                                     </del>

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
					+	_	Nonred	curring	Nonrecurring	Disconnect			OSS	Rates(\$)		<u> </u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UAL	UAL2X	8.30	149.53	103.85	75.05	15.63						ļ
	2 Wire Unbundled ADSL Loop including manual service inquiry									4= 00						
	& facility reservation - Zone 2  2 Wire Unbundled ADSL Loop including manual service inquiry		2	UAL	UAL2X	11.80	149.53	103.85	75.05	15.63						
	& facility reservation - Zone 3		3	UAL	UAL2X	20.94	149.53	103.85	75.05	15.63						
	2 Wire Unbundled ADSL Loop without manual service inquiry &		-	OAL	UALZA	20.34	149.55	103.03	73.03	15.05						
	facility reservaton - Zone 1		1	UAL	UAL2W	8.30	124.83	71.12	60.64	9.12						
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 2		2	UAL	UAL2W	11.80	124.83	71.12	60.64	9.12						
	2 Wire Unbundled ADSL Loop without manual service inquiry &		_	UAL	1141 0147	20.01	404.00	74.40	00.01	0.40						
	facility reservaton - Zone 3  CLEC to CLEC Conversion Charge without outside dispatch		3	UAL	UAL2W UREWO	20.94	124.83 86.19	71.12 40.39	60.64	9.12	<del>                                     </del>					+
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	OOP	UAL	OKLVVO		80.19	40.39								
	2 Wire Unbundled HDSL Loop including manual service inquiry	<u> </u>	<u> </u>													
	& facility reservation - Zone 1		1	UHL	UHL2X	7.22	159.09	113.41	75.05	15.63						
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UHL	UHL2X	10.26	159.09	113.41	75.05	15.63						
	2 Wire Unbundled HDSL Loop including manual service inquiry				l											
	& facility reservation - Zone 3		3	UHL	UHL2X	18.21	159.09	113.41	75.05	15.63						
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	7.22	134.40	80.69	60.64	9.12						
	2 Wire Unbundled HDSL Loop without manual service inquiry		<u> </u>	UNL	UHLZVV	1.22	134.40	60.09	60.64	9.12						
	and facility reservation - Zone 2		2	UHL	UHL2W	10.26	134.40	80.69	60.64	9.12						
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL2W	18.21	134.40	80.69	60.64	9.12						
	CLEC to CLEC Conversion Charge without outside dispatch	<u></u>		UHL	UREWO		86.12	40.39								
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA  4 Wire Unbundled HDSL Loop including manual service inquiry	TIBLE	LOOP		-											ļ
	and facility reservation - Zone 1		1	UHL	UHL4X	10.86	193.31	138.98	77.15	12.61						
	4-Wire Unbundled HDSL Loop including manual service inquiry		<u>'</u>	OFIL	OI IL4X	10.00	193.31	130.90	77.13	12.01						<b>†</b>
	and facility reservation - Zone 2		2	UHL	UHL4X	15.44	193.31	138.98	77.15	12.61						
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL4X	27.39	193.31	138.98	77.15	12.61						
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4W	10.86	168.62	115.47	62.74	11.22	-					1
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	15.44	168.62	115.47	62.74	11.22						
	4-Wire Unbundled HDSL Loop without manual service inquiry			OTIL	OTILAVV	13.44	100.02	110.47	02.74	11.22						+
	and facility reservation - Zone 3		3	UHL	UHL4W	27.39	168.62	115.47	62.74	11.22						
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.12	40.39								
4-WIR	E DS1 DIGITAL LOOP															
	4-Wire DS1 Digital Loop - Zone 1			USL, NTCD1	USLXX	70.74	313.75	181.48	61.22	13.53						
	4-Wire DS1 Digital Loop - Zone 2		2	USL, NTCD1	USLXX	100.54 178.39	313.75	181.48 181.48	61.22 61.22	13.53 13.53	-					1
	4-Wire DS1 Digital Loop - Zone 3 Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		3	USL, NTCD1	USLXX	178.39	313.75	181.48	01.22	13.53						1
	DS1)			USL, NTCD1	URESL		24.97	3.52								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
	DS1)			USL, NTCD1	URESP		26.46	5.01								
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.07	43.04								
4-WIR	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	ļ	<b>.</b>	LIDI AITCUS	LIDIAC	20.0-		100.5-	07.7		1					<del>                                     </del>
	4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps	-		UDL, NTCUD UDL, NTCUD	UDL19 UDL19	22.20 31.56	161.56 161.56	108.85 108.85	67.08 67.08	15.56 15.56	-					-
	4 Wire Unbundled Digital 19.2 Kbps  4 Wire Unbundled Digital 19.2 Kbps			UDL, NTCUD	UDL19 UDL19	31.56 55.99	161.56 161.56	108.85	67.08	15.56 15.56	<del>                                     </del>					+
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	<b>-</b>	1	UDL, NTCUD	UDL56	22.20	161.56	108.85	67.08	15.56						+
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2		UDL56	31.56	161.56	108.85	67.08	15.56						<b>†</b>
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL, NTCUD	UDL56	55.99	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL, NTCUD	UDL64	22.20	161.56	108.85	67.08	15.56						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL, NTCUD	UDL64	31.56	161.56	108.85	67.08	15.56						

ATTEORY RATE ELEMENTS   Inter   Zone   BCS   USC   BATER(S)   Summer   Summ	JNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2 Exh. A		1
New Unbounded Depties Loop 64 Kiges - Zene 3   USL, NTCUD   UDLEA   55.09   101.56   100.56	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC		Nonrec		Nonrecurring	ı Disconnect	Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Increments Charge - Manual Sv Order vs. Electronic Disc Add
A Wiley Undounded Digital Logo A Rights - 2008 3   00, MYCLD   00, L M						+	Rec					SOMEC	SOMAN			SOMAN	SOMAN
Seatch Adv & Conversion range por Units Loop, Single LSN, (per 100)   DIS, MTOUD   DIESE   24 97   3.52		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL. NTCUD	UDL64	55.99					COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
SSD     USC. NTOLO   URES     24.47   3.52				Ť	052,111005	02201	00.00	101.00	100.00	01.00	10.00	†					
SSB   SSB					UDL, NTCUD	URESL		24.97	3.52								
CLECK to CLEC Common Currency evaluation dusted expected.   CLECK NEGLO   CLECK NEGL		Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
2-Wirk Unbounded Copper Local Designed Including manual   1   UCL   UCLPB   3.30   148.50   102.82   75.56   15.60																	
2-Wire Unbounded Copper Locy Designed including manual service in regary & facility reservation - Zene 2   U.C. U.C.PB   8.50   148.50   100.82   75.06   15.60					UDL, NTCUD	UREWO		102.11	49.74								
Service inciguity & facility reservation - Zone 1	2-WIRE					ļ											
2-Wire Unbundled Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3 UCL UCLPW 8,00 12,281 70,09 60,66 9,12 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3 UCL UCLPW 8,00 12,281 70,09 60,66 9,12 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3 UCL UCLPW 8,00 12,281 70,09 60,66 9,12 2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 3 UCL UCLPW 8,00 12,281 70,09 60,66 9,12 3-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 4-Wire Copper Loop-Designed including manual service inquiry 4-Wire Copper Loop-Designed including manual service inquiry 4-Wire Copper Loop-Designed including manual service inquiry 4-Wire Copper Loop-Designed including manual service inquiry 4-Wire Copper Loop-Designed including manual service inquiry 4-Wire Copper Loop-Designed including manual service inquiry 4-Wire Copper Loop-Designed including manual service inquiry 4-Wire Copper Loop-Designed including manual service inquiry 4-Wire Copper Loop-Designed without manual service inquiry 4-Wire Copper Loop-Designed without manual service inquiry 4-Wire Copper Loop-Designed without manual service inquiry 4-Wire Copper Loop-Designed without manual service inquiry 4-Wire Copper Loop-Designed without manual service inquiry 4-Wire Copper Loop-Designed without manual service inquiry 4-Wire Copper Loop-Designed without manual service inquiry 4-Wire Copper Loop-Designed without manual service inquiry 4-Wire Copper Loop-Designed without manual service inquiry 4-Wire Copper Loop-Designed without manual service inquiry 4-Wire Copper Loop-Designed without manual service inquiry 4-Wire Copper Loop-Des				١.							4= 00						
Service inquiry of Early representation - Zone 2				1	UCL	UCLPB	8.30	148.50	102.82	75.05	15.63	1					
2 With Unbundled Copper Loop-Designed including manual service inquiry and facility reservation. 7 Jan. 2 2-With Unbundled Copper Loop-Designed without manual service inquiry and facility reservation. 7 Jan. 2 2-With Unbundled Copper Loop-Designed without manual service inquiry and facility reservation. 7 Jan. 2 2-With Unbundled Copper Loop-Designed without manual service inquiry and facility reservation. 7 Jan. 2 2-With Unbundled Copper Loop-Designed mutual service inquiry and facility reservation. 7 Jan. 2 2-With Unbundled Copper Loop-Designed mutual service inquiry and facility reservation. 7 Jan. 2 3-With Unbundled Copper Loop-Designed mutual service inquiry and facility reservation. 7 Jan. 2 4-With Copper Loop-Designed mutual service inquiry and facility reservation. 7 Jan. 2 4-With Copper Loop-Designed mutual service inquiry and facility reservation. 7 Jan. 2 4-With Copper Loop-Designed including manual service inquiry and facility reservation. 7 Jan. 2 4-With Copper Loop-Designed including manual service inquiry and facility reservation. 7 Jan. 2 4-With Copper Loop-Designed including manual service inquiry and facility reservation. 7 Jan. 2 4-With Copper Loop-Designed including manual service inquiry and facility reservation. 7 Jan. 2 4-With Copper Loop-Designed including manual service inquiry and facility reservation. 7 Jan. 2 4-With Copper Loop-Designed without manual service inquiry and facility reservation. 7 Jan. 2 4-With Copper Loop-Designed without manual service inquiry and facility reservation. 7 Jan. 2 4-With Copper Loop-Designed without manual service inquiry and facility reservation. 7 Jan. 2 4-With Copper Loop-Designed without manual service inquiry and facility reservation. 7 Jan. 2 4-With Copper Loop-Designed without manual service inquiry and facility reservation. 7 Jan. 2 4-With Copper Loop-Designed without manual service inquiry and facility reservation. 7 Jan. 2 4-With Copper Loop-Designed without manual service inquiry and facility reservation. 7 Jan. 2 4-With Copper Loop-Designed wi				_	LICI	LICLER	11 00	149.50	102.92	75.05	15.63						
Service trigulary of facility reservation - Zone 3					UCL	UCLPB	11.00	146.50	102.02	75.05	15.65	1					1
2-Wire Unburdied Copper Loop-Designed without manual service inquiry and facility reservation. Zone 3   1 U.C.L. U.C.P.W   8.30   123.81   70.09   60.64   9.12   1				3	UCI	LICI PB	20 94	148 50	102 82	75.05	15.63						
Service inquiry and facility reservation. 2				<del>ٽ</del> ا	002	OOL! D	20.04	140.00	102.02	70.00	10.00	1					
2-Wire Unburneled Copper Loop-Designed without manual service inquiry and falling reservation. Zone 2   2 UCL UCLPW 11.80 123.81 70.09 60.64 9.12   2.2				1	UCL	UCLPW	8.30	123.81	70.09	60.64	9.12						
Service inciging read reading reservation - Zone 2   2 UCL   UCLPW   11.80   123.81   70.00   60.64   9.12		2-Wire Unbundled Copper Loop-Designed without manual															
Service inquity and facility reservation - Zone 3   SUCL   UCLW   20.94   123.81   70.09   60.64   9.12				2	UCL	UCLPW	11.80	123.81	70.09	60.64	9.12						
CLES to CLES Conversion Charge without outside dispatch (IUCL Des)   UCL UREWO   97.21   42.47		2-Wire Unbundled Copper Loop-Designed without manual															
UCL - UCL- OPER LOOP   A-WIRE COPPER LOOP - Designed including manual service inquiry and facility reservation - Zone 1   UCL   UCL4S   11.83   177.87   132.76   77.15   17.73				3	UCL	UCLPW	20.94	123.81	70.09	60.64	9.12						
### CAPPER LOOP    4-Wine Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1																	
4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1   1   UCL   UCL4S   11.83   177.87   132.76   77.15   17.73     17.75     17.73     17.75					UCL	UREWO		97.21	42.47								
and facility reservation - Zone 1	4-WIRE					ļ											
4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2   UCL   UCL4S   16.81   177.87   132.76   77.15   17.73   17.75   17.73   17.73   17.75   17.						1101.40	44.00	477.07	100.70	77.45	47.70						
and facility reservation - Zone 2				- 1	UCL	UCL4S	11.83	1//.8/	132.76	77.15	17.73						
A-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3   UCL   UCL48   29.92   177.87   132.76   77.15   17.73				2	LICI	1101.46	16.01	177.07	122.76	77.15	17 72						
and facility reservation - Zone 3					UCL	UCL43	10.01	177.07	132.70	77.15	17.73	1					1
A-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1   1   UCL   UCLAW   11.83   153.18   100.03   62.74   11.22   1				3	LICI	LICLAS	29.82	177 87	132.76	77 15	17 73						
And facility reservation - Zone 1				<del>ٽ</del> ا	002	OOL+O	25.02	177.07	102.70	77.10	17.70	1					
A-Wire Copper Loop-Designed without manual service inquiry and facility resensation - Zone 2   2   UCL   UCL4W   16.81   153.18   100.03   62.74   11.22   11.22   11.22   11.22   11.22   14.4   11.22				1	UCL	UCL4W	11.83	153.18	100.03	62.74	11.22						
And facility reservation - Zone 2   2   UCL   UCLAW   16.81   153.18   100.03   62.74   11.22																	
and facility reservation - Zone 3				2	UCL	UCL4W	16.81	153.18	100.03	62.74	11.22						
CLEC to CLEC Conversion Charge without outside dispatch   UCL   UREWIO   97.21   42.47																	
Order Coordination for Unbundled Copper Loops (per loop)  UCL UCLMC 9.00 9.00 9.00  UCL UCLMC 9.00 9.00 9.00  UCL UCLMC 9.00 9.00  UCL UCLMC 9.00 9.00 9.00  UCL UCLMC 9.00 9.00 9.00  UCL UCL UCL UCL UCL UCL UCL UCL UCL UCL				3			29.82			62.74	11.22						
LOOP MODIFICATION  LOOP MODIFICA																	
UHL, UDL, NTCVG, NTCUJ, USL, NTCVG, NTCUJ, USL, NTCOJ, USL, NTCDJ, USL, NTCDJ, USL, NTCDJ, USL, NTCDJ, USL, NTCDJ, USL, NTCDJ, USL, NTCDJ, USL, NTCDJ, USL, NTCDJ, USL, USL, USL, USL, USL, USL, USL, USL		Order Coordination for Unbundled Copper Loops (per loop)				UCLMC		9.00	9.00								
NTCUD, USL, NTCD1, UEANL OCOSL   23.02																	
Order Coordination for Specified Conversion Time (per LSR)																	
LOOP MODIFICATION  Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unbundled Loop  Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unbundled Loop  Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled Loop Modification Removal of Bridged Tap Removal, UEANL, UEPSR, UEANL, UEPSR, UEANL, UEPSR, UEPSR ULMBT  Sub-Loop S  Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up  Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up  Sub-Loop - Per Building Equipment Room - CLEC Feeder		Order Coordination for Coordinat Consumation Time (cool CD)				00001		22.02									
Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unbundled Loop Undundled Loop Modification Removal of Bridged Tap Removal, Undundled Loop Undundled Loop Modification Removal of Bridged Tap Removal, Undundled Loop Undundled Loop Modification Removal of Bridged Tap Removal, Undundled Loop Undundled Loop Modification Removal of Bridged Tap Removal, Undundled Loop Undundled Loop Modification Removal of Bridged Tap Removal, Undundled Loop Undundled Loop Modification Removal of Bridged Tap Removal, Undundled Loop Undundled Loop Modification Removal of Bridged Tap Removal, Undundled Loop Undundled Loop Modification Removal of Bridged Tap Removal, Undundled Loop Undundled Loop Modification Removal of Bridged Tap Removal, Undundled Loop Undundled Loop Modification Removal of Bridged Tap Removal, Undundled Loop Undundled Loop Modification Removal of Bridged Tap Removal, Undundled Loop Undundled Loop Modification Removal of Bridged Tap Removal, Undundled Loop Undundled Loop Modification Removal of Bridged Tap Removal, Undundled Loop Undundled Loop Modification Removal of Bridged Tap Removal, Undundled Loop Undundled Loop Modification Removal of Bridged Tap Removal, Undundled Loop Undundled Loop Modification Removal of Bridged Tap Removal, Undundled Loop Undundled Loop Modification Removal of Bridged Tap Removal, Undundled Loop Undundled Loop Modification Removal of Bridged Tap Removal, Undundled Loop Undundled Loop Modification Removal of Bridged Tap Removal, Undundled Loop Undundled Loop Modification Removal of Bridged Tap Removal, Undundled Loop Undundled Loop Modification Removal of Bridged Tap Removal, Undundled Loop Undundled Loop Modification Removal of Bridged Tap Removal, Undundled Loop Undundled Loop Modification Removal of Bridged Tap Removal, Undund	OOR MODIE!			1	NTCDI, UEANL	UCUSL		23.02				<b> </b>					-
Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop  Sub-Loop Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up UEANL, UEF USBSA Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder	OOF WODIFIC	I		1	HAL HHL HCL	1						1					1
Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unbundled Loop UHL, UCL, UEA ULM4L Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop Uhl, UHL, UCL, UEA UEANL, UEPSR																	
pair less than or equal to 18k ft, per Unbundled Loop  Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop  UHL, UCL, UEA  Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop  SUB-LOOPS  SUB-LOOP Distribution  Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- UD  UEANL, UEF  UEANL, UEANL, UEF  UEANL, UEANL, UEANL, UEF  UEANL, U		Unbundled Loop Modification, Removal of Load Coils - 2 Wire															
Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop  UHL, UCL, UEA  UAL, UHL, UCL, UEQ, ULS, UEA, UEQN, US, UEA, UEANL, UEPSR, UEPSB  ULMBT  10.52  10.52  SUB-Loop Distribution  Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up  Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder						ULM2L		0.00	0.00								
Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop  SUB-LOOPS  SUB-Loop Distribution  Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up Up  Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder																	
Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop  SUB-LOOPS  SUB-LOOP Distribution  Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up  Up  UEANL, UEF USBSA  487.23  Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up  Sub-Loop - Per Building Equipment Room - CLEC Feeder			L		UHL, UCL, UEA	ULM4L		0.00	0.00								<u> </u>
Unbundled Loop Modification Removal of Bridged Tap Removal, UEANL, UEPSR, ULMBT 10.52 10.52 10.52  SUB-LOOPS  Sub-Loop Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up  Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up  Sub-Loop - Per Building Equipment Room - CLEC Feeder																	
Der unbundled loop			1							]							
SUB-LOOPS Sub-Loop Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up Up UEANL, UEF USBSA 487.23  Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder			1	1													
Sub-Loop Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up UEANL, UEF USBSA 487.23  Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up UEANL, UEF USBSB 6.25		per unbundled loop	ļ		UEPSB	ULMBT		10.52	10.52						ļ		
Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up  UEANL, UEF USBSA 487.23  Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up UEANL, UEF USBSB 6.25			<b>!</b>	<u> </u>		ļ											
Up         UEANL, UEF         USBSA         487.23         487.23         487.23         587.25         588.25 </td <td>Sub-Lo</td> <td></td> <td><b>!</b></td> <td><u> </u></td> <td></td> <td>ļ</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td> </td> <td></td>	Sub-Lo		<b>!</b>	<u> </u>		ļ											
Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder UEANL, UEF USBSB 6.25			1	1	LIEANII IZEE	LICECA	[	107.00		[							
Sub-Loop - Per Building Equipment Room - CLEC Feeder		<u>ор</u>	-	-	UEANL, UEF	USBSA	<b>-</b>	487.23		<del>                                     </del>		-		-		1	<del>                                     </del>
Sub-Loop - Per Building Equipment Room - CLEC Feeder		Sub-Loop - Per Cross Boy Location - Per 25 Pair Panel Set Lla	1		LIEANI LIEE	LISBSB		6.25		]							
					OLAINL, OLI	CODOD	<del>                                     </del>	0.25		<del>                                     </del>					<b> </b>	+	
Facility Set-Up			1	1	UEANL	USBSC	[	169.25		[							

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I
					+	Rec	Nonred First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel				+		FIRST	Addi	FIRST	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Set-Up			UEANL	USBSD		38.65									
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 1		1	UEANL	USBN2	6.46	60.19	21.78	47.50	5.26						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -				LIODNIO	0.40	00.40	04.70	47.50	5.00						
	Zone 2 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		2	UEANL	USBN2	9.18	60.19	21.78	47.50	5.26					-	<del> </del>
	Zone 3		3	UEANL	USBN2	16.29	60.19	21.78	47.50	5.26						
	25110 0		Ŭ	027.112	002.12	10.20	00.10	20		0.20					1	1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 1 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		1	UEANL	USBN4	7.37	68.83	30.42	49.71	6.60					1	<del> </del>
	Zone 2		2	UEANL	USBN4	10.47	68.83	30.42	49.71	6.60						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		_	027.112	002.11		00.00	00.12		0.00						
	Zone 3		3	UEANL	USBN4	18.58	68.83	30.42	49.71	6.60						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC	0.00	9.00	9.00	47.50	F 00						<b>.</b>
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	3.96	51.84	13.44	47.50	5.26					1	<del> </del>
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	9.37	55.91	17.51	49.71	6.60						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		48.65	0.00								
	Loop Testing - Basic Additional Half Hour		_	UEANL	URETA	5.45	23.95	23.95	47.50	5.00						ļ
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF UEF	UCS2X UCS2X	5.15 7.31	60.19 60.19	21.78 21.78	47.50 47.50	5.26 5.26					-	<del> </del>
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS2X	12.98	60.19	21.78	47.50	5.26					<u> </u>	1
	2 This copper of barraica can been bloth barrain 25115 5		Ŭ	02.	0002/	12.00	00.10	20		0.20					1	<u> </u>
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	5.36	68.83	30.42	49.71	6.60						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X	7.61	68.83	30.42	49.71	6.60						ļ
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	13.51	68.83	30.42	49.71	6.60	-				1	-
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-			OLI	CODIVIC		3.00	9.00								
	Designed and Distribution Subloops			UEF, UEANL	URETL		8.93	0.88								
	Loop Testing - Basic 1st Half Hour			UEF	URET1		48.65	0.00								
	Loop Testing - Basic Additional Half Hour			UEF	URETA		23.95	23.95								
Unbu	ndled Sub-Loop Modification				_											
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load Coil/Equip Removal per 2-W PR			UEF	ULM2X		10.11	10.11								
	Unbundled Sub-loop Modification - 4-W Copper Dist Load			UEF	ULIVIZA	+	10.11	10.11							<del> </del>	-
	Coil/Equip Removal per 4-W PR			UEF	ULM4X		10.11	10.11								
	Unbundled Loop Modification, Removal of Bridge Tap, per				1											
	unbundled loop			UEF	ULMBT		15.58	15.58								<u> </u>
Unbu	ndled Network Terminating Wire (UNTW)			LIEN ITM	LUENDO	0.455	10								1	<b></b>
B1 - 2	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.4572	18.02		-							<del></del>
Netw	ork Interface Device (NID)  Network Interface Device (NID) - 1-2 lines		-	UENTW	UND12	<del>                                     </del>	71.49	48.87			<del>                                     </del>				<del>                                     </del>	<del> </del>
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		113.89	48.87 89.07							<b>-</b>	<del>                                     </del>
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		7.63	7.63						İ	1	
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		7.63	7.63						<u> </u>		
UNE OTHER.	PROVISIONING ONLY - NO RATE															

UNBUNDI F	D NETWORK ELEMENTS - Florida												Attachment:	2 Fyh Δ		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						D	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Contact Name, Provisioning Only - no rate			UAL, UCL, UDC, UDL, UDN, UEA, UHL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD, NTCD1, USL	UNECN	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00				1					
	Unbundled DS1 Loop - Expanded Superframe Format option -						0.00									
	no rate			USL	CCOEF	0.00	0.00									
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
	TY UNBUNDLED LOCAL LOOP															
NOTE:	minimum billing period of three months for DS3/STS-1 Local High Capacity Unbundled Local Loop - DS3 - Per Mile per	ьоор	_				1	1								
	month High Capacity Unbundled Local Loop - DS3 - Per Mile per month High Capacity Unbundled Local Loop - DS3 - Facility			UE3	1L5ND	10.92										
	Termination per month  High Capacity Unbundled Local Loop - BSS - Facility  Termination per month			UE3	UE3PX	386.88	556.37	343.01	139.13	96.84						
	month			UDLSX	1L5ND	10.92										
LOOP MAKE-U	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	426.60	556.37	343.01	139.13	96.84						
LOOP WAKE-C	Loop Makeup - Preordering Without Reservation, per working or										-					<b>+</b>
	spare facility queried (Manual).  Loop Makeup - Preordering With Reservation, per working or spare facility			UMK	UMKLW		52.17	52.17								ļ
	Queried (Manual).  Loop Makeup—With or Without Reservation, per working or			UMK	UMKLP		55.07	55.07								
	spare facility queried (Mechanized)			UMK	UMKMQ		0.6784	0.6784								
LINE SPLITTIN				0.0.00			0.0.01	0.0701			1					
END U	SER ORDERING-CENTRAL OFFICE BASED															
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	29.68	21.28	19.57	9.61						
	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	1.134	29.68	21.28	19.57	9.61						
	NDLED EXCHANGE ACCESS LOOP															
2-WIRE	ANALOG VOICE GRADE LOOP															
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEALS	10.69	49.57	22.83	25.62	6.57						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEABS	10.69	49.57	22.83	25.62	6.57						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEALS	15.20	49.57	22.83	25.62	6.57						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEABS	15.20	49.57	22.83	25.62	6.57						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEALS	26.97	49.57	22.83	25.62	6.57						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEABS	26.97	49.57	22.83	25.62	6.57						
PHYSI	CAL COLLOCATION															<u> </u>
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.0276	8.22	7.22	5.74	4.58						
VIRTU	AL COLLOCATION  Virtual Collocation-2 Wire Cross Connects (Loop) for Line															<u> </u>
	Splitting DEDICATED TRANSPORT			UEPSR UEPSB	VE1LS	0.0502	11.57	11.57	0.00	0.00						<u> </u>
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0091										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination			U1TVX	U1TV2	25.32	47.35	31.78	18.31	7.03						

UNBUNDLE	ED NETWORK ELEMENTS - Florida												Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
1			<u> </u>				Nonrec	urrina	Nonrecurring	Disconnect		l .	088	Rates(\$)	L	
					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade				1		11130	Auu i	11130	Addi	JOINEC	JONAN	JONAN	JOINAIN	JOHIAN	JOHIAN
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.0091										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat										1					
	Facility Termination			U1TVX	U1TR2	25.32	47.35	31.78	18.31	7.03						
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -															
	Per Mile per month			U1TVX	1L5XX	0.0091										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade						4= 0=			=						
	- Facility Termination			U1TVX	U1TV4	22.58	47.35	31.78	18.31	7.03				1	1	
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0091										
<b>—</b>	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			UTIDA	ILSAA	0.0091								1	<u> </u>	
	Termination			U1TDX	U1TD5	18.44	47.35	31.78	18.31	7.03						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
	per month			U1TDX	1L5XX	0.0091										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination			U1TDX	U1TD6	18.44	47.35	31.78	18.31	7.03						
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			LUTDA	41.500/	0.4050										
<b>—</b>	month Interoffice Channel - Dedicated Tranport - DS1 - Facility			U1TD1	1L5XX	0.1856					1			-	1	
	Termination			U1TD1	U1TF1	88.44	105.54	98.47	21.47	19.05						
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			OTIDI	01111	00.44	103.34	30.47	21.47	19.03					-	
	month			U1TD3	1L5XX	3.87										
	Interoffice Channel - Dedicated Transport - DS3 - Facility				1											
	Termination per month			U1TD3	U1TF3	1,071.00	335.46	219.28	72.03	70.56						
UNBU	NDLED DARK FIBER															
	Dark Fiber, Per Four Fiber Strands, Per Route Mile Or Fraction															
	Thereof - Interoffice Transport			UDF, UDFCX	1L5DF	26.85	751.34	193.88								
DARK FIBER	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction													1	1	
	Thereof per month - Local Channel			UDF, UDFCX	1L5DC	53.87										
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			ODI , ODI OX	TESDO	33.07									<u> </u>	
	Thereof per month - Local Loop			UDF, UDFCX	1L5DL	53.87										
8XX ACCESS	TEN DIGIT SCREENING			ODI , ODI OX	TEODE	00.07									<u> </u>	
	8XX Access Ten Digit Screening, Per Call					0.0006252										
	8XX Access Ten Digit Screening, w/ 8FL No. Delivery, per query					0.0006252										
	8XX Access Ten Digit Screening, w/ POTS No. Delivery, per															
LINE INCORE	query					0.0006252										
LINE INFORM	ATION DATA BASE ACCESS (LIDB)  LIDB Common Transport Per Query		<del>                                     </del>	-	+	0.0000203			-		1			<del>                                     </del>	<del>                                     </del>	
	LIDB Common Transport Fer Query  LIDB Validation Per Query		<del>                                     </del>		1	0.0000203								<b>+</b>	<del> </del>	
	LIDB Originating Point Code Establishment or Change			OQU	NRBPX	3.0700009	55.13	55.13	55.13	55.13				1	1	
CALLING NAI	ME (CNAM) SERVICE				1											
	CNAM for DB Owners, Per Query		L			0.001024										
	CNAM for Non DB Owners, Per Query					0.001024		· · · · ·		•						
LNP Query Se			<u> </u>								ļ				ļ	
	LNP Charge Per query		<b>.</b>		1	0.000852	40.00	40.00	40.74	12.71	<u> </u>					
<del>                                     </del>	LNP Service Establishment Manual LNP Service Provisioning with Point Code Establishment		-		1		13.83 655.50	13.83 334.88	12.71 297.03	12.71 218.40				<b>-</b>	<del>                                     </del>	
SELECTIVE R			<del>                                     </del>	<del> </del>	1		00.000	334.88	297.03	∠18.40	1			<del>                                     </del>	<del>                                     </del>	
JEELSHVE N	Selective Routing Per Unique Line Class Code Per Request Per			1	1									<b>†</b>	<b>†</b>	
	Switch						93.55	93.55	12.71	12.71				1	1	
AIN SELECTI	VE CARRIER ROUTING			ĺ	i									1	1	
	Regional Service Establishment						193,444.00		7,737.00							
	End Office Establishment						187.36	187.36	0.69	0.69						
	Query NRC, per query		<u> </u>			0.0031868					ļ			ļ	ļ	
IAIN - BELLSC	OUTH AIN SMS ACCESS SERVICE		<u> </u>	ļ	1						<b></b>			<b></b>	<b></b>	
1	AIN SMS Access Service - Service Establishment, Per State,															

HINDHINDI ED	NETWORK ELEMENTS - Florida												Attachment:	2 Evb A		1
OMBUNDLED	NET WORK ELEWIEN 13 - FIORIUA	1	1		ı	Ι					Sup Carlo	Svc Order	Incremental		Ingram-nt-1	Incrementa
															Incremental	
												Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""										•	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Addi	DISC 1St	DISC Add I
					İ	_ 1	Nonred	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
					i e	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
			1					71441		71441		00		00		
Δ	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		8.64	8.64	10.03	10.03						
	AIN SMS Access Service - Port Connection - ISDN Access	-	+	A1N	CAM1P		8.64	8.64	10.03	10.03						
	AIN SMS Access Service - Port Confriction - ISBN Access AIN SMS Access Service - User Identification Codes - Per User	-	_	AIN	CAWIT		0.04	0.04	10.03	10.03						
				441	0.00.00.1		00.00	00.00	00.00	00.00						
	D Code			A1N	CAMAU		38.66	38.66	29.88	29.88						
	AIN SMS Access Service - Security Card, Per User ID Code,															
	nitial or Replacement			A1N	CAMRC		75.10	75.10	12.93	12.93						
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0028										
A	AIN SMS Access Service - Session, Per Minute					0.7809										
A	AIN SMS Access Service - Company Performed Session, Per															
	Minute	1	1			0.4609					l	l	1			l
SIGNALING (CCS		1	1		1	' ' '					ĺ	ĺ	1			ĺ
	bk" beside a rate indicates that the Parties have agreed to bi	ill and k	eep for	that element.	1						1	1				i
	CCS7 Signaling Usage, Per TCAP Message	aria n	1		<del> </del>	0.0000607bk					<del>                                     </del>	<del>                                     </del>				<b> </b>
	CCS7 Signaling Usage, Per ISUP Message	<del> </del>	+		<u> </u>	0.0000007bk										
911 PBX LOCATE		<del>                                     </del>	+		<del> </del>	0.0000132DK					<del>                                     </del>	<del>                                     </del>	<del> </del>			<del>                                     </del>
	LOCATE DATABASE CAPABILITY	+	+		1	<del>                                     </del>			-		-	-	-	-		
							4 000 00									
	Service Establishment per CLEC per End User Account			9PBDC	9PBEU		1,820.00									
	Changes to TN Range or Customer Profile			9PBDC	9PBTN		182.14									
	Per Telephone Number (Monthly)			9PBDC	9PBMM	0.07										
	Change Company (Service Provider) ID			9PBDC	9PBPC		534.66									
P	PBX Locate Service Support per CLEC (MonthIt)			9PBDC	9PBMR	178.80										
S	Service Order Charge			9PBDC	9PBSC		11.90									
911 PBX	LOCATE TRANSPORT COMPONENT				1											
See Att 3					i e											
	TENDED LINK (EELs)		1													
	The monthly recurring and non-recurring charges below will	annly a	nd the	Switch-As-Is Charge	will not and	aly for LINE com	hinations pro	visioned as ' C	rdinarily Comb	nined' Network	Flomente		l			
NOTE: TE	The monthly recurring and the Switch-As-Is Charge and not t	he non	-recurri	na charaes below w	ill annly for	INF combination	ne provision	ad as ' Current	ly Combined' N	letwork Fleme	nte					
EVTENTE	ED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	TED DE	1 INTER	DEELCE TO ANSDO	от	ONE COMBINATION	nia provisione	das Current	ly Combined 1	Tellie	1110.	1				1
	First 2-Wire VG Loop (SL2) in Combination - Zone 1	I LD DO		UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81	-	-				
		-														
	First 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						
	First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81						
	nteroffice Transport - Dedicated - DS1 combination - Per Mile															
	per month			UNC1X	1L5XX	0.1856										
In	nteroffice Transport - Dedicated - DS1 combination - Facility															
T-	Termination per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
1/	1/0 Channelization System in combination Per Month			UNC1X	MQ1	146.77	51.83	10.75								
	Voice Grade COCI - Per Month			UNCVX	1D1VG	1.38	12.16	8.77	6.71	4.84						
		1			İ					,	İ	İ	İ			İ
-	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1	1	1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81	I	I	1			l
-	Combination - Zone 1	<b>t</b>	<del>                                     </del>	2	J	12.27	121.00	00.04	72.13	2.01	<del> </del>	<del> </del>	1			l
-	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2	1	2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81	l	l	1			l
	Lacit Additional 2-ville vo Loop (SL 2) III Combination - Zone 2	<del>                                     </del>		OIVOVA	ULALZ	17.40	127.39	60.54	42.19	2.61	<del>                                     </del>	<del>                                     </del>	<del> </del>			<del>                                     </del>
<del> </del>			1 .	UNCVX	UEAL2	00.0-	407.50	00.51	40.70	0.01						1
	Fach Additional 2 Wiss VC Lass (CL 2) is Combined to 2			ILIINLAV X		30.87	127.59	60.54	42.79	2.81						
E	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3					8.77	6.71	4.84						
E	Voice Grade COCI - Per Month			UNCVX	1D1VG	1.38	12.16						1			1
E				UNCVX		1.38	12.16		-							
EXTENDE	Voice Grade COCI - Per Month DED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA:		1 INTER	UNCVX ROFFICE TRANSPO	RT											
EXTENDE	Voice Grade COCI - Per Month		1 INTER	UNCVX		1.38	127.59	60.54	42.79	2.81						
EXTENDE	Voice Grade COCI - Per Month DED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA:		1 INTER	UNCVX ROFFICE TRANSPO	UEAL4	18.89	127.59	60.54	42.79							
EXTENDE F	Voice Grade COCI - Per Month DED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA:		1 INTER	UNCVX ROFFICE TRANSPO	RT					2.81						
EXTENDE F	Voice Grade COCI - Per Month IED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA: First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1 INTER	UNCVX ROFFICE TRANSPO UNCVX	UEAL4	18.89	127.59	60.54	42.79							
EXTENDE F	Voice Grade COCI - Per Month IED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA  First 4-Wire Analog Voice Grade Loop in Combination - Zone 1  First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		1 INTER	UNCVX ROFFICE TRANSPO UNCVX UNCVX	UEAL4	18.89	127.59 127.59	60.54	42.79							
EXTENDE F F	Voice Grade COCI - Per Month IED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA: First 4-Wire Analog Voice Grade Loop in Combination - Zone 1 First 4-Wire Analog Voice Grade Loop in Combination - Zone 2 First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		1 INTER	UNCVX ROFFICE TRANSPO UNCVX	UEAL4	18.89	127.59	60.54	42.79 42.79	2.81						
EXTENDO	Voice Grade COCI - Per Month  DED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA:  First 4-Wire Analog Voice Grade Loop in Combination - Zone 1  First 4-Wire Analog Voice Grade Loop in Combination - Zone 2  First 4-Wire Analog Voice Grade Loop in Combination - Zone 3  Interoffice Transport - Dedicated - DS1 combination - Per Mile		1 INTER	UNCVX ROFFICE TRANSPO UNCVX UNCVX UNCVX	UEAL4 UEAL4 UEAL4	18.89 26.84 47.62	127.59 127.59	60.54	42.79 42.79	2.81						
EXTENDI EXTENDI F F	Voice Grade COCI - Per Month JED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA  First 4-Wire Analog Voice Grade Loop in Combination - Zone 1  First 4-Wire Analog Voice Grade Loop in Combination - Zone 2  First 4-Wire Analog Voice Grade Loop in Combination - Zone 3  Interoffice Transport - Dedicated - DS1 combination - Per Mile  Per Month		1 INTER	UNCVX ROFFICE TRANSPO UNCVX UNCVX	UEAL4	18.89	127.59 127.59	60.54	42.79 42.79	2.81						
EXTENDI F F F F In P	Voice Grade COCI - Per Month  JED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA  First 4-Wire Analog Voice Grade Loop in Combination - Zone 1  First 4-Wire Analog Voice Grade Loop in Combination - Zone 2  First 4-Wire Analog Voice Grade Loop in Combination - Zone 3  Interoffice Transport - Dedicated - DS1 combination - Per Mile  Per Month  Interoffice Transport - Dedicated - DS1 - Facility Termination Per		1 INTER	UNCVX ROFFICE TRANSPO UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL4 UEAL4 UEAL4 1L5XX	18.89 26.84 47.62 0.1856	127.59 127.59 127.59	60.54 60.54 60.54	42.79 42.79 42.79	2.81						
EXTENDE EXTENDE F F In	Voice Grade COCI - Per Month  JED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA:  First 4-Wire Analog Voice Grade Loop in Combination - Zone 1  First 4-Wire Analog Voice Grade Loop in Combination - Zone 2  First 4-Wire Analog Voice Grade Loop in Combination - Zone 3  Interoffice Transport - Dedicated - DS1 combination - Per Mile  Per Month  Interoffice Transport - Dedicated - DS1 - Facility Termination Per  Month		1 INTER	UNCVX ROFFICE TRANSPO UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X	UEAL4 UEAL4 UEAL4 1L5XX U1TF1	18.89 26.84 47.62 0.1856 88.44	127.59 127.59 127.59	60.54 60.54 60.54	42.79 42.79	2.81						
E E VV EXTENDO	Voice Grade COCI - Per Month  JED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA  First 4-Wire Analog Voice Grade Loop in Combination - Zone 1  First 4-Wire Analog Voice Grade Loop in Combination - Zone 2  First 4-Wire Analog Voice Grade Loop in Combination - Zone 3  Interoffice Transport - Dedicated - DS1 combination - Per Mile  Per Month  Interoffice Transport - Dedicated - DS1 - Facility Termination Per		1 INTER	UNCVX ROFFICE TRANSPO UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL4 UEAL4 UEAL4 1L5XX	18.89 26.84 47.62 0.1856	127.59 127.59 127.59	60.54 60.54 60.54	42.79 42.79 42.79	2.81						

ONRONDFI	ED NETWORK ELEMENTS - Florida										1		Attachment:		Į	<b></b>
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring		001450	0014411		Rates(\$)	0011411	0011411
	Additional 4-Wire Analog Voice Grade Loop in same DS1				+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						
	Additional 4-Wire Analog Voice Grade Loop in same DS1		<u> </u>	ONOVA	OL/1L4	10.00	127.00	00.04	72.70	2.01						1
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															ĺ
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						
	Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	1.38	12.16	8.77	6.71	4.84						
EXTE	NDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIG	CATED	DS1 IN	TEROFFICE TRANS	PORT											
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
	First 4-Wire 56Kbps Digital Grade Loop III Combination - Zone 1		-	UNCDA	UDLS6	22.20	127.59	60.54	42.79	2.01						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.1856										
	Interoffice Transport - Dedicated - DS1 - combination Facility				=		.=	100.10	4= 04							
	Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95	1					
	1/0 Channel System in combination Per Month OCU-DP COCI (data) per month (2.4-64kbs)		ļ	UNC1X UNCDX	MQ1 1D1DD	146.77 2.10	51.83 10.07	10.75 8.77	6.71	4.84						<del>                                     </del>
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		-	UNCDX	טטוטו	2.10	10.07	8.77	6.71	4.84	<b> </b>					<del>                                     </del>
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		<u> </u>	ONODA	ODLOG	22.20	127.00	00.04	72.70	2.01						1
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						
	Additional OCU-DP COCI (data) - in combination per month (2.4-															
	64kbs)	L	L	UNCDX	1D1DD	2.10	10.07	8.77	6.71	4.84						
EXTE	NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	DS1 IN	TEROFFICE TRANS	PORT											
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
	Thist 4-Wire 04Rbps Digital Grade Loop III Combination - Zone 1		-	UNCDA	UDL04	22.20	127.55	00.54	42.13	2.01						+
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
			<u> </u>			000					†					<u> </u>
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month		<u> </u>	UNC1X	1L5XX	0.1856										
	interoffice Transport - Dedicated - DS1 combination - Facility				=.		.=		4= 04							
	Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	1/0 Channel System in combination Per Month OCU-DP COCI (data) - in combination - per month (2.4-64kbs)	-	<del>                                     </del>	UNC1X UNCDX	MQ1 1D1DD	146.77 2.10	51.83 10.07	10.75 8.77	6.71	4.84	1				<b> </b>	<del>                                     </del>
-	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	<b>-</b>	<b>†</b>	OINCDA	טטוטו	2.10	10.07	0.77	0.71	4.04	1			<del> </del>	1	<del>                                     </del>
1	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		ΤĖ		1		.200	55.54		2.51				1	1	
	Interoffice Transport Combination - Zone 2	L	2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						<u> </u>
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						<b></b>
	Additional OCU-DP COCI (data) - in combination - per month			LINORY	10100											
EVTE	(2.4-64kbs)	ED DC1	INITES	UNCDX	1D1DD	2.10	10.07	8.77	6.71	4.84				-	1	<del>                                     </del>
EXIE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATE 4-Wire DS1 Digital Loop in Combination - Zone 1	בט ט <u>א</u> 1	1N 1 E F	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45	1				<b> </b>	<del>                                     </del>
	4-Wire DS1 Digital Loop in Combination - Zone 1 4-Wire DS1 Digital Loop in Combination - Zone 2	<b>-</b>	2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45				<del> </del>	1	<del>                                     </del>
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45	1				1	
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		Ť		1		0	.232	5	10				1	1	
1	Per Month			UNC1X	1L5XX	0.1856										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						<u> </u>
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3														
1	First DS1Loop in Combination - Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						

INRONDFF	D NETWORK ELEMENTS - Florida			·					·				Attachment:	2 Exh. A		
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-		Incremental Charge - Manual Svc Order vs. Electronic-	Increment Charge Manual S Order vs Electronic
													1st	Add'l	Disc 1st	Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First DS1Loop in Combination - Zone 2			UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
	First DS1Loop in Combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
	Interoffice Transport - Dedicated - DS3 combination - Per Mile															
	Per Month			UNC3X	1L5XX	3.87										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			LINIOOV		4 074 00	04.4.45	400.00	00.00	40.00						
-	3/1Channel System in combination per month			UNC3X UNC3X	U1TF3 MQ3	1,071.00 211.19	314.45 115.60	130.88 59.93	38.60 5.45	18.23					-	-
	DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00					-	
-	Additional DS1Loop in DS3 Interoffice Transport Combination -			ONCIA	OCIDI	13.70	10.07	7.00	0.00	0.00					1	
	Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
	Additional DS1Loop in DS3 Interoffice Transport Combination -			ONOTA	OOLYON	70.74	217.70	121.02	01.44	14.40						
	Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
	Additoinal DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
EXTE	NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRADI	E INTE	ROFFICE TRANSPO												
	2-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81						
	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81						
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.0091										
	Interoffice Transport - 2-wire VG - Dedicated - Facility															
	Termination per month			UNCVX	U1TV2	25.32	94.70	52.59	50.49	21.53						
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRADI														
	4-WireVG Loop in combination - Zone 1			UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						
_	4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						
	4-WireVG Loop in combination - Zone 3 Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81					-	-
	Month			UNCVX	1L5XX	0.0091										
	Interoffice Transport - 4-wire VG - Dedicated - Facility				l											
EVE	Termination per month	NITEDO		UNCVX	U1TV4	22.58	94.70	52.59	50.49	21.53						
EXIE	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE		1L5ND	10.92								-		<u> </u>
_	DS3 Local Loop in combination - per mile per month			UNC3X	ILSIND	10.92			1							
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	386.88	249.97	162.05	67.10	26.82						
-	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	3.87	243.31	102.03	07.10	20.02						1
	Interoffice Transport - Dedicated - DS3 combination - Facility			OTTOOX.	120701	0.07										
	Termination per month			UNC3X	U1TF3	1,071.00	314.45	130.88	38.60	18.23						
EXTE	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF	ICE TRANSPORT												
	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	10.92										
	STS-1 Local Loop in combination - Facility Termination per															
	month			UNCSX	UDLS1	426.60	249.97	162.05	67.10	26.82						
	Interoffice Transport - Dedicated - STS-1 combination - per mile															
	per month			UNCSX	1L5XX	3.87										
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
	Termination per month			UNCSX	U1TFS	1,056.00	314.45	130.88	38.60	18.23						
EXIE	NDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	IKAN	PORI	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81				-		
-	First 2-Wire ISDN Loop in Combination - Zone 1 First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81	<b> </b>				<del>                                     </del>	1
+	First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81				<del> </del>	t	1
_	Interoffice Transport - Dedicated - DS1 combination - per mile			OTTOTAL	UTLZA	70.02	121.33	00.00	72.73	2.01	<b> </b>				<b>+</b>	<b>†</b>
	per month		1	UNC1X	1L5XX	0.1856					1				I	1
	Interoffice Transport - Dedicated - DS1 combination - Facility					0000								İ	1	
	Termination per month		1	UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95	1				I	1
	1/0 Channel System in combination - per month			UNC1X	MQ1	146.77	51.83	10.75								
	2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	3.66	12.16	8.77	6.71	4.84						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															1
1	Combination - Zone 1		l 1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81	l	1		I	1	1

ONBONDER	ED NETWORK ELEMENTS - Florida												Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Nonre	curring	Nonrecurring	Disconnect			OSS	Rates(\$)		
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport				<b>†</b>			71441		71441	0020					
	Combination - Zone 2		2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															1
	Combination - Zone 3		3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81						
	Additional 2-wire ISDN COCI (BRITE) - in combination- per								0.74							
EVTE	month NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATION	ED STS	4 INITE	UNCNX	UC1CA	3.66	12.16	8.77	6.71	4.84					-	
EXIE	First DS1 Loop Combination - Zone 1	ED 313		UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45					1	
	First DS1 Loop Combination - Zone 2			UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						<del>                                     </del>
	First DS1 Loop Combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile															Ť T
	Per Month			UNCSX	1L5XX	3.87										
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
	Termination per month			UNCSX	U1TFS	1,056.00	314.45	130.88	38.60	18.23					1	ļ
	3/1 Channel System in combination per month			UNCSX	MQ3	211.19	115.60	59.93	5.45	0.00						
	DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00					-	
	Additional DS1Loop in the same STS-1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
	Additional DS1Loop in the same STS-1 Interoffice Transport		<u> </u>	ONCIA	USLAA	70.74	217.73	121.02	31.44	14.45					1	
	Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
	Additional DS1Loop in the same STS-1 Interoffice Transport			0.10.1%	002/01	100.01	211110	121102	0						t	
	Combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
	DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KB	PS INT														
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81					-	
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNCDX	1L5XX	0.0091										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			ONODA	TESTA	0.0031										<del>                                     </del>
	Facility Termination per month			UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53						
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KB	PS INT	EROFF					00.00								
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Per Mile per month			UNCDX	1L5XX	0.0091								-	<del>                                     </del>	<del>                                     </del>
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month		1	UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53					I	
FYTE	NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP	ORT w		31100	10.44	34.70	52.39	30.49	21.33	<del>                                     </del>			<del> </del>	<del>                                     </del>	<del>                                     </del>
LXIL	First 2-wire VG Loop (SL2) in Combination - Zone 1	KANOI		UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81						
	First 2-wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						
	First 2-wire VG Loop (SL2) in Combination - Zone 3			UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81						
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile			UNC1X	1L5XX	0.1856										
	First Interoffice Transport - Dedicated - DS1 combination -		1												I	
	Facility Termination per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95				-	<del>                                     </del>	<del>                                     </del>
	Per each DS1 Channelization System Per Month Per each Voice Grade COCI - Per Month per month		<u> </u>	UNC1X UNCVX	MQ1 1D1VG	146.77 1.38	51.83 12.16	10.75 8.77	6.71	4.84	1			-	<del>                                     </del>	<del>                                     </del>
_	3/1 Channel System in combination per month		<del>                                     </del>	UNC3X	MQ3	211.19	12.16	59.93	5.45	0.00	<del>                                     </del>			1	<del>                                     </del>	<del>                                     </del>
	Per each DS1 COCI in combination per month		<del>                                     </del>	UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00	<b>-</b>				<b>†</b>	<b>†</b>
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1				30.5.	10.70	10.07	7.50	0.00	0.00	1			1	1	
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81					I	
	Each Additional 2-Wire VG Loop(SL2) in the same DS1								İ							
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						ļ
	Each Additional 2-Wire VG Loop(SL2) in the same DS1		_		l				l T	_						
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81						<b>_</b>
	Each Additional Voice Grade COCI in combination - per month	1	I	UNCVX	1D1VG	1.38	12.16	8.77	6.71	4.84	1				1	

UNBUNDI F	D NETWORK ELEMENTS - Florida												Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge -	Charge -	Charge -
						Rec	Nonrec	curring	Nonrecurring	Disconnect				Rates(\$)	•	*
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.1856										<u> </u>
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						<b></b>
	Each Additional DS1 COCI combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
EXIE	NDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	EROFF	ICE IR	ANSPORT W/ 3/1 M	UX									-	-	+
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						
	First 4-Wire Analog Voice Grade Local Loop in Combination -		-	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81				-	-	+
	Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						
	First 4-Wire Analog Voice Grade Local Loop in Combination -			UNCVA	ULAL4	20.04	127.39	00.54	42.13	2.01						+
	Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						
	First Interoffice Transport - Dedicated - DS1 combination - Per		Ŭ	0.1017	027121		127.00	00.01	12.10	2.01				1	1	<b>†</b>
	Mile Per Month			UNC1X	1L5XX	0.1856										
	First Interoffice Transport - Dedicated - DS1 - Facility															1
	Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	146.77	51.83	10.75								
	Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	1.38	12.16	8.77	6.71	4.84						
	3/1 Channel System in combination per month			UNC3X	MQ3	211.19	115.60	59.93	5.45	0.00						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						<b>_</b>
	Additional 4-Wire Analog Voice Grade Loop in same DS1		2	110000		00.04	407.50	00.54	40.70	0.04						
-	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81				-	-	+
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						
	Each Additional DS1 Interoffice Channel per mile in same 3/1		3	UNCVA	UEAL4	47.02	127.59	60.54	42.79	2.01				-	-	+
	Channel System per month			UNC1X	1L5XX	0.1856										
	Each Additional DS1 Interoffice Channel Facility Termination in			ONOTA	120701	0.1000										+
	same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	1.38	12.16	8.77	6.71	4.84						<b>†</b>
EXTE	NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE													
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
	Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
	Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		_													
	Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						<b>_</b>
	First Interoffice Transport - Dedicated - DS1 combination - Per			LINIOAV	41.5007	0.4050										
-	Mile Per Month First Interoffice Transport - Dedicated - DS1 - combination		-	UNC1X	1L5XX	0.1856								-	-	+
	Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	146.77	51.83	10.75	45.61	17.95				1	1	+
+	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	8.77	6.71	4.84						+
	3/1 Channel System in combination per month			UNC3X	MQ3	211.19	115.60	59.93	5.45	0.00						+
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00				t	t	<b>†</b>
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															1
1	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81				1	1	
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			]												
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81				L	L	
	OCU-DP COCI (data) COCI in combination per month (2.4-			l	1	_		_						I	I	
	64kbs)			UNCDX	1D1DD	2.10	10.07	8.77	6.71	4.84				ļ	ļ	<b>↓</b>
1	Each Additional DS1 Interoffice Channel per mile in same 3/1			LINGAY	41.500	0.4050								I	I	
	Channel System per month	1	1	UNC1X	1L5XX	0.1856								<u> </u>		+
	Each Additional DS1 Interoffice Channel Facility Termination in															

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						B	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
EXTE	NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/	1 MUX											
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		_													
	Transport Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		3	LINODY	LIBLOA	55.00	407.50	60.54	42.79	2.81						
<b>—</b>	Transport Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81					-	+
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1856									1	
<del>                                     </del>	First Interoffice Transport - Dedicated - DS1 combination -			ONCIA	ILOAA	0.1000								<del> </del>	<del>                                     </del>	+
	Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95					I	1
<del> </del>	Per each Channel System 1/0 in combination Per Month		-	UNC1X	MQ1	146.77	51.83	10.75	40.01	17.55				1		+
	Per each OCU-DP COCI (data) in combination - per month (2.4-			ONOTA	IVIQ I	140.77	01.00	10.70								+
	64kbs)			UNCDX	1D1DD	2.10	10.07	8.77	6.71	4.84						
	3/1 Channel System in combination per month			UNC3X	MQ3	211.19	115.60	59.93	5.45	0.00					t	<b>†</b>
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															1
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System															
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	8.77	6.71	4.84						
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.1856										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
EXTE	NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RT w/ 3/	1 MUX													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination			LINIONIN	1141.01/	40.00	407.50	00.00	40.70	0.04						
	Transport - Zone 1		1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2		2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination			UNCINA	UTLZA	27.40	127.59	60.60	42.79	2.01	1				1	+
	Transport - Zone 3		3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81						
	First Interoffice Transport - Dedicated - DS1 combination - Per		3	ONONA	UTLZX	40.02	127.55	00.00	42.73	2.01						+
	Mile per month			UNC1X	1L5XX	0.1856										
	First Interoffice Transport - Dedicated - DS1 combination -			0.10.17	120701	0.1000										1
	Facility Termination per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	146.77	51.83	10.75		30				İ	1	<b>†</b>
					1									ĺ	1	1
	Per each 2-wire ISDN COCI (BRITE) in combination - per month	L		UNCNX	UC1CA	3.66	12.16	8.77	6.71	4.84	<u></u>			<u> </u>	<u> </u>	1
	3/1 Channel System in combination per month			UNC3X	MQ3	211.19	115.60	59.93	5.45	0.00						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport									<u> </u>						
	Combination - Zone 1		1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport														_	
	Combination - Zone 2		2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81				ļ	1	
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport														I	1
	Combination - Zone 3		3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81					ļ	
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel			LINIONIN		0.00	40.10	0	0	4.0.					I	1
$\longrightarrow$	system combination- per month  Each Additional DS1 Interoffice Channel per mile in same 3/1		-	UNCNX	UC1CA	3.66	12.16	8.77	6.71	4.84				<b>.</b>	<del>                                     </del>	+
				1	1						1				1	1

<b>INRONDL</b> E	D NETWORK ELEMENTS - Florida						·						Attachment:	2 Exh. A		
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			II .	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
							Nonred	urring	Nonrecurring	Disconnect				Rates(\$)	DISC 1St	DISC Aud
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 Interoffice Channel Facility Termination in						101	71001	0.	71441	0020	00	00			00
	same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
EXTEN	IDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS														
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1			UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
	First 4-wire DS1 Digital Local Loop in Combination - Zone 2		3	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3 First Interoffice Transport - Dedicated - DS1 combination - Per		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
	Mile Per Month			UNC1X	1L5XX	0.1856										
_	First Interoffice Transport - Dedicated - DS1 combination -		-	UNCIA	ILSAA	0.1636					1					
	Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
_	3/1 Channel System in combination per month	1		UNC3X	MQ3	211.19	115.60	59.93	5.45	0.00	1	<b> </b>				<del>                                     </del>
	Per each DS1 COCI combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00	1					
	Each Additional DS1 Interoffice Channel per mile in same 3/1			ONOTA	00101	10.70	10.07	7.00	0.00	0.00	1					
	Channel System per month			UNC1X	1L5XX	0.1856										
	Each Additional DS1 Interoffice Channel Facility Termination in				1 - 0 - 1	0.1000					İ					
	same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Each Additional DS1 COCI in the same 3/1 channel system										†					
	combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
EXTEN	IDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO														
	First 4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile			LINODY	41.5307	0.0004										
	per month		-	UNCDX	1L5XX	0.0091					1					
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53						
EVTEN	I Termination per month  IDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	EEICE :		פעווט	18.44	94.70	52.59	50.49	21.53	<b>.</b>					
EVIEN	First 4-wire 64 kbps Local Loop in combination - Zone 1	NIEKO		UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81	1					
+	First 4-wire 64 kbps Local Loop in combination - Zone 1		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81	1					
_	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81	1					
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile		3	ONODA	ODLO4	33.33	127.55	00.54	72.73	2.01	<b>+</b>					
	per month			UNCDX	1L5XX	0.0091										
-	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility			ONODA	120701	0.0001										
	Termination per month			UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53						
DITIONAL	NETWORK ELEMENTS										İ					
	used as a part of a currently combined facility, the non-recurr	ng cha	rges do	not apply, but a S	witch As Is cl	harge does app	oly.									
	used as ordinarily combined network elements in All States, t															
	curring Currently Combined Network Elements "Switch As Is"															
	al Features & Functions:															
				U1TD1,												
	Clear Channel Capability Extended Frame Option - per DS1			ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00					<u> </u>	<u></u>
				U1TD1,												
	Clear Channel Capability Super FrameOption - per DS1	I		ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
	Clear Channel Capability (SF/ESF) Option - Subsequent	1		ULDD1, U1TD1,												I
	Activity - per DS1			UNC1X, USL	NRCCC		184.92	23.82	2.07	0.80				ļ	ļ	
				U1TD3, ULDD3,												
	C-bit Parity Option - Subsequent Activity - per DS3	l i		UE3, UNC3X	NRCC3		219.09	7.67	0.773	0.00						
		1		UNCVX, UNCDX,								1				1
	L.,	l		UNC1X, UNC3X,	1						1					
	Wholesale to UNE, Switch-As-Is Conversion Charge	I	1	UNCSX	UNCCC		8.98	8.98	8.98	8.98	1	ı		1	I	1

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Increment Charge - Manual St Order vs Electronic Disc Add
			<u> </u>				Nonre	rurring	Nonrecurring	Disconnect		]	oss	Rates(\$)		<u> </u>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Misc Rate Element, SNE SAI, Single Network Element - Switch As Is Non-recurring Charge, per circuit (LSR)			U1TVX, U1TDX, U1TD1, U1TD3, U1TS1, UDF, UE3	URESL		40.28	13.52		7,00	3323	00	•••••			
		<u> </u>	<u> </u>		UKESL		40.20	13.32			1					<del>                                     </del>
	Unbundled Misc Rate Element, SNE SAI, Single Network Element - Switch As Is Non-recurring Charge, per circuit (Spreadsheet)	I		U1TVX, U1TDX, U1TD1, U1TD3, U1TS1, UDF, UE3	URESP		64.09	25.64								
MULTI	PLEXER Interfaces						=1.00	10.75								<b></b>
	DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per		1	UNC1X	MQ1	146.77	51.83	10.75	-							
	month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	2.10	10.07	7.08								
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
	month (2.4-64kbs) used for connection to a channelized DS1															
	Local Channel in the same SWC as collocation		ļ	U1TUD	1D1DD	2.10	10.07	7.08	0.00	0.00						
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop			UDN	UC1CA	3.66	10.07	7.08								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	3.66	10.07	7.08	0.00	0.00						
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	1.38	10.07	7.08								
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the															
	same SWC as collocation DS3 to DS1 Channel System per month		1	U1TUC UNC3X	1D1VG MQ3	1.38 211.19	10.07 115.60	7.08 59.93	0.00 5.45	0.00						<del></del>
+	STS-1 to DS1 Channel System per month				MQ3	211.19	115.60	59.93	5.45	0.00						<del>                                     </del>
	DS1 COCI used with Loop per month			USL	UC1D1	13.76	10.07	7.08	00	0.00						
	DS1 COCI (used for connection to a channelized DS1 Local															
	Channel in the same SWC as collocation) per month			U1TUA	UC1D1	13.76	10.07	7.08	0.00	0.00						
	DS1 COCI used with Interoffice Channel per month DS3 Interface Unit (DS1 COCI) used with Local Channel per		-	U1TD1	UC1D1	13.76	10.07	7.08	0.00	0.00						<del></del>
	month			ULDD1	UC1D1	13.76	10.07	7.08	0.00	0.00						
Access	s to DCS - Customer Reconfiguration (FlexServ)															
	Customer Reconfiguration Establishment						1.63		1.63							
	DS1 DSC Termination with DS0 Switching					27.39 11.70	32.89 25.07	23.58 15.76	16.96 13.05	12.77 8.86						
-+	DS1 DSC Termination with DS1 Switching DS3 DSC Termination with DS1 Switching		<u> </u>			146.81	32.89	23.58	16.96	12.77						├──
Service	e Rearrangements		1			140.01	32.09	25.50	10.50	12.77						
	NRC - Change in Facility Assignment per circuit Service Rearrangement	ı			URETD		270.08	47.13								
	NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed)			U1TVX, U1TDX, UEA, UDL, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX	URETB		1.28	1.28								
	imanagement (added to GFA per circuit il project managed)		<del>                                     </del>	UNCVX, UNCDX UNCVX, UNCDX,	OKEIB		1.28	1.28	<del>                                     </del>	<b> </b>	1					<del>                                     </del>
	Commingling Authorization			UNC1X, UNC3X, UNCSX, U1TD1, U1TD3, U1TS1, UE3, UDLSX, U1TVX, U1TDX,	CMGAU	0.00	0.00	0.00	0.00	0.00						
Miscel	Ianeous	<del>                                     </del>	<del>                                     </del>	01100	CIVIGAU	0.00	0.00	0.00	0.00	0.00						<del>                                     </del>
iiiiooei	NRC - Order Coordination Specific Time - Dedicated Transport	ı	t	UNC1X	OCOSR		18.90	18.90	1							
	LOCAL EXCHANGE SWITCHING(PORTS)															
	change Switching Port Rates Reflected Here Apply to Embed	ded Bas	se Swite	ching Ports as of Ma	rch 10, 2005	and Consist of	f the TELRIC C	ost Based Ra	es Plus \$1.00 i	n Accordance	with the TR	RO.				
Exchai	nge Ports		1	l	l				1	I		l		l	l	1

JNBUNDL	ED NETWORK ELEMENTS - Florida												Attachment:			
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
NOTE	E: Although the Port Rate includes all available features in GA, I	(V I A	9 TNI 41	no docirod foaturos	will pood to b	o ordorod usir	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	RE VOICE GRADE LINE PORT RATES (RES)	NI, LA	X 114, ti	le desired realures	T Teed to t	l ordered usin	ig retail 0300s	•	1 1					I	1	I
	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	2.40	3.74	3.63	1.88	1.80						
	=g															
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	2.40	3.74	3.63	1.88	1.80						
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	2.40	3.74	3.63	1.88	1.80						
	Exchange Ports - 2-Wire VG unbundled Florida area calling with Caller ID - Res.			UEPSR	UEPAF	2.40	3.74	3.63	1.88	1.80						
	Exchange Ports - 2-Wire VG unbundled Florida Residence Area			UEPSK	UEPAF	2.40	3.74	3.03	1.00	1.00	-					
	Calling Plan, without Caller ID capability			UEPSR	UEPA9	2.40	3.74	3.63	1.88	1.80						
	Exchange Ports - 2-Wire VG unbundled Florida extended			02. 0.0	02.7.0	2.10	0.1 1	0.00	1.00	1.00						
	dialing port for use with CREX7 and Caller ID			UEPSR	UEPA1	2.40	3.74	3.63	1.88	1.80						
	Exchange Ports - 2-Wire VG unbundled Florida extended															
	dialing port for use with CREX7, without Caller ID capability			UEPSR	UEPA8	2.40	3.74	3.63	1.88	1.80						
	Exchange Ports - 2-Wire VG unbundled res, low usage line port															
_	with Caller ID (LUM)  2-Wire voice unbundled Low Usage Line Port without Caller ID		1	UEPSR	UEPAP	2.40	3.74	3.63	1.88	1.80						
	Capability			UEPSR	UEPRT	2.40	3.74	3.63	1.88	1.80						
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00	1.00	1.00						
FEAT	TURES			OLI OIX	UUAUU	0.00	0.00	0.00								
1 =/ \	All Available Vertical Features			UEPSR	UEPVF	2.26	0.00	0.00	i i							
2-WIF	RE VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -								i i							
	Bus			UEPSB	UEPBL	2.40	3.74	3.63	1.88	1.80						
	Exchange Ports - 2-Wire VG unbundled Line Port with															
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	2.40	3.74	3.63	1.88	1.80						
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	2.40	3.74	3.63	1.88	1.80						
	Exhange Ports - 2-Wire VG unbundled incoming only port with		1	OLF3B	OLFBO	2.40	3.74	3.03	1.00	1.00						
	Caller ID - Bus			UEPSB	UEPB1	2.40	3.74	3.63	1.88	1.80						
	2-Wire voice unbundled Incoming Only Port without Caller ID															
	Capability			UEPSB	UEPBE	2.40	3.74	3.63	1.88	1.80						
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
FEAT	TURES															
	All Available Vertical Features			UEPSB	UEPVF	2.26	0.00	0.00								
EXC	HANGE PORT RATES (DID & PBX)  2-Wire VG Unbundled 2-Way PBX Trunk - Res		-	UEPSE	UEPRD	2.40	39.06	18.18	12.35	0.7187						
	2-Wire VG Unbundled 2-Way PBX Trunk - Res 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPRD	2.40	39.06	18.18	12.35	0.7187	-					
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	2.40	39.06	18.18	12.35	0.7187						
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus		1	UEPSP	UEPP1	2.40	39.06	18.18	12.35	0.7187						
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	2.40	39.06	18.18	12.35	0.7187					1	
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	2.40	39.06	18.18	12.35	0.7187					1	
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	2.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	2.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	2.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		1	UEPSP	UEPXD	2.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	2.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		1	UEPOP	UEPAE	2.40	39.06	18.18	12.35	0.7187	<b>—</b>			-	-	<b> </b>
	Administrative Calling Port			UEPSP	UEPXL	2.40	39.06	18.18	12.35	0.7187						1
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			02/01	OLI AL	2.70	55.56	10.10	12.00	5.7 107					1	
	Room Calling Port			UEPSP	UEPXM	2.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPSP	UEPXO	2.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		1	UEPSP	UEPXS	2.40	39.06	18.18	12.35	0.7187						<u> </u>
1	Subsequent Activity		1	UEPSP	USASC	0.00	0.00	0.00						-	<b>.</b>	<del>                                     </del>
FEAT																

UNBU	NDLE	NETWORK ELEMENTS - Florida												Attachment:	2 Exh. A		
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEG	OPV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)								1
CAILG	IOKI	RATE ELEMENTS	m	Zone	BC3	0300			KATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NOTE:	Transmission/usage charges associated with POTS circuit sv	vitched	usage	will also apply to ci	rcuit switche	ed voice and/or	circuit switche	ed data transn	nission by B-Ch	annels associ	ated with 2-	wire ISDN p	orts.			
		Access to B Channel or D Channel Packet capabilities will be													Request Pro	cess.	
		VOICE GRADE LINE PORT RATES (DID)	arana	J	amoug. Diration	1			paonor oapas.	1	torrining that	1	l		11044001111	1	
		Exchange Ports - 2-Wire DID Port		1	UEPEX	UEPP2	9.73	78.41	15.82	41.94	4.26						1
				<u> </u>	ULFLX	ULFFZ	5.13	70.41	13.02	41.34	4.20						-
	2-WIRE	VOICE GRADE LINE PORT RATES (ISDN-BRI)		<u> </u>													
		Exchange Ports - 2-Wire ISDN Port (See Notes below.)		<u> </u>	UEPTX, UEPSX	U1PMA	8.83	46.83	50.68	27.64	11.93						
		All Features Offered			UEPTX, UEPSX	UEPVF	2.26	0.00	0.00								
		Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								
	NOTE:	Transmission/usage charges associated with POTS circuit sv	vitched	usage	will also apply to ci	rcuit switche	d voice and/or	circuit switche	ed data transn	nission by B-Ch	annels associ	ated with 2	wire ISDN n	orts.			
		Access to B Channel or D Channel Packet capabilities will be													Ponuest Pro	2202	
<b>-</b>		IDLED PORT with REMOTE CALL FORWARDING CAPABILITY		- O O O O O O O O O O O O O O O O O O O	,ougii Di NiteW	_ aoineoo Ne	queen 100635.	. according	paonor capabi		via ti	Dona i il	rroqueat/i	Duamida		1 3 3 3 3 3	1
<b>—</b>				+		<del>                                     </del>				-		<b> </b>				<b>-</b>	<del>                                     </del>
<u> </u>	ONRON	DLED REMOTE CALL FORWARDING SERVICE - RESIDENCE		-								ļ					ļ
		Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	2.40	3.74	3.63	1.88	1.80						1
	l			1													
l	l	Unbundled Remote Call Forwarding Service, Local Calling - Res		1	UEPVR	UERLC	2.40	3.74	3.63	1.88	1.80	1				1	1
	Ì	Unbundled Remote Call Forwarding Service, InterLATA - Res		Ì	UEPVR	UERTE	2.40	3.74	3.63	1.88	1.80	1				İ	
		Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	2.40	3.74	3.63	1.88	1.80						
	Non De	ecurring		<u> </u>	OLI VIX	OLIVIIX	2.40	5.74	3.03	1.00	1.00						
	NOII-KE			<b>!</b>													
		Unbundled Remote Call Forwarding Service - Conversion -															
		Switch-as-is			UEPVR	USAC2		0.102	0.102								
		Unbundled Remote Call Forwarding Service - Conversion with															
		allowed change (PIC and LPIC)			UEPVR	USACC		0.102	0.102								
	UNRUN	DLED REMOTE CALL FORWARDING - Bus															
	0.120.																<b>-</b>
					UEPVB	LIEDAG	0.40	0.74	0.00	4.00	4.00						
		Unbundled Remote Call Forwarding Service, Area Calling - Bus		<u> </u>	UEPVB	UERAC	2.40	3.74	3.63	1.88	1.80						
		Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	2.40	3.74	3.63	1.88	1.80						
		Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	2.40	3.74	3.63	1.88	1.80						
		Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	2.40	3.74	3.63	1.88	1.80						
		Unbundled Remote Call Forwarding Service Expanded and		1													
		Exception Local Calling			UEPVB	UERVJ	2.40	3.74	3.63	1.88	1.80						
				<u> </u>	UEFVB	UERVJ	2.40	3.74	3.03	1.00	1.00						-
	Non-Re	curring		<u> </u>													
		Unbundled Remote Call Forwarding Service - Conversion -															
		Switch-as-is			UEPVB	USAC2		0.102	0.102								
		Unbundled Remote Call Forwarding Service - Conversion with															
		allowed change (PIC and LPIC)			UEPVB	USACC		0.102	0.102								
LIMBUN	IDI ED I	OCAL SWITCHING, PORT USAGE		t													
ONDON		fice Switching (Port Usage)		<u> </u>		1											
	Liiu Oi			├		<del>                                     </del>	0.0007000					<del>                                     </del>				-	1
	<u> </u>	End Office Switching Function, Per MOU		<u> </u>		<b></b>	0.0007662			ļ		ļ					ļ
		End Office Trunk Port - Shared, Per MOU					0.000164										ļ
	Tander	n Switching (Port Usage) (Local or Access Tandem)		$\perp$													
		Tandem Switching Function Per MOU					0.0001319										
	i –	Tandem Trunk Port - Shared, Per MOU		1		İ	0.000235					İ				İ	1
	<del>                                     </del>	Tandem Switching Function Per MOU (Melded)		<del>                                     </del>		<u> </u>	0.000233			1							1
<u> </u>	<u> </u>			+		<del>                                     </del>						<b> </b>				<b>-</b>	<del>                                     </del>
		Tandem Trunk Port - Shared, Per MOU (Melded)		1		<b>!</b>	0.000048434			ļ		<b> </b>				<b></b>	<b> </b>
		Factor: 20.61% of the Tandem Rate				ļ										ļ	1
	Commo	on Transport		<u> </u>		<u> </u>										L	<u> </u>
	l	Common Transport - Per Mile, Per MOU		1			0.0000035										
	Ì	Common Transport - Facilities Termination Per MOU		Ì		ĺ	0.0004372					1				İ	
UNRUN	DI ED E	ORT/LOOP COMBINATIONS - COST BASED RATES				1				1		l				i e	1
3.1201		Based Rates are applied where BellSouth is required by FCC a	nd/or s	State C	ammission rule to a	rovido Unb	ndlad Lacal Su	itching or Swi	tch Borte	1							
										Deced Date D	l 64 CO ! 1			10			
		NE-P Switching Port Rates Reflected in the Cost Based Section											vith the fRF	(U.			
		res shall apply to the Unbundled Port/Loop Combination - Co															
	>End C	ffice and Tandem Switching Usage and Common Transport U	sage ra	ates in	the Port section of t	his rate exhil	bit shall apply t	to all combinat	ions of loop/p	ort network ele	ments except	for UNE Co	oin Port/Loo	p Combination	ons.		
	>The fi	rst and additional Port nonrecurring charges apply to Not Cur	rently (	Combir	ed Combos. For Cu	rrently Comi	oined Combos	the nonrecurri	ng charges sh	all be those ide	ntified in the I	Nonrecurrin	g - Currentl	y Combined :	sections.		
	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)				1			J 300 011				J 23	,			
		ort/Loop Combination Rates		<del>                                     </del>		<u> </u>										<u> </u>	<del>                                     </del>
1	UNE PO	2-Wire VG Loop/Port Combo - Zone 1		+		<del> </del>	11.01			-		<b> </b>				<del> </del>	<del>                                     </del>
		- Vivire VI = Loop/Port L'ombo - Zone 1		1		1	11.94			1		ı			l	I	1
		2-Wire VG Loop/Port Combo - Zone 2				+	16.05										

INBUNDLEI	NETWORK ELEMENTS - Florida												Attachment:	2 Exh. A		
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		Nonrec	RATES(\$)	Nonrecurring	Diogennest		Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
					-	Rec	First		First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	O Mire VO Lear/Det Combe 7000					26.80	FIRSt	Add'l	FIRST	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/Port Combo - Zone 3				_	26.80										
UNE LC	op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	9.77										
	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	13.88					-			-		
_	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	24.63					-			-	ļ	<b>-</b>
2 Wire	Voice Grade Line Port Rates (Res)		3	UEFRA	UEPLA	24.03					-			-	ļ	<b>-</b>
	2-Wire voice unbundled port - residence		-	UEPRX	UEPRL	2.17	53.31	26.46	27.50	8.37	-			-	ļ	<b>}</b>
_	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	2.17	53.31	26.46	27.50	8.37					1	1
_	2-Wire voice unbundled port outgoing only - res		-	UEPRX	UEPRO	2.17	53.31	26.46	27.50	8.37	-			-	ļ	<b>}</b>
_	2-ville voice unbunuled port outgoing only - res		-	ULFRA	OLFRO	2.17	33.31	20.40	21.50	0.37	-				ļ	<b>}</b>
	2-Wire voice unbundled Florida Area Calling with Caller ID - res			UEPRX	UEPAF	2.17	53.31	26.46	27.50	8.37						
-	2-Wire voice unburidled Florida Area Calling with Caller ID - les 2-Wire voice unbundles res, low usage line port with Caller ID			UEPRA	UEPAF	2.17	55.51	20.40	27.50	0.37						1
	(LUM)			UEPRX	UEPAP	2.17	53.31	26.46	27.50	8.37						
_	2-Wire voice unbundled Florida extended dialing with Caller ID		-	UEPRX	UEPA1	2.17	53.31	26.46	27.50	8.37	-				ļ	<b>}</b>
_	2-Wire voice unburidled Florida extended dialing with Caller ID  2-Wire voice unbundled Florida extended dialing port without			ULFKX	OLFAI	2.17	33.31	20.40	21.50	0.57						1
	Caller ID capability			UEPRX	UEPA8	2.17	53.31	26.46	27.50	8.37						
_	2-Wire voice unbundled Florida Area Calling Port without Caller			ULFRA	ULFAO	2.17	33.31	20.40	21.50	0.37					1	1
	ID Capability			UEPRX	UEPA9	2.17	53.31	26.46	27.50	8.37						
	2-Wire voice unbundled Low Usage Line Port without Caller ID			ULFKX	OLFAS	2.17	33.31	20.40	21.50	0.57						1
	Capability			UEPRX	UEPRT	2.17	53.31	26.46	27.50	8.37						
FEATU				ULFRA	OLFKI	2.17	33.31	20.40	21.50	0.37					1	1
	All Features Offered			UEPRX	UEPVF	2.26	0.00	0.00	<del>                                     </del>					1		
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLITIX	OLI VI	2.20	0.00	0.00								
NONKE	2-Wire Voice Grade Loop / Line Port Combination - Conversion -				+				<del>                                     </del>					1		1
	Switch-as-is			UEPRX	USAC2		0.102	0.102								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			ULFKX	USACZ		0.102	0.102	<del>                                     </del>					1		1
	Switch with change			UEPRX	USACC		0.102	0.102								
	2-Wire Voice Grade Loop / Line Port Platform - Installation			OLITOR	00/100		0.102	0.102								
	Charge at QuickService location - Not Conversion of Existing Service			UEPRX	URECC		0.102									
ADDITI	ONAL NRCs													Î		
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity			UEPRX	USAS2	0.00	0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEPRX	URETL		8.33	0.83								
	PREMISES EXTENSION CHANNELS															
	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	10.69	49.57	22.83	25.62	6.57						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	15.20	49.57	22.83	25.62	6.57						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	26.97	49.57	22.83	25.62	6.57						
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	12.24	135.75	82.47	63.53	12.01						
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	17.40	135.75	82.47	63.53	12.01						
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	30.87	135.75	82.47	63.53	12.01						
INTERO	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPRX	U1TV2	25.32	47.35	31.78								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPRX	U1TVM	0.0091	0.00	0.00								
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
UNE Po	ort/Loop Combination Rates		oxdot													ļ
	2-Wire VG Loop/Port Combo - Zone 1					11.94								ļ		
	2-Wire VG Loop/Port Combo - Zone 2					16.05								ļ		
	2-Wire VG Loop/Port Combo - Zone 3					26.80								ļ		ļ
	op Rates															ļ
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	9.77										ļ
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	13.88										ļ
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	24.63										
2-Wire	Voice Grade Line Port (Bus)															<u> </u>
$\overline{}$	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	2.17	53.31	26.46	27.50	8.37				ļ		<u> </u>
1	2-Wire voice unbundled port with Caller + E484 ID - bus	l	1 1	UEPBX	UEPBC	2.17	53.31	26.46	27.50	8.37						

NBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2 Exh. A		
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		N	RATES(\$)		Pi		Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring		001150	0011411		Rates(\$)	0011411	001111
	0.14//			HEDDY	LIEDDO	0.47	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	2-Wire voice unbundled port outgoing only - bus			UEPBX UEPBX	UEPBO	2.17 2.17	53.31 53.31	26.46 26.46	27.50 27.50	8.37 8.37	-			-		
_	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	2.17	53.31	26.46	27.50	8.37						-
	2-Wire voice unbundled Incoming Only Port without Caller ID Capability			UEPBX	UEPBE	2.17	53.31	26.46	27.50	8.37						
FEATL				ULFBA	OLFBL	2.17	33.31	20.40	21.50	0.37	-				-	<b>-</b>
FEAT	All Features Offered			UEPBX	UEPVF	2.26	0.00	0.00							-	1
NONE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			ULFBA	OLF VI	2.20	0.00	0.00	<del>                                     </del>					1		
NONK	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPBX	USAC2		0.102	0.102								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			OLI DX	00/102		0.102	0.102								<b>-</b>
	Switch with change			UEPBX	USACC		0.102	0.102								
ADDIT	ONAL NRCs			OLI DX	00/100		0.102	0.102							1	1
ADDIT	2-Wire Voice Grade Loop/Line Port Combination - Subsequent														1	1
	Activity			UEPBX	USAS2		0.00	0.00								
-	Unbundled Miscellaneous Rate Element, Tag Loop at End User			02. 5/	00,102		0.00	0.00								<b>†</b>
	Premise			UEPBX	URETL		8.33	0.83								
OFF/O	N PREMISES EXTENSION CHANNELS			OLI DX	OKETE		0.00	0.00							1	1
0.170	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	10.69	49.57	22.83	25.62	6.57					1	1
-	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	15.20	49.57	22.83	25.62	6.57					1	1
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	26.97	49.57	22.83	25.62	6.57					1	1
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	12.24	135.75	82.47	63.53	12.01					1	1
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	17.40	135.75	82.47	63.53	12.01						1
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	30.87	135.75	82.47	63.53	12.01						1
INTER	OFFICE TRANSPORT															1
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility								1							1
	Termination			UEPBX	U1TV2	25.32	47.35	31.78								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile							• • • • • • • • • • • • • • • • • • • •								
	or Fraction Mile			UEPBX	U1TVM	0.0091	0.00	0.00								
2-WIRI	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE P	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1					11.94										
	2-Wire VG Loop/Port Combo - Zone 2					16.05										
	2-Wire VG Loop/Port Combo - Zone 3					26.80										
UNE L	pop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	9.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	13.88										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	24.63										
2-Wire	Voice Grade Line Port Rates (RES - PBX)		$oxed{oxed}$													
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -		T												_	
	Res		$\sqcup$	UEPRG	UEPRD	2.17	174.81	100.65	75.88	12.73				ļ	1	
FEATU			$\vdash$		1										ļ	
	All Features Offered		$\vdash$	UEPRG	UEPVF	2.26	0.00	0.00						ļ	-	-
NONRI	CURRING CHARGES (NRCs) - CURRENTLY COMBINED		$\vdash$		1										ļ	ļ
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -														1	
	Conversion - Switch-As-Is		$\vdash$	UEPRG	USAC2		8.45	1.91							-	
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEBDO	USACC		0.45	1.91			1				I	
ADDIT	Conversion - Switch with Change		$\vdash$	UEPRG	USACC		8.45	1.91						-	<del>                                     </del>	1
ADDIT	ONAL NRCs  2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		$\vdash$		+									<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00							I	
_			$\vdash$	UEPRG	U3A32	0.00	0.00	0.00			-			<del> </del>	<del>                                     </del>	<del>                                     </del>
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						7.86	7.86			1				I	
	Unbundled Miscellaneous Rate Element, Tag Loop at End User		$\vdash$		+		7.80	7.86			-			<del> </del>	<del>                                     </del>	<del>                                     </del>
	Premise			UEPRG	URETL		8.33	0.83							I	
OFF/O	N PREMISES EXTENSION CHANNELS		1	OLI: NG	OILLI		0.33	0.03	<del>                                     </del>					<del> </del>	t	<del>                                     </del>
UFF/U	Local Channel Voice grade, per termination		1	UEPRG	P2JHX	12.24	135.75	82.47	63.53	12.01				<del> </del>	<del>                                     </del>	_
+	Local Channel Voice grade, per termination		2	UEPRG	P2JHX	17.40	135.75	82.47	63.53	12.01				<del>                                     </del>	<del>                                     </del>	-
_	Local Channel Voice grade, per termination		3	UEPRG	P2JHX	30.87	135.75	82.47	63.53	12.01				<del> </del>	t	<b>-</b>
_	Non-Wire Direct Serve Channel Voice Grade		1	UEPRG	SDD2X	12.92	120.38	43.56	95.00	10.54	1			1	+	<del>                                     </del>
	11011 11110 Direct Delve Orialinei Voice Graue		1 1	OLI: NG	ODDZA	12.32	120.00	45.36	30.00	10.04	l			l	1	

NRON	NDLE	D NETWORK ELEMENTS - Florida												Attachment:		1	<b></b>
CATEGO	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
								Monroe		Nonrecurring	Dissennest	-			Rates(\$)	Disc 1st	Disc Add I
+						+	Rec	Nonrec First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Non-Wire Direct Serve Channel Voice Grade		2	UEPRG	SDD2X	18.36	120.38	43.56	95.00	10.54	0020	00				
		Non-Wire Direct Serve Channel Voice Grade		3	UEPRG	SDD2X	32.58	120.38	43.56	95.00	10.54						
I	NTER	OFFICE TRANSPORT															
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPRG	U1TV2	25.32	47.35	31.78								
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPRG	U1TVM	0.0091	0.00	0.00								
-	2-WIDE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)			UEPRG	UTTVIVI	0.0091	0.00	0.00			1				1	
		ort/Loop Combination Rates				+ +											+
		2-Wire VG Loop/Port Combo - Zone 1				1	11.94					1					1
		2-Wire VG Loop/Port Combo - Zone 2					16.05										
T i		2-Wire VG Loop/Port Combo - Zone 3		1			26.80										
U	UNE L	pop Rates															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	9.77							_			
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	13.88										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	24.63			L							
2	2-Wire	Voice Grade Line Port Rates (BUS - PBX)				1											
		Line Cide Hebrardled Combinetion 2 Way DDV Truel Dest. Dur.			UEPPX	UEPPC	2.17	174.81	100.65	75.88	12.73						
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPC	2.17	174.81	100.65	75.88	12.73				-		
		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	2.17	174.81	100.65	75.88	12.73	1				1	1
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	2.17	174.81	100.65	75.88	12.73					-	
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	2.17	174.81	100.65	75.88	12.73	1					1
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	2.17	174.81	100.65	75.88	12.73	1					1
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	2.17	174.81	100.65	75.88	12.73						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	2.17	174.81	100.65	75.88	12.73						
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															1
		Capable Port			UEPPX	UEPXE	2.17	174.81	100.65	75.88	12.73						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
_		Administrative Calling Port			UEPPX	UEPXL	2.17	174.81	100.65	75.88	12.73						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPPX	UEPXM	2.17	174.81	100.65	75.88	12.73						
		Room Calling Port  2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPPX	UEPAW	2.17	174.81	100.65	75.88	12.73	-				-	<del>                                     </del>
		Discount Room Calling Port			UEPPX	UEPXO	2.17	174.81	100.65	75.88	12.73						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	2.17	174.81	100.65	75.88	12.73	1				1	1
F	FEATU				02	02.70	2	.,	100.00	7 0.00	.20					t	
		All Features Offered			UEPPX	UEPVF	2.26	0.00	0.00								
1	NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Conversion - Switch-As-Is			UEPPX	USAC2		8.45	1.91								
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			HEDDY	110400		0.45	4.04								
	A DDITI	Conversion - Switch with Change ONAL NRCs			UEPPX	USACC		8.45	1.91			-				-	
	ADDITI	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				+ +				<b>—</b>		-				-	<del>                                     </del>
		Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00							I	
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt		1 1	JETTA	JUAUZ	0.00	0.00	0.00			<u> </u>				<b>†</b>	<b>—</b>
		Group						7.86	7.86							I	
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEPPX	URETL		8.33	0.83								
(	OFF/OI	N PREMISES EXTENSION CHANNELS															
		Local Channel Voice grade, per termination		1	UEPPX	P2JHX	12.24	135.75	82.47	63.53	12.01				ļ	1	<b></b>
		Local Channel Voice grade, per termination		2	UEPPX	P2JHX	17.40	135.75	82.47	63.53	12.01					-	<b>_</b>
		Local Channel Voice grade, per termination		3	UEPPX UEPPX	P2JHX	30.87	135.75	82.47	63.53	12.01				-	<del>                                     </del>	<del>                                     </del>
		Non-Wire Direct Serve Channel Voice Grade  Non-Wire Direct Serve Channel Voice Grade		2	UEPPX	SDD2X SDD2X	12.92 18.36	120.38 120.38	43.56 43.56	95.00 95.00	10.54 10.54					<del>                                     </del>	<del>                                     </del>
+		Non-Wire Direct Serve Channel Voice Grade  Non-Wire Direct Serve Channel Voice Grade		3	UEPPX	SDD2X SDD2X	18.36 32.58	120.38	43.56	95.00	10.54	<del>                                     </del>			1	<del>                                     </del>	+
-	NTFR	OFFICE TRANSPORT		3	OLFFA	SDDZA	32.30	120.30	45.30	95.00	10.34	<b>-</b>				t	<del>                                     </del>
<del>- '</del>		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility				1 1						1			1	1	<del>                                     </del>
		Termination			UEPPX	U1TV2	25.32	47.35	31.78							1	

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonred		Nonrecurring		001150	001441		Rates(\$)	001111	
	Literation Transport Bullion L. O.M. Co. Village Burnelling		-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPPX	U1TVM	0.0091	0.00	0.00								
2.1//	TO FRACTION WITE  RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	) T		UEPPX	UTTVIVI	0.0091	0.00	0.00								<del>                                     </del>
	Port/Loop Combination Rates		1													
OILE	2-Wire VG Coin Port/Loop Combo – Zone 1		1			11.94										+
	2-Wire VG Coin Port/Loop Combo – Zone 2					16.05										1
	2-Wire VG Coin Port/Loop Combo – Zone 3					26.80										1
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	9.77										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	13.88										1
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	24.63										1
2-Wii	e Voice Grade Line Ports (COIN)															
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (FL)			UEPCO	UEP2F	2.17	53.31	26.46	27.50	8.37						
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking		i i													1
	(FL)			UEPCO	UEPFA	2.17	53.31	26.46	27.50	8.37						
	2-Wire Coin 2-Way with Operator Screening and Blocking:															
	900/976, 1+DDD, 011+, and Local (FL)			UEPCO	UEPCG	2.17	53.31	26.46	27.50	8.37						
	2-Wire Coin Outward with Operator Screening and 011 Blocking (AL, FL)			UEPCO	UEPRK	2.17	53.31	26.46	27.50	8.37						
	2-Wire Coin Outward with Operator Screening and Blocking:															
	900/976, 1+DDD, 011+ (FL)			UEPCO	UEPOF	2.17	53.31	26.46	27.50	8.37						
	2-Wire Coin Outward with Operator Screening and Blocking:															
	900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	2.17	53.31	26.46	27.50	8.37						1
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	2.17	53.31	26.46	27.50	8.37						1
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	2.17	53.31	26.46	27.50	8.37						
ADDI	TIONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.86	0.00	0.00	0.00	0.00						1
NON	RECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPCO	USAC2		0.102	0.102								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch with change			UEPCO	USACC		0.102	0.102								1
ADDI	TIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity		-	UEPCO	USAS2		0.00	0.00								-
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPCO	URETL		8.33	0.83								
2-1//	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	IINEI	DODT (D		UNLIL		0.33	0.63								<del></del>
	Port/Loop Combination Rates	LIIVE	1 0101													+
0.12	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1					14.64										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		1 1			19.80										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3					33.27										1
UNE	Loop Rates		i i													1
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	12.24										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	17.40										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	30.87										ļ
2-Wii	re Voice Grade Line Port Rates (Res)		$\sqcup$		ļ										ļ	<b></b>
	2-Wire voice unbundled port - residence		$\vdash$	UEPFR	UEPRL	2.40	174.81	100.65	75.88	12.73						<del>                                     </del>
	2-Wire voice unbundled port with Caller ID - res		$\vdash$	UEPFR	UEPRC	2.40	174.81	100.65	75.88	12.73				<b> </b>	ļ	<del>                                     </del>
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	2.40	174.81	100.65	75.88	12.73						
$\overline{}$	2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID			UEPFR	UEPAF	2.40	174.81	100.65	75.88	12.73						
INTF	(LUM) ROFFICE TRANSPORT			UEPFR	UEPAP	2.40	174.81	100.65	75.88	12.73						1
11112	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		1 1												1	
	Termination	l	1 1	UEPFR	U1TV2	25.32	47.35	31.78			1			1	1	1

NBUNDL	ED NETWORK ELEMENTS - Florida						·						Attachment:	2 Exh. A		
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
					+	ı	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile						1 01	71001	1 01	7144	0020		00			
	or Fraction Mile			UEPFR	1L5XX	0.0091										
FEAT	URES															
	All Features Offered			UEPFR	UEPVF	2.26	0.00	0.00								
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFR	USAC2		16.97	3.73								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		16.97	3.73								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at			HEDED	LIDETN		44.04	4.40								
0.14/17	End User Premise RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	- 1 1615	DORT /	UEPFR	URETN		11.21	1.10			1			<del>                                     </del>	<del>                                     </del>	1
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE Port/Loop Combination Rates	LINE	FUKI (E	003)	+						-				<del>                                     </del>	1
UNE	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	<b>-</b>	$\vdash$		+	14.64								<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
-	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	<b>-</b>	$\vdash$		+	19.80								<b> </b>	<del>                                     </del>	t
-	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	<b>-</b>	$\vdash$		+	33.27					<b>-</b>			<del> </del>	<del>                                     </del>	<del>                                     </del>
LINE	Loop Rates				+	00.Z7										
0.11	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	12.24					1				1	
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	17.40										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	30.87									t	
2-Wir	e Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	2.40	174.81	100.65	75.88	12.73						
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	2.40	174.81	100.65	75.88	12.73						
	2-Wire voice unbundled port outgoing only - bus		i i	UEPFB	UEPBO	2.40	174.81	100.65	75.88	12.73						i i
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	2.40	174.81	100.65	75.88	12.73						
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPFB	U1TV2	25.32	47.35	31.78								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPFB	1L5XX	0.0091										
FEAT	TURES															
	All Features Offered			UEPFB	UEPVF	2.26	0.00	0.00								
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED		1		+									-		<del>                                     </del>
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFB	USAC2		16.97	3.73								
-	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UEFFB	USACZ		10.97	3.73			-					-
	Combination - Conversion - Switch with change			UEPFB	USACC		16.97	3.73								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at			OLFIB	USACC		10.97	3.73						1		
	End User Premise			UEPFB	URETN		11.21	1.10							1	
2-WIF	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (F		ORETIV		11.21	1.10			1					
	Port/Loop Combination Rates		1 1	27.9							1					
-	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1					14.64								İ	1	1
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2					19.80										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		i i			33.27										i
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	12.24										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	17.40	_	•		•						
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	30.87										
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)		oxdot													
		1													I	
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		$\sqcup$	UEPFP	UEPPC	2.40	174.81	100.65	75.88	12.73				ļ	1	<u> </u>
	Line Side Unbundled Outward PBX Trunk Port - Bus		$\sqcup$	UEPFP	UEPPO	2.40	174.81	100.65	75.88	12.73					ļ	1
_	Line Side Unbundled Incoming PBX Trunk Port - Bus		$\vdash \vdash$	UEPFP	UEPP1	2.40	174.81	100.65	75.88	12.73					ļ	1
$-\!\!\!\!+\!\!\!\!-$	2-Wire Voice Unbundled PBX LD Terminal Ports		$\vdash$	UEPFP	UEPLD	2.40	174.81	100.65	75.88	12.73	-			ļ	-	<b>├</b>
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		$\vdash$	UEPFP	UEPXA	2.40	174.81	100.65	75.88	12.73	-			ļ	-	1
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports 2-Wire Voice Unbundled PBX LD DDD Terminals Port		$\vdash \vdash$	UEPFP	UEPXB	2.40 2.40	174.81 174.81	100.65 100.65	75.88 75.88	12.73 12.73				<b>.</b>	<del>                                     </del>	
				UEPFP							1				1	1

NBUNDLE	ED NETWORK ELEMENTS - Florida												Attachment:	2 Exh. A		
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring		001150	001111		Rates(\$)	001111	001441
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Capable Port			UEPFP	UEPXE	2.40	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			02	OL: AL	2.10	.,	100.00	70.00	12.10						
	Administrative Calling Port			UEPFP	UEPXL	2.40	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPFP	UEPXM	2.40	174.81	100.65	75.88	12.73						-
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPFP	UEPXO	2.40	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	2.40	174.81	100.65	75.88	12.73						
INTER	ROFFICE TRANSPORT								10.00							
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPFP	U1TV2	25.32	47.35	31.78								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile				41 =207											
FEAT	or Fraction Mile URES			UEPFP	1L5XX	0.0091										
FEAT	All Features Offered			UEPFP	UEPVF	2.26	0.00	0.00								
NONR	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLITI	OLI VI	2.20	0.00	0.00								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFP	USAC2		16.97	3.73								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch with change			UEPFP	USACC		16.97	3.73								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPFP	URETN		11.21	1.10								
2-WIR	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT		UEFFF	UKETIN		11.21	1.10								
	Port/Loop Combination Rates															
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1					21.95										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2					27.11										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3					40.58										
UNE	_oop Rates 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	12.24										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1  2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	17.40										
+	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	30.87										
UNE F	Port Rate															
	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	9.71	214.16	98.29								
NONR	RECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is			UEPPX	LICACA		7.85	1.87								
-	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion			UEPPX	USAC1		7.85	1.87								
	with BellSouth Allowable Changes			UEPPX	USA1C		7.85	1.87								
ADDI	TIONAL NRCs															
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		32.26	32.26								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at				l l											
Tolon	End User Premise hone Number/Trunk Group Establisment Charges			UEPPX	URETN		11.21	1.10								
reiep	DID Trunk Termination (One Per Port)			UEPPX	NDT	0.00	0.00	0.00								
	DID Numbers, Establish Trunk Group and Provide First Group			OLITA	NDI	0.00	0.00	0.00								
	of 20 DID Numbers			UEPPX	NDZ	0.00	0.00	0.00								
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00								
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX	ND5	0.00	0.00	0.00								
+	Reserve Non-Consecutive DID numbers		$\vdash$	UEPPX UEPPX	ND6 NDV	0.00	0.00	0.00								
2-WID	Reserve DID Numbers IE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LIN	VE SIDE	PORT	UEPPA	NDV	0.00	0.00	0.00								
	Port/Loop Combination Rates	יר פוטנ	I JKI		+				<b>-</b>						<b> </b>	<del>                                     </del>
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		$\Box$		1											
	UNE Zone 1					23.63										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -							· · · · · ·								
+	UNE Zone 2  2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		$\vdash$		1	30.05										
	UNE Zone 3					46.84										

NBUNDLE	D NETWORK ELEMENTS - Florida							· · · · · · · · · · · · · · · · · · ·						Attachment:	2 Exh. A		
ATEGORY	RATE ELEMENTS	Interi m	Zone	ВС	s	usoc			RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
								Names		Managarania	. Diacommont						
			-				Rec	Nonrec First	urring Add'l	Nonrecurring		COMEC	COMAN		Rates(\$)	COMAN	COMAN
LINE	l oop Rates							FIrst	Addi	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE L	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	15.25										
+	2-Wile ISBN Digital Grade Loop - ONL Zone I		-	ULFFB	ULFFR	USLZX	13.23									1	+
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	21.67										
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	38.46										
UNE P	ort Rate		Ť														
	Exchange Port - 2-Wire ISDN Line Side Port			UEF	PPR	UEPPR	8.38	194.52	145.09								1
	Exchange Port - 2-Wire ISDN Line Side Port			UEF	PPB	UEPPB	8.38	194.52	145.09								
NONRI	ECURRING CHARGES - CURRENTLY COMBINED																Ì
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
	Combination - Conversion			UEPPB	UEPPR	USACB	0.00	25.22	17.00								ļ
ADDIT	IONAL NRCs																
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			HEDDE	LIEDES	URETN		44.04	1.10								
_	Unbundled Miscellaneous Rate Element, Tag Loop at End User			UEPPB	UEPPR	UREIN		11.21	1.10			-				-	
	Premise			UEPPB	UEPPR	URETL		8.33	0.83								
B-CHA	NNEL USER PROFILE ACCESS:		-	ULFFB	ULFFR	UKLIL		0.33	0.63							1	+
D-OILA	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								<del>                                     </del>
_	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								<del>                                     </del>
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SO	C,MS, 8	TN)				0.00										
	TERMINAL PROFILE	, ,	_ <i>_</i>														
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VERTI	CAL FEATURES																Ĭ
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	2.26	0.00	0.00								
INTER	OFFICE CHANNEL MILEAGE																
	Interoffice Channel mileage each, including first mile and																
	facilities termination				UEPPR	M1GNC M1GNM	25.3291 0.0091	47.35	31.78	18.31	7.03						
DIINDI ED A	Interoffice Channel mileage each, additional mile CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES		-	UEPPB	UEPPR	MIGNIM	0.0091	0.00	0.00								-
	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)																
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo																<del>                                     </del>
	ort/Loop Combination Rates (Non-Design)																
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -																
	Non-Design ,						11.94										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -																Ī
	Non-Design						16.05										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -																
	Non-Design						26.80										
UNE P	ort/Loop Combination Rates (Design)																
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -						44.44										
-	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-			1	14.41										<del></del>
	Design						19.57										
_	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					1	15.57								l	<del> </del>	$\vdash$
	Design						33.04										
UNE L	oop Rate					i e	33.04									İ	<b>†</b>
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEI	P91	UECS1	9.77					İ			l	ĺ	
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEI	P91	UECS1	13.88									<u> </u>	
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEI		UECS1	24.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEI		UECS2	12.24	•			•						
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEI		UECS2	17.40										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEI	P91	UECS2	30.87										ļ
UNE P						ļ											<del>                                     </del>
All Sta	tes (Except North Carolina and Sout Carolina)		-		204	LIEDVA	0.4=	50.01	00.70	07.50	0.6=				-	-	₩
	2-Wire Voice Grade Port (Centrex ) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			UEI	-91	UEPYA	2.17	53.31	26.46	27.50	8.37	-					<del> </del>
																	1

CATIGORY   RATE BLEMBNTS   Individual   Part   Pa	IDLED N	NETWORK ELEMENTS - Florida												Attachment:	2 Exh. A		
No.   Print   Addril   Print   Addril   Addril   SOMAN   SOMAN   SOMAN				Zone	BCS	USOC			RATES(\$)			Submitted Elec	Svc Order Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -	Incremen Charge Manual S Order vs Electroni Disc Add
Name   Control Control Per Per Control with Caller Different Block   Control Per Per American   Control Per Per American   Control Per Per American   Control Per Per American   Control Per Per American   Control Per Per American   Control Per Per American   Control Per Per American   Control Per Per Per Per Per Per Per Per Per Per							Dan	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
Local Area   Loc							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wine Voxo Grade Por (Centres from all Senior)   Vice 2, 15 (1894)   86 to   66.41   13.81	2-V	Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic														Î	
Note 2, 9 Basic Local Area	Loc	cal Area			UEP91	UEPYH	2.17	53.31	26.46	27.50	8.37						
Switch   Construction   Constructi	2-V	Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
Term - Bast Local Area					UEP91	UEPYM	2.17	139.49	86.10	65.41	13.81						
2-Wire Votes Grade Port formated in a Meganist or equivalent																	
Basic Local Area   UEP91   UEP99   2:77   53.31   28.46   27.50   8.37					UEP91	UEPYZ	2.17	139.49	86.10	65.41	13.81						
2-Wire Vision State Port Terminated on 800 Service Term - UEP91 UEP92 2,17 5,331 26,46 27,50 6,37																	
Base Local Area					UEP91	UEPY9	2.17	53.31	26.46	27.50	8.37						
Ceorgia and Florida Only   2-77   2-75   3-31   2-86   2-750   8-37   2-77																	
2-Wire Visice Grade Pot (Centres)   UEP91   UEP94   2-17   53.31   26.46   27.50   8.37					UEP91	UEPY2		53.31	26.46	27.50	8.37						
2-Wire Votes Grade Pert (Centrax 9th Caller (10)1   UEP91																	
2-Wire Votos Grade Port (Centrex chind 15 per 10)																	
2-Wire Votes Grade Port, Centries from dill Sarving Wire   UEP91 UEP14																	
Center 2.3   UEP01   UEP1M   2.17   138.49   86.10   65.41   13.81					UEP91	UEPHH	2.17	53.31	26.46	27.50	8.37						
Savine Voice Grade Port, Diff Serving Wire Center 2.3 - 800   UEP91   UEP12   2.17   139.49   86.10   66.41   13.81																	
Service Term					UEP91	UEPHM	2.17	139.49	86.10	65.41	13.81						
2-Wire Voice Grade Port terminated in on Megalink or equivalent   UEPH   UEPH   2.17   53.31   26.46   27.50   8.37																	
2-Wire Voice Grade Port Terminated on 800 Service Term   UEP91   UEP12   2.17   53.31   28.46   27.50   8.37	Se	ervice Term			UEP91	UEPHZ	2.17	139.49	86.10	65.41	13.81						
E-Wire Voice Grade Port Terminated on 800 Service Term   UEP91   UEP12   2.17   53.31   26.46   27.50   8.37																	
Coarts winterom Funtionality, per port   UEP91   URECS   0.7384				1													
Centrex Intercon Funtionality, per port				1	UEP91	UEPH2	2.17	53.31	26.46	27.50	8.37						
Features   All Standard Features Offered, per port   UEP91 UEPVS   0.00   370.70				1													
All Standard Features Offered, per port   UEP91 UEPVF 2.26   All Stacked Features Offered, per port   UEP91 UEPVC 2.26   All Centers Control Features Offered, per port   UEP91 UEPVC 2.26   All Centers Control Features Offered, per port   UEP91 UEPVC 2.26   All Centers Control Features Offered, per port   UEP91 UEPVC 2.26   All Centers Control Features Offered, per port   UEP91 UEPVC 2.26   All Centers Control Features Offered, per port   UEP91 UEPVC 2.26   All Centers Control Features Offered, per port   UEP91 UEPVC 2.26   All Centers Control Features Offered, per port   UEP91 UEPVC 2.26   All Centers Control Features Offered, per port   UEP91 UEPVC 2.26   All Centers Control Features Offered, per port   UEP91 UEPVC 2.26   All Centers Control Features Offered, per port   UEP91 UEPVC 2.26   All Centers Control Features Offered, per port   UEP91 UEPVC 2.26   All Centers Control Features Offered, per port   UEP91 UEPVC 2.26   All Centers Control Features Offered, per port   UEP91 UARCX 0.00 0.00 0.00 0.00 0.00 0.00   All Centers Control Features Offered, per port   UEP91 UARCX 0.00 0.00 0.00 0.00 0.00 0.00   All Centers Control Features Offered, per port   UEP91 UARCX 0.00 0.00 0.00 0.00 0.00 0.00 0.00   All Centers Control Features Offered, per port   UEP91 UARCX 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.		entrex Intercom Funtionality, per port		1	UEP91	URECS	0.7384										
All Select Features Offered, per port																	
All Centrex Control Features Offered, per port   UEP91   UEP02   UEP02   UEP04   UEP04   UEP04   UEP04   UEP04   UEP04   UEP05   UEP				1				070 70									
NARS   Unbundled Network Access Register - Combination				-				370.70									
Unbundled Network Access Register - Combination		Centrex Control Features Offered, per port		-	UEP91	UEPVC	2.26										
Unbundled Network Access Register - Indial   UEP91   UAR1X   0.00   0.00   0.00   0.00   0.00   0.00   0.00   0.00   UEP91   UAROX   0.00   0.00   0.00   0.00   0.00   0.00   0.00   0.00   UEP91   UAROX   0.00   0.00   0.00   0.00   0.00   0.00   0.00   0.00   UEP91   UAROX   0.00   0.00   0.00   0.00   0.00   0.00   0.00   UEP91   UAROX   0.00   0.00   0.00   0.00   0.00   0.00   UEP91   UAROX   0.00   0.00   0.00   0.00   0.00   0.00   0.00   0.00   UEP91   UAROX   0.00   0.00   0.00   0.00   0.00   0.00   0.00   UEP91   UAROX   0.00   0.00   0.00   0.00   0.00   0.00   0.00   0.00   UEP91   UAROX   0.00   0.00   0.00   0.00   0.00   0.00   0.00   UEP91   UAROX   0.00   0.00   0.00   0.00   0.00   0.00   0.00   0.00   UEP91   UAROX   0.00   0.00   0.00   0.00   0.00   0.00   0.00   0.00   0.00   UEP91   UAROX   0.00   0		Land Balling and Assess Barriera Constitution		_	LIEDO4	LIADOV	0.00	0.00	0.00	0.00	0.00						
Unbundled Network Access Register - Outdial   UEP91   UAROX   0.00   0				-													
Miscellaneous Terminations 2-Wire Trunk Side Terminations, each ITrunk Side Terminations, each Interoffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination - Voice Grade Interoffice Channel Facilities Termination - Voice Grade UEP91 M1GBC 25.32 Interoffice Channel mileage, per mile or fraction of mile UEP91 M1GBM 0.0991 Feature Activation in DSD Centrex Loops on Channelized DSI Service D4 Channel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP91 1PQWS 0.66  Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop UEP91 1PQWF 0.66 UEP91 USAC2 UEP91 1PQWF 0.66 UEP91 USAC2 UEP91 USACA 1PQWF 0.66 UEP91 MIACS 0.00 618.82 UEP91 MIACS 0.00 618.82				-													
2-Wire Trunk Side				1	UEP91	UARUX	0.00	0.00	0.00	0.00	0.00					-	
Trunk Side Terminations, each				1													
Interoffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination - Voice Grade Interoffice Channel Facilities Termination - Voice Grade Interoffice Channel Facilities Termination - Voice Grade Interoffice Channel Mileage, per mile or fraction of mile UEP91 MiGBM 0.0091  Feature Activations (DS0) Centrex Loops on Channel Ead DS1 Service D4 Channel Bank Feature Activations				1	LIED01	CENIAG	0.72									-	
Interoffice Channel Facilities Termination - Voice Grade Interoffice Channel mileage, per mile or fraction of mile Interoffice Channel mileage, per mile or fraction of mile Interoffice Channel mileage, per mile or fraction of mile Interoffice Channel mileage, per mile or fraction of mile Interoffice Channel mileage, per mile or fraction of mile Interoffice Channel mileage, per mile or fraction of mile Interoffice Channel mileage, per mile or fraction of mile Interoffice Channel mileage, per mile or fraction of mile Interoffice Channel mileage, per mile or fraction of mile Interoffice Channel mileage, per mile or fraction of mile Interoffice Channel mileage, per mile or fraction of mile Interoffice Channel mileage, per mile or fraction of mile Interoffice Channel mileage, per mile or fraction of mile Interoffice Channel mileage, per mile or fraction of mile Interoffice Channel mileage, per port				$\vdash$	UEF91	CEINAG	0.73					-					
Interoffice Channel mileage, per mile or fraction of mile  Feature Activations (DS0) Centrex Loops on Channelized DS1 Service  D4 Channel Bank Feature Activations  Feature Activation on D-4 Channel Bank Centrex Loop Slot  Feature Activation on D-4 Channel Bank FX line Side Loop Slot  Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot  Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot  Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot  Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center  Feature Activation on D-4 Channel Bank Private Line Loop Slot  Feature Activation on D-4 Channel Bank Private Line Loop Slot  Feature Activation on D-4 Channel Bank Private Line Loop Slot  Feature Activation on D-4 Channel Bank Fivate Line Loop Slot  UEP91  1PQWP  0.66  Feature Activation on D-4 Channel Bank Private Line Loop Slot  UEP91  1PQWO  0.66  Feature Activation on D-4 Channel Bank WATS Loop Slot UEP91  1PQWO  0.66  Feature Activation on D-4 Channel Bank WATS Loop Slot UEP91  1PQWO  0.66  Feature Activation on D-4 Channel Bank WATS Loop Slot UEP91  1PQWO  0.66  Feature Activation on D-4 Channel Bank WATS Loop Slot UEP91  1PQWO  0.66  Feature Activation on D-4 Channel Bank WATS Loop Slot UEP91  1PQWO  0.66  Feature Activation on D-4 Channel Bank WATS Loop Slot UEP91  1PQWO  0.66  IDPWO  0.66				1	LIED01	MICEC	25.22										
Feature Activations (DS0) Centrex Loops on Channelized DS1 Service  D4 Channel Bank Feature Activations  Feature Activation on D-4 Channel Bank Centrex Loop Slot  Feature Activation on D-4 Channel Bank FX line Side Loop Slot  Feature Activation on D-4 Channel Bank FX line Side Loop Slot  Feature Activation on D-4 Channel Bank FX Trunk Side Loop  Slot  Feature Activation on D-4 Channel Bank Centrex Loop Slot - UEP91  Different Wire Center  Feature Activation on D-4 Channel Bank Private Line Loop Slot  Feature Activation on D-4 Channel Bank Private Line Loop Slot  Feature Activation on D-4 Channel Bank Private Line Loop Slot  Feature Activation on D-4 Channel Bank Private Line Loop Slot  Feature Activation on D-4 Channel Bank Private Line Loop Slot  Feature Activation on D-4 Channel Bank WATS Loop  Slot  Feature Activation on D-4 Channel Bank WATS Loop Slot  UEP91  IPQWQ  0.66  Feature Activation on D-4 Channel Bank WATS Loop Slot  UEP91  IPQWQ  0.66  Feature Activation on D-4 Channel Bank WATS Loop Slot  UEP91  IPQWQ  0.66  Feature Activation on D-4 Channel Bank WATS Loop Slot  UEP91  IPQWQ  0.66  Feature Activation on D-4 Channel Bank WATS Loop Slot  UEP91  IPQWQ  0.66  Slot  Feature Activation on D-4 Channel Bank WATS Loop Slot  UEP91  IPQWQ  0.66  Slot  Sl				1													
D4 Channel Bank Feature Activations  Feature Activation on D-4 Channel Bank Centrex Loop Slot  Feature Activation on D-4 Channel Bank FX line Side Loop Slot  Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot  Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot  Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center  LEP91  LPQWP  Different Wire Center  LEP91  LPQWP  Different Wire Activation on D-4 Channel Bank Private Line Loop Slot  Feature Activation on D-4 Channel Bank Private Line Loop Slot  Feature Activation on D-4 Channel Bank Private Line Loop Slot  LEP91  LPQWP  Different Wire Center  LEP91  LPQWP  Different Wire Center  LEP91  LPQWP  Different Wire Center  LEP91  LPQWP  Different Wire Center  LEP91  LPQWP  Different Wire Center  LEP91  LPQWP  Different Wire Center  LEP91  LPQWP  Different Wire Center  LEP91  LPQWP  Different Wire Center  LEP91  LPQWP  Different Wire Center  LEP91  LPQWP  Different Wire Center  LEP91  LPQWP  Different Wire Center  LEP91  LPQWP  Different Wire Center Center  LEP91			^	1	ULF91	IVITGBIVI	0.0091										
Feature Activation on D-4 Channel Bank Centrex Loop Slot  Feature Activation on D-4 Channel Bank FX line Side Loop Slot  Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot  Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot  Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center  Feature Activation on D-4 Channel Bank Private Line Loop Slot  Feature Activation on D-4 Channel Bank Private Line Loop Slot  Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot  Feature Activation on D-4 Channel Bank WATS Loop Slot  UEP91  1PQWV  0.66  Feature Activation on D-4 Channel Bank WATS Loop Slot  UEP91  1PQWQ  0.66  Feature Activation on D-4 Channel Bank WATS Loop Slot  UEP91  1PQWQ  0.66  Feature Activation on D-4 Channel Bank WATS Loop Slot  UEP91  1PQWQ  0.66  Feature Activation on D-4 Channel Bank WATS Loop Slot  UEP91  1PQWQ  0.66  Feature Activation on D-4 Channel Bank WATS Loop Slot  UEP91  1PQWQ  0.66  Feature Activation on D-4 Channel Bank WATS Loop Slot  UEP91  1PQWQ  0.66  Feature Activation on D-4 Channel Bank WATS Loop Slot  UEP91  1PQWQ  0.66  Feature Activation on D-4 Channel Bank WATS Loop Slot  UEP91  1PQWQ  0.66  Feature Activation on D-4 Channel Bank WATS Loop Slot  UEP91  1PQWQ  0.66  Feature Activation on D-4 Channel Bank WATS Loop Slot  UEP91  1PQWQ  0.66  Feature Activation on D-4 Channel Bank WATS Loop Slot  UEP91  1PQWQ  0.66  Feature Activation on D-4 Channel Bank WATS Loop Slot  UEP91  1PQWQ  0.66  Feature Activation on D-4 Channel Bank WATS Loop Slot  UEP91  USACS  1ST 8.32  21.50  8.42  21.50  8.42  21.50  8.42  Conversion of Existing Centrex Common Block  UEP91  WACC  Now Centrex Standard Common Block  UEP91  MIACS  Now Centrex Customized Common Block  UEP91  MIACS  0.00  618.82			_	1		<del>                                     </del>				<del> </del>		1			<del> </del>	<del> </del>	
Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot  Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center  UEP91  IPQW7  0.66  Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center  UEP91  IPQWP  0.66  Feature Activation on D-4 Channel Bank Private Line Loop Slot  UEP91  IPQWV  0.66  Feature Activation on D-4 Channel Bank Private Line Loop Slot  UEP91  IPQWV  0.66  Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop Slot  UEP91  IPQWQ  0.66  Feature Activation on D-4 Channel Bank WATS Loop Slot  UEP91  IPQWQ  0.66  IPQWQ  0				$\vdash$	LIFP91	1POWS	0.66					<b> </b>					<b> </b>
Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot UEP91 1PQW7 0.66  Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center UEP91 1PQWP 0.66  Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP91 1PQWV 0.66  Feature Activation on D-4 Channel Bank Tiple Line/Trunk Loop Slot Feature Activation on D-4 Channel Bank Tiple Line/Trunk Loop Slot Feature Activation on D-4 Channel Bank WATS Loop Slot UEP91 1PQWQ 0.66 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP91 1PQWQ 0.66 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP91 1PQWQ 0.66  Non-Recurring Charges (NRC) Associated with UNE-P Centrex Conversion - Currently Combined Switch-As-Is with allowed changes, per port UEP91 USAC2 21.50 8.42 Conversion of Existing Centrex Common Block UEP91 USACN 5.17 8.32 New Centrex Standard Common Block UEP91 M1ACS 0.00 618.82 New Centrex Customized Common Block UEP91 M1ACS 0.00 618.82	1 6	ature Activation on 5-4 orialmer Bank Centrex Loop Glot		1	OLI 31	11 QVV0	0.00										
Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot UEP91 1PQW7 0.66  Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center UEP91 1PQWP 0.66  Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot UEP91 1PQWV 0.66  Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot Feature Activation on D-4 Channel Bank WATS Loop Slot UEP91 1PQWQ 0.66 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP91 1PQWQ 0.66  Non-Recurring Charges (NRC) Associated with UNE-P Centrex Conversion - Currently Combined Switch-As-Is with allowed changes, per port UEP91 USAC2 21.50 8.42 Conversion of Existing Centrex Common Block UEP91 USACN 5.17 8.32 New Centrex Standard Common Block UEP91 M1ACS 0.00 618.82 New Centrex Customized Common Block UEP91 M1ACS 0.00 618.82	Fe	ature Activation on D-4 Channel Bank EX line Side Loop Slot			LIEP91	1POW6	0.66										
Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center  UEP91 1PQWP 0.66  Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP91 1PQWV 0.66  Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot Feature Activation on D-4 Channel Bank WATS Loop Slot UEP91 1PQWQ 0.66  Feature Activation on D-4 Channel Bank WATS Loop Slot UEP91 1PQWA 0.66  Non-Recurring Charges (NRC) Associated with UNE-P Centrex Conversion - Currently Combined Switch-As-Is with allowed changes, per port Changes, per port UEP91 USAC2 21.50 8.42  Conversion of Existing Centrex Common Block UEP91 USACN 5.17 8.32  New Centrex Standard Common Block UEP91 M1ACS 0.00 618.82  New Centrex Customized Common Block UEP91 M1ACS 0.00 618.82				1	OLIGI	11 00110	0.00					1					
Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center					UFP91	1PQW7	0.66										
Different Wire Center				1	02. 0.		0.00					1					
Feature Activation on D-4 Channel Bank Private Line Loop Slot					LIEP91	1POWP	0.66										
Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot UEP91 1PQWQ 0.66 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP91 1PQWA 0.66  Non-Recurring Charges (NRC) Associated with UNE-P Centrex Conversion - Currently Combined Switch-As-Is with allowed changes, per port UEP91 USAC2 21.50 8.42 Conversion of Existing Centrex Common Block UEP91 USACN 5.17 8.32 New Centrex Standard Common Block UEP91 M1ACS 0.00 618.82 New Centrex Customized Common Block UEP91 M1ACC 0.00 618.82	D.11	TOTAL VIII CONTO			OLIGI	11 00111	0.00					1					
Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop   UEP91   1PQWQ   0.66	Fe	ature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.66										1
Slot				1 1	02. 0.		0.00										
Feature Activation on D-4 Channel Bank WATS Loop Slot					UEP91	1PQWO	0.66										1
Non-Recurring Charges (NRC) Associated with UNE-P Centrex										i				i	i	i	
Conversion - Currently Combined Switch-As-Is with allowed changes, per port							5.50			İ		1		İ	İ	İ	
Changes, per port										İ					İ	İ	
Conversion of Existing Centrex Common Block					UEP91	USAC2		21.50	8.42								
New Centrex Standard Common Block         UEP91         M1ACS         0.00         618.82           New Centrex Customized Common Block         UEP91         M1ACC         0.00         618.82										İ		1		İ	İ	İ	
New Centrex Customized Common Block UEP91 M1ACC 0.00 618.82							0.00		5.02	İ					İ	İ	
										İ					İ	İ	
				1 1	UEP91	M2CC1				İ				l	İ	İ	
NAR Establishment Charge, Per Occasion UEP91 URECA 0.00 66.48										İ		İ .			İ	İ	

IBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2 Exh. A	1	1
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremen Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CENTREX - 5ESS (Valid in All States)															
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE P	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design					11.94										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					40.05										
	Non-Design		-		-	16.05					-			-		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					00.00										
UNIE D	Non-Design		-			26.80										ļ
UNE P	ort/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		-		-						-			-		
	Design					14.41										
_	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		$\vdash$		1	14.41									-	1
	Design					19.57										
_	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		$\vdash$		1	19.57									-	1
	Design					33.04										
LINE	oop Rate					33.04								1		1
ONLL	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	9.77								1		1
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	13.88										1
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	24.63										
-	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	12.24										
_	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	17.40										<b>†</b>
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	30.87									1	
UNF P	ort Rate		Ť	02.00	02002	00.01										<b>†</b>
All Sta					1										1	
All Old	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP95	UEPYA	2.17	53.31	26.46	27.50	8.37					1	1
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	2.17	53.31	26.46	27.50	8.37						1
1	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP95	UEPYH	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3 Basic Local Area			UEP95	UEPYM	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
	Service Term - Basic Local Area			UEP95	UEPYZ	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP95	UEPY9	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP95	UEPY2	2.17	53.31	26.46	27.50	8.37						
	, LA, MS, SC, & TN Only					2.17										
FL & G	A Only					2.17										
	2-Wire Voice Grade Port (Centrex )			UEP95	UEPHA	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPHB	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPHH	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3			UEP95	UEPHM	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term 2,3			UEP95	UEPHZ	2.17	139.49	86.10	65.41	13.81						
	[														I	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		$\vdash$	UEP95	UEPH9	2.17	53.31	26.46	27.50	8.37				ļ	<b>.</b>	ļ
	2-Wire Voice Grade Port Terminated on 800 Service Term		$\vdash$	UEP95	UEPH2	2.17	53.31	26.46	27.50	8.37					<b></b>	ļ
Local	Switching		$\vdash$	LIEDOE	LIDEOC	0.7001								<b>.</b>	-	<u> </u>
F	Centrex Intercom Funtionality, per port		$\vdash$	UEP95	URECS	0.7384								<b>.</b>	<del>                                     </del>	-
Featur			$\vdash$	LIEDAE	LIEDVE	0.00					-			-	1	<b>}</b>
	All Standard Features Offered, per port		$\vdash$	UEP95 UEP95	UEPVF UEPVS	2.26	270.70				-			-	1	<b> </b>
_	All Select Features Offered, per port		$\vdash$	UEP95 UEP95	UEPVS	0.00	370.70								<del>                                     </del>	
NARS	All Centrex Control Features Offered, per port		$\vdash$	UEP95	UEPVC	2.26								-	<del></del>	-
NAKS	Unbundled Network Access Register - Combination		$\vdash$	UEP95	UARCX	0.00	0.00	0.00	0.00	0.00	-			<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
_	Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial		$\vdash$	UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00	1			1	+	<del>                                     </del>
_	Unbundled Network Access Register - Indial Unbundled Network Access Register - Outdial		$\vdash$	UEP95	UAROX	0.00	0.00	0.00	0.00	0.00				-	<del></del>	<del>                                     </del>
1	Onbundied Network Access Neglister - Outdid			OLF90	UARUA	0.00	0.00	0.00	0.00	0.00	l	1		1	1	

ARONDEF.	D NETWORK ELEMENTS - Florida		,										Attachment:	2 Exh. A		I
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted			Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs.
						Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates(\$)	•	*
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	laneous Terminations															
	Trunk Side															
	Trunk Side Terminations, each			UEP95	CEND6	8.73										
	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP95	M1HD1	54.95										↓
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	15.69									
Interoff	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP95	M1GBC	25.32										
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.0091										
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Cha	annel Bank Feature Activations		$\vdash$	LIEG	156:					ļ					-	<del>                                     </del>
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.66										4
	Fortuna Australia de D. A. Olando de David EVI (n. 1831).	1		LIEDOE	400146	0.00				I					I	
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.66										<b>↓</b>
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			LIEBAE	45014											
	Slot		-	UEP95	1PQW7	0.66										+
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			LIEDOE	40014/0	0.00										
-	Different Wire Center		-	UEP95	1PQWP	0.66										<del></del>
	Fortuna Auditation on B. 4 Okasand Bank Britan Live Land Okas			LIEDOE	4001407	0.00										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		-	UEP95	1PQWV	0.66										+
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			LIEDOE	400000	0.00										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95 UEP95	1PQWQ 1PQWA	0.66 0.66				-				-		+
Non D	ecurring Charges (NRC) Associated with UNE-P Centrex			UEP95	TPQWA	0.00				-				-		+
NOII-RE	NRC Conversion Currently Combined Switch-As-Is with allowed				+						-					+
	changes, per port			UEP95	USAC2	0.00	21.50	8.42								
	Conversion of Existing Centrex Common Block, each		<del>                                     </del>	UEP95	USACN	0.00	5.17	8.32		-	1				-	+
_	New Centrex Standard Common Block		<del>                                     </del>	UEP95	M1ACS	0.00	618.82	0.32		<del> </del>				1		+
<del>-                                    </del>	New Centrex Standard Common Block		<del>                                     </del>	UEP95	M1ACC	0.00	618.82			<del> </del>				1		+
_	NAR Establishment Charge, Per Occasion		<del>                                     </del>	UEP95	URECA	0.00	66.48			<del> </del>				1		+
	onal Non-Recurring Charges (NRC)			OLI 00	OILLON	0.00	00.40				<b>†</b>					+
Additio	Unbundled Miscellaneous Rate Element, Tag Loop at End Use		<del>                                     </del>		+											+
	Premise			UEP95	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at			02.00	ONLINE	+	0.00	0.00			<b>†</b>					+
	End Use Premise			UEP95	URETN		11.21	1.10								
UNE-P	CENTREX - DMS100 (Valid in All States)															1
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo				1											†
	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															1
	Non-Design					11.94										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design					16.05										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design					26.80										
UNE P	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design					14.41										1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1 T			⊣	$\neg$			_					_	
	Design					19.57										1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					l				1					1	
	Design		$\sqcup$			33.04				ļ				ļ	1	ļ
UNE Lo	pop Rate				1					<b>.</b>					<b></b>	↓
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	9.77				<b>.</b>					<b></b>	4
$-\!$	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	13.88				<b>.</b>				ļ	<b>.</b>	↓
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	24.63									ļ	<del></del>
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	12.24				<b></b>					-	<b>↓</b>
-	0.147 1/1 0 1 1 /01 0) = -															
	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D UEP9D	UECS2 UECS2	17.40 30.87										+

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment:	2 Exh. A		
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
					-	Rec	Nonred First	Add'l	Nonrecurring First	Add'l	COMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
ALL S	TATES				+		FIISL	Add I	FIISL	Add I	SOMEC	SOWAN	SOWAN	SOWAN	SOWAN	SUMAN
ALL	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9D	UEPYA	2.17										<b>†</b>
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															1
	Area			UEP9D	UEPYB	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local			LIEBOD	LIEDVO	0.47	50.04	00.40	07.50	0.07						
-	Area 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local		1	UEP9D	UEPYC	2.17	53.31	26.46	27.50	8.37		_			-	+
	Area			UEP9D	UEPYD	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local															
	Area			UEP9D	UEPYE	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local					0.4=	=0.04	00.40								
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local			UEP9D	UEPYF	2.17	53.31	26.46	27.50	8.37					-	+
	Area			UEP9D	UEPYG	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local			02.05	020	2	00.01	20.10	27.00	0.07					1	<b>†</b>
	Area			UEP9D	UEPYT	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local															
	Area			UEP9D	UEPYU	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			LIEDOD	LIEDVA/	0.47	50.04	20, 40	07.50	0.07						
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local		1	UEP9D	UEPYV	2.17	53.31	26.46	27.50	8.37		_			-	+
	Area			UEP9D	UEPY3	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			02.05	02. 10	2	00.01	20.10	27.00	0.07					t	<b>—</b>
	Area			UEP9D	UEPYH	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication))4 Basic Local Area			UEP9D	UEPYW	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 Basic Local Area			UEP9D	UEPYJ	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)		1	UEP9D	UEPTJ	2.17	55.51	20.40	27.50	0.37					<del> </del>	
	2,3-Basic Local Area			UEP9D	UEPYM	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4															
	Basic Local Area			UEP9D	UEPYO	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4						=0.04		.=							
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4		-	UEP9D	UEPYP	2.17	53.31	26.46	27.50	8.37		-			1	
	Basic Local Area			UEP9D	UEPYQ	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			OLI 3D	OLITQ	2.17	159.49	00.10	05.41	15.01						
	Basic Local Area			UEP9D	UEPYR	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4															
	Basic Local Area			UEP9D	UEPYS	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			LIEDOD	LIEDVA	0.47	120.40	00.40	CF 44	40.04						
_	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3		1	UEP9D	UEPY4	2.17	139.49	86.10	65.41	13.81					-	+
	Basic Local Area			UEP9D	UEPY5	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			02.05	020	2	100.10	33.10	00.11	.0.01					1	
	Basic Local Area			UEP9D	UEPY6	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4															
	Basic Local Area			UEP9D	UEPY7	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2.3			UEP9D	UEPYZ	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			OLFSD	ULFIZ	2.17	135.49	00.10	05.41	13.01					<b>—</b>	<del>                                     </del>
	Basic Local Area			UEP9D	UEPY9	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic															
	Local Area			UEP9D	UEPY2	2.17	53.31	26.46	27.50	8.37	ļ					<u> </u>
FL & (	GA Only			LIEBOD	LIEDILIA	2.17	F0 01	00.10	07.50	0.00	1					
-	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)	-		UEP9D UEP9D	UEPHA UEPHB	2.17 2.17	53.31 53.31	26.46 26.46	27.50 27.50	8.37 8.37		-			<del>                                     </del>	+
	2-Wire Voice Grade Port (Centrex 800 termination)  2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPHC	2.17	53.31	26.46	27.50	8.37					<del>                                     </del>	+
<del>-  </del>	2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPHD	2.17	53.31	26.46	27.50	8.37	1			<b> </b>	<del>                                     </del>	<del></del>

ONRONDE	D NETWORK ELEMENTS - Florida												Attachment:			<b>↓</b>
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Charge -	Charge - Manual Sv Order vs.
ı							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPHE	2.17	53.31	26.46	27.50	8.37	JONEC	JONIAN	JOINAIN	JONIAN	JOHAN	JOHAN
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPHF	2.17	53.31	26.46	27.50	8.37				1		+
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPHG	2.17	53.31	26.46	27.50	8.37				1		+
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPHT	2.17	53.31	26.46	27.50	8.37						1
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPHU	2.17	53.31	26.46	27.50	8.37						1
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPHV	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPH3	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPHH	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication)4			UEP9D	UEPHW	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPHJ	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)								0= 44							
	2,3			UEP9D	UEPHM	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPHO	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPHP	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPHQ	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPHR	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3,4			UEP9D	UEPHS	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPH4	2.17	139.49	86.10	65.41	13.81						+
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPH5	2.17	139.49	86.10	65.41	13.81						-
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPH6	2.17	139.49	86.10	65.41	13.81						+
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEPH7	2.17	139.49	86.10	65.41	13.81						-
	Term 2,3			UEP9D	UEPHZ	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPH9	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPH2	2.17	53.31	26.46	27.50	8.37						
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.7384										
Featu				LIEDOD	UEPVF	0.00										+
	All Standard Features Offered, per port			UEP9D UEP9D		2.26	270.70							-	-	+
	All Select Features Offered, per port  All Centrex Control Features Offered, per port		$\vdash$	UEP9D UEP9D	UEPVS UEPVC	0.00 2.26	370.70				-			<del>                                     </del>	+	+
NARS			$\vdash$	OLFAD	ULFVU	2.20								t	t	+
IVARO	Unbundled Network Access Register - Combination		$\vdash$	UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00				<del>                                     </del>	<del> </del>	+
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00	1			<b>†</b>	<b>†</b>	<del>                                     </del>
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00				1	1	<b>T</b>
Misce	Ilaneous Terminations															1
	Trunk Side				1											
	Trunk Side Terminations, each			UEP9D	CEND6	8.73										
4-Wire	Digital (1.544 Megabits)			-		·	·	·		•						
	DS1 Circuit Terminations, each			UEP9D	M1HD1	54.95										$\perp$
	DS0 Channels Activiated per Channel		$oxed{oxed}$	UEP9D	M1HDO	0.00	15.69									1
Intero	ffice Channel Mileage - 2-Wire															1
	Interoffice Channel Facilities Termination		$\sqcup$	UEP9D	M1GBC	25.32								1	1	1
_	Interoffice Channel mileage, per mile or fraction of mile		$\vdash \vdash$	UEP9D	M1GBM	0.0091								ļ	ļ	<del>                                     </del>
	re Activations (DS0) Centrex Loops on Channelized DS1 Servic annel Bank Feature Activations	е	$\vdash$		+									-	-	+

IBUNDLE	D NETWORK ELEMENTS - Florida	_							•		•		Attachment:	2 Exh. A		
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
														ĺ		
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.66								ĺ		
-+-	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			UEP9D	TPQW7	0.00					-			<del></del>		-
	Different Wire Center			UEP9D	1PQWP	0.66								ĺ		
-+-	Different Wife Center			OLF3D	IFQVVF	0.00										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.66								ĺ		
$\neg$	Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop			02.05		0.00					1					
	Slot			UEP9D	1PQWQ	0.66								ĺ		
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.66										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port	<u> </u>	<u></u>	UEP9D	USAC2		21.50	8.42						<u> </u>	<u> </u>	
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		5.17	8.32								
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	618.82									
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	618.82									
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	66.48									
Additio	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use													ĺ		
	Premise			UEP9D	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at			LIEDOD	LIDETNI		44.04	4.40						ĺ		
UNITE	End Use Premise  CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)			UEP9D	URETN		11.21	1.10						⊢—		
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo													⊢—		
	Port/Loop Combination Rates (Non-Design)										-			<del></del>		1
UNEF	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -										1					
	Non-Design	1				11.94								ĺ		
+	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					11.54										
	Non-Design					16.05								ĺ		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					10.00										
	Non-Design					26.80								ĺ		
UNE P	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design					14.41								ĺ		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design					19.57										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design					33.04								L		
UNE L	oop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	9.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	13.88										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	24.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	12.24										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E UEP9E	UECS2	17.40								<b>├</b>		
LINE B	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	30.87					-			<del></del>		-
	., KY, LA, MS, & TN only										1					
AL, 1 L	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9E	UEPYA	2.17	53.31	26.46	27.50	8.37						1
+-	2-Wire Voice Grade Port (Centrex ) Basic Local Area  2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	<b>-</b>	1	OLI OL	JLI IA	2.17	33.31	20.70	21.50	0.37	<b>-</b>			<del></del>		<del>                                     </del>
	Area	l		UEP9E	UEPYB	2.17	53.31	26.46	27.50	8.37				1		
$\top$	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	<b>1</b>		02102	021110	2.17	30.01	20.70	27.00	0.07						
- 1	Area	l		UEP9E	UEPYH	2.17	53.31	26.46	27.50	8.37				1		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire							,							İ	
+-		1	1	UEP9E	UEPYM	2.17	139.49	86.10	65.41	13.81				1	l	
+	Center)2,3 Basic Local Area		1 1	UEP9E	UEFTIVI	2.17	133.43									
	Center)2,3 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800			UEP9E	UEPTIVI	2.17	135.45	00.10	00.41	10.01						
	Center)2,3 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 Service Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPYZ	2.17	139.49	86.10	65.41	13.81						

UNBUNDLED	NETWORK ELEMENTS - Florida												Attachment:	2 Exh. A		
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual S Order vs
							Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)	Disc 1st	DISC Add
			1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port Terminated on 800 Service Term -						11130	Addi	11130	Addi	JOINEC	JONAN	JOINAIN	JOINAIN	JONAN	JOHIAN
	Basic Local Area			UEP9E	UEPY2	2.17	53.31	26.46	27.50	8.37						
Florida				02.02	02: :2	2.17	00.01	20.10	27.00	0.01	İ					
1	2-Wire Voice Grade Port (Centrex )			UEP9E	UEPHA	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPHB	2.17	53.31	26.46	27.50	8.37	İ					
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPHH	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire		i i		i											1
	Center)2,3			UEP9E	UEPHM	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service				İ											1
-	Term 2,3			UEP9E	UEPHZ	2.17	139.49	86.10	65.41	13.81						
:	2-Wire Voice Grade Port terminated in on Megalink or equivalent	1		UEP9E	UEPH9	2.17	53.31	26.46	27.50	8.37						1
	2-Wire Voice Grade Port Terminated on 800 Service Term		i i	UEP9E	UEPH2	2.17	53.31	26.46	27.50	8.37						1
	witching				1											
	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.7384										1
Features																
	All Standard Features Offered, per port			UEP9E	UEPVF	2.26										1
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	370.70									1
1 1	All Centrex Control Features Offered, per port			UEP9E	UEPVC	2.26										<b>†</b>
NARS	'' '				i i											<b>†</b>
	Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00						<b>†</b>
	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00						<b>†</b>
	Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00						<b>†</b>
	neous Terminations															1
2-Wire T	runk Side															
	Trunk Side Terminations, each			UEP9E	CEND6	8.73										<b>†</b>
	Digital (1.544 Megabits)															1
	DS1 Circuit Terminations, each			UEP9E	M1HD1	54.95										<b>†</b>
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	15.69									<b>—</b>
	ce Channel Mileage - 2-Wire															1
	Interoffice Channel Facilities Termination			UEP9E	M1GBC	25.32										1
	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	M1GBM	0.0091										1
	Activations (DS0) Centrex Loops on Channelized DS1 Service	e														1
	nnel Bank Feature Activations	Ī			1						İ					
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.66										1
																1
_	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															<b>†</b>
	Slot			UEP9E	1PQW7	0.66										
<u> </u>	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP9E	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP9E	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.66					İ					
	curring Charges (NRC) Associated with UNE-P Centrex															1
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port	1		UEP9E	USAC2		21.50	8.42								
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		5.17	8.32			1					
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	618.82				1					1
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	618.82				1					<b>†</b>
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	66.48							i		<b>†</b>
	nal Non-Recurring Charges (NRC)		$\vdash$		22071	0.00	550				1			<b> </b>		<del>                                     </del>
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use		$\vdash$								1			<b> </b>		<b>†</b>
	Premise			UEP9E	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at		$\vdash$	JL. JL	0		0.00	0.00			1			<b> </b>		$\overline{}$
	End Use Premise	l		UEP9E	URETN		11.21	1.10						1		1
	Required Port for Centrex Control in 1AESS, 5ESS & EWSD			OLI JL	OILLIN		11.21	1.10	L		l			L		

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment: 2	2 Exh. A		
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											Electronic-	Electronic-	Electronic-	Electronic-		
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonr	ecurring	Nonrecurrin	g Disconnect			oss	Rates(\$)		•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Note 2	- Requres Interoffice Channel Mileage															
Note 3	<ul> <li>Installation is combination of Installation charge for SL2 Log</li> </ul>	op and	Port													
Note 4	- Requires Specific Customer Premises Equipment															
Note: F	Rates displaving an "I" in Interim column are interim as a resu	It of a C	commis	sion order.												

UNBU	JNDLEI	NETWORK ELEMENTS - Georgia												Attachment:	2 Exh. A		
CATEG	SORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
<u> </u>	1			-			1	Nonred	curring	Nonrecurring	n Disconnect			088	Rates(\$)		l .
_							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
		one" shown in the sections for stand-alone loops or loops as				ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deavera	aged UNE Zone	e Designation	ons by Cent	ral Office, refe	er to internet	Website:	
OBER		rww.interconnection.bellsouth.com/become_a_clec/html/inter SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	rconnec	tion.ht	m	ı			Ī	Ī	ı	1		1	1	1	ı
OPERA		(1) CLEC should contact its contract negotiator if it prefers th	e "state	specif	ic" OSS charges as	ordered by t	he State Comm	issions. The (	OSS charges c	urrently contai	ned in this rate	e exhibit are	the BellSo	uth "regional	l " service orde	ring charges	CLFC may
		ther the state specific Commission ordered rates for the servi															
		the 9 states.															
		(2) Any element that can be ordered electronically will be bill															
		nnot be ordered electronically at present per the LOH, the list			in this category ref	lects the cha	arge that would	be billed to a	CLEC once ele	ectronic orderi	ng capabilities	come on-li	ne for that e	element. Oth	erwise, the ma	anual ordering	g charge,
	SUMAN	I, will be applied to a CLECs bill when it submits an LSR to B OSS - Electronic Service Order Charge, Per Local Service	ensout	n.							I	1		I	1	I	ı
		Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
		OSS - Manual Service Order Charge, Per Local Service Request															
LINE C	EDVICE	(LSR) - UNE Only DATE ADVANCEMENT CHARGE				SOMAN		11.73	0.00	6.13	0.00						
UNE SI		The Expedite charge will be maintained commensurate with	BellSou	th's FO	C No.1 Tariff, Section	n 5 as annli	cable.										I
			T														
					UAL, UEANL, UCL, UEF, UDC, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, U1T12, U1T48, U1TD1, U1TD3, U1TD1, U1TD3, U1TD5, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UC1BC, UC1BL, UDL12, UDL48, UDL03, UDL5X, UB3, ULD012, ULD048, UDL013, ULD048, UDL014, ULD048, ULD014, ULD03, ULD015, ULD048, UNC0X												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			U1TUA,NTCVG, NTCUD, NTCD1	SDASP		200.00	200.00								
ORDEF	MODIF	ICATION CHARGE															
	<b> </b>	Order Modification Charge (OMC) Order Modification Additional Dispatch Charge (OMCAD)		-				26.21 150.00	0.00	0.00	0.00		<del>                                     </del>				
UNBUI	NDLED F	EXCHANGE ACCESS LOOP		<del>                                     </del>				150.00	0.00	0.00	0.00		<del>                                     </del>				
1		ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	10.51	40.02	9.99	5.61	1.72						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	15.85	40.02	9.99	5.61	1.72						
$\vdash$		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	-	3	UEANL UEANL	UEAL2 UEASL	31.97 10.51	40.02 40.02	9.99 9.99	5.61 5.61	1.72 1.72						
$\vdash$		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	15.85	40.02	9.99	5.61	1.72		<b>—</b>				
$\vdash$	t -	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	31.97	40.02	9.99	5.61	1.72	l .	t	1	<b>i</b>	<b> </b>	

ONRONDE	ED NETWORK ELEMENTS - Georgia												Attachment:		ļ	ļ
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Dee	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEANL	URETL		8.92	0.88								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		25.12	0.00								
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		13.62	13.62								
	CLEC to CLEC Conversion Charge Without Outside Dispatch															
	(UVL-SL1)		-	UEANL	UREWO		15.75	8.92								
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - E.I.)			UEANL	UEANM		7.30	7.30								
<b></b>	Manual Order Coordiantion for UVL-SL1s (per loop)			UEANL	UEAMC		18.92	18.92	1		-					-
2-1//	RE UNBUNDLED COPPER LOOP - NON-DESIGNED		1	OLANL	ULANC		10.52	10.52			1			-	-	1
2-441	2 Wire Unbundled Copper Loop Non-Designed- Zone 1		1	UEQ	UEQ2X	11.02	44.69	22.40	0.00	0.00						
	2 Wire Unbundled Copper Loop Non-Designed Zone 2		2	UEQ	UEQ2X	12.72	44.69	22.40	0.00	0.00				1	t	
	2 Wire Unbundled Copper Loop Non-Designed-Zone 3		3	UEQ	UEQ2X	20.22	44.69	22.40	0.00	0.00						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEQ	URETL		8.92	0.88								
	Manual Order Coordination 2 Wire Unbundled Copper Loop -															
	Non-Designed (per loop)			UEQ	USBMC		18.92	18.92								
	Unbundled Copper Loop, Non-Design Copper Loop, billing for															
	BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		7.30	7.30								
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		25.12	0.00								
	Loop Testing - Basic Additional Half Hour		-	UEQ	URETA		13.62	13.62						-	1	
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND)			UEQ	UREWO		14.25	7.42								
LINDLINDI E	D EXCHANGE ACCESS LOOP			UEQ	UKEWU		14.25	1.42	1		-					-
	RE ANALOG VOICE GRADE LOOP														-	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 1		1	UEA, NTCVG	UEAL2	11.57	79.85	24.65	18.92	7.87						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			,												
	Ground Start Signaling - Zone 2		2	UEA, NTCVG	UEAL2	16.95	79.85	24.65	18.92	7.87						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 3		3	UEA, NTCVG	UEAL2	33.08	79.85	24.65	18.92	7.87						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 1		1	UEA, NTCVG	UEAR2	11.57	79.85	24.65	18.92	7.87						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		_	LIEA NITOVO	LIEADO	40.05	70.05	04.05	40.00	7.07						
	Battery Signaling - Zone 2  2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		2	UEA, NTCVG	UEAR2	16.95	79.85	24.65	18.92	7.87				-	1	
	Battery Signaling - Zone 3		3	UEA, NTCVG	UEAR2	33.08	79.85	24.65	18.92	7.87						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		3	OLA, NICVG	ULANZ	33.00	19.00	24.03	10.52	7.07					-	
	DS0)			UEA, NTCVG	URESL		25.06	3.53								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per													1	t	
	DS0)			UEA, NTCVG	URESP		26.55	5.03								
	CLEC to CLEC Conversion Charge without outside dispatch			UEA, NTCVG	UREWO		87.72	36.36								
	Loop Tagging - Service Level 2 (SL2)			UEA, NTCVG	URETL		11.19	1.10								
4-WI	RE ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA, NTCVG	UEAL4	17.80	93.01	28.17	19.52	8.12						
$\vdash$	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA, NTCVG	UEAL4	21.68	93.01	28.17	19.52	8.12				ļ	ļ	<b>└</b>
$\vdash$	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA, NTCVG	UEAL4	30.25	93.01	28.17	19.52	8.12				-	-	
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per			LIEA NITOVO	LIDECI		25.00	2.50						I	I	
$\vdash$	DS0)		-	UEA, NTCVG	URESL		25.06	3.53			1			<del>                                     </del>	1	1
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			UEA, NTCVG	URESP	J	26.55	5.03						1	1	
$\vdash$	CLEC to CLEC Conversion Charge without outside dispatch	-	<del>                                     </del>	UEA, NTCVG	UREWO		26.55 87.72	36.36	+					<del>                                     </del>	<del>                                     </del>	
2-1/1	RE ISDN DIGITAL GRADE LOOP		<del>                                     </del>	OLA, NICVO	UNLVVU		01.12	30.36	<del>                                     </del>		<b>H</b>			t	t	<del>                                     </del>
2-441	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	21.89	180.06	35.25	18.23	6.97	<del>                                     </del>			<del>                                     </del>	<del> </del>	<del>                                     </del>
	2-Wire ISDN Digital Grade Loop - Zone 1		2	UDN	U1L2X	25.27	180.06	35.25	18.23	6.97	<u> </u>			<b>†</b>	<b>†</b>	t
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	40.17	180.06	35.25	18.23	6.97				1	1	
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		120.98	33.04							1	
			LOOF												1	

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual St Order vs Electronic Disc Add
						Rec	Nonred		Nonrecurring			_		Rates(\$)		
						IXEC	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UAL	UAL2X	11.23	44.69	31.55	0.00	0.00						
	2 Wire Unbundled ADSL Loop including manual service inquiry				1141.07	40.07	44.00	04.55	0.00	0.00						
	& facility reservation - Zone 2  2 Wire Unbundled ADSL Loop including manual service inquiry		2	UAL	UAL2X	12.97	44.69	31.55	0.00	0.00				-	1	
	& facility reservation - Zone 3		3	UAL	UAL2X	20.62	44.69	31.55	0.00	0.00						
<del></del>	2 Wire Unbundled ADSL Loop without manual service inquiry &		3	UAL	UALZA	20.02	44.03	31.33	0.00	0.00						1
	facility reservation - Zone 1		1	UAL	UAL2W	11.23	44.69	31.55	0.00	0.00						
	2 Wire Unbundled ADSL Loop without manual service inquiry &													t	t	†
	facility reservaton - Zone 2		2	UAL	UAL2W	12.97	44.69	31.55	0.00	0.00						
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 3		3	UAL	UAL2W	20.62	44.69	31.55	0.00	0.00						
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		44.69	29.29								
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry					7.00	44.00	04.55	0.00	0.00						
	& facility reservation - Zone 1  2 Wire Unbundled HDSL Loop including manual service inquiry		1	UHL	UHL2X	7.88	44.69	31.55	0.00	0.00				-	-	<b>.</b>
	& facility reservation - Zone 2		2	UHL	UHL2X	9.09	44.69	31.55	0.00	0.00						
	2 Wire Unbundled HDSL Loop including manual service inquiry			OFIL	UTILZX	9.09	44.03	31.33	0.00	0.00				-	-	1
	& facility reservation - Zone 3		3	UHL	UHL2X	14.48	44.69	31.55	0.00	0.00						
	2 Wire Unbundled HDSL Loop without manual service inquiry			OFFE	OTILEX	14.40	44.00	01.00	0.00	0.00						
	and facility reservation - Zone 1		1	UHL	UHL2W	7.88	44.69	31.55	0.00	0.00						
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL2W	9.09	44.69	31.55	0.00	0.00						
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL2W	14.48	44.69	31.55	0.00	0.00						
4 1100	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		44.69	31.55								ļ
4-WIR	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA  4 Wire Unbundled HDSL Loop including manual service inquiry	IIBLE	LOOP													ļ
	and facility reservation - Zone 1		1	UHL	UHL4X	10.39	44.69	31.55	0.00	0.00						
	4-Wire Unbundled HDSL Loop including manual service inquiry		-	OFIL	UI IL4X	10.39	44.03	31.33	0.00	0.00					-	<b>+</b>
	and facility reservation - Zone 2		2	UHL	UHL4X	12.00	44.69	31.55	0.00	0.00						
	4-Wire Unbundled HDSL Loop including manual service inquiry								0.00							
	and facility reservation - Zone 3		3	UHL	UHL4X	19.07	44.69	31.55	0.00	0.00						
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4W	10.39	44.69	31.55	0.00	0.00						
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4W	12.00	44.69	31.55	0.00	0.00						ļ
	4-Wire Unbundled HDSL Loop without manual service inquiry		3		UHL4W	19.07	44.00	31.55	0.00	0.00						
	and facility reservation - Zone 3  CLEC to CLEC Conversion Charge without outside dispatch		3	UHL UHL	UREWO	19.07	44.69 44.69	31.55	0.00	0.00				-	-	<b> </b>
4-WIF	RE DS1 DIGITAL LOOP			UNL	UKEWO		44.09	31.33						1	<u> </u>	
7-1111	4-Wire DS1 Digital Loop - Zone 1		1	USL, NTCD1	USLXX	41.02	211.93	72.49	38.24	7.20						1
	4-Wire DS1 Digital Loop - Zone 2		2	USL, NTCD1	USLXX	46.41	211.93	72.49	38.24	7.20						1
	4-Wire DS1 Digital Loop - Zone 3			USL, NTCD1	USLXX	62.03	211.93	72.49	38.24	7.20						İ
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
	DS1)			USL, NTCD1	URESL		25.06	3.53								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
$\vdash \!$	DS1)			USL, NTCD1	URESP		26.55	5.03								1
4 1877	CLEC to CLEC Conversion Charge without outside dispatch		<u> </u>	USL	UREWO		100.91	42.97						<del>                                     </del>	1	1
4-WIR	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP  4 Wire Unbundled Digital 19.2 Kbps		1	UDL, NTCUD	UDL19	21.86	196.66	37.00	18.82	7.20				<del>                                     </del>	<del>                                     </del>	-
<del>- + -</del>	4 Wire Unbundled Digital 19.2 Kbps			UDL, NTCUD	UDL19	28.36	196.66	37.00	18.82	7.20				<del>                                     </del>	<del> </del>	<b>+</b>
	4 Wire Unbundled Digital 19.2 Kbps			UDL, NTCUD	UDL19	38.22	196.66	37.00	18.82	7.20				<del>                                     </del>	<del>                                     </del>	<b>†</b>
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL, NTCUD	UDL56	21.86	196.66	37.00	18.82	7.20				1	1	
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL, NTCUD	UDL56	28.36	196.66	37.00	18.82	7.20	İ			1	1	
	4 Wife Official and Digital Loop 30 Rbp3 - Zoffe Z															
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL, NTCUD	UDL56	38.22	196.66	37.00	18.82	7.20						
		_	3		UDL56 UDL64 UDL64	38.22 21.86 28.36	196.66 196.66 196.66	37.00 37.00 37.00	18.82 18.82 18.82	7.20 7.20 7.20						

UNBUND	LED NETWORK ELEMENTS - Georgia												Attachment:	2 Exh. A		
CATEGOR		Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring	Disconnect				Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL, NTCUD	UDL64	38.22	196.66	37.00	18.82	7.20						ļ
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
	DS0)			UDL, NTCUD	URESL		25.06	3.53								<u> </u>
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per															
	DS0)	ļ	1	UDL, NTCUD UDL, NTCUD	URESP UREWO		26.55 101.95	5.03 49.66								<del> </del>
2.14	CLEC to CLEC Conversion Charge without outside dispatc h //RE Unbundled COPPER LOOP	1	1	UDL, NTCUD	UREWO		101.95	49.66								<b>-</b>
Z-V	2-Wire Unbundled Copper Loop-Designed including manual	1	<u> </u>													<del>                                     </del>
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.02	44.69	31.55	0.00	0.00						
	2-Wire Unbundled Copper Loop-Designed including manual	1	<u> </u>	002	OOL! B	12.02	44.00	01.00	0.00	0.00						<del>                                     </del>
	service inquiry & facility reservation - Zone 2	1	2	UCL	UCLPB	13.88	44.69	31.55	0.00	0.00						
	2 Wire Unbundled Copper Loop-Designed including manual	1	T -		1	15.00	00	200	5.00	2.00	İ			İ		1
	service inquiry & facility reservation - Zone 3	1	3	UCL	UCLPB	22.07	44.69	31.55	0.00	0.00						
	2-Wire Unbundled Copper Loop-Designed without manual	ĺ														
	service inquiry and facility reservation - Zone 1	<u> </u>	1	UCL	UCLPW	12.02	44.69	31.55	0.00	0.00						<u> </u>
	2-Wire Unbundled Copper Loop-Designed without manual															
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	13.88	44.69	31.55	0.00	0.00						
	2-Wire Unbundled Copper Loop-Designed without manual															
	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	22.07	44.69	31.55	0.00	0.00						
	CLEC to CLEC Conversion Charge without outside dispatch															
4.14	(UCL-Des) //RE COPPER LOOP		-	UCL	UREWO		44.69	31.55								
4-V	4-Wire Copper Loop-Designed including manual service inquiry	1	1													<b>_</b>
	and facility reservation - Zone 1		1	UCL	UCL4S	16.65	44.69	31.55	0.00	0.00						
	4-Wire Copper Loop-Designed including manual service inquiry		<del>-</del> -	OOL	OOL40	10.03	44.03	31.33	0.00	0.00					1	
	and facility reservation - Zone 2		2	UCL	UCL4S	19.22	44.69	31.55	0.00	0.00						
	4-Wire Copper Loop-Designed including manual service inquiry		<u> </u>	002	COLTO	10.22	44.00	01.00	0.00	0.00						
	and facility reservation - Zone 3		3	UCL	UCL4S	30.55	44.69	31.55	0.00	0.00						
	4-Wire Copper Loop-Designed without manual service inquiry															
	and facility reservation - Zone 1		1	UCL	UCL4W	16.65	44.69	31.55	0.00	0.00						
	4-Wire Copper Loop-Designed without manual service inquiry															1
	and facility reservation - Zone 2		2	UCL	UCL4W	19.22	44.69	31.55	0.00	0.00						
	4-Wire Copper Loop-Designed without manual service inquiry															
	and facility reservation - Zone 3		3	UCL	UCL4W	30.55	44.69	31.55	0.00	0.00						
	CLEC to CLEC conversion Charge without outside dispatch			UCL	UREWO		44.69	31.55								<b>_</b>
	Order Coordination for Unbundled Copper Loops (per loop)	ļ	1	UCL	UCLMC		18.92	18.92								<del> </del>
				UEA, UDN, UAL, UHL, UDL, NTCVG,												
				NTCUD. USL.												
	Order Coordination for Specified Conversion Time (per LSR)	1		NTCOD, USL,	OCOSL		57.79									
LOOP MOD	DIFICATION	1	<del>                                     </del>	ODI, OLAIVE	JUUGE		51.15				<b>-</b>					<del>                                     </del>
		<b>†</b>		UAL, UHL, UCL,	1										1	
		1	1	UEQ, ULS, UEA,												
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire	1	1	UEANL, UEPSR,												
	pair less than or equal to 18k ft, per Unbundled Loop	1	1	UEPSB	ULM2L		0.00	0.00								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire															
	less than or equal to 18K ft, per Unbundled Loop	<u> </u>		UHL, UCL, UEA	ULM4L		0.00	0.00								<u> </u>
				UAL, UHL, UCL,												
				UEQ, ULS, UEA,												
	Unbundled Loop Modification Removal of Bridged Tap Removal,	1	1	UEANL, UEPSR,												
CUD : CC	per Unbundled Loop	<b>.</b>	1	UEPSB	ULMBT		17.91							-	-	<del> </del>
SUB-LOOP		<del>                                     </del>	├	<del> </del>	<del> </del>										-	<del> </del>
Sul	p-Loop Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-	<del>                                     </del>	├	<del> </del>	<del> </del>										-	<del>                                     </del>
	Up Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-			UEANL, UEF	USBSA		255.76									
<del></del>	Oh	<del>                                     </del>	<del>                                     </del>	UEANL, UEF	USBSA		∠55.76				-					+
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1		UEANL, UEF	USBSB		7.29									
	Sub-Loop - Per Building Equipment Room - CLEC Feeder	l -		02. 31L, 0L1	55555		7.25									<del>                                     </del>
ı	Facility Set-Up	1	1	UEANL	USBSC	1	175.09		l l		l			I	I	1

ONBONDLE	ED NETWORK ELEMENTS - Georgia												Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge - Manual Svo Order vs.
						Rec	Nonrec		Nonrecurring			·		Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up			UEANL	USBSD		51.61									
	Unbundled Sub-Loops, Riser Cable, 2-Wire per Loop, Working		1	UEAINL	USBSD		31.61									+
	and Spare Loop Activation			UEANL	USBRC	3.61	28.46	3.85	2.20	0.01						
	Unbundled Sub-Loops, Riser Cable, 4-Wire per Loop, Working										1					<del>                                     </del>
	and Spare Loop Activation			UEANL	USBRD	7.67	31.07	4.79	2.27	0.01						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 1		1	UEANL	USBN2	6.52	28.46	3.85	2.20	0.01						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 2		2	UEANL	USBN2	10.18	28.46	3.85	2.20	0.01						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN2	19.51	28.46	3.85	2.20	0.01						
+-	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		3	UEANL	USBNZ	19.51	28.46	3.85	2.20	0.01	1					+
	Zone 1		1	UEANL	USBN4	5.93	31.07	4.79	2.27	0.01						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		<u> </u>	OL7 II VL	CODITY	0.00	01.07	4.70	2.27	0.01						+
	Zone 2		2	UEANL	USBN4	9.71	31.07	4.79	2.27	0.01						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -						0.1.01									1
	Zone 3		3	UEANL	USBN4	18.85	31.07	4.79	2.27	0.01						
																1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92								L
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	3.61	28.46	3.85	2.20	0.01						
				l												
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC	7.07	18.92	18.92	0.07	0.04						
$\longrightarrow$	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)		1	UEANL	USBR4	7.67	31.07	4.79	2.27	0.01	1					+
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		25.12	0.00								+
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		13.62	13.62			1					<del>                                     </del>
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	5.94	28.46	3.85	2.20	0.01						<b>†</b>
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X	7.51	28.46	3.85	2.20	0.01						1
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	9.22	28.46	3.85	2.20	0.01						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		<u> </u>	UEF	USBMC		18.92	18.92								<b>↓</b>
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	6.37	31.07	4.79	2.27	0.01						+
$\longrightarrow$	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF UEF	UCS4X UCS4X	6.32 9.10	31.07 31.07	4.79 4.79	2.27 2.27	0.01	1					+
	4 Wire Copper Oribunaled Sub-Loop Distribution - Zone 3		3	UEF	UC34A	9.10	31.07	4.79	2.21	0.01						+
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		18.92	18.92								1
	Loop tagging Service Level 1, Unbundled Copper Loop, Non-			1												1
	Designed and Distribution Subloops			UEF, UEANL	URETL		8.92	0.88								
	Loop Testing - Basic 1st Half Hour			UEF	URET1		25.12	0.00								
	Loop Testing - Basic Additional Half Hour			UEF	URETA		13.62	13.62								
Unbur	ndled Sub-Loop Modification															<b>↓</b>
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load															
$\longrightarrow$	Coil/Equip Removal per 2-W PR Unbundled Sub-loop Modification - 4-W Copper Dist Load		1	UEF	ULM2X		0.00	0.00			1					+
	Coil/Equip Removal per 4-W PR			UEF	ULM4X		0.00	0.00								
	Unbundled Loop Modification, Removal of bridge Tap, per			OLI	ULIVIAX		0.00	0.00								+
	unbundled loop			UEF	ULMBT		17.91	17.91								1
Unbu	ndled Network Terminating Wire (UNTW)			İ	1						1					1
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.533	25.12	12.28								1
Netwo	ork Interface Device (NID)															
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		32.86	20.69								
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		56.03	43.86								<del></del>
	Network Interface Device Cross Connect - 2 W	1	I	UENTW	UNDC2		2.45	2.45			1	1		I	1	<u> </u>
	Network Interface Device Cross Connect - 2 W		1	UENTW	UNDC4		2.45	2.45	1		1			1	1	

HINDHINDL	ED NETWORK ELEMENTS Coordia												A44==b====4+	0 Ful. A		
UNDUNDLI	ED NETWORK ELEMENTS - Georgia			I	1	I					Svo Ordor	Svc Order	Attachment: Incremental	2 Exh. A Incremental	Incremental	Incremental
1												Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORI	KATE ELEMENTO	m	20116	B00	0000			INATEO(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
<del> </del>			-			 	Nonrec	urring	Nonrecurring	Disconnect		l .	OSS	Rates(\$)		I
					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
				UAL, UCL, UDC,				7144		71441	0020	00				00
				UDL, UDN, UEA,												
				UHL, UEANL, UEF.												
				UEQ, UENTW,												
				NTCVG, NTCUD,												
	Unbundled Contact Name, Provisioning Only - no rate			NTCD1, USL	UNECN	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option -															
	no rate			USL	CCOEF	0.00	0.00									
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									
	UNTW Circuit Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00									
HIGH CAPAC	ITY UNBUNDLED LOCAL LOOP															
	: minimum billing period of three months for DS3/STS-1 Local	Loop		1	1									ĺ		
	High Capacity Unbundled Local Loop - DS3 - Per Mile per				İ									İ	İ	1
	month			UE3	1L5ND	10.97									I	
	High Capacity Unbundled Local Loop - DS3 - Facility					1										
	Termination per month			UE3	UE3PX	253.38	1,753.23	131.90	112.91	75.88						
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per						,									
	month			UDLSX	1L5ND	10.97										
	High Capacity Unbundled Local Loop - STS-1 - Facility															
	Termination per month			UDLSX	UDLS1	305.42	1,753.23	131.90	112.91	75.88						
LOOP MAKE							1,1 00.20									
	Loop Makeup - Preordering Without Reservation, per working or															
	spare facility queried (Manual).			UMK	UMKLW		15.19	15.19								
	Loop Makeup - Preordering With Reservation, per spare facility															
	gueried (Manual).			UMK	UMKLP		19.85	19.85								
	Loop MakeupWith or Without Reservation, per working or															
	spare facility queried (Mechanized)			UMK	UMKMQ		0.82	0.82								
LINE SPLITT	ING															
END	USER ORDERING-CENTRAL OFFICE BASED															
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.6297	20.10	12.40	7.68	4.30						
	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.6288	20.10	12.40	7.68	4.30				Î		
UNBL	INDLED EXCHANGE ACCESS LOOP															
2-WIF	RE ANALOG VOICE GRADE LOOP															
UNE	Loop Rates for Line Splitting (In Ga. PSC ordered the line split	tting lo	op USC	OCs match the lower	port- loop c	ombo rates UEI	PLX)									
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	Ĭ		UEPSR UEPSB	UEALS	9.56	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	ı	1	UEPSR UEPSB	UEABS	9.56	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2	ı	2	UEPSR UEPSB	UEALS	14.86	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2	ı	2	UEPSR UEPSB	UEABS	14.86	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3	ı	3	UEPSR UEPSB	UEALS	31.66	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3	ı	3	UEPSR UEPSB	UEABS	31.66	10.05	7.36	1.37	1.28						
PHYS	ICAL COLLOCATION															
	Physical Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR UEPSB	PE1LS	0.0197	0.00	0.00								
VIRT	JAL COLLOCATION				ļ											
1 1 -	Virtual Collocation-2 Wire Cross Connects (Loop) for Line						$\neg$								_	
	Splitting			UEPSR UEPSB	VE1LS	0.0188	0.00	0.00	0.00	0.00						
	DEDICATED TRANSPORT				ļ											
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT				ļ											
1 1 -	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -						$\neg$								_	
	Per Mile per month			U1TVX	1L5XX	0.0057										
1 1	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -						J								1	
	Facility Termination			U1TVX	U1TV2	12.87	48.46	19.48	16.58	5.00				ļ	L	ļ
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade														_	
$\vdash$	Rev Bat Per Mile per month			U1TVX	1L5XX	0.0057									L	
1 1	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat		1												1	
	Facility Termination	1	1	U1TVX	U1TR2	12.87	48.46	19.48	16.58	5.00	l	1		1	1	1

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attachment:	2 Exh. A		I
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
						Do.	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0057										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	10.78	48.46	19.48	16.58	5.00						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0057	10.10	10.10	10.00	0.00						
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility						40.40	40.40	46.50	5.00						
	Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile			U1TDX	U1TD5	7.83	48.46	19.48	16.58	5.00						
	per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility			U1TDX	1L5XX	0.0057										
	Termination Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			U1TDX	U1TD6	7.83	48.46	19.48	16.58	5.00						
	month Interoffice Channel - Dedicated Tranport - DS1 - Facility			U1TD1	1L5XX	0.1154										
	Termination			U1TD1	U1TF1	34.19	111.03	80.28	31.36	21.73						
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	2.53										
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	342.02	320.47	86.32	66.77	52.81						
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	2.53										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination			U1TS1	U1TFS	358.67	320.47	86.32	66.77	52.81						
UNBL	JNDLED DARK FIBER			01101	01110	000.07	020.41	00.02	00.77	02.01						+
	Dark Fiber, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof - Interoffice Transport			UDF, UDFCX	1L5DF	23.29	1,776.53	89.75	73.53	18.70						
DARK FIBER				ODI , ODI OX	ILODI	25.25	1,770.55	09.73	75.55	10.70						+
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel			UDF, UDFCX	1L5DC	46.84										
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Local Loop			UDF, UDFCX	1L5DL	46.84										
8XX ACCESS	TEN DIGIT SCREENING															
	8XX Access Ten Digit Screening, Per Call					0.0008543										
	8XX Access Ten Digit Screening, w/8FL No. Delivery					0.0008543										
	8XX Access Ten Digit Screening, w/POTS No. Delivery					0.0008543										
LINE INFORM	MATION DATA BASE ACCESS (LIDB)  LIDB Common Transport Per Query				+	0.0000682								-		+
<b></b>	LIDB Validation Per Query		-		-	0.0266962									-	
<del>                                     </del>	LIDB Originating Point Code Establishment or Change		-	OQU	NRBPX	0.0200302	33.24	33.24	39.35	39.35				1		+
CALLING NA	ME (CNAM) SERVICE			000	ININDIX		33.24	33.24	33.33	33.33						+
OALLING IVA	CNAM for DB Owners, Per Query				+	0.0009924										<del></del>
	CNAM for Non DB Owners, Per Query					0.0009924										
LNP Query S																1
	LNP Charge Per guery					0.0008034										
	LNP Service Establishment Manual						12.49		11.09							
	LNP Service Provisioning with Point Code Establishment						574.87	293.68	251.47	184.91						
SELECTIVE I																
	Selective Routing Per Unique Line Class Code Per Request Per Switch						102.19	61.15	12.68	6.34						
AIN SELECT	IVE CARRIER ROUTING															
	Regional Service Establishment						101,311.67	101,311.67	7,833.25	7,833.25						
	End Office Establishment						158.92	158.92	1.64	1.64						
	Line/Port NRC, per end user						2.06	2.06								
	Query NRC, per query					0.0020368										
AIN - BELLS	OUTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup			A1N	CAMSE		41.41	41.41	41.63	41.63						

	LED NETWORK ELEMENTS - Georgia												Attachment:	2 Fxh. A		
CATEGORY		Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						B	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		8.15	8.15	9.16	9.16						
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		8.15	8.15	9.16	9.16						
	AIN SMS Access Service - User Identification Codes - Per User															
	ID Code			A1N	CAMAU		35.29	35.29	26.50	26.50						
	AIN SMS Access Service - Security Card, Per User ID Code,															
$\vdash$	Initial or Replacement			A1N	CAMRC	0.0000	40.24	40.24	11.72	11.72						
$\vdash$	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)  AIN SMS Access Service - Session, Per Minute					0.0038										
$\vdash$	AIN SMS Access Service - Session, Per Minute  AIN SMS Access Service - Company Performed Session, Per				_	1.81									-	-
	Minute					0.8323										
SIGNALING			t	<del> </del>	+	0.0323									t	<del>                                     </del>
	TE: "bk" beside a rate indicates that the Parties have agreed to bi	ll and k	eep fo	that element.	+				+						<b>I</b>	t
10	CCS7 Signaling Usage, Per TCAP Message		J .0.			0.0000527bk									<b>†</b>	<u> </u>
	CCS7 Signaling Usage, Per ISUP Message (same as E.3.3)	i e	t —	İ		0.0000132bk									1	1
911 PBX LC			i –													
911	PBX LOCATE DATABASE CAPABILITY															
	Service Establishment per CLEC per End User Account			9PBDC	9PBEU		1,825.00									
	Changes to TN Range or Customer Profile			9PBDC	9PBTN		182.67									
	Per Telephone Number (Monthly)			9PBDC	9PBMM	0.07										
$oxed{oxed}$	Change Company (Service Provider) ID			9PBDC	9PBPC		536.23									
	PBX Locate Service Support per CLEC (MonthIt)			9PBDC	9PBMR	176.96										
	Service Order Charge			9PBDC	9PBSC		11.73									
	PBX LOCATE TRANSPORT COMPONENT															
	e Att 3 D EXTENDED LINK (EELs)															
	TE: The monthly recurring and non-recurring charges below will	onnly o	nd the	Switch As Is Char	ac will not on	nly for LINE com	binations are	ricionad as ! O	rdinarily Camb	inad' Naturark	Elemente				L	
NO.	TE: The monthly recurring and non-recurring charges below win	appiy a	recurr	ing charges below	will apply for	LINE combination	one provisione	d as ' Current	v Combined' N	etwork Fleme	nte					
FX	TENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	FD DS	1 INTF	ROFFICE TRANSPO	ORT	OIAE COMBINATI	Jiia provisione	u as Current	y combined it	etwork Lienie	ito.					1
	First 2-Wire VG Loop (SL2) in Combination - Zone 1	1	1 1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86						
	First 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86						
	First 2-Wire VG Loop (SL2) in Combination - Zone 3			UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	per month			UNC1X	1L5XX	0.1154										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
$oxed{oxed}$	1/0 Channelization System in combination Per Month			UNC1X	MQ1	69.75	86.10									
	IV-i Crede COCL Des Manth			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04					1	
$\vdash$	Voice Grade COCI - Per Month			UNCVA	IDIVO	0.4003									•	
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		Ė	UNCVX	UEAL2	11.57	195.94	36.38								
			1 2						18.42	6.86						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	11.57 16.95	195.94 195.94	36.38 36.38	18.42	6.86						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		Ė	UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2	11.57 16.95 33.08	195.94 195.94	36.38 36.38	18.42 18.42	6.86						
FYI	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3  Voice Grade COCI - Per Month	FD DS	2	UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 1D1VG	11.57 16.95	195.94 195.94	36.38 36.38	18.42	6.86						
EXT	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3	TED DS	2	UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 1D1VG	11.57 16.95 33.08	195.94 195.94	36.38 36.38	18.42 18.42	6.86						
EXT	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3  Voice Grade COCI - Per Month	TED DS	2	UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 1D1VG	11.57 16.95 33.08 0.4689	195.94 195.94	36.38 36.38	18.42 18.42	6.86						
EXT	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3  Voice Grade COCI - Per Month  TENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATION.	FED DS	2 3 1 INTE	UNCVX UNCVX UNCVX UNCVX ROFFICE TRANSPO	UEAL2 UEAL2 UEAL2 1D1VG ORT	11.57 16.95 33.08	195.94 195.94 195.94 27.33	36.38 36.38 36.38 2.90	18.42 18.42 16.86	6.86 6.86 1.04						
EXT	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3  Voice Grade COCI - Per Month  TENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATION.	FED DS	2 3 1 INTE	UNCVX UNCVX UNCVX UNCVX ROFFICE TRANSPO	UEAL2 UEAL2 UEAL2 1D1VG ORT	11.57 16.95 33.08 0.4689	195.94 195.94 195.94 27.33	36.38 36.38 36.38 2.90	18.42 18.42 16.86	6.86 6.86 1.04						
EXI	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3  Voice Grade COCI - Per Month  TENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED TO STATE A S	FED DS	2 3 1 INTE	UNCVX UNCVX UNCVX UNCVX ROFFICE TRANSPO	UEAL2 UEAL2 UEAL2 IDIVG ORT UEAL4 UEAL4	11.57 16.95 33.08 0.4689 17.80 21.68	195.94 195.94 195.94 27.33 195.94	36.38 36.38 36.38 2.90 36.38	18.42 18.42 16.86 18.42	6.86 6.86 1.04 6.86						
EXT	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3  Voice Grade COCI - Per Month  TENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA:  First 4-Wire Analog Voice Grade Loop in Combination - Zone 1  First 4-Wire Analog Voice Grade Loop in Combination - Zone 2  First 4-Wire Analog Voice Grade Loop in Combination - Zone 3	FED DS	2 3 1 INTE	UNCVX UNCVX UNCVX UNCVX ROFFICE TRANSPI	UEAL2  UEAL2  UEAL2  1D1VG  ORT  UEAL4	11.57 16.95 33.08 0.4689	195.94 195.94 195.94 27.33	36.38 36.38 36.38 2.90	18.42 18.42 16.86	6.86 6.86 1.04						
EXI	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3  Voice Grade COCI - Per Month  TENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA*  First 4-Wire Analog Voice Grade Loop in Combination - Zone 1  First 4-Wire Analog Voice Grade Loop in Combination - Zone 2  First 4-Wire Analog Voice Grade Loop in Combination - Zone 3  Interoffice Transport - Dedicated - DS1 combination - Per Mile	FED DS	2 3 1 INTE	UNCVX UNCVX UNCVX UNCVX ROFFICE TRANSPI UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 1D1VG ORT UEAL4 UEAL4 UEAL4	11.57 16.95 33.08 0.4689 17.80 21.68	195.94 195.94 195.94 27.33 195.94	36.38 36.38 36.38 2.90 36.38	18.42 18.42 16.86 18.42	6.86 6.86 1.04 6.86						
EXI	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3  Voice Grade COCI - Per Month  TENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA  First 4-Wire Analog Voice Grade Loop in Combination - Zone 1  First 4-Wire Analog Voice Grade Loop in Combination - Zone 2  First 4-Wire Analog Voice Grade Loop in Combination - Zone 3  Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month	FED DS	2 3 1 INTE	UNCVX UNCVX UNCVX UNCVX ROFFICE TRANSPO	UEAL2 UEAL2 UEAL2 IDIVG ORT UEAL4 UEAL4	11.57 16.95 33.08 0.4689 17.80 21.68	195.94 195.94 195.94 27.33 195.94	36.38 36.38 36.38 2.90 36.38	18.42 18.42 16.86 18.42	6.86 6.86 1.04 6.86						
EXT	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3  Voice Grade COCI - Per Month  TENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA:  First 4-Wire Analog Voice Grade Loop in Combination - Zone 1  First 4-Wire Analog Voice Grade Loop in Combination - Zone 2  First 4-Wire Analog Voice Grade Loop in Combination - Zone 3  Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month  Interoffice Transport - Dedicated - DS1 - Facility Termination Per	FED DS	2 3 1 INTE	UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 1D1VG ORT UEAL4 UEAL4 UEAL4 1L5XX	11.57 16.95 33.08 0.4689 17.80 21.68 30.25	195.94 195.94 195.94 27.33 195.94 195.94	36.38 36.38 2.90 36.38 36.38 36.38	18.42 18.42 16.86 18.42 18.42	6.86 6.86 1.04 6.86 6.86						
EXT	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3  Voice Grade COCI - Per Month  TENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA  First 4-Wire Analog Voice Grade Loop in Combination - Zone 1  First 4-Wire Analog Voice Grade Loop in Combination - Zone 2  First 4-Wire Analog Voice Grade Loop in Combination - Zone 3  Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month	FED DS	2 3 1 INTE	UNCVX UNCVX UNCVX UNCVX ROFFICE TRANSPI UNCVX UNCVX UNCVX	UEAL2 UEAL2 UEAL2 1D1VG ORT UEAL4 UEAL4 UEAL4	11.57 16.95 33.08 0.4689 17.80 21.68	195.94 195.94 195.94 27.33 195.94	36.38 36.38 36.38 2.90 36.38	18.42 18.42 16.86 18.42	6.86 6.86 1.04 6.86						

JNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:			
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonred		Nonrecurring					Rates(\$)		
	Additional 4-Wire Analog Voice Grade Loop in same DS1						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86						
	Additional 4-Wire Analog Voice Grade Loop in same DS1			ONOVA	OL/1L4	21.00	100.04	00.00	10.42	0.00					-	
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86						
	Additional Voice Grade COCI in combination - per month		1	UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
EXTE	NDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN	TEROFFICE TRANS	SPORT											
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1154										
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	1/0 Channel System in combination Per Month		1	UNC1X	MQ1	69.75	86.10									
	OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						
	Additional OCU-DP COCI (data) - in combination per month (2.4-64kbs)		3	UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						
EXTE	NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	DS1 IN			0.9903	21.33	2.50	10.00	1.04					<u> </u>	
			1		1										t	
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.1154										
	Per Month interoffice Transport - Dedicated - DS1 combination - Facility		<del>                                     </del>	UNCIA	ILOAA	0.1154			<del>                                     </del>							<del>                                     </del>
	Termination Per Month		L	UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						<u> </u>
	1/0 Channel System in combination Per Month			UNC1X	MQ1	69.75	86.10									
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
$\neg$	Additional OCU-DP COCI (data) - in combination - per month															
EYTE	(2.4-64kbs)  NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATION	ED DS1	INTER	UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04					<u> </u>	
EATE	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86				<del> </del>	t	<b>-</b>
_	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86					<b>I</b>	<del>                                     </del>
1	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86				İ	1	
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		Ť	1	1					2.30				İ	1	
	Per Month Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	1L5XX	0.1154										
	Termination Per Month  NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATI			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
EVTE																

JNBUNDLE	ED NETWORK ELEMENTS - Georgia												Attachment:	2 Exh. A		
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-		Incremental Charge - Manual Svc Order vs. Electronic-	Increment Charge Manual S Order vs Electronic
													1st	Add'l	Disc 1st	Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		•
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First DS1Loop in Combination - Zone 2			UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						
	First DS1Loop in Combination - Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						
	Interoffice Transport - Dedicated - DS3 combination - Per Mile			LINIOOV	41.5307	0.50										
	Per Month Interoffice Transport - Dedicated - DS3 - Facility Termination per		-	UNC3X	1L5XX	2.53									-	
	month			UNC3X	U1TF3	342.02	325.91	77.07	49.56	32.88						
	3/1Channel System in combination per month			UNC3X	MQ3	121.90	323.91	77.07	49.56	32.00					1	
	DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Additional DS1Loop in DS3 Interoffice Transport Combination -			ONOTA	COIDI	7.00	27.00	2.00	10.00	1.04						1
	Zone 1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						
	Additional DS1Loop in DS3 Interoffice Transport Combination -				1				0.101							
	Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86					1	
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86			<u> </u>		<u> </u>	
	Additoinal DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
EXTE	NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD	E INTE													
	2-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86						
	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86						
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86						
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.0057										
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV2	12.87	66.53	33.61	43.42	27.60						
FXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	FINTE			12.07	00.55	33.01	40.42	27.00				1		
LXIL	4-WireVG Loop in combination - Zone 1	UNAD		UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						1
	4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86						1
	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86					t	
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.0057										
	Interoffice Transport - 4-wire VG - Dedicated - Facility															
	Termination per month			UNCVX	U1TV4	10.78	66.53	33.61	43.42	27.60						
EXTE	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE		1L5ND	40.07										
_	DS3 Local Loop in combination - per mile per month		-	UNC3X	1L5ND	10.97										
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	253.38	1,260.47	628.84	41.53	20.76						
_	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	2.53	1,200.47	020.04	41.55	20.76					-	
_	Interoffice Transport - Dedicated - DS3 combination - Facility			UNCOX	ILJAA	2.33										
	Termination per month			UNC3X	U1TF3	342.02	325.91	77.07	49.56	32.88						
EXTE	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF		0	0.2.02	020.01		10.00	02.00						
	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	10.97										
	STS-1 Local Loop in combination - Facility Termination per															
	month			UNCSX	UDLS1	305.42	1,260.47	628.84	41.53	20.76						
	Interoffice Transport - Dedicated - STS-1 combination - per mile															
	per month			UNCSX	1L5XX	2.53										
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
Ev	Termination per month	TDALL		UNCSX	U1TFS	358.67	325.91	77.07	49.56	32.88				ļ	-	-
EXIE	NDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	IRAN	SPORT	LINIONIX	1141.07/	40.00	105.04	00.00	40.40	0.00						
_	First 2-Wire ISDN Loop in Combination - Zone 1 First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX UNCNX	U1L2X U1L2X	19.82 26.26	195.94 195.94	36.38 36.38	18.42 18.42	6.86 6.86				<del>                                     </del>	<del>                                     </del>	1
_	First 2-Wire ISDN Loop in Combination - Zone 2  First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86					<del>                                     </del>	-
-	Interoffice Transport - Dedicated - DS1 combination - per mile		3	OINCINA	UILZA	42.17	195.94	30.38	10.42	0.80				-	+	<del>                                     </del>
	per month			UNC1X	1L5XX	0.1154					1				I	
_	Interoffice Transport - Dedicated - DS1 combination - Facility			014017	ILUAA	0.1154					<b>-</b>			<del> </del>	<del>                                     </del>	<b>-</b>
	Termination per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97	1				I	
_	1/0 Channel System in combination - per month			UNC1X	MQ1	69.75	86.10	40.73	40.00	21.01					<b>†</b>	<b>†</b>
	2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04				1	<u> </u>	
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport				12.34		200	2.00						İ	1	
	Combination - Zone 1	1	L	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86	l	1		l	1	1

	D NETWORK ELEMENTS - Georgia												Attachment:	2 Exh. A		
			1	ī	1						Svc Order	Svc Order	Incremental		Incremental	Incrementa
																II .
												Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
ATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""											Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'l
													151	Addi	DISC 1St	DISC Add I
							Nonrec	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-+-	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		1		1			71441		71441	0020	00			00	00
	Combination - Zone 2		2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86						
-+-	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			UNCINA	UTLZX	20.20	155.54	30.30	10.42	0.00				<del>                                     </del>		1
			3	UNCNX	U1L2X	42.17	195.94	20.20	18.42	6.86						
-+-	Combination - Zone 3		3	UNCINX	UTLZX	42.17	195.94	36.38	18.42	0.80						
	Additional 2-wire ISDN COCI (BRITE) - in combination- per															
	month			UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04						
EXTEN	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS														
	First DS1 Loop Combination - Zone 1			UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						
	First DS1 Loop Combination - Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						
	First DS1 Loop Combination - Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile															
1	Per Month			UNCSX	1L5XX	2.53			1		l					1
	Interoffice Transport - Dedicated - STS-1 combination - Facility		1								i				İ	İ
1	Termination per month	1		UNCSX	U1TFS	358.67	325.91	77.07	49.56	32.88	1			I	l	
-	3/1 Channel System in combination per month		1	UNCSX	MQ3	121.90	020.01	77.07	10.00	02.00						1
-+-	DS1 COCI in combination per month		<del>                                     </del>	UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04				<del>                                     </del>	<del>                                     </del>	<del> </del>
-+-				UNCIX	OCTOT	7.35	21.33	2.90	10.86	1.04						<u> </u>
	Additional DS1Loop in the same STS-1 Interoffice Transport		١.			44.00		=								
	Combination - Zone 1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						
	Additional DS1Loop in the same STS-1 Interoffice Transport															
	Combination - Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						
	Additional DS1Loop in the same STS-1 Interoffice Transport															
	Combination - Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						
	DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
EXTEN	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KB	PS INT	EROFF	ICE TRANSPORT	İ											ĺ
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						İ
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						i e
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						1
-+	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			ONODA	ODLOG	30.22	133.34	30.30	10.42	0.00						<u> </u>
	Per Mile per month			UNCDX	1L5XX	0.0057										
-+-				UNCDA	ILSAA	0.0057										<u> </u>
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -					= 00										
	Facility Termination per month		<u> </u>	UNCDX	U1TD5	7.83	66.53	33.61	43.42	27.60						
EXTEN	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KB	PS INT	_													
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -												•			
1	Per Mile per month			UNCDX	1L5XX	0.0057			1		l					1
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -								İ							
1	Facility Termination per month	l		UNCDX	U1TD6	7.83	66.53	33.61	43.42	27.60	1				1	1
FXTEN	NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP	ORT w		1		22.00	22.01		00				1	<b>i</b>	1
LATEN	First 2-wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86	<b>-</b>			t	<b> </b>	<del> </del>
-+-	First 2-wire VG Loop (SL2) in Combination - Zone 1  First 2-wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86				<del>                                     </del>	<b> </b>	1
	First 2-wire VG Loop (SL2) in Combination - Zone 2  First 2-wire VG Loop (SL2) in Combination - Zone 3	-		UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86	-			<del>                                     </del>	<del>                                     </del>	1
$-\!\!\!\!-\!\!\!\!\!-$			3	OINCAV	UEALZ	33.08	195.94	30.38	18.42	ხ.შხ	<b> </b>			1	1	<del> </del>
1	First Interoffice Transport - Dedicated - DS1 combination - Per	l		Liniani							1				1	
$-\!+\!-$	Mile		ļ	UNC1X	1L5XX	0.1154										ļ
1	First Interoffice Transport - Dedicated - DS1 combination -								1		l					1
$\longrightarrow$	Facility Termination per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97				ļ	ļ	ļ
	Per each DS1 Channelization System Per Month			UNC1X	MQ1	69.75	86.10									<u> </u>
	Per each Voice Grade COCI - Per Month per month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
	3/1 Channel System in combination per month			UNC3X	MQ3	121.90							•			
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1		1					-			i				İ	İ
ı	Interoffice Transport Combination - Zone 1	1	1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86	1			I	l	
			<del>t i</del>		+		.00.04	55.50	.02	0.00	1			1	<b> </b>	1
	Teach Additional 2-Wire VG Loop(SL2) in the same US1										i					
_	Each Additional 2-Wire VG Loop(SL2) in the same DS1		2	LINICAY	LIEVIS	16.05	105.04	26.20	10.40	6 06						
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86						
			3	UNCVX	UEAL2	16.95 33.08	195.94 195.94	36.38 36.38	18.42 18.42	6.86						

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			I .	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						B	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.1154										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Each Additional DS1 COCI combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
EXTEN	NDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	EROFF	ICE TR	ANSPORT w/ 3/1 M	IUX											
	First 4-Wire Analog Voice Grade Local Loop in Combination -		١.			4= 00			40.40							
	Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						
	First 4-Wire Analog Voice Grade Local Loop in Combination -		2	UNCVX	UEAL4	04.00	105.04	36.38	40.40	0.00						
	Zone 2			UNCVX	UEAL4	21.68	195.94	30.38	18.42	6.86	<b> </b>					
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 3	1	3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86						
	First Interoffice Transport - Dedicated - DS1 combination - Per	l		011017	JEALT	50.25	133.34	50.56	10.42	0.00					1	<b> </b>
	Mile Per Month	1	1	UNC1X	1L5XX	0.1154										
	First Interoffice Transport - Dedicated - DS1 - Facility				1-4111						†					
	Termination Per Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	69.75	86.10									
	Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
	3/1 Channel System in combination per month			UNC3X	MQ3	121.90										
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86						
	Additional 4-Wire Analog Voice Grade Loop in same DS1			11000		00.05	405.04	00.00	40.40	0.00						
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86	1					
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.1154										
+-	Each Additional DS1 Interoffice Channel Facility Termination in			UNCIA	ILSAA	0.1154			-		<b> </b>					
	same 3/1 Channel System per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Additional Voice Grade COCI - in combination - per month		1	UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04	<b>†</b>					
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KB	PS INT	EROFF			0.4000	27.00	2.50	10.00	1.04	1					
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		T								İ					
	Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
	Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
	Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month			UNC1X	1L5XX	0.1154					ļ					
	First Interoffice Transport - Dedicated - DS1 - combination								40.00							
	Facility Termination Per Month		1	UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97	1					
	Per each 1/0 Channel System in combination Per Month Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)		1	UNC1X UNCDX	MQ1 1D1DD	69.75 0.9963	86.10 27.33	2.90	16.86	1.04	1					
	3/1 Channel System in combination per month		1	UNC3X	MQ3	121.90	21.33	2.90	10.00	1.04	<b>-</b>					
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04	<u> </u>					1
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			UNCIA	OCIDI	7.55	21.33	2.50	10.00	1.04	<b>+</b>					
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		†			00		22.00		2.00						
	Interoffice Transport Combination - Zone 2	1	2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	ĺ														
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						
	OCU-DP COCI (data) COCI in combination per month (2.4-									-				l		
	64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						<u> </u>
	Each Additional DS1 Interoffice Channel per mile in same 3/1	l	1	l	1	<b> </b>										
														i		1
	Channel System per month  Each Additional DS1 Interoffice Channel Facility Termination in			UNC1X	1L5XX	0.1154					ļ					-

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates(\$)	•	•
						Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 COCI in the same 3/1 channel system															
EVTE	combination per month NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTER	FFICE	UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						<b></b>
EXIE	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice	INTERC	FFICE	IRANSPORT W/ 3/	I WUX											
	Transport Combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			0110271	0020.	21.00	100.01	00.00	10.12	0.00						
	Transport Combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1154										
	First Interoffice Transport - Dedicated - DS1 combination -			UNCIX	ILSXX	0.1154										-
	Facility Termination Per Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	69.75	86.10	101.70	.0.00	2						
	Per each OCU-DP COCI (data) in combination - per month (2.4-															
	64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						
	3/1 Channel System in combination per month			UNC3X	MQ3	121.90										
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		4	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		-	UNCDA	UDL64	21.00	195.94	30.36	10.42	0.00						
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System															
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.1154										
	Each Additional DS1 Interoffice Channel Facility Termination in			UNCIX	ILSAA	0.1154										
	same 3/1 Channel System per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Each Additional DS1 COCI in the same 3/1 channel system			0.10.77		01.10	00	10.70	10.00	2						
	combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
EXTE	NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RT w/ 3/	1 MUX													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 1		1	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86						<b></b>
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2		2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination			UNCIA	UTLZX	20.20	193.94	30.36	10.42	0.00						
	Transport - Zone 3		3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86						
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile per month			UNC1X	1L5XX	0.1154										
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination per month Per each Channel System 1/0 in combination - per month			UNC1X UNC1X	U1TF1 MQ1	34.19 69.75	87.76 86.10	45.73	43.80	27.97						
	Per each Channel System 1/0 in combination - per month			UNCIX	IVIQ1	69.75	86.10									
	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04						
	3/1 Channel System in combination per month			UNC3X	MQ3	121.90	27.00	2.00	10.00							
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 1		1	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86						ļ
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		_	LINICALY	1141.024	20.00	405.01	20.00	10.10	0.00						
	Combination - Zone 2 Additional 2-wire ISDN Loop in same DS1Interoffice Transport	-	2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86	-					
	Combination - Zone 3		3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86						
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel		Ť		J	72.17	100.04	33.30	10.72	0.00						
	system combination- per month	L		UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04	<u></u>			<u> </u>	<u> </u>	
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.1154										

UNBUND	LED NETWORK ELEMENTS - Georgia												Attachment:	2 Exh. A		
CATEGORY		Interi m	Zone	BCS	USOC			RATES(\$)			I .	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge -	Charge -	Charge -
						Rec	Nonred	curring	Nonrecurring	Disconnect				Rates(\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						<b>_</b>
EXT	TENDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS			1101.207	44.00	000 45	70.44	07.04	0.00	ļ					-
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1	-	1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86	1					-
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2 First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3		3	UNC1X UNC1X	USLXX	46.41 62.03	209.45 209.45	70.44 70.44	37.91 37.91	6.86 6.86	-			-		+
	First 14-wire DST Digital Ecoal Loop in Combination - Zone 3  First Interoffice Transport - Dedicated - DS1 combination - Per	-	3	UNCIX	USLAA	62.03	209.45	70.44	37.91	0.80	<b>.</b>				-	+
	Mile Per Month			UNC1X	1L5XX	0.1154										
	First Interoffice Transport - Dedicated - DS1 combination -		<u> </u>	UNCIX	ILJAA	0.1134					<u> </u>			1		+
	Facility Termination Per Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	3/1 Channel System in combination per month		1	UNC3X	MQ3	121.90	07.70	40.70	40.00	21.01	1				1	<del></del>
	Per each DS1 COCI combination per month		1	UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04	1				1	<del></del>
	Each Additional DS1 Interoffice Channel per mile in same 3/1					1.00					İ					<b>—</b>
	Channel System per month			UNC1X	1L5XX	0.1154										
	Each Additional DS1 Interoffice Channel Facility Termination in		i e													1
	same 3/1 Channel System per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Each Additional DS1 COCI in the same 3/1 channel system		i e		1											1
	combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone													Î		
	1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						
EXT	TENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO														1
	First 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						
	First 4-wire 56 kbps Local Loop in combination - Zone 3	-	3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86	1					
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile			LINODY	41.500/	0.0057										
	per month		-	UNCDX	1L5XX	0.0057					-			-		+
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD5	7.83	66.53	33.61	43.42	27.60						
EVI	TENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	EEICE		01105	1.03	00.33	33.01	43.42	27.00	<b> </b>					+
EAI	First 4-wire 64 kbps Local Loop in combination - Zone 1	NIEKO		UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86	1				-	+
	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86				1		+
	First 4-wire 64 kbps Local Loop in combination - Zone 3	<del>                                     </del>	3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86	<del>                                     </del>			<del> </del>	<del>                                     </del>	+
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile	<del>                                     </del>		5.10DA	30204	50.22	100.04	30.30	10.72	0.00	<del>                                     </del>			<del> </del>	<del>                                     </del>	+
	per month	1		UNCDX	1L5XX	0.0057									I	
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility			5.13DX	. 20/01	0.0001									t	
1 1	Termination per month			UNCDX	U1TD6	7.83	66.53	33.61	43.42	27.60						
ADDITIONA	L NETWORK ELEMENTS			CHODA	01120	7.00	00.00	00.01	.02	27.00	İ					<b>—</b>
	en used as a part of a currently combined facility, the non-recur	rng cha	rges de	not apply, but a S	witch As Is c	harge does app	oly.				†				t	<b>†</b>
	en used as ordinarily combined network elements in All States, t															1
Non	recurring Currently Combined Network Elements "Switch As Is"	Charge														1
Opt	ional Features & Functions:															
				U1TD1,												
	Clear Channel Capability Extended Frame Option - per DS1	- 1		ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
				U1TD1,												
	Clear Channel Capability Super FrameOption - per DS1	- 1		ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						1
	Clear Channel Capability (SF/ESF) Option - Subsequent	1	1	ULDD1, U1TD1,											_	
	Activity - per DS1			UNC1X, USL	NRCCC		184.62	23.78	2.03	0.79				ļ	L	
				U1TD3, ULDD3,											1	1
$\vdash$	C-bit Parity Option - Subsequent Activity - per DS3	i	<u> </u>	UE3, UNC3X	NRCC3		218.74	7.66	0.7591	0.00					ļ	<del></del>
		1		UNCVX, UNCDX,											I	1
		1		UNC1X, UNC3X,											I	1
1	Wholesale to UNE, Switch-As-Is Conversion Charge	1	1	UNCSX	UNCCC		5.70	5.70	6.61	6.61	1	1			1	1

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2 Exh. A		(
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual St Order vs Electronic Disc Add
			1				Nonrec	curring	Nonrecurring	Disconnect			OSS	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Misc Rate Element, SNE SAI, Single Network Element - Switch As Is Non-recurring Charge, per circuit (LSR)	ı		U1TVX, U1TDX, U1TD1, U1TD3, U1TS1, UDF, UE3	URESL		40.26	13.51								
	Unbundled Misc Rate Element, SNE SAI, Single Network Element - Switch As Is Non-recurring Charge, per circuit (Spreadsheet)	1		U1TVX, U1TDX, U1TD1, U1TD3,	URESP		64.05	25.62								
MULTI	PLEXER Interfaces			01101, 021, 020	011201		01.00	20.02								
	DS1 to DS0 Channel System per month			UNC1X	MQ1	69.75	86.10									
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	0.9963	11.98	11.39	6.61	6.61						
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	0.9963	11.98	11.39	6.61	6.61						
	Local Channel in the same SWC as collocation  2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop			UDN	UC1CA	1.66	11.98	11.39	6.61	6.61						
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	1.66	15.81	11.39	6.61	6.61						
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	0.4689	11.98	11.39	6.61	6.61						
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	0.4689	11.98	11.39	6.61	6.61						
	DS3 to DS1 Channel System per month				MQ3	121.90										<b></b>
	STS-1 to DS1 Channel System per month				MQ3	121.90	45.04	11.00								<b>!</b>
	DS1 COCI used with Loop per month DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month			USL U1TUA	UC1D1 UC1D1	7.35 7.35	15.81 15.81	11.39	6.61	6.61						
	DS1 COCI used with Interoffice Channel per month DS3 Interface Unit (DS1 COCI) used with Local Channel per				UC1D1	7.35	15.81	11.39	6.61	6.61						
	month			ULDD1	UC1D1	7.35	15.81	11.39	6.61	6.61						1
Access	s to DCS - Customer Reconfiguration (FlexServ)		ļ													<b></b>
	Customer Reconfiguration Establishment DS1 DSC Termination with DS0 Switching		1			19.65	1.40 24.90	18.92	1.63	11.95						<del>                                     </del>
	DS1 DSC Termination with DS1 Switching		-			7.09	18.18	12.20		8.05						<del> </del>
	DS3 DSC Termination with DS1 Switching		1			125.62	24.90	18.92	15.04	11.95						<b>—</b>
	e Rearrangements					120.02	21.00	10.02	10.01	11.00	†					
	NRC - Change in Facility Assignment per circuit Service Rearrangement	ı			URETD		269.92	47.10								
	NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed)			U1TVX, U1TDX, UEA, UDL, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX	URETB		1.28	1.28								
		1		UNCVX, UNCDX, UNC1X, UNC3X, UNCSX, U1TD1, U1TD3, U1TS1, UE3, UDLSX, U1TVX, U1TDX,												
	Commingling Authorization laneous				CMGAU	0.00	0.00	0.00	0.00	0.00						
	NRC - Order Coordination Specific Time - Dedicated Transport	Ī	$\perp$	UNC1X	OCOSR		18.89	18.89								
	LOCAL EXCHANGE SWITCHING(PORTS)	144.5		hima Banto oo of as	40 000T	and Carrier	CAL - TEL DIC C	and Day of E	   Dive 64.00 :		mister street					<u> </u>
	change Switching Port Rates Reflected Here Apply to Embedo	uea Bas	se Swite	ening Ports as of Ma	rcn 10, 2005	and Consist of	tne IELRIC C	ost Based Rai	es Pius \$1.00 ii	n Accordance	with the I'R	KU.		ı		
⊏xcnar	nge Ports		1		l				<u> </u>	<u> </u>	1			1		1

JNBUNDLE	D NETWORK ELEMENTS - Georgia					-			-				Attachment:	2 Exh. A		
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC		Nonrec	RATES(\$)	Nonrecurring	Diocennect	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Increment Charge - Manual Sv Order vs. Electronic Disc Add
			1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
NOTE:	Although the Port Rate includes all available features in GA, I	KY. I A	& TN. t	he desired features	will need to b	ne ordered usin			11130	Addi	JONEC	JONIAN	JONIAN	JONAN	JOHAN	JOINAN
	VOICE GRADE LINE PORT RATES (RES)	, _,	1	lo accinca roataroo	1		g rotuin occor									
	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	2.09	2.42	2.31	1.37	1.28						
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	2.09	2.42	2.31	1.37	1.28						
	Funkanan Barta - O Wine Analon Line Bort autorine ank - Dec			UEPSR	UEPRO	2.09	2.42	2.31	1.37	1.28						
_	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.  Exchange Ports - 2-Wire VG unbundled res, low usage line port		<u> </u>	UEPSK	UEPRU	2.09	2.42	2.31	1.37	1.28						
	with Caller ID (LUM)			UEPSR	UEPAP	2.09	2.42	2.31	1.37	1.28						
	Exchange Ports - 2-Wire Voice Georgia basic dialing port														t	
	without Caller ID			UEPSR	UEPWC	2.09	2.42	2.31	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port for use with															
	Caller ID - res			UEPSR	UEPWQ	2.09	2.42	2.31	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - outgoing			LIEDOD	LIEDWD	0.00	0.40	0.04	4.07	4.00						
_	only 2-Wire voice unbundled Low Usage Line Port without Caller ID			UEPSR	UEPWR	2.09	2.42	2.31	1.37	1.28					-	
	Capability			UEPSR	UEPRT	2.09	2.42	2.31	1.37	1.28						
	2-Wire Voice Grade Unbundled Port without Caller ID capability.			021 011	02	2.00	22	2.01	1.07	1.20					t	
	Georgia			UEPSR	UEPRV	2.09	2.42	2.31	1.37	1.28						
	2-Wire Voice Grade Unbundled Port with Caller ID capability,															
	Georgia			UEPSR	UEPRU	2.09	2.42	2.31	1.37	1.28						
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00								
FEATU	All Available Vertical Features			UEPSR	UEPVF	0.775	0.00	0.00								
2-WID	E VOICE GRADE LINE PORT RATES (BUS)			UEFSK	UEFVF	0.775	0.00	0.00							-	
Z-WIN	Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
	Bus			UEPSB	UEPBL	2.09	2.42	2.31	1.37	1.28						
	Exchange Ports - 2-Wire VG unbundled Line Port with								İ							
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	2.09	2.42	2.31	1.37	1.28						
	Exchange Ports - 2-Wire Voice Georgia Business Basic Dialing															
	Port, with Caller ID capability			UEPSB	UEPWP	2.09	2.42	2.31	1.37	1.28						
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	2.09	2.42	2.31	1.37	1.28						
-	Exhange Ports - 2-Wire Arialog Line Port outgoing only - Bus.  Exhange Ports - 2-Wire VG unbundled incoming only port with		<u> </u>	UEFSB	UEPBU	2.09	2.42	2.31	1.37	1.20						<u> </u>
	Caller ID - Bus			UEPSB	UEPB1	2.09	2.42	2.31	1.37	1.28						
	Exchange Ports - 2-Wire Voice Georgia Business Dialing Plan			02.02	02. 2.	2.00	22	2.01	1.07	1.20					t	
	without Caller ID			UEPSB	UEPWD	2.09	2.42	2.31	1.37	1.28						
	2-Wire voice unbundled Incoming Only Port without Caller ID															
	Capability			UEPSB	UEPBE	2.09	2.42	2.31	1.37	1.28						
FFATI	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
FEATU	All Available Vertical Features		1	UEPSB	UEPVF	0.775	0.00	0.00							-	
FXCH	ANGE PORT RATES (DID & PBX)			OLFOB	OLF VI	0.773	0.00	0.00								
EXOLI	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	2.09	28.88	13.63	11.48	0.83					-	
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	2.09	28.88	13.63	11.48	0.83						
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	2.09	28.88	13.63	11.48	0.83						
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	2.09	28.88	13.63	11.48	0.83						
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus		<u> </u>	UEPSP	UEPLD	2.09	28.88	13.63	11.48	0.83						
	2-Wire Voice Unbundled PBX LD Terminal Ports 2-Wire Vice Unbundled 2-Way PBX Usage Port	-	1	UEPSP UEPSP	UEPLD UEPXA	2.09 2.09	28.88 28.88	13.63 13.63	11.48 11.48	0.83 0.83					<del>                                     </del>	
	2-Wire Vice Unbundled 2-Way PBX Usage Port  2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	-	<del>                                     </del>	UEPSP	UEPXA	2.09	28.88	13.63	11.48	0.83					<del> </del>	
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		t	UEPSP	UEPXC	2.09	28.88	13.63	11.48	0.83				1	1	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	i	i i	UEPSP	UEPXD	2.09	28.88	13.63	11.48	0.83	İ			İ	1	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port		ļ	UEPSP	UEPXE	2.09	28.88	13.63	11.48	0.83						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			LIEDOD	LIEDY"											
$\overline{}$	Administrative Calling Port  2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	-	<del>                                     </del>	UEPSP	UEPXL	2.09	28.88	13.63	11.48	0.83					-	-
	Room Calling Port	1		UEPSP	UEPXM	2.09	28.88	13.63	11.48	0.83					I	
	Noon Calling Full	L	1	ULFOF	UEFAIVI	2.09	∠8.88	13.03	11.48	0.83	1			1	L	Ь

	.ED NETWORK ELEMENTS - Georgia												Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPSP	UEPXO	2.09	28.88	13.63	11.48	0.83						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	2.09	28.88	13.63	11.48	0.83						
	2-Wire voice unbundled Georgia basic dialing port - 1-Way															
	Oudial Trunk			UEPSP	UEPWS	2.09	28.88	13.63	11.48	0.83						
	2-Wire voice unbundled Georgia basic dialing port - 2-Way															
	Trunk			UEPSP	UEPWT	2.09	28.88	13.63	11.48	0.83						
	2-Wire voice unbundled Georgia basic dialing port - 2-way PBX															
	Trunk			UEPSP	UEPPQ	2.09	28.88	13.63	11.48	0.83						
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00								
FEA	TURES															
	All Available Vertical Features			UEPSP UEPSE	UEPVF	0.775	0.00	0.00								
	E: Transmission/usage charges associated with POTS circuit so															
	E: Access to B Channel or D Channel Packet capabilities will be	availa	ble onl	y through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	ities will be de	termined via t	he Bona Fic	le Request/N	lew Business	Request Pro	ocess.	
2-WI	RE VOICE GRADE LINE PORT RATES (DID)															
	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	6.50	122.26	18.65	54.82	3.45						
2-WI	RE VOICE GRADE LINE PORT RATES (ISDN-BRI)															
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	7.09	76.39	51.50	45.67	10.36						
	All Features Offered			UEPTX, UEPSX	UEPVF	0.775	0.00	0.00								
	Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								
	E: Transmission/usage charges associated with POTS circuit sv															
	E: Access to B Channel or D Channel Packet capabilities will be		ble onl	y through BFR/New	<b>Business Re</b>	quest Process.	Rates for the	packet capabi	ities will be de	termined via tl	he Bona Fic	le Request/N	lew Business	Request Pro	ocess.	
UNB	UNDLED PORT with REMOTE CALL FORWARDING CAPABILITY	′														
UNB	UNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	2.09	2.42	2.31	1.37	1.28						
	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	2.09	2.42	2.31	1.37	1.28						
	Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	2.09	2.42	2.31	1.37	1.28						
	Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	2.09	2.42	2.31	1.37	1.28						
Non-	Recurring															
	Unbundled Remote Call Forwarding Service - Conversion -															
	Contab as is															
	Switch-as-is			UEPVR	USAC2		2.01	0.31								
	Unbundled Remote Call Forwarding Service - Conversion with			UEPVR	USAC2		2.01	0.31								
				UEPVR UEPVR	USAC2 USACC		2.01	0.31								
UNB	Unbundled Remote Call Forwarding Service - Conversion with															
UNB	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)															
UNB	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)					2.09			1.37	1.28						
UNB	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)  UNDLED REMOTE CALL FORWARDING - Bus			UEPVR	USACC	2.09	2.01	0.31	1.37	1.28						
UNB	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)  UNDLED REMOTE CALL FORWARDING - Bus			UEPVR	USACC	2.09	2.01	0.31	1.37	1.28						
UNB	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)  UNDLED REMOTE CALL FORWARDING - Bus  Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVR UEPVB	USACC		2.01	0.31 2.31								
UNB	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)  UNDLED REMOTE CALL FORWARDING - Bus  Unbundled Remote Call Forwarding Service, Area Calling - Bus  Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB UEPVB	USACC UERAC UERLC	2.09	2.01 2.42 2.42	0.31 2.31 2.31	1.37	1.28						
UNB	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)  UNDLED REMOTE CALL FORWARDING - Bus  Unbundled Remote Call Forwarding Service, Area Calling - Bus  Unbundled Remote Call Forwarding Service, Local Calling - Bus  Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB UEPVB UEPVB UEPVB	USACC UERAC UERLC UERTE	2.09 2.09	2.01 2.42 2.42 2.42	2.31 2.31 2.31 2.31	1.37 1.37	1.28 1.28						
UNB	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)  UNDLED REMOTE CALL FORWARDING - Bus  Unbundled Remote Call Forwarding Service, Area Calling - Bus  Unbundled Remote Call Forwarding Service, Local Calling - Bus  Unbundled Remote Call Forwarding Service, InterLATA - Bus  Unbundled Remote Call Forwarding Service, IntraLATA - Bus  Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB UEPVB UEPVB UEPVB	USACC  UERAC  UERLC  UERTE  UERTR	2.09 2.09 2.09	2.42 2.42 2.42 2.42 2.42	2.31 2.31 2.31 2.31 2.31	1.37 1.37 1.37	1.28 1.28 1.28						
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)  UNDLED REMOTE CALL FORWARDING - Bus  Unbundled Remote Call Forwarding Service, Area Calling - Bus  Unbundled Remote Call Forwarding Service, Local Calling - Bus  Unbundled Remote Call Forwarding Service, InterLATA - Bus  Unbundled Remote Call Forwarding Service, IntraLATA - Bus  Unbundled Remote Call Forwarding Service Expanded and  Exception Local Calling			UEPVB UEPVB UEPVB UEPVB	USACC UERAC UERLC UERTE	2.09 2.09	2.01 2.42 2.42 2.42	2.31 2.31 2.31 2.31	1.37 1.37	1.28 1.28						
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)  UNDLED REMOTE CALL FORWARDING - Bus  Unbundled Remote Call Forwarding Service, Area Calling - Bus  Unbundled Remote Call Forwarding Service, Local Calling - Bus  Unbundled Remote Call Forwarding Service, InterLATA - Bus  Unbundled Remote Call Forwarding Service, IntraLATA - Bus  Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling  Recurring			UEPVB UEPVB UEPVB UEPVB	USACC  UERAC  UERLC  UERTE  UERTR	2.09 2.09 2.09	2.42 2.42 2.42 2.42 2.42	2.31 2.31 2.31 2.31 2.31	1.37 1.37 1.37	1.28 1.28 1.28						
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)  UNDLED REMOTE CALL FORWARDING - Bus  Unbundled Remote Call Forwarding Service, Area Calling - Bus  Unbundled Remote Call Forwarding Service, Local Calling - Bus  Unbundled Remote Call Forwarding Service, InterLATA - Bus  Unbundled Remote Call Forwarding Service, IntraLATA - Bus  Unbundled Remote Call Forwarding Service Expanded and  Exception Local Calling			UEPVB UEPVB UEPVB UEPVB UEPVB	USACC  UERAC  UERLC  UERTE  UERTR  UERVJ	2.09 2.09 2.09	2.42 2.42 2.42 2.42 2.42 2.42	2.31 2.31 2.31 2.31 2.31	1.37 1.37 1.37	1.28 1.28 1.28						
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)  UNDLED REMOTE CALL FORWARDING - Bus  Unbundled Remote Call Forwarding Service, Area Calling - Bus  Unbundled Remote Call Forwarding Service, Local Calling - Bus  Unbundled Remote Call Forwarding Service, InterLATA - Bus  Unbundled Remote Call Forwarding Service, IntraLATA - Bus  Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling  Recurring  Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is			UEPVB UEPVB UEPVB UEPVB	USACC  UERAC  UERLC  UERTE  UERTR	2.09 2.09 2.09	2.42 2.42 2.42 2.42 2.42	2.31 2.31 2.31 2.31 2.31	1.37 1.37 1.37	1.28 1.28 1.28						
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)  UNDLED REMOTE CALL FORWARDING - Bus  Unbundled Remote Call Forwarding Service, Area Calling - Bus  Unbundled Remote Call Forwarding Service, Local Calling - Bus  Unbundled Remote Call Forwarding Service, InterLATA - Bus  Unbundled Remote Call Forwarding Service, IntraLATA - Bus  Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling  Recurring  Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is  Unbundled Remote Call Forwarding Service - Conversion with			UEPVB UEPVB UEPVB UEPVB UEPVB UEPVB	USACC  UERAC  UERLC  UERTE  UERTR  UERVJ  USAC2	2.09 2.09 2.09	2.01 2.42 2.42 2.42 2.42 2.42 2.42	0.31 2.31 2.31 2.31 2.31 2.31 0.31	1.37 1.37 1.37	1.28 1.28 1.28						
Non-	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)  UNDLED REMOTE CALL FORWARDING - Bus  Unbundled Remote Call Forwarding Service, Area Calling - Bus  Unbundled Remote Call Forwarding Service, Local Calling - Bus  Unbundled Remote Call Forwarding Service, InterLATA - Bus  Unbundled Remote Call Forwarding Service, IntraLATA - Bus  Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling  Recurring  Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is  Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)			UEPVB UEPVB UEPVB UEPVB UEPVB	USACC  UERAC  UERLC  UERTE  UERTR  UERVJ	2.09 2.09 2.09	2.42 2.42 2.42 2.42 2.42 2.42	2.31 2.31 2.31 2.31 2.31	1.37 1.37 1.37	1.28 1.28 1.28						
Non-	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)  UNDLED REMOTE CALL FORWARDING - Bus  Unbundled Remote Call Forwarding Service, Area Calling - Bus  Unbundled Remote Call Forwarding Service, Local Calling - Bus  Unbundled Remote Call Forwarding Service, InterLATA - Bus  Unbundled Remote Call Forwarding Service, IntraLATA - Bus  Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling  Recurring  Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is  Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)  D LOCAL SWITCHING, PORT USAGE			UEPVB UEPVB UEPVB UEPVB UEPVB UEPVB	USACC  UERAC  UERLC  UERTE  UERTR  UERVJ  USAC2	2.09 2.09 2.09	2.01 2.42 2.42 2.42 2.42 2.42 2.42	0.31 2.31 2.31 2.31 2.31 2.31 0.31	1.37 1.37 1.37	1.28 1.28 1.28						
Non-	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)  UNDLED REMOTE CALL FORWARDING - Bus  Unbundled Remote Call Forwarding Service, Area Calling - Bus  Unbundled Remote Call Forwarding Service, Local Calling - Bus  Unbundled Remote Call Forwarding Service, InterLATA - Bus  Unbundled Remote Call Forwarding Service, IntraLATA - Bus  Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling  Recurring  Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is  Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)  DLOCAL SWITCHING, PORT USAGE  Office Switching (Port Usage)			UEPVB UEPVB UEPVB UEPVB UEPVB UEPVB	USACC  UERAC  UERLC  UERTE  UERTR  UERVJ  USAC2	2.09 2.09 2.09 2.09	2.01 2.42 2.42 2.42 2.42 2.42 2.42	0.31 2.31 2.31 2.31 2.31 2.31 0.31	1.37 1.37 1.37	1.28 1.28 1.28						
Non-	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)  UNDLED REMOTE CALL FORWARDING - Bus  Unbundled Remote Call Forwarding Service, Area Calling - Bus  Unbundled Remote Call Forwarding Service, Local Calling - Bus  Unbundled Remote Call Forwarding Service, InterLATA - Bus  Unbundled Remote Call Forwarding Service, IntraLATA - Bus  Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling  Recurring  Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is  Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)  D LOCAL SWITCHING, PORT USAGE  Office Switching (Port Usage)  End Office Switching Function, Per MOU			UEPVB UEPVB UEPVB UEPVB UEPVB UEPVB	USACC  UERAC  UERLC  UERTE  UERTR  UERVJ  USAC2	2.09 2.09 2.09 2.09	2.01 2.42 2.42 2.42 2.42 2.42 2.42	0.31 2.31 2.31 2.31 2.31 2.31 0.31	1.37 1.37 1.37	1.28 1.28 1.28						
JNBUNDLEI End	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)  UNDLED REMOTE CALL FORWARDING - Bus  Unbundled Remote Call Forwarding Service, Area Calling - Bus  Unbundled Remote Call Forwarding Service, Local Calling - Bus  Unbundled Remote Call Forwarding Service, InterLATA - Bus  Unbundled Remote Call Forwarding Service, IntraLATA - Bus  Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling  Recurring  Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is  Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)  D LOCAL SWITCHING, PORT USAGE  Office Switching Function, Per MOU  End Office Switching Function, Per MOU			UEPVB UEPVB UEPVB UEPVB UEPVB UEPVB	USACC  UERAC  UERLC  UERTE  UERTR  UERVJ  USAC2	2.09 2.09 2.09 2.09	2.01 2.42 2.42 2.42 2.42 2.42 2.42	0.31 2.31 2.31 2.31 2.31 2.31 0.31	1.37 1.37 1.37	1.28 1.28 1.28						
JNBUNDLEI End	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)  UNDLED REMOTE CALL FORWARDING - Bus  Unbundled Remote Call Forwarding Service, Area Calling - Bus  Unbundled Remote Call Forwarding Service, Local Calling - Bus  Unbundled Remote Call Forwarding Service, InterLATA - Bus  Unbundled Remote Call Forwarding Service, IntraLATA - Bus  Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling  Recurring  Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is  Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)  D.LOCAL SWITCHING, PORT USAGE  Office Switching (Port Usage)  End Office Switching Function, Per MOU  Jem Switching (Port Usage) (Local or Access Tandem)			UEPVB UEPVB UEPVB UEPVB UEPVB UEPVB	USACC  UERAC  UERLC  UERTE  UERTR  UERVJ  USAC2	2.09 2.09 2.09 2.09 0.0006153 0.0001226	2.01 2.42 2.42 2.42 2.42 2.42 2.42	0.31 2.31 2.31 2.31 2.31 2.31 0.31	1.37 1.37 1.37	1.28 1.28 1.28						
JNBUNDLEI End	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)  UNDLED REMOTE CALL FORWARDING - Bus  Unbundled Remote Call Forwarding Service, Area Calling - Bus  Unbundled Remote Call Forwarding Service, Local Calling - Bus  Unbundled Remote Call Forwarding Service, InterLATA - Bus  Unbundled Remote Call Forwarding Service, IntraLATA - Bus  Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling  Recurring  Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is  Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)  DLOCAL SWITCHING, PORT USAGE  Office Switching (Port Usage)  End Office Trunk Port - Shared, Per MOU  Jem Switching (Port Usage) (Local or Access Tandem)  Tandem Switching Function Per MOU			UEPVB UEPVB UEPVB UEPVB UEPVB UEPVB	USACC  UERAC  UERLC  UERTE  UERTR  UERVJ  USAC2	2.09 2.09 2.09 2.09 0.0006153 0.0001226	2.01 2.42 2.42 2.42 2.42 2.42 2.42	0.31 2.31 2.31 2.31 2.31 2.31 0.31	1.37 1.37 1.37	1.28 1.28 1.28						
Non- UNBUNDLEI End	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)  UNDLED REMOTE CALL FORWARDING - Bus  Unbundled Remote Call Forwarding Service, Area Calling - Bus  Unbundled Remote Call Forwarding Service, Local Calling - Bus  Unbundled Remote Call Forwarding Service, InterLATA - Bus  Unbundled Remote Call Forwarding Service, InterLATA - Bus  Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling  Recurring  Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is  Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)  D LOCAL SWITCHING, PORT USAGE  Office Switching (Port Usage)  End Office Switching Function, Per MOU  Jem Switching (Port Usage) (Local or Access Tandem)  Tandem Switching Function Per MOU  Tandem Switching Function Per MOU			UEPVB UEPVB UEPVB UEPVB UEPVB UEPVB	USACC  UERAC  UERLC  UERTE  UERTR  UERVJ  USAC2	2.09 2.09 2.09 2.09 0.0006153 0.0001226 0.0000972 0.0001557	2.01 2.42 2.42 2.42 2.42 2.42 2.42	0.31 2.31 2.31 2.31 2.31 2.31 0.31	1.37 1.37 1.37	1.28 1.28 1.28						
Non- UNBUNDLEI End	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)  UNDLED REMOTE CALL FORWARDING - Bus  Unbundled Remote Call Forwarding Service, Area Calling - Bus  Unbundled Remote Call Forwarding Service, Local Calling - Bus  Unbundled Remote Call Forwarding Service, InterLATA - Bus  Unbundled Remote Call Forwarding Service, IntraLATA - Bus  Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling  Recurring  Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is  Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)  D.LOCAL SWITCHING, PORT USAGE  Office Switching (Port Usage)  End Office Trunk Port - Shared, Per MOU  Jem Switching (Port Usage) (Local or Access Tandem)  Tandem Switching Function Per MOU  Tandem Trunk Port - Shared, Per MOU  Tandem Switching Function Per MOU  Tandem Switching Function Per MOU  Tandem Switching Function Per MOU  Tandem Switching Function Per MOU  Tandem Switching Function Per MOU  Tandem Switching Function Per MOU  Tandem Switching Function Per MOU (Melded)			UEPVB UEPVB UEPVB UEPVB UEPVB UEPVB	USACC  UERAC  UERLC  UERTE  UERTR  UERVJ  USAC2	2.09 2.09 2.09 2.09 2.09 0.0006153 0.0001226 0.0000972 0.00001557 0.000017904	2.01 2.42 2.42 2.42 2.42 2.42 2.42	0.31 2.31 2.31 2.31 2.31 2.31 0.31	1.37 1.37 1.37	1.28 1.28 1.28						
Non- UNBUNDLEI End	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)  UNDLED REMOTE CALL FORWARDING - Bus  Unbundled Remote Call Forwarding Service, Area Calling - Bus  Unbundled Remote Call Forwarding Service, Local Calling - Bus  Unbundled Remote Call Forwarding Service, InterLATA - Bus  Unbundled Remote Call Forwarding Service, InterLATA - Bus  Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling  Recurring  Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is  Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)  D LOCAL SWITCHING, PORT USAGE  Office Switching (Port Usage)  End Office Switching Function, Per MOU  Jem Switching (Port Usage) (Local or Access Tandem)  Tandem Switching Function Per MOU  Tandem Switching Function Per MOU			UEPVB UEPVB UEPVB UEPVB UEPVB UEPVB	USACC  UERAC  UERLC  UERTE  UERTR  UERVJ  USAC2	2.09 2.09 2.09 2.09 0.0006153 0.0001226 0.0000972 0.0001557	2.01 2.42 2.42 2.42 2.42 2.42 2.42	0.31 2.31 2.31 2.31 2.31 2.31 0.31	1.37 1.37 1.37	1.28 1.28 1.28						

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2 Exh. A		
	1										Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge
		١									Elec	Manually	Manual Svc	Manual Svc	_	Manual S
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
		m						- ( - /			per Lon	per Lon				
													Electronic-	Electronic-	Electronic-	Electroni
													1st	Add'l	Disc 1st	Disc Add
					1		Nonred	urring	Nonrecurring	Disconnect	1		OSS	Rates(\$)	1	
					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Common Transport - Per Mile, Per MOU		1		1	0.0000027	11130	Addi	11130	Addi	COMILO	COMPAN	COMPAR	COMPAN	COMPAN	COMPAN
	Common Transport - Facilities Termination Per MOU				+	0.0000027					<b>†</b>			<b>+</b>		+
HINDHINDI ED I	PORT/LOOP COMBINATIONS - COST BASED RATES				+	0.0001314					<u> </u>				<u> </u>	+
	Based Rates are applied where BellSouth is required by FCC	nnd/or S	State C	ammissian rula ta n	rovido Habro	adlad Lasal Cur	itahina ar Cwi	toh Dorto			l					
									D I D	N 64 00 ' A			10			
	JNE-P Switching Port Rates Reflected in the Cost Based Section											vith the IRF	KO.			
	res shall apply to the Unbundled Port/Loop Combination - Co															
	Office and Tandem Switching Usage and Common Transport L															
	irst and additional Port nonrecurring charges apply to Not Cu	rrently (	Combi	ned Combos. For Cu	irrently Comb	pined Combos t	he nonrecurri	ng charges sh	all be those ide	entified in the	Nonrecurrin	g - Currentl	y Combined	sections.		
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
UNE P	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1					11.46										
	2-Wire VG Loop/Port Combo - Zone 2					16.76										
	2-Wire VG Loop/Port Combo - Zone 3					33.56					İ					1
UNE	oop Rates	i –	t –		1	22.20			1		İ			İ	1	<b>—</b>
0	2-Wire Voice Grade Loop (SL1) - Zone 1	<b>-</b>	1	UEPRX	UEPLX	9.56					1					+
	2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2	<del>                                     </del>	2	UEPRX	UEPLX	14.86			1		1			1	1	+
-	2-Wire Voice Grade Loop (SL1) - Zone 2	-	3	UEPRX	UEPLX	31.66					1				1	-
0.14/:			3	UEPRA	UEPLA	31.00					1				-	+
z-wire	Voice Grade Line Port Rates (Res)			HEDDY	LIEDDI	1.0010	10.05	7.00	4.07	4.00						<del>                                     </del>
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.9019	10.05	7.36	1.37	1.28						<del> </del>
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.9019	10.05	7.36	1.37	1.28						1
	2-Wire voice unbundles res, low usage line port with Caller ID															
	(LUM)			UEPRX	UEPAP	1.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port without Caller															
	ID capability - res			UEPRX	UEPWC	1.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port for use with														Î	
	Caller ID - res			UEPRX	UEPWQ	1.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - outgoing		1								i e					<b>†</b>
	only			UEPRX	UEPWR	1.9019	10.05	7.36	1.37	1.28						
<del> </del>	2-Wire voice unbundled Low Usage Line Port without Caller ID			OLITOX	OLI WIX	1.0010	10.00	7.00	1.07	1.20	<u> </u>				<u> </u>	+
	Capability			UEPRX	UEPRT	1,9019	10.05	7.36	1.37	1.28						
<b>—</b>	2-Wire Voice Grade Unbundled Port without Caller ID, Georgia	-	-	UEPRX	UEPRV	1.9019	10.05	7.36	1.37	1.28	ł			<b>-</b>	1	+
<b>—</b>			-								-			-		+
L	2-Wire Voice Grade Unbundled Port with Caller ID, Georgia			UEPRX	UEPRU	1.9019	10.05	7.36	1.37	1.28						
FEATU	-				ļ											
	All Features Offered			UEPRX	UEPVF	0.775	0.00	0.00								
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															1
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPRX	USAC2		0.10	0.10								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch with change			UEPRX	USACC		0.10	0.10								
	2-Wire Voice Grade Loop / Line Port Platform - Installation														Î	
	Charge at QuickService location - Not Conversion of Existing															
	Service			UEPRX	URECC		0.10									
ADDIT	IONAL NRCs										1				1	1
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	<b>-</b>	1								1					+
	Activity			UEPRX	USAS2	0.00	0.00	0.00								
<del> </del>	Unbundled Miscellaneous Rate Element, Tag Loop at End User			OLI IXX	OOAOZ	0.00	0.00	0.00			<u> </u>				1	+
	Premise			LIEDDY	URETL		0.22	0.00								
055/0	N PREMISES EXTENSION CHANNELS	<del>                                     </del>	<del>                                     </del>	UEPRX	UKEIL		8.33	0.83	<del>                                     </del>		<del> </del>			1	<del>                                     </del>	+
OFF/O					ļ											
$\vdash$	2 Wire Analog Voice Grade Extension Loop – Non-Design	ļ	1	UEPRX	UEAEN	10.51	40.02	9.99	5.61	1.72	<b> </b>			ļ	<b>_</b>	+
$\vdash$	2 Wire Analog Voice Grade Extension Loop – Non-Design	ļ	2	UEPRX	UEAEN	15.85	40.02	9.99	5.61	1.72						<del></del>
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	31.97	40.02	9.99	5.61	1.72	ļ			ļ	ļ	<del></del>
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	11.57	79.85	24.65	18.92	7.87	ļ				ļ	
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	16.95	79.85	24.65	18.92	7.87						
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	33.08	79.85	24.65	18.92	7.87						
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															1
			1	UEPRX	U1TV2	12.87	48.46	19.48	16.58	5.00	1		1	1	1	1

INBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2 Exh. A	1	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual St Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPRX	U1TVM	0.0057	0.00	0.00								
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															1
UNE F	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1					11.46										
	2-Wire VG Loop/Port Combo - Zone 2					16.76										<b></b>
	2-Wire VG Loop/Port Combo - Zone 3					33.56										
UNE L	oop Rates			LIEDDY	LIEDLY	0.50										
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	9.56										ļ
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	14.86										
0.140	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	31.66										<del></del>
2-Wire	Voice Grade Line Port (Bus)			HEDDY	LIEDDI	4.0040	40.05	7.00	4.07	4.00						
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.9019	10.05	7.36	1.37	1.28						
_	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.9019	10.05	7.36	1.37	1.28						<del></del>
	2-Wire voice unbundled incoming only port with Caller ID - Bus	-		UEPBX	UEPB1	1.9019	10.05	7.36	1.37	1.28						-
	2-Wire voice unbundled Georgia basic dialing port, without			LIEDDY	LIEDWD	4 0040	40.05	7.00	4.07	4.00						
_	Caller ID capability - bus			UEPBX	UEPWD	1.9019	10.05	7.36	1.37	1.28						-
	2-Wire voice unbundled Georgia basic dialing port for use with			LIEDDY	LIEDWD	4 0040	40.05	7.00	4.07	4.00						
	Caller ID - bus		1	UEPBX	UEPWP	1.9019	10.05	7.36	1.37	1.28	-			-		
	2-Wire voice unbundled Incoming Only Port without Caller ID			LIEDDY	LIEDDE	4 0040	40.05	7.00	4.07	4.00						
FEAT	Capability		1	UEPBX	UEPBE	1.9019	10.05	7.36	1.37	1.28	-			-		
FEAT	All Features Offered		1	UEPBX	UEPVF	0.775	0.00	0.00			-			-		
NOND	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPBA	UEFVF	0.775	0.00	0.00								<del> </del>
NONK	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															<del> </del>
	Switch-as-is			UEPBX	USAC2		0.10	0.10								
_	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		1	OLI DX	UUAUZ		0.10	0.10								<del>                                     </del>
	Switch with change			UEPBX	USACC		0.10	0.10								
ADDIT	TONAL NRCs		1	OLI DX	00/100		0.10	0.10								+
ADDII	2-Wire Voice Grade Loop/Line Port Combination - Subsequent		1												-	<del></del>
	Activity			UEPBX	USAS2		0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User			02. 5/	00/102		0.00	0.00								
	Premise			UEPBX	URETL		8.33	0.83								
OFF/C	N PREMISES EXTENSION CHANNELS		1	02. DX	O.K.E.I.E		0.00	0.00								
0	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	10.51	40.02	9.99	5.61	1.72						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	15.85	40.02	9.99	5.61	1.72						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	31.97	40.02	9.99	5.61	1.72						
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	11.57	79.85	24.65	18.92	7.87						<b>†</b>
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	16.95	79.85	24.65	18.92	7.87						<u> </u>
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	33.08	79.85	24.65	18.92	7.87						1
INTER	OFFICE TRANSPORT															<b>†</b>
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPBX	U1TV2	12.87	48.46	19.48	16.58	5.00						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															1
	or Fraction Mile			UEPBX	U1TVM	0.0057	0.00	0.00								
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)			İ												1
	ort/Loop Combination Rates	Ì														
	2-Wire VG Loop/Port Combo - Zone 1					11.46								ĺ		
	2-Wire VG Loop/Port Combo - Zone 2					16.76										
	2-Wire VG Loop/Port Combo - Zone 3					33.56										
UNE L	oop Rates								<u>                                      </u>							
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	9.56										T .
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	14.86										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	31.66			<u>                                      </u>							
2-Wire	Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
1	Res	l	1	UEPRG	UEPRD	1.9019	10.05	7.36	1.37	1.28	I			l	I	
	JRES											_				

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attachment:			
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	All Features Offered			UEPRG	UEPVF	0.775	0.00	0.00								<b>└</b>
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED				++											
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPRG	USAC2		0.10	0.10								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				1 1											l
	Conversion - Switch with Change			UEPRG	USACC		0.10	0.10								
ADDI	TIONAL NRCs				1											
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
ļ	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt				1 1		0.70	0.70								
$\vdash$	Group	-	<del>                                     </del>		+ +		6.70	6.70	<del>                                     </del>					-	<b> </b>	<del></del>
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPRG	URETL		8.33	0.83								1
OFF/	ON PREMISES EXTENSION CHANNELS	-	<del>                                     </del>	ULFRU	UKEIL		0.33	0.83								<del></del>
UFF/	Local Channel Voice grade, per termination	-	1	UEPRG	P2JHX	11.57	79.85	24.65	18.92	7.87						<del></del>
<del>                                     </del>	Local Channel Voice grade, per termination  Local Channel Voice grade, per termination	<b>H</b>	2	UEPRG	P2JHX P2JHX	16.95	79.85	24.65	18.92	7.87				l	<del>                                     </del>	<del></del>
<del>                                     </del>	Local Channel Voice grade, per termination		3	UEPRG	P2JHX	33.08	79.85	24.65	18.92	7.87				<del>                                     </del>	<del>                                     </del>	<del></del>
<del>                                     </del>	Non-Wire Direct Serve Channel Voice Grade		1	UEPRG	SDD2X	12.74	56.92	7.70	4.40	0.02						-
<del>                                     </del>	Non-Wire Direct Serve Channel Voice Grade			UEPRG	SDD2X	19.76	56.92	7.70	4.40	0.02						<del> </del>
<del>                                     </del>	Non-Wire Direct Serve Channel Voice Grade		3	UEPRG	SDD2X	37.18	56.92	7.70	4.40	0.02						<del> </del>
INTE	ROFFICE TRANSPORT		-	OLI KO	ODDZX	37.10	30.32	1.10	4.40	0.02						
11412	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		1		+ +											<del></del>
	Termination			UEPRG	U1TV2	12.87	48.46	19.48	16.58	5.00						l
<del>                                     </del>	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			OLI IKO	011172	12.07	40.40	10.40	10.00	0.00						
	or Fraction Mile			UEPRG	U1TVM	0.0057	0.00	0.00								l
2-WIF	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)			OLI IKO	0111111	0.0007	0.00	0.00								<del>                                     </del>
	Port/Loop Combination Rates				+ +											
10.12	2-Wire VG Loop/Port Combo - Zone 1				1	11.46										
	2-Wire VG Loop/Port Combo - Zone 2				+ +	16.76										
	2-Wire VG Loop/Port Combo - Zone 3				1 1	33.56										
UNE	Loop Rates				1											
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	9.56										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	14.86										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	31.66										
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.9019	10.05	7.36	1.37	1.28						1
	Line Side Unbundled Outward PBX Trunk Port - Bus		i –	UEPPX	UEPPO	1.9019	10.05	7.36	1.37	1.28					1	
	Line Side Unbundled Incoming PBX Trunk Port - Bus		1	UEPPX	UEPP1	1.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port	<u></u>	<u></u>	UEPPX	UEPXE	1.9019	10.05	7.36	1.37	1.28				<u> </u>		<u> </u>
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy							<u> </u>								1
	Administrative Calling Port			UEPPX	UEPXL	1.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy				1											1
	Room Calling Port		L	UEPPX	UEPXM	1.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital				1		J									1
	Discount Room Calling Port			UEPPX	UEPXO	1.9019	10.05	7.36	1.37	1.28						<b></b>
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		L	UEPPX	UEPXS	1.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - 1-Way				1											1
	Oudial Trunk			UEPPX	UEPWS	1.9019	10.05	7.36	1.37	1.28						<b></b>
	2-Wire voice unbundled Georgia basic dialing port - 2-Way	1	1						1		1			1	l	1
				LIEDDY	LIED\\/T	1 0010	10.05	7 20	1 27	1 20						
	Trunk  2-Wire voice unbundled Georgia basic dialing port - 2-way PBX			UEPPX	UEPWT	1.9019	10.05	7.36	1.37	1.28						-

IBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2 Exh. A		
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	O.M. Constant of the Constant				_		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled Georgia basic dialing port - PBX LD Terminal Ports					1.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - PBX Toll				+	1.5015	10.03	7.30	1.37	1.20						
	Terminal Ports					1.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - PBX LD															
	DDD Terminal Port					1.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - PBX LD															
	Terminal Switchboard Port		ļ			1.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - PBX LD					4 0040	10.05	7.00	4.07	4.00						
	Terminal Switchboard DDD Capable Port  2-Wire voice unbundled Georgia basic dialing port - PBX 2-Way					1.9019	10.05	7.36	1.37	1.28						
	Trunk			UEPPX	UEPPC	1.9019	10.05	7.36	1.37	1.28						
FEATU				OLI I X	020	110010	10.00	7.00	1.07	1120						
	All Features Offered			UEPPX	UEPVF	0.775	0.00	0.00								
NONR	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is		ļ	UEPPX	USAC2		0.10	0.10								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEDDY	110400		0.40	0.40								
ADDIT	Conversion - Switch with Change			UEPPX	USACC		0.10	0.10								
ADDIT	ONAL NRCs  2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		<u> </u>		+											
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00								
_	PBX Subsequent Activity - Change/Rearrange Multiline Hunt			OLITA	OOAOZ	0.00	0.00	0.00								
	Group						6.70	6.70								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEPPX	URETL		8.33	0.83								
OFF/O	N PREMISES EXTENSION CHANNELS															
	Local Channel Voice grade, per termination		1	UEPPX	P2JHX	11.57	79.85	24.65	18.92	7.87						
_	Local Channel Voice grade, per termination		2	UEPPX	P2JHX	16.95	79.85	24.65	18.92	7.87						
_	Local Channel Voice grade, per termination		3	UEPPX	P2JHX SDD2X	33.08 12.74	79.85 56.92	24.65 7.70	18.92 4.40	7.87 0.02						
_	Non-Wire Direct Serve Channel Voice Grade Non-Wire Direct Serve Channel Voice Grade		2	UEPPX UEPPX	SDD2X SDD2X	12.74	56.92	7.70	4.40	0.02						
-	Non-Wire Direct Serve Channel Voice Grade			UEPPX	SDD2X SDD2X	37.18	56.92	7.70	4.40	0.02						
INTER	OFFICE TRANSPORT		- 3	OLITA	ODDZX	37.10	30.32	7.70	4.40	0.02						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPPX	U1TV2	12.87	48.46	19.48	16.58	5.00						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPPX	U1TVM	0.0057	0.00	0.00								
	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT														
UNE P	ort/Loop Combination Rates					44.40										
_	2-Wire VG Coin Port/Loop Combo – Zone 1 2-Wire VG Coin Port/Loop Combo – Zone 2		<u> </u>		+	11.46 16.76										
	2-Wire VG Coin Port/Loop Combo – Zone 2  2-Wire VG Coin Port/Loop Combo – Zone 3				1	33.56										
UNFI	pop Rates				+	33.30										
0.1.2	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	9.56										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	14.86										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	31.66										
2-Wire	Voice Grade Line Ports (COIN)															
	2-Wire Coin 2-Way with Operator Screening (GA)			UEPCO	UEPGC	1.9019	10.05	7.36	1.37	1.28						
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (GA)			UEPCO	UEP2G	1.9019	10.05	7.36	1.37	1.28						
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (GA)			UEPCO	UEPGA	1.9019	10.05	7.36	1.37	1.28						
	2-Wire Coin 2-Way with Operator Screening and 900/976															
	Blocking (GA) 2-Wire Coin 2-Way with Operator Screening and Blocking:			UEPCO	UEPGB	1.9019	10.05	7.36	1.37	1.28						-
	900/976, 1+DDD, 011+, and Local (GA)			UEPCO	UEPCH	1.9019	10.05	7.36	1.37	1.28						
	2-Wire Coin Outward with Operator Screening and 011 Blocking (GA, KY, MS)			UEPCO	UEPRJ	1.9019	10.05	7.36	1.37	1.28						

INRONDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin Outward with Operator Screening and Blocking:			LIEBCO	LIEDOO	4 0040	40.05	7.00	4.07	4.00						
	900/976, 1+DDD, 011+, and Local (FL, GA)  2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO UEPCO	UEPCQ UEPCK	1.9019 1.9019	10.05 10.05	7.36 7.36	1.37 1.37	1.28 1.28						<b>-</b>
-+	2-Wire Coin Outward Smartline with 900/976 (all states except			ULFCO	OLFCK	1.9019	10.03	7.30	1.57	1.20						
	I A)			UEPCO	UEPCR	1.9019	10.05	7.36	1.37	1.28						
ADDIT	IONAL UNE COIN PORT/LOOP (RC)			021 00	OLI OIL	1.0010	10.00	7.00	1.07	1.20						
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3.59	0.00	0.00	0.00	0.00						
NONR	ECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPCO	USAC2		0.10	0.10								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch with change			UEPCO	USACC		0.10	0.10								ļ
ADDIT	IONAL NRCs				1									ļ	ļ	Ļ
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity			UEPCO	USAS2		0.00	0.00								<b></b>
	Unbundled Miscellaneous Rate Element, Tag Loop at End User			LIEDOO	LIDETI		8.33	0.83								
2 WID	Premise  E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	OPT (	UEPCO	URETL		8.33	0.83								<b></b>
	ort/Loop Combination Rates	LINE	I NO	I I	_											<del>                                     </del>
ONLF	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1					26.53										<del>                                     </del>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		-		+	31.92										<del>                                     </del>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3					48.04										
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	11.57										1
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	16.95										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	33.08										
2-Wire	Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	2.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	2.09	166.05	43.66	41.89	15.44						ļ
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	2.09	166.05	43.66	41.89	15.44						ļ
	2-Wire voice unbundles res, low usage line port with Caller ID			LIEDED	LIEDAD	0.00	400.05	40.00	44.00	45.44						
	(LUM)  2-Wire voice unbundled Georgia basic dialing port, without			UEPFR	UEPAP	2.09	166.05	43.66	41.89	15.44						<b></b>
	Caller ID capability - res			UEPFR	UEPWC	2.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundled Georgia basic dialing port for use with			OLFIK	OLFWC	2.09	100.03	43.00	41.03	13.44						<del>                                     </del>
	Caller ID - res			UEPFR	UEPWQ	2.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundled Georgia basic dialing port - outgoing			02	υ2α	2.00	100.00	10.00	11.00							
	only			UEPFR	UEPWR	2.09	166.05	43.66	41.89	15.44						
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPFR	U1TV2	12.87	48.46	19.48	16.58	5.00						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPFR	1L5XX	0.0057	0.00	0.00								
FEATU					<u> </u>											<u> </u>
	All Features Offered			UEPFR	UEPVF	0.775	0.00	0.00								<b></b>
NONRI	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED				_											<del> </del>
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is		l	UEPFR	USAC2		7.85	1.86								
-+-	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		-	ULPFK	USAUZ	-	68.1	1.80								<del>                                     </del>
	Combination - Conversion - Switch-With-Change		l	UEPFR	USACC		7.85	1.86								
-+	Unbundled Miscellaneous Rate Element, Tag Designed Loop at		<u> </u>	J2. 1 K	30,100		, .05	1.00								<del>                                     </del>
	End User Premise		1	UEPFR	URETN		11.19	1.10								
2-WIR	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ORT (		1			0	1					l	l	î e
	ort/Loop Combination Rates		Г,													1
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1					26.53										
				1		31.92										1
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 oop Rates					48.04										

JNRONDF.	ED NETWORK ELEMENTS - Georgia												Attachment:	2 Exh. A		
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-		Incremental Charge - Manual Svc Order vs. Electronic-	Increment Charge - Manual S Order vs Electronic
													1st	Add'l	Disc 1st	Disc Add'
						Rec	Nonrec		Nonrecurring					Rates(\$)		
$\longrightarrow$							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL2) - Zone 2			UEPFB	UECF2	16.95										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	33.08										
2-Wir	re Voice Grade Line Port (Bus)			LIEDED	LIEBBI	0.00	400.05	10.00	44.00							
	2-Wire voice unbundled port without Caller ID - bus		<u> </u>	UEPFB	UEPBL	2.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundled port with Caller + E484 ID - bus		-	UEPFB	UEPBC	2.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundled port outgoing only - bus		-	UEPFB	UEPBO	2.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundled incoming only port with Caller ID - Bus		-	UEPFB	UEPB1	2.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundled Georgia basic dialing port, without Caller ID capability - bus			UEPFB	UEPWD	2.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundled Georgia basic dialing port for use with															
	Caller ID - bus	<b>.</b>	<b>—</b>	UEPFB	UEPWP	2.09	166.05	43.66	41.89	15.44						
INTE	ROFFICE TRANSPORT	<b>.</b>	<u> </u>	-	+						ļ			<b> </b>	<b> </b>	ļ
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFB	U1TV2	12.87	48.46	19.48	16.58	5.00						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	l			1											
	or Fraction Mile			UEPFB	1L5XX	0.0057	0.00	0.00								
FEAT	TURES															
	All Features Offered			UEPFB	UEPVF	0.775	0.00	0.00								
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFB	USAC2		7.85	1.86								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change			UEPFB	USACC		7.85	1.86								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
	End User Premise			UEPFB	URETN		11.19	1.10								
2-WIF	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (	PBX)												
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1					26.53										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2					31.92										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3					48.04										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	11.57										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	16.95										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	33.08										
2-Wir	re Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	<u> </u>	L	UEPFP	UEPPC	2.09	166.05	43.66	41.89	15.44	<u></u>			<u> </u>	<u>                                      </u>	
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	2.09	166.05	43.66	41.89	15.44						
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	2.09	166.05	43.66	41.89	15.44						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	2.09	166.05	43.66	41.89	15.44						
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	2.09	166.05	43.66	41.89	15.44						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	2.09	166.05	43.66	41.89	15.44						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	2.09	166.05	43.66	41.89	15.44						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	2.09	166.05	43.66	41.89	15.44						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	2.09	166.05	43.66	41.89	15.44						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
_				UEPFP	UEPXL	2.09	166.05	43.66	41.89	15.44						
	Administrative Calling Port										1					
	Administrative Calling Port  2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPXM	2.09	166.05	43.66	41.89	15.44						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port     2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port     2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPFP	UEPXO	2.09	166.05	43.66	41.89	15.44						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port     2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port     2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port     2-Wire voice unbundled Georgia basic dialing port - 1-Way			UEPFP UEPFP	UEPXO UEPXS	2.09 2.09	166.05 166.05	43.66 43.66	41.89 41.89	15.44 15.44						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port     2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port     2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXO	2.09	166.05	43.66	41.89	15.44						

JNBUNDLED N	IETWORK ELEMENTS - Georgia													Attachment:	2 Exh. A		
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS		USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
							_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	1	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Inte	eroffice Transport - Dedicated - 2 Wire Voice Grade - Facility																
Ter	rmination			UEPFP	ι	J1TV2	12.87	48.46	19.48	16.58	5.00						
	eroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile																
	Fraction Mile			UEPFP	1	IL5XX	0.0057	0.00	0.00								
FEATURES																	
	Features Offered			UEPFP	Ų	JEPVF	0.775	0.00	0.00								
	RRING CHARGES (NRCs) - CURRENTLY COMBINED  Wire Loop / Dedicated IO Transport / 2 Wire Line Port		<u> </u>		-												
	mbination - Conversion - Switch-as-is			UEPFP		JSAC2		7.85	1.86								
	Wire Loop / Dedicated IO Transport / 2 Wire Line Port			OLFIF		JOAGZ		7.00	1.00								
	mbination - Conversion - Switch with change			UEPFP	ı	JSACC		7.85	1.86								
	bundled Miscellaneous Rate Element, Tag Designed Loop at			OLITI	ì	30/100		7.00	1.00								
	d User Premise			UEPFP	ι	JRETN		11.19	1.10								
	DICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT			- 1												
UNE Port/l	Loop Combination Rates																
2-V	Vire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1						18.05										
	Vire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2						23.44										
	Vire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3						39.56										
UNE Loop																	
	Vire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		JECD1	11.57										
	Vire Analog Voice Grade Loop - (SL2) - UNE Zone 2			UEPPX		JECD1	16.95										
	Vire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		JECD1	33.08										
UNE Port F	change Ports - 2-Wire DID Port			UEPPX		JEPD1	6.48	174.55	13.64	59.31	4.27		-				
	RRING CHARGES - CURRENTLY COMBINED		<u> </u>	UEPPX		JEPUT	6.48	174.55	13.64	59.31	4.27						
	Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -		1														
	vitch-as-is			UEPPX	1	JSAC1		6.66	1.86								
	Vire Voice Grade Loop / 2-Wire DID Trunk Port Conversion			OLITA	ì	30/101		0.00	1.00								
	h BellSouth Allowable Changes			UEPPX	ι	JSA1C		6.66	1.86								
ADDITION	AL NRCs																
Un	bundled Miscellaneous Rate Element, Tag Designed Loop at				i												
	d User Premise			UEPPX	ι	JRETN		11.19	1.10								
	Number/Trunk Group Establisment Charges																
	O Trunk Termination (One Per Port)			UEPPX	١	VDT	0.00	0.00	0.00								
	O Numbers, Establish Trunk Group and Provide First Group																
	20 DID Numbers			UEPPX		NDZ	0.00	0.00	0.00								
	ditional DID Numbers for each Group of 20 DID Numbers  D Numbers, Non- consecutive DID Numbers, Per Number			UEPPX UEPPX		ND4 ND5	0.00	0.00	0.00				-				
	serve Non-Consecutive DID numbers , Per Number		<u> </u>	UEPPX		ND6	0.00	0.00	0.00								
	serve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
	DN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDE	PORT			VDV	0.00	0.00	0.00								
	Loop Combination Rates	TE OID!	O.(.														
	/ ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -															1	t e
	IE Zone 1						20.44										
	/ ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -														İ		
	IE Zone 2		L	<u> </u>			25.45					<u></u>					
2W	/ ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	IE Zone 3						39.09										
UNE Loop																	
2-V	Vire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UE	PPR (	JSL2X	14.25										
	Miss ICDN Digital Conda Lang. LINE 7:000		_	HEDDE		ICI OV	40.00					1					
	Wire ISDN Digital Grade Loop - UNE Zone 2		2			JSL2X	19.26									-	
UNE Port F	Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB UE	PPR (	JSL2X	32.90									-	-
	change Port - 2-Wire ISDN Line Side Port		-	UEPPR		JEPPR	6.19	161.36	141.68	43.68	8.37	-			-		-
	change Port - 2-Wire ISDN Line Side Port		<b>!</b>	UEPPB		JEPPR JEPPB	6.19	161.36	141.68	43.68	8.37				l	<del> </del>	<del>                                     </del>
	RRING CHARGES - CURRENTLY COMBINED		<del>                                     </del>	OLI I D		J I D	0.19	101.30	141.00	+5.00	0.37						<u> </u>
	Vire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port		<b>†</b>		- 1											İ	
	mbination - Conversion	l	1	UEPPB UEI	PPR I	JSACB	0.00	42.52	26.99			1			1	1	

UNBU	NDLE	D NETWORK ELEMENTS - Georgia													Attachment:	2 Exh. A		
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	E	scs	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
								Rec	Nonrec		Nonrecurring					Rates(\$)		
								Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ADDITI	ONAL NRCs																
		2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy																
		Non Feature/Add Trunk			UEPPB	UEPPR	USASB		0.00									
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPPB	UEPPR	URETN		11.19	1.10								
-		Unbundled Miscellaneous Rate Element, Tag Loop at End User		-	UEPPB	UEPPR	UKETN		11.19	1.10			<b> </b>				-	-
		Premise			UEPPB	UEPPR	URETL		8.33	0.83								
-		NNEL USER PROFILE ACCESS:		1	OLITB	OLITIK	OKETE		0.55	0.03			1					
	2 01.01	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
		CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00			†				t	
		CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
	B-CHAI	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SO	C,MS, 8	(NT														
	USER 1	TERMINAL PROFILE																
		User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
		CAL FEATURES																
		All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.775	0.00	0.00								
	INTER	OFFICE CHANNEL MILEAGE																
		Interoffice Channel mileage each, including first mile and																
		facilities termination				UEPPR	M1GNC	12.8757	48.46	19.48	16.58	5.00						
		Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.0057	0.00	0.00								
		CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES		1	<u> </u>								-			-		
		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo	,				+						<b> </b>					
		ort/Loop Combination Rates (Non-Design)					+						<b> </b>					
	ONLI	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -														1		
		Non-Design						11.46										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -						11.40										
		Non-Design						16.76										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -																
		Non-Design						33.56										
	UNE Po	ort/Loop Combination Rates (Design)																
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -																
		Design						13.47										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -																
		Design						18.85										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -																
		Design						34.98										
	UNE Lo	pop Rate		L.	LIEDO.		115001	0.50										
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91		UECS1	9.56					ļ			<b>.</b>	<del>                                     </del>	-
		2-Wire Voice Grade Loop (SL 1) - Zone 2		3	UEP91 UEP91		UECS1 UECS1	14.86 31.66					1				<del>                                     </del>	<del>                                     </del>
		2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91		UECS1	11.57					}			<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
-		2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91		UECS2	16.95					1			<del> </del>	t	$\vdash$
-		2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91		UECS2	33.08					1			<del> </del>	t	$\vdash$
	UNE Po			<u> </u>	02.01		02002	55.00									<b>-</b>	
		tes (Except North Carolina and Sout Carolina)		<b>†</b>													<u> </u>	
		2-Wire Voice Grade Port (Centrex ) Basic Local Area		t —	UEP91		UEPYA	1.9019	10.05	7.36	1.37	1.28				İ	1	
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local											İ			1		
	<u></u>	Area		L	UEP91		UEPYB	1.9019	10.05	7.36	1.37	1.28	<u></u>			<u> </u>	<u> </u>	<u> </u>
		2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic																
		Local Area		<u> </u>	UEP91		UEPYH	1.9019	10.05	7.36	1.37	1.28						
T		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			1												_	
		Note 2, 3 Basic Local Area		<u> </u>	UEP91		UEPYM	1.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			l		1										I	1
		Term - Basic Local Area		<u> </u>	UEP91		UEPYZ	1.9019	82.27	26.96	20.29	9.15					ļ	<b>└</b>
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			LIEDO4		LIEDVO	4.0010	40.0-	7.00		4.00					I	1
		- Basic Local Area  2-Wire Voice Grade Port Terminated on 800 Service Term -		<u> </u>	UEP91		UEPY9	1.9019	10.05	7.36	1.37	1.28	ļ			<b>.</b>	<del>                                     </del>	-
							1											1

NBUNDLED NETWORK ELEMENTS - Georgia												Attachment:	2 Exh. A		
TEGORY RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -	Increment Charge Manual S Order vs Electroni
												1st	Add'l	Disc 1st	Disc Add
					Rec	Nonrec		Nonrecurring					Rates(\$)		•
					IXEC	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Georgia and Florida Only															
2-Wire Voice Grade Port (Centrex )			UEP91	UEPHA	1.9019	10.05	7.36	1.37	1.28						
2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPHB	1.9019	10.05	7.36	1.37	1.28						
2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPHH	1.9019	10.05	7.36	1.37	1.28						
2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3			UEP91	UEPHM	1.9019	82.27	26.96	20.29	9.15						
2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - Service Term	800		UEP91	UEPHZ	1.9019	82.27	26.96	20.29	9.15						
2-Wire Voice Grade Port terminated in on Megalink or ed	quivalent		UEP91	UEPH9	1.9019	10.05	7.36	1.37	1.28						
2-Wire Voice Grade Port Terminated on 800 Service Terminated On 800 Service Terminated On 800 Se	m		UEP91	UEPH2	1.9019	10.05	7.36	1.37	1.28						
Local Switching															
Centrex Intercom Funtionality, per port			UEP91	URECS	0.4237										
Features			ļ												
All Standard Features Offered, per port			UEP91	UEPVF	0.775										
All Select Features Offered, per port			UEP91	UEPVS	0.00	0.00									
All Centrex Control Features Offered, per port			UEP91	UEPVC	0.00										ļ
NARS			LIEDO	111001	0.00										ļ
Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00						ļ
Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00						
Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						ļ
Miscellaneous Terminations															ļ
2-Wire Trunk Side Trunk Side Terminations, each		1	UEP91	CENA6	5.50	122.26	18.65	54.82	3.45				-		
Interoffice Channel Mileage - 2-Wire			UEF91	CENAO	5.50	122.20	10.00	54.02	3.43						
Interoffice Channel Wileage - 2-Wire  Interoffice Channel Facilities Termination - Voice Grade		-	UEP91	M1GBC	12.87	48.46	19.48	16.58	5.00					-	<b> </b>
Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.0057	40.40	19.40	10.30	3.00				1		
Feature Activations (DS0) Centrex Loops on Channelized DS	S1 Service	1	OLI OI	WITODIVI	0.0007										
D4 Channel Bank Feature Activations	1	1													
Feature Activation on D-4 Channel Bank Centrex Loop S	Slot		UEP91	1PQWS	0.4689										
Feature Activation on D-4 Channel Bank FX line Side Lo	op Slot		UEP91	1PQW6	0.4689										
Feature Activation on D-4 Channel Bank FX Trunk Side	Loop														
Slot			UEP91	1PQW7	0.4689										
Feature Activation on D-4 Channel Bank Centrex Loop S	Slot -														
Different Wire Center			UEP91	1PQWP	0.4689										
				1										_	
Feature Activation on D-4 Channel Bank Private Line Lo		<u> </u>	UEP91	1PQWV	0.4689								ļ		
Feature Activation on D-4 Channel Bank Tjie Line/Trunk	Loop									1				I	
Slot		<u> </u>	UEP91	1PQWQ	0.4689								ļ	-	-
Feature Activation on D-4 Channel Bank WATS Loop Signature Changes (NBC) Associated with LINE B. Control		<del>                                     </del>	UEP91	1PQWA	0.4689								-	<del>                                     </del>	1
Non-Recurring Charges (NRC) Associated with UNE-P Centr Conversion - Currently Combined Switch-As-Is with allow		<del>                                     </del>	-	+						-				<del>                                     </del>	1
	weu		UEP91	USAC2		0.10	0.10							1	
changes, per port  New Centrex Standard Common Block		<del>                                     </del>	UEP91	M1ACS	0.00	317.90	37.59	48.99	5.92	-				<del>                                     </del>	<del>                                     </del>
New Centrex Standard Common Block  New Centrex Customized Common Block		<del>                                     </del>	UEP91 UEP91	M1ACS M1ACC	0.00	317.90	37.59	48.99 48.99	5.92	<b> </b>			<del>                                     </del>	<del>                                     </del>	1
Secondary Block, per Block		<del>                                     </del>	UEP91	M2CC1	0.00	77.10	37.39	40.33	5.92				<del> </del>	t	1
NAR Establishment Charge, Per Occasion		$\vdash$	UEP91	URECA	0.00	0.00				<b> </b>				<b>+</b>	<b>-</b>
Additional Non-Recurring Charges (NRC)		<del>                                     </del>		5.1.20/1	0.00	0.00				<b> </b>				<b>I</b>	t
Unbundled Miscellaneous Rate Element, Tag Loop at E	nd Use	t	<u> </u>										<b>i</b>	t	1
Premise	300		UEP91	URETL		8.33	0.83							1	
Unbundled Miscellaneous Rate Element, Tag Design Lo	op at	t —	1			0.00	3.50						İ	1	
End Use Premise			UEP91	URETN		11.19	1.10			1				I	
UNE-P CENTREX - 5ESS (Valid in All States)		t —	· ·										İ	1	
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo		i –											İ	1	1
UNE Port/Loop Combination Rates (Non-Design)															
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port	Combo -														
Non-Design					11.46					l			1		

NBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2 Exh. A		
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
			-			Rec	Nonrec		Nonrecurring		001150	0011411		Rates(\$)	001441	001111
	0.117 1/01 /0.117 1/1 0.1 0.1 0.1 0.1 0.1		-		_		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					40.70										
	Non-Design		-		_	16.76										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					33.56										
LINE	Non-Design		-		+	33.30										
UNEP	ort/Loop Combination Rates (Design)		-		+											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design					13.47										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				+	13.47								1		1
	Design					18.85										
-	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1		+	10.00										1
	Design					34.98										
UNFI	oop Rate		1		+	34.30										1
OIVE E	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	9.56										1
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	14.86								1		
_	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	31.66								1		
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	11.57										
-	2-Wire Voice Grade Loop (SL 2) - Zone 1		2	UEP95	UECS2	16.95										
-	2-Wire Voice Grade Loop (SL 2) - Zone 2		3	UEP95	UECS2	33.08										
LINE P	ort Rate		Ľ	021 00	OLOGE	00.00										
All Sta			1		+											
All Ota	2-Wire Voice Grade Port (Centrex ) Basic Local Area		1	UEP95	UEPYA	1.9019	10.05	7.36	1.37	1.28						<b>-</b>
_	2-Wire Voice Grade Port (Centrex 800 termination)		1	UEP95	UEPYB	1.9019	10.05	7.36	1.37	1.28						<b>†</b>
_	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local		1	021 00	OLI ID	1.0010	10.00	7.00	1.07	1.20						<b>†</b>
	Area			UEP95	UEPYH	1.9019	10.05	7.36	1.37	1.28						
-	2-Wire Voice Grade Port (Centrex from diff Serving Wire		1	OL1 30	OLI III	1.0010	10.00	7.00	1.07	1.20						<b>-</b>
	Center)2,3 Basic Local Area			UEP95	UEPYM	1.9019	82.27	26.96	20.29	9.15						
-	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800		1	OLI 95	OLI TIVI	1.3013	02.21	20.30	20.23	3.13						1
	Service Term - Basic Local Area			UEP95	UEPYZ	1.9019	82.27	26.96	20.29	9.15						
+	2-Wire Voice Grade Port terminated in on Megalink or equivalent		1	02.00	022	1.0010	02.27	20.00	20.20	0.10						<b>†</b>
	- Basic Local Area			UEP95	UEPY9	1.9019	10.05	7.36	1.37	1.28						
_	2-Wire Voice Grade Port Terminated on 800 Service Term -			OL1 00	OLI 10	1.0010	10.00	7.00	1.07	1.20						1
	Basic Local Area			UEP95	UEPY2	1.9019	10.05	7.36	1.37	1.28						
FL & 0	A Only			02. 00	022	1.0010	10.00	7.00	1.07	1.20					İ	
	2-Wire Voice Grade Port (Centrex )			UEP95	UEPHA	1.9019	10.05	7.36	1.37	1.28						1
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPHB	1.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPHH	1.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3			UEP95	UEPHM	1.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term 2,3			UEP95	UEPHZ	1.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPH9	1.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPH2	1.9019	10.05	7.36	1.37	1.28						
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.4237										
Featur	es															
	All Standard Features Offered, per port			UEP95	UEPVF	0.775										
	All Select Features Offered, per port			UEP95	UEPVS	0.00	0.00									
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00										
NARS																
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						
	laneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP95	CEND6	5.50	122.26	18.65	54.82	3.45						
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP95	M1HD1	41.20	200.96	93.00	65.81	2.33						
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	13.95									

	D NETWORK ELEMENTS - Georgia												Attachment:	2 EXN. A		
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Increments Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates(\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Interof	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP95	M1GBC	12.87	48.46	19.48	16.58	5.00						ĺ
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.0057										Ī
Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Service	е												Î		Ī
D4 Cha	annel Bank Feature Activations															Ī
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.4689										Ī
																Ī
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.4689										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP95	1PQW7	0.4689										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP95	1PQWP	0.4689										
																1
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.4689										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop		İ								ĺ					
	Slot			UEP95	1PQWQ	0.4689										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.4689										<b>†</b>
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															<b>†</b>
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP95	USAC2		0.10	0.10								
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	317.90	37.59	48.99	5.92						<del></del>
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	317.90	37.59	48.99	5.92						<del></del>
+	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	0.00	37.33	40.33	5.32						<del>                                     </del>
Δdditi	onal Non-Recurring Charges (NRC)			OL1 33	OKLOA	0.00	0.00								1	
Addition	Unbundled Miscellaneous Rate Element, Tag Loop at End Use				_										1	
	Premise			UEP95	URETL		8.33	0.83								
+	Unbundled Miscellaneous Rate Element, Tag Design Loop at			ULF 93	UKLIL		0.33	0.03							1	
	End Use Premise			UEP95	URETN		11.19	1.10								
IINE D	CENTREX - DMS100 (Valid in All States)		-	ULF 93	UKLTN		11.19	1.10			-	-		-	ļ	<b>├</b>
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo		-								-	-		-	ļ	
	ort/Loop Combination Rates (Non-Design)		-								-	-		-	ļ	
UNEF	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		-								-	-		-	ļ	
	Non-Design					11.46										
$-\!\!\!\!\!+\!\!\!\!\!-$	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-			11.40										<del></del>
	Non-Design					40.70										
-						16.76										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					22.50										
	Non-Design		-			33.56										-
UNE P	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -					40.47										
	Design		-			13.47										-
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					40.05										
	Design Control of the					18.85										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design					34.98										4
UNE L	oop Rate		<u> </u>	LIEBAR	115001										ļ	
-	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	9.56								<b>.</b>	1	<b>↓</b>
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	14.86								<b>.</b>	1	<b>↓</b>
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	31.66									ļ	<del></del>
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	11.57									ļ	
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	16.95									ļ	
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	33.08									ļ	
	ort Rate				+									<b>.</b>	1	<b>├</b>
ALL S				LIEDOD	LIEDYCA	,									ļ	<b>↓</b>
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9D	UEPYA	1.9019	10.05	7.36	1.37	1.28	ļ					<u> </u>
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local					,										
	1.															
	Area  2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local			UEP9D	UEPYB	1.9019	10.05	7.36	1.37	1.28						<b>├</b>

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonre		Nonrecurring			_		Rates(\$)		
	O Wire Vaice Crade Dest (Contract / EDC ME000) 2Desir Level						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.9019	10.05	7.36	1.37	1.28						ĺ
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local			OLI 3D	OLI 1D	1.5015	10.03	7.50	1.57	1.20						
	Area			UEP9D	UEPYE	1.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local						40.05									ĺ
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local			UEP9D	UEPYF	1.9019	10.05	7.36	1.37	1.28						<u> </u>
	Area			UEP9D	UEPYG	1.9019	10.05	7.36	1.37	1.28						ĺ
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local															
	Area			UEP9D	UEPYT	1.9019	10.05	7.36	1.37	1.28						<b>—</b>
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	1.9019	10.05	7.36	1.37	1.28						ĺ
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			OLI 3D	OLI 10	1.5015	10.03	7.50	1.57	1.20						
	Area			UEP9D	UEPYV	1.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			LIEDOD	UEPY3	4 0040	40.05	7.00	4.07	1.00						ĺ
	Area  2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			UEP9D	UEPY3	1.9019	10.05	7.36	1.37	1.28						
	Area			UEP9D	UEPYH	1.9019	10.05	7.36	1.37	1.28						ĺ
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication))4 Basic Local Area			UEP9D	UEPYW	1.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 Basic Local Area			UEP9D	UEPYJ	1.9019	10.05	7.36	1.37	1.28						ĺ
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			OLI 3D	OLI 13	1.5015	10.03	7.50	1.57	1.20						
	2,3-Basic Local Area			UEP9D	UEPYM	1.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4															ĺ
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPYO	1.9019	82.27	26.96	20.29	9.15						
	Basic Local Area			UEP9D	UEPYP	1.9019	82.27	26.96	20.29	9.15						ĺ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4															
	Basic Local Area			UEP9D	UEPYQ	1.9019	82.27	26.96	20.29	9.15						<b>—</b>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area			UEP9D	UEPYR	1.9019	82.27	26.96	20.29	9.15						1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			OLI OB	OLI III	1.0010	02.27	20.00	20.20	3.10						
	Basic Local Area			UEP9D	UEPYS	1.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			LIEDOD	UEPY4	4 0040	00.07	00.00		0.45						ĺ
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPY4	1.9019	82.27	26.96	20.29	9.15						
	Basic Local Area			UEP9D	UEPY5	1.9019	82.27	26.96	20.29	9.15						ĺ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4															
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPY6	1.9019	82.27	26.96	20.29	9.15	-					<del>                                     </del>
	Basic Local Area			UEP9D	UEPY7	1.9019	82.27	26.96	20.29	9.15						İ
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service										İ					
	Term 2,3			UEP9D	UEPYZ	1.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1.9019	10.05	7.36	1.37	1.28						ĺ
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic			OLFAD	UEP 19	1.9019	10.05	7.36	1.3/	1.28	<b>†</b>					<del></del>
	Local Area	L		UEP9D	UEPY2	1.9019	10.05	7.36	1.37	1.28						<u>i</u>
FL & G	A Only															
<del>                                     </del>	2-Wire Voice Grade Port (Centrex)		-	UEP9D	UEPHA UEPHB	1.9019	10.05	7.36	1.37	1.28						<del></del>
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D UEP9D	UEPHB	1.9019 1.9019	10.05 10.05	7.36 7.36	1.37 1.37	1.28 1.28						
<del>-  </del>	2-Wire Voice Grade Port (Centrex / EBS-PSL1)4  2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPHD	1.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPHE	1.9019	10.05	7.36	1.37							
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPHF	1.9019	10.05	7.36	1.37							
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPHG	1.9019	10.05	7.36	1.37							
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPHT	1.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPHU	1.9019	10.05	7.36	1.37							
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPHV	1.9019	10.05	7.36	1.37	1.28						1

NBUNDLF	D NETWORK ELEMENTS - Georgia												Attachment:	2 Exh. A		
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			II .	Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
			<u> </u>				Nonrec	urring	Nonrecurring	n Disconnect			oss	Rates(\$)		
+						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4		1	UEP9D	UEPH3	1.9019	10.05	7.36	1.37	1.28	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPA
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPHH	1.9019	10.05	7.36	1.37	1.28	İ					
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication)4			UEP9D	UEPHW	1.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPHJ	1.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2,3			UEP9D	UEPHM	1.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPHO	1.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPHP	1.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPHQ	1.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPHR	1.9019	82.27	26.96	20.29	9.15						
_	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3,4			UEP9D	UEPHS	1.9019	82.27	26.96	20.29	9.15						
	, , ,															
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPH4	1.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPH5	1.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPH6	1.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPH7	1.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3			UEP9D	UEPHZ	1.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPH9	1.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPH2	1.9019	10.05	7.36	1.37	1.28						
Local S	Switching															
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.4237										
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	0.00									
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00										
NARS				LIEBAR												
	Unbundled Network Access Register - Combination Unbundled Network Access Register - Inward		<u> </u>	UEP9D UEP9D	UARCX UAR1X	0.00	0.00	0.00	0.00	0.00	ļ					
_	Unbundled Network Access Register - Inward Unbundled Network Access Register - Outdial		<del>                                     </del>	UEP9D UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
Miscell	Ianeous Terminations		t	OL1 3D	JANUA	0.00	0.00	0.00	0.00	0.00	1					
	Trunk Side		<u> </u>													
	Trunk Side Terminations, each		1	UEP9D	CEND6	5.50	122.26	18.65	54.82	3.45						
	Digital (1.544 Megabits)		i i	-	-	2.20			1	50	Ì					
	DS1 Circuit Terminations, each			UEP9D	M1HD1	41.20	200.96	93.00	65.81	2.33						
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	13.95									
Interof	fice Channel Mileage - 2-Wire												_			
	Interoffice Channel Facilities Termination			UEP9D	M1GBC	12.87	48.46	19.48	16.58	5.00						
	Interoffice Channel mileage, per mile or fraction of mile		<u> </u>	UEP9D	M1GBM	0.0057										
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	е	<u> </u>		ļ											
	annel Bank Feature Activations		<u> </u>	LIEDOD	400/4/0	0.4000			-	-	ļ	<b> </b>				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.4689					1					
_	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP9D	1PQW6	0.4689										
	Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot -		ļ	UEP9D	1PQW7	0.4689					1					
	Different Wire Center			UEP9D	1PQWP	0.4689										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.4689										

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment:	2 Exh. A		
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
	_	Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					1	Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															1
	Slot			UEP9D	1PQWQ	0.4689										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.4689										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															i .
	NRC Conversion Currently Combined Switch-As-Is with allowed															1
	changes, per port			UEP9D	USAC2		0.10	0.10								
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	317.90	37.59	48.99	5.92						
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	317.90	37.59	48.99	5.92						
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	0.00									1
Additi	onal Non-Recurring Charges (NRC)															i .
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9D	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP9D	URETN		11.19	1.10								1
Additi	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9E	URETL											
	Unbundled Miscellaneous Rate Element, Tag Design Loop at		1								t					
	End Use Premise			UEP9E	URETN											i l
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD			•	•								•			
Note 2	- Requres Interoffice Channel Mileage															
Note 3	- Installation is combination of Installation charge for SL2 Lo	op and	Port							•						
Note 4	- Requires Specific Customer Premises Equipment	•		·		·										

Note: Rates displaying an "I" in Interim column are interim as a result of a Commission order.

UNBUN	IDLE	NETWORK ELEMENTS - South Carolina												Attachment:	2 Exh. A		<u> </u>
CATEGO	DRY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Increment Charge - Manual Sv Order vs. Electronic
								Name		Namaaaaa	. Dianamant			1st	Add'l	Disc 1st	Disc Add
				1			Rec	Nonred First	Add'l	First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates(\$) SOMAN	SOMAN	SOMAN
					L	L						L					
		one" shown in the sections for stand-alone loops or loops as ww.interconnection.bellsouth.com/become a clec/html/inter				eographically	/ Deaveraged Ul	NE Zones. To	view Geograp	hically Deaver	aged UNE Zone	e Designation	ons by Centi	al Office, refe	er to internet	Website:	
		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	Connec	1	III	1					I				1	1	
		(1) CLEC should contact its contract negotiator if it prefers th	e "state	e speci	fic" OSS charges as	ordered by t	he State Comm	issions. The	OSS charges c	urrently contai	ned in this rate	e exhibit are	the BellSo	uth "regional	" service orde	ring charges.	. CLEC ma
		ther the state specific Commission ordered rates for the servi	ice orde	ering cl	harges, or CLEC may	elect the re	gional service o	ordering charg	e, however, Cl	EC can not ol	otain a mixture	of the two	regardless if	CLEC has a	interconnect	on contract e	established
		the 9 states.															
		(2) Any element that can be ordered electronically will be bill															
		nnot be ordered electronically at present per the LOH, the list I, will be applied to a CLECs bill when it submits an LSR to B			e in this category re	flects the ch	arge that would	be billed to a	CLEC once el	ectronic orderi	ng capabilities	come on-li	ne for that e	element. Othe	erwise, the m	anual ordering	g charge,
-		OSS - Electronic Service Order Charge, Per Local Service	elisoui	in.	1		1				I				1	1	1
		Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
		OSS - Manual Service Order Charge, Per Local Service Request															
		(LSR) - UNE Only				SOMAN		15.69	0.00	1.97	0.00						
		DATE ADVANCEMENT CHARGE				L	l										
	NOIE:	The Expedite charge will be maintained commensurate with	BellSot	ith's FO	UAL, UEANL, UCL,	on 5 as appli	cable.				1	1			1	1	
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL, UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX, ULDO3, ULDS1,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
					U1TUC, U1TUD,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUB, U1TUA,NTCVG,												
		Day			NTCUD, NTCD1	SDASP		200.00	200.00								
ORDER I		ICATION CHARGE		1	ITTOOD, ITTOOT	ODINO		200.00	200.00								
		Order Modification Charge (OMC)			1	1	1	26.21	0.00	0.00	0.00						
		Order Modification Additional Dispatch Charge (OMCAD)						150.00	0.00	0.00	0.00						
UNBUND		XCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP		1	LIFANII	LIEALO	4401	07.00	47.00	00.70	F						ļ
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	-	1	UEANL UEANL	UEAL2 UEAL2	14.94 21.39	37.92 37.92	17.62 17.62	23.56	5.32	-				-	-
		2-vviie Analog voice Grade Loop - Service Level 1- Zone 2	1	2						23.56	5.32	<b></b>					<b>├</b>
				2	ΠΕΔΝΙ	IIIEAI 2	26 72	27 02	17 62	22 22	5 27						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL UEANL	UEAL2 UEASL	26.72 14.94	37.92 37.92	17.62 17.62	23.56 23.56	5.32 5.32						
				_	UEANL UEANL UEANL	UEASL UEASL	26.72 14.94 21.39	37.92 37.92 37.92	17.62 17.62 17.62	23.56 23.56 23.56	5.32 5.32 5.32						

UNBUNDL	ED NETWORK ELEMENTS - South Carolina								·				Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Sv Order vs. Electronic
							N		No	B'			1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring		001450	0011411		Rates(\$)	001141	001111
	Unbundled Miscellaneous Rate Element, Tag Loop at End User		-		-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Premise			UEANL	URETL		8.95	0.88								
	Loop Testing - Basic 1st Half Hour		-	UEANL	URET1		34.23	0.00						1		+
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.90	19.90								+
i	CLEC to CLEC Conversion Charge Without Outside Dispatch														1	†
	(UVL-SL1)			UEANL	UREWO		15.81	8.96								
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															1
	providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.47	13.47								
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.17	8.17								
2-WII	RE Unbundled COPPER LOOP															
$\vdash$	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	12.94	36.40	16.10	22.66	4.42					ļ	<del></del>
$\vdash$	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	14.51	36.40	16.10	22.66	4.42				ļ	-	+
$\vdash$	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	15.02	36.40	16.10	22.66	4.42	<b> </b>			-	<del>                                     </del>	+
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEQ	URETL		8.95	0.88								
	Manual Order Coordination 2 Wire Unbundled Copper Loop -															
$\vdash$	Non-Designed (per loop)			UEQ	USBMC		8.17	8.17								+
	Unbundled Copper Loop, Non-Design Copper Loop, billing for			UEQ	UEQMU		40.47	40.47								
	BST providing make-up (Engineering Information - E.I.) Loop Testing - Basic 1st Half Hour		-	UEQ	URET1		13.47 34.23	13.47 0.00							-	+
	Loop Testing - Basic 1st Hall Hour  Loop Testing - Basic Additional Half Hour		-	UEQ	URETA		19.90	19.90							-	+
	CLEC to CLEC Conversion Charge Without Outside Dispatch		-	ULQ	UKLTA		19.90	19.90						1		+
	(UCL-ND)			UEQ	UREWO		14.30	7.45								
UNBUNDLED	D EXCHANGE ACCESS LOOP			CLQ	OIKEWO		14.00	7.40								+
	RE ANALOG VOICE GRADE LOOP			İ											1	+
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA, NTCVG	UEAL2	16.68	105.98	68.43	53.05	10.61						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		'	UEA, NICVG	UEALZ	10.00	105.96	00.43	55.05	10.61					1	+
	Ground Start Signaling - Zone 2		2	UEA, NTCVG	UEAL2	23.13	105.98	68.43	53.05	10.61						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		<u> </u>	027,111010	027122	20.10	.00.00	00.10	00.00							1
	Ground Start Signaling - Zone 3		3	UEA, NTCVG	UEAL2	28.46	105.98	68.43	53.05	10.61						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			,												1
	Battery Signaling - Zone 1		1	UEA, NTCVG	UEAR2	16.68	105.98	68.43	53.05	10.61						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															1
	Battery Signaling - Zone 2		2	UEA, NTCVG	UEAR2	23.13	105.98	68.43	53.05	10.61						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 3		3	UEA, NTCVG	UEAR2	28.46	105.98	68.43	53.05	10.61						<b>-</b>
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per			LIEA NITOVO	LIDECI		04.00	2.54							1	
$\vdash$	DS0)		-	UEA, NTCVG	URESL		24.88	3.51						<del>                                     </del>	<del>                                     </del>	+
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			UEA. NTCVG	URESP		26.37	4.99			1				I	
<del>                                     </del>	CLEC to CLEC Conversion Charge without outside dispatch			UEA, NTCVG	UREWO		26.37 87.90	36.44						<del> </del>	<del>                                     </del>	+
	Loop Tagging - Service Level 2 (SL2)			UEA, NTCVG	URETL		11.24	1.10			<b> </b>				<b>I</b>	†
4-WII	RE ANALOG VOICE GRADE LOOP				J.,		2 -	0							t	+
	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA, NTCVG	UEAL4	32.59	132.38	94.83	59.35	14.61					1	1
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA, NTCVG	UEAL4	43.89	132.38	94.83	59.35	14.61				<u> </u>		
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA, NTCVG	UEAL4	43.38	132.38	94.83	59.35	14.61						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
	DS0)			UEA, NTCVG	URESL		24.88	3.51								1
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per			L							1				I	
$\vdash$	DS0)			UEA, NTCVG	URESP		26.37	4.99							ļ	ļ
H	CLEC to CLEC Conversion Charge without outside dispatch			UEA, NTCVG	UREWO		87.90	36.44						ļ	-	
2-WII	RE ISDN DIGITAL GRADE LOOP		1	UDN	U1L2X	25.21	117.58	80.03	53.05	10.64	-			-	<del>                                     </del>	+
$\vdash$	2-Wire ISDN Digital Grade Loop - Zone 1 2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X U1L2X	32.76	117.58	80.03	53.05	10.61 10.61	-				<del>                                     </del>	+
$\vdash$	2-Wire ISDN Digital Grade Loop - Zone 2 2-Wire ISDN Digital Grade Loop - Zone 3			UDN	U1L2X U1L2X	32.76	117.58	80.03	53.05	10.61	<b> </b>			<del>                                     </del>	<del>                                     </del>	+
1 1	CLEC to CLEC Conversion Charge without outside dispatch		3	UDN	UREWO	31.10	91.82	44.25	55.05	10.01	<b> </b>			-	<del></del>	+

UNBUNDLE	ED NETWORK ELEMENTS - South Carolina												Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
					+	_	Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UAL	UAL2X	12.19	120.84	70.56	50.37	7.93						
	2 Wire Unbundled ADSL Loop including manual service inquiry		_													
	& facility reservation - Zone 2		2	UAL	UAL2X	13.71	120.84	70.56	50.37	7.93						
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X	14.14	120.84	70.56	50.37	7.93						
	2 Wire Unbundled ADSL Loop without manual service inquiry &		3	UAL	UALZA	14.14	120.04	70.56	50.57	7.93					1	+
	facility reservation - Zone 1		1	UAL	UAL2W	12.19	95.81	57.82	50.37	7.93						
	2 Wire Unbundled ADSL Loop without manual service inquiry &				-	1=1.10									t	<b>—</b>
	facility reservaton - Zone 2		2	UAL	UAL2W	13.71	95.81	57.82	50.37	7.93						
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 3		3	UAL	UAL2W	14.14	95.81	57.82	50.37	7.93						
- 1111	CLEC to CLEC Conversion Charge without outside dispatch	<u> </u>		UAL	UREWO		86.38	40.48								
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	IIBLE	LOOP		1											
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	9.58	129.52	79.24	50.37	7.93						
-	2 Wire Unbundled HDSL Loop including manual service inquiry		-	UNL	UHLZA	9.30	129.52	79.24	50.57	7.93					1	+
	& facility reservation - Zone 2		2	UHL	UHL2X	10.92	129.52	79.24	50.37	7.93						
	2 Wire Unbundled HDSL Loop including manual service inquiry			OTIL	OTILEX	10.02	120.02	70.24	00.07	7.00						+
	& facility reservation - Zone 3		3	UHL	UHL2X	11.40	129.52	79.24	50.37	7.93						
	2 Wire Unbundled HDSL Loop without manual service inquiry															1
	and facility reservation - Zone 1		1	UHL	UHL2W	9.58	104.49	66.50	50.37	7.93						
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL2W	10.92	104.49	66.50	50.37	7.93						
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL2W	11.40	104.49	66.50	50.37	7.93						
4 WID	CLEC to CLEC Conversion Charge without outside dispatch E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIDLE	LOOR	UHL	UREWO		86.32	40.48							-	
4-9918	4 Wire Unbundled HDSL Loop including manual service inquiry	IIIBLE	I		+										-	+
	and facility reservation - Zone 1		1	UHL	UHL4X	16.02	158.18	107.89	55.12	10.38						
	4-Wire Unbundled HDSL Loop including manual service inquiry			0.12	011217	10.02	100.10	101.00	00.12	10.00					1	<b>†</b>
	and facility reservation - Zone 2		2	UHL	UHL4X	14.33	158.18	107.89	55.12	10.38						
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL4X	16.84	158.18	107.89	55.12	10.38						
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4W	16.02	133.14	95.16	55.12	10.38						
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	14.33	133.14	95.16	55.12	10.38						
	4-Wire Unbundled HDSL Loop without manual service inquiry			UNL	UHL4VV	14.33	133.14	95.16	55.12	10.36					-	
	and facility reservation - Zone 3		3	UHL	UHL4W	16.84	133.14	95.16	55.12	10.38						
	CLEC to CLEC Conversion Charge without outside dispatch		l u	UHL	UREWO	10.04	86.32	40.48	00.12	10.00						
4-WIR	RE DS1 DIGITAL LOOP			01.12	0112110		00.02	10.10							t	<b>—</b>
ĺ	4-Wire DS1 Digital Loop - Zone 1		1	USL, NTCD1	USLXX	79.51	253.03	157.89	44.80	11.73						1
	4-Wire DS1 Digital Loop - Zone 2		2	USL, NTCD1	USLXX	136.00	253.03	157.89	44.80	11.73						
	4-Wire DS1 Digital Loop - Zone 3		3	USL, NTCD1	USLXX	229.15	253.03	157.89	44.80	11.73						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per															
	DS1)			USL, NTCD1	URESL		24.88	3.51								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS1)			USL. NTCD1	URESP		26.37	4.99								
-	CLEC to CLEC Conversion Charge without outside dispatch	<b>-</b>	<del>                                     </del>	USL, NTCDT	UREWO		101.30	4.99						1	<del>                                     </del>	+
4-WIR	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	<b>-</b>	<del>                                     </del>	UUL	ONLVVO		101.30	45.15							<b>+</b>	+
7 *****	4 Wire Unbundled Digital 19.2 Kbps		1	UDL, NTCUD	UDL19	29.93	126.66	89.12	59.35	14.61				1	1	<b>†</b>
	4 Wire Unbundled Digital 19.2 Kbps			UDL, NTCUD	UDL19	33.99	126.66	89.12	59.35	14.61				İ	1	1
	4 Wire Unbundled Digital 19.2 Kbps			UDL, NTCUD	UDL19	34.74	126.66	89.12	59.35	14.61				<u> </u>		
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL, NTCUD	UDL56	29.93	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL, NTCUD	UDL56	33.99	126.66	89.12	59.35	14.61				ļ		
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3 4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL, NTCUD	UDL56	34.74 29.93	126.66	89.12	59.35	14.61					-	
			1 1	UDL, NTCUD	UDL64	29 93	126.66	89.12	59.35	14.61						1

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec First	urring Add'l	Nonrecurring First		001150	0011411		Rates(\$) SOMAN	001441	SOMAN
-	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		2	UDL, NTCUD	UDL64	34.74	126.66	89.12	59.35	Add'I 14.61	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per		3	ODE, NICOD	ODL04	34.74	120.00	09.12	39.33	14.01						+
	DS0)			UDL, NTCUD	URESL		24.88	3.51								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per				1											
	DS0)			UDL, NTCUD	URESP		26.37	4.99								
- 11/15	CLEC to CLEC Conversion Charge without outside dispatch			UDL, NTCUD	UREWO		102.34	49.85								
2-WIRI	E Unbundled COPPER LOOP				1											
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.19	119.91	69.62	50.37	7.93						
	2-Wire Unbundled Copper Loop-Designed including manual		<u>'</u>	OCL	OCLI D	12.13	110.01	03.02	30.37	1.55						<del>                                     </del>
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	13.71	119.91	69.62	50.37	7.93						
	2 Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	14.14	119.91	69.62	50.37	7.93						<u> </u>
	2-Wire Unbundled Copper Loop-Designed without manual		١.			40			<b></b>							
	service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	12.19	94.87	56.89	50.37	7.93						
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	13.71	94.87	56.89	50.37	7.93						
	2-Wire Unbundled Copper Loop-Designed without manual			OCL	OOLI W	13.71	34.07	30.03	30.37	7.55						
	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	14.14	94.87	56.89	50.37	7.93						
	CLEC to CLEC Conversion Charge without outside dispatch				i e											
	(UCL-Des)			UCL	UREWO		94.87	42.57								
4-WIRI	E COPPER LOOP															
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	19.64	144.17	93.88	55.12	10.38						
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	20.90	144.17	93.88	55.12	10.38						
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	19.34	144.17	93.88	55.12	10.38						
	4-Wire Copper Loop-Designed without manual service inquiry		ľ	002	COLTO	10.04	1-1-1.17	50.00	00.12	10.00						<del>                                     </del>
	and facility reservation - Zone 1		1	UCL	UCL4W	19.64	119.13	81.15	55.12	10.38						
	4-Wire Copper Loop-Designed without manual service inquiry								== 10	40.00						
	and facility reservation - Zone 2  4-Wire Copper Loop-Designed without manual service inquiry		2	UCL	UCL4W	20.90	119.13	81.15	55.12	10.38						
	and facility reservation - Zone 3		3	UCL	UCL4W	19.34	119.13	81.15	55.12	10.38						
	CLEC to CLEC Conversion Charge without outside dispatch		ľ	002	OOLTIV	10.04	110.10	01.10	00.12	10.00						<del>                                     </del>
	(UCL-Des)			UCL	UREWO		94.87	42.57								
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
				UEA, UDN, UAL, UHL, UDL, NTCVG, NTCUD, USL,												
	Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	NTCD1, UEANL	OCOSL		18.13									
LOOP MODIFI	CATION			UAL, UHL, UCL,	1											
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop			UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		32.46	32.46								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire			1	J		02.40	02.70								
	less than or equal to 18K ft, per Unbundled Loop		L	UHL, UCL, UEA	ULM4L		32.46	32.46			<u></u>					
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		32.48	32.48								
SUB-LOOPS							020	020								<u> </u>
Sub-L	oop Distribution															
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up			UEANL, UEF	USBSA		241.42	241.42								
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL, UEF	USBSB		22.69	22.69								

UNBUNDLI	ED NETWORK ELEMENTS - South Carolina												Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring					Rates(\$)		
	Cub Lass Des Buildies Fauirment Dass CLFC Fander		-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up			UEANL	USBSC		177.84	177.84								
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel			ULANL	USBSC		177.04	177.04								+
	Set-Up			UEANL	USBSD		55.58	55.58								
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															1
	Zone 1		1	UEANL	USBN2	8.87	65.94	31.03	45.35	6.71						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 2		2	UEANL	USBN2	12.58	65.94	31.03	45.35	6.71						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 3		3	UEANL	USBN2	14.79	65.94	31.03	45.35	6.71						
	Order Coordination for Habrardiad Cab Lance and the Coordination			LIFANI	LICDMC		0.17	0.17								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		-	UEANL	USBMC		8.17	8.17	<del>                                     </del>		<del>                                     </del>				1	+
	Zone 1		1	UEANL	USBN4	14.11	79.21	44.29	49.82	9.09						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		'	ULANL	USBN4	14.11	75.21	44.23	49.02	9.09						<del>                                     </del>
	Zone 2		2	UEANL	USBN4	19.40	79.21	44.29	49.82	9.09						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		_	02/112	002.11	10.10	70.21	11.20	.0.02	0.00	1					+
	Zone 3		3	UEANL	USBN4	18.90	79.21	44.29	49.82	9.09						
			i e													
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2.41	53.13	18.21	45.35	6.71						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	5.36	59.38	24.47	49.82	9.09						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		-	UEANL UEANL	USBMC URET1		8.17 34.23	8.17 0.00	-							+
	Loop Testing - Basic 1st Half Hour  Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.90	19.90			1					
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	7.11	65.94	31.03	45.35	6.71						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X	9.83	65.94	31.03	45.35	6.71						+
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	10.48	65.94	31.03	45.35	6.71	1					+
																1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.17	8.17								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	7.85	79.21	44.29	49.82	9.09						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS4X	14.17	79.21	44.29	49.82	9.09						1
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	12.64	79.21	44.29	49.82	9.09						
				luee .	LIODAGO		0 :-	0 :-								1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Loop Tagging Service Level 1, Unbundled Copper Loop, Non-		-	UEF	USBMC		8.17	8.17			<del>                                     </del>					+
	Designed and Distribution Subloops			UEF. UEANL	URETL		8.95	0.88								
	Loop Testing - Basic 1st Half Hour			UEF	URET1		34.23	0.00								+
	Loop Testing - Basic Additional Half Hour			UEF	URETA		19.90	19.90								<u> </u>
Unbu	ndled Sub-Loop Modification			02.	UNE IX		10.00	10.00			1					+
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load															1
	Coil/Equip Removal per 2-W PR			UEF	ULM2X		176.17	5.11								
	Unbundled Sub-loop Modification - 4-W Copper Dist Load															
	Coil/Equip Removal per 4-W PR		<u> </u>	UEF	ULM4X		176.17	5.11			ļ					
	Unbundled Loop Modification, Removal of Bridge Tap, per			l	1			_								1
	unbundled loop		<u> </u>	UEF	ULMBT		278.82	6.13	ļ		ļ					<b>_</b>
Unbu	ndled Network Terminating Wire (UNTW)		-	LIENITA	LIENDO	0.0000	00.00	20.00	<del>                                     </del>		ļ				1	+
Bla4:	Unbundled Network Terminating Wire (UNTW) per Pair		├	UENTW	UENPP	0.3303	30.20	30.20			<u> </u>				1	+
Netwo	ork Interface Device (NID)  Network Interface Device (NID) - 1-2 lines	<b>-</b>	+	UENTW	UND12		43.68	28.79	<del>                                     </del>		1		-	-	1	+
	Network Interface Device (NID) - 1-2 lines  Network Interface Device (NID) - 1-6 lines	<b>-</b>	<del>                                     </del>	UENTW	UND12 UND16		64.42	49.53	<del>                                     </del>		<b> </b>			<b> </b>	1	+
+	Network Interface Device (NID) - 1-0 lines  Network Interface Device Cross Connect - 2 W	<b>-</b>	<b>t</b>	UENTW	UNDC2		5.92	5.92	<del>                                     </del>						+	+
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		5.92	5.92								
LINE OTHER	PROVISIONING ONLY - NO RATE		t	İ	1			5.52			İ	i		İ	Ì	1

IINBLINDI E	D NETWORK ELEMENTS - South Carolina												Attachment:	2 Evh Δ		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-		Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svo Order vs.
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates(\$)		
						Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UAL, UCL, UDC, UDL, UDN, UEA, UHL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD,												
	Unbundled Contact Name, Provisioning Only - no rate			NTCD1, USL	UNECN	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									ļ
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	CCOEF	0.00	0.00									
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00									<b>-</b>
	UNTW Circuit Establishment, Provisioning Only - No Rate	<b>†</b>	<b>†</b>	UENTW	UENCE	0.00	0.00				<del>                                     </del>					<del>                                     </del>
	TY UNBUNDLED LOCAL LOOP	1				5.55	0.00									1
	minimum billing period of three months for DS3/STS-1 Local	Loop														
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	12.26										
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	306.36	452.52	264.53	119.75	83.77						
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	12.26										
LOOP MAKE-U	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	313.49	452.52	264.53	119.75	83.77						
LOOF WAKE-C	Loop Makeup - Preordering Without Reservation, per working or	1	1													+
	spare facility queried (Manual). Loop Makeup - Preordering With Reservation, per spare facility			UMK	UMKLW		24.04	24.04								
	queried (Manual). Loop MakeupWith or Without Reservation, per working or			UMK	UMKLP		25.49	25.49								
	spare facility queried (Mechanized)			UMK	UMKMQ		0.34	0.34								
LINE SPLITTIN																
END U	SER ORDERING-CENTRAL OFFICE BASED	ļ														
	Line Splitting - per line activation DLEC owned splitter	ļ	-	UEPSR UEPSB	UREOS	0.61	27.00	24.24	20.07	0.05	-					1
	Line Splitting - per line activation BST owned - physical Line Splitting - per line activation BST owned - virtual	-	<u> </u>	UEPSR UEPSB UEPSR UEPSB	UREBP UREBV	0.61 0.61	37.09 37.09	21.24 21.24	20.07 20.07	9.85 9.85	-					
UNRU	IDLED EXCHANGE ACCESS LOOP			UEPSK UEPSB	UKEBV	0.61	37.09	21.24	20.07	9.00						1
	ANALOG VOICE GRADE LOOP															1
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	Zone 1		1	UEPSR UEPSB	UEALS	14.94	37.92	17.62	23.56	5.32						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEABS	14.94	37.92	17.62	23.56	5.32						
	Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2     Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		2	UEPSR UEPSB	UEALS	21.39	37.92	17.62	23.56	5.32						
	Zone 2		2	UEPSR UEPSB	UEABS	21.39	37.92	17.62	23.56	5.32						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEALS	26.72	37.92	17.62	23.56	5.32						
BUVE	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3 CAL COLLOCATION		3	UEPSR UEPSB	UEABS	26.72	37.92	17.62	23.56	5.32						
FHISI	Physical Collocation-2 Wire Cross Connects (Loop) for Line   Splitting			UEPSR UEPSB	PE1LS	0.0341	12.32	11.83	6.04	5.45						
VIRTU	AL COLLOCATION  Virtual Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting DEDICATED TRANSPORT			UEPSR UEPSB	VE1LS	0.0317	12.32	11.83	6.04	5.45						
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0167										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination			U1TVX	U1TV2	24.30	40.63	27.47	16.77	6.91						

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2 Fxh. A		1
ONDONDEL	NETWORK ELEMENTO Godin Garonna											Svc Order	Incremental	Incremental	Incremental	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)			Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Order vs.
													1st	Add'l	Disc 1st	Disc Add'
						Rec	Nonrec		Nonrecurring		001150	0011411		Rates(\$)	0011411	0011411
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade				+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.0167										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat															
	Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -		-	U1TVX	U1TR2	24.30	40.63	27.47	16.77	6.91						<b>†</b>
	Per Mile per month			U1TVX	1L5XX	0.0167										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
	- Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile			U1TVX	U1TV4	21.29	40.63	27.47	16.77	6.91						ļ
	per month			U1TDX	1L5XX	0.0167										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
	Termination			U1TDX	U1TD5	16.76	40.63	27.47	16.77	6.91						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0167										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility		1	OTIBA	TEO/OT	0.0107										+
	Termination			U1TDX	U1TD6	16.76	40.63	27.47	16.77	6.91						
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.3415										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility			OTIDI	ILJAA	0.3413										<del>                                     </del>
	Termination			U1TD1	U1TF1	77.14	89.47	81.99	16.39	14.48						
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			LUTDO	41.500/	0.00										
	month Interoffice Channel - Dedicated Transport - DS3 - Facility		-	U1TD3	1L5XX	8.02										<del>                                     </del>
	Termination per month			U1TD3	U1TF3	880.65	279.37	163.12	60.33	58.59						
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
	month Interoffice Channel - Dedicated Transport - STS-1 - Facility			U1TS1	1L5XX	8.02										-
	Termination			U1TS1	U1TFS	880.55	279.37	163.12	60.33	58.59						
UNBU	NDLED DARK FIBER															
	Dark Fiber, Per Four Fiber Strands, Per Route Mile Or Fraction			UDF, UDFCX	1L5DF	20.44	040.54	420.47	247.70	400.44						
DARK FIBER	Thereof - Interoffice Transport			UDF, UDFCX	1L5DF	36.41	640.51	138.17	317.76	198.11						
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Local Channel			UDF, UDFCX	1L5DC	112.30										ļ
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop			UDF, UDFCX	1L5DL	112.30										
8XX ACCESS	TEN DIGIT SCREENING			ODI, ODI OX	TESDE	112.30										
	8XX Access Ten Digit Screening, Per Call					0.0006673										
	8XX Access Ten Digit Screening, w/ 8XX No. Delivery					0.0006673 0.0006673										ļ
LINE INFORM	8XX Access Ten Digit Screening, w/ POTS No. Delivery ATION DATA BASE ACCESS (LIDB)					0.0006673										+
	LIDB Common Transport Per Query					0.0000246										
	LIDB Validation Per Query			0011	LIBBBY	0.0138158	0.1.10		10.10							
CALLING NAN	LIDB Originating Point Code Establishment or Change IE (CNAM) SERVICE			OQU	NRBPX		34.40		42.18							-
CALLING WAN	CNAM for DB Owners, Per Query		1			0.0010433										+
	CNAM for Non DB Owners, Per Query					0.0010433										
LNP Query Se	rvice LNP Charge Per query	-	₩		1	0.0008837										<del>                                     </del>
	LNP Service Establishment Manual		<u> </u>		+	0.000837	25.09	25.09	23.07	23.07						<del>                                     </del>
	LNP Service Provisioning with Point Code Establishment						594.82	303.88	269.53	198.18						
SELECTIVE R																
	Selective Routing Per Unique Line Class Code Per Request Per Switch						84.89	84.89	14.14	14.14						
AIN SELECTIV	E CARRIER ROUTING															
	Regional Service Establishment						101,324.34	101,324.34	8,609.85	8,609.85						
	End Office Establishment  Query NRC, per query		1		+	0.0035036	175.66	175.66	1.70	1.70						-
AIN - BELLSO	UTH AIN SMS ACCESS SERVICE	<del>                                     </del>	<del>                                     </del>		+	0.0035036					1	1				+

	LED NETWORK ELEMENTS - South Carolina									<del></del>			Attachment:	2 Exh. A		
CATEGORY		Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring		L			Rates(\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AIN SMS Access Service - Service Establishment, Per State,								40.70							
	Initial Setup			A1N	CAMSE		39.53	39.53	40.78	40.78						
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		7.05	7.85	9.11	9.11						
	AIN SMS Access Service - Port Connection - Dial/Shared Access  AIN SMS Access Service - Port Connection - ISDN Access		+	A1N	CAM1P	_	7.85 7.85	7.85	9.11	9.11	-					
	AIN SMS Access Service - Port Connection - ISBN Access AIN SMS Access Service - User Identification Codes - Per User		1	AIN	CAWITE		7.03	7.00	5.11	5.11						
	ID Code			A1N	CAMAU		35.08	35.08	27.12	27.12						
	AIN SMS Access Service - Security Card, Per User ID Code,			,	07 1171 10		00.00	00.00	27.1.2							
	Initial or Replacement			A1N	CAMRC		41.98	41.98	11.74	11.74						
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0027										
	AIN SMS Access Service - Session, Per Minute					0.7121										
	AIN SMS Access Service - Company Performed Session, Per															
	Minute					0.8364										
SIGNALING																
NO	TE: "bk" beside a rate indicates that the Parties have agreed to bi	ll and k	eep for	that element.												
<b>.</b>	CCS7 Signaling Usage, Per TCAP Message					0.0000692bk										
911 PBX LC	CCS7 Signaling Usage, Per ISUP Message		1			0.0000173bk	·——									
	PBX LOCATE DATABASE CAPABILITY		-				·									
911	Service Establishment per CLEC per End User Account		<del> </del>	9PBDC	9PBEU	-	1,813.00				-					
<b>—</b>	Changes to TN Range or Customer Profile		1	9PBDC	9PBEU 9PBTN	1	181.40									
	Per Telephone Number (Monthly)		1	9PBDC	9PBMM	0.07	101.40	·								
	Change Company (Service Provider) ID		1	9PBDC	9PBPC	0.07	532.48									
	PBX Locate Service Support per CLEC (Monthlt)			9PBDC	9PBMR	181.29	002.10									
	Service Order Charge			9PBDC	9PBSC		15.69									
911	PBX LOCATE TRANSPORT COMPONENT	_	_													
	PBX LUCATE TRANSPORT COMPONENT															
See	Att 3															
See ENHANCED	Att 3 DEXTENDED LINK (EELs)															
See ENHANCED NO	Att 3 DEXTENDED LINK (EELs) TE: The monthly recurring and non-recurring charges below will															
See ENHANCED NO	Att 3 EXTENDED LINK (EELs) [E: The monthly recurring and non-recurring charges below will [E: The monthly recurring and the Switch-As-Is Charge and not the Switch-As-Is Charge and Incomplete the Incomplete the Inc	he non	-recurri	ng charges below	will apply for											
See ENHANCED NO	Att 3  EXTENDED LINK (EELs)  TE: The monthly recurring and non-recurring charges below will  TE: The monthly recurring and the Switch-As-Is Charge and not to  ENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	he non	-recurri 1 INTEI	ng charges below ROFFICE TRANSPO	will apply for ORT	UNE combinati	ons provisione	ed as ' Current	ly Combined' N	etwork Eleme						
See ENHANCED NO	Att 3 EXTENDED LINK (EELs) ITE: The monthly recurring and non-recurring charges below will EE: The monthly recurring and the Switch-As-Is Charge and not t TENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT First 2-Wire VG Loop (SL2) in Combination - Zone 1	he non	recurri 1 INTEI 1	ng charges below ROFFICE TRANSPO UNCVX	will apply for ORT UEAL2	UNE combinati	ons provisione 105.98	ed as ' Current 68.43	ly Combined' N 53.05	etwork Eleme						
See ENHANCED NO	Att 3  EXTENDED LINK (EELs) TE: The monthly recurring and non-recurring charges below will TE: The monthly recurring and the Switch-As-Is Charge and not t TENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT First 2-Wire VG Loop (SL2) in Combination - Zone 1 First 2-Wire VG Loop (SL2) in Combination - Zone 2	he non	recurri 1 INTEI 1 2	ng charges below ROFFICE TRANSPO UNCVX UNCVX	will apply for ORT UEAL2 UEAL2	16.68 23.13	0ns provisione 105.98 105.98	68.43 68.43	53.05 53.05	10.61 10.61						
See ENHANCED NO	Att 3  EXTENDED LINK (EELs)  FE: The monthly recurring and non-recurring charges below will  FE: The monthly recurring and the Switch-As-Is Charge and not t  FINTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT  First 2-Wire VG Loop (SL2) in Combination - Zone 1  First 2-Wire VG Loop (SL2) in Combination - Zone 2  First 2-Wire VG Loop (SL2) in Combination - Zone 3	he non	recurri 1 INTEI 1 2	ng charges below ROFFICE TRANSPO UNCVX	will apply for ORT UEAL2	UNE combinati	ons provisione 105.98	ed as ' Current 68.43	ly Combined' N 53.05	etwork Eleme						
See ENHANCED NO	Att 3  EXTENDED LINK (EELs)  TE: The monthly recurring and non-recurring charges below will  TE: The monthly recurring and the Switch-As-Is Charge and not to the second of the second o	he non	recurri 1 INTEI 1 2	ng charges below ROFFICE TRANSPO UNCVX UNCVX UNCVX	will apply for DRT UEAL2 UEAL2 UEAL2	16.68 23.13 28.46	0ns provisione 105.98 105.98	68.43 68.43	53.05 53.05	10.61 10.61						
See ENHANCED NO	Att 3  EXTENDED LINK (EELs) TE: The monthly recurring and non-recurring charges below will TE: The monthly recurring and the Switch-As-Is Charge and not to TENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT First 2-Wire VG Loop (SL2) in Combination - Zone 1 First 2-Wire VG Loop (SL2) in Combination - Zone 2 First 2-Wire VG Loop (SL2) in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month	he non	recurri 1 INTEI 1 2	ng charges below ROFFICE TRANSPO UNCVX UNCVX	will apply for ORT UEAL2 UEAL2	16.68 23.13	0ns provisione 105.98 105.98	68.43 68.43	53.05 53.05	10.61 10.61						
See ENHANCED NO	Att 3  EXTENDED LINK (EELs)  FE: The monthly recurring and non-recurring charges below will  FE: The monthly recurring and the Switch-As-Is Charge and not t  ENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT  First 2-Wire VG Loop (SL2) in Combination - Zone 1  First 2-Wire VG Loop (SL2) in Combination - Zone 2  First 2-Wire VG Loop (SL2) in Combination - Zone 3  Interoffice Transport - Dedicated - DS1 combination - Per Mile per month  Interoffice Transport - Dedicated - DS1 combination - Facility	he non	recurri 1 INTEI 1 2	ng charges below ROFFICE TRANSPO UNCVX UNCVX UNCVX UNCVX	will apply for DRT UEAL2 UEAL2 UEAL2 1L5XX	16.68 23.13 28.46	000 provisione 105.98 105.98 105.98	68.43 68.43 68.43	53.05 53.05 53.05	10.61 10.61						
See ENHANCED NO	Att 3  EXTENDED LINK (EELs) TE: The monthly recurring and non-recurring charges below will TE: The monthly recurring and the Switch-As-Is Charge and not to TENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT First 2-Wire VG Loop (SL2) in Combination - Zone 1 First 2-Wire VG Loop (SL2) in Combination - Zone 2 First 2-Wire VG Loop (SL2) in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month	he non	recurri 1 INTEI 1 2	ng charges below ROFFICE TRANSPO UNCVX UNCVX UNCVX	will apply for DRT UEAL2 UEAL2 UEAL2	16.68 23.13 28.46	0ns provisione 105.98 105.98	68.43 68.43	53.05 53.05	10.61 10.61 10.61						
See ENHANCED NO	Att 3  EXTENDED LINK (EELs)  FE: The monthly recurring and non-recurring charges below will  FE: The monthly recurring and the Switch-As-Is Charge and not to the second of the second o	he non	recurri 1 INTEI 1 2	ng charges below ROFFICE TRANSPO UNCVX UNCVX UNCVX UNCVX UNC1X	will apply for DRT UEAL2 UEAL2 UEAL2 1L5XX U1TF1	16.68 23.13 28.46 0.27	105.98 105.98 105.98 105.98	68.43 68.43 68.43 68.43	53.05 53.05 53.05 53.05	10.61 10.61 10.61 10.61						
See ENHANCED NO	Att 3  EXTENDED LINK (EELs) TE: The monthly recurring and non-recurring charges below will TE: The monthly recurring and the Switch-As-Is Charge and not to TENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT First 2-Wire VG Loop (SL2) in Combination - Zone 1 First 2-Wire VG Loop (SL2) in Combination - Zone 2 First 2-Wire VG Loop (SL2) in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month 1/10 Channelization System in combination Per Month	he non	recurri 1 INTEI 1 2	ng charges below ROFFICE TRANSPO UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X	will apply for DRT UEAL2 UEAL2 UEAL2 UEAL2 UEAL2  1L5XX U1TF1 MQ1	UNE combinati 16.68 23.13 28.46 0.27 61.71 107.57	105.98 105.98 105.98 105.98	68.43 68.43 68.43 68.43 81.99 62.71		10.61 10.61 10.61 10.61 14.48 9.81						
See ENHANCED NO	Att 3  EXTENDED LINK (EELs) TE: The monthly recurring and non-recurring charges below will TE: The monthly recurring and the Switch-As-Is Charge and not to TENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT First 2-Wire VG Loop (SL2) in Combination - Zone 1 First 2-Wire VG Loop (SL2) in Combination - Zone 2 First 2-Wire VG Loop (SL2) in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month 1/10 Channelization System in combination Per Month	he non	recurri 1 INTEI 1 2	ng charges below ROFFICE TRANSPO UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X	will apply for DRT UEAL2 UEAL2 UEAL2 UEAL2 UEAL2  1L5XX U1TF1 MQ1	UNE combinati 16.68 23.13 28.46 0.27 61.71 107.57	105.98 105.98 105.98 105.98	68.43 68.43 68.43 68.43 81.99 62.71		10.61 10.61 10.61 10.61 14.48 9.81						
See ENHANCED NO	Att 3  EXTENDED LINK (EELs) TE: The monthly recurring and non-recurring charges below will TE: The monthly recurring and the Switch-As-Is Charge and not to TENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT First 2-Wire VG Loop (SL2) in Combination - Zone 1 First 2-Wire VG Loop (SL2) in Combination - Zone 2 First 2-Wire VG Loop (SL2) in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month 1/10 Channelization System in combination Per Month Voice Grade COCI - Per Month  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1	he non	recurri 1 INTEI 1 2 3	ng charges below ROFFICE TRANSPO UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X UNCYX	will apply for ORT UEAL2 UEAL2 UEAL2 IL5XX U1TF1 MQ1 ID1VG UEAL2	16.68 23.13 28.46 0.27 61.71 107.57 0.56	000 provisione 105.98 105.98 105.98 105.98 89.47 91.24 6.59	68.43 68.43 68.43 68.43 81.99 62.71 4.73 68.43	y Combined N	10.61 10.61 10.61 10.61 10.61						
See ENHANCED NO	Att 3  EXTENDED LINK (EELs)  [E: The monthly recurring and non-recurring charges below will  TE: The monthly recurring and the Switch-As-Is Charge and not to the control of the control o	he non	recurri 1 INTEI 1 1 2 3	ng charges below ROFFICE TRANSP( UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNC1X	will apply for ORT UEAL2 UEAL2 UEAL2 UEAL2  1L5XX U1TF1 MQ1 1D1VG	UNE combinati 16.68 23.13 28.46 0.27 61.71 107.57 0.56	105.98 105.98 105.98 105.98 105.98 89.47 91.24 6.59	68.43 68.43 68.43 68.43 68.43 41.99 62.71 4.73	16.39 0.00	10.61 10.61 10.61 10.61 14.48 9.81 0.00						
See ENHANCED NO	Att 3  EXTENDED LINK (EELs)  [E: The monthly recurring and non-recurring charges below will  TE: The monthly recurring and the Switch-As-Is Charge and not to the control of the control o	he non	recurri 1 INTEI 1 2 3	ng charges below ROFFICE TRANSP( UNCVX UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX	will apply for ORT UEAL2 UEAL2 UEAL2 IL5XX U1TF1 MQ1 ID1VG UEAL2 UEAL2	UNE combinati  16.68 23.13 28.46  0.27 61.71 107.57 0.56  16.68	000 provisione 105.98 105.98 105.98 105.98 89.47 91.24 6.59 105.98	84.43 68.43 68.43 68.43 81.99 62.71 4.73 68.43	V Combined N	10.61 10.61 10.61 10.61 14.48 9.81 0.00 10.61						
See ENHANCED NO	Att 3  EXTENDED LINK (EELs) TE: The monthly recurring and non-recurring charges below will TE: The monthly recurring and the Switch-As-Is Charge and not to TENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT First 2-Wire VG Loop (SL2) in Combination - Zone 1 First 2-Wire VG Loop (SL2) in Combination - Zone 2 First 2-Wire VG Loop (SL2) in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month 1/0 Channelization System in combination Per Month Voice Grade COCI - Per Month  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2	he non	recurri 1 INTEI 1 2 3	ng charges below ROFFICE TRANSPO UNCVX UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX	will apply for DRT UEAL2 UEAL2 UEAL2 IL5XX U1TF1 MQ1 ID1VG UEAL2 UEAL2 UEAL2	16.68 23.13 28.46 0.27 61.71 107.57 0.56 16.68 23.13	000 provisione 105.98 105.98 105.98 105.98 89.47 91.24 6.59 105.98 105.98	68.43 68.43 68.43 68.43 81.99 62.71 4.73 68.43	y Combined N	10.61 10.61 10.61 10.61 10.61 14.48 9.81 0.00 10.61						
See ENHANCEE NOO' NOO' EXT	Att 3  EXTENDED LINK (EELs)  TE: The monthly recurring and non-recurring charges below will  TE: The monthly recurring and the Switch-As-Is Charge and not to the second of the second o	he non-	1 INTEI	ng charges below ROFFICE TRANSPO UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX	will apply for ORT UEAL2 UEAL2 UEAL2  1L5XX  U1TF1 MQ1 1D1VG  UEAL2  UEAL2  UEAL2  UEAL2	UNE combinati  16.68 23.13 28.46  0.27 61.71 107.57 0.56  16.68	000 provisione 105.98 105.98 105.98 105.98 89.47 91.24 6.59 105.98	84.43 68.43 68.43 68.43 81.99 62.71 4.73 68.43	V Combined N	10.61 10.61 10.61 10.61 14.48 9.81 0.00 10.61						
See ENHANCEE NOO NOO EXT	Att 3  EXTENDED LINK (EELs) TE: The monthly recurring and non-recurring charges below will TE: The monthly recurring and the Switch-As-Is Charge and not to TENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT First 2-Wire VG Loop (SL2) in Combination - Zone 1 First 2-Wire VG Loop (SL2) in Combination - Zone 2 First 2-Wire VG Loop (SL2) in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month 1/0 Channelization System in combination Per Month Voice Grade COCI - Per Month  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2	he non-	1 INTEI	ng charges below ROFFICE TRANSPO UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX	will apply for ORT UEAL2 UEAL2 UEAL2  1L5XX  U1TF1 MQ1 1D1VG  UEAL2  UEAL2  UEAL2  UEAL2	16.68 23.13 28.46 0.27 61.71 107.57 0.56 16.68 23.13	000 provisione 105.98 105.98 105.98 105.98 89.47 91.24 6.59 105.98 105.98	68.43 68.43 68.43 68.43 81.99 62.71 4.73 68.43	y Combined N	10.61 10.61 10.61 10.61 10.61 14.48 9.81 0.00 10.61						
See ENHANCEE NOO' NOO' EXT	Att 3  EXTENDED LINK (EELs)  TE: The monthly recurring and non-recurring charges below will  TE: The monthly recurring and the Switch-As-Is Charge and not to  TENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT  First 2-Wire VG Loop (SL2) in Combination - Zone 1  First 2-Wire VG Loop (SL2) in Combination - Zone 2  First 2-Wire VG Loop (SL2) in Combination - Zone 3  Interoffice Transport - Dedicated - DS1 combination - Per Mile per month  Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month  1/10 Channelization System in combination Per Month  Voice Grade COCI - Per Month  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3  Voice Grade COCI - Per Month	he non-	1 INTEI	ng charges below ROFFICE TRANSPO UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	will apply for DRT UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2	16.68 23.13 28.46 0.27 61.71 107.57 0.56 16.68 23.13 28.46 0.56	000 provisione 105.98 105.98 105.98 105.98 89.47 91.24 6.59 105.98 105.98 105.98	84.43 68.43 68.43 68.43 81.99 62.71 4.73 68.43 68.43	y Combined N	10.61 10.61 10.61 10.61 10.61 14.48 9.81 0.00 10.61 10.61 10.61						
See ENHANCEE NOO NOO EXT	Att 3  EXTENDED LINK (EELs)  TE: The monthly recurring and non-recurring charges below will  TE: The monthly recurring and the Switch-As-Is Charge and not to the second of the second o	he non-	1 INTEI	ng charges below ROFFICE TRANSPO UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX	will apply for ORT UEAL2 UEAL2 UEAL2  1L5XX  U1TF1 MQ1 1D1VG  UEAL2  UEAL2  UEAL2  UEAL2	16.68 23.13 28.46 0.27 61.71 107.57 0.56 16.68 23.13	000 provisione 105.98 105.98 105.98 105.98 89.47 91.24 6.59 105.98 105.98	68.43 68.43 68.43 68.43 81.99 62.71 4.73 68.43	y Combined N	10.61 10.61 10.61 10.61 10.61 14.48 9.81 0.00 10.61						
See ENHANCEE NOO NOO EXT	Att 3  EXTENDED LINK (EELs)  FE: The monthly recurring and non-recurring charges below will  FE: The monthly recurring and the Switch-As-Is Charge and not to the second of the second o	he non-	1 INTE	ING CHARGES DELOW ROFFICE TRANSPO UNICVX	will apply for ORT UEAL2 UEAL2 UEAL2  1L5XX  U1TF1 MQ1 1D1VG  UEAL2  UEAL2  UEAL2  UEAL2  UEAL2  UEAL2  UEAL2  UEAL2  UEAL2  UEAL2  UEAL2  ID1VG  ORT	UNE combinati  16.68 23.13 28.46  0.27 61.71 107.57 0.56 16.68 23.13 28.46 0.56	90.00 provisione 105.98 105.98 105.98 105.98 89.47 91.24 6.59 105.98 105.98 105.98 132.38	84.43 68.43 68.43 68.43 81.99 62.71 4.73 68.43 68.43 94.83	V Combined N	10.61 10.61 10.61 10.61 14.48 9.81 0.00 10.61 10.61 10.61 10.61						
See ENHANCEE NOO NOO EXT	Att 3  EXTENDED LINK (EELs)  TE: The monthly recurring and non-recurring charges below will  TE: The monthly recurring and the Switch-As-Is Charge and not to  TENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT  First 2-Wire VG Loop (SL2) in Combination - Zone 1  First 2-Wire VG Loop (SL2) in Combination - Zone 2  First 2-Wire VG Loop (SL2) in Combination - Zone 3  Interoffice Transport - Dedicated - DS1 combination - Per Mile per month  Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month  1/10 Channelization System in combination Per Month  Voice Grade COCI - Per Month  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3  Voice Grade COCI - Per Month	he non-	1 INTEI	ng charges below ROFFICE TRANSPO UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	will apply for DRT UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2	16.68 23.13 28.46 0.27 61.71 107.57 0.56 16.68 23.13 28.46 0.56	000 provisione 105.98 105.98 105.98 105.98 89.47 91.24 6.59 105.98 105.98 105.98	84.43 68.43 68.43 68.43 81.99 62.71 4.73 68.43 68.43	y Combined N	10.61 10.61 10.61 10.61 10.61 14.48 9.81 0.00 10.61 10.61 10.61						
See ENHANCEE NOO NOO EXT	Att 3  EXTENDED LINK (EELs)  TE: The monthly recurring and non-recurring charges below will  TE: The monthly recurring and the Switch-As-Is Charge and not to the monthly recurring and the Switch-As-Is Charge and not to the monthly recurring and the Switch-As-Is Charge and not to the monthly recurring and the Switch-As-Is Charge and not to the month of th	he non-	1 INTE	ng charges below ROFFICE TRANSPO UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	will apply for DRT UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4	16.68 23.13 28.46 0.27 61.71 107.57 0.56 16.68 23.13 28.46 0.56	000 provisione 105.98 105.98 105.98 105.98 89.47 91.24 6.59 105.98 105.98 105.98 132.38	843 68.43 68.43 81.99 62.71 4.73 68.43 68.43 94.83	V Combined N	10.61 10.61 10.61 10.61 14.48 9.81 0.00 10.61 10.61 10.61 14.61						
See ENHANCEE NOO' NOO' EXT	Att 3  EXTENDED LINK (EELs)  TE: The monthly recurring and non-recurring charges below will  TE: The monthly recurring and the Switch-As-Is Charge and not to the term of the	he non-	1 INTE	ING CHARGES DELOW ROFFICE TRANSPO UNICVX	will apply for ORT UEAL2 UEAL2 UEAL2  1L5XX  U1TF1 MQ1 1D1VG  UEAL2  UEAL2  UEAL2  UEAL2  UEAL2  UEAL2  UEAL2  UEAL2  UEAL2  UEAL2  UEAL2  ID1VG  ORT	UNE combinati  16.68 23.13 28.46  0.27 61.71 107.57 0.56 16.68 23.13 28.46 0.56	90.00 provisione 105.98 105.98 105.98 105.98 89.47 91.24 6.59 105.98 105.98 105.98 132.38	84.43 68.43 68.43 68.43 81.99 62.71 4.73 68.43 68.43 94.83	V Combined N	10.61 10.61 10.61 10.61 14.48 9.81 0.00 10.61 10.61 10.61 10.61						
See ENHANCEL NOO NOO EXT	Att 3  EXTENDED LINK (EELs)  TE: The monthly recurring and non-recurring charges below will  TE: The monthly recurring and the Switch-As-Is Charge and not to the monthly recurring and the Switch-As-Is Charge and not to the monthly recurring and the Switch-As-Is Charge and not to the monthly recurring and the Switch-As-Is Charge and not to the month of th	he non-	1 INTE	ng charges below ROFFICE TRANSPO UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	will apply for DRT UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4	16.68 23.13 28.46 0.27 61.71 107.57 0.56 16.68 23.13 28.46 0.56	000 provisione 105.98 105.98 105.98 105.98 89.47 91.24 6.59 105.98 105.98 105.98 132.38	843 68.43 68.43 81.99 62.71 4.73 68.43 68.43 94.83	V Combined N	10.61 10.61 10.61 10.61 14.48 9.81 0.00 10.61 10.61 10.61 14.61						
See ENHANCEE NOO' NOO' EXT	Att 3  EXTENDED LINK (EELs) TE: The monthly recurring and non-recurring charges below will TE: The monthly recurring and the Switch-As-Is Charge and not to TENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT First 2-Wire VG Loop (SL2) in Combination - Zone 1 First 2-Wire VG Loop (SL2) in Combination - Zone 2 First 2-Wire VG Loop (SL2) in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile per month Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month 1/0 Channelization System in combination Per Month Voice Grade COCI - Per Month  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1 Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2  Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3 Voice Grade COCI - Per Month TENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT First 4-Wire Analog Voice Grade Loop in Combination - Zone 2  First 4-Wire Analog Voice Grade Loop in Combination - Zone 2  First 4-Wire Analog Voice Grade Loop in Combination - Zone 2	he non-	1 INTE	ng charges below ROFFICE TRANSPO UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNCVX	will apply for DRT UEAL2 UEAL2 UEAL2  1L5XX  U1TF1 MQ1 1D1VG UEAL2  UEAL2  UEAL2  UEAL2  UEAL2  UEAL2  UEAL2  UEAL2  UEAL2  ID1VG  ORT  UEAL4  UEAL4  UEAL4  IL5XX	UNE combinati  16.68 23.13 28.46 0.27 61.71 107.57 0.56 16.68 23.13 28.46 0.56 32.59 43.89	000 provisione 105.98 105.98 105.98 105.98 89.47 91.24 6.59 105.98 105.98 105.98 132.38	843 68.43 68.43 81.99 62.71 4.73 68.43 68.43 94.83	y Combined N	10.61 10.61 10.61 10.61 14.48 9.81 0.00 10.61 10.61 10.61 14.61						
See ENHANCEE NOO' NOO' EXT	Att 3  EXTENDED LINK (EELs)  TE: The monthly recurring and non-recurring charges below will  TE: The monthly recurring and the Switch-As-Is Charge and not to the monthly recurring and the Switch-As-Is Charge and not to the monthly recurring and the Switch-As-Is Charge and not to the monthly recurring and the Switch-As-Is Charge and not to the monthly recurring and the Switch-As-Is Charge and not to the monthly recurring and the Switch-As-Is Charge and not to the monthly and the month of the mon	he non-	1 INTE	ng charges below ROFFICE TRANSPO UNCVX UNCVX UNCVX UNC1X UNC1X UNC1X UNC1X UNC1X UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX UNCVX	will apply for DRT UEAL2 UEAL2 UEAL2 1L5XX U1TF1 MQ1 1D1VG UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL2 UEAL4 UEAL4 UEAL4 UEAL4	UNE combinati  16.68 23.13 28.46 0.27 61.71 107.57 0.56 16.68 23.13 28.46 0.56 32.59 43.89	000 provisione 105.98 105.98 105.98 105.98 89.47 91.24 6.59 105.98 105.98 105.98 132.38	843 68.43 68.43 81.99 62.71 4.73 68.43 68.43 94.83	y Combined N	10.61 10.61 10.61 10.61 14.48 9.81 0.00 10.61 10.61 10.61 14.61						

JNRUNDI FI	D NETWORK ELEMENTS - South Carolina												Attachment:	2 Fyh Δ		
NDONDELL	DIVERTION COULT COTOMIA															l
												Svc Order	Incremental		Incremental	
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES(\$)								
AILGORI	RATE ELEMENTS	m	Zone	B03	0300			KAILS(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'
													151	Auu i	DISC 1St	DISC Auu
							Nonrec	urring	Nonrecurring	Disconnoct			220	Rates(\$)	l	1
						Rec										
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
	Additional 4-Wire Analog Voice Grade Loop in same DS1				1											
	Interoffice Transport Combination - Zone 1		4	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						
			-	UNCVA	UEAL4	32.39	132.30	94.03	59.55	14.01						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
	Additional 4-Wire Analog Voice Grade Loop in same DS1				1											
			3	LINOVA	UEAL4	43.38	400.00	04.00	50.05	44.04						
	Interoffice Transport Combination - Zone 3		3	UNCVX			132.38	94.83	59.35	14.61						
	Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
EXTEN	DED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	DS1 IN	TEROFFICE TRANS	PORT										ĺ	
		l		. m.o.n.v	l I						I				1	I
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
					1											
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	l	2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61	I				1	I
-		<b>—</b>		JODA	22200	55.55	120.00	00.12	55.55	17.01	-				<del>                                     </del>	-
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	1	3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61					l	
	Interoffice Transport - Dedicated - DS1 combination - Per Mile				1											
	Per Month	l		UNC1X	1L5XX	0.27			1		I				1	I
				UNCIX	ILDXX	0.27										
	Interoffice Transport - Dedicated - DS1 - combination Facility															
	Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	1/0 Channel System in combination Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
-																-
	OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
_	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		<u> </u>	0.1027	00200	20.00	120.00	00.12	00.00	1 1.01						
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						
			J	UNCDA	UDLJU	34.74	120.00	03.12	39.33	14.01						
	Additional OCU-DP COCI (data) - in combination per month (2.4-															
	64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						
FXTFN	DED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	DS1 IN	TEROFFICE TRANS	PORT										ĺ	
=/(1=:(																
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
	Tilist 4-Wile 04Rbp3 Digital Orace Loop III Combination - Zone Z			ONODA	ODLO	30.33	120.00	03.12	33.33	17.01						
		l							1		I				1	I
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	1	3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61					l	
	Interoffice Transport - Dedicated - DS1 combination - Per Mile				1										1	
	Per Month	l		UNC1X	1L5XX	0.27			1		I				1	I
				UINCIA	ILOAA	0.27			ļ						ļ	<b></b>
	interoffice Transport - Dedicated - DS1 combination - Facility	l							1		I				1	I
	Termination Per Month	l		UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48	I				1	I
	1/0 Channel System in combination Per Month		i i	UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81	1					i
-		<b>—</b>	$\vdash$								-				<del>                                     </del>	-
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)		$\vdash$	UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	1													l	
	Interoffice Transport Combination - Zone 1	l	1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61	I				1	I
-			<u> </u>	202.1		20.00	120.00	00.12	55.55	14.01	+				<b> </b>	+
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	1	_		I I										l	
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3	l	3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61	I				1	I
-			J	OHODA	ODLOT	34.14	120.00	03.12	35.33	14.01	1				-	1
	Additional OCU-DP COCI (data) - in combination - per month	1			1										l	
	(2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00	L				L	<u> </u>
EXTFN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER	OFFICE TRANSPOR	Т		İ									
	4-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						<b>-</b>
											<b></b>				<b></b>	<b></b>
	4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73	L				<u> </u>	<u></u>
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			-							<b> </b>				1	<b>—</b>
		1			[										l	
	Per Month			UNC1X	1L5XX	0.27					1				l	Ļ
	Interoffice Transport - Dedicated - DS1 combination - Facility				1											
	Termination Per Month	l		UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48	I				l	I
				OFFICE TRANSPOR		01.71	03.47	01.39	10.39	14.40	1				l	

JNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2 Exh. A		
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES(\$)				Svc Order Submitted			Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							N.			B'						
						Rec	Nonrec First	urring Add'l	Nonrecurring First	Add'l	COMEC	SOMAN	SOMAN	Rates(\$)	SOMAN	SOMAN
	First DS1Loop in Combination - Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73	SOWIEC	SOMAN	SOWAN	SOMAN	SUMAN	SUMAN
-	First DS1Loop in Combination - Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73				1		+
	First DS1Loop in Combination - Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						+
	Interoffice Transport - Dedicated - DS3 combination - Per Mile		Ŭ	ONOTA	COLYC	201.00	200.00	107.00	44.00	11.70						+
	Per Month			UNC3X	1L5XX	6.42										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per															1
	month			UNC3X	U1TF3	704.52	279.37	163.12	60.33	58.59						
	3/1Channel System in combination per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90						
	DS1 COCI in combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73					ļ	<b></b>
	Additional DS1Loop in DS3 Interoffice Transport Combination -		_	LINICAY	LICLYY	455.40	050.00	457.00	44.00	44 70	1				I	
_	Zone 2 Additional DS1Loop in DS3 Interoffice Transport Combination -		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73	-			-	1	+
	Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73					1	1
	Additoinal DS1 COCI in combination per month		3	UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00				<del> </del>	<del>                                     </del>	+
EXTE	NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2-WIRE VOICE	GRAD	E INTF			0.04	0.55	4.73	0.00	0.00					<b>†</b>	+
LXII.	2-WireVG Loop in combination - Zone 1	OIGAD		UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61						<b>†</b>
	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61						<u> </u>
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61					t	+
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per															
	Month			UNCVX	1L5XX	0.0134										
	Interoffice Transport - 2-wire VG - Dedicated - Facility															
	Termination per month			UNCVX	U1TV2	19.44	40.63	27.47	16.77	6.91						
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD														1
	4-WireVG Loop in combination - Zone 1			UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						
	4-WireVG Loop in combination - Zone 2			UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						-
	4-WireVG Loop in combination - Zone 3 Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						-
	Month			UNCVX	1L5XX	0.0134										
-	Interoffice Transport - 4-wire VG - Dedicated - Facility			UNCVA	ILSAA	0.0134									1	+
	Termination per month			UNCVX	U1TV4	17.03	40.63	27.47	16.77	6.91						
EXTE	NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE		01114	17.00	40.00	27.47	10.77	0.01						<u> </u>
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	12.26										
																1
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	306.36	452.52	264.53	119.75	83.77						
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	6.42										
	Interoffice Transport - Dedicated - DS3 combination - Facility															
	Termination per month			UNC3X	U1TF3	704.52	279.37	163.12	60.33	58.59						1
EXTE	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF		41 = 110	40.00										
	STS-1 Local Lolp in combination - per mile per month		-	UNCSX	1L5ND	12.26									-	+
	STS-1 Local Loop in combination - Facility Termination per month			UNCSX	UDLS1	313.49	452.52	264.53	119.75	83.77						
	Interoffice Transport - Dedicated - STS-1 combination - per mile			UNCSA	UDLST	313.49	432.32	204.55	119.75	03.11						+
	per month			UNCSX	1L5XX	6.42										
<del></del>	Interoffice Transport - Dedicated - STS-1 combination - Facility			ONOOX	TESTON	0.42										+
	Termination per month			UNCSX	U1TFS	704.44	279.37	163.12	60.33	58.59						
EXTE	NDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRANS	SPORT													1
	First 2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61						1
	First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61						
	First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61						
	Interoffice Transport - Dedicated - DS1 combination - per mile														_	
	per month			UNC1X	1L5XX	0.27								ļ	1	<del> </del>
	Interoffice Transport - Dedicated - DS1 combination - Facility			LINIOAY	LIATE !						1				I	
	Termination per month		-	UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48	<b> </b>			<b>.</b>	<del>                                     </del>	+
_	1/0 Channel System in combination - per month  2-wire ISDN COCI (BRITE) - in combination - per month		-	UNC1X UNCNX	MQ1 UC1CA	107.57 2.56	91.24 6.59	62.71 4.73	10.56 0.00	9.81					<del>                                     </del>	+
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			OINCINA	OUTUA	∠.56	0.59	4.73	0.00	0.00				<del> </del>	<del>                                     </del>	+
	Combination - Zone 1		Ι.	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61	I			I	1	1

UNBUNDI F	ED NETWORK ELEMENTS - South Carolina												Attachment:	2 Exh. A		
J.4DJ14DLL	-5 ILLI IVOINI ELEMENTO - GOULH GAIGIINA	ı	1	1	1	ı					Sun Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
																II .
												Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 20.1	Po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					+		Nonre	rurring	Nonrecurring	Disconnect			220	Rates(\$)	1	
			<u> </u>		+	Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	A LUMB - LO CONTROL OF THE CONTROL O		<u> </u>		+		FIISL	Auu i	FIISL	Auu i	SOWIEC	SUMAN	SUMAN	SUMAIN	SUMAN	SUMAN
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		_													
	Combination - Zone 2		2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 3		3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61						
	Additional 2-wire ISDN COCI (BRITE) - in combination- per															
	month			UNCNX	UC1CA	2.56	6.59	4.73	0.00	0.00						
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS	-1 INTE	ROFFICE TRANSP	ORT			_								İ
	First DS1 Loop Combination - Zone 1			UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
	First DS1 Loop Combination - Zone 2	-		UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73					<del>                                     </del>	1
																<u> </u>
	First DS1 Loop Combination - Zone 3	<u> </u>	3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73				<b></b>		<b> </b>
1	Interoffice Transport - Dedicated - STS-1 combination - Per Mile	l		l	1											
	Per Month			UNCSX	1L5XX	6.42										
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
	Termination per month			UNCSX	U1TFS	704.44	279.37	163.12	60.33	58.59						
	3/1 Channel System in combination per month			UNCSX	MQ3	144.02	178.54	94.18	33.33	31.90						İ
	DS1 COCI in combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
_	Additional DS1Loop in the same STS-1 Interoffice Transport			CITOTA	COIDI	0.04	0.00	4.70	0.00	0.00						<b>†</b>
				LINGAV	LICLYY	90.87	050.00	457.00	44.00	44.70						
	Combination - Zone 1		- 1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
	Additional DS1Loop in the same STS-1 Interoffice Transport															
	Combination - Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
	Additional DS1Loop in the same STS-1 Interoffice Transport															
	Combination - Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						
	DS1 COCI in combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KB	BPS INT	EROFF	ICE TRANSPORT												İ
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						<b>†</b>
	4-wire 56 kbps Local Loop in combination - Zone 3	-	_	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61				-	<b>-</b>	<b>-</b>
			3	UNCDX	UDLS6	34.74	120.00	89.12	59.35	14.61						<u> </u>
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Per Mile per month			UNCDX	1L5XX	0.0134										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Facility Termination per month			UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91						
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KB	BPS INT	EROFF	ICE TRANSPORT	Î											
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						İ
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61					1	1
_	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	34.74			59.35	14.61					1	
		-	3	UNUDA	UDL04	34.74	126.66	89.12	39.35	14.01				-	-	1
1	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	l	1	LINIODY	41.5007									1		
-	Per Mile per month	<b>.</b>	<b>!</b>	UNCDX	1L5XX	0.0134										<b>_</b>
1	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	l	1	İ										1		
	Facility Termination per month			UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91						
EXTE	NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP	ORT w	/ 3/1 MUX												
	First 2-wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61						
	First 2-wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61				i		1
	First 2-wire VG Loop (SL2) in Combination - Zone 3	<b> </b>		UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61				t	1	1
<del>-  </del>	First Interoffice Transport - Dedicated - DS1 combination - Per	<b>-</b>	۲Ť	3.1317	O L / 1 L L	20.40	100.00	55.45	55.05	10.01				<del>                                     </del>	<del> </del>	<del> </del>
1		l	1	LINCAV	11.5	0.07								1		
	Mile	<u> </u>	1	UNC1X	1L5XX	0.27			<b> </b>					<b></b>		<b> </b>
	First Interoffice Transport - Dedicated - DS1 combination -	l	1	l	1									1		
	Facility Termination per month	ļ	<u> </u>	UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48					<b></b>	ļ
	Per each DS1 Channelization System Per Month	<u> </u>		UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						<u> </u>
	Per each Voice Grade COCI - Per Month per month		$\Box$	UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
	3/1 Channel System in combination per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90						
	Per each DS1 COCI in combination per month		1	UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00				i		1
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1	i –	t	1	12.2.	5.54	0.00	0	5.50	0.00				i e	1	İ
1	Interoffice Transport Combination - Zone 1	l	1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61						1
		-	+ -	OINOVA	ULALZ	10.00	100.90	00.43	55.05	10.01				-	-	1
1	Each Additional 2-Wire VG Loop(SL2) in the same DS1	l	١.		l		40=			40				1		1
	Interoffice Transport Combination - Zone 2	ļ	2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61						
	Each Additional 2-Wire VG Loop(SL2) in the same DS1	l		1	1											
1	Interoffice Transport Combination - Zone 3	L	3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61				<u> </u>	<u> </u>	<u> </u>
	Each Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						I

IUNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
						B	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.27										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	Each Additional DS1 COCI combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						1
EXTE	NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/1	1 MUX											
	First 4-Wire Analog Voice Grade Local Loop in Combination -		1	1110101		00.50	400.00	04.00	50.05	44.04						
	Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						
	First 4-Wire Analog Voice Grade Local Loop in Combination -		2	UNCVX	UEAL4	43.89	400.00	94.83	50.05	44.04						
	Zone 2			UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						+
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 3	1	3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61	1				I	1
<del>-  </del>	First Interoffice Transport - Dedicated - DS1 combination - Per	l	-	ONOVA	JUNE	45.36	102.00	34.03	55.55	14.01	<del>                                     </del>				<del>                                     </del>	+
	Mile Per Month	1		UNC1X	1L5XX	0.27					1				I	1
	First Interoffice Transport - Dedicated - DS1 - Facility	<b> </b>				5.27								1	t	<u> </u>
	Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						1
	Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
	3/1 Channel System in combination per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
	Additional 4-Wire Analog Voice Grade Loop in same DS1			1110101		40.00	400.00	04.00	50.05	44.04						
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						-
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.27										
	Each Additional DS1 Interoffice Channel Facility Termination in			UNCIA	ILSAA	0.27			1							+
	same 3/1 Channel System per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
-	Additional Voice Grade COCI - in combination - per month		1	UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						+
EXTE	NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE			0.00	0.00	4.70	0.00	0.00						<u> </u>
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		1		I											<b>†</b>
	Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															1
	Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
	Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month			UNC1X	1L5XX	0.27										
	First Interoffice Transport - Dedicated - DS1 - combination					0.4 = 4			40.00							
	Facility Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						-
	Per each 1/0 Channel System in combination Per Month			UNC1X UNCDX	MQ1 1D1DD	107.57	91.24	62.71 4.73	10.56 0.00	9.81 0.00						-
	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs) 3/1 Channel System in combination per month			UNC3X	MQ3	1.19 144.02	6.59 178.54	94.18	33.33	31.90				-		+
	Per each DS1 COCI in combination per month		1	UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00					-	
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			UNCIA	OCIDI	0.04	6.59	4.73	0.00	0.00					1	+
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	l	<del>- '-</del>	5.13B/t	55200	20.90	120.00	00.12	55.55	1-7.01	<del>                                     </del>				<del>                                     </del>	<del>                                     </del>
1	Interoffice Transport Combination - Zone 2	1	2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61					1	
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	i e	T-		1	33.55	.20.00	33.72	55.55					İ	1	1
1	Interoffice Transport Combination - Zone 3	1	3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61					1	
İ	OCU-DP COCI (data) COCI in combination per month (2.4-															
	64kbs)		<u> </u>	UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						<u> </u>
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
ullet	Channel System per month			UNC1X	1L5XX	0.27										↓
	Each Additional DS1 Interoffice Channel Facility Termination in	1									1				I	1
	same 3/1 Channel System per month		<u> </u>	UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						<u> </u>

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring					Rates(\$)		
$\vdash$	Fook Additional DC4 COCI in the cases 2/4 shared system		-		-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
FYTE	NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTER	DEFICE			0.04	6.59	4.73	0.00	0.00					<u> </u>	
EXIL	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		T	I TRAINED CITT W/ C/	I						1					
	Transport Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			LINGAY	41 EVV	0.27										
+	First Interoffice Transport - Dedicated - DS1 combination -		+	UNC1X	1L5XX	0.27					<b> </b>				-	
	Facility Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48					I	
	Per each Channel System 1/0 in combination Per Month		†	UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81	1					
	Per each OCU-DP COCI (data) in combination - per month (2.4-		1		1				1							
	64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00					<u> </u>	
	3/1 Channel System in combination per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		١.				400.00		====							
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61					1	
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
<del> </del>	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			UNCDA	UDL64	33.99	120.00	09.12	59.55	14.01					<del> </del>	
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System														t	
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.27										
	Each Additional DS1 Interoffice Channel Facility Termination in				=				40.00							
<del></del>	same 3/1 Channel System per month		-	UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48					1	
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		1	ONCIX	OCIDI	0.04	0.55	4.73	0.00	0.00	1					
	Transport - Zone 1		1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 2		2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 3		3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61						
	First Interoffice Transport - Dedicated - DS1 combination - Per			LINIOAY	41.5007	0.07										
<b></b>	Mile per month  First Interoffice Transport - Dedicated - DS1 combination -		+	UNC1X	1L5XX	0.27									-	<b>.</b>
	Facility Termination per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	Per each Channel System 1/0 in combination - per month		1	UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
	2 The second sec		<b>T</b>		1		024	021		5.51				1	1	
	Per each 2-wire ISDN COCI (BRITE) in combination - per month		<u>L</u>	UNCNX	UC1CA	2.56	6.59	4.73	0.00	0.00						
	3/1 Channel System in combination per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00				ļ		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			LINGNIV	LIMLOY	05.01	447.50	20.00	50.0-	10.01					1	
$\vdash$	Combination - Zone 1  Additional 2-wire ISDN Loop in same DS1Interoffice Transport		1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61					<del>                                     </del>	
	Combination - Zone 2		2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61					I	
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			O14O14A	JILZX	32.70	117.30	00.03	33.03	10.01					<b>—</b>	
	Combination - Zone 3		3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61					I	
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel															
	system combination- per month			UNCNX	UC1CA	2.56	6.59	4.73	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month  Each Additional DS1 Interoffice Channel Facility Termination in		-	UNC1X	1L5XX	0.27										
		1	1	1	1				1		1			I	I	1

JNBUNDLEI	NETWORK ELEMENTS - South Carolina			·									Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Increment Charge Manual S Order vs Electroni Disc Add
							News		Later							
						Rec	Nonrec		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	DED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS														
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1			UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2			UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.27										
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	3/1 Channel System in combination per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90						
	Per each DS1 COCI combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.27										
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		,		USLXX	90.87			44.80	11.73						
	Additional A Miss DC4 Disital Land Land in Combination 7000		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11./3						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						
EXTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 II	NTERO	FFICE	TRANSPORT												
	First 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile															
	per month			UNCDX	1L5XX	0.0134										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility															
	Termination per month			UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91						
	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 II	NTERO														
	First 4-wire 64 kbps Local Loop in combination - Zone 1			UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
	First 4-wire 64 kbps Local Loop in combination - Zone 2			UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile															
	per month			UNCDX	1L5XX	0.0134										
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility															
	Termination per month			UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91						
	ETWORK ELEMENTS															
	used as a part of a currently combined facility, the non-recurr															
When t	ised as ordinarily combined network elements in All States, th	he non-	recurri	ng charges apply ar	nd the Switch	As Is Charge of	loes not.									
	urring Currently Combined Network Elements "Switch As Is"	Charge														
Option	al Features & Functions:															
	Clear Channel Capability Extended Frame Option - per DS1	1		U1TD1, ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
	Clear Channel Capability Super FrameOption - per DS1	1		U1TD1, ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,												
	Activity - per DS1	ı		UNC1X, USL U1TD3, ULDD3,	NRCCC		185.26	23.86	1.99	0.78						
	C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X UNCVX, UNCDX,	NRCC3		219.58	7.69	0.737	0.00						
	Wholesale to UNE, Switch-As-Is Conversion Charge			UNC1X, UNC3X, UNCSX	UNCCC		5.61	5.61	7.00	7.00						
	Unbundled Misc Rate Element, SNE SAI, Single Network Element - Switch As Is Non-recurring Charge, per circuit (LSR)			U1TVX, U1TDX, U1TD1, U1TD3,	URESL		40.27	13.52								

JNBUNDLEI	D NETWORK ELEMENTS - South Carolina												Attachment:	2 Exh. A	, '	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)			1		Incremental Charge - Manual Svc Order vs. Electronic- 1st		Charge -	Charge Manual Sounder vs
			1			_ 1	Nonrec	urrina	Nonrecurring	Disconnect	1		OSS	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Misc Rate Element, SNE SAI, Single Network Element - Switch As Is Non-recurring Charge, per circuit (Spreadsheet)			U1TVX, U1TDX, U1TD1, U1TD3, U1TS1, UDF, UE3	URESP		64.07	25.63								
	PLEXER Interfaces			,,												
	DS1 to DS0 Channel System per month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81					1	ĺ
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per													1	,	Ĭ .
	month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.19	6.59	4.73							<u> </u>	
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per													'	, '	
	month (2.4-64kbs) used for connection to a channelized DS1													'	, '	
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.19	6.59	4.73						<b></b> '		
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per													1 '	, '	
	month for a Local Loop	<u> </u>	<u> </u>	UDN	UC1CA	2.56	6.59	4.73			<u> </u>			<b>├</b> ───		<del>                                     </del>
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per													1 '	, '	
	month used for connection to a channelized DS1 Local Channel in the same SIMC as collegation			LIATUD	LICACA	2.56	6.50	4.72						'	, '	
	in the same SWC as collocation  Voice Grade COCI - DS1 to DS0 Channel System - per month	<b>-</b>	<del>                                     </del>	U1TUB	UC1CA	∠.50	6.59	4.73			1		-	<del></del>		<del>                                     </del>
	used for a Local Loop			UEA	1D1VG	0.56	6.59	4.73						1 '	, '	
	Voice Grade COCI - DS1 to DS0 Channel System - per month			OLA	IDIVG	0.50	0.59	4.73	1		1					+
	used for connection to a channelized DS1 Local Channel in the													'	, '	
	same SWC as collocation			U1TUC	1D1VG	0.56	6.59	4.73						'	, '	
	DS3 to DS1 Channel System per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90						
	STS-1 to DS1 Channel System per month			UNCSX	MQ3	144.02	178.54	94.18	33.33	31.90						
	DS1 COCI used with Loop per month			USL	UC1D1	8.64	6.59	4.73								
	DS1 COCI (used for connection to a channelized DS1 Local		1													1
	Channel in the same SWC as collocation) per month			U1TUA	UC1D1	8.64	6.59	4.73						'	, '	
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	8.64	6.59	4.73								Ì
	DS3 Interface Unit (DS1 COCI) used with Local Channel per													1	,	
	month			ULDD1	UC1D1	8.64	6.59	4.73							<u> </u>	
	to DCS - Customer Reconfiguration (FlexServ)													'		1
	Customer Reconfiguration Establishment						1.48		1.85					<b></b> '		
	DS1 DSC Termination with DS0 Switching					27.96	25.60	19.70	16.67	13.41					'	
	DS1 DSC Termination with DS1 Switching					12.67	18.51	12.61	12.24	8.98						-
	DS3 DSC Termination with DS1 Switching Rearrangements					176.51	25.60	19.70	16.67	13.41						-
Service	Rearrangements			U1TVX, U1TDX,	1											<del> </del>
	NRC - Change in Facility Assignment per circuit Service Rearrangement	ı		UEA, UDL, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX	URETD		269.90	47.10								
	NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed)	I		U1TVX, U1TDX, UEA, UDL, U1TUC, U1TUD, U1TUB, ULDVX, ULDDX, UNCVX, UNCDX	URETB		1.28	1.28								
	Commingling Authorization			UNCVX, UNCDX, UNC1X, UNC3X, UNC5X, U1TD1, U1TD3, U1TS1, UE3, UDLSX, U1TVX, U1TDX, U1TUB	CMGAU	0.00	0.00	0.00	0.00	0.00						
Miscell																
	NRC - Order Coordination Specific Time - Dedicated Transport	I		UNC1X	OCOSR		18.90	18.90								
	OCAL EXCHANGE SWITCHING(PORTS)							·		·						
IBUNDLED L		4 - 4 - 5 - 7	Curit	alaine Danta as of Ma	rch 10				1	l	1			1 7	, 7	
BUNDLED L	change Switching Port Rates Reflected Here Apply to Embedo				ii Cii Tu,	ı	ı								١,	
The Ex 2005 ar	nd Consist of the TELRIC Cost Based Rates Plus \$1.00 in Acco				10,											
The Exc 2005 ar Exchan		ordance	with t	he TRRO.	, 											

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attachment:	2 Exh. A		
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonred		Nonrecurring					Rates(\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	2.65	2.38	2.28	1.42	1.33					-	4
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	2.65	2.38	2.28	1.42	1.33						
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	2.65	2.38	2.28	1.42	1.33						
	Exchange Ports - 2-Wire VG unbundled SC extended local dialing parity Port with Caller ID - Res.			UEPSR	UEPAU	2.65	2.38	2.28	1.42	1.33						
	Exchange Ports - 2-Wire VG unbundled South Carolina Area Calling port with Caller ID - Res (LW8)			UEPSR	UEPAJ	2.65	2.38	2.28	1.42	1.33						
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	2.65	2.38	2.28	1.42	1.33						
	Exchange Ports - 2-Wire VG South Carolina Residence Dialing Plan without Caller ID			UEPSR	UEPWL	2.65	2.38	2.28	1.42	1.33						
	Exchange Ports - 2-Wire VG South Carolina Residence Area Calling Plan without Caller ID capability			UEPSR	UEPRS	2.65	2.38	2.28	1.42	1.33						
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPSR	UEPRT	2.65	2.38	2.28	1.42	1.33					ĺ	
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00								
FEAT																
	All Available Vertical Features			UEPSR	UEPVF	3.04	0.00	0.00								ļ
2-WIR	E VOICE GRADE LINE PORT RATES (BUS)  Exchange Ports - 2-Wire Analog Line Port without Caller ID -														1	<del>                                     </del>
	Bus			UEPSB	UEPBL	2.65	2.38	2.28	1.42	1.33						
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	2.65	2.38	2.28	1.42	1.33						
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	2.65	2.38	2.28	1.42	1.33						
	Exchange Ports - 2-Wire VG unbundled SC extended local			OLI OD	OLI DO	2.00	2.30	2.20	1.72	1.00						<del> </del>
	dialing parity Port with Caller ID - Bus.			UEPSB	UEPAZ	2.65	2.38	2.28	1.42	1.33						
	Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	2.65	2.38	2.28	1.42	1.33						
	Exchange Ports - 2-Wire VG unbundled South Carolina Bus Area Calling Port with Caller ID - Bus (LMB)			UEPSB	UEPAB	2.65	2.38	2.28	1.42	1.33						
	Exchange Ports - 2-Wire Voice South Carolina Business Dialing															1
	Plan without Caller ID  Exchange Ports - 2-Wire Voice South Carolina Business Area			UEPSB	UEPWM	2.65	2.38	2.28	1.42	1.33						
	Calling Port without Caller ID			UEPSB	UEPBB	2.65	2.38	2.28	1.42	1.33						
	2-Wire voice unbundled Incoming Only Port without Caller ID Capability			UEPSB	UEPBE	2.65	2.38	2.28	1.42	1.33						
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
FEAT																
	All Available Vertical Features			UEPSB	UEPVF	3.04	0.00	0.00								
EVOL	All Available Vertical Features ANGE PORT RATES (DID & PBX)					3.04	0.00	0.00							1	-
EXCH	2-Wire VG Unbundled 2-Way PBX Trunk - Res		-	UEPSE	UEPRD	2.65	31.34	14.88	13.97	0.90	<b> </b>				-	<del> </del>
<del></del>	2-Wire VG Unburidled 2-Way PBX Trunk - Res 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	2.65	31.34	14.88	13.97	0.90					t	<del>                                     </del>
i i	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	2.65	31.34	14.88	13.97	0.90				İ	1	1
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	2.65	31.34	14.88	13.97	0.90				<u> </u>		
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	2.65	31.34	14.88	13.97	0.90						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	2.65	31.34	14.88	13.97	0.90				ļ		ļ
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	2.65	31.34	14.88	13.97	0.90						<del>                                     </del>
$\longrightarrow$	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports     2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP UEPSP	UEPXB UEPXC	2.65 2.65	31.34 31.34	14.88 14.88	13.97 13.97	0.90					<del>                                     </del>	-
	2-Wire Voice Unbundled PBX LD DDD Terminals Port  2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		-	UEPSP	UEPXC	2.65	31.34	14.88	13.97	0.90	}				-	+
<del></del>	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			OLI OF	OLFAD	2.05	31.34	14.00	13.97	0.90					<del> </del>	<del>                                     </del>
	Capable Port  2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPSP	UEPXE	2.65	31.34	14.88	13.97	0.90						
	Administrative Calling Port  2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPSP	UEPXL	2.65	31.34	14.88	13.97	0.90						<u> </u>
	Room Calling Port			UEPSP	UEPXM	2.65	31.34	14.88	13.97	0.90						

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attachment:	2 Exh. A		
											Svc Order	Svc Order	Incremental		Incremental	Increment
												Submitted	Charge -	Charge -	Charge -	Charge -
		Intent									Elec	Manually	Manual Svc	Manual Svc	_	_
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add'
													ist	Addi	DISC 1St	DISC Add
					İ	_	Nonre	curring	Nonrecurring	Disconnect			oss	Rates(\$)		
					İ	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															1
	Discount Room Calling Port			UEPSP	UEPXO	2.65	31.34	14.88	13.97	0.90						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	2.65	31.34	14.88	13.97	0.90						1
	2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus															1
	Calling Port			UEPSP	UEPXT	2.65	31.34	14.88	13.97	0.90						
ĺ	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00							Î	
FEAT	TURES														Ī	
	All Available Vertical Features			UEPSP UEPSE	UEPVF	3.04	0.00	0.00								T
Loca	I Switching Features offered with Port														Î	T
NOTI	E: Transmission/usage charges associated with POTS circuit s	witched	usage	will also apply to ci	ircuit switch	ed voice and/or	circuit switch	ed data transm	ission by B-Cl	nannels associ	ated with 2-	wire ISDN p	orts.		Î	1
NOTI	E: Access to B Channel or D Channel Packet capabilities will be	e availa	ble onl	y through BFR/New	Business Re	equest Process	. Rates for the	packet capabi	lities will be de	etermined via t	he Bona Fic	le Request/I	New Busines	s Request Pro	ocess.	T
2-WII	RE VOICE GRADE LINE PORT RATES (DID)															Ī
	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	9.86	119.57	18.78	60.03	3.77					Ī	
2-WII	RE VOICE GRADE LINE PORT RATES (ISDN-BRI)														Î	
ĺ	Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	14.38	72.93	53.11	47.90	10.76					Î	T
	All Features Offered			UEPTX, UEPSX	UEPVF	3.04	0.00	0.00							Ī	T
	Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX, UEPSX	U1UMA	0.00		0.00								T
NOTI	E: Transmission/usage charges associated with POTS circuit s	witched	usage	will also apply to ci	ircuit switch	ed voice and/or	circuit switch	ed data transm	ission by B-Cl	nannels associ	ated with 2-	wire ISDN p	orts.			
NOTI	E: Access to B Channel or D Channel Packet capabilities will be	e availa	ble onl	y through BFR/New	Business Re	equest Process	. Rates for the	packet capabi	lities will be de	etermined via t	he Bona Fic	le Request/I	New Busines	s Request Pro	ocess.	Ī
UNB	UNDLED PORT with REMOTE CALL FORWARDING CAPABILITY	Y														
UNB	UNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE														Î	
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	2.65	2.38	2.28	1.42	1.33						T
																Ī
	Unbundled Remote Call Forwarding Service, Local Calling - Res	;		UEPVR	UERLC	2.65	2.38	2.28	1.42	1.33						
ĺ	Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	2.65	2.38	2.28	1.42	1.33					Î	1
	Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	2.65	2.38	2.28	1.42	1.33						Ī
Non-	Recurring															Ī
	Unbundled Remote Call Forwarding Service - Conversion -															Ī
	Switch-as-is			UEPVR	USAC2		0.10	0.10								
	Unbundled Remote Call Forwarding Service - Conversion with															T
	allowed change (PIC and LPIC)			UEPVR	USACC		0.10	0.10								
UNB	UNDLED REMOTE CALL FORWARDING - Bus															
																Ī
	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	2.65	2.38	2.28	1.42	1.33						
ĺ															Î	1
	Unbundled Remote Call Forwarding Service, Local Calling - Bus	;		UEPVB	UERLC	2.65	2.38	2.28	1.42	1.33						
ĺ	Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	2.65	2.38	2.28	1.42	1.33					Î	1
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	2.65	2.38	2.28	1.42	1.33					Ī	T
1	Unbundled Remote Call Forwarding Service Expanded and															
I	Exception Local Calling	<u>L_</u>	L	UEPVB	UERVJ	2.65	2.38	2.28	1.42	1.33	<u></u>			<u> </u>	<u> </u>	
Non-	Recurring															
	Unbundled Remote Call Forwarding Service - Conversion -															T
	Switch-as-is			UEPVB	USAC2		0.10	0.10								
	Unbundled Remote Call Forwarding Service - Conversion with															Ī
	allowed change (PIC and LPIC)			UEPVB	USACC		0.10	0.10								
UNBUNDLED	LOCAL SWITCHING, PORT USAGE															T
End	Office Switching (Port Usage)															Ī
	End Office Switching Function, Per MOU					0.0010519										
	End Office Trunk Port - Shared, Per MOU					0.0002136										
Tand	em Switching (Port Usage) (Local or Access Tandem)															
	Tandem Switching Function Per MOU					0.0001634										
	Tandem Trunk Port - Shared, Per MOU					0.0002863										
	Tandem Switching Function Per MOU (Melded)					0.00004951										
1	Tandem Trunk Port - Shared, Per MOU (Melded)					0.000086749										
Melde	ed Factor: 30.30% of the Tandem Rate															
	mon Transport		1						1	1						
	mon transport															
	Common Transport - Per Mile, Per MOU					0.0000045										
						0.0000045 0.0004095										-