# BECEINED



BellSouth

2006 UNH 18 AH 8: 163

BellSouth Telecommunications, Inc.

333 Commerce Street

Suite 2101

Nashville, TN 37201-3300

T.R.A. DOCKET ROOM

Guy M. Hicks General Counsel

615 214 6301 Fax 615 214 7406

guy hicks@bellsouth.com

January 17, 2006

#### VIA HAND DELIVERY

Hon. Ron Jones Chairman Tennessee Regulatory Authority 460 James Robertson Parkway Nashville, Tennessee 37243-0505

> Re<sup>1</sup> Approval of the Interconnection Agreement Negotiated Telecommunications, Inc. and SBC Long Distance, LLC d/b/a SBC Long Distance

Pursuant to Sections 251 and 252 of the Telecommunications Act of 1996

Docket No. ()(a-())(0)/(a-())

Dear Chairman Jones.

Enclosed are six paper copies and a CD Rom of the executed interconnection agreement between BellSouth Telecommunications, Inc. and SBC Long Distance, LLC d/b/a SBC Long Distance SBC Long Distance, LLC d/b/a SBC Long Distance has adopted the GulfPines Communications, LLC Interconnection Agreement in its entirety dated May 22, 2005

Thank you for your attention to this matter.

Sincerely yours,

Guy M Hicks

David G. Hammock, RVP Carrier Supplier Mgmt, SBC Long Distance, LLC cc: Stacey Maris, Senior Counsel, SBC Long Distance, LLC

# BEFORE THE TENNESSEE REGULATORY AUTHORITY Nashville, Tennessee

In re:

Approval of the Interconnection Agreement Negotiated by BellSouth Telecommunications, Inc SBC Long Distance, LLC d/b/a SBC Long Distance Pursuant to Sections 251 and 252 of the Telecommunications Act of 1996

Docket No.

# PETITION FOR APPROVAL OF THE INTERCONNECTION AGREEMENT NEGOTIATED BETWEEN BELLSOUTH TELECOMMUNICATIONS, INC. AND SBC LONG DISTANCE, LLC D/B/A SBC LONG DISTANCE PURSUANT TO THE TELECOMMUNICATIONS ACT OF 1996

COME NOW, SBC Long Distance, LLC d/b/a SBC Long Distance ("SBC Long Distance") and BellSouth Telecommunications, Inc., ("BellSouth"), and file this request for approval of the Interconnection Agreement (the "Agreement") between the two companies pursuant to Sections 251 and 252 of the Telecommunications Act of 1996, (the "Act") In support of their request, SBC Long Distance and BellSouth state the following:

- I SBC Long Distance has adopted the GulfPines Communications, LLC Interconnection Agreement in its entirety dated May 22, 2005. A copy of the Agreement and is attached hereto and incorporated herein by reference.
- 2. Pursuant to Section 252(e) of the Telecommunications Act of 1996, SBC Long Distance and BellSouth are submitting their Agreement to the TRA for its consideration and approval.
- 3. In accordance with Section 252(e) of the Act, the TRA is charged with approving or rejecting the negotiated Agreement between BellSouth and SBC Long Distance within 90 days of its submission. The Act provides that the TRA may only reject such an agreement if it finds that the agreement or any portion of the agreement discriminates against a telecommunications carrier not a party to the agreement or the implementation of the agreement

or any portion of the agreement is not consistent with the public interest, convenience and necessity.

- 4. SBC Long Distance and BellSouth aver that the Agreement is consistent with the standards for approval.
- 5. Pursuant to 47 USC Section 252(i) and 47 C F.R. Section 51.809, BellSouth shall make available the entire Interconnection Agreement filed and approved pursuant to 47 USC Section 252.

SBC Long Distance and BellSouth respectfully request that the TRA approve the Agreement negotiated between the parties.

This Hay of Jan., 2006.

Respectfully submitted,

BELLSOUTH TELECOMMUNICATIONS, INC.

By: Guy M. Hicks

333 Commerce Street, Suite 2101

Nashville, Tennessee 37201-3300

(615) 214-6301

Attorney for BellSouth

## **CERTIFICATE OF SERVICE**

I, Guy M. Hicks, hereby certify that I have served a copy of the foregoing Petition for Approval of the Interconnection Agreement on the following via United States Mail on the day of \_\_\_\_\_\_\_, 2006.

Guy M. Hicks

David G Hammock RCP Carrier/Supplier Mgmt. SBC Long Distance, LLC d/b/a SBC Long Distance 308 S. Akard, Suite 1502 Dallas, TX 75202

Stacey Maris Senior Counsel SBC Long Distance, LLC d/b/a SBC Long Distance 208 S. Akard, Room 2905 Dallas, TX 75202

#521932

#### AGREEMENT

This Agreement, which shall become effective thirty (30) days following the date of the last signature of both Parties (Effective Date), is entered into by and between SBC Long Distance, LLC dba SBC Long Distance (SBC LD), a Delaware corporation on behalf of itself, and BellSouth Telecommunications, Inc., (BellSouth), a Georgia corporation, having an office at 675 W. Peachtree Street, Atlanta, Georgia, 30375, on behalf of itself and its successors and assigns.

WHEREAS, the Telecommunications Act of 1996 (the "Act") was signed into law on February 8, 1996; and

WHEREAS, section 252(1) of the Act requires BellSouth to make available any interconnection, service, or network element provided under an agreement approved by the appropriate state regulatory body to any other requesting telecommunications carrier upon the same terms and conditions as those provided in the agreement in its entirety; and

WHEREAS, SBC LD has requested that BellSouth make available the interconnection agreement in its entirety executed between BellSouth and GulfPines Communications, LLC (GulfPines) dated May 22, 2005 for the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee;

**NOW, THEREFORE**, in consideration of the promises and mutual covenants of this Agreement, SBC LD and BellSouth hereby agree as follows:

1. SBC LD and BellSouth shall adopt in its entirety the GulfPines Interconnection Agreement dated May 22, 2005 and any and all amendments to said agreement executed and approved by the appropriate state regulatory commission as of the date of the execution of this Agreement. The GulfPines Interconnection Agreement and all amendments are attached hereto as Exhibit 1 and incorporated herein by this reference. The adoption of this agreement with amendment(s) consists of the following:

ITEM	NO. PAGES
Adoption Papers	4
Title Page	1
Table of Contents	2
General Terms and Conditions	20
Attachment I	33
Attachment 2	339
Attachment 3	50
Attachment 4	143
Attachment 5	6
Attachment 6	9
Attachment 7	28
Attachment 8	2

Adoption Agreement



# Customer Name: SBC Long Distance, LLC dba SBC Long Distance

SBC Long Distance, LLC dba SBC Long Distance	2
Adoption Papers	3
Signature Page	6

# By and Between

**BellSouth Telecommunications, Inc.** 

And

SBC Long Distance, LLC dba SBC Long Distance

Attachment 9	214
Attachment 10	9
Attachment 11	7
TOTAL	867

- 2. In the event that SBC LD consists of two (2) or more separate entities as set forth in the preamble to this Agreement, all such entities shall be jointly and severally liable for the obligations of SBC LD under this Agreement.
- 3. The term of this Agreement shall be from the Effective Date as set forth above and shall expire as set forth in Section 2 of the GulfPines Interconnection Agreement. For the purposes of determining the expiration date of this Agreement pursuant to Section 2 of the GulfPines Interconnection Agreement, the effective date shall be May 22, 2005.
- 4 SBC LD shall accept and incorporate any amendments to the GulfPines Interconnection Agreement executed as a result of any final judicial, regulatory, or legislative action.
- 5. Every notice, consent, approval, or other communications required or contemplated by this Agreement shall be in writing and shall be delivered in person or given by postage prepaid mail, address to:

#### BellSouth Telecommunications, Inc.

BellSouth Local Contract Manager 600 North 19<sup>th</sup> Street, 10<sup>th</sup> floor Birmingham, Alabama 35203

and

ICS Attorney Suite 4300 675 W Peachtree St. Atlanta, GA 30375

## SBC Long Distance, LLC dba SBC Long Distance

David G. Hammock RVP Carrier/Supplier Mgmt. 308 S. Akard, Suite 1502 Dallas, TX 75202

and

Stacey Maris Senior Counsel

#### 208 S. Akard, Room 2905 Dallas, TX 75202

or at such other address as the intended recipient previously shall have designated by written notice to the other Party. Where specifically required, notices shall be by certified or registered mail Unless otherwise provided in this Agreement, notice by mail shall be effective on the date it is officially recorded as delivered by return receipt or equivalent, and in the absence of such record of delivery, it shall be presumed to have been delivered the fifth day, or next business day after the fifth day, after it was deposited in the mails.

Adoption Agreement

IN WITNESS WHEREOF, the Parties have executed this Agreement through their authorized representatives.

BellSouth Telecommunications, Inc

By /

Name. Kristen E. Shore

Title: Director

Date. ///

SBC Long Distance, LLC dba SBC Long Distance

Distance

Name: David Hammes K

Title: RVP Corrier/Supplier Mant

Date: 11/18/2005

Adoption Agreement

CCCS 6 of 6

# BELLSOUTH® / CLEC Agreement

# Customer Name: GulfPines Communications, LLC

GulfPines Communications, LLC - 2005	2
Table of Contents	3
General Terms and Conditions	5
Signature Page	24
Attachment 1 - Resale	25
Att 1 - Resale Discounts & Rates	49
Attachment 2 - Network Elements & Other Services	58
ATT 2 - Network Elements & Other Services Rates, Exhibit A	116
ATT 2 - Network Elements & Other Services Rates, Exhibit B	360
Att 3 - Network Interconnection	397
Att 3 - Network Interconnection Rates	429
Att 4 - Collocation - Central Office	447
Att 4 - Collocation - Remote Site	503
Att 4 - Collocation Rates.xls	542
Att 5 - Access to Numbers and Number Portability	590
Att 6 - Ordering	596
Att 7 - Billing	605
ATT 7 - CMDS, ODUF & ADUF Rates	624
Att 8 - Rights of Way	633
Att 9 - Perf Meas Intro	635
Att 9 - Performance Measurements	637
Att 10 - Disaster Recovery Plan	849
Att 11 - BFR and NBR Process	858

Note: This page is not part of the actual signed contract/amendment, but is present for record keeping purposes only.

## **Interconnection Agreement**

Between

**BellSouth Telecommunications, Inc.** 

and

**GulfPines Communications, LLC** 

## **TABLE OF CONTENTS**

#### **General Terms and Conditions**

#### **Definitions**

- 1. CLEC Certification
- 2. Term of the Agreement
- 3. Nondiscriminatory Access
- 4. Court Ordered Requests for Call Detail Records and Other Subscriber Information
- 5. Liability and Indemnification
- 6. Intellectual Property Rights and Indemnification
- 7. Proprietary and Confidential Information
- 8. Resolution of Disputes
- 9. Taxes
- 10. Force Majeure
- 11. Adoption of Agreements
- 12. Modification of Agreement
- 13. Legal Rights
- 14. Indivisibility
- 15. Severability
- 16. Non-Waivers
- 17. Governing Law
- 18. Assignments and Transfers
- 19. Notices
- 20. Rule of Construction
- 21. Headings of No Force or Effect
- 22. Multiple Counterparts
- 23. Filing of Agreement
- 24. Compliance with Law
- 25. Necessary Approvals
- 26. Good Faith Performance
- 27. Rates
- 28. Rate True-Up
- 29. Survival
- 30. Entire Agreement

## TABLE OF CONTENTS (cont'd)

- **Attachment 1 Resale**
- **Attachment 2 Network Elements and Other Services**
- **Attachment 3 Network Interconnection**
- **Attachment 4 Physical Collocation Central Office**
- **Attachment 4 Physical Collocation Remote Site**
- **Attachment 5 Access to Numbers and Number Portability**
- Attachment 6 Pre-Ordering, Ordering, Provisioning and Maintenance and Repair
- **Attachment 7 Billing**
- **Attachment 8 Rights-of-Way, Conduits and Pole Attachments**
- **Attachment 9 Performance Measurements**
- **Attachment 10- BellSouth Disaster Recovery Plan**
- **Attachment 11–Bona Fide Request and New Business Request Process**

# AGREEMENT GENERAL TERMS AND CONDITIONS

**THIS AGREEMENT** is made by and between BellSouth Telecommunications, Inc., (BellSouth), a Georgia corporation, and GulfPines Communications, LLC (GulfPines), a Mississippi corporation, and shall be effective on the Effective Date, as defined herein. This Agreement may refer to either BellSouth or GulfPines or both as a "Party" or "Parties."

#### WITNESSETH

WHEREAS, BellSouth is a local exchange telecommunications company authorized to provide Telecommunications Services (as defined below) in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee; and

**WHEREAS**, GulfPines is or seeks to become a CLEC authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee; and

**WHEREAS**, pursuant to Sections 251 and 252 of the Act; GulfPines wishes to purchase certain services from BellSouth; and

**WHEREAS**, Parties wish to interconnect their facilities, exchange traffic, and perform Local Number Portability (LNP) pursuant to Sections 251 and 252 of the Act as set forth herein; and

**NOW THEREFORE**, in consideration of the mutual agreements contained herein, BellSouth and GulfPines agree as follows:

#### **Definitions**

**Affiliate** is defined as a person that (directly or indirectly) owns or controls, is owned or controlled by, or is under common ownership or control with, another person. For purposes of this paragraph, the term "own" means to own an equity interest (or equivalent thereof) of more than 10 percent.

**Commission** is defined as the appropriate regulatory agency in each state of BellSouth's nine-state region (Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee).

Competitive Local Exchange Carrier (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.

Version: 4Q04 Standard ICA

**Effective Date** is defined as the date that the Agreement is effective for purposes of rates, terms and conditions and shall be thirty (30) days after the date of the last signature executing the Agreement. Future amendments for rate changes will also be effective thirty (30) days after the date of the last signature executing the amendment.

**End User** means the ultimate user of the Telecommunications Service.

**FCC** means the Federal Communications Commission.

**Telecommunications** means the transmission, between or among points specified by the user, of information of the user's choosing, without change in the form or content of the information as sent and received.

**Telecommunications Service** means the offering of telecommunications for a fee directly to the public, or to such classes of users as to be effectively available directly to the public, regardless of the facilities used.

**Telecommunications Act of 1996 (Act)** means Public Law 104-104 of the United States Congress effective February 8, 1996. The Act amended the Communications Act of 1934 (47 U.S.C. Section 1 et. seq.).

#### 1. CLEC Certification

- 1.1 GulfPines agrees to provide BellSouth in writing GulfPines's CLEC certification for all states covered by this Agreement except Kentucky prior to BellSouth filing this Agreement with the appropriate Commission for approval.
- 1.2 To the extent GulfPines is not certified as a CLEC in each state covered by this Agreement as of the execution hereof, GulfPines may not purchase services hereunder in that state. GulfPines will notify BellSouth in writing and provide CLEC certification when it becomes certified to operate in any other state covered by this Agreement and upon receipt thereof, GulfPines may thereafter purchase services pursuant to this Agreement in that state. BellSouth will file this Agreement with the appropriate Commission for approval.
- 1.3 Should GulfPines's certification in any state be rescinded or otherwise terminated, BellSouth may, at its election, terminate this Agreement immediately and all monies owed on all outstanding invoices shall become due, and BellSouth may refuse to provide services hereunder in that state until certification is reinstated in that state, provided such notification is made prior to expiration of the initial term of this Agreement. GulfPines shall provide an effective certification to do business issued by the secretary of state or equivalent authority in each state covered by this Agreement.

#### 2. Term of the Agreement

Version: 4Q04 Standard ICA 12/09/04

- 2.1 The initial term of this Agreement shall be three years, beginning on the Effective Date and shall apply to the BellSouth territory in the state(s) of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee. Notwithstanding any prior agreement of the Parties, the rates, terms and conditions of this Agreement shall not be applied retroactively prior to the Effective Date.
- The Parties agree that by no earlier than two hundred seventy (270) days and no later than one hundred and eighty (180) days prior to the expiration of the initial term of this Agreement, they shall commence negotiations for a new agreement to be effective beginning on the expiration date of this Agreement (Subsequent Agreement). If as of the expiration of the initial term of this Agreement, a Subsequent Agreement has not been executed by the Parties, then except as set forth in Sections 2.3.1 and 2.3.2 below, this Agreement shall continue on a month-to-month basis while a Subsequent Agreement is being negotiated. The Parties' rights and obligations with respect to this Agreement after expiration of the initial term shall be as set forth in Section 2.3 below.
- 2.3 If, within one hundred and thirty-five (135) days of commencing the negotiation referred to in Section 2.2 above, the Parties are unable to negotiate new terms, conditions and prices for a Subsequent Agreement, either Party may petition the Commission to establish appropriate rates, terms and conditions for the Subsequent Agreement pursuant to 47 U.S.C. 252.
- 2.3.1 GulfPines may request termination of this Agreement only if it is no longer purchasing services pursuant to this Agreement. Except as set forth in Section 2.3.2 below, notwithstanding the foregoing, in the event that as of the date of expiration of the initial term of this Agreement and conversion of this Agreement to a month-to-month term, the Parties have not entered into a Subsequent Agreement and no arbitration proceeding has been filed in accordance with 2.3 above, then BellSouth may terminate this Agreement upon sixty (60) days notice to GulfPines. In the event that BellSouth terminates this Agreement as provided above, BellSouth shall continue to offer services to GulfPines pursuant to the rates, terms and conditions set forth in BellSouth's then current standard interconnection agreement. In the event that BellSouth's standard interconnection agreement becomes effective between the Parties, the Parties may continue to negotiate a Subsequent Agreement.
- 2.3.2 Notwithstanding Section 2.3 above, in the event that as of the expiration of the initial term of this Agreement the Parties have not entered into a Subsequent Agreement and no arbitration proceeding has been filed in accordance with Section 2.2 above and BellSouth is not providing any services under this Agreement as of the date of expiration of the initial term of this Agreement, then this Agreement shall not continue on a month to month basis but shall be deemed terminated as of the expiration date hereof.

- In addition to as otherwise set forth in this Agreement, BellSouth reserves the right to suspend access to ordering systems, refuse to process additional or pending applications for service, or terminate service in the event of prohibited, unlawful or improper use of BellSouth's facilities or service, abuse of BellSouth's facilities or any other material breach of this Agreement, and all monies owed on all outstanding invoices shall become due.
- If, at any time during the term of this Agreement, BellSouth is unable to contact GulfPines pursuant to the Notices provision hereof or any other contact information provided by GulfPines under this Agreement, and there are no active services being provisioned under this Agreement, then BellSouth may, at its discretion, terminate this Agreement, without any liability whatsoever, upon sending of notification to GulfPines pursuant to the Notices section hereof.

#### 3. Nondiscriminatory Access

When GulfPines purchases Telecommunications Services from BellSouth pursuant to Attachment 1 of this Agreement for the purposes of resale to End Users, such services shall be equal in quality, subject to the same conditions, and provided within the same provisioning time intervals that BellSouth provides to others, including its End Users. To the extent technically feasible, the quality of a Network Element, as well as the quality of the access to such Network Element provided by BellSouth to GulfPines shall be at least equal to that which BellSouth provides to itself and shall be the same for all Telecommunications carriers requesting access to that Network Element. The quality of the interconnection between the network of BellSouth and the network of GulfPines shall be at a level that is equal to that which BellSouth provides itself, a subsidiary, an Affiliate, or any other party. The interconnection facilities shall be designed to meet the same technical criteria and service standards that are used within BellSouth's network and shall extend to a consideration of service quality as perceived by BellSouth's End Users and service quality as perceived by GulfPines.

# 4 Court Ordered Requests for Call Detail Records and Other Subscriber Information

- 4.1 <u>Subpoenas Directed to BellSouth</u>. Where BellSouth provides resold services for GulfPines, or, if applicable under this Agreement, switching, BellSouth shall respond to subpoenas and court ordered requests delivered directly to BellSouth for the purpose of providing call detail records when the targeted telephone numbers belong to GulfPines End Users. Billing for such requests will be generated by BellSouth and directed to the law enforcement agency initiating the request. BellSouth shall maintain such information for GulfPines End Users for the same length of time it maintains such information for its own End Users.
- 4.2 <u>Subpoenas Directed to GulfPines</u>. Where BellSouth is providing resold services to GulfPines, or, if applicable under this Agreement, switching, then GulfPines agrees that in those cases where GulfPines receives subpoenas or court ordered requests regarding targeted telephone numbers belonging to GulfPines End Users,

Version: 4Q04 Standard ICA

and where GulfPines does not have the requested information, GulfPines will advise the law enforcement agency initiating the request to redirect the subpoena or court ordered request to BellSouth for handling in accordance with 4.1 above.

In all other instances, where either Party receives a request for information involving the other Party's End User, the Party receiving the request will advise the law enforcement agency initiating the request to redirect such request to the other Party.

#### 5 Liability and Indemnification

- 5.1 <u>GulfPines Liability</u>. In the event that GulfPines consists of two (2) or more separate entities as set forth in this Agreement and/or any Amendments hereto, or any third party places orders under this Agreement using GulfPines's company codes or identifiers, all such entities shall be jointly and severally liable for the obligations of GulfPines under this Agreement.
- 5.2 <u>Liability for Acts or Omissions of Third Parties</u>. BellSouth shall not be liable to GulfPines for any act or omission of another entity providing any services to GulfPines.
- Limitation of Liability. Except for any indemnification obligations of the Parties hereunder, each Party's liability to the other for any loss, cost, claim, injury, liability or expense, including reasonable attorneys' fees relating to or arising out of any cause whatsoever, whether based in contract, negligence or other tort, strict liability or otherwise, relating to the performance of this Agreement, shall not exceed a credit for the actual cost of the services or functions not performed or improperly performed. Any amounts paid to GulfPines pursuant to Attachment 9 hereof shall be credited against any damages otherwise payable to GulfPines pursuant to this Agreement.
- Limitations in Tariffs. A Party may, in its sole discretion, provide in its tariffs and contracts with its End Users and third parties that relate to any service, product or function provided or contemplated under this Agreement, that to the maximum extent permitted by Applicable Law, such Party shall not be liable to the End User or third party for (i) any loss relating to or arising out of this Agreement, whether in contract, tort or otherwise, that exceeds the amount such Party would have charged that applicable person for the service, product or function that gave rise to such loss and (ii) consequential damages. To the extent that a Party elects not to place in its tariffs or contracts such limitations of liability, and the other Party incurs a loss as a result thereof, such Party shall, except to the extent caused by the other Party's gross negligence or willful misconduct, indemnify and reimburse the other Party for that portion of the loss that would have been limited had the first Party included in its tariffs and contracts the limitations of liability that such other Party included in its own tariffs at the time of such loss.

Version: 4Q04 Standard ICA

- 5.3.2 Neither BellSouth nor GulfPines shall be liable for damages to the other Party's terminal location, equipment or End User premises resulting from the furnishing of a service, including, but not limited to, the installation and removal of equipment or associated wiring, except to the extent caused by a Party's negligence or willful misconduct or by a Party's failure to ground properly a local loop after disconnection.
- Under no circumstance shall a Party be responsible or liable for indirect, incidental, or consequential damages, including, but not limited to, economic loss or lost business or profits, damages arising from the use or performance of equipment or software, or the loss of use of software or equipment, or accessories attached thereto, delay, error, or loss of data. In connection with this limitation of liability, each Party recognizes that the other Party may, from time to time, provide advice, make recommendations, or supply other analyses related to the services or facilities described in this Agreement, and, while each Party shall use diligent efforts in this regard, the Parties acknowledge and agree that this limitation of liability shall apply to provision of such advice, recommendations, and analyses.
- To the extent any specific provision of this Agreement purports to impose liability, or limitation of liability, on either Party different from or in conflict with the liability or limitation of liability set forth in this Section, then with respect to any facts or circumstances covered by such specific provisions, the liability or limitation of liability contained in such specific provision shall apply.
- Indemnification for Certain Claims. Except to the extent caused by the indemnified Party's gross negligence or willful misconduct, the Party providing services hereunder, its Affiliates and its parent company, shall be indemnified, defended and held harmless by the Party receiving services hereunder against any claim, loss or damage arising from the receiving Party's use of the services provided under this Agreement pertaining to (1) claims for libel, slander or invasion of privacy arising from the content of the receiving Party's own communications, or (2) any claim, loss or damage claimed by the End User of the Party receiving services arising from such company's use or reliance on the providing Party's services, actions, duties, or obligations arising out of this Agreement.
- 5.5 <u>Disclaimer</u>. EXCEPT AS SPECIFICALLY PROVIDED TO THE CONTRARY IN THIS AGREEMENT, NEITHER PARTY MAKES ANY REPRESENTATIONS OR WARRANTIES TO THE OTHER PARTY CONCERNING THE SPECIFIC QUALITY OF ANY SERVICES, OR FACILITIES PROVIDED UNDER THIS AGREEMENT. THE PARTIES DISCLAIM, WITHOUT LIMITATION, ANY WARRANTY OR GUARANTEE OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARISING FROM COURSE OF PERFORMANCE, COURSE OF DEALING, OR FROM USAGES OF TRADE.

#### 6 Intellectual Property Rights and Indemnification

- No License. Except as expressly set forth in Section 6.2, no patent, copyright, trademark or other proprietary right is licensed, granted or otherwise transferred by this Agreement. The Parties are strictly prohibited from any use, including but not limited to, in the selling, marketing, promoting or advertising of telecommunications services, of any name, service mark, logo or trademark (collectively, the "Marks") of the other Party. The Marks include those Marks owned directly by a Party or its Affiliate(s) and those Marks that a Party has a legal and valid license to use. The Parties acknowledge that they are separate and distinct and that each provides a separate and distinct service and agree that neither Party may, expressly or impliedly, state, advertise or market that it is or offers the same service as the other Party or engage in any other activity that may result in a likelihood of confusion between its own service and the service of the other Party.
- 6.2 Ownership of Intellectual Property. Any intellectual property that originates from or is developed by a Party shall remain the exclusive property of that Party. Except for a limited, non-assignable, non-exclusive, non-transferable license to use patents or copyrights to the extent necessary for the Parties to use any facilities or equipment (including software) or to receive any service solely as provided under this Agreement, no license in patent, copyright, trademark or trade secret, or other proprietary or intellectual property right, now or hereafter owned, controlled or licensable by a Party, is granted to the other Party. Neither shall it be implied nor arise by estoppel. Any trademark, copyright or other proprietary notices appearing in association with the use of any facilities or equipment (including software) shall remain on the documentation, material, product, service, equipment or software. It is the responsibility of each Party to ensure at no additional cost to the other Party that it has obtained any necessary licenses in relation to intellectual property of third Parties used in its network that may be required to enable the other Party to use any facilities or equipment (including software), to receive any service, or to perform its respective obligations under this Agreement.
- 6.3 Intellectual Property Remedies
- 6.3.1 <u>Indemnification.</u> The Party providing a service pursuant to this Agreement will defend the Party receiving such service or data provided as a result of such service against claims of infringement arising solely from the use by the receiving Party of such service in the manner contemplated under this Agreement and will indemnify the receiving Party for any damages awarded based solely on such claims in accordance with Section 5 preceding.
- 6.3.2 <u>Claim of Infringement.</u> In the event that use of any facilities or equipment (including software), becomes, or in the reasonable judgment of the Party who owns the affected network is likely to become, the subject of a claim, action, suit, or proceeding based on intellectual property infringement, then said Party, promptly and at its sole expense and sole option, but subject to the limitations of liability set forth below, shall:

Version: 4Q04 Standard ICA

- 6.3.2.1 modify or replace the applicable facilities or equipment (including software) while maintaining form and function, or
- 6.3.2.2 obtain a license sufficient to allow such use to continue.
- 6.3.2.3 In the event Section 6.3.2.1 or 6.3.2.2 are commercially unreasonable, then said Party may terminate, upon reasonable notice, this contract with respect to use of, or services provided through use of, the affected facilities or equipment (including software), but solely to the extent required to avoid the infringement claim.
- 6.3.3 Exception to Obligations. Neither Party's obligations under this Section shall apply to the extent the infringement is caused by: (i) modification of the facilities or equipment (including software) by the indemnitee; (ii) use by the indemnitee of the facilities or equipment (including software) in combination with equipment or facilities (including software) not provided or authorized by the indemnitor, provided the facilities or equipment (including software) would not be infringing if used alone; (iii) conformance to specifications of the indemnitee which would necessarily result in infringement; or (iv) continued use by the indemnitee of the affected facilities or equipment (including software) after being placed on notice to discontinue use as set forth herein.
- 6.3.4 <u>Exclusive Remedy.</u> The foregoing shall constitute the Parties' sole and exclusive remedies and obligations with respect to a third party claim of intellectual property infringement arising out of the conduct of business under this Agreement.
- 6.3.5 <u>Dispute Resolution.</u> Any claim arising under Section 6.1 and 6.2 shall be excluded from the dispute resolution procedures set forth in Section 8 and shall be brought in a court of competent jurisdiction.

#### 7 Proprietary and Confidential Information

Proprietary and Confidential Information. It may be necessary for BellSouth and GulfPines, each as the "Discloser," to provide to the other Party, as "Recipient," certain proprietary and confidential information (including trade secret information) including but not limited to technical, financial, marketing, staffing and business plans and information, strategic information, proposals, request for proposals, specifications, drawings, maps, prices, costs, costing methodologies, procedures, processes, business systems, software programs, techniques, customer account data, call detail records and like information (collectively the "Information"). All such Information conveyed in writing or other tangible form shall be clearly marked with a confidential or proprietary legend. Information conveyed orally by the Discloser to Recipient shall be designated as proprietary and confidential at the time of such oral conveyance, shall be reduced to writing by the Discloser within forty-five (45) days thereafter, and shall be clearly marked with a confidential or proprietary legend.

Version: 4Q04 Standard ICA

- 7.2 <u>Use and Protection of Information.</u> Recipient agrees to protect such Information of the Discloser provided to Recipient from whatever source from distribution, disclosure or dissemination to anyone except employees of Recipient with a need to know such Information solely in conjunction with Recipient's analysis of the Information and for no other purpose except as authorized herein or as otherwise authorized in writing by the Discloser. Recipient will not make any copies of the Information inspected by it.
- 7.3 <u>Exceptions.</u> Recipient will not have an obligation to protect any portion of the Information which:
- 7.3.1 (a) is made publicly available by the Discloser or lawfully by a nonparty to this Agreement; (b) is lawfully obtained by Recipient from any source other than Discloser; (c) is previously known to Recipient without an obligation to keep it confidential; or (d) is released from the terms of this Agreement by Discloser upon written notice to Recipient.
- Recipient agrees to use the Information solely for the purposes of negotiations pursuant to 47 U.S.C. 251 or in performing its obligations under this Agreement and for no other entity or purpose, except as may be otherwise agreed to in writing by the Parties. Nothing herein shall prohibit Recipient from providing information requested by the FCC or a state regulatory agency with jurisdiction over this matter, or to support a request for arbitration or an allegation of failure to negotiate in good faith.
- 7.5 Recipient agrees not to publish or use the Information for any advertising, sales or marketing promotions, press releases, or publicity matters that refer either directly or indirectly to the Information or to the Discloser or any of its affiliated companies.
- 7.6 The disclosure of Information neither grants nor implies any license to the Recipient under any trademark, patent, copyright, application or other intellectual property right that is now or may hereafter be owned by the Discloser.
- 7.7 <u>Survival of Confidentiality Obligations.</u> The Parties' rights and obligations under this Section 7 shall survive and continue in effect until two (2) years after the expiration or termination date of this Agreement with regard to all Information exchanged during the term of this Agreement. Thereafter, the Parties' rights and obligations hereunder survive and continue in effect with respect to any Information that is a trade secret under applicable law.

#### **8** Resolution of Disputes

Except as otherwise stated in this Agreement, if any dispute arises as to the interpretation of any provision of this Agreement or as to the proper implementation of this Agreement, the aggrieved Party, if it elects to pursue resolution of the dispute, shall petition the Commission for a resolution of the

Version: 4Q04 Standard ICA

dispute. However, each Party reserves any rights it may have to seek judicial review of any ruling made by the Commission concerning this Agreement.

#### 9 Taxes

- 9.1 <u>Definition.</u> For purposes of this Section, the terms "taxes" and "fees" shall include but not be limited to federal, state or local sales, use, excise, gross receipts or other taxes or tax-like fees of whatever nature and however designated (including tariff surcharges and any fees, charges or other payments, contractual or otherwise, for the use of public streets or rights of way, whether designated as franchise fees or otherwise) imposed, or sought to be imposed, on or with respect to the services furnished hereunder or measured by the charges or payments therefore, excluding any taxes levied on income.
- 9.2 Taxes and Fees Imposed Directly On Either Providing Party or Purchasing Party.

  Taxes and fees imposed on the providing Party, which are not permitted or required to be passed on by the providing Party to its customer, shall be borne and paid by the providing Party.
- 9.2.1 Taxes and fees imposed on the purchasing Party, which are not required to be collected and/or remitted by the providing Party, shall be borne and paid by the purchasing Party.
- 9.3 <u>Taxes and Fees Imposed on Purchasing Party But Collected And Remitted By Providing Party.</u> Taxes and fees imposed on the purchasing Party shall be borne by the purchasing Party, even if the obligation to collect and/or remit such taxes or fees is placed on the providing Party.
- 9.3.1 To the extent permitted by applicable law, any such taxes and/or fees shall be shown on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- 9.3.2 If the purchasing Party determines that in its opinion any such taxes or fees are not payable, the providing Party shall not bill such taxes or fees to the purchasing Party if the purchasing Party provides written certification, reasonably satisfactory to the providing Party, stating that it is exempt or otherwise not subject to the tax or fee, setting forth the basis therefor, and satisfying any other requirements under applicable law. If any authority seeks to collect any such tax or fee that the purchasing Party has determined and certified not to be payable, or any such tax or fee that was not billed by the providing Party, the purchasing Party may contest the same in good faith, at its own expense. In any such contest, the purchasing Party shall promptly furnish the providing Party with copies of all filings in any proceeding, protest, or legal challenge, all rulings issued in connection therewith, and all correspondence between the purchasing Party and the taxing authority.

Version: 4Q04 Standard ICA 12/09/04

- 9.3.3 In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.
- 9.3.4 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 9.3.5 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other charges or payable expenses (including reasonable attorney fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.
- 9.3.6 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- 9.4 <u>Taxes and Fees Imposed on Providing Party But Passed On To Purchasing Party.</u>

  Taxes and fees imposed on the providing Party, which are permitted or required to be passed on by the providing Party to its customer, shall be borne by the purchasing Party.
- 9.4.1 To the extent permitted by applicable law, any such taxes and/or fees shall be shown on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- 9.4.2 If the purchasing Party disagrees with the providing Party's determination as to the application or basis for any such tax or fee, the Parties shall consult with respect to the imposition and billing of such tax or fee. Notwithstanding the foregoing, the providing Party shall retain ultimate responsibility for determining whether and to what extent any such taxes or fees are applicable, and the purchasing Party shall abide by such determination and pay such taxes or fees to the providing Party. The providing Party shall further retain ultimate responsibility for determining whether and how to contest the imposition of such taxes and fees; provided, however, that any such contest undertaken at the request of the purchasing Party shall be at the purchasing Party's expense.

- 9.4.3 In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.
- 9.4.4 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 9.4.5 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other reasonable charges or payable expenses (including reasonable attorneys' fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.
- 9.4.6 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- 9.5 <u>Mutual Cooperation.</u> In any contest of a tax or fee by one Party, the other Party shall cooperate fully by providing records, testimony and such additional information or assistance as may reasonably be necessary to pursue the contest. Further, the other Party shall be reimbursed for any reasonable and necessary out-of-pocket copying and travel expenses incurred in assisting in such contest.

## 10 Force Majeure

In the event performance of this Agreement, or any obligation hereunder, is either directly or indirectly prevented, restricted, or interfered with by reason of fire, flood, earthquake or like acts of God, wars, revolution, civil commotion, explosion, acts of public enemy, embargo, acts of the government in its sovereign capacity, labor difficulties, including without limitation, strikes, slowdowns, picketing, or boycotts, unavailability of equipment from vendor, changes requested by GulfPines, or any other circumstances beyond the reasonable control and without the fault or negligence of the Party affected, the Party affected, upon giving prompt notice to the other Party, shall be excused from such performance on a day-to-day basis to the extent of such prevention, restriction, or interference (and the other Party shall likewise be excused from performance of its obligations on a day-to-day basis until the delay, restriction or interference has ceased); provided, however, that the Party so affected shall use diligent efforts to avoid or remove such causes of non-performance and both Parties shall proceed whenever such causes are removed or cease.

Version: 4Q04 Standard ICA 12/09/04

#### 11 Adoption of Agreements

Pursuant to 47 USC § 252(i) and 47 C.F.R. § 51.809, BellSouth shall make available to GulfPines any entire interconnection agreement filed and approved pursuant to 47 USC § 252. The adopted agreement shall apply to the same states as the agreement that was adopted, and the term of the adopted agreement shall expire on the same date as set forth in the agreement that was adopted.

## 12 Modification of Agreement

- 12.1 If GulfPines changes its name or makes changes to its company structure or identity due to a merger, acquisition, transfer or any other reason, it is the responsibility of GulfPines to notify BellSouth of said change, request that an amendment to this Agreement, if necessary, be executed to reflect said change and notify the appropriate state commission of such modification of company structure in accordance with the state rules governing such modification in company structure if applicable. Additionally, GulfPines shall provide BellSouth with any necessary supporting documentation.
- 12.2 No modification, amendment, supplement to, or waiver of the Agreement or any of its provisions shall be effective and binding upon the Parties unless it is made in writing and duly signed by the Parties.
- In the event that any effective legislative, regulatory, judicial or other legal action materially affects any material terms of this Agreement, or the ability of GulfPines or BellSouth to perform any material terms of this Agreement, GulfPines or BellSouth may, on thirty (30) days' written notice, require that such terms be renegotiated, and the Parties shall renegotiate in good faith such mutually acceptable new terms as may be required. In the event that such new terms are not renegotiated within forty-five (45) days after such notice, and either Party elects to pursue resolution of such amendment such Party shall pursue the Dispute Resolution procedure set forth in this Agreement.

#### 13 Legal Rights

Execution of this Agreement by either Party does not confirm or imply that the executing Party agrees with any decision(s) issued pursuant to the Telecommunications Act of 1996 and the consequences of those decisions on specific language in this Agreement. Neither Party waives its rights to appeal or otherwise challenge any such decision(s) and each Party reserves all of its rights to pursue any and all legal and/or equitable remedies, including appeals of any such decision(s).

#### 14 Indivisibility

Subject to Section 15 (Severability), the Parties intend that this Agreement be indivisible and nonseverable, and each of the Parties acknowledges that it has assented to all of the covenants and promises in this Agreement as a single whole

Version: 4Q04 Standard ICA

and that all of such covenants and promises, taken as a whole, constitute the essence of the contract. Without limiting the generality of the foregoing, each of the Parties acknowledges that any provision by BellSouth of collocation space under this Agreement is solely for the purpose of facilitating the provision of other services under this Agreement and that neither Party would have contracted with respect to the provisioning of collocation space under this Agreement if the covenants and promises of the other Party with respect to the other services provided under this Agreement had not been made. The Parties further acknowledge that this Agreement is intended to constitute a single transaction, that the obligations of the Parties under this Agreement are interdependent, and that payment obligations under this Agreement are intended to be recouped against other payment obligations under this Agreement.

#### 15 Severability

If any provision of this Agreement, or part thereof, shall be held invalid or unenforceable in any respect, the remainder of the Agreement or provision shall not be affected thereby, provided that the Parties shall negotiate in good faith to reformulate such invalid provision, or part thereof, or related provision, to reflect as closely as possible the original intent of the parties, consistent with applicable law, and to effectuate such portions thereof as may be valid without defeating the intent of such provision. In the event the Parties are unable to mutually negotiate such replacement language, either Party may elect to pursue the dispute resolution process set forth in Section 8.

#### 16 Non-Waivers

A failure or delay of either Party to enforce any of the provisions hereof, to exercise any option which is herein provided, or to require performance of any of the provisions hereof shall in no way be construed to be a waiver of such provisions or options, and each Party, notwithstanding such failure, shall have the right thereafter to insist upon the performance of any and all of the provisions of this Agreement.

#### 17 Governing Law

Where applicable, this Agreement shall be governed by and construed in accordance with federal and state substantive telecommunications law, including rules and regulations of the FCC and appropriate Commission. In all other respects, this Agreement shall be governed by and construed and enforced in accordance with the laws of the State of Georgia without regard to its conflict of laws principles.

#### 18 Assignments and Transfers

Any assignment by either Party to any entity of any right, obligation or duty, or of any other interest hereunder, in whole or in part, without the prior written consent

Version: 4Q04 Standard ICA

of the other Party shall be void. The assignee must provide evidence of a Commission approved certification to provide Telecommunications Service in each state that GulfPines is entitled to provide Telecommunications Service. After BellSouth's consent, the Parties shall amend this Agreement to reflect such assignments and shall work cooperatively to implement any changes required due to such assignment. All obligations and duties of any Party under this Agreement shall be binding on all successors in interest and assigns of such Party. No assignment or delegation hereof shall relieve the assignor of its obligations under this Agreement in the event that the assignee fails to perform such obligations. Notwithstanding anything to the contrary in this Section, GulfPines shall not be permitted to assign this Agreement in whole or in part to any entity unless either (1) GulfPines pays all bills, past due and current, under this Agreement, or (2) GulfPines's assignee expressly assumes liability for payment of such bills.

In the event that GulfPines desires to transfer any services hereunder to another provider of Telecommunications Service, or GulfPines desires to assume hereunder any services provisioned by BellSouth to another provider of Telecommunications Service, such transfer of services shall be subject to separately negotiated rates, terms and conditions.

#### 19 Notices

With the exception of billing notices, governed by Attachment 7, every notice, consent or approval of a legal nature, required or permitted by this Agreement shall be in writing and shall be delivered either by hand, by overnight courier or by US mail postage prepaid, or email if an email address is listed below, addressed to:

#### **BellSouth Telecommunications, Inc.**

BellSouth Local Contract Manager 600 North 19<sup>th</sup> Street, 10<sup>th</sup> floor Birmingham, AL 35203

and

ICS Attorney Suite 4300 675 West Peachtree Street Atlanta, GA 30375

#### **GulfPines Communications, LLC**

ATTN/Bill Cooley P. O. Box 922 Bay Springs, MS 39422 bcooley@intop.net

Version: 4Q04 Standard ICA 12/09/04

or at such other address as the intended recipient previously shall have designated by written notice to the other Party.

- Unless otherwise provided in this Agreement, notice by mail shall be effective on the date it is officially recorded as delivered by return receipt or equivalent, and in the absence of such record of delivery, it shall be presumed to have been delivered the fifth day, or next business day after the fifth day, after it was deposited in the mails.
- 19.3 Notwithstanding the above, BellSouth will post to BellSouth's Interconnection Web site changes to business processes and policies and shall post to BellSouth's Interconnection Web site or submit through applicable electronic systems, other service and business related notices not requiring an amendment to this Agreement.

#### **20** Rule of Construction

No rule of construction requiring interpretation against the drafting Party hereof shall apply in the interpretation of this Agreement.

## 21 Headings of No Force or Effect

The headings of Articles and Sections of this Agreement are for convenience of reference only, and shall in no way define, modify or restrict the meaning or interpretation of the terms or provisions of this Agreement.

#### 22 Multiple Counterparts

This Agreement may be executed in multiple counterparts, each of which shall be deemed an original, but all of which shall together constitute but one and the same document.

#### Filing of Agreement

Upon execution of this Agreement it shall be filed with the appropriate state regulatory agency pursuant to the requirements of Section 252 of the Act, and the Parties shall share equally any filing fees therefor. If the regulatory agency imposes any filing or public interest notice fees regarding the filing or approval of the Agreement, GulfPines shall be responsible for publishing the required notice and the publication and/or notice costs shall be borne by GulfPines.

Notwithstanding the foregoing, this Agreement shall not be submitted for approval by the appropriate state regulatory agency unless and until such time as GulfPines is duly certified as a local exchange carrier in such state, except as otherwise required by a Commission.

#### 24 Compliance with Law

Version: 4Q04 Standard ICA 12/09/04

The Parties have negotiated their respective rights and obligations pursuant to substantive Federal and State Telecommunications law and this Agreement is intended to memorialize the Parties' mutual agreement with respect to each Party's rights and obligations under the Act and applicable FCC and Commission orders, rules and regulations. Nothing contained herein, nor any reference to applicable rules and orders, is intended to expand on the Parties' rights and obligations as set forth herein. To the extent the provisions of this Agreement differ from the provisions of any Federal or State Telecommunications statute, rule or order, this Agreement shall control. Each Party shall comply at its own expense with all other laws of general applicability.

#### 25 Necessary Approvals

Each Party shall be responsible for obtaining and keeping in effect all approvals from, and rights granted by, governmental authorities, building and property owners, other carriers, and any other persons that may be required in connection with the performance of its obligations under this Agreement. Each Party shall reasonably cooperate with the other Party in obtaining and maintaining any required approvals and rights for which such Party is responsible.

#### **26** Good Faith Performance

Each Party shall act in good faith in its performance under this Agreement and, in each case in which a Party's consent or agreement is required or requested hereunder, such Party shall not unreasonably withhold or delay such consent or agreement.

#### 27. Rates

- GulfPines shall pay the charges set forth in this Agreement. In the event that BellSouth is unable to bill the applicable rate or no rate is established or included in this Agreement for any services provided pursuant to this Agreement, BellSouth reserves the right to back bill GulfPines for such rate or for the difference between the rate actually billed and the rate that should have been billed pursuant to this Agreement. To the extent a rate element is omitted or no rate is established, BellSouth has the right not to provision such service until the Agreement is amended to include such rate.
- To the extent GulfPines requests services not included in this Agreement, such services shall be provisioned pursuant to the rates, terms and conditions set forth in the applicable tariffs or a separately negotiated Agreement.

#### 28 Rate True-Up

28.1 This section applies to rates that are expressly designated as subject to true-up under this Agreement.

Version: 4Q04 Standard ICA

- The designated true-up rates shall be trued-up, either up or down, based on final prices determined either by further agreement between the Parties, or by a final and effective order of the Commission. The Parties shall implement the true-up by comparing the actual volumes and demand for each item, together with the designated true-up rates for each item, with the final prices determined for each item. Each Party shall keep its own records upon which the true-up can be based, and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of such true-up, the Parties shall submit the matter to the Dispute Resolution process in accordance with the provisions of this Agreement.
- A final and effective order of the Commission that forms the basis of a true-up shall be based upon cost studies submitted by either or both Parties to the Commission and shall be binding upon BellSouth and GulfPines specifically or upon all carriers generally, such as a generic cost proceeding.

#### 29 Survival

The Parties' obligations under this Agreement which by their nature are intended to continue beyond the termination or expiration of this Agreement shall survive the termination or expiration of this Agreement.

## 30 Entire Agreement

- 30.1 This Agreement means the General Terms and Conditions, the Attachments identified in Section 30.2 below, and all documents identified therein, as such may be amended from time to time and which are incorporated herein by reference, all of which, when taken together, are intended to constitute one indivisible agreement. This Agreement sets forth the entire understanding and supersedes prior agreements between the Parties relating to the subject matter contained in this Agreement and merges all prior discussions between them. Any orders placed under prior agreements between the Parties shall be governed by the terms of this Agreement and GulfPines acknowledges and agrees that any and all amounts and obligations owed for services provisioned or orders placed under prior agreements between the Parties, related to the subject matter hereof, shall be due and owing under this Agreement and be governed by the terms and conditions of this Agreement as if such services or orders were provisioned or placed under this Agreement. Neither Party shall be bound by any definition, condition, provision, representation, warranty, covenant or promise other than as expressly stated in this Agreement or as is contemporaneously or subsequently set forth in writing and executed by a duly authorized officer or representative of the Party to be bound thereby.
- This Agreement includes Attachments with provisions for the following:

Version: 4Q04 Standard ICA

Resale

Network Elements and Other Services

Network Interconnection

Collocation

Access to Numbers and Number Portability

Pre-Ordering, Ordering, Provisioning, Maintenance and Repair

Billing

Rights-of-Way, Conduits and Pole Attachments

Performance Measurements

BellSouth Disaster Recovery Plan

Bona Fide Request/New Business Request Process

Any reference throughout this Agreement to a tariff, industry guideline, BellSouth's technical guideline or reference, BellSouth business rule, guide or other such document containing processes or specifications applicable to the services provided pursuant to this agreement, shall be construed to refer to only those provisions thereof that are applicable to these services, and shall include any successor or replacement versions thereof, all as they are amended from time to time and all of which are incorporated herein by reference. References to state tariffs throughout this Agreement shall be to the tariff for the state in which the services were provisioned.

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

BellSouth Telecommunications, Inc.	GulfPines Communications, LLC
By: Kin ( 27/2	By:
Name: Kristen E. Rowe	Name: Charles F. Fail
Title: Director	Title: Acting Partner
Date: 4/22/05	Date: April 19, 2005

Version: 4Q04 Standard ICA 12/09/04

Attachment 1

Page 1

**Attachment 1** 

Resale

Version: 4Q04 Standard ICA 02/04/05

## **Table of Contents**

1.	Discount Rates	3
2.	Definition of Terms	3
3.	General Provisions	4
4.	BellSouth's Provision of Services to GulfPines	8
5.	Maintenance of Services	9
6.	Establishment of Service	10
7.	Discontinuance of Service	10
8	White Pages Listings	11
9.	Operator Services (Operator Call Processing and Directory Assistance)	13
10	Branding for Wholesale Operator Call Processing and Directory Assistance	14
11.	Line Information Database (LIDB)	15
12.	RAO Hosting	16
13.	Optional Daily Usage File (ODUF)	16
14.	Enhanced Optional Daily Usage File (EODUF)	16
Res	sale Restrictions	Exhibit A
Op	otional Daily Usage File (ODUF)	Exhibit B
Enl	hanced Option Daily Usage File (EODUF)	Exhibit C
Res	sale Discounts and Rates	Evhihit D

### RESALE

#### 1. Discount Rates

- 1.1 The discount rates applied to GulfPines purchases of BellSouth
  Telecommunications Services for the purpose of resale shall be as set forth in
  Exhibit D. Such discounts have been determined by the applicable Commission to
  reflect the costs avoided by BellSouth when selling a service for wholesale
  purposes.
- 1.2 The telecommunications services available for purchase by GulfPines for the purposes of resale to GulfPines's End Users shall be available at BellSouth's tariffed rates less the discount set forth in Exhibit D to this Agreement and subject to the exclusions and limitations set forth in Exhibit A to this Agreement.

#### 2. Definition of Terms

- 2.1 COMPETITIVE LOCAL EXCHANGE COMPANY (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.
- 2.2 CUSTOMER OF RECORD means the entity responsible for placing application for service; requesting additions, rearrangements, maintenance or discontinuance of service; payment in full of charges incurred such as non-recurring, monthly recurring, toll, directory assistance, etc.
- 2.3 DEPOSIT means assurance provided by a customer in the form of cash, surety bond or bank letter of credit to be held by BellSouth.
- 2.4 END USER means the ultimate user of the Telecommunications Service.
- 2.5 END USER CUSTOMER LOCATION means the physical location of the premises where an End User makes use of the telecommunications services.
- 2.6 NEW SERVICES means functions, features or capabilities that are not currently offered by BellSouth. This includes packaging of existing services or combining a new function, feature or capability with an existing service.
- 2.7 RESALE means an activity wherein a certificated CLEC, such as GulfPines, subscribes to the telecommunications services of BellSouth and then offers those telecommunications services to the public.

Version: 4Q04 Standard ICA

#### 3. General Provisions

- 3.1 All of the negotiated rates, terms and conditions set forth in this Attachment pertain to the resale of BellSouth's retail telecommunications services and other services specified in this Attachment. Subject to effective and applicable FCC and Commission rules and orders, BellSouth shall make available to GulfPines for resale those telecommunications services BellSouth makes available, pursuant to its General Subscriber Services Tariff and Private Line Services Tariff, to customers who are not telecommunications carriers.
- 3.1.1 When GulfPines provides Resale service in a cross boundary area (areas that are part of the local serving area of another state's exchange) the rates, regulations and discounts for the tariffing state will apply. Billing will be from the serving state.
- 3.1.2 In Tennessee, if GulfPines does not resell Lifeline service to any End Users, and if GulfPines agrees to order an appropriate Operator Services/Directory Assistance block as set forth in BellSouth's General Subscriber Services Tariff, the discount shall be 21.56%.
- 3.1.2.1 In the event GulfPines resells Lifeline service to any End User in Tennessee, BellSouth will begin applying the 16% discount rate to all services. Upon GulfPines and BellSouth's implementation of a billing arrangement whereby a separate Master Account (Q-account) associated with a separate Operating Customer Number (OCN) is established for billing of Lifeline service End Users, the discount shall be applied as set forth in 3.1.2 preceding for the non-Lifeline affected Master Account (Q-account).
- 3.1.2.2 GulfPines must provide written notification to BellSouth within 30 days prior to either providing its own operator services/directory services or orders the appropriate operator services/directory assistance blocking, to qualify for the higher discount rate of 21.56%.
- 3.2 GulfPines may purchase resale services from BellSouth for its own use in operating its business. The resale discount will apply to those services under the following conditions:
- 3.2.1 GulfPines must resell services to other End Users.
- 3.2.2 GulfPines cannot be a competitive local exchange telecommunications company for the single purpose of selling to itself.
- 3.3 GulfPines will be the customer of record for all services purchased from BellSouth. Except as specified herein, BellSouth will take orders from, bill and receive payment from GulfPines for said services.

Version: 4Q04 Standard ICA

- GulfPines will be BellSouth's single point of contact for all services purchased pursuant to this Agreement. BellSouth shall have no contact with the End User except to the extent provided for herein. Each Party shall provide to the other a nation wide (50 states) toll-free contact number for purposes of repair and maintenance.
- 3.5 BellSouth will continue to bill the End User for any services that the End User specifies it wishes to receive directly from BellSouth. BellSouth maintains the right to serve directly any End User within the service area of GulfPines. BellSouth will continue to market directly its own telecommunications products and services and in doing so may establish independent relationships with End Users of GulfPines. Neither Party shall interfere with the right of any person or entity to obtain service directly from the other Party.
- 3.5.1 When an End User of GulfPines or BellSouth elects to change his/her carrier to the other Party, both Parties agree to release the End User's service to the other Party concurrent with the due date of the service order, which shall be established based on the standard interval for the End User's requested service as set forth in the BellSouth Product and Services Interval Guide.
- 3.5.2 BellSouth and GulfPines will refrain from contacting an End User who has placed or whose selected carrier has placed on the End User's behalf an order to change the End User's service provider from BellSouth or GulfPines to the other Party until such time that the order for service has been completed.
- 3.6 Current telephone numbers may normally be retained by the End User and are assigned to the service furnished. However, neither Party nor the End User has a property right to the telephone number or any other call number designation associated with services furnished by BellSouth, and no right to the continuance of service through any particular central office. BellSouth reserves the right to change such numbers, or the central office designation associated with such numbers, or both, whenever BellSouth deems it necessary to do so in the conduct of its business and in accordance with BellSouth practices and procedures on a nondiscriminatory basis.
- 3.7 Where BellSouth provides resold services to GulfPines, BellSouth will provide GulfPines with on-line access to intermediate telephone numbers as defined by applicable FCC rules and regulations on a first come first served basis. GulfPines acknowledges that such access to numbers shall be in accordance with the appropriate FCC rules and regulations. GulfPines acknowledges that there may be instances where there is a shortage of telephone numbers in a particular Common Language Location Identifier Code (CLLIC); and in such instances, GulfPines shall return unused intermediate telephone numbers to BellSouth upon BellSouth's request. BellSouth shall make all such requests on a nondiscriminatory basis.

Version: 4Q04 Standard ICA

- 3.8 BellSouth will allow GulfPines to designate up to 100 intermediate telephone numbers per CLLIC, for GulfPines's sole use. Assignment, reservation and use of telephone numbers shall be governed by applicable FCC rules and regulations. GulfPines acknowledges that there may be instances where there is a shortage of telephone numbers in a particular CLLIC and BellSouth has the right to limit access to blocks of intermediate telephone numbers. These instances include: 1) where jeopardy status has been declared by the North American Numbering Plan (NANP) for a particular Numbering Plan Area (NPA); or 2) where a rate center has less than six months supply of numbering resources.
- 3.9 Service is furnished subject to the condition that it will not be used for any unlawful purpose.
- 3.10 Service will be discontinued if any law enforcement agency advises that the service being used is in violation of the law.
- 3.11 BellSouth can refuse service when it has grounds to believe that service will be used in violation of the law.
- 3.12 BellSouth will cooperate with law enforcement agencies with subpoenas and court orders relating to GulfPines's End Users, pursuant to Section 6 of the General Terms and Conditions.
- 3.13 If GulfPines or its End Users utilize a BellSouth resold telecommunications service in a manner other than that for which the service was originally intended as described in BellSouth's retail tariffs, GulfPines has the responsibility to notify BellSouth. BellSouth will only provision and maintain said service consistent with the terms and conditions of the tariff describing said service.
- Facilities and/or equipment utilized by BellSouth to provide service to GulfPines remain the property of BellSouth.
- 3.15 White page directory listings for GulfPines End Users will be provided in accordance with Section 8 below.
- 3.16 Service Ordering and Operations Support Systems (OSS)
- 3.16.1 GulfPines must order services through resale interfaces, i.e., the Local Carrier Service Center (LCSC) and/or appropriate Complex Resale Support Group (CRSG) pursuant to this Agreement. BellSouth has developed and made available the interactive interfaces by which GulfPines may submit a Local Service Request (LSR) electronically as set forth in Attachment 6 of this Agreement. Service orders will be in a standard format designated by BellSouth.
- 3.16.2 LSRs submitted by means of one of these interactive interfaces will incur an OSS electronic charge as set forth in Exhibit D of this Attachment. An individual LSR

Version: 4Q04 Standard ICA

will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (Mail, fax, courier, etc.) will incur a manual order charge as set forth in Exhibit D of this Attachment. Supplements or clarifications to a previously billed LSR will not incur another OSS charge.

- 3.16.3 <u>Denial/Restoral OSS Charge.</u> In the event GulfPines provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.
- 3.16.4 <u>Cancellation OSS Charge.</u> GulfPines will incur an OSS charge for an accepted LSR that is later canceled.
- 3.17 Where available to BellSouth's End Users, BellSouth shall provide the following telecommunications services at a discount to allow for voice mail services:
  - Message Waiting Indicator ("MWI"), stutter dialtone and message waiting light feature capabilities
  - Call Forward Busy Line ("CF/B")
  - Call Forward Don't Answer ("CF/DA")

Further, BellSouth messaging services set forth in BellSouth's Messaging Service Information Package shall be made available for resale without the wholesale discount.

- 3.18 BellSouth shall provide branding for, or shall unbrand, voice mail services for GulfPines per the Bona Fide Request/New Business Request process as set forth in Attachment 11 of this Agreement.
- 3.19 BellSouth's Inside Wire Maintenance Service Plan is available for resale at rates, terms and conditions as set forth by BellSouth and without the wholesale discount.
- 3.20 In the event GulfPines acquires an End User whose service is provided pursuant to a BellSouth Special Assembly, BellSouth shall make available to GulfPines that Special Assembly at the wholesale discount at GulfPines's option. GulfPines shall be responsible for all terms and conditions of such Special Assembly including but not limited to termination liability if applicable.
- 3.21 BellSouth shall provide 911/E911 for GulfPines customers in the same manner that it is provided to BellSouth customers. BellSouth shall provide and validate GulfPines customer information to the PSAP. BellSouth shall use its service order process to update and maintain, on the same schedule that it uses for its customers, the GulfPines customer service information in the ALI/DMS (Automatic Location Identification/Location Information) databases used to support 911/E911 services.

Version: 4Q04 Standard ICA

- 3.22 BellSouth shall bill, and GulfPines shall pay, the End User line charge associated with implementing Number Portability as set forth in BellSouth's FCC No. 1 tariff. This charge is not subject to the wholesale discount.
- 3.23 Pursuant to 47 CFR Section 51.617, BellSouth shall bill to GulfPines, and GulfPines shall pay, the End User common line charges identical to the End User common line charges BellSouth bills its End Users.

### 4. BellSouth's Provision of Services to GulfPines

- 4.1 Resale of BellSouth services shall be as follows:
- 4.1.1 The resale of telecommunications services shall be limited to users and uses conforming to the class of service restrictions.
- 4.1.2 Hotel and Hospital PBX services are the only telecommunications services available for resale to Hotel/Motel and Hospital End Users, respectively. Similarly, Access Line Service for Customer Provided Coin Telephones is the only local service available for resale to Payphone Service Provider (PSP) customers. Shared Tenant Service customers can only be sold those local exchange access services available in BellSouth's A23 Shared Tenant Service Tariff in the states of Florida, Georgia, North Carolina and South Carolina, and in A27 in the states of Alabama, Kentucky, Louisiana, Mississippi and Tennessee.
- 4.1.3 BellSouth reserves the right to periodically audit services purchased by GulfPines to establish authenticity of use. Such audit shall not occur more than once in a calendar year. GulfPines shall make any and all records and data available to BellSouth or BellSouth's auditors on a reasonable basis. BellSouth shall bear the cost of said audit. Any information provided by GulfPines for purposes of such audit shall be deemed Confidential Information pursuant to the General Terms and Conditions of this Agreement.
- 4.2 Subject to Exhibit A hereto, resold services can only be used in the same manner as specified in BellSouth's Tariffs. Resold services are subject to the same terms and conditions as are specified for such services when furnished to an individual End User of BellSouth in the appropriate section of BellSouth's Tariffs. Specific tariff features (e.g. a usage allowance per month) shall not be aggregated across multiple resold services.
- 4.3 GulfPines may resell services only within the specific service area as defined in its certificate of operation approved by the Commission.
- 4.4 If GulfPines cancels an order for resold services, any costs incurred by BellSouth in conjunction with provisioning of such order will be recovered in accordance with BellSouth's General Subscriber Services Tariffs and Private Line Services Tariffs.

Version: 4Q04 Standard ICA

- 4.5 <u>Service Jointly Provisioned with an Independent Company or Competitive Local Exchange Company Areas.</u> BellSouth will in some instances provision resold services in accordance with the General Subscriber Services Tariff and Private Line Tariffs jointly with an Independent Company or other Competitive Local Exchange Carrier.
- 4.5.1 When GulfPines assumes responsibility for such service, all terms and conditions defined in the Tariff will apply for services provided within the BellSouth service area only.
- 4.5.2 Service terminating in an Independent Company or other Competitive Local Exchange Carrier area will be provisioned and billed by the Independent Company or other Competitive Local Exchange Carrier directly to GulfPines.
- 4.5.3 GulfPines must establish a billing arrangement with the Independent Company or other Competitive Local Exchange Carrier prior to assuming an End User account where such circumstances apply.
- 4.5.4 Specific guidelines regarding such services are available on the BellSouth Web site at http://www.interconnection.bellsouth.com.

#### 5. Maintenance of Services

- 5.1 Services resold pursuant to this Attachment and BellSouth's General Subscriber Service Tariff and Private Line Service Tariff and facilities and equipment provided by BellSouth shall be maintained by BellSouth.
- GulfPines or its End Users may not rearrange, move, disconnect, remove or attempt to repair any facilities owned by BellSouth except with the written consent of BellSouth.
- 5.3 GulfPines accepts responsibility to notify BellSouth of situations that arise that may result in a service problem.
- 5.4 GulfPines will contact the appropriate repair centers in accordance with procedures established by BellSouth.
- For all repair requests, GulfPines shall adhere to BellSouth's prescreening guidelines prior to referring the trouble to BellSouth.
- BellSouth will bill GulfPines for handling troubles that are found not to be in BellSouth's network pursuant to its standard time and material charges. The standard time and material charges will be no more than what BellSouth charges to its retail customers for the same services.
- 5.7 BellSouth reserves the right to contact GulfPines's End Users, if deemed necessary, for maintenance purposes.

Version: 4Q04 Standard ICA

#### 6. Establishment of Service

- After receiving certification as a local exchange carrier from the applicable regulatory agency, GulfPines will provide the appropriate BellSouth Advisory team manager the necessary documentation to enable BellSouth to establish accounts for resold services ("master account"). GulfPines is required to provide the following before a master account is established: blanket letter of authorization, misdirected number form, proof of PSC/PUC certification, the Application for Master Account, an Operating Company Number ("OCN") assigned by the National Exchange Carriers Association ("NECA") and a deposit and tax exemption certificate, if applicable.
- GulfPines shall provide to BellSouth a blanket letter of authorization ("LOA") certifying that GulfPines will have End User authorization prior to viewing the End User's customer service record or switching the End User's service. BellSouth will not require End User confirmation prior to establishing service for GulfPines's End User.
- 6.3 BellSouth will accept a request directly from the End User for conversion of the End User's service from GulfPines to BellSouth or will accept a request from another CLEC for conversion of the End User's service from GulfPines to such other CLEC. Upon completion of the conversion BellSouth will notify GulfPines that such conversion has been completed.

### 7. Discontinuance of Service

- 7.1 The procedures for discontinuing service to an End User are as follows:
- 7.1.1 BellSouth will deny service to GulfPines's End User on behalf of, and at the request of, GulfPines. Upon restoration of the End User's service, restoral charges will apply and will be the responsibility of GulfPines.
- 7.1.2 At the request of GulfPines, BellSouth will disconnect a GulfPines End User.
- 7.1.3 All requests by GulfPines for denial or disconnection of an End User for nonpayment must be in writing.
- 7.1.4 GulfPines will be made solely responsible for notifying the End User of the proposed disconnection of the service.
- 7.1.5 BellSouth will continue to process calls made to the Annoyance Call Center and will advise GulfPines when it is determined that annoyance calls are originated from one of its End User's locations. BellSouth shall be indemnified, defended and held harmless by GulfPines and/or the End User against any claim, loss or damage arising from providing this information to GulfPines. It is the responsibility of GulfPines to take the corrective action necessary with its End Users who make

Version: 4Q04 Standard ICA

annoying calls. (Failure to do so will result in BellSouth's disconnecting the End User's service.)

## **8** White Pages Listings

- 8.1 BellSouth shall provide GulfPines and its End Users access to white pages directory listings under the following terms:
- 8.1.2 <u>Listings.</u> GulfPines shall provide all new, changed and deleted listings on a timely basis and BellSouth or its agent will include GulfPines residential and business End User listings in the appropriate White Pages (residential and business) or alphabetical directories in the geographic areas covered by this Agreement. Directory listings will make no distinction between GulfPines and BellSouth End Users. GulfPines shall provide listing information in accordance with the procedures set forth in The BellSouth Business Rules for Local Ordering found at BellSouth's Interconnection Services Web site.
- 8.1.3 <u>Unlisted/Non-Published End Users.</u> GulfPines will be required to provide to BellSouth the names, addresses and telephone numbers of all GulfPines End Users who wish to be omitted from directories. Unlisted/Non-Published listings will be subject to the rates as set forth in BellSouth's General Subscriber Services Tariff (GSST) and shall not be subject to wholesale discount.
- 8.1.4 <u>Inclusion of GulfPines End Users in Directory Assistance Database.</u> BellSouth will include and maintain GulfPines End User listings in BellSouth's Directory Assistance databases. GulfPines shall provide such Directory Assistance listings to BellSouth at no charge.
- 8.1.5 <u>Listing Information Confidentiality.</u> BellSouth will afford GulfPines's directory listing information the same level of confidentiality that BellSouth affords its own directory listing information.
- 8.1.6 <u>Additional and Designer Listings.</u> Additional and designer listings will be offered by BellSouth at tariffed rates as set forth in the GSST and shall not be subject to the wholesale discount.
- 8.1.7 Rates. So long as GulfPines provides listing information to BellSouth as set forth in Section 8.1.2 above, BellSouth shall provide to GulfPines one (1) basic White Pages directory listing per GulfPines End User at no charge other than applicable service order charges as set forth in BellSouth's tariffs. Except in the case of a local service request (LSR) submitted solely to port a number from BellSouth, if such listing is requested on the initial LSR associated with the request for services, a single manual service order charge or electronic service order charge, as appropriate, as described in Attachment 6 of this Agreement, will apply to both the request for service and the request for the directory listing. Where a subsequent LSR is placed solely to request a directory listing, or is placed to port a number

Version: 4Q04 Standard ICA

and request a directory listing, separate service order charges as set forth in BellSouth's tariffs shall apply, as well as the manual service order charge or the electronic service order charge, as appropriate, as described in Attachment 6 of this Agreement.

- 8.2 <u>Directories.</u> BellSouth or its agent shall make available White Pages directories to GulfPines End User at no charge or as specified in a separate agreement between GulfPines and BellSouth's agent.
- 8.3 Procedures for submitting GulfPines Subscriber Listing Information (SLI) are found in The BellSouth Business Rules for Local Ordering found at BellSouth's Interconnection Services Web site.
- 8.3.1 GulfPines authorizes BellSouth to release all GulfPines SLI provided to BellSouth by GulfPines to qualifying third parties pursuant to either a license agreement or BellSouth's Directory Publishers Database Service (DPDS), General Subscriber Services Tariff (GSST), as the same may be amended from time to time. Such GulfPines SLI shall be intermingled with BellSouth's own End User listings and listings of any other CLEC that has authorized a similar release of SLI.
- 8.3.2 No compensation shall be paid to GulfPines for BellSouth's receipt of GulfPines SLI, or for the subsequent release to third parties of such SLI. In addition, to the extent BellSouth incurs costs to modify its systems to enable the release of GulfPines's SLI, or costs on an ongoing basis to administer the release of GulfPines SLI, GulfPines shall pay to BellSouth its proportionate share of the reasonable costs associated therewith. At any time that costs may be incurred to administer the release of GulfPines's SLI, GulfPines will be notified. If GulfPines does not wish to pay its proportionate share of these reasonable costs, GulfPines may instruct BellSouth that it does not wish to release its SLI to independent publishers, and GulfPines shall amend this Agreement accordingly. GulfPines will be liable for all costs incurred until the effective date of the amendment.
- 8.3.3 Neither BellSouth nor any agent shall be liable for the content or accuracy of any SLI provided by GulfPines under this Agreement. GulfPines shall indemnify, except to the extent caused by BellSouth's gross negligence or willful misconduct, hold harmless and defend BellSouth and its agents from and against any damages, losses, liabilities, demands, claims, suits, judgments, costs and expenses (including but not limited to reasonable attorneys' fees and expenses) arising from BellSouth's tariff obligations or otherwise and resulting from or arising out of any third party's claim of inaccurate GulfPines listings or use of the SLI provided pursuant to this Agreement. BellSouth may forward to GulfPines any complaints received by BellSouth relating to the accuracy or quality of GulfPines listings.
- 8.3.4 Listings and subsequent updates will be released consistent with BellSouth system changes and/or update scheduling requirements.

# 9. **Operator Services (Operator Call Processing and Directory Assistance)** 9.1 Operator Call Processing provides: (1) operator handling for call completion (for example, collect, third number billing, and manual calling-card calls). (2) operator or automated assistance for billing after the End User has dialed the called number (for example, calling card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call and Operator-assisted Directory Assistance. 9.2 Upon request for BellSouth Operator Call Processing, BellSouth shall: 9.2.1 Process 0+ and 0- dialed local calls 9.2.2 Process 0+ and 0- intraLATA toll calls. 9.2.3 Process calls that are billed to GulfPines End User's calling card that can be validated by BellSouth. 9.2.4 Process person-to-person calls. 9.2.5 Process collect calls. 9.2.6 Provide the capability for callers to bill a third party and shall also process such calls. 9.2.7 Process station-to-station calls. 9.2.8 Process Busy Line Verify and Emergency Line Interrupt requests. 9.2.9 Process emergency call trace originated by Public Safety Answering Points. 9.2.10 Process operator-assisted directory assistance calls. 9.2.11 Adhere to equal access requirements, providing GulfPines local End Users the same IXC access that BellSouth provides its own operator service. 9.2.12 Exercise at least the same level of fraud control in providing Operator Service to GulfPines that BellSouth provides for its own operator service. 9.2.13 Perform Billed Number Screening when handling Collect, Person-to-Person, and Billed-To-Third-Party calls. 9.2.14 Direct customer account and other similar inquiries to the customer service center designated by GulfPines. 9.2.15 Provide call records to GulfPines in accordance with ODUF standards.

- 9.2.16 The interface requirements shall conform to the interface specifications for the platform used to provide Operator Services as long as the interface conforms to industry standards.
- 9.3 <u>Directory Assistance Service.</u> Directory Assistance Service provides local and non-local End User telephone number listings with the option to complete the call at the caller's direction separate and distinct from local switching.
- 9.3.1 Directory Assistance Service shall provide up to two listing requests per call, if available and if requested by GulfPines's End User. BellSouth shall provide caller-optional directory assistance call completion service at rates set forth in BellSouth's General Subscriber Services Tariff to one of the provided listings.
- 9.4 <u>Directory Assistance Service Updates.</u> BellSouth shall update End User listings changes daily. These changes include:
- 9.4.1 New End User connections
- 9.4.2 End User disconnections
- 9.4.3 End User address changes
- 9.4.4 These updates shall also be provided for non-listed and non-published numbers for use in emergencies.
- 9.4.5 Unbranded DA and/or OCP calls ride common trunk groups provisioned by BellSouth from those end offices identified by GulfPines to the BellSouth Tops. The calls are routed to "No Announcement."

### 10 Branding for Wholesale Operator Call Processing and Directory Assistance

- 10.1 BellSouth's branding feature provides a definable announcement to GulfPines End Users using Directory Assistance (DA)/Operator Call Processing (OCP) prior to placing such End Users in queue or connecting them to an available operator or automated operator system. This feature allows GulfPines to have its calls custom branded with GulfPines's name on whose behalf BellSouth is providing DA and/or OCP. Rates for the branding features are set forth in Exhibit D of this Attachment.
- BellSouth offers three branding options to GulfPines when ordering BellSouth's DA and OCP: BellSouth Branding, Unbranding and Custom Branding.
- 10.3 Upon receipt of the custom branding order from GulfPines, the order is considered firm after ten (10) business days. Should GulfPines decide to cancel the order, GulfPines must provide written notification to GulfPines's Local Contract Manager. If GulfPines decides to cancel after ten (10) business days from receipt of the custom branding order, GulfPines shall pay all charges per the order. For branding and unbranding via Originating Line Number Screening (OLNS),

Version: 4Q04 Standard ICA

GulfPines must contact its account team to initiate the order via the OLNS Branding Order form.

- 10.4 <u>Branding via Originating Line Number Screening (OLNS).</u> BellSouth Branding, Unbranding and Custom Branding are also available for DA, OCP or both via OLNS software. When utilizing this method of Unbranding or Custom Branding, GulfPines shall not be required to purchase dedicated trunking.
- 10.5 BellSouth Branding is the default branding offering.
- 10.5.1 For BellSouth to provide Unbranding or Custom Branding via OLNS software for OCP or for DA, GulfPines must have its Operating Company Number (OCN(s)) and telephone numbers reside in BellSouth's LIDB. To implement Unbranding and Custom Branding via OLNS software, GulfPines must submit a manual order form which requires, among other things, GulfPines's OCN and a forecast, pursuant to the appropriate BellSouth form provided, for the traffic volume anticipated for each BellSouth TOPS during the peak busy hour. GulfPines shall provide updates to such forecast on a quarterly basis and at any time such forecasted traffic volumes are expected to change significantly. Upon GulfPines's purchase of Unbranding or Custom Branding using OLNS software for any particular TOPS, all GulfPines End Users served by that TOPS will receive the Unbranded "no announcement" or the Custom Branded announcement.

# 11. Line Information Database (LIDB)

- The BellSouth Line Information Database (LIDB) stores current information on working telephone numbers and billing account numbers. LIDB data is used by providers of Telecommunications Services to validate billing of collect calls, calls billed to a third party number and nonproprietary calling card calls, to screen out attempts to bill calls to payphones, for billing and for fraud prevention.
- Where GulfPines is purchasing Resale services BellSouth shall utilize BellSouth's service order generated from GulfPines LSR's to populate LIDB with GulfPines's End User information BellSouth provides access to information in its LIDB, including GulfPines End User information, to various providers of Telecommunications Services via queries to LIDB pursuant to applicable tariffs. Information stored for GulfPines, pursuant to this Agreement, shall be available to those Telecommunications Service providers.
- When necessary for fraud control measures, BellSouth may perform additions, updates and deletions of GulfPines data to the LIDB (e.g., calling card deactivation).
- 11.3 Responsibilities of the Parties

Version: 4Q04 Standard ICA

- 11.3.1 BellSouth will administer the data provided by GulfPines pursuant to this Agreement in the same manner as BellSouth administers its own data.
- GulfPines is responsible for completeness and accuracy of the data being provided to BellSouth.
- BellSouth shall not be responsible to GulfPines for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.

# 12. RAO Hosting

12.1 RAO Hosting is not required for resale in the BellSouth region.

### 13. Optional Daily Usage File (ODUF)

- The Optional Daily Usage File (ODUF) Agreement with terms and conditions is included in this Attachment as Exhibit B. Rates for ODUF are as set forth in Exhibit D of this Attachment.
- BellSouth will provide ODUF service upon written request.

### 14. Enhanced Optional Daily Usage File (EODUF)

- 14.1 The Enhanced Optional Daily Usage File (EODUF) service Agreement with terms and conditions is included in this Attachment as Exhibit C. Rates for EODUF are as set forth in Exhibit D of this Attachment.
- 14.2 BellSouth will provide EODUF service upon written request.

Version: 4Q04 Standard ICA

# **EXCLUSIONS AND LIMITATIONS ON SERVICES AVAILABLE FOR RESALE (Note 3)**

Т	oe of Service	1	AL		FL	(	GA		KY	]	LA	I	MS	]	NC		SC	7	ΓN
1 ) [	be of Service	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount
	fathered es (Note 1)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	otions - > 90 Note 2 & 3)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	otions - $\leq$ 90 (Note 2 & 3)	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
4 Lifelin Service	ne/Link Up	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
5 911/E	911 Services	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
6 N11 S (Note	: 1)	Yes	Yes	Yes	Yes	Yes	Yes	No	No	No	No	Yes	Yes	Yes	Yes	No	No	Yes	Yes
7 Memo	oryCall <sup>®</sup> Service	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
	e Services	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
	al Subscriber Charges	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
10 Nonre Charg	C	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No
	Jser Line Chg- er Portability	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
	Telephone s Svc(PTAS)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes
	Wire Maint e Plan	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
•	Applicable No	tes:																	
1.	Grandfathere	d servic	es can be	resold o	nly to exis	ting sub	oscribers o	f the gr	andfathere	d servic	e.								
2.	Where availabl									would l	nave quali	fied for	the promo	tion had	d it been p	rovided	by BellSo	uth direc	ctly.
3.	Promotions sha																		
4.	Some of BellSo	outh's lo	cal exchar	nge and	toll teleco	mmunic	cations ser	vices ar	e not avail	able in	certain cer	ntral off	ices and a	reas.					

Version: 4Q04 Standard ICA 02/04/05

## **Optional Daily Usage File**

- 1. Upon written request from GulfPines, BellSouth will provide the Optional Daily Usage File (ODUF) service to GulfPines pursuant to the terms and conditions set forth in this section.
- 2. GulfPines shall furnish all relevant information required by BellSouth for the provision of the ODUF.
- 3. The ODUF feed provides GulfPines messages that were carried over the BellSouth network and processed by BellSouth for GulfPines.
- 4. Charges for ODUF will appear on GulfPines's monthly bills for the previous month's usage in arrears. The charges are as set forth in Exhibit D to this Attachment.
- 5. The ODUF feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- Messages that error in the billing system of GulfPines will be the responsibility of GulfPines. If, however, GulfPines should encounter significant volumes of errored messages that prevent processing by GulfPines within its systems, BellSouth will work with GulfPines to determine the source of the errors and the appropriate resolution.
- 6. ODUF Specifications
- 6.1 ODUF Message to be Transmitted
- 6.1.1 The following messages recorded by BellSouth will be transmitted to GulfPines:
- 6.1.1.1 Message recording for per use/per activation type services (examples: Three Way Calling, Verify, Interrupt, Call Return, etc.)
- 6.1.1.2 Measured local calls
- 6.1.1.3 Directory Assistance messages
- 6.1.1.4 IntraLATA Toll
- 6.1.1.5 WATS and 800 Service
- 6.1.1.6 N11

Version: 4Q04 Standard ICA

- 6.1.1.7 Information Service Provider Messages
- 6.1.1.8 Operator Services Messages
- 6.1.1.9 Operator Services Message Attempted Calls
- 6.1.1.10 Credit/Cancel Records
- 6.1.1.11 Usage for Voice Mail Message Service
- Rated Incollects (messages BellSouth receives from other revenue accounting offices) appear on ODUF. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately.
- 6.1.3 BellSouth will perform duplicate record checks on records processed to ODUF. Any duplicate messages detected will be deleted and not sent to GulfPines.
- 6.1.4 In the event that GulfPines detects a duplicate on ODUF they receive from BellSouth, GulfPines will drop the duplicate message and will not return the duplicate to BellSouth.
- 6.2 ODUF Physical File Characteristics
- ODUF will be distributed to GulfPines via Secure File Transfer Protocol (FTP). The ODUF feed will be a variable block format. The data on the ODUF feed will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN. If BellSouth determines the Secure FTP Mailbox is nearing capacity levels, BellSouth may move the customer to CONNECT:Direct file delivery.
- 6.2.2 If the customer is moved, CONNECT:Direct data circuits (private line or dial-up) will be required between BellSouth and GulfPines for the purpose of data transmission. Where a dedicated line is required, GulfPines will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. GulfPines will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit messages successfully on an ongoing basis will be negotiated on an individual case basis. Any costs incurred for such equipment will be GulfPines's responsibility. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to GulfPines. Additionally, all message toll charges associated with the use of the dial circuit by GulfPines will be the responsibility of GulfPines. Associated equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis between the Parties. All

Version: 4Q04 Standard ICA

equipment, including modems and software, that is required on GulfPines end for the purpose of data transmission will be the responsibility of GulfPines.

- 6.2.3 If GulfPines utilizes FTP for data file transmission, purchase of the FTP software will be the responsibility of GulfPines.
- 6.3 ODUF Packing Specifications
- 6.3.1 The data will be packed using ATIS EMI records. A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 6.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to GulfPines which BellSouth RAO is sending the message. BellSouth and GulfPines will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by GulfPines and resend the data as appropriate.
- 6.4 ODUF Pack Rejection
- GulfPines will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (e.g., out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI error codes will be used. GulfPines will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to GulfPines by BellSouth.
- 6.5 ODUF Control Data

GulfPines will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate GulfPines's receipt of the pack and the acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by GulfPines for reasons stated in the above section.

- 6.6 ODUF Testing
- Upon request from GulfPines, BellSouth shall send ODUF test files to GulfPines. The Parties agree to review and discuss the ODUF file content and/or format. For testing of usage results, BellSouth shall request that GulfPines set up a production (live) file. The live test may consist of GulfPines's employees making test calls for the types of services GulfPines requests on ODUF. These test calls are logged by GulfPines, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing

Version: 4Q04 Standard ICA

Attachment 1 Page 21 Exhibit B

will be completed within thirty (30) days from the date on which the initial test file was sent.

Version: 4Q04 Standard ICA

# **Enhanced Optional Daily Usage File**

- 1. Upon written request from GulfPines, BellSouth will provide the Enhanced Optional Daily Usage File (EODUF) service to GulfPines pursuant to the terms and conditions set forth in this section. EODUF will only be sent to existing ODUF subscribers who request the EODUF option.
- 2. GulfPines shall furnish all relevant information required by BellSouth for the provision of the EODUF.
- 3. The EODUF will provide usage data for local calls originating from resold Flat Rate Business and Residential Lines.
- 4. Charges for EODUF will appear on GulfPines's monthly bills for the previous month's usage in arrears. The charges are as set forth in Exhibit D to this Attachment.
- 5. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- 6. Messages that error in the billing system of GulfPines will be the responsibility of GulfPines. If, however, GulfPines should encounter significant volumes of errored messages that prevent processing by GulfPines within its systems, BellSouth will work with GulfPines to determine the source of the errors and the appropriate resolution.
- 7. EODUF Specifications.
- 7.1 EODUF Usage To Be Transmitted
- 7.1.1 The following messages recorded by BellSouth will be transmitted to GulfPines:
- 7.1.1.1 Customer usage data for flat rated local call originating from GulfPines's End User lines (1FB or 1FR). The EODUF record for flat rate messages will include:
- 7.1.1.1.1 Date of Call
- 7.1.1.1.2 From Number
- 7.1.1.1.3 To Number
- 7.1.1.1.4 Connect Time

Version: 4Q04 Standard ICA 02/04/05

- 7.1.1.1.5 Conversation Time
- 7.1.1.1.6 Method of Recording
- 7.1.1.1.7 From RAO
- 7.1.1.1.8 Rate Class
- 7.1.1.1.9 Message Type
- 7.1.1.1.10 Billing Indicators
- 7.1.1.1.11 Bill to Number
- 7.1.2 BellSouth will perform duplicate record checks on EODUF records processed to O DUF. Any duplicate messages detected will be deleted and not sent to GulfPines.
- 7.1.3 In the event that GulfPines detects a duplicate on EODUF they receive from BellSouth, GulfPines will drop the duplicate message and will not return the duplicate to BellSouth.
- 7.2 EODUF Physical File Characteristics
- 7.2.1 EODUF feed will be distributed to GulfPines via Secure File Transfer Protocol (FTP). The EODUF messages will be intermingled among GulfPines's Optional Daily Usage File (ODUF) messages. The EODUF will be a variable block format. The data on the EODUF will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis Monday through Friday except holiday. If BellSouth determines the Secure FTP mailbox is nearing capacity levels, BellSouth may move the customer to CONNECT:Direct file delivery.
- 7.2.2 Data circuits (private line or dial-up) may be required between BellSouth and GulfPines for the purpose of data transmission. Where a dedicated line is required, GulfPines will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. GulfPines will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on an individual case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to GulfPines. Additionally, all message toll charges associated with the use of the dial circuit by GulfPines will be the responsibility of GulfPines. Associated equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment,

Version: 4Q04 Standard ICA 02/04/05

including modems and software, that is required on GulfPines's end for the purpose of data transmission will be the responsibility of GulfPines.

- 7.2.3 If GulfPines utilizes FTP for data file transmission, purchase of the FTP software will be the responsibility of GulfPines.
- 7.3 EODUF Packing Specifications
- 7.3.1 The data will be packed using ATIS EMI records. A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 7.3.2 The OCN, From (RAO), and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to GulfPines which BellSouth RAO is sending the message. BellSouth and GulfPines will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by GulfPines and resend the data as appropriate.

Resale Discounts & Rates - Alabama												Attachment:	1	Exhibit: D	
										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Charge -	Charge -	Charge -	Charge -
										Elec				Manual Svc	Manual Svc
CATEGORY RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	m									per LSK	per LSK	Electronic-			Electronic-
													Electronic-	Electronic-	
												1st	Add'l	Disc 1st	Disc Add'l
					B	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE DISCOUNTS															
Residence %					16.30										
Business %					16.30										
CSAs %					16.30										
OPERATIONS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
NOTE: (1) CLEC should contact its contract negotiator if it prefers the															
elect either the state specific Commission ordered rates for the serv	ice orde	ering ch	arges, or CLEC ma	y elect the re	gional service o	ordering charge	e, however, Cl	LEC can not ob	tain a mixture	of the two	regardless i	CLEC has a	interconnect	on contract e	stablished in
each of the 9 states.															
OSS - Electronic Service Order Charge, Per Local Service															
Request (LSR) - Resale Only				SOMEC		3.50	0.00	3.50	0.00						
OSS - Manual Service Order Charge, Per Local Service Request	t														
(LSR) - Resale Only				SOMAN		19.99	0.00	19.99	0.00						
BRANDING - DIRECTORY ASSISTANCE															
Branding															
Recording of DA Custom Branded Announcement						3,000.00	3,000.00								
Loading of DA Custom Branded Announcement per Switch per															
OCN						1,170.00	1,170.00								
Unbranding via OLNS for Wholesale CLEC															
Loading of DA per OCN (1 OCN per Order)						420.00	420.00								
Loading of DA per Switch per OCN						16.00	16.00								
BRANDING - OPERATOR CALL PROCESSING															
Branding															
Recording of Custom Branded OA Announcement						7,000.00	7,000.00								
Loading of Custom Branded OA Announcement per shelf/NAV															
per OCN						500.00	500.00								
Unbranding via OLNS for Wholesale CLEC															
Loading of OA per OCN (Regional)						1,200.00	1,200.00								
ODUF/EODUF SERVICES				Ī									Î	Î	
OPTIONAL DAILY USAGE FILE (ODUF)						İ									
ODUF: Recording, per message					0.000011										
ODUF: Message Processing, per message					0.004101	İ									
ODUF: Message Processing, per Magnetic Tape provisioned					42.67										
ODUF: Data Transmission (CONNECT:DIRECT), per message				1	0.000094										
ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)	1														
EODUF: Message Processing, per message		-			0.22										

Resale Discounts & Rates - Florida												Attachment:	1	Exhibit: D	
										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted		Charge -	Charge -	Charge -
										Elec				Manual Svc	Manual Svc
CATEGORY RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)								Order vs.
TATE ELEMENTO	m		500	0000			π. Ευ(ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	
												Electronic-	Electronic-	Electronic-	Electronic-
												1st	Add'l	Disc 1st	Disc Add'l
	1	<b>†</b>		+		Nonrec	urring	Nonrecurring	Disconnect		<u> </u>	OSS	Rates(\$)		I.
	1	1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	1	1													
APPLICABLE DISCOUNTS	1	1													
Residence %	1	1			21.83										
Business %	1	1			16.81										
CSAs %	1	1			16.81										
OPERATIONS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	1	1													
NOTE: (1) CLEC should contact its contract negotiator if it prefers to	ne "state	specif	ic" OSS charges as	ordered by t	he State Comm	issions. The C	SS charges c	urrently contai	ned in this rat	e exhibit are	the BellSo	uth "regional	" service orde	ring charges.	CLEC may
elect either the state specific Commission ordered rates for the serv															
each of the 9 states.	ice orac	ing ci	larges, or occoma	y elect the re	gioriai service (	ordering charg	e, nowever, or	LO Can not or	nam a mixture	or the two	regardiess i	OLLO Has a	interconnect	on contract e	stabilished ii
OSS - Electronic Service Order Charge, Per Local Service	1	1		1						1	1		1	1	
Request (LSR) - Resale Only				SOMEC		3.50	0.00	3.50	0.00						
OSS - Manual Service Order Charge, Per Local Service Reques		+		SOIVIEC		3.50	0.00	3.50	0.00						
(LSR) - Resale Only	1			001111		40.00	0.00	40.00	0.00						
BRANDING - DIRECTORY ASSISTANCE	<del>                                     </del>	+		SOMAN		19.99	0.00	19.99	0.00						
	<del>                                     </del>	+		1											
Branding	<del>                                     </del>	+		1		0.000.00	0.000.00								
Recording of DA Custom Branded Announcement						3,000.00	3,000.00								
Loading of DA Custom Branded Announcement per Switch per OCN						1,170.00	1,170.00								
Unbranding via OLNS for Wholesale CLEC															
Loading of DA per OCN (1 OCN per Order)						420.00	420.00						Î		
Loading of DA per Switch per OCN						16.00	16.00								
BRANDING - OPERATOR CALL PROCESSING				1											
Branding															
Recording of Custom Branded OA Announcement						7,000.00	7,000.00								
Loading of Custom Branded OA Announcement per shelf/NAV	1	1				,	,								
per OCN						500.00	500.00								
Unbranding via OLNS for Wholesale CLEC						000.00	000.00								
Loading of OA per OCN (Regional)						1,200,00	1,200,00								
ODUF/EODUF SERVICES	1	1		1		1,200.00	1,200.00								
OPTIONAL DAILY USAGE FILE (ODUF)	1	1													
ODUF: Recording, per message	<del>                                     </del>	<del>                                     </del>		+	0.0000071						<b>+</b>		<b> </b>	<b> </b>	
ODUF: Message Processing, per message	<del>                                     </del>	<del>                                     </del>		+	0.002146						<b>+</b>		<b> </b>	<b> </b>	
ODUF: Message Processing, per Magnetic Tape provisioned	+	+		+	35.91						1		1		
ODUF: Data Transmission (CONNECT:DIRECT), per message	1	+		+	0.00010375				-	-	-		-	-	-
ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)	1	+		+	0.00010375					<u> </u>	-				-
	<del>                                     </del>	+		<del> </del>	0.000000										
EODUF: Message Processing, per message	1	1		1	0.080698									į .	

	counts & Rates - Georgia												Attachment:	1	Exhibit: D	
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Charge -	Charge -	Charge -	Charge -
											Elec				Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSK	per LSK	Electronic-			Electronic-
														Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add'l
						B	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE	DISCOUNTS															
	Residence %					20.30										
	Business %					17.30										
	CSAs %					17.30										
<b>OPERATIONS</b>	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
NOTE	: (1) CLEC should contact its contract negotiator if it prefers th	e "state	specif	ic" OSS charges as	ordered by t	he State Comm	issions. The C	SS charges c	urrently contai	ned in this rat	exhibit are	the BellSo	uth "regional	service orde	ering charges.	CLEC may
elect e	either the state specific Commission ordered rates for the servi	ice orde	erina ch	arges, or CLEC ma	v elect the re	gional service	ordering charge	e. however. Cl	EC can not ob	tain a mixture	of the two	egardless if	CLEC has a	interconnect	ion contract e	stablished in
	of the 9 states.			3,	,	•	3 3	,				3				
	OSS - Electronic Service Order Charge, Per Local Service										l					
	Request (LSR) - Resale Only				SOMEC		3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge, Per Local Service Request				0020		0.00	0.00	0.00	0.00						
	(LSR) - Resale Only				SOMAN		19.99	0.00	19.99	0.00						
BRANDING - I	DIRECTORY ASSISTANCE				CONTRA		10.00	0.00	10.00	0.00						
Brand			1		+											
	Recording of DA Custom Branded Announcement						3.000.00	3,000,00								
	Loading of DA Custom Branded Announcement per Switch per						0,000.00	0,000.00							1	
	OCN						1.170.00	1,170.00								
Unbra	anding via OLNS for Wholesale CLEC						.,	1,110100								
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00								
	Loading of DA per Switch per OCN						16.00	16.00								
DDANDING	OPERATOR CALL PROCESSING		+		+										†	
BRANDING - (																
	lina														-	
Brandi Brandi							7.000.00	7.000.00								
	Recording of Custom Branded OA Announcement						7,000.00	7,000.00								
	Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV						,	·								
Brandi	Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN						7,000.00	7,000.00								
Brandi	Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN anding via OLNS for Wholesale CLEC						500.00	500.00								
Brandi	Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN anding via OLNS for Wholesale CLEC Loading of OA per OCN (Regional)						,									
Unbrai ODUF/EODUF	Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN and yia OLNS for Wholesale CLEC Loading of OA per OCN (Regional)  SERVICES						500.00	500.00								
Unbrai ODUF/EODUF	Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN anding via OLNS for Wholesale CLEC Loading of OA per OCN (Regional) SESERVICES DNAL DAILY USAGE FILE (ODUF)					8800000	500.00	500.00								
Unbrai ODUF/EODUF	Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN anding via OLNS for Wholesale CLEC [Loading of OA per OCN (Regional) SERVICES DNAL DAILY USAGE FILE (ODUF) [ODUF: Recording, per message]					0.0000068	500.00	500.00								
Unbrai ODUF/EODUF	Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN anding via OLNS for Wholesale CLEC Loading of OA per OCN (Regional)  • SERVICES DNAL DAILY USAGE FILE (ODUF) ODUF: Recording, per message ODUF: Message Processing, per message					0.002167	500.00	500.00								
Unbrai ODUF/EODUF	Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN anding via OLNS for Wholesale CLEC Loading of OA per OCN (Regional)  F SERVICES DNAL DAILY USAGE FILE (ODUF) ODUF: Recording, per message ODUF: Message Processing, per message ODUF: Message Processing, per Magnetic Tape provisioned					0.002167 36.06	500.00	500.00								
Unbrai ODUF/EODUF OPTIO	Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN anding via OLNS for Wholesale CLEC Loading of OA per OCN (Regional)  • SERVICES DNAL DAILY USAGE FILE (ODUF) ODUF: Recording, per message ODUF: Message Processing, per message					0.002167	500.00	500.00								

	counts & Rates - Kentucky												Attachment:	1	Exhibit: D	
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec				Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- (1)			per Lor	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE	DISCOUNTS															
	Residence %					16.79										
	Business %					15.54										
	CSAs %					15.54										
	S SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
NOTE	:: (1) CLEC should contact its contract negotiator if it prefers th	ne "state	specif	ic" OSS charges as	ordered by t	he State Comm	issions. The C	SS charges c	urrently contai	ned in this rat	e exhibit are	the BellSo	uth "regional	" service orde	ering charges.	CLEC may
elect	either the state specific Commission ordered rates for the servi	ice orde	ering ch	arges, or CLEC ma	y elect the re	gional service of	ordering charge	e, however, Cl	EC can not ob	tain a mixture	of the two	regardless i	f CLEC has a	interconnecti	ion contract e	stablished ir
each	of the 9 states.															
	OSS - Electronic Service Order Charge, Per Local Service															
	Request (LSR) - Resale Only				SOMEC		3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge, Per Local Service Request										İ					
	(LSR) - Resale Only				SOMAN		19.99	0.00	19.99	0.00						
BRANDING -	DIRECTORY ASSISTANCE										İ					
	lina	1	-		+											
Branc	anig															
Branc	Recording of DA Custom Branded Announcement						3,000.00	3,000.00								
Branc							3,000.00	3,000.00								
	Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN						3,000.00	3,000.00								
	Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN						-,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,								
	Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per						-,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,								
	Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN anding via OLNS for Wholesale CLEC						1,170.00	1,170.00								
Unbra	Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN anding via OLNS for Wholesale CLEC Loading of DA per OCN (1 OCN per Order)						1,170.00	1,170.00								
Unbra	Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN anding via OLNS for Wholesale CLEC Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN OPERATOR CALL PROCESSING						1,170.00	1,170.00								
Unbra	Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN anding via OLNS for Wholesale CLEC Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN OPERATOR CALL PROCESSING						1,170.00	1,170.00								
Unbra	Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN anding via OLNS for Wholesale CLEC Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN OPERATOR CALL PROCESSING						1,170.00 420.00 16.00	1,170.00 420.00 16.00								
Unbra	Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN anding via OLNS for Wholesale CLEC Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN OPERATOR CALL PROCESSING ling Recording of Custom Branded OA Announcement						1,170.00 420.00 16.00	1,170.00 420.00 16.00								
Unbra BRANDING - Branc	Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN anding via OLNS for Wholesale CLEC Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN OPERATOR CALL PROCESSING ding Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV						1,170.00 420.00 16.00 7,000.00	1,170.00 420.00 16.00 7,000.00								
Unbra BRANDING - Branc	Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN anding via OLNS for Wholesale CLEC Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN OPERATOR CALL PROCESSING ding Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN						1,170.00 420.00 16.00 7,000.00	1,170.00 420.00 16.00 7,000.00								
Unbra BRANDING - Branc	Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN anding via OLNS for Wholesale CLEC Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN OPERATOR CALL PROCESSING sling Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN anding via OLNS for Wholesale CLEC Loading of OA per OCN (Regional)						1,170.00 420.00 16.00 7,000.00 500.00	1,170.00 420.00 16.00 7,000.00 500.00								
BRANDING - Branc Unbra	Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN anding via OLNS for Wholesale CLEC Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN OPERATOR CALL PROCESSING sling Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN anding via OLNS for Wholesale CLEC Loading of OA per OCN (Regional)						1,170.00 420.00 16.00 7,000.00 500.00	1,170.00 420.00 16.00 7,000.00 500.00								
BRANDING - Branc Unbra	Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN anding via OLNS for Wholesale CLEC Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN OPERATOR CALL PROCESSING ding Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN anding via OLNS for Wholesale CLEC Loading of OA per OCN (Regional) F SERVICES					0.000136	1,170.00 420.00 16.00 7,000.00 500.00	1,170.00 420.00 16.00 7,000.00 500.00								
BRANDING - Branc Unbra	Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN anding via OLNS for Wholesale CLEC Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN OPERATOR CALL PROCESSING ding Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN anding via OLNS for Wholesale CLEC Loading of OA per OCN (Regional) F SERVICES DNAL DAILY USAGE FILE (ODUF)					0.000136	1,170.00 420.00 16.00 7,000.00 500.00	1,170.00 420.00 16.00 7,000.00 500.00								
BRANDING - Branc Unbra	Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN anding of DA Developer Switch per Developer Switch per OCN anding of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN DPERATOR CALL PROCESSING ding Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN anding via OLNS for Wholesale CLEC Loading of OA per OCN (Regional) F SERVICES DNAL DAILY USAGE FILE (DDUF) DDUF: Recording, per message ODUF: Message Processing, per message						1,170.00 420.00 16.00 7,000.00 500.00	1,170.00 420.00 16.00 7,000.00 500.00								
BRANDING - Branc Unbra	Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN anding via OLNS for Wholesale CLEC Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN OPERATOR CALL PROCESSING ding Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN anding via OLNS for Wholesale CLEC Loading of OA per OCN (Regional) F SERVICES DNAL DAILY USAGE FILE (ODUF) ODUF: Recording, per message ODUF: Message Processing, per message ODUF: Message Processing, per Magnetic Tape provisioned					0.002506 35.90	1,170.00 420.00 16.00 7,000.00 500.00	1,170.00 420.00 16.00 7,000.00 500.00								
Unbra BRANDING - Branc Unbra Unbra	Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per OCN anding of DA Developer Switch per Developer Switch per OCN anding of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN DPERATOR CALL PROCESSING ding Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN anding via OLNS for Wholesale CLEC Loading of OA per OCN (Regional) F SERVICES DNAL DAILY USAGE FILE (DDUF) DDUF: Recording, per message ODUF: Message Processing, per message					0.002506	1,170.00 420.00 16.00 7,000.00 500.00	1,170.00 420.00 16.00 7,000.00 500.00								

Resale Disc	ounts & Rates - Louisiana												Attachment:	1	Exhibit: D	
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Charge -	Charge -	Charge -	Charge -
											Elec				Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	1	m									per LSK	per Lak	Electronic-			Electronic-
														Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add'l
		1				B	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE	DISCOUNTS															
	Residence %					20.72										
	Business %					20.72										
	CSAs %					9.05										
	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
NOTE:	(1) CLEC should contact its contract negotiator if it prefers the	ne "state	specif	ic" OSS charges as	ordered by t	he State Comm	issions. The C	SS charges c	urrently contai	ned in this rate	exhibit are	the BellSou	th "regional"	" service orde	ering charges.	CLEC may
elect e	either the state specific Commission ordered rates for the servi	ice orde	ring ch	arges, or CLEC may	y elect the re	gional service of	ordering charge	e, however, CL	EC can not ob	tain a mixture	of the two	egardless if	CLEC has a	interconnecti	ion contract e	stablished in
each o	of the 9 states.															
	OSS - Electronic Service Order Charge, Per Local Service															
	Request (LSR) - Resale Only				SOMEC		3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge, Per Local Service Request															
	(LSR) - Resale Only				SOMAN		19.99	0.00	19.99	0.00						
BRANDING - D	DIRECTORY ASSISTANCE															
Brandi	ing															
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00								
	Loading of DA Custom Branded Announcement per Switch per	1	i i				·									
	OCN						1,170.00	1,170.00								
Unbrar	nding via OLNS for Wholesale CLEC															
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00								
	Loading of DA per Switch per OCN						16.00	40.00								
						1	10.00	16.00								
BRANDING - C	OPERATOR CALL PROCESSING						16.00	16.00								
BRANDING - C Brandi							16.00	16.00								
							7,000.00	7,000.00								
	ing															
	ing Recording of Custom Branded OA Announcement															
Brandi	ing Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV						7,000.00	7,000.00								
Brandi	Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN						7,000.00	7,000.00								
Brandi	Ing Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Inding via OLNS for Wholesale CLEC Loading of OA per OCN (Regional)						7,000.00	7,000.00								
Unbrar ODUF/EODUF	Ing Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Inding via OLNS for Wholesale CLEC Loading of OA per OCN (Regional)						7,000.00	7,000.00								
Unbrar ODUF/EODUF	Ing Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Inding via OLNS for Wholesale CLEC Loading of OA per OCN (Regional) SERVICES					0.0000117	7,000.00	7,000.00								
Unbrar ODUF/EODUF	Ing Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Inding via OLNS for Wholesale CLEC Loading of OA per OCN (Regional) SERVICES NAL DAILY USAGE FILE (ODUF)					0.0000117	7,000.00	7,000.00								
Unbrar ODUF/EODUF	ing Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN inding via OLNS for Wholesale CLEC Loading of OA per OCN (Regional) SERVICES INAL DAILY USAGE FILE (ODUF) ODUF: Recording, per message ODUF: Message Processing, per message						7,000.00	7,000.00								
Unbrar ODUF/EODUF	Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Inding via OLNS for Wholesale CLEC Loading of OA per OCN (Regional) SERVICES INAL DAILY USAGE FILE (ODUF) ODUF: Recording, per message					0.004641	7,000.00	7,000.00								
Unbrar ODUF/EODUF OPTIO	Ing Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Inding via OLNS for Wholesale CLEC Loading of OA per OCN (Regional) SERVICES INAL DAILY USAGE FILE (ODUF) ODUF: Recording, per message ODUF: Message Processing, per Magnetic Tape provisioned					0.004641 48.45	7,000.00	7,000.00								

Resale Disco	ounts & Rates - Mississippi												Attachment:	1	Exhibit: D	
	··										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		١									Elec				Manual Svc	
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- ( )			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE D	DISCOUNTS															
	Residence %					15.75										
	Business %					15.75										
	CSAs %					15.75										
	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
NOTE:	(1) CLEC should contact its contract negotiator if it prefers the	e "state	specif	fic" OSS charges as	ordered by t	he State Comm	issions. The C	OSS charges c	urrently contai	ned in this rate	exhibit are	the BellSo	uth "regional	" service orde	ring charges.	. CLEC may
elect ei	ther the state specific Commission ordered rates for the serv	ice orde	ering ch	narges, or CLEC ma	y elect the re	gional service of	ordering charge	e, however, Cl	EC can not ob	tain a mixture	of the two	egardless if	f CLEC has a	interconnecti	on contract e	stablished in
each of	the 9 states.															
	OSS - Electronic Service Order Charge, Per Local Service															
	Request (LSR) - Resale Only				SOMEC		3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge, Per Local Service Request															
	(LSR) - Resale Only				SOMAN		19.99	0.00	19.99	0.00						
BRANDING - D	IRECTORY ASSISTANCE															
Brandir	ng															Î
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00								Î
	Loading of DA Custom Branded Announcement per Switch per															Î
	OCN						1,170.00	1,170.00								
Unbran	ding via OLNS for Wholesale CLEC															Î
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00								Î
	Loading of DA per Switch per OCN						16.00	16.00								Î
BRANDING - O	PERATOR CALL PROCESSING															Î
Brandir	ng															
	Recording of Custom Branded OA Announcement						7,000.00	7,000.00								Î
1 1 1																Î
	Loading of Custom Branded OA Announcement per shelf/NAV															
	Loading of Custom Branded OA Announcement per shelf/NAV per OCN						500.00	500.00								
							500.00	500.00								
Unbran	per OCN						500.00	500.00								
Unbran	per OCN  ding via OLNS for Wholesale CLEC  Loading of OA per OCN (Regional)															
Unbran ODUF/EODUF S	per OCN  ding via OLNS for Wholesale CLEC  Loading of OA per OCN (Regional)															
Unbran ODUF/EODUF S	per OCN  ding via OLNS for Wholesale CLEC  Loading of OA per OCN (Regional)  SERVICES  VAL DAILY USAGE FILE (ODUF)  ODUF: Recording, per message					0.0000063										
Unbran ODUF/EODUF S	per OCN ding via OLNS for Wholesale CLEC Loading of OA per OCN (Regional) SERVICES VAL DAILY USAGE FILE (ODUF)					0.0000063 0.004707										
Unbran ODUF/EODUF S OPTION	per OCN  ding via OLNS for Wholesale CLEC  Loading of OA per OCN (Regional)  SERVICES  VAL DAILY USAGE FILE (ODUF)  ODUF: Recording, per message															
Unbran ODUF/EODUF S OPTION	per OCN ding via OLNS for Wholesale CLEC Loading of OA per OCN (Regional) SERVICES VAL DAILY USAGE FILE (ODUF) ODUF: Recording, per message ODUF: Message Processing, per message					0.004707										
Unbran ODUF/EODUF S OPTION	per OCN  ding via OLNS for Wholesale CLEC  Loading of OA per OCN (Regional)  SERVICES  VAL DAILY USAGE FILE (ODUF)  ODUF: Recording, per message  ODUF: Message Processing, per message  ODUF: Message Processing, per Magnetic Tape provisioned					0.004707 49.04										

Resale Disc	counts & Rates - North Carolina												Attachment:	1	Exhibit: D	
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Charge -	Charge -	Charge -	Charge -
											Elec				Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSK	per LSK	Electronic-			Electronic-
														Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add'l
		1	1			5	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)	1	l-
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE	DISCOUNTS															
	Residence %					21.50										
	Business %					17.60										
	CSAs %					17.60										
	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
NOTE:	: (1) CLEC should contact its contract negotiator if it prefers th	ne "state	specif	ic" OSS charges as	ordered by t	he State Comm	issions. The C	SS charges c	urrently contai	ned in this rat	e exhibit are	the BellSo	uth "regional"	' service orde	ering charges.	CLEC may
elect e	either the state specific Commission ordered rates for the servi	ice orde	ering ch	arges, or CLEC ma	y elect the re	gional service of	ordering charge	e, however, Cl	EC can not ob	tain a mixture	of the two r	egardless if	CLEC has a	interconnecti	ion contract e	stablished in
each o	of the 9 states.															
	OSS - Electronic Service Order Charge, Per Local Service															
	Request (LSR) - Resale Only				SOMEC		3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge, Per Local Service Request															
	(LSR) - Resale Only				SOMAN		19.99	0.00	19.99	0.00						
BRANDING - D	DIRECTORY ASSISTANCE															
Brandi	ing	1														
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00								
	Loading of DA Custom Branded Announcement per Switch per															
	OCN						1,170.00	1,170.00								
Unbra	nding via OLNS for Wholesale CLEC															
	Loading of DA per OCN (1 OCN per Order)	1	1													
							420.00	420.00								
	Loading of DA per Switch per OCN						420.00 16.00	420.00 16.00								
BRANDING - 0	Loading of DA per Switch per OCN DPERATOR CALL PROCESSING															
BRANDING - C	OPERATOR CALL PROCESSING															
	OPERATOR CALL PROCESSING															
	OPERATOR CALL PROCESSING ing						16.00	16.00								
	OPERATOR CALL PROCESSING ing Recording of Custom Branded OA Announcement						16.00	16.00								
Brandi	OPERATOR CALL PROCESSING ing Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV						7,000.00	7,000.00								
Brandi	DPERATOR CALL PROCESSING ing Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN						7,000.00	7,000.00								
Brandi	DPERATOR CALL PROCESSING ing Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN nding via OLNS for Wholesale CLEC Loading of OA per OCN (Regional)						7,000.00	7,000.00								
Unbra	DPERATOR CALL PROCESSING ing Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN nding via OLNS for Wholesale CLEC Loading of OA per OCN (Regional)						7,000.00	7,000.00								
Unbra	DPERATOR CALL PROCESSING ing Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN nding via OLNS for Wholesale CLEC Loading of OA per OCN (Regional) SERVICES					0.0003	7,000.00	7,000.00								
Unbra	DPERATOR CALL PROCESSING ing Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN nding via OLNS for Wholesale CLEC Loading of OA per OCN (Regional) SERVICES NAL DAILY USAGE FILE (ODUF)					0.0003	7,000.00	7,000.00								
Unbra	OPERATOR CALL PROCESSING  ing Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN nding via OLNS for Wholesale CLEC Loading of OA per OCN (Regional) SERVICES DNAL DAILY USAGE FILE (ODUF) ODUF: Recording, per message						7,000.00	7,000.00								
Unbra	DPERATOR CALL PROCESSING  ing Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN Inding via OLNS for Wholesale CLEC Loading of OA per OCN (Regional)  SERVICES INAL DAILY USAGE FILE (ODUF) ODUF: Recording, per message ODUF: Message Processing, per message					0.0032	7,000.00	7,000.00								
Unbrai ODUF/EODUF OPTIO	DPERATOR CALL PROCESSING  ing Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN nding via OLNS for Wholesale CLEC Loading of OA per OCN (Regional) SERVICES DNAL DAILY USAGE FILE (ODUF) ODUF: Recording, per message ODUF: Message Processing, per message ODUF: Message Processing, per Magnetic Tape provisioned					0.0032 54.61	7,000.00	7,000.00								

Resale Disc	ounts & Rates - South Carolina												Attachment:	1	Exhibit: D	
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec				Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						- ( )			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates(\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE I	DISCOUNTS															
	Residence %					14.80										
	Business %					14.80										
	CSAs %					8.98										
	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
NOTE:	(1) CLEC should contact its contract negotiator if it prefers the	ne "state	specif	fic" OSS charges as	ordered by t	he State Comm	issions. The C	OSS charges c	urrently contai	ned in this rate	exhibit are	the BellSo	uth "regional	service orde	ering charges.	CLEC may
elect ei	ither the state specific Commission ordered rates for the serv	ice orde	ering ch	narges, or CLEC ma	y elect the re	gional service of	ordering charge	e, however, Cl	EC can not ob	tain a mixture	of the two	egardless if	CLEC has a	interconnect	ion contract e	stablished in
each of	f the 9 states.															
	OSS - Electronic Service Order Charge, Per Local Service															
	Request (LSR) - Resale Only				SOMEC		3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge, Per Local Service Request															
	(LSR) - Resale Only				SOMAN		19.99	0.00	19.99	0.00						
BRANDING - D	IRECTORY ASSISTANCE		1													
Brandi	ng															
	Recording of DA Custom Branded Announcement						3,000.00	3,000.00								
	Loading of DA Custom Branded Announcement per Switch per															
	OCN						1,170.00	1,170.00								
Unbrar	nding via OLNS for Wholesale CLEC															
	Loading of DA per OCN (1 OCN per Order)						420.00	420.00								
	Loading of DA per Switch per OCN						16.00	16.00								
BRANDING - O	PERATOR CALL PROCESSING															
Drg11	ng			1		1										
Brandi																
Brandi	Recording of Custom Branded OA Announcement				+		7,000.00	7,000.00								
Brandi	Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV						7,000.00	7,000.00								
							7,000.00	7,000.00								
	Loading of Custom Branded OA Announcement per shelf/NAV						,									
Unbrar	Loading of Custom Branded OA Announcement per shelf/NAV per OCN						,									
Unbrar	Loading of Custom Branded OA Announcement per shelf/NAV per OCN ding via OLNS for Wholesale CLEC Loading of OA per OCN (Regional)						500.00	500.00								
Unbrar ODUF/EODUF	Loading of Custom Branded OA Announcement per shelf/NAV per OCN ding via OLNS for Wholesale CLEC Loading of OA per OCN (Regional)						500.00	500.00								
Unbrar ODUF/EODUF	Loading of Custom Branded OA Announcement per shelf/NAV per OCN ding via OLNS for Wholesale CLEC Loading of OA per OCN (Regional) SERVICES					0.0000216	500.00	500.00								
Unbrar ODUF/EODUF OPTIO	Loading of Custom Branded OA Announcement per shelf/NAV per OCN  ding via OLNS for Wholesale CLEC  Loading of OA per OCN (Regional)  SERVICES  NAL DAILY USAGE FILE (ODUF)					0.0000216 0.004704	500.00	500.00								
Unbrar ODUF/EODUF OPTIO	Loading of Custom Branded OA Announcement per shelf/NAV per OCN ding via OLNS for Wholesale CLEC [Loading of OA per OCN (Regional) SERVICES NAL DAILY USAGE FILE (ODUF) ODUF: Recording, per message [ODUF: Message Processing, per message						500.00	500.00								
Unbrar ODUF/EODUF OPTIOI	Loading of Custom Branded OA Announcement per shelf/NAV per OCN ding via OLNS for Wholesale CLEC Loading of OA per OCN (Regional) SERVICES NAL DAILY USAGE FILE (ODUF) ODUF: Recording, per message					0.004704	500.00	500.00								
Unbrar ODUF/EODUF OPTIOI	Loading of Custom Branded OA Announcement per shelf/NAV per OCN ding via OLNS for Wholesale CLEC Loading of OA per OCN (Regional) SERVICES NAL DAILY USAGE FILE (ODUF) ODUF: Recording, per message ODUF: Message Processing, per message ODUF: Message Processing, per Magnetic Tape provisioned					0.004704 48.87	500.00	500.00								

	counts & Rates - Tennessee												Attachment:	1	Exhibit: D	
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		l									Elec				Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES(\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
0711200111		m						101120(4)			per LSR	per LSR				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			1				Nonrecurring		Nonrecurring	Disconnect			oss	Rates(\$)	ı	
			1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE	DISCOUNTS															
	Residence %					16.00										
	Business %					16.00										
	CSAs %					16.00										
	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
NOTE	: (1) CLEC should contact its contract negotiator if it prefers th	ne "state	e specif	ic" OSS charges as	ordered by t	he State Comm	issions. The C	SS charges c	urrently contai	ned in this rat	e exhibit are	the BellSo	uth "regional	" service orde	ring charges.	CLEC may
elect e	either the state specific Commission ordered rates for the servi	ice orde	ering ch	arges, or CLEC ma	y elect the re	gional service	ordering charge	e, however, Cl	EC can not ob	tain a mixture	of the two	regardless i	CLEC has a	interconnecti	on contract e	stablished ir
each o	of the 9 states.		-		-	-						-				
	OSS - Electronic Service Order Charge, Per Local Service										l			l	l	
	Request (LSR) - Resale Only				SOMEC		3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge, Per Local Service Request		1				0.00				i e					
	(LSR) - Resale Only				SOMAN		19.99	0.00	19.99	0.00						
BRANDING - I	DIRECTORY ASSISTANCE										İ					
Brand	ling															
	ID		_													
	Recording of DA Custom Branged Announcement						3.000.00	3.000.00	7.03	7.03			20.35	10.54	13.32	1.40
	Recording of DA Custom Branded Announcement  Loading of DA Custom Branded Announcement per Switch per						3,000.00	3,000.00	7.03	7.03			20.35	10.54	13.32	1.40
	Loading of DA Custom Branded Announcement  Loading of DA Custom Branded Announcement per Switch per OCN						3,000.00 1,170.00	3,000.00 1,170.00	7.03	7.03			20.35	10.54	13.32	1.40
Unbra	Loading of DA Custom Branded Announcement per Switch per OCN						,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	7.03	7.03					13.32	1.40
Unbra	Loading of DA Custom Branded Announcement per Switch per						,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	7.03	7.03					13.32	1.40
Unbra	Loading of DA Custom Branded Announcement per Switch per OCN unding via OLNS for Wholesale CLEC Loading of DA per OCN (1 OCN per Order)						1,170.00	1,170.00	7.03	7.03			20.35	10.54	13.32	1.40
	Loading of DA Custom Branded Announcement per Switch per OCN Inding via OLNS for Wholesale CLEC Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN						1,170.00	1,170.00	7.03	7.03			20.35	10.54	13.32	1.40
	Loading of DA Custom Branded Announcement per Switch per OCN Inding via OLNS for Wholesale CLEC Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN OPERATOR CALL PROCESSING						1,170.00	1,170.00	7.03	7.03			20.35	10.54	13.32	1.40
BRANDING - (	Loading of DA Custom Branded Announcement per Switch per OCN noting via OLNS for Wholesale CLEC Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN OPERATOR CALL PROCESSING ing						1,170.00	1,170.00 420.00 16.00	7.03	7.03			20.35	10.54	13.32	1.40
BRANDING - (	Loading of DA Custom Branded Announcement per Switch per OCN  Inding via OLNS for Wholesale CLEC  Loading of DA per OCN (1 OCN per Order)  Loading of DA per Switch per OCN  DPERATOR CALL PROCESSING  Ing  Recording of Custom Branded OA Announcement						1,170.00 420.00 16.00	1,170.00	7.03	7.03			20.35 20.35 20.35	10.54 10.54 10.54		
BRANDING - (	Loading of DA Custom Branded Announcement per Switch per OCN inding via OLNS for Wholesale CLEC Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN OPERATOR CALL PROCESSING ing Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV						1,170.00 420.00 16.00 7,000.00	1,170.00 420.00 16.00 7,000.00	7.03	7.03			20.35 20.35 20.35 19.99	10.54 10.54 10.54 19.99		
BRANDING - (	Loading of DA Custom Branded Announcement per Switch per OCN  mding via OLNS for Wholesale CLEC  Loading of DA per OCN (1 OCN per Order)  Loading of DA per Switch per OCN  OPERATOR CALL PROCESSING  Ing  Recording of Custom Branded OA Announcement  Loading of Custom Branded OA Announcement per shelf/NAV  per OCN						1,170.00 420.00 16.00	1,170.00 420.00 16.00	7.03	7.03			20.35 20.35 20.35	10.54 10.54 10.54		
BRANDING - (	Loading of DA Custom Branded Announcement per Switch per OCN unding via OLNS for Wholesale CLEC [Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN DOPERATOR CALL PROCESSING ing Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN unding via OLNS for Wholesale CLEC						1,170.00 420.00 16.00 7,000.00 500.00	1,170.00 420.00 16.00 7,000.00 500.00	7.03	7.03			20.35 20.35 20.35 19.99	10.54 10.54 10.54 19.99		
BRANDING - (Brand	Loading of DA Custom Branded Announcement per Switch per OCN miding via OLNS for Wholesale CLEC Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN OPERATOR CALL PROCESSING ling Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN unding via OLNS for Wholesale CLEC Loading of OA per OCN (Regional)						1,170.00 420.00 16.00 7,000.00	1,170.00 420.00 16.00 7,000.00	7.03	7.03			20.35 20.35 20.35 19.99	10.54 10.54 10.54 19.99		
BRANDING - (  Brand  Unbra	Loading of DA Custom Branded Announcement per Switch per OCN  Inding via OLNS for Wholesale CLEC  Loading of DA per OCN (1 OCN per Order)  Loading of DA per Switch per OCN  OPERATOR CALL PROCESSING  Ing  Recording of Custom Branded OA Announcement  Loading of Custom Branded OA Announcement per shelf/NAV  per OCN  Inding via OLNS for Wholesale CLEC  Loading of OA per OCN (Regional)  SERVICES						1,170.00 420.00 16.00 7,000.00 500.00	1,170.00 420.00 16.00 7,000.00 500.00	7.03	7.03			20.35 20.35 20.35 19.99	10.54 10.54 10.54 19.99		
BRANDING - (  Brand  Unbra	Loading of DA Custom Branded Announcement per Switch per OCN unding via OLNS for Wholesale CLEC [Loading of DA per OCN (1 OCN per Order) [Loading of DA per Switch per OCN OPERATOR CALL PROCESSING ing [Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN unding via OLNS for Wholesale CLEC [Loading of OA per OCN (Regional) SERVICES [SERVICES]					0.000044	1,170.00 420.00 16.00 7,000.00 500.00	1,170.00 420.00 16.00 7,000.00 500.00	7.03	7.03			20.35 20.35 20.35 19.99	10.54 10.54 10.54 19.99		
BRANDING - (  Brand  Unbra	Loading of DA Custom Branded Announcement per Switch per OCN  mding via OLNS for Wholesale CLEC  Loading of DA per OCN (1 OCN per Order)  Loading of DA per Switch per OCN  DPERATOR CALL PROCESSING  ing  Recording of Custom Branded OA Announcement  Loading of Custom Branded OA Announcement per shelf/NAV  per OCN  mding via OLNS for Wholesale CLEC  Loading of OA per OCN (Regional)  SERVICES  DNAL DAILY USAGE FILE (ODUF)  ODUF: Recording, per message					0.000044	1,170.00 420.00 16.00 7,000.00 500.00	1,170.00 420.00 16.00 7,000.00 500.00	7.03	7.03			20.35 20.35 20.35 19.99	10.54 10.54 10.54 19.99		
BRANDING - (  Brand  Unbra	Loading of DA Custom Branded Announcement per Switch per OCN  mding via OLNS for Wholesale CLEC  Loading of DA per OCN (1 OCN per Order)  Loading of DA per Switch per OCN  DPERATOR CALL PROCESSING  ling  Recording of Custom Branded OA Announcement  Loading of Custom Branded OA Announcement per shelf/NAV  per OCN  mding via OLNS for Wholesale CLEC  Loading of OA per OCN (Regional)  ESERVICES  INAL DAILY USAGE FILE (ODUF)  ODUF: Recording, per message  ODUF: Message Processing, per message					0.000044 0.002446 35.54	1,170.00 420.00 16.00 7,000.00 500.00	1,170.00 420.00 16.00 7,000.00 500.00	7.03	7.03			20.35 20.35 20.35 19.99	10.54 10.54 10.54 19.99		
BRANDING - (  Brand  Unbra	Loading of DA Custom Branded Announcement per Switch per OCN miding via OLNS for Wholesale CLEC Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN OPERATOR CALL PROCESSING ing Recording of Custom Branded OA Announcement Loading of Custom Branded OA Announcement per shelf/NAV per OCN inding of OA per OCN (Regional) SERVICES NAL DAILY USAGE FILE (ODUF) ODUF: Recording, per message ODUF: Message Processing, per message ODUF: Message Processing, per Magnetic Tape provisioned					0.002446 35.54	1,170.00 420.00 16.00 7,000.00 500.00	1,170.00 420.00 16.00 7,000.00 500.00	7.03	7.03			20.35 20.35 20.35 19.99	10.54 10.54 10.54 19.99		
BRANDING - (Brand) Unbra ODUF/EODUF	Loading of DA Custom Branded Announcement per Switch per OCN  mding via OLNS for Wholesale CLEC  Loading of DA per OCN (1 OCN per Order)  Loading of DA per Switch per OCN  DPERATOR CALL PROCESSING  ling  Recording of Custom Branded OA Announcement  Loading of Custom Branded OA Announcement per shelf/NAV  per OCN  mding via OLNS for Wholesale CLEC  Loading of OA per OCN (Regional)  ESERVICES  INAL DAILY USAGE FILE (ODUF)  ODUF: Recording, per message  ODUF: Message Processing, per message					0.002446	1,170.00 420.00 16.00 7,000.00 500.00	1,170.00 420.00 16.00 7,000.00 500.00	7.03	7.03			20.35 20.35 20.35 19.99	10.54 10.54 10.54 19.99		

# **Attachment 2**

**Network Elements and Other Services** 

**For Renegotiations** 

# **TABLE OF CONTENTS**

1	INTRODUCTION	3
2	LOOPS	7
3	LINE SPLITTING	27
4	LOCAL SWITCHING	28
5	UNBUNDLED NETWORK ELEMENT COMBINATIONS	36
6	DEDICATED TRANSPORT AND DARK FIBER TRANSPORT	42
8	AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (A	ALI/DMS) 56
9	OSS	57
Ra	ites	Exhibit A
Ra	ites	Exhibit B

#### ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

#### 1 Introduction

- 1.1 This Attachment sets forth rates, terms and conditions for unbundled network elements (Network Elements) and combinations of Network Elements (Combinations) that BellSouth offers to GulfPines for GulfPines's provision of Telecommunications Services in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services BellSouth makes available to GulfPines (Other Services). Additionally, the provision of a particular Network Element or Other Service may require GulfPines to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.
- 1.2 The rates for each Network Element, Combinations and Other Services are set forth in Exhibits A and B. If no rate is identified in this Agreement, the rate will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party. If GulfPines purchases service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply. A one-month minimum billing period shall apply to all Network Elements, Combinations and Other Services.
- GulfPines may purchase and use Network Elements and Other Services from BellSouth in accordance with 47 C.F.R § 51.309.
- 1.4 The Parties shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.5 GulfPines shall not obtain a Network Element for the exclusive provision of mobile wireless services or interexchange services.
- Conversion of Wholesale Services to Network Elements or Network Elements to Wholesale Services. Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent Network Element or Combination that is available to GulfPines pursuant to Section 251 of the Act and under this Agreement or convert a Network Element or Combination that is available to GulfPines pursuant to Section 251 of the Act and under this Agreement to an equivalent wholesale service or group of wholesale services offered by BellSouth (collectively "Conversion"). BellSouth shall charge the applicable nonrecurring switch-as-is rates for Conversions to specific Network Elements or Combinations found in Exhibit A. BellSouth shall also charge the same nonrecurring switch-as-is rates when converting from Network Elements or Combinations. Any rate change resulting from the Conversion will be effective as of the next billing cycle following BellSouth's receipt of a complete and accurate Conversion request from GulfPines. A Conversion shall be considered termination for purposes of any

Version: 4Q04 Standard ICA with TRRO for Renegotiations 03/16/05

volume and/or term commitments and/or grandfathered status between GulfPines and BellSouth. Any change from a wholesale service/group of wholesale services to a Network Element/Combination, or from a Network Element/Combination to a wholesale service/group of wholesale services, that requires a physical rearrangement will not be considered to be a Conversion for purposes of this Agreement. BellSouth will not require physical rearrangements if the Conversion can be completed through record changes only. Orders for Conversions will be handled in accordance with the guidelines set forth in the Ordering Guidelines and Processes and CLEC Information Packages as referenced in Sections 1.13.1 and 1.13.2 below.

- 1.7 Except to the extent expressly provided otherwise in this Attachment, GulfPines may not maintain unbundled network elements or combinations of unbundled network elements, that are no longer offered pursuant to this Agreement (collectively "Arrangements"). In the event BellSouth determines that GulfPines has in place any Arrangements after the Effective Date of this Agreement, BellSouth may disconnect such Arrangements without notice under this Agreement to GulfPines.
- 1.8 Prior to submitting an order pursuant to this Agreement for high capacity (DS1 or above) Dedicated Transport or high capacity Loops, GulfPines shall undertake a reasonably diligent inquiry to determine whether GulfPines is entitled to unbundled access to such Network Elements in accordance with the terms of this Agreement. By submitting any such order, GulfPines self-certifies that to the best of GulfPines's knowledge, the high capacity Dedicated Transport or high capacity Loop requested is available as a Network Element pursuant to this Agreement. Upon receiving such order, BellSouth shall process the request in reliance upon GulfPines's self-certification. To the extent BellSouth believes that such request does not comply with the terms of this Agreement, BellSouth shall seek dispute resolution in accordance with the General Terms and Conditions of this Agreement.
- 1.9 GulfPines may utilize Network Elements and Other Services to provide services in accordance with this Agreement, as long as such services are consistent with industry standards and applicable BellSouth Technical References.
- 1.10 BellSouth will perform Routine Network Modifications (RNM) in accordance with FCC 47 C.F.R. § 51.319 (a)(7) and (e)(4) for Loops and Dedicated Transport provided under this Attachment. If BellSouth has anticipated such RNM and performs them during normal operations and has recovered the costs for performing such modifications through the rates set forth in Exhibit A, then BellSouth shall perform such RNM at no additional charge. RNM shall be performed within the intervals established for the Network Element and subject to the performance measurements and associated remedies set forth in Attachment 9 of this Agreement to the extent such RNM were anticipated in the setting of such intervals. If BellSouth has not anticipated a requested network modification as

being a RNM and has not recovered the costs of such RNM in the rates set forth in Exhibit A, then such request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request and, upon receipt of payment from GulfPines, BellSouth shall perform the RNM.

# 1.11 <u>Commingling of Services</u>

- 1.11.1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Combination, to one or more Telecommunications Services or facilities that GulfPines has obtained at wholesale from BellSouth, or the combining of a Network Element or Combination with one or more such wholesale Telecommunications Services or facilities. GulfPines must comply with all rates, terms or conditions applicable to such wholesale Telecommunications Services or facilities.
- 1.11.2 Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a Combination on the grounds that one or more of the elements: 1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or 2) shares part of BellSouth's network with access services or inputs for mobile wireless services and/or interexchange services.
- 1.11.3 Unless otherwise agreed to by the Parties, the Network Element portion of a commingled circuit will be billed at the rates set forth in this Agreement and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates or rates set forth in a separate agreement between the Parties.
- 1.11.4 When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment will be billed from the same agreement or tariff as the higher bandwidth circuit. Central Office Channel Interfaces (COCI) will be billed from the same agreement or tariff as the lower bandwidth circuit.
- 1.11.5 Notwithstanding any other provision of this Agreement, BellSouth shall not be obligated to commingle or combine Network Elements or Combinations with any service, network element or other offering that it is obligated to make available only pursuant to Section 271 of the Act.
- 1.12 Terms and conditions for order cancellation charges and Service Date
  Advancement Charges will apply in accordance with Attachment 6 and are
  incorporated herein by this reference. The charges shall be as set forth in Exhibit
  A.
- 1.13 Ordering Guidelines and Processes
- 1.13.1 For information regarding Ordering Guidelines and Processes for various Network Elements, Combinations and Other Services, GulfPines should refer to the

"Guides" section of the BellSouth Interconnection Web site, which is incorporated herein by reference, as amended from time to time. The Web site address is: http://www.interconnection.bellsouth.com/.

- 1.13.2 Additional information may also be found in the individual CLEC Information Packages, which are incorporated herein by reference, as amended from time to time, located at the "CLEC UNE Products" Web site address: <a href="http://www.interconnection.bellsouth.com/guides/html/unes.html">http://www.interconnection.bellsouth.com/guides/html/unes.html</a>.
- 1.13.3 The provisioning of Network Elements, Combinations and Other Services to GulfPines's Collocation Space will require cross-connections within the central office to connect the Network Element, Combinations or Other Services to the demarcation point associated with GulfPines's Collocation Space. These cross-connects are separate components that are not considered a part of the Network Element, Combinations or Other Services and, thus, have a separate charge pursuant to this Agreement.
- 1.13.4 <u>Testing/Trouble Reporting.</u>
- 1.13.4.1 GulfPines will be responsible for testing and isolating troubles on Network Elements. GulfPines must test and isolate trouble to the BellSouth network before reporting the trouble to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. Upon request from BellSouth at the time of the trouble report, GulfPines will be required to provide the results of the GulfPines test which indicate a problem on the BellSouth network.
- 1.13.4.2 Once GulfPines has isolated a trouble to the BellSouth network, and has issued a trouble report to BellSouth, BellSouth will take the actions necessary to repair the Network Element when trouble is found. BellSouth will repair its network facilities to its wholesale customers in the same time frames that BellSouth repairs similar services to its retail End Users.
- 1.13.4.3 If GulfPines reports a trouble on a BellSouth Network Element and no trouble is found in BellSouth's network, BellSouth will charge GulfPines a Maintenance of Service Charge for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Network Element's working status. BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No.1 Tariff, Section 13.3.1.
- 1.13.4.4 In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by GulfPines (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill GulfPines for each additional dispatch required to repair the Network Element due to the incorrect/incomplete information provided. BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No.1 Tariff, Section 13.3.1.

## 2 Loops

- 2.1 General. The local loop Network Element is defined as a transmission facility that BellSouth provides pursuant to this Attachment between a distribution frame (or its equivalent) in BellSouth's central office and the loop demarcation point at an End User premises (Loop). Facilities that do not terminate at a demarcation point at an End User premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute local Loops. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device, and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers (DSLAMs)), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the End User's premises, including inside wire owned or controlled by BellSouth. GulfPines shall purchase the entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties, BellSouth shall not subdivide the frequency of the Loop.
- 2.1.1 The Loop does not include any packet switched features, functions or capabilities.
- 2.1.2 Fiber to the Home (FTTH) loops are local loops consisting entirely of fiber optic cable, whether dark or lit, serving an End User's premises or, in the case of predominantly residential multiple dwelling units (MDUs), a fiber optic cable, whether dark or lit, that extends to the MDU minimum point of entry (MPOE). Fiber to the Curb (FTTC) loops are local loops consisting of fiber optic cable connecting to a copper distribution plant that is not more than five hundred (500) feet from the End User's premises or, in the case of predominantly residential MDUs, not more than five hundred (500) feet from the MDU's MPOE. The fiber optic cable in a FTTC loop must connect to a copper distribution plant at a serving area interface from which every other copper distribution subloop also is not more than five hundred (500) feet from the respective End User's premises.
- 2.1.2.1 In new build (Greenfield) areas, where BellSouth has only deployed FTTH/FTTC facilities, BellSouth is under no obligation to provide Loops. FTTH facilities include fiber loops deployed to the MPOE of a MDU that is predominantly residential regardless of the ownership of the inside wiring from the MPOE to each End User in the MDU.
- 2.1.2.2 In FTTH/FTTC overbuild situations where BellSouth also has copper Loops, BellSouth will make those copper Loops available to GulfPines on an unbundled basis, until such time as BellSouth chooses to retire those copper Loops using the FCC's network disclosure requirements. In these cases, BellSouth will offer a 64 kilobits per second (kbps) second voice grade channel over its FTTH/FTTC facilities.

- 2.1.2.3 Furthermore, in FTTH/FTTC overbuild areas where BellSouth has not yet retired copper facilities, BellSouth is not obligated to ensure that such copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by GulfPines. If a request is received by BellSouth for a copper Loop, and the copper facilities have not yet been retired, BellSouth will restore the copper Loop to serviceable condition if technically feasible. In these instances of Loop orders in an FTTH/FTTC overbuild area, BellSouth's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval
- A hybrid Loop is a local Loop, composed of both fiber optic cable, usually in the feeder plant, and copper twisted wire or cable, usually in the distribution plant. BellSouth shall provide GulfPines with nondiscriminatory access to the time division multiplexing features, functions and capabilities of such hybrid Loop, on an unbundled basis to establish a complete transmission path between BellSouth's central office and an End User's premises.

# 2.1.4 <u>Transition for DS1 and DS3 Loops</u>

- 2.1.4.1 For purposes of this Section 2, the Transition Period for DS1 and DS3 Loops is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006.
- 2.1.4.2 For purposes of this Section 2, Embedded Base means DS1 and DS3 Loops that were in service for GulfPines as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.
- 2.1.4.3 For purposes of this Section 2, a Business Line is defined in 47 C.F.R. § 51.5.
- 2.1.4.4 BellSouth shall make available DS1 and DS3 Loops as defined in this Section 2. Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available DS1 and DS3 Loops as described in this Section 2.1.4 only for GulfPines's Embedded Base during the Transition Period:
- 2.1.4.4.1 DS1 Loops at any location within the service area of a wire center containing 60,000 or more Business Lines and four (4) or more fiber-based collocators.
- 2.1.4.4.2 DS3 Loops at any location within the service area of a wire center containing 38,000 or more Business Lines and four (4) or more fiber-based collocators.
- 2.1.4.5 During the Transition Period, the rates for GulfPines's Embedded Base of DS1 and DS3 Loops described in this Section 2.1.4 shall be as set forth in Exhibit B.
- 2.1.4.6 The Transition Period shall apply only to GulfPines's Embedded Base and GulfPines shall not add new DS1 or DS3 loops as described in this Section 2.1.4 pursuant to this Agreement.

- 2.1.4.7 Once a wire center exceeds both of the thresholds set forth in Section 2.1.4.4.1, no future DS1 Loop unbundling will be required in that wire center.
- 2.1.4.8 Once a wire center exceeds both of the thresholds set forth in Section 2.1.4.4.2, no future DS3 Loop unbundling will be required in that wire center.
- 2.1.4.9 At the end of the Transition Period any remaining Embedded Base will be disconnected.
- 2.1.5 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at BellSouth's Web site: <a href="http://www.interconnection.bellsouth.com">http://www.interconnection.bellsouth.com</a>. For orders of fifteen (15) or more Loops, the installation and any applicable OC as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.
- 2.1.6 The Loop shall be provided to GulfPines in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.7 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered.
- 2.1.7.1 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the End User's location. If GulfPines wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g., UVL-SL1, UVL-SL2, and UCL-ND), GulfPines may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit A.
- 2.1.7.2 For voice grade Loop orders (or orders for Loops intended to provide voice grade services), GulfPines shall have dial-tone available for that Loop forty-eight (48) hours prior to the Loop order completion due date.
- 2.1.8 Order Coordination (OC) and Order Coordination-Time Specific (OC-TS)
- 2.1.8.1 OC allows BellSouth and GulfPines to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to GulfPines's facilities to limit End User service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the End User. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the

committed due date. OC shall be provided in accordance with the chart set forth below.

2.1.8.2 OC-TS allows GulfPines to order a specific time for OC to take place. BellSouth will make commercially reasonable efforts to accommodate GulfPines's specific conversion time request. However, BellSouth reserves the right to negotiate with GulfPines a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. GulfPines may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If GulfPines specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in BellSouth's Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

### 2.1.9

	Order Coordination (OC)	Order Coordination  - Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1 (Non- Designed)	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
UCL-ND (Non- Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop (Designed)	Included	Chargeable Option	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office

For UVL-SL1 and UCLs, GulfPines must order and will be billed for both OC and OC-TS if requesting OC-TS.

## 2.1.9 <u>CLEC to CLEC Conversions for Unbundled Loops</u>

- 2.1.9.1 The CLEC to CLEC conversion process for Loops may be used by GulfPines when converting an existing Loop from another CLEC for the same End User. The Loop type being converted must be included in GulfPines's Interconnection Agreement before requesting a conversion.
- 2.1.9.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the

same End User location from the same serving wire center, and must not require an outside dispatch to provision.

- 2.1.9.3 The Loops converted to GulfPines pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Agreement for the specific Loop type.
- 2.1.10 Bulk Migration
- 2.1.10.1 BellSouth will make available to GulfPines a Bulk Migration process pursuant to which GulfPines may request to migrate port/loop combinations, provisioned pursuant to a separate agreement between the parties, to Loops (UNE-L). The Bulk Migration process may be used if such loop/port combinations are (1) associated with two (2) or more Existing Account Telephone Numbers (EATNs); and (2) located in the same Central Office. The terms and conditions for use of the Bulk Migration process are described in the BellSouth CLEC Information Package, incorporated herein by reference as it may be amended from time to time. The CLEC Information Package is located at www.interconnection.bellsouth.com/guides/html/unes.html. The rates for the Bulk Migration process shall be the nonrecurring rates associated with the Loop type being requested on the Bulk Migration, as set forth in Exhibit A. Additionally, Operations Support Systems (OSS) charges will also apply. Loops connected to Integrated Digital Loop Carrier (IDLC) systems will be migrated pursuant to Section 2.6 below.
- 2.1.10.2 Should GulfPines request migration for two (2) or more EATNs containing fifteen (15) or more circuits, GulfPines must use the Bulk Migration process referenced in 2.1.11.1 above.
- 2.2 <u>Unbundled Voice Loops (UVLs)</u>
- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed)
- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed)
- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed)
- 2.2.2 UVL may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber/copper combination (hybrid loop) or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that GulfPines will be able to continue to

provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels - Service Level One (SL1) and Service Level Two (SL2).

- 2.2.3 <u>Unbundled Voice Loop SL1 (UVL-SL1).</u> Loops are 2-wire Loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has been requested by GulfPines, however, OC is always required on UCLs that involve the reuse of facilities that are currently providing service. GulfPines may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its End Users.
- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that GulfPines may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A.
- 2.2.5 <u>Unbundled Voice Loop SL2 (UVL-SL2).</u> Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to GulfPines. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow GulfPines to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.
- 2.3 <u>Unbundled Digital Loops</u>
- 2.3.1 BellSouth will offer UDLs. UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 BellSouth shall make available the following UDLs, subject to restrictions set forth herein:
- 2.3.2.1 2-wire Unbundled ISDN Digital Loop
- 2.3.2.2 2-wire Unbundled ADSL Compatible Loop
- 2.3.2.3 2-wire Unbundled HDSL Compatible Loop

- 2.3.2.4 4-wire Unbundled HDSL Compatible Loop
- 2.3.2.5 4-wire Unbundled DS1 Digital Loop
- 2.3.2.6 4-wire Unbundled Digital Loop/DS0 64 kbps, 56 kbps and below
- 2.3.2.7 DS3 Loop
- 2.3.2.8 STS-1 Loop
- 2.3.3 <u>2-wire Unbundled ISDN Digital Loops.</u> These will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. GulfPines will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and End User. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service.
- 2.3.4 <u>2-wire ADSL-Compatible Loop.</u> This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18,000 feet long and may have up to 6,000 feet of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.5 <u>2-wire or 4-wire HDSL-Compatible Loop.</u> This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.6 4-wire Unbundled DS1 Digital Loop.
- 2.3.6.1 This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-wire DS1 Network Interface at the End User's location. For purposes of this Agreement, including the transition of DS1 and DS3 Loops described in Section 2.1.4 above, DS1 Loops include 2-wire and 4-wire copper Loops capable of providing high-bit rate digital subscriber line services, such as 2-wire and 4-wire HDSL Compatible Loops.
- 2.3.6.2 BellSouth shall not provide more than ten (10) unbundled DS1 Loops to GulfPines at any single building in which DS1 Loops are available as unbundled Loops.
- 2.3.7 <u>4-wire Unbundled Digital/DS0 Loop.</u> These are designed 4-wire Loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.

- 2.3.8 <u>DS3 Loop.</u> DS3 Loop is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44.736 megabits per second (Mbps) that is dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.
- 2.3.9 STS-1 Loop. STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 Mbps. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 Both DS3 Loop and STS-1 Loop require a SI in order to ascertain availability.
- 2.3.11 DS3 services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth's TR73501 LightGate<sup>®</sup> Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 services.
- 2.3.12 GulfPines may obtain a maximum of a single Unbundled DS3 Loop to any single building in which DS3 Loops are available as Unbundled Loops.
- 2.4 <u>Unbundled Copper Loops (UCL).</u>
- 2.4.1 BellSouth shall make available UCLs. The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types Designed and Non-Designed.
- 2.4.2 Unbundled Copper Loop Designed (UCL-D)
- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair (2-wire or 4-wire) Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters).
- 2.4.2.2 A UCL-D will be 18,000 feet or less in length and is provisioned according to Resistance Design parameters, may have up to 6,000 feet of bridged tap and will have up to 1300 Ohms of resistance.

- 2.4.2.3 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by GulfPines.
- 2.4.2.4 These Loops are not intended to support any particular services and may be utilized by GulfPines to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3 <u>Unbundled Copper Loop Non-Designed (UCL-ND)</u>
- 2.4.3.1 The UCL–ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame (MDF) to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to 6,000 feet of bridged tap between the End User's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18,000 feet in length, although the UCL-ND will not have a specific length limitation. For Loops less than 18,000 feet and with less than 1300 Ohms resistance, the Loop will provide a voice grade transmission channel suitable for loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.
- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, GulfPines can request LMU for which additional charges would apply.
- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that GulfPines may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit A.
- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by GulfPines to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.

2.4.3.6 GulfPines may use BellSouth's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.

# 2.5 <u>Unbundled Loop Modifications (Line Conditioning)</u>

- 2.5.1 Line Conditioning is defined as routine network modification that BellSouth regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Subloop that may diminish the capability of the Loop or Subloop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serves no network design purpose and that are beyond the limits set according to industry standards and/or the BellSouth's TR73600 Unbundled Local Loop Technical Specification.
- 2.5.2 BellSouth will remove load coils only on copper Loops and Subloops that are less than 18,000 feet in length.
- 2.5.3 For any copper loop being ordered by GulfPines which has over six thousand (6,000) feet of combined bridged tap will be modified, upon request from GulfPines, so that the loop will have a maximum of six thousand (6,000) feet of bridged tap. This modification will be performed at no additional charge to GulfPines. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper Loop that will result in a combined total of bridged tap between two thousand five hundred (2,500) and six thousand (6,000) feet will be performed at the rates set forth in Exhibit A.
- 2.5.4 GulfPines may request removal of any unnecessary and non-excessive bridged tap (bridged tap between zero (0) and two thousand five hundred (2,500) feet which serves no network design purpose), at rates pursuant to BellSouth's SC Process as mutually agreed to by the Parties.
- 2.5.5 Rates for ULM are as set forth in Exhibit A.
- 2.5.6 BellSouth will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered.
- 2.5.7 If GulfPines requests ULM on a reserved facility for a new Loop order, BellSouth may perform a pair change and provision a different Loop facility in lieu of the reserved facility with ULM if feasible. The Loop provisioned will meet or exceed specifications of the requested Loop facility as modified. GulfPines will not be charged for ULM if a different Loop is provisioned. For Loops that require a

DLR or its equivalent, BellSouth will provide LMU detail of the Loop provisioned.

- 2.5.8 GulfPines shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that GulfPines desires BellSouth to condition.
- 2.5.9 When requesting ULM for a Loop that BellSouth has previously provisioned for GulfPines, GulfPines will submit a SI to BellSouth. If a spare Loop facility that meets the Loop modification specifications requested by GulfPines is available at the location for which the ULM was requested, GulfPines will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, GulfPines will not be charged for ULM but will only be charged the service order charges for submitting an order.

## 2.6 Loop Provisioning Involving IDLC

- 2.6.1 Where GulfPines has requested an Unbundled Loop and BellSouth uses IDLC systems to provide the local service to the End User and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to GulfPines. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for GulfPines (e.g., hairpinning):
  - 1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
  - 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
  - 3. If capacity exists, provide "side-door" porting through the switch.
  - 4. If capacity exists, provide "Digital Access Cross-Connect System (DACS)-door" porting (if the IDLC routes through a DACS prior to integration into the switch).
- 2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.
- 2.6.3 If no alternate facility is available, and upon request from GulfPines, and if agreed to by both Parties, BellSouth may utilize its SC process to determine the additional costs required to provision facilities. GulfPines will then have the option of paying the one-time SC rates to place the Loop.

#### 2.7 Network Interface Device

2.7.1 The NID is defined as any means of interconnection of the End User's customer premises wiring to BellSouth's distribution plant, such as a cross-connect device used for that purpose. The NID is a single line termination device or that portion

of a multiple line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the End User's premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the End User each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.

- 2.7.2 BellSouth shall permit GulfPines to connect GulfPines's Loop facilities to the End User's customer premises wiring through the BellSouth NID or at any other technically feasible point.
- 2.7.3 Access to NID
- 2.7.3.1 GulfPines may access the End User's premises wiring by any of the following means and GulfPines shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 BellSouth shall allow GulfPines to connect its Loops directly to BellSouth's multiline residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises;
- 2.7.3.1.2 Where an adequate length of the End User's customer premises wiring is present and environmental conditions permit, either Party may remove the End User premises wiring from the other Party's NID and connect such wiring to that Party's own NID;
- 2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a cross-connect or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or
- 2.7.3.1.4 GulfPines may request BellSouth to make other rearrangements to the End User premises wiring terminations or terminal enclosure on a time and materials cost basis.
- 2.7.3.2 In no case shall either Party remove or disconnect the other Party's loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be GulfPines's responsibility to ensure there is no safety hazard, and GulfPines will hold BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the

responsibility of the disconnecting Party, once the other Party's loop has been disconnected from the NID, to reconnect the disconnected loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected loop must be appropriately cleared, capped and stored.

- 2.7.3.3 GulfPines shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 GulfPines shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with GulfPines to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.4 Technical Requirements
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the End User's customer premises and the distribution media and/or cross-connect to GulfPines's NID.
- 2.7.4.3 Existing BellSouth NIDs will be operational and provided in "as is" condition. GulfPines may request BellSouth to do additional work to the NID on a time and material basis. When GulfPines deploys its own local loops in a multiple-line termination device, GulfPines shall specify the quantity of NID connections that it requires within such device.
- 2.8 <u>Subloop Elements.</u>
- 2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Subloop (USL) elements as specified herein.
- 2.8.2 Unbundled Subloop Distribution (USLD)
- 2.8.2.1 The USLD facility is a dedicated transmission facility that BellSouth provides from an End User's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The USLD media is a copper twisted pair that can be provisioned as a 2-wire or 4-wire facility. BellSouth will make available the following subloop distribution offerings where facilities exist:

USLD – Voice Grade (USLD-VG) Unbundled Copper Subloop (UCSL) USLD – Intrabuilding Network Cable (USLD-INC (aka riser cable))

- 2.8.2.2 USLD-VG is a copper subloop facility from the cross-box in the field up to and including the point of demarcation at the End User's premises and may have load coils.
- 2.8.2.3 UCSL is a copper facility eighteen thousand (18,000) feet or less in length provided from the cross-box in the field up to and including the End User's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the End User and the cross-box.
- 2.8.2.3.1 If GulfPines requests a UCSL and it is not available, GulfPines may request the copper Subloop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.4 USLD-INC is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross-connect device in the building equipment room up to and including the point of demarcation at the End User's premises.
- 2.8.2.4.1 Upon request for USLD-INC from GulfPines, BellSouth will install a cross-connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in twenty five (25) pair increments for GulfPines's use on this cross-connect panel. GulfPines will be responsible for connecting its facilities to the twenty five (25) pair cross-connect block(s).
- 2.8.2.5 For access to Voice Grade USLD and UCSL, GulfPines shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in Attachment 4. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. GulfPines's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.2.6 Through the SI process, BellSouth will determine whether access to USLs at the location requested by GulfPines is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet GulfPines's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at BellSouth's Interconnection Web site address: http://www.interconnection.bellsouth.com/products/html/unes.html.

- 2.8.2.7 The site set-up must be completed before GulfPines can order Subloop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice GulfPines's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.8 Once the site set-up is complete, GulfPines will request Subloop pairs through submission of a LSR form to the Local Carrier Service Center (LCSC). OC is required with USL pair provisioning when GulfPines requests reuse of an existing facility, and the OC charge shall be billed in addition to the USL pair rate. For expedite requests by GulfPines for Subloop pairs, expedite charges will apply for intervals less than five (5) days.
- 2.8.2.9 USLs will be provided in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specifications.
- 2.8.3 Unbundled Network Terminating Wire (UNTW)
- 2.8.3.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual End User's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.
- 2.8.3.2 This element will be provided in MDUs and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the End User's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the End User's premises, where a third party owns the wiring to the End User's premises.
- 2.8.3.3 Requirements
- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the End Users premises, and GulfPines does own or control such wiring, GulfPines will install UNTW Access Terminals for BellSouth under the same terms and conditions as BellSouth provides UNTW Access Terminals to GulfPines.

- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate GulfPines for each pair activated commensurate to the price specified in GulfPines's Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW SI requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the End User has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the End User is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.
- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or within thirty (30) days after completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.
- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.
- 2.8.3.3.9 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that End User if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the

UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).

- 2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten percent (10%) of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge (NRC) equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the End User began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.
- 2.8.4 <u>Dark Fiber Loop.</u>
- 2.8.4.1 Dark Fiber Loop is an unused optical transmission facility, without attached signal regeneration, multiplexing, aggregation or other electronics, from the demarcation point at an End User's premises to the End User's serving wire center. Dark Fiber Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for GulfPines to utilize Dark Fiber Loops.
- 2.8.4.2 Transition for Dark Fiber Loop
- 2.8.4.2.1 For purposes of this Section 2.8.4, the Transition Period for Dark Fiber Loops is the eighteen (18) month period beginning March 11, 2005 and ending September 10, 2006.
- 2.8.4.2.2 For purposes of this Section 2.8.4, Embedded Base means Dark Fiber Loops that were in service for GulfPines as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.
- 2.8.4.3 During the Transition Period only, BellSouth shall make available for the Embedded Base Dark Fiber Loops for GulfPines at the terms and conditions set forth in this Attachment.
- 2.8.4.4 The rates for GulfPines's Embedded Base of Dark Fiber Loops during the Transition Period shall be as set forth in Exhibit A.

- 2.8.4.5 The Transition Period shall apply only to GulfPines's Embedded Base and GulfPines shall not add new Dark Fiber Loops pursuant to this Agreement.
- 2.8.4.6 Effective September 11, 2006, Dark Fiber Loops will no longer be made available pursuant to this Agreement and any remaining Embedded Base will be disconnected.
- 2.9 <u>Loop Makeup</u>
- 2.9.1 <u>Description of Service</u>
- 2.9.1.1 BellSouth shall make available to GulfPines LMU information with respect to Loops that are required to be unbundled under this Agreement so that GulfPines can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment GulfPines intends to install and the services GulfPines wishes to provide. LMU is a preordering transaction, distinct from GulfPines ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) and mechanized LMU queries for preordering LMU are likewise unique from other preordering functions with associated SIs as described in this Agreement.
- 2.9.1.2 BellSouth will provide GulfPines LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pairgain devices; the Loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to GulfPines as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a LOA from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.
- 2.9.1.5 GulfPines may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by GulfPines and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (e.g., ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any

requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee GulfPines's ability to provide advanced data services over the ordered Loop type. Furthermore, the LMU information for Loops other than copper-only Loops (e.g., ADSL, UCL-ND, etc.) that support xDSL services, is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Except as set forth in Section 2.9.1.6, copper-only Loops will not be subject to change due to modification and/or upgrades to BellSouth's network and will remain on copper facilities until the Loop is disconnected by GulfPines or the End User, or until BellSouth retires the copper facilities via the FCC's and any applicable Commission's requirements. GulfPines is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.

2.9.1.6 If BellSouth retires its copper facilities using 47 C.F.R § 52.325(a) requirements; or is required by a governmental agency or regulatory body to move or replace copper facilities as a maintenance procedure, BellSouth will notify GulfPines, according to the applicable network disclosure requirements. It will be GulfPines's responsibility to move any service it may provide over such facilities to alternative facilities. If GulfPines fails to move the service to alternative facilities by the date in the network disclosure notice, BellSouth may terminate the service to complete the network change.

# 2.9.2 <u>Submitting LMUSI</u>

- 2.9.2.1 GulfPines may obtain LMU information and reserve facilities by submitting a mechanized LMU query or a manual LMUSI according to the terms and conditions as described in the LMU CLEC Information Package, incorporated herein by reference as it may be amended from time to time. The CLEC Information Package is located at the "CLEC UNE Product" Web site address: www.interconnection.bellsouth.com/guides/html/unes.html. After obtaining the Loop information from the mechanized LMU process, if GulfPines needs further Loop information in order to determine Loop service capability, GulfPines may initiate a separate Manual SI for a separate NRC as set forth in Exhibit A.
- 2.9.2.2 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. GulfPines will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, GulfPines does not reserve facilities upon an initial LMUSI, GulfPines's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A.
- 2.9.2.3 Where GulfPines has reserved multiple Loop facilities on a single reservation, GulfPines may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to GulfPines, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by GulfPines.

2.9.2.4 Charges for preordering manual LMUSI or mechanized LMU are separate from any charges associated with ordering other services from BellSouth.

# 3 Line Splitting

- 3.1 Line splitting shall mean that a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to End Users over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers.
- 3.2 <u>Line Splitting UNE-L.</u> In the event GulfPines provides its own switching or obtains switching from a third party, GulfPines may engage in line splitting arrangements with another CLEC using a splitter, provided by GulfPines, in a Collocation Space at the central office where the loop terminates into a distribution frame or its equivalent.
- 3.3 <u>Line Splitting –Loop and UNE Port (UNE-P).</u>
- 3.3.1 To the extent GulfPines is purchasing UNE-P pursuant to this Agreement, BellSouth will permit GulfPines to replace UNE-P with Line Splitting. The UNE-P arrangement will be converted to a stand-alone Loop, a Network Element switch port, two collocation cross-connects and the high frequency spectrum line activation. The resulting arrangement shall continue to be included in GulfPines's Embedded Base as described in Section 5.4.3.2.
- 3.3.2 GulfPines shall provide BellSouth with a signed LOA between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services, if GulfPines will not provide voice and data services.
- 3.3.3 Line Splitting arrangements in service pursuant to this Section 3.3 must be disconnected or provisioned pursuant to Section 3.2 on or before March 10, 2006.
- 3.4 Provisioning Line Splitting and Splitter Space
- 3.4.1 The Data LEC, Voice CLEC or BellSouth may provide the splitter. When GulfPines or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the End User's location; a collocation cross-connection connecting the Loop to the collocation space; a second collocation cross-connection from the collocation space connected to a voice port; the high frequency spectrum line activation, and a splitter. When BellSouth owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the End User's location with CFA and splitter port assignments, and a collocation cross-connection from the collocation space connected to a voice port.

- 3.4.2 An unloaded 2-wire copper Loop must serve the End User. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.
- 3.4.3 The foregoing procedures are applicable to migration from a UNE-P arrangement to Line Splitting Service.
- 3.5 <u>CLEC Provided Splitter Line Splitting</u>
- 3.5.1 To order High Frequency Spectrum on a particular Loop, GulfPines must have a DSLAM collocated in the central office that serves the End User of such Loop.
- 3.5.2 GulfPines must provide its own splitters in a central office and have installed its DSLAM in that central office.
- 3.5.3 GulfPines may purchase, install and maintain central office POTS splitters in its collocation arrangements. GulfPines may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.
- 3.5.4 Any splitters installed by GulfPines in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. GulfPines may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.
- 3.6 Maintenance Line Splitting.
- 3.6.1 BellSouth will be responsible for repairing voice troubles and the troubles with the physical loop between the NID at the End User's premises and the termination point.
- 3.6.2 GulfPines shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the other service provider, except to the extent caused by BellSouth's gross negligence or willful misconduct.

#### 4 Local Switching

- 4.1 Notwithstanding anything to the contrary in this Agreement, the services offered pursuant to this Section 4 are limited to DS0 level Local Switching and BellSouth is not required to provide Local Switching pursuant to this Agreement except as set forth in Section 4.2.
- 4.2 <u>Transition for Local Switching</u>

- 4.2.1 For purposes of this Section 4, the Transition Period for Local Switching is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006.
- 4.2.2 For the purposes of this Section 4, Embedded Base shall mean Local Switching and any additional elements that are required to be provided in conjunction therewith that were in service for GulfPines as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.
- 4.2.3 During the Transition Period only, BellSouth shall make Local Switching available for the Embedded Base, in addition to all elements that are required to be provided in conjunction with Local Switching, at the rates, terms and conditions set forth in this Attachment. The Transition Period shall apply only to GulfPines's Embedded Base and GulfPines shall not place new orders for Local Switching pursuant to this Agreement.
- 4.2.4 The rates for GulfPines's Embedded Base of Local Switching during the Transition Period shall be as set forth in Exhibit A.
- 4.2.5 Effective March 11, 2006, Local Switching will no longer be made available pursuant to this Agreement and any remaining Embedded Base will be disconnected.
- 4.3 <u>Local Switching Capability</u>, including Tandem Switching Capability
- 4.3.1 Local Switching capability is defined as all line-side and trunk-side facilities, plus the features, functions, and capabilities of the switch. The features, functions, and capabilities of the switch shall include the basic switching function of connecting lines to lines, lines to trunks, trunks to lines, and trunks to trunks. Local Switching includes all vertical features that the switch is capable of providing, including custom calling, custom local area signaling service features, and Centrex, as well as any technically feasible customized routing functions.
- 4.3.2 Unbundled local switching consists of three separate components: Unbundled Ports, End Office Switching Functionality, and End Office Interoffice Trunk Ports.
- 4.3.3 Unbundled Local Switching combined with Common Transport and, if necessary, Tandem Switching provides to GulfPines's End User local calling and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.
- 4.3.4 Provided that GulfPines has unbundled Local Switching from BellSouth and uses the BellSouth Carrier Identification Code (CIC) for its End Users' Local Preferred Interexchange Carrier (LPIC) or if a BellSouth local End User selects BellSouth as its LPIC, then the Parties will consider as local any calls originated by a GulfPines local End User, or originated by a BellSouth local End User and terminated to a GulfPines local End User, where such calls originate and terminate in the same

LATA, except for those calls originated and terminated through switched access arrangements (i.e., calls that are transported by a Party other than BellSouth). For such calls, BellSouth will charge GulfPines the Network Elements for the BellSouth facilities utilized. Neither Party shall bill the other originating or terminating switched access charges for such calls. Intercarrier compensation for local calls between BellSouth and GulfPines shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's Web site: http://interconnection.bellsouth.com/products/docs/FLOWSPPT.pdf.

- 4.3.5 Where GulfPines has unbundled Local Switching from BellSouth but does not use the BellSouth CIC for its End Users' LPIC, BellSouth will consider as local those direct dialed telephone calls that originate from a GulfPines End User and terminate within the basic local calling area or within the extended local calling areas and that are dialed using seven (7) or ten (10) digits as defined and specified in Section A3 of BellSouth's General Subscriber Services Tariffs (GSST). For such local calls, BellSouth will charge GulfPines the Network Elements for the BellSouth facilities utilized. Intercarrier compensation for local calls between BellSouth and GulfPines shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's website.
- 4.3.6 For any calls that originate and terminate through switched access arrangements (i.e., calls that are transported by a party other than BellSouth), BellSouth shall bill GulfPines the Network Elements for the BellSouth facilities utilized. Each Party may bill the toll provider originating or terminating switched access charges as appropriate.
- 4.3.7 Unbundled Ports may or may not include individual features. Where applicable and available, non-switch-based services may be ordered with the Unbundled Port at BellSouth's retail rates.
- 4.3.8 Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR Process as set forth in Attachment 11.
- 4.3.9 BellSouth will provide to GulfPines selective routing of calls to a requested Operator System platform pursuant to this Agreement. Any other routing requests by GulfPines will be made pursuant to the BFR/NBR Process as set forth in Attachment 11.
- 4.3.10 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.
- 4.3.11 BellSouth shall control congestion points such as those caused by radio station call-ins and network routing abnormalities. All traffic shall be restricted in a non-discriminatory manner.

- 4.3.12 BellSouth shall perform manual call trace and permit customer originated call trace. BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.
- 4.3.13 BellSouth shall provide interfaces to adjuncts through Telcordia standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors. BellSouth shall offer to GulfPines all Advanced Intelligent Network (AIN) triggers in connection with its Service Creation Environment and Service Management System (SCE/SMS) offering.
- 4.3.14 BellSouth shall provide access to SS7 Signaling Network or Multi-Frequency trunking if requested by GulfPines.
- 4.3.15 BellSouth shall provide the following Local Switching interfaces:
- 4.3.15.1 Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);
- 4.3.15.2 Coin phone signaling;
- 4.3.15.3 Basic Rate Interface ISDN adhering to appropriate Telcordia Technical Requirements;
- 4.3.15.4 2-wire analog interface to PBX;
- 4.3.15.5 4-wire analog interface to PBX; and
- 4.3.15.6 Loops adhering to Telcordia TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.
- 4.3.16 GulfPines shall maintain the individual telephone number and the correct corresponding address/location data, including maintaining the End User listed address as the actual physical End User location in the E911 ALI Database.
- 4.3.17 GulfPines will be responsible and liable for any errors resulting from the submission of invalid telephone number and address/location data for the GulfPines's End Users.
- 4.4 Common (Shared) Transport.
- 4.4.1 Common (Shared) Transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network. Where BellSouth Network Elements are connected by intraoffice wiring,

- such wiring is provided as part of the Network Element and is not Common (Shared) Transport.
- 4.4.2 Notwithstanding any other provision of this Agreement, BellSouth will only provide unbundled access to Common (Shared) Transport to the extent BellSouth is required to provide and is providing Local Switching to GulfPines.
- 4.4.3 Technical Requirements of Common (Shared) Transport
- 4.4.3.1 Common (Shared) Transport provided on DS1, DS3, and STS-1 circuits shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office (CO to CO) connections in the applicable industry standards.
- 4.4.3.2 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.
- 4.4.3.3 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standards.
- 4.5 Tandem Switching
- 4.5.1 The Tandem Switching capability Network Element is defined as:

  (i) trunk-connect facilities, which include, but are not limited to, the connection between trunk termination at a cross-connect panel and switch trunk card; (ii) the basic switch trunk function of connecting trunks to trunks; and (iii) the functions that are centralized in the Tandem Switches (as distinguished from separate end office switches), including but not limited to call recording, the routing of calls to operator services and signaling conversion features.
- Where GulfPines utilizes portions of the BellSouth network in originating or terminating traffic, the Tandem Switching rates are applied in call scenarios where the Tandem Switching Network Element has been utilized. Because switch recordings cannot accurately indicate on a per call basis when the Tandem Switching Network Element has been utilized for an interoffice call originating from a UNE port and terminating to a BellSouth, Independent Company or Facility-Based CLEC office, BellSouth has developed, based upon call studies, a melded rate that takes into account the average percentage of calls that utilize Tandem Switching in these scenarios. BellSouth shall apply the melded Tandem Switching rate for every call in these scenarios. BellSouth shall utilize the melded Tandem Switching Rate until BellSouth has the capability to measure actual Tandem Switch usage in each call scenario specifically mentioned above, at which point the rate for the actual Tandem Switch usage shall apply. The UNE Local Call Flows set forth on BellSouth's website, as amended from time to time and

incorporated herein by this reference, illustrate when the full or melded Tandem Switching rates apply for specific scenarios.

## 4.5.3 <u>Technical Requirements</u>

- 4.5.3.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Telcordia TR-TSY-000540 Issue 2R2, Tandem Supplement, June 1, 1990. The requirements for Tandem Switching include but are not limited to the following:
- 4.5.3.1.1 Tandem Switching shall provide signaling to establish a tandem connection;
- 4.5.3.1.2 Tandem Switching will provide screening as jointly agreed to by GulfPines and BellSouth;
- 4.5.3.1.3 Where applicable, Tandem Switching shall provide AIN triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;
- 4.5.3.1.4 Where applicable, Tandem Switching shall provide access to Toll Free number database;
- 4.5.3.1.5 Tandem Switching shall provide connectivity to Public Safety Answering Point (PSAP)s where 911 solutions are deployed and the tandem is used for 911; and
- 4.5.3.1.6 Where appropriate, Tandem Switching shall provide connectivity for the purpose of routing transit traffic to and from other carriers.
- 4.5.3.2 BellSouth may perform testing and fault isolation on the underlying switch that is providing Tandem Switching. Such testing shall be testing routinely performed by BellSouth. The results and reports of the testing shall be made available to GulfPines.
- 4.5.3.3 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner.
- 4.5.3.4 Tandem Switching shall process originating toll free traffic received from GulfPines's local switch.
- 4.5.3.5 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element to the extent such Tandem Switch has such capability.
- 4.5.4 Upon GulfPines's purchase of overflow trunk groups, Tandem Switching shall provide an alternate routing pattern for GulfPines's traffic overflowing from direct end office high usage trunk groups.

## 4.6 Remote Call Forwarding (URCF)

- As an option, BellSouth shall make available to GulfPines an unbundled port with Remote Call Forwarding capability. URCF service combines the functionality of unbundled Local Switching, Tandem Switching and common transport to forward calls from the URCF service telephone number (the number dialed by the calling party) to another telephone number selected by the URCF service subscriber. GulfPines must ensure that the following conditions are satisfied:
- 4.6.1.1 the End User of the forward-to number (service) agrees to receive calls forwarded using the URCF service (if such End User is different from the URCF service End User);
- 4.6.1.2 the forward-to number (service) is equipped with sufficient capacity to receive the volume of calls that will be generated from the URCF service;
- 4.6.1.3 the URCF service will not be utilized to forward calls to another URCF or similar service; and
- 4.6.1.4 the forward-to number (service) is not a public safety number (e.g., 911, fire or police number).
- 4.6.2 In addition to the charge for the URCF service port, BellSouth shall charge GulfPines the rates set forth in Exhibit A for unbundled Local Switching, Tandem Switching, and Common Transport, including all associated usage incurred for calls from the URCF service telephone number (the number dialed by the calling party) to the forward-to number (service).
- 4.7 <u>AIN Selective Carrier Routing for Operator Services, Directory Assistance and Repair Centers</u>
- 4.7.1 Where BellSouth provides Local Switching to GulfPines, BellSouth will provide AIN Selective Carrier Routing (AIN SCR) at the request of GulfPines. AIN SCR will provide GulfPines with the capability of routing operator calls, 0+ and 0- and 0+ NPA Local Numbering Plan Area (LNPA), 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to pre-selected destinations.
- 4.7.2 GulfPines shall order AIN SCR through its Account Team and/or Local Contract Manager. AIN SCR must first be established regionally and then on a per central office per state basis.
- 4.7.3 AIN SCR is not available in DMS 10 switches.
- 4.7.4 Where AIN SCR is utilized by GulfPines, the routing of GulfPines's End User calls shall be pursuant to information provided by GulfPines and stored in BellSouth's AIN SCR Service Control Point database. AIN SCR shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an "as needed"

basis. The same LCCs will be assigned in each central office where AIN SCR is established.

- 4.7.5 Upon ordering AIN SCR Regional Service, GulfPines shall remit to BellSouth the nonrecurring Regional Service Order charge set forth in Exhibit A. There shall be a nonrecurring End Office Establishment Charge as set forth in Exhibit A, per office, due at the addition of each central office where AIN SCR will be utilized. For each GulfPines End User activated, there shall be a nonrecurring End User Establishment charge as set forth in Exhibit A. GulfPines shall pay the AIN SCR Per Query Charge set forth in Exhibit A.
- 4.7.6 This nonrecurring Regional Service Order charge will be non-refundable and will be paid with one half due up-front with the submission of all fully completed required forms including: Regional SCR Order Request-Form A, Central Office AIN SCR Order Request Form B, AIN SCR Central Office Identification Form Form C, AIN SCR Routing Options Selection Form Form D, and Routing Combinations Table Form E. BellSouth has thirty (30) days to respond to GulfPines's fully completed firm order as a Regional Service Order. With the delivery of this firm order response to GulfPines, BellSouth considers that the delivery schedule of this service commences. The remaining half of the nonrecurring Regional Service Order payment must be paid when at least ninety percent (90%) of the Central Offices listed on the original order have been turned up for the service.
- 4.7.7 The nonrecurring End Office Establishment charge will be billed to GulfPines following BellSouth's normal monthly billing cycle for this type of order.
- 4.7.8 End-User Establishment Orders will not be turned-up until the second payment is received for the Regional Service Order. The nonrecurring End Office Establishment charges will be billed to GulfPines following BellSouth's normal monthly billing cycle for this type of order.
- 4.7.9 Additionally, the AIN SCR Per Query Charge will be billed to GulfPines following the normal billing cycle for per query charges.
- 4.7.10 All other network components needed, (i.e., unbundled switching, unbundled local transport, etc.) will be billed per contracted rates.
- 4.8 <u>Selective Call Routing Using Line Class Codes (SCR-LCC)</u>
- 4.8.1 Where GulfPines has purchased unbundled Local Switching from BellSouth and utilizes an operator services provider other than BellSouth, BellSouth will route GulfPines's End User calls to that provider through Selective Call Routing.
- 4.8.2 SCR-LCC provides the capability for GulfPines to have its Operator Call Processing/Directory Assistance (OCP/DA) calls routed to BellSouth's OCP/DA

platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if capacity is available in the requested BellSouth end office switches.

- 4.8.3 Custom Branding for Directory Assistance (DA) is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service, and certain PBX services.
- Where available, GulfPines specific and unique LCCs are programmed in each BellSouth end office switch where GulfPines intends to serve End Users with customized OCP/DA branding. The LCCs specifically identify GulfPines's End Users so OCP/DA calls can be routed over the appropriate trunk group to the requested OCP/DA platform. Additional LCCs are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and GulfPines intends to provide GulfPines -branded OCP/DA to its End Users in these multiple rate areas.
- 4.8.5 SCR-LCC supporting Custom Branding and Self Branding require GulfPines to order dedicated trunking from each BellSouth end office identified by GulfPines, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the GulfPines Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for DA. Rates for trunks are set forth in applicable BellSouth's FCC No. 1 Tariff.
- 4.8.6 Unbranding Unbranded DA and/or OCP calls ride common trunk groups provisioned by BellSouth from those end offices identified by GulfPines to the BellSouth TOPS.
- 4.8.7 The Rates for SCR-LCC are as set forth in Exhibit A. There is a NRC for the establishment of each LCC in each BellSouth central office. Furthermore, for Unbranded and Custom Branded OCP/DA provided by BellSouth Operator Services with unbundled ports and unbundled port/loop switch combinations, monthly recurring usage charges shall apply for the UNEs necessary to provide the service, such as end office and tandem switching and common transport. A flat rated end office switching charge shall apply to Self-Branded OCP/DA when used in conjunction with unbundled ports and unbundled port/loop switch combinations.

#### 5 Unbundled Network Element Combinations

5.1 For purposes of this Section, references to "Currently Combined" Network Elements shall mean that the particular Network Elements requested by GulfPines are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" Network Elements shall mean that the particular Network Elements requested by GulfPines are not already combined by BellSouth in the location requested by GulfPines but are elements that are typically combined in

BellSouth's network. References to "Not Typically Combined" Network Elements shall mean that the particular Network Elements requested by GulfPines are not elements that BellSouth combines for its use in its network.

- 5.1.1 Except as otherwise set forth in this Agreement, upon request, BellSouth shall perform the functions necessary to combine Network Elements that BellSouth is required to provide under this Agreement in any manner, even if those elements are not ordinarily combined in BellSouth's network, provided that such Combination is technically feasible and will not undermine the ability of other carriers to obtain access to Network Elements or to interconnect with BellSouth's network.
- To the extent GulfPines requests a Combination for which BellSouth does not have methods and procedures in place to provide such Combination, rates and/or methods or procedures for such Combination will be developed pursuant to the BFR process.

## 5.2 Rates

- 5.2.1 The rates for the Currently Combined Network Elements specifically set forth in Exhibit A shall be the rates associated with such Combinations. Where a Currently Combined Combination is not specifically set forth in Exhibit A, the rate for such Currently Combined Combination shall be the sum of the recurring rates for those individual Network Elements as set forth in Exhibit A and/or Exhibit B in addition to the applicable nonrecurring switch-as-is charge set forth in Exhibit A.
- 5.2.2 The rates for the Ordinarily Combined Network Elements specifically set forth in Exhibit A shall be the nonrecurring and recurring charges for those Combinations. Where an Ordinarily Combined Combination is not specifically set forth in Exhibit A, the rate for such Ordinarily Combined Combination shall be the sum of the recurring rates for those individual Network Elements as set forth in Exhibit A and/or Exhibit B and nonrecurring rates for those individual Network Elements as set forth in Exhibit A.
- 5.2.3 The rates for Not Typically Combined Combinations shall be developed pursuant to the BFR process upon request of GulfPines.

## 5.3 Enhanced Extended Links (EELs)

5.3.1 EELs are combinations of Loops and Dedicated Transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements. BellSouth shall provide GulfPines with EELs where the underlying Network Element are available and are required to be provided pursuant to this Agreement and in all instances where the requesting carrier meets the eligibility requirements, if applicable.

- 5.3.2 High-capacity EELs are (1) combinations of Loop and Dedicated Transport, (2) Dedicated Transport commingled with a wholesale loop, or (3) a loop commingled with wholesale transport at the DS1 and/or DS3 level as described in 47 C.F.R. § 51.318(b).
- By placing an order for a high-capacity EEL, GulfPines thereby certifies that the service eligibility criteria set forth herein are met for access to a converted high-capacity EEL, a new high-capacity EEL, or part of a high-capacity commingled EEL as a UNE. BellSouth shall have the right to audit GulfPines's high-capacity EELs as specified below.

## 5.3.4 <u>Service Eligibility Criteria</u>

- 5.3.4.1 High capacity EELs must comply with the following service eligibility requirements. GulfPines must certify for each high-capacity EEL that all of the following service eligibility criteria are met:
- 5.3.4.1.1 GulfPines has received state certification to provide local voice service in the area being served;
- 5.3.4.2 For each combined circuit, including each DS1 circuit, each DS1 EEL, and each DS1-equivalent circuit on a DS3 EEL:
- 5.3.4.2.1 1) Each circuit to be provided to each End User will be assigned a local number prior to the provision of service over that circuit;
- 5.3.4.2.2 2) Each DS1-equivalent circuit on a DS3 EEL must have its own local number assignment so that each DS3 must have at least twenty-eight (28) local voice numbers assigned to it;
- 5.3.4.2.3 3) Each circuit to be provided to each End User will have 911 or E911 capability prior to provision of service over that circuit;
- 5.3.4.2.4 4) Each circuit to be provided to each End User will terminate in a collocation arrangement that meets the requirements of 47 C.F.R. § 51.318(c);
- 5.3.4.2.5 5) Each circuit to be provided to each End User will be served by an interconnection trunk over which GulfPines will transmit the calling party's number in connection with calls exchanged over the trunk;
- 5.3.4.2.6 6) For each twenty-four (24) DS1 EELs or other facilities having equivalent capacity, GulfPines will have at least one (1) active DS1 local service interconnection trunk over which GulfPines will transmit the calling party's number in connection with calls exchanged over the trunk; and
- 5.3.4.2.7 7) Each circuit to be provided to each End User will be served by a switch capable of switching local voice traffic.

- 5.3.4.3 BellSouth may, on an annual basis, audit GulfPines's records in order to verify compliance with the qualifying service eligibility criteria. The audit shall be conducted by a third party independent auditor, and the audit must be performed in accordance with the standards established by the American Institute for Certified Public Accountants (AICPA). To the extent the independent auditor's report concludes that GulfPines failed to comply with the service eligibility criteria, GulfPines must true-up any difference in payments, convert all noncompliant circuits to the appropriate service, and make the correct payments on a goingforward basis. In the event the auditor's report concludes that GulfPines did not comply in any material respect with the service eligibility criteria, GulfPines shall reimburse BellSouth for the cost of the independent auditor. To the extent the auditor's report concludes that GulfPines did comply in all material respects with the service eligibility criteria, BellSouth will reimburse GulfPines for its reasonable and demonstrable costs associated with the audit. GulfPines will maintain appropriate documentation to support its certifications.
- 5.3.4.4 In the event GulfPines converts special access services to UNEs, GulfPines shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

### 5.4 UNE-P

- DS0 Local Switching, as defined in Section 4, in combination with a Loop and Common (Shared) Transport as defined in Section 4.3.9 (UNE-P) provides local exchange service for the origination or termination of calls. UNE-P supports the same local calling and feature requirements as described in the Local Switching section of this Attachment and the ability to presubscribe to a primary carrier for intraLATA toll service and/or to presubscribe to a primary carrier for interLATA toll service.
- 5.4.2 Notwithstanding anything to the contrary in this Agreement, BellSouth is not required to provide UNE-P pursuant to this Agreement except as set forth in this Section 5.4.
- 5.4.3 Transition Period for UNE-P
- 5.4.3.1 For purposes of this Section 5.4, the Transition Period for UNE-P is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006.
- 5.4.3.2 For the purposes of this Section 5.4, Embedded Base shall mean UNE-P and any additional elements that are required to be provided in conjunction therewith that were in service for GulfPines as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.
- 5.4.3.3 During the Transition Period only, BellSouth shall make UNE-P available for the Embedded Base, in addition to all elements that are required to be provided in conjunction with UNE-P, at the rates, terms and conditions set forth in this

Attachment. The Transition Period shall apply only to GulfPines's Embedded Base and GulfPines shall not place new orders for UNE-P pursuant to this Agreement.

- 5.4.3.4 The rates for GulfPines's Embedded Base of UNE-P during the Transition Period shall be as set forth in Exhibit A.
- 5.4.3.5 Effective March 11, 2006, UNE-P will no longer be made available pursuant to this Agreement and any remaining Embedded Base will be disconnected.
- 5.4.4 BellSouth shall make 911 updates in the BellSouth 911 database for GulfPines's UNE-P. BellSouth will not bill GulfPines for 911 surcharges. GulfPines is responsible for paying all 911 surcharges to the applicable governmental agency.
- 5.5 <u>Intercarrier Compensation</u>
- 5.5.1 Intercarrier compensation for seven (7) or ten (10) digit dialed calls originated by GulfPines utilizing Local Switching shall apply as follows:
- 5.5.2 For calls terminating to a BellSouth End User or to an End User served by BellSouth resold services, BellSouth shall charge GulfPines for End Office Switching as set forth in Exhibit A at the terminating end office.
- 5.5.3 For calls terminating to a CLEC where such CLEC is utilizing a BellSouth switch port or port/loop combination to provide service to its End User, BellSouth shall charge GulfPines for End Office Switching as set forth in Exhibit A at the terminating end office. BellSouth will not charge the terminating CLEC for End Office Switching as set forth in Exhibit A at the terminating end office.
- 5.5.3.1 For calls terminating to third party carriers, such as CLECs, wireless carriers and independent companies, utilizing their own switches to serve their End Users, GulfPines is required to enter into interconnection or traffic exchange agreements with such third parties for the exchange of traffic through BellSouth's network. If GulfPines does not have such an agreement with a third party carrier and BellSouth is charged termination charges by a third party terminating a call originated by GulfPines, or if such third party carrier bills BellSouth for terminating such calls, despite the existence of such an agreement, then BellSouth may, at its option:
- 5.5.3.1.1 pay such charges as billed by the third party carrier and charge End Office Switching as set forth in Exhibit A to GulfPines for each such call; or
- 5.5.3.1.2 pay such charges as billed by the third party carrier and GulfPines will reimburse the full amount of such charges within thirty (30) days of BellSouth's request for reimbursement.

- 5.5.3.2 Intercarrier compensation for seven (7) or ten (10) digit dialed calls terminating to GulfPines utilizing Local Switching shall apply as follows:
- 5.5.3.2.1 For calls originated by a BellSouth End User or by an End User served by resold BellSouth services, BellSouth shall not charge GulfPines for End Office Switching at the terminating end office for use of the network component; therefore, GulfPines shall not charge BellSouth intercarrier compensation or any other charges for termination of such calls.
- 5.5.3.2.2 For calls originated by a CLEC where such CLEC is utilizing a BellSouth switch port or port/loop combination to provide service to its End User, BellSouth shall not charge GulfPines for End Office Switching at the terminating end office for use of the network component; therefore, GulfPines shall not charge the originating CLEC or BellSouth intercarrier compensation or any other charges for termination of such calls.
- 5.5.3.2.3 For calls originated by third party carriers, such as CLECs, wireless carriers and independent companies, utilizing their own switches to serve their End Users, GulfPines is required to enter into interconnection or traffic exchange agreements with such third parties for the exchange of traffic through BellSouth's network. GulfPines may bill the third parties according to such agreements and shall not bill BellSouth for the exchange of traffic through BellSouth's network.
- 5.5.3.3 Intercarrier compensation shall apply as follows for intralata 1+ dialed calls originated by GulfPines utilizing Local Switching where GulfPines uses BellSouth's CIC for its End User's LPIC:
- 5.5.3.3.1 For calls terminating to a BellSouth End User or to an End User served by BellSouth resold services, BellSouth shall charge GulfPines for End Office Switching as set forth in Exhibit A at the terminating end office.
- 5.5.3.3.2 For calls terminating to a CLEC where such CLEC is utilizing a BellSouth switch port or port/loop combination to provide service to its End User, BellSouth shall charge GulfPines for End Office Switching as set forth in Exhibit A at the terminating end office. BellSouth will not charge the terminating CLEC for End Office Switching at the terminating end office. In the event that BellSouth is charged termination charges by the CLEC, BellSouth may pay such charges and GulfPines will reimburse BellSouth the full amount of such charges within thirty (30) days following BellSouth's request for reimbursement.
- 5.5.3.3.3 For calls terminating to third party carriers, such as CLECs, wireless carriers and independent companies, utilizing their own switches to serve their End Users, GulfPines is required to enter into interconnection or traffic exchange agreements with such third parties for the exchange of traffic through BellSouth's network. If GulfPines does not have such an agreement with a third party carrier and BellSouth is charged termination charges by a third party terminating a call

originated by GulfPines, or if such third party carrier bills BellSouth for terminating such calls, despite the existence of such an agreement, then BellSouth may, at its option:

- 5.5.3.3.3.1 pay such charges as billed by the third party carrier and charge End Office Switching as set forth in Exhibit A to GulfPines for each such call; or
- 5.5.3.3.2 pay such charges as billed by the third party carrier and GulfPines will reimburse BellSouth the full amount of such charges within thirty (30) days following BellSouth's request for reimbursement.
- 5.5.3.4 Intercarrier compensation shall apply as follows for intralata 1+ dialed calls terminating to GulfPines utilizing Local Switching where the originating carrier uses BellSouth's CIC for its End User's LPIC:
- 5.5.3.4.1 For calls originated by a BellSouth End User or by an End User served by BellSouth resold service, BellSouth shall charge GulfPines for End Office Switching as set forth in Exhibit A at the terminating end office for use of the End Office Switching network component in terminating such calls. GulfPines may charge BellSouth for intercarrier compensation at the End Office Switching as set forth in Exhibit A in this Agreement for such calls. GulfPines shall not charge originating or terminating switched access rates to BellSouth for termination of such calls.
- 5.5.3.5 For calls originated by or terminating to interexchange carriers through a switched access arrangement, GulfPines may bill the interexchange carrier in accordance with GulfPines's tariff and will not bill BellSouth any charges for such call. GulfPines shall pay BellSouth applicable charges for the use of BellSouth's network in accordance with the rates set forth in Exhibit A for originating and terminating such calls.

# 6 Dedicated Transport and Dark Fiber Transport

- Dedicated Transport. Dedicated Transport is defined as BellSouth's transmission facilities between wire centers or switches owned by BellSouth, or between wire centers or switches owned by BellSouth and switches owned by GulfPines. Including but not limited to DS1, DS3 and OCn level services, as well as dark fiber, dedicated to GulfPines. BellSouth shall not be required to provide access to OCn level Dedicated Transport under any circumstances pursuant to this Agreement. In addition, except as set forth in Section 6.2 below, BellSouth shall not be required to provide to GulfPines unbundled access to Dedicated Transport that does not connect a pair of wire centers or switches owned by BellSouth ("Entrance Facilities").
- 6.2 <u>Transition for DS1 and DS3 Dedicated Transport Including DS1 and DS3</u> Entrance Facilities

- 6.2.1 For purposes of this Section 6.2, the Transition Period for DS1 and DS3 Dedicated Transport including all DS1 and DS3 Entrance Facilities is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006.
- For purposes of this Section 6.2, Embedded Base means DS1 and DS3 Dedicated Transport including DS1 and DS3 Entrance Facilities that were in service for GulfPines as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.
- 6.2.3 For purposes of this Section 6.2, a Business Line is as defined in 47 C.F.R. § 51.5.
- 6.2.4 BellSouth shall make available Dedicated Transport as defined in this Section 6.

  Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dedicated Transport as described in this Section 6.2 only for GulfPines's Embedded Base during the Transition Period:
- 6.2.4.1 DS1 Dedicated Transport where both wire centers at the end points of the route contain 38,000 Business Lines or four (4) or more fiber-based collocators.
- DS3 Dedicated Transport where both wire centers at the end points of the route contain 24,000 or more Business Lines or three (3) or more fiber-based collocators.
- During the Transition Period, the rates for GulfPines's Embedded Base of DS1 and DS3 Dedicated Transport as described in this Section 6.2 shall be as set forth in Exhibit B and the rates for GulfPines's Embedded Base of DS1 and DS3 Entrance Facilities as described in this Section 6.2 shall be as set forth in Exhibit A.
- 6.2.4.4 The Transition Period shall apply only to GulfPines's Embedded Base and GulfPines shall not add new DS1 or DS3 Dedicated Transport as described in this Section 6.2, or DS1 or DS3 Entrance Facilities, pursuant to this Agreement.
- Once a wire center exceeds either of the thresholds set forth in this Section 6.2.4.1, no future DS1 Dedicated Transport unbundling will be required in that wire center.
- Once a wire center exceeds either of the thresholds set forth in Section 6.2.4.2, no future DS3 Dedicated Transport will be required in that wire center.
- 6.2.4.7 At the end of the Transition Period any remaining Embedded Base will be disconnected.
- 6.3 BellSouth shall:
- 6.3.1 Provide GulfPines exclusive use of Dedicated Transport to a particular customer or carrier;

- Provide all technically feasible features, functions, and capabilities of Dedicated Transport as outlined within the technical requirements of this section;
- 6.3.3 Permit, to the extent technically feasible, GulfPines to connect Dedicated Transport to equipment designated by GulfPines, including but not limited to, GulfPines's collocated facilities; and
- Permit, to the extent technically feasible, GulfPines to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 6.4 BellSouth shall offer Dedicated Transport:
- 6.4.1 As capacity on a shared facility; and
- As a circuit (i.e., DS0, DS1, DS3, STS-1) dedicated to GulfPines.
- 6.5 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.
- GulfPines may obtain a maximum of ten (10) unbundled DS1 Dedicated Transport circuits or twelve (12) unbundled DS3 Dedicated Transport circuits, or their equivalent, on each route where the respective Dedicated Transport is available as a Network Element. A route is defined as a transmission path between one of BellSouth's wire centers or switches and another of BellSouth's wire centers or switches. A route between two (2) points may pass through one or more intermediate wire centers or switches. Transmission paths between identical end points are the same "route", irrespective of whether they pass through the same intermediate wire centers or switches, if any.
- 6.7 <u>Technical Requirements</u>
- 6.7.1 BellSouth shall offer DS0 equivalent interface transmission rates for DS0 or voice grade Dedicated Transport. For DS1 or DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office (CI to CO) connections in the applicable industry standards.
- BellSouth shall offer the following interface transmission rates for Dedicated Transport:
- 6.7.2.1 DS0 Equivalent;
- 6.7.2.2 DS1;
- 6.7.2.3 DS3; and

- 6.7.2.4 SDH (Synchronous Digital Hierarchy) Standard interface rates are in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.
- 6.7.3 BellSouth shall design Dedicated Transport according to its network infrastructure. GulfPines shall specify the termination points for Dedicated Transport.
- At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references and BellSouth Technical References;
- 6.7.4.1 Telcordia TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.
- 6.7.4.2 BellSouth's TR73501 LightGate®Service Interface and Performance Specifications, Issue D, June 1995.
- 6.7.4.3 BellSouth's TR73525 MegaLink®Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.
- 6.8 <u>Unbundled Channelization (Multiplexing)</u>
- 6.8.1 To the extent GulfPines is purchasing DS1 or DS3 or STS-1 Dedicated Transport pursuant to this Agreement, Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) Network Elements to be multiplexed or channelized at a BellSouth central office. Channelization can be accomplished through the use of a multiplexer or a digital cross-connect system at the discretion of BellSouth. Once UC has been installed, GulfPines may request channel activation on a channelized facility and BellSouth shall connect the requested facilities via COCIs. The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility. This service is available as defined in NECA 4.
- 6.8.2 BellSouth shall make available the following channelization systems and interfaces:
- 6.8.2.1 DS1 Channelization System: channelizes a DS1 signal into a maximum of twenty-four (24) DS0s. The following COCI are available: Voice Grade, Digital Data and ISDN.
- 6.8.2.2 DS3 Channelization System: channelizes a DS3 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 6.8.2.3 STS-1 Channelization System: channelizes a STS-1 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.

- Technical Requirements. In order to assure proper operation with BellSouth provided central office multiplexing functionality, GulfPines's channelization equipment must adhere strictly to form and protocol standards. GulfPines must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.
- 6.9 <u>Dark Fiber Transport.</u> Dark Fiber Transport is defined as Dedicated Transport that consists of unactivated optical interoffice transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics. Except as set forth in Section 6.9.1 below, BellSouth shall not be required to provide access to Dark Fiber Transport Entrance Facilities pursuant to this Agreement.
- 6.9.1 Transition for Dark Fiber Transport and Dark Fiber Transport Entrance Facilities
- 6.9.1.1 For purposes of this Section 6.9, the Transition Period for Dark Fiber Transport is the eighteen (18) month period beginning March 11, 2005 and ending September 10, 2006.
- 6.9.1.2 For purposes of this Section 6.9, Embedded Base means Dark Fiber Transport that was in service for GulfPines as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.
- 6.9.1.3 For purposes of this Section 6.9, a Business Line is as defined in 47 C.F.R. § 51.5.
- 6.9.1.4 BellSouth shall make available Dark Fiber Transport as defined in this Section 6.9.1. Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dark Fiber Transport as described in this Section 6.9 only for GulfPines's Embedded Base during the Transition Period:
- 6.9.1.4.1 Dark Fiber Transport where both wire centers at the end points of the route contain 24,000 or more Business Lines or three (3) or more fiber-based collocators.
- 6.9.1.5 During the Transition Period, the rates for GulfPines's Embedded Base of Dark Fiber Transport as described in Section 6.9.1.1 shall be as set forth in Exhibit B and the rates for GulfPines's Embedded Base of Dark Fiber Transport Entrance Facilities as described in Section 6.9.1 shall be as set forth in Exhibit A.
- 6.9.1.6 The Transition Period shall apply only to GulfPines's Embedded Base and GulfPines shall not add new Dark Fiber Transport as described in this Section 6.9 pursuant to this Agreement.
- 6.9.1.7 Once a wire center exceeds either of the thresholds set forth in this Section 6.9.1.4.1, no future Dark Fiber Transport unbundling will be required in that wire center.

6.9.1.8 At the end of the Transition Period any remaining Embedded Base will be disconnected.

# 6.10 <u>Rearrangements</u>

- 6.10.1 A request to move a working GulfPines CFA to another GulfPines CFA, where both CFAs terminate in the same BellSouth Central Office ("Change in CFA"), shall not constitute the establishment of new service. The applicable rates set forth in Exhibit A.
- 6.10.2 Requests to re-terminate one end of a facility that is not a Change in CFA constitute the establishment of new service and require disconnection of existing service and the applicable rates set forth in Exhibit A shall apply.
- 6.10.3 Upon request of GulfPines, BellSouth shall project manage the Change in CFA or re-termination of a facility as described in Sections 6.10.1 and 6.10.2 above and GulfPines may request OC-TS for such orders.
- BellSouth shall accept a Letter of Authorization (LOA) between GulfPines and another carrier that will allow GulfPines to connect a facility, or Combination that includes Dedicated Transport to the other carrier's collocation space or to another carrier's CFA associated with higher bandwidth transport.

# 7 Call Related Databases and Signaling

- Call Related Databases are the databases other than OSS, that are used in signaling networks, for billing and collection, or the transmission, routing or other provision of a Telecommunications Service. Notwithstanding anything to the contrary herein, BellSouth shall only provide unbundled access to call related databases and signaling including but not limited to, BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service, Line Information Database (LIDB), Signaling, Signaling Link Transport, STP, SS7 AIN Access, Service Control Point(SCP\Databases, Local Number Portability (LNP) Databases and Calling Name (CNAM) Database Service pursuant to this Agreement where BellSouth is required to provide and is providing Local Switching or UNE-P to GulfPines pursuant to this Agreement.
- 7.2 <u>BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service</u>
- 7.2.1 The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database (8XX SCP Database) is a SCP that contains customer record information and the functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS/8XX database and provides the routing instructions in response to queries from the SSP or tandem. The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service (8XX TFD Service) utilizes the 8XX SCP Database to provide identification and routing

of the 8XX calls, based on the ten digits dialed. At GulfPines's option, 8XX TFD Service is provided with or without POTS number delivery, dialing number delivery, and other optional complex features as selected by GulfPines.

7.2.2 The 8XX SCP Database is designated to receive and respond to queries using the ANSI Specification of Signaling System Seven (SS7) protocol.

### 7.3 LIDB

7.3.1 LIDB is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. For access to LIDB, GulfPines must purchase appropriate signaling links pursuant to Section 7.3 of this Attachment. LIDB contains records associated with End User Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.

# 7.3.2 <u>Technical Requirements</u>

- 7.3.2.1 BellSouth will offer to GulfPines any additional capabilities that are developed for LIDB during the life of this Agreement.
- 7.3.2.2 BellSouth shall process GulfPines's customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions. BellSouth shall indicate to GulfPines what additional functions (if any) are performed by LIDB in the BellSouth network.
- 7.3.2.3 Within two (2) weeks after a request by GulfPines, BellSouth shall provide GulfPines with a list of the customer data items, which GulfPines would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.
- 7.3.2.4 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed thirty (30) minutes per year.
- 7.3.2.5 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed twelve (12) hours per year.
- 7.3.2.6 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than twelve (12) hours per year.

- 7.3.2.7 All additions, updates and deletions of GulfPines data to the LIDB shall be solely at the direction of GulfPines. Such direction from GulfPines will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).
- 7.3.2.8 BellSouth shall provide priority updates to LIDB for GulfPines data upon GulfPines's request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.
- 7.3.2.9 BellSouth shall provide LIDB systems such that no more than 0.01% of GulfPines customer records will be missing from LIDB, as measured by GulfPines audits. BellSouth will audit GulfPines records in LIDB against Data Base Administration System (DBAS) to identify record mismatches and provide this data to a designated GulfPines contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mismatches to GulfPines within one (1) business day of audit. Once reconciled records are received back from GulfPines, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00 p.m. Central Time. If more than 500 records are received, BellSouth will contact GulfPines to negotiate a time frame for the updates, not to exceed three (3) business days.
- 7.3.2.10 BellSouth shall perform backup and recovery of all of GulfPines's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis; and when a new software release is scheduled, a backup is performed prior to loading the new release.
- 7.3.2.11 BellSouth shall provide GulfPines with LIDB reports of data which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between GulfPines and BellSouth.
- 7.3.2.12 BellSouth shall prevent any access to or use of GulfPines data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by GulfPines in writing.
- 7.3.2.13 BellSouth shall provide GulfPines performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by GulfPines at least at parity with BellSouth Customer Data. BellSouth shall obtain from GulfPines the screening information associated with LIDB Data Screening of GulfPines data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available,

BellSouth shall offer it to GulfPines under the BFR/NBR Process as set forth in Attachment 11.

- 7.3.2.14 BellSouth shall accept queries to LIDB associated with GulfPines customer records and shall return responses in accordance with industry standards.
- 7.3.2.15 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.
- 7.3.2.16 BellSouth shall provide processing time at the LIDB within 1 second for ninety-nine percent (99%) of all messages under normal conditions as defined in industry standards.
- 7.3.3 <u>Interface Requirements</u>
- 7.3.3.1 BellSouth shall offer LIDB in accordance with the requirements of this subsection.
- 7.3.3.2 The interface to LIDB shall be in accordance with the technical references contained within.
- 7.3.3.3 The CCS interface to LIDB shall be the standard interface described herein.
- 7.3.3.4 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation (GTT) shall be maintained in the signaling network in order to support signaling network routing to the LIDB.
- 7.3.3.5 The application of the LIDB rates contained in Exhibit A will be based on a Percent CLEC LIDB Usage (PCLU) factor. GulfPines shall provide BellSouth a PCLU. The PCLU will be applied to determine the percentage of total LIDB usage to be billed to the other Party at local rates. GulfPines shall update its PCLU on the first of January, April, July and October and shall send it to BellSouth to be received no later than thirty (30) calendar days after the first of each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PCLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.
- Signaling. BellSouth shall offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, STPs and SCPs. Signaling functionality will be available with both A-link and B-link connectivity.

- 7.4.1 <u>Signaling Link Transport.</u> Signaling Link Transport is a set of two (2) or four (4) dedicated 56 kbps transmission paths between GulfPines designated SPOI that provide appropriate physical diversity.
- 7.4.1.1 <u>Technical Requirements</u>
- 7.4.1.1.1 Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths and shall perform in the following two ways:
- 7.4.1.1.1 As an "A-link" Signaling Link Transport is a connection between a switch or SCP and a home STP switch pair; and
- 7.4.1.1.2 As a "B-link" Signaling Link Transport is a connection between two (2) STP switch pairs in different company networks (e.g., between two (2) STP switch pairs for two (2) CLECs).
- 7.4.1.2 Signaling Link Transport shall consist of two (2) or more signaling link layers as follows:
- 7.4.1.2.1 An A-link layer shall consist of two (2) links; and
- 7.4.1.2.2 A B-link layer shall consist of four (4) links.
- 7.4.1.3 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:
- 7.4.1.3.1 No single failure of facilities or equipment causes the failure of both links in an Alink layer (i.e., the links should be provided on a minimum of two (2) separate physical paths end-to-end); and
- 7.4.1.3.2 No two (2) concurrent failures of facilities or equipment shall cause the failure of all four (4) links in a B-link layer (i.e., the links should be provided on a minimum of three (3) separate physical paths end-to-end).
- 7.4.2 <u>Interface Requirements.</u> There shall be a DS1 (1.544 Mbps) interface at GulfPines's designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.
- 7.4.3 STP. An STP is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches and their associated signaling links that enables the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches.
- 7.4.3.1 Technical Requirements
- 7.4.3.1.1 STPs shall provide access to BellSouth Local Switching or Tandem Switching and to BellSouth SCPs/Databases connected to BellSouth SS7 network. STPs also

provide access to third party local or tandem switching and third party provided STPs.

- 7.4.3.1.2 The connectivity provided by STPs shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This includes the use of the BellSouth SS7 network to convey messages that neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transit messages). When the BellSouth SS7 network is used to convey transit messages, there shall be no alteration of the Integrated Services Digital Network User Part (ISDNUP) or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.
- 7.4.3.1.3 If a BellSouth tandem switch routes traffic, based on dialed or translated digits, on SS7 trunks between a GulfPines local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between GulfPines local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.
- 7.4.3.1.4 STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as defined in Telcordia ANSI Interconnection Requirements. This includes GTT and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a GulfPines or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a GulfPines database, then GulfPines agrees to provide BellSouth with the Destination Point Code for GulfPines database.
- 7.4.3.1.5 STPs shall provide all functions of the Operations, Maintenance and Administration Part (OMAP) as specified in applicable industry standard technical references, which may include, where available in BellSouth's network, MTP Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT).
- 7.4.3.1.6 Where the destination signaling point is a BellSouth local or tandem switching system or database, or is a GulfPines or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement may be superseded by the specifications for Internetwork MRVT and SRVT when these become approved ANSI standards and available capabilities of BellSouth STPs.

### 7.4.4 SS7

- 7.4.4.1 When technically feasible and upon request by GulfPines, SS7 AIN Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with GulfPines's SS7 network to exchange TCAP queries and responses with a GulfPines SCP.
- 7.4.4.2 SS7 AIN Access shall provide GulfPines SCP access to an equipped BellSouth local switch via interconnection of BellSouth's SS7 and GulfPines SS7 Networks. BellSouth shall offer SS7 AIN Access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the GulfPines SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.

# 7.4.4.3 Interface Requirements

- 7.4.4.3.1 BellSouth shall provide the following STP options to connect GulfPines or GulfPines-designated Local Switching systems to the BellSouth SS7 network:
- 7.4.4.3.1.1 An A-link interface from GulfPines Local Switching systems; and
- 7.4.4.3.1.2 A B-link interface from GulfPines local STPs.
- 7.4.4.3.2 Each type of interface shall be provided by one or more layers of signaling links.
- 7.4.4.3.3 The SPOI for each link shall be located at a cross-connect element in the CO where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 7.4.4.3.4 BellSouth shall provide intraoffice diversity between the SPOI and BellSouth STPs so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 7.4.4.3.5 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.

# 7.4.4.4 Message Screening

7.4.4.4.1 BellSouth shall set message screening parameters so as to accept valid messages from GulfPines local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the GulfPines switching system has a valid signaling relationship.

- 7.4.4.4.2 BellSouth shall set message screening parameters so as to pass valid messages from GulfPines local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the GulfPines switching system has a valid signaling relationship.
- 7.4.4.4.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from GulfPines from any signaling point or network interconnected through BellSouth's SS7 network where the GulfPines SCP has a valid signaling relationship.

### 7.4.5 SCP/Databases

- 7.4.5.1 Call Related Databases provide the storage of, access to, and manipulation of information required to offer a particular service and/or capability. BellSouth shall provide access to the following Databases: LNP, LIDB, Toll Free Number Database, ALI/DMS, and CNAM Database. BellSouth also provides access to SCE/SMS application databases and DA.
- 7.4.5.2 A SCP is deployed in a SS7 network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. SMS provides operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.

# 7.4.5.3 <u>Technical Requirements for SCPs/Databases</u>

- 7.4.5.3.1 BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.
- 7.4.5.3.2 BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g., SS7, ISDN and X.25).
- 7.4.5.3.3 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.
- 7.5 <u>LNP Database.</u> The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

#### 7.6 CNAM Database Service

7.6.1 CNAM is the ability to associate a name with the calling party number, allowing the End User (to which a call is being terminated) to view the calling party's name before the call is answered. The calling party's information is accessed by queries

launched to the CNAM database. This service also provides GulfPines the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.

- 7.6.2 GulfPines shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services. Said notice shall be in writing no less than sixty (60) calendar days prior to GulfPines's access to BellSouth's CNAM Database Services and shall be addressed to GulfPines's Local Contract Manager.
- 7.6.3 BellSouth's provision of CNAM Database Services to GulfPines requires interconnection from GulfPines to BellSouth CNAM SCPs. Such interconnections shall be established pursuant to Attachment 3 of this Agreement.
- 7.6.4 In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, GulfPines shall provide its own CNAM SSP. GulfPines's CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".
- 7.6.5 If GulfPines elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's TR-TSV-000905 CCS Network Interface Specification. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that GulfPines desires to query.
- 7.6.6 If GulfPines queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's TR-TSV-000905 CCS Network Interface Specification. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway STPs. The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties and this Agreement shall be amended in accordance with modification of the General Terms and Conditions incorporated herein by this reference.
- 7.6.7 The mechanism to be used by GulfPines for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by GulfPines in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of GulfPines to provide accurate information to BellSouth on a current basis.
- 7.6.8 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.

7.6.9 GulfPines CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.

# 7.7 SCE/SMS AIN Access

- 7.7.1 BellSouth's SCE/SMS AIN Access shall provide GulfPines the capability to create service applications in a BellSouth SCE and deploy those applications in a BellSouth SMS to a BellSouth SCP.
- 7.7.2 BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to GulfPines. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions but will not include support for the creation of a specific service application.
- 7.7.3 BellSouth SCP shall partition and protect GulfPines service logic and data from unauthorized access.
- 7.7.4 When GulfPines selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable GulfPines to use BellSouth's SCE/SMS AIN Access to create and administer applications.
- 7.7.5 GulfPines access will be provided via remote data connection (e.g., dial-in, ISDN).
- 7.7.6 BellSouth shall allow GulfPines to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth.

# 8 Automatic Location Identification/Data Management System (ALI/DMS)

# 8.1 911 and E911 Databases

- 8.1.1 BellSouth shall provide GulfPines with nondiscriminatory access to 911 and E911 databases on an unbundled basis, in accordance with 47 C.F.R. § 51.319 (f).
- 8.1.2 The ALI/DMS database contains End User information (including name, address, telephone information, and sometimes special information from the local service provider or End User) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911. GulfPines will be required to provide the BellSouth 911 database vendor daily service order updates to E911 database in accordance with Section 8.2.1.
- 8.2 <u>Technical Requirements</u>
- 8.2.1 BellSouth's 911 database vendor shall provide GulfPines the capability of providing updates to the ALI/DMS database through a specified electronic

interface. GulfPines shall contact BellSouth's 911 database vendor directly to request interface. GulfPines shall provide updates directly to BellSouth's 911 database vendor on a daily basis. Updates shall be the responsibility of GulfPines and BellSouth shall not be liable for the transactions between GulfPines and BellSouth's 911 database vendor.

- 8.2.2 It is GulfPines's responsibility to retrieve and confirm statistical data and to correct errors obtained from BellSouth's 911 database vendor on a daily basis. All errors will be assigned a unique error code and the description of the error and the corrective action is described in the CLEC Users Guide for Facility Based Providers that is found on the BellSouth Interconnection Web site.
- 8.2.3 GulfPines shall conform to the BellSouth standards as described in the CLEC Users Guide to E911 for Facilities Based Providers that is located on the BellSouth Interconnection Web site at <a href="http://www.interconnection.bellsouth.com/guides">http://www.interconnection.bellsouth.com/guides</a>.
- 8.2.4 Stranded Unlocks are defined as End User records in BellSouth's ALI/DMS database that have not been migrated for over ninety (90) days to GulfPines, as a new provider of local service to the End User. Stranded Unlocks are those End User records that have been "unlocked" by the previous local exchange carrier that provided service to the End User and are open for GulfPines to assume responsibility for such records.
- 8.2.4.1 Based upon End User record ownership information available in the NPAC database, BellSouth shall provide a Stranded Unlock annual report to GulfPines that reflects all Stranded Unlocks that remain in the ALI/DMS database for over ninety (90) days. GulfPines shall review the Stranded Unlock report, identify its End User records and request to either delete such records or migrate the records to GulfPines within two (2) months following the date of the Stranded Unlock report provided by BellSouth. GulfPines shall reimburse BellSouth for any charges BellSouth's database vendor imposes on BellSouth for the deletion of GulfPines's records.

#### 9 OSS

- 9.1 BellSouth has developed and made available electronic interfaces by which GulfPines may submit LSRs electronically.
- 9.2 LSRs submitted by means of one of these electronic interfaces will incur an electronic service order charge. LSRs submitted by means other than one of these interactive interfaces (e.g., mail, fax, courier, etc.) will incur a manual order service charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). Electronic and manual service order charges are specified in Exhibit A.

- 9.3 BellSouth will bill the electronic or manual service order charge for Network Elements as applicable, for an LSR, regardless of whether that LSR is later supplemented, clarified or cancelled.
- 9.4 Notwithstanding the foregoing, BellSouth will not bill an additional electronic or manual service order charge for supplements to any LSR submitted to clarify, correct, change or cancel a previously submitted LSR.
- 9.5 <u>Denial/Restoral OSS Charge.</u> BellSouth reserves the right to bill electronic or manual service order charges for each account as applicable. In the event GulfPines provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.
- 9.6 Network Elements and Other Services Manual Additive. The Commissions in some states have ordered per element manual additive NRC for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per element charges are listed in Exhibit A.

UNBU	NDLED	NETWORK ELEMENTS - Alabama												Attachment	: 2 - Exh. A		
CATEG	ORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	Disconnect		l		Rates (\$)		
=							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	The "Zo	one" shown in the sections for stand-alone loops or loops as	part of a	combir	l nation refers to Geog	raphically De	averaged UNE	Zones. To view	v Geographica	l ally Deaverage	l d UNE Zone De	signations	by Central (	l Office, refer to	internet Web	site:	<u>.</u>
		ww.interconnection.bellsouth.com/become_a_clec/html/inter	connection	on.htm	-						ı						
		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"  1) CLEC should contact its contract negotiator if it prefers the	e "state s	necific	OSS charges as ord	lered by the	State Commiss	ions. The OSS	charges curre	ently contained	in this rate ex	hibit are the	BellSouth	"regional" se	rvice ordering	charges. Cl	I FC may
		ther the state specific Commission ordered rates for the service															
		the 9 states.															
	,	(2) Any element that can be ordered electronically will be bille be ordered electronically at present per the LOH, the listed SO		•						•	` '						
		applied to a CLECs bill when it submits an LSR to BellSouth.	JIVILO TAL	e III IIII	s category reflects th	ie charge tha	t would be blile	tu to a CLEC o	nce electronic	ordering capa	bilities come o	ii-iiie ioi ti	iai elemeni.	Otherwise, t	ne manuai on	dering charge	, JOWAN,
		OSS - Electronic Service Order Charge, Per Local Service				00115											
		Request (LSR) - UNE Only OSS - Manual Service Order Charge, Per Local Service Request		-		SOMEC		3.50	0.00	3.50	0.00						+
		(LSR) - UNE Only				SOMAN		15.66	0.00	1.97	0.00						
		DATE ADVANCEMENT CHARGE		1. 500	No 4 Toriff Occident												
	NOTE:	The Expedite charge will be maintained commensurate with I	sellSouth	SFCC	No.1 Tariff, Section :	as applicab	ie.										
		UNE Expedite Charge per Circuit or Line Assignable USOC, per Dav			UAL, UEANIL, UCL, UEF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, U1T12, U1T03, U1TDX, U1TDX, U1TDX, U1TDX, U1TDX, U1TDX, U1TDX, U1TDX, U1TDX, U1TDX, UC1EC, UC1BC, UDLOY, UDLOY, ULDOY, ULDOY, ULDOY, ULDOY, UNCOY, UNCOY, UNCOY, UNCOY, UNCOY, UNCD, UNCOY, UNCD, UNCOY, UNCD, UNCOY, UNCD, UNTOY, UNCOY,	SDASP		200.00									
UNBUN	DLED E	XCHANGE ACCESS LOOP			оттов, отток	SDAGE		200.00									
$\Box$		ANALOG VOICE GRADE LOOP		4	LIFANI	LIEALO	10.50	07.01	17.50	00.40	5.00						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		1 2	UEANL UEANL	UEAL2 UEAL2	12.58 21.05	37.81 37.81	17.56 17.56	23.49 23.49	5.30 5.30						+
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	34.34	37.81	17.56	23.49	5.30						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	12.58	37.81	17.56	23.49	5.30						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL UEANL	UEASL UEASL	21.05 34.34	37.81 37.81	17.56 17.56	23.49 23.49	5.30 5.30		-				+
		Unbundled Miscellaneous Rate Element, Tag Loop at End User		Ť			0-1.04			20.40	0.00						<b>†</b>
		Premise Loop Testing - Basic 1st Half Hour		ļ	UEANL	URETL		8.33	0.83								<u> </u>
- 1		LOOD LESTING - HASIC 1St HAIT HOUR		ı	UEANL	URET1		34.16	34.16	ı	ı	ı	ı	ı	I		1

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachment	: 2 - Exh. A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incrementa Charge - Manual Sv Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic Disc Add'
						Rec		curring		g Disconnect		•		Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge Without Outside Dispatch			LIFANII	LIDEWO		45.70	0.04								
	(UVL-SL1) Unbundled Voice Loop, Non-Design Voice Loop, billing for BST	ļ	-	UEANL	UREWO		15.78	8.94								<del>                                     </del>
	providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13,44									
	Manual Order Coordination for UVL-SL1s (per loop)		1	UEANL	UEAMC		8.15	8.15								
	Order Coordination for Specified Conversion Time for UVL-SL1			OL7 II VL	OE7 WIO		0.10	0.10								
	(per LSR)			UEANL	OCOSL		18.09									
2-WIRE	Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	11.20	34.14	15.10	21.25	4.15						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	13.27	34.14	15.10	21.25	4.15						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	-	3	UEQ	UEQ2X	15.07	34.14	15.10	21.25	4.15						<del>                                     </del>
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise		1	UEQ	URETL		8.33	0.83								
	Manual Order Coordination 2 Wire Unbundled Copper Loop -	1	-	UEQ	UKETL		0.33	0.63			-	-				<b>-</b>
	Non-Designed (per loop)		1	UEQ	USBMC		8.15									
	Unbundled Copper Loop, Non-Design Copper Loop, billing for			024	002.00		0.10									
	BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.44									
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		34.16	34.16								
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.85	19.85								
	CLEC to CLEC Conversion Charge Without Outside Dispatch															
	(UCL-ND)	ļ		UEQ	UREWO		14.27	7.43								<b></b>
	EXCHANGE ACCESS LOOP															-
2-WIRE	ANALOG VOICE GRADE LOOP  2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	ļ	-													<del>                                     </del>
	Zone 1		1	UEPSR UEPSB	UEALS	12.58	37.81	17.56	23.49	5.30						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		- '	OLI OK OLI OB	OLALO	12.50	37.01	17.50	20.43	3.30						
	Zone 1		1	UEPSR UEPSB	UEABS	12.58	37.81	17.56	23.49	5.30						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
	Zone 2		2	UEPSR UEPSB	UEALS	21.05	37.81	17.56	23.49	5.30						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		_													
	Zone 2	ļ	2	UEPSR UEPSB	UEABS	21.05	37.81	17.56	23.49	5.30	-	-				<b></b>
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEALS	34.34	37.81	17.56	23.49	5.30						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1	3	UEFOR UEFOB	UEALS	34.34	37.01	17.56	23.49	5.30						-
	Zone 3		3	UEPSR UEPSB	UEABS	34.34	37.81	17.56	23.49	5.30						
UNBUNDLED E	EXCHANGE ACCESS LOOP		Ť	021 011 021 02	02,100	0 1.0 1	07.01	11.00	20.10	0.00						
2-WIRE	ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.38	88.00	55.00	47.24	7.44						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		2					== 00								
	Ground Start Signaling - Zone 2	ļ	2	UEA	UEAL2	22.85	88.00	55.00	47.24	7.44						<del>                                     </del>
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3		3	UEA	UEAL2	36.14	88.00	55.00	47.24	7.44						
	Order Coordination for Specified Conversion Time (per LSR)		3	UEA	OCOSL	30.14	18.09	33.00	47.24	7.44						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			02/1	00002		10.00					1				
	Battery Signaling - Zone 1		1	UEA	UEAR2	14.38	88.00	55.00	47.24	7.44						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 2		2	UEA	UEAR2	22.85	88.00	55.00	47.24	7.44						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 3	ļ	3	UEA	UEAR2	36.14	88.00	55.00	47.24	7.44						ļ
	Order Coordination for Specified Conversion Time (per LSR)	1	-	UEA	OCOSL		18.09	20.00			1	1				<del>                                     </del>
	CLEC to CLEC Conversion Charge without outside dispatch Loop Tagging - Service Level 2 (SL2)	1	╂	UEA UEA	UREWO URETL		87.72 11.21	36.36 1.10						-	-	<del>                                     </del>
/-WIDE	ANALOG VOICE GRADE LOOP	-	1	OLA	UKEIL	-	11.21	1.10	-		-	-				<del>                                     </del>
4-4416	4-Wire Analog Voice Grade Loop - Zone 1	1	1	UEA	UEAL4	25.34	131.97	94.51	59.14	14.50						<del>                                     </del>
	4-Wire Analog Voice Grade Loop - Zone 1	1	2	UEA	UEAL4	38.58	131.97	94.51	59.14	14.50	1	1				
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	60.02	131.97	94.51	59.14	14.50						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.09									
	CLEC to CLEC Conversion Charge without outside dispatch		[	UEA	UREWO		87.72	36.36								

JNBUNDLE	NETWORK ELEMENTS - Alabama												Attachment	: 2 - Exh. A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Increment Charge Manual S Order vs Electroni
													1st	Add'l	Disc 1st	Disc Add
						Rec		curring		Disconnect				Rates (\$)		
O MUDE	ISDN DIGITAL GRADE LOOP	ļ	-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Z-WIKE	2-Wire ISDN Digital Grade Loop - Zone 1	1	1	UDN	U1L2X	21.88	117.24	79.77	52.88	10.54						-
	2-Wire ISDN Digital Grade Loop - Zone 1		2	UDN	U1L2X	32.85	117.24	79.77	52.88	10.54						-
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	48.55	117.24	79.77	52.88	10.54						+
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL	40.00	18.09	70.77	02.00	10.04						<del>                                     </del>
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.63	44.16								
2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE I	OOP	05.1	ONETTO		01.00	11110								<b>†</b>
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UAL	UAL2X	11.01	110.00	68.00	47.24	7.44						
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UAL	UAL2X	12.73	110.00	68.00	47.24	7.44						
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 3	<u></u>	3	UAL	UAL2X	14.30	110.00	68.00	47.24	7.44	<u> </u>	<u></u>				<u></u>
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.09									
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 1		1	UAL	UAL2W	11.01	90.00	57.00	47.24	7.44						
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 2		2	UAL	UAL2W	12.73	90.00	57.00	47.24	7.44						
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 3		3	UAL	UAL2W	14.30	90.00	57.00	47.24	7.44						
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.09									
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.20	40.40								
2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE LO	OOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UHL	UHL2X	8.74	110.00	68.00	47.24	7.44						
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UHL	UHL2X	10.17	110.00	68.00	47.24	7.44						
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UHL	UHL2X	11.44	110.00	68.00	47.24	7.44						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09									
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL2W	8.74	90.00	57.00	47.24	7.44						
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL2W	10.17	90.00	57.00	47.24	7.44						
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL2W	11.44	90.00	57.00	47.24	7.44						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09									
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40								
4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE LO	OOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4X	13.95	148.36	68.00	51.70	9.73						
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4X	15.56	148.36	68.00	51.70	9.73						
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL4X	15.25	148.36	68.00	51.70	9.73						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09									
	4-Wire Unbundled HDSL Loop without manual service inquiry		1								1	1				1
	and facility reservation - Zone 1		1	UHL	UHL4W	13.95	94.00	57.00	51.70	9.73						<u> </u>
	4-Wire Unbundled HDSL Loop without manual service inquiry			l												
$\longrightarrow$	and facility reservation - Zone 2	ļ	2	UHL	UHL4W	15.56	94.00	57.00	51.70	9.73						↓
	4-Wire Unbundled HDSL Loop without manual service inquiry		_	l												
	and facility reservation - Zone 3	ļ	3	UHL	UHL4W	15.25	94.00	57.00	51.70	9.73						↓
	Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	UHL	OCOSL		18.09		ļ	ļ						<u> </u>
	CLEC to CLEC Conversion Charge without outside dispatch	ļ	L	UHL	UREWO		86.14	40.40								↓
4-WIRE	DS1 DIGITAL LOOP	ļ	ļ		1				ļ	ļ						<b></b>
	4-Wire DS1 Digital Loop - Zone 1	ļ	1	USL	USLXX	82.55	252.47	157.54	44.70	11.71						<b></b>
	4-Wire DS1 Digital Loop - Zone 2	ļ	2	USL	USLXX	154.18	252.47	157.54	44.70	11.71						↓
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	314.52	252.47	157.54	44.70	11.71						
1	Order Coordination for Specified Conversion Time (per LSR)	I	L	USL	OCOSL		18.09		L	L	<u> </u>	<u> </u>				L

JNBUNDLE	D NETWORK ELEMENTS - Alabama						_	_		•			Attachment	: 2 - Exh. A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Increment Charge - Manual Sv Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic Disc Add'
			i –			Rec	Nonrec	curring	Nonrecurring	Disconnect		•	oss	Rates (\$)	•	•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.09	43.05								
4-WIRI	E 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	26.09	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	35.95	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	37.88	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	26.09	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	ļ	2	UDL	UDL56	35.95	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	ļ	3	UDL	UDL56	37.88	126.27	88.80	59.14	14.50						
	Order Coordination for Specified Conversion Time (per LSR)	ļ	-	UDL	OCOSL	00.00	18.09	00.00	50.44	11.50						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	ļ	1	UDL	UDL64	26.09	126.27	88.80	59.14	14.50						
-+-	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2 4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	-	2	UDL UDL	UDL64 UDL64	35.95 37.88	126.27 126.27	88.80 88.80	59.14 59.14	14.50 14.50						
			3	UDL	OCOSL	37.88	18.09	88.80	59.14	14.50						
	Order Coordination for Specified Conversion Time (per LSR)  CLEC to CLEC Conversion Charge without outside dispatch	ļ		UDL	UREWO		102.13	49.75								
O MID	E Unbundled COPPER LOOP	<u> </u>	1	UDL	UKEWU		102.13	49.75								
Z-WIKE			-		+											
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.01	112.46	65.30	47.24	7.44						
				UCL	UCLPB	11.01	112.46	65.30	47.24	7.44						
	2-Wire Unbundled Copper Loop-Designed including manual			LICI	UCLPB	40.70	440.40	05.00	47.04	7.44						
	service inquiry & facility reservation - Zone 2	ļ	2	UCL	UCLPB	12.73	112.46	65.30	47.24	7.44						
	2 Wire Unbundled Copper Loop-Designed including manual		3	LICI	LICLED	44.00	440.40	CF 20	47.04	7.44						
	service inquiry & facility reservation - Zone 3	ļ	3	UCL	UCLPB	14.30	112.46	65.30	47.24	7.44						
-+	Order Coordination for Unbundled Copper Loops (per loop)	1	<u> </u>	UCL	UCLMC		8.15	8.15				-				
	2-Wire Unbundled Copper Loop-Designed without manual	l ,	1	UCL	UCLPW	11.01	91.46	54.30	47.24	7.44						
	service inquiry and facility reservation - Zone 1	<u> </u>	-	UCL	UCLPVV	11.01	91.46	54.30	47.24	7.44						
	2-Wire Unbundled Copper Loop-Designed without manual	l .	2	UCL	UCLPW	12.73	04.40	54.00	47.24	7.44						
-+-	service inquiry and facility reservation - Zone 2	<u> </u>		UCL	UCLPVV	12.73	91.46	54.30	47.24	7.44						
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	l ,	3	UCL	UCLPW	14.30	91.46	54.30	47.24	7.44						
-+-	Order Coordination for Unbundled Copper Loops (per loop)	<u> </u>	3	UCL	UCLMC	14.30	8.15	8.15	41.24	7.44						
-+		1	<u> </u>	UCL	UCLIVIC		8.15	8.15				-				-
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)			UCL	UREWO		97.23	42.48								
4 WID	E COPPER LOOP		-	UCL	UREWO		97.23	42.48								
4-WIRE	4-Wire Copper Loop-Designed including manual service inquiry		-		+											
	and facility reservation - Zone 1		1	UCL	UCL4S	17.36	135.21	88.05	51.70	9.73						
	4-Wire Copper Loop-Designed including manual service inquiry		-	UCL	UCL43	17.30	133.21	00.03	51.70	9.73						
	and facility reservation - Zone 2		2	UCL	UCL4S	20.76	135.21	88.05	51.70	9.73						
	4-Wire Copper Loop-Designed including manual service inquiry	<del> </del>		UCL	UCL43	20.76	133.21	00.00	31.70	9.73	-	-				-
	and facility reservation - Zone 3		3	UCL	UCL4S	28.21	135.21	88.05	51.70	9.73						
	Order Coordination for Unbundled Copper Loops (per loop)	<del> </del>	3	UCL	UCLMC	20.21	8.15	8.15	31.70	5.13	-	-				-
	4-Wire Copper Loop-Designed without manual service inquiry	1	1	OOL	OCLIVIC		0.13	0.10								
	and facility reservation - Zone 1	1 .	1	UCL	UCL4W	17.36	114.21	67.05	51.70	9.73						
	4-Wire Copper Loop-Designed without manual service inquiry	<u> </u>	<u> </u>	UCL	UCL4VV	17.30	114.21	07.03	31.70	5.73						
	and facility reservation - Zone 2	1	2	UCL	UCL4W	20.76	114.21	67.05	51.70	9.73						
	4-Wire Copper Loop-Designed without manual service inquiry	<u> </u>		OOL	OCLAVV	20.70	114.21	07.03	31.70	3.73						
	and facility reservation - Zone 3	l ,	3	UCL	UCL4W	28.21	114.21	67.05	51.70	9.73						
	Order Coordination for Unbundled Copper Loops (per loop)	<u> </u>	-	UCL	UCLMC	20.21	8.15	8.15	31.70	3.73						
<del></del>	CLEC to CLEC conversion Charge without outside dispatch	1		UCL	UREWO		97.23	42.48			<b> </b>					
OOP MODIFI		<b>†</b>	t	000	J		57.25	72.40								
1		1	1	UAL, UHL, UCL,												
				UEQ, ULS, UEA,												
1	Unbundled Loop Modification, Removal of Load Coils - 2 Wire	1	1	UEANL. UEPSR.							1	1				1
		1 .	1	UEPSB	ULM2L		0.00	0.00			1	1				1
	pair less than or equal to 18k ft, per Unbundled Loop						0.00	5.50	1		<b>-</b>	<del>                                     </del>		<b>-</b>		<b>I</b>
	pair less than or equal to 18k ft. per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire			OLI OD												
	Unbundled Loop Modification Removal of Load Coils - 4 Wire	1		İ	ULM4L		0.00	0.00								
		1		UHL, UCL, UEA	ULM4L		0.00	0.00								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire	1		UHL, UCL, UEA UAL, UHL, UCL,	ULM4L		0.00	0.00								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop	ı		UHL, UCL, UEA UAL, UHL, UCL, UEQ,ULS,UEA,	ULM4L		0.00	0.00								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire	1		UHL, UCL, UEA UAL, UHL, UCL,	ULM4L ULMBT		0.00	0.00 32.41								

JNBUNDL	ED NETWORK ELEMENTS - Alabama												Attachmen	t: 2 - Exh. A		
ATEGORY		Interim	Zone	BCS	usoc			RATES (\$)			1	Submitted	Incremental	Incremental Charge -	Charge -	Charge - Manual So Order vs
						Rec	Nonred	curring	Nonrecurring	g Disconnect			oss	Rates (\$)		
						Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Sub	-Loop Distribution															Ī
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-															
	Up	1		UEANL	USBSA		244.42									
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	I		UEANL	USBSB		22.64									
	Sub-Loop - Per Building Equipment Room - CLEC Feeder	l .														
	Facility Set-Up  Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	<u> </u>		UEANL	USBSC		177.45				-	-			-	+
	Set-Up			UEANL	USBSD		55.15									
-	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	- '		ULANL	03030		33.13				1	1			-	+
	Zone 1		1	UEANL	USBN2	11.21	65.80	30.96	45.25	6.70						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	1	<u> </u>	027442	CODINE	11.21	00.00	00.00	40.20	0.70	1	1			1	+
	Zone 2		2	UEANL	USBN2	11.94	65.80	30.96	45.25	6.70						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -														1	+
	Zone 3		3	UEANL	USBN2	16.86	65.80	30.96	45.25	6.70						
																1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															ī
	Zone 1		1	UEANL	USBN4	8.46	79.03	44.19	49.71	9.07						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 2		2	UEANL	USBN4	16.67	79.03	44.19	49.71	9.07						1
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 3		3	UEANL	USBN4	32.57	79.03	44.19	49.71	9.07						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC	0.07	8.15	8.15	45.05	0.70						+
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR2	2.27	53.01	18.17	45.25	6.70						+
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	.		UEANL	USBMC		8.15	8.15								
_	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)			UEANL	USBR4	5.16	59.25	24.41	49.71	9.07	1	1			1	+
_	Out 200p 4 Wile intraballaring Network Gable (INO)	<u> </u>		OL744L	CODIC	0.10	00.20	24.41	40.71	0.01	<b>-</b>	<b>-</b>				+
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
	Loop Testing - Basic 1st Half Hour	1		UEANL	URET1		34.16	34.16								1
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.85	19.85								1
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	6.22	65.80	30.96	45.25	6.70						1
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X	8.76	65.80	30.96	45.25	6.70						1
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	11.27	65.80	30.96	45.25	6.70						
		1											l			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1		UEF	USBMC		8.15	8.15					ļ	ļ	L	
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	ļ	1	UEF	UCS4X	6.11	79.03	44.19	49.71	9.07					ļ	
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	<b>!</b>		UEF	UCS4X	12.61	79.03	44.19	49.71	9.07	-	-	<b> </b>	ļ	-	+
-+	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	-	3	UEF	UCS4X	15.36	79.03	44.19	49.71	9.07	-	-		-	<del>                                     </del>	+
	Order Coordination for Unbundled Sub-Leans, per aut least activities			UEF	USBMC		8.15	8.15							1	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Loop Testing - Basic 1st Half Hour	1	-	UEF	URET1		34.16	8.15 34.16		-	1	1	-	<del>                                     </del>	<del>                                     </del>	+
	Loop Testing - Basic 1st Half Hour  Loop Testing - Basic Additional Half Hour	1	<del>                                     </del>	UEF	URETA		19.85	19.85		-	<del>                                     </del>	<del>                                     </del>	<b> </b>	<del>                                     </del>	<del>                                     </del>	+
Unb	undled Network Terminating Wire (UNTW)	<del>                                     </del>	<b>H</b>	ULI	UNLIA		19.05	19.05		1	<b>H</b>	<b>H</b>	<del> </del>	<del> </del>	t	+
Olib	Unbundled Network Terminating Wire (UNTW) per Pair	<b>†</b>		UENTW	UENPP	0.40	30.01								<del>                                     </del>	+
Netw	vork Interface Device (NID)				J=	5.40	00.01			1				1	t	+
1.000	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		43.23	28.38						İ	1	†
	Network Interface Device (NID) - 1-6 lines		1	UENTW	UND16		63.97	49.11						1		1
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.87	5.87								
	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		5.87	5.87								
NE OTHER	R, PROVISIONING ONLY - NO RATE															
	NID - Dispatch and Service Order for NID installation	ļ		UENTW	UNDBX	0.00	0.00							ļ	1	<del>                                     </del>
_	UNTW Circuit Id Establishment, Provisioning Only - No Rate	<del>                                     </del>		UENTW	UENCE	0.00	0.00								ļ	<del>                                     </del>
- 1				UEANL,UEF,UEQ,U ENTW	UNECN	0.00	0.00								1	
	Unbundled Contract Name, Provisioning Only - No Rate															

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachment	: 2 - Exh. A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonre		Nonrecurring	g Disconnect		•		Rates (\$)		•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL, USL	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no	1	1	UDIN,UEA,UHL, USL	UNECN	0.00	0.00									
	rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no	1	1	027,10371,002,030	00D. Q	0.00	0.00									
	rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option -															
HICH CARACI	no rate TY UNBUNDLED LOCAL LOOP	1	<u> </u>	USL	CCOEF	0.00	0.00									
HIGH CAPACI	High Capacity Unbundled Local Loop - DS3 - Per Mile per	1	1							-						-
	Imonth	1		UE3	1L5ND	8.38										
<del>                                     </del>	High Capacity Unbundled Local Loop - DS3 - Facility	t e	<b>1</b>			5.55				İ						
[	Termination per month	<u> </u>	<u>L</u>	UE3	UE3PX	308.98	519.248	303.531	137.4135	96.117	<u></u>					
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
	month		ļ	UDLSX	1L5ND	8.38										
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	319.83	519.248	303.531	407 4405	96.117						
LOOP MAKE-U			1	UDLSX	UDLS1	319.83	519.248	303.531	137.4135	96.117						
LOOP WAKE-U	Loop Makeup - Preordering Without Reservation, per working or	1														
	spare facility queried (Manual).			UMK	UMKLW		20.00	20.00								
	Loop Makeup - Preordering With Reservation, per spare facility															
	queried (Manual).			UMK	UMKLP		21.00	21.00								
	Loop MakeupWith or Without Reservation, per working or															
	spare facility queried (Mechanized)		ļ	UMK	UMKMQ		0.59	0.59								
LINE SPLITTIN	NG PLITTING		1													
	SER ORDERING-CENTRAL OFFICE BASED	1	1													
LIND 0	Line Splitting - per line activation DLEC owned splitter		1	UEPSR UEPSB	UREOS	0.61										
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	37.01	21.19	20.02	9.83						
	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	37.01	21.19	20.02	9.83						
	ENANCE															
NOTE:	The Expedite charge will be maintained commensurate with	BellSouth	n's FCC	No.1 Tariff, Section 1	13.3.1 as app	olicable.		== 00								
	No Trouble Found - per 1/2 hour increments - Basic  No Trouble Found - per 1/2 hour increments - Overtime		1				80.00 90.00	55.00 65.00								
	No Trouble Found - per 1/2 hour increments - Overtime  No Trouble Found - per 1/2 hour increments - Premium	1					100.00	75.00								
UNBUNDLED	DEDICATED TRANSPORT	t e	<b>1</b>				100.00	70.00		İ						
	OFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	Per Mile per month	ļ	<u> </u>	U1TVX	1L5XX	0.008838										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination	1		U1TVX	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade		<u> </u>	UTIVX	UTIVZ	21.13	40.54	27.41	16.74	6.90						<b>.</b>
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.008838										
<del>                                     </del>	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.	+	<b>1</b>		0, 0 (	2.300000				İ						
	Facility Termination	<u> </u>		U1TVX	U1TR2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade	-														
	Per Mile per month	1	ļ	U1TVX	1L5XX	0.008838										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade	'l		U1TVX	U1TV4	18.73	40.54	27.41	16.74	6.90						
+	- Facility Termination Interoffice Channel - Dedicated Transport - 56 kbps - per mile	<del> </del>	<del>                                     </del>	UIIVA	U11V4	18.73	40.54	21.41	10.74	6.90	-					
	per month	1		U1TDX	1L5XX	0.008838										
1	Interoffice Channel - Dedicated Transport - 56 kbps - Facility	t e	<b>1</b>			2.300000				İ						
- 1	Termination	<u> </u>		U1TDX	U1TD5	15.12	40.54	27.41	16.74	6.90						
				_ <del> </del>					ı — —	1 -	1					1
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month  Interoffice Channel - Dedicated Transport - 64 kbps - Facility			U1TDX	1L5XX	0.008838										

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachment	: 2 - Exh. A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -
													1st	Add'l	Disc 1st	Disc Add'l
					1	B	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per				41 =>04											
	month Interoffice Channel - Dedicated Tranport - DS1 - Facility		1	U1TD1	1L5XX	0.18										+
	Termination			U1TD1	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per		1													†
	month			U1TD3	1L5XX	4.09										
	Interoffice Channel - Dedicated Transport - DS3 - Facility			LIATEDO	114750	700 50	070.75	100.70		00.40						
	Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per		1	U1TD3	U1TF3	703.52	278.75	162.76	60.20	28.46						+
	month			U1TS1	1L5XX	4.09										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility															
	Termination		ļ	U1TS1	U1TFS	701.37	278.75	162.76	60.20	28.46						<b>↓</b>
DARK FIBER	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction		ļ	-	-											<b>├</b>
	Thereof per month - Local Channel			UDF, UDFCX	1L5DC	69.37										
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			ODI, ODI OX	TESDO	09.57										
	Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	23.29										
	NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14		639.09	137.87	317.06	197.66						
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			LIDE LIDEOV	41.501	00.07										
OVV ACCESS	Thereof per month - Local Loop FEN DIGIT SCREENING		1	UDF, UDFCX	1L5DL	69.37										+
BAA ACCESS	8XX Access Ten Digit Screening, Per Call		1			0.000565										+
	8XX Access Ten Digit Screening, w/ 8FL No. Delivery					0.000565										
	8XX Access Ten Digit Screening, w/ POTS No. Delivery					0.000565										I
LINE INFORMA	ATION DATA BASE ACCESS (LIDB)															<b></b>
	LIDB Common Transport Per Query LIDB Validation Per Query					0.00002 0.012002										+
	LIDB Originating Point Code Establishment or Change		1	OQU	NRBPX	0.012002	34.32		42.08							+
CALLING NAM	E (CNAM) SERVICE		1													†
	CNAM for DB Owners, Per Query					0.000902										
	CNAM for Non DB Owners, Per Query					0.000902										<b></b>
LNP Query Ser	LNP Charge Per query		<b>!</b>		1	0.000757										+
	LNP Service Establishment Manual					0.000737	12.52		11.51							+
	LNP Service Provisioning with Point Code Establishment						593.49	303.20	268.93	197.74						
SELECTIVE RO																
	Selective Routing Per Unique Line Class Code Per Request Per						04.70	04.70								
VIRTUAL COL	Switch						84.70	84.70	14.11	14.11						+
TIKTOAL GOL	Virtual Collocation-2 Wire Cross Connects (Loop) for Line															+
	Splitting			UEPSR UEPSB	VE1LS	0.03	12.30	11.80	6.03	5.44						
PHYSICAL CO																
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.03	12.30	11.80	6.03	5.44						
AIN SELECTIV	E CARRIER ROUTING		<u> </u>	UEFSK UEFSB	PEILS	0.03	12.30	11.00	0.03	5.44						+
	Regional Service Establishment		1				101,098.91		8,590.70							+
	End Office Establishment						169.88	169.88	1.70	1.70						
AIN DELLOS	Query NRC, per query		ļ		1	0.002749										—
AIN - BELLSO	JTH AIN SMS ACCESS SERVICE AIN SMS Access Service - Service Establishment, Per State,		-	-	+											+
	Initial Setup			A1N	CAMSE		39.44	39.44	40.69	40.69						<u> </u>
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		7.83	7.83	9.09	9.09						
	AIN SMS Access Service - Port Connection - ISDN Access		<b>†</b>	A1N	CAM1P		7.83	7.83	9.09	9.09						<del>                                     </del>
	AIN SMS Access Service - User Identification Codes - Per User						. 100	00	2.00	2.00						<b>—</b>
	ID Code			A1N	CAMAU		35.00	35.00	27.06	27.06						
	AIN SMS Access Service - Security Card, Per User ID Code,				CAMPO		44.00	44.00								
	Initial or Replacement AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)		<del>                                     </del>	A1N	CAMRC	0.002188	41.88	41.88	11.71	11.71				<b> </b>	<b>.</b>	+

JNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachmen	t: 2 - Exh. A		
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)			1	Submitted	Incremental	Incremental Charge - Manual Svc Order vs.	Charge -	Charge -
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic Disc Add
						Rec		curring	Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AIN SMS Access Service - Session, Per Minute					0.59										
	AIN SMS Access Service - Company Performed Session, Per Minute					0.73										
HANCED E	XTENDED LINK (EELs)		-			0.73										
	The monthly recurring and non-recurring charges below will	apply and	the Sv	vitch-As-Is Charge	will not apply	for UNE combin	ations provisi	oned as ' Ordii	narily Combine	d' Network Ele	ements.					
	The monthly recurring and the Switch-As-Is Charge and not															
	E VOICE GRADE LOOP FOR USE IN A COMBINATION															
	2-Wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44						
	2-Wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44						
	2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44						
4 14/10	Voice Grade COCI - Per Month	ļ		UNCVX	1D1VG	0.53	6.58	4.72								
4-WIR	E VOICE GRADE LOOP FOR USE IN A COMBINATION  4-Wire Analog Voice Grade Loop in Combination - Zone 1	1	1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50	-	-				
-	4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50						
-	4-Wire Analog Voice Grade Loop in Combination - Zone 3	1	3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50		1				
	Voice Grade COCI in combination - per month		Ŭ	UNCVX	1D1VG	0.53	6.58	4.72	00	1 1100					<u> </u>	
4-WIR	E 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION															
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50						
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50						
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						
4 1400	OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72								
4-WIR	E 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATI\ON  4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	ļ	1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	-		UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50	-	-				-
-	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72	33.14	14.50						
2-WIR	E ISDN LOOP FOR USE IN COMBINATION	1														
	2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54						
	2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54						
	2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54						
	2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	2.41	6.58	4.72								
4-WIR	E DS1 DIGITAL LOOP FOR USE IN A COMBINATION	ļ		LINIOAY	1101.707	00.55	050.47	457.54	44.70	44.74						
	4-Wire DS1 Digital Loop in Combination - Zone 1 4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X UNC1X	USLXX	82.55 154.18	252.47 252.47	157.54 157.54	44.70 44.70	11.71 11.71	-	-				
	4-Wire DS1 Digital Loop in Combination - Zone 2	1	3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71	-	-				
_	DS1 COCI in combination per month		3	UNC1X	UC1D1	12.70	6.58	4.72	44.70	11.71						
2 WIR	E VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	OMBINAT	ION	ONOTA	COIDI	12.70	0.00	7.72				1				
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per	Ī														
	Month			UNCVX	1L5XX	0.008838										
	Interoffice Transport - 2-wire VG - Dedicated - Facility															
	Termination per month			UNCVX	U1TV2	21.13	40.54	27.41	16.74	6.90						
4 WIR	E VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A CO	OMBINAT	ION													
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per				41 =>04											
_	Month Interoffice Transport - 4-wire VG - Dedicated - Facility	ļ		UNCVX	1L5XX	0.008838										
	Termination per month			UNCVX	U1TV4	18.73	40.54	27.41	16.74	6.90						
DS1 II	NTEROFFICE TRANSPORT FOR COMBINATION			UNCVA	01174	10.73	40.34	21.41	10.74	0.90						
50111	Interoffice Transport - Dedicated - DS1 combination - Per Mile											1				
	per month	1		UNC1X	1L5XX	0.18										
	Interoffice Transport - Dedicated - DS1 combination - Facility	i e	1										1	1		İ
	Termination per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
DS3 II	ITEROFFICE TRANSPORT FOR USE IN A COMBINATION															
	Interoffice Transport - Dedicated - DS3 combination - Per Mile			LINIOOV	41.500											
	Per Month	ļ		UNC3X	1L5XX	4.09									1	
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	703.52	278.75	162.76	60.20	58.46						
	3/1 Channel System in combination per month	1	1	UNC3X UNC3X	MQ3	703.52 166.13	178.14	93.97	33.26	31.83	<del>                                     </del>	<del>                                     </del>	1	<del> </del>	1	1
	INTEROFFICE TRANSPORT FOR USE IN COMBINATION	<b>-</b>	-	01100/	14100	100.13	170.14	33.31	33.20	51.05	<del> </del>	<del> </del>	<del>                                     </del>	<del>                                     </del>	+	<del>                                     </del>

JNBUNDLI	ED NETWORK ELEMENTS - Alabama												Attachmen	: 2 - Exh. A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental	Incremental Charge -	Charge -	Order vs.
							Managa		Namaaaaa	. Dianamana					DISC 1St	DISC Add I
		-	-			Rec	Nonred First	Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile	1	1				FIISL	Addi	FIISL	Auu i	JOIVILO	JOWAN	JOIVIAIN	JOWAN	JOWAN	JOWAN
	Per Month			UNCSX	1L5XX	4.09										
	Interoffice Transport - Dedicated - STS-1 combination - Facility															1
	Termination per month			UNCSX	U1TFS	701.37	278.75	162.76	60.20	58.46						
	3/1 Channel System in combination per month			UNCSX	MQ3	166.13	178.14	93.97	33.26	31.83						
4-WIF	RE 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN	NSPORT	1	LINODY	LIDL EO	00.00	100.07	00.00	50.44	1150						
	4-wire 56 kbps Local Loop in combination - Zone 1 4-wire 56 kbps Local Loop in combination - Zone 2	1	2	UNCDX	UDL56 UDL56	26.09 35.95	126.27 126.27	88.80 88.80	59.14 59.14	14.50 14.50						+
-	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						+
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		Ŭ	CHODA	OBLOO	07.00	120.21	00.00	00.14	14.00						
	Per Mile per month			UNCDX	1L5XX	0.008838										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
	Facility Termination per month		1	UNCDX	U1TD5	15.12	40.54	27.41	16.74	6.90						
4-WIF	RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE TR														
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						<b>_</b>
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		3	UNCDX	UDL64 UDL64	35.95 37.88	126.27 126.27	88.80 88.80	59.14 59.14	14.50 14.50						+
-	4-wire 64 kbps Lcoal Loop in Combination - Zone 3 Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		3	UNCDX	UDL64	37.88	120.27	88.80	59.14	14.50						+
	Per Mile per month			UNCDX	1L5XX	0.008838										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			CHODA	TEO/U	0.000000										
	Facility Termination per month			UNCDX	U1TD6	15.12	40.54	27.41	16.74	6.90						
4-WIF	RE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRANS	PORT													1
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50						
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50						
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						<b>_</b>
	4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.008838										
	4-wire 56 kbps Interoffice Transport - Dedicated - Facility			LINODY	LUTDE	45.40	40.54	07.44	10.71	0.00						
4 14/15	Termination per month	T TD AND	DODT	UNCDX	U1TD5	15.12	40.54	27.41	16.74	6.90						+
4-111	RE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC  4-wire 64 kbps Local Loop in combination - Zone 1	EIKANS	PORT	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						
	4-wire 64 kbps Local Loop in combination - Zone 1		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						+
	4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						<b>†</b>
	I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per															1
	month			UNCDX	1L5XX	0.008838										
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility															
	Termination per month			UNCDX	U1TD6	15.12	40.54	27.41	16.74	6.90						
DS1 L	DIGITAL LOOP AND DS1 INTERFOFFICE TRANSPORT  4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						
	4-Wire DS1 Digital Loop in Combination - Zone 1	1	2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
	4-Wire DS1 Digital Loop in Combination - Zone 3	1	3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						+
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		<del>ٽ</del>	CITOTA	OOLAA	014.02	202.47	107.04	11.70							<del>†                                      </del>
	per month			UNC1X	1L5XX	0.18										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
DS3 E	DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO	ORT														
	DS3 Local Loop in combination - per mile per month	-	-	UNC3X	1L5ND	9.637							-			+
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	355.327	519.248	303.531	137.4135	96.117						
-	Interoffice Transport - Dedicated - DS3 - Per Mile per month	<del> </del>	<del>                                     </del>	UNC3X	1L5XX	4.09	313.240	303.331	137.4133	50.117			<del> </del>			+
	Interoffice Transport - Dedicated - DS3 - Fer Mile per Month  Interoffice Transport - Dedicated - DS3 combination - Facility	<b>†</b>		014007	TESAA	7.09										<del>                                     </del>
1	Termination per month	1	1	UNC3X	U1TF3	703.52	278.75	162.76	60.20	58.46						
STS-1	1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN	SPORT														
	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	9.637										
	STS-1 Local Loop in combination - Facility Termination per month			UNCSX	UDLS1	367.8045	519.248	303.531	137.4135	96.117						
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	4.09										

JNBUNDL	DLED NETWORK ELEMENTS - Alabama												Attachment	: 2 - Exh. A		
ATEGORY		Interim	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental		Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonred	curring	Nonrecurring	g Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
	Termination per month			UNCSX	U1TFS	701.37	278.75	162.76	60.20	58.46						
	IAL NETWORK ELEMENTS hen used as a part of a currently combined facility, the non-recur			at ammler beet a Cerrit	lah As Is aha											
	nen used as a part of a currently combined facility, the non-recur hen used as ordinarily combined network elements in All States, t															<u> </u>
	onrecurring Currently Combined Network Elements in All States, to					s is charge does	not.									<del> </del>
	Nonrecurring Currently Combined Network Elements Switch -As Is Charge		опе ар	UNCVX, UNCDX, UNC1X, UNC3X, UNCSX	UNCCC		5.59	5.59	6.98	6.98						
Opti	ptional Features & Functions:															
	Clear Channel Capability Extended Frame Option - per DS1	I		U1TD1, ULDD1,UNC1X U1TD1,	CCOEF		0.00	0.00	0.00	0.00						
	Clear Channel Capability Super FrameOption - per DS1	- 1		ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
	Clear Channel Capability (SF/ESF) Option - Subsequent	1 .		ULDD1, U1TD1,	LIDOS 5											
	Activity - per DS1	l		UNC1X, USL U1TD3, ULDD3,	NRCCC		184.85	23.81	1.99	0.7741						+
	C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		219.13	7.67	0.7355	0.00						
MUL	ULTIPLEXERS															
	DS1 to DS0 Channel System per month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.12	6.58	4.72	0.00	0.00						
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			ODL	IDIDD	1.12	0.56	4.72	0.00	0.00						
	month (2.4-64kbs) used for connection to a channelized DS1															
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.12	6.58	4.72	0.00	0.00						
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop			UDN	UC1CA	2.41	6.58	4.72	0.00	0.00						
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	2.41	6.58	4.72	0.00	0.00						
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	0.53	6.58	4.72	0.00	0.00						
	Voice Grade COCI - DS1 to DS0 Channel System - per month															
	used for connection to a channelized DS1 Local Channel in the															
	same SWC as collocation			U1TUC	1D1VG	0.53	6.58	4.72	0.00	0.00						
	DS3 to DS1 Channel System per month STS-1 to DS1 Channel System per month			UNC3X UNCSX	MQ3 MQ3	166.13 166.13	178.14 178.14	93.97 93.97	33.26 33.26	31.83 31.83						
	DS1 COCI used with Loop per month	<del>                                     </del>	1	USL	UC1D1	12.70	6.58	93.97 4.72	0.00	0.00				<del> </del>		<del>                                     </del>
	DS1 COCI (used for connection to a channelized DS1 Local	t -			30.51	12.70	0.00	7.72	0.00	0.50						
	Channel in the same SWC as collocation) per month	1		U1TUA	UC1D1	12.70	6.58	4.72	0.00	0.00						
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	12.70	6.58	4.72	0.00	0.00						
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULDD1	UC1D1	12.70	6.58	4.72	0.00	0.00						
NBUNDLE	LED LOCAL EXCHANGE SWITCHING(PORTS)															
	ne Exchange Switching Port Rates Reflected Here Apply to Embed				h 10, 2005											
	nd Consist of the TELRIC Cost Based Rates Plus \$1.00 in Accorda	nce with t	he TRR	D.	1											<del>                                     </del>
	XCHANGE PORT RATES  OTE: Although the Port Rate includes all available features in GA,	KA I V o	TN +ha	desired features will	I need to be	ordered using to	tail IISOCs							-		<del>                                     </del>
	WIRE VOICE GRADE LINE PORT RATES (RES)	Λ1, LA α	in, me	desired realures wil	Tieed to be	ordered using re	itali USUCS									<del> </del>
2-44	Exchange Ports - 2-Wire Analog Line Port- Res.	<del>                                     </del>		UEPSR	UEPRL	2.38	2.38	2.27	1.42	1.33	<b> </b>	<b> </b>			<b> </b>	<del>                                     </del>
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	2.38	2.38	2.27	1.42	1.33						
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	2.38	2.38	2.27	1.42	1.33						
	Exchange Ports - 2-Wire Ariang Line For during Gring Fives.  Exchange Ports - 2-Wire Vig unbundled AL extended local dialing parity Port with Caller ID - Res.			UEPSR	UEPAR	2.38	2.38	2.27	1.42	1.33						
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	2.38	2.38	2.27	1.42	1.33						

MULE	D NETWORK ELEMENTS - Alabama												Attachmen	: 2 - Exh. A	<u> </u>	
GORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Char Manua Orde
													1st	Add'l	Disc 1st	Disc A
					1		Nonred	urring	Nonrecurring	Disconnect		l .	oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOM
	Exchange Ports - 2-Wire VG Alabama Residence Dialing Plan					i i										1
	without Caller Id			UEPSR	UEPWA	2.38	2.38	2.27	1.42	1.33						
	2-Wire voice unbundled Low Usage Line Port without Caller ID												Î			
	Capability			UEPSR	UEPRT	2.38	2.38	2.27	1.42	1.33						
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00					ĺ			
FEATU																1
	All Available Vertical Features			UEPSR	UEPVF	1.98	0.00	0.00								
2-WIRE	VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
	Bus			UEPSB	UEPBL	2.38	2.38	2.27	1.42	1.33						
1	Exchange Ports - 2-Wire VG unbundled Line Port with											1		I	I	1
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	2.38	2.38	2.27	1.42	1.33						4
1				l	l						1	1				1
ļ	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	2.38	2.38	2.27	1.42	1.33		ļ	ļ		ļ	4—
1	Exchange Ports - 2-Wire VG unbundled AL extended local			l	l	_	_	_		l .	1	1			1	1
	dialing parity Port with Caller ID - Bus.			UEPSB	UEPAW	2.38	2.38	2.27	1.42	1.33						
	Exhange Ports - 2-Wire VG unbundled incoming only port with															
	Caller ID - Bus			UEPSB	UEPB1	2.38	2.38	2.27	1.42	1.33						
	Exchange Ports - 2-Wire Voice Alabama Business Dialing Plan				1											
	without Caller ID			UEPSB	UEPWB	2.38	2.38	2.27	1.42	1.33						
	2-Wire voice unbundled Incoming Only Port without Caller ID															
	Capability			UEPSB	UEPBE	2.38	2.38	2.27	1.42	1.33						
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
FEATU								2.22								
=>/ 6	All Available Vertical Features			UEPSB	UEPVF	1.98	0.00	0.00								+
EXCHA	NGE PORT RATES (DID & PBX)	ļ		LIEDOE	LIEDDD	0.00	04.07	44.05	10.01	0.00						+
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE UEPSP	UEPRD UEPPC	2.38	31.27 31.27	14.85 14.85	13.94 13.94	0.90						+-
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus	ļ	-	UEPSP		2.38				0.90						+
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus				UEPPO UEPP1		31.27	14.85	13.94							+-
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus 2-Wire Analog Long Distance Terminal PBX Trunk - Bus	_		UEPSP UEPSP	UEPLD	2.38 2.38	31.27 31.27	14.85 14.85	13.94 13.94	0.90						+
	2-Wire Voice Unbundled 2-Way PBX Alabama Calling Port			UEPSP	UEPLD UEPA2	2.38	31.27	14.85	13.94	0.90						+-
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	2.38	31.27	14.85	13.94	0.90						+-
	2-Wire Vice Unbundled 2-Way PBX Usage Port		-	UEPSP	UEPXA	2.38	31.27	14.85	13.94	0.90	-	-				+
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	2.38	31.27	14.85	13.94	0.90						+-
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	2.38	31.27	14.85	13.94	0.90						+-
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	2.38	31.27	14.85	13.94	0.90			1			+
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			OLI GI	OLI AD	2.50	31.27	14.00	10.04	0.30						+
	Capable Port			UEPSP	UEPXE	2.38	31.27	14.85	13.94	0.90						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLI GI	OLI XL	2.50	31.27	14.03	10.04	0.30			1			+-
	Administrative Calling Port			UEPSP	UEPXL	2.38	31.27	14.85	13.94	0.90						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLI GI	OLI AL	2.50	31.27	14.00	10.04	0.30						+
	Room Calling Port			UEPSP	UEPXM	2.38	31.27	14.85	13.94	0.90						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			OLI GI	OLI AW	2.00	01.27	14.00	10.04	0.00						+
	Discount Room Calling Port			UEPSP	UEPXO	2.38	31.27	14.85	13.94	0.90						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	2.38	31.27	14.85	13.94	0.90						+
	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00	10.01	0.00						+
FEATU																†
	All Available Vertical Features			UEPSP UEPSE	UEPVF	1.98	0.00	0.00								+
NOTE: T	ransmission/usage charges associated with POTS circuit switched usage v	vill also app	ly to circu	it switched voice and/o	r circuit switched	data transmission b	y B-Channels as:	sociated with 2-wir	e ISDN ports.				<u> </u>	<u> </u>	<u> </u>	工
NOTE: A	ccess to B Channel or D Channel Packet capabilities will be available only the	hrough BFR	/New Bus	iness Request Process	. Rates for the pa	cket capabilities will	be determined v	a the Bona Fide Re	equest/New Busin	ess Request Proc	ess.					$oldsymbol{oldsymbol{\Box}}$
2-WIRE	VOICE GRADE LINE PORT RATES (DID)															4
	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	9.05	119.31	18.74	59.90	3.76		ļ	ļ		ļ	4—
2-WIRE	VOICE GRADE LINE PORT RATES (ISDN-BRI)	ļ											ļ		<b></b>	
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	10.79	72.77	52.99	47.79	10.74						4
l .	All Features Offered	ļ		UEPTX, UEPSX	UEPVF	1.98	0.00	0.00					ļ		ļ	4—
	I Charles David O Wine ICDN David Charact Davids	i	1	UEPTX, UEPSX	U1UMA	0.00	0.00	0.00		I	1	ı	1	I	l	1
	Exchange Ports - 2-Wire ISDN Port Channel Profiles  Fransmission/usage charges associated with POTS circuit switched u	<u> </u>				0.00							ł			+-

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachment	: 2 - Exh. A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
					1		Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
		1				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
UNBU	NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE								1							
0.1.20	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	2.38	2.38	2.27	1.42	1.33						
	gg,g,	1														
	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	2.38	2.38	2.27	1.42	1.33						
	Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	2.38	2.38	2.27	1.42	1.33						
	Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	2.38	2.38	2.27		1.33						
Non-R	ecurring	1														
	Unbundled Remote Call Forwarding Service - Conversion -															
	Switch-as-is			UEPVR	USAC2		0.10	0.10								
	Unbundled Remote Call Forwarding Service - Conversion with	<u> </u>														
	allowed change (PIC and LPIC)			UEPVR	USACC		0.10	0.10								
UNBU	NDLED REMOTE CALL FORWARDING - Bus	<b>†</b>			2000	1	5.10	5.10	1							
5.150		<u> </u>		1	1	1					1	1				
	Unbundled Remote Call Forwarding Service, Area Calling - Bus	1		UEPVB	UERAC	2.38	2.38	2.27	1.42	1.33	1	1				1
<del>                                     </del>		1	<b>—</b>	1	52.0.0	2.00	2.50	2.21	112	1.00						<b>——</b>
	Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	2.38	2.38	2.27	1.42	1.33						1
<del>                                     </del>	Unbundled Remote Call Forwarding Service, Local Calling - Bus	1		UEPVB	UERTE	2.38	2.38	2.27		1.33						
<del>                                     </del>	Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	2.38	2.38	2.27	1.42	1.33						
<b></b>	Unbundled Remote Call Forwarding Service, intraLATA - Bus	<del> </del>	-	OLFVB	OLKIK	2.30	2.30	2.21	1.42	1.33	-	-				<del></del>
	Exception Local Calling			UEPVB	UERVJ	2.38	2.38	2.27	1.42	1.33						
Non D	ecurring	<del> </del>	-	UEPVB	UERVJ	2.30	2.30	2.21	1.42	1.33	-	-				<del> </del>
NOII-R	Unbundled Remote Call Forwarding Service - Conversion -	<del> </del>	-		+	+			<b> </b>		-	-				<del> </del>
	Switch-as-is			UEPVB	USAC2		0.10	0.10								
<b></b>	Unbundled Remote Call Forwarding Service - Conversion with	ļ		UEFVB	USACZ		0.10	0.10								<del>                                     </del>
				UEPVB	USACC		0.40	0.40								
UNDUNDUED.	allowed change (PIC and LPIC)  LOCAL SWITCHING, PORT USAGE	<u> </u>		UEPVB	USACC		0.10	0.10			-	-				<del></del>
		ļ	-		-											<del></del>
End O	ffice Switching (Port Usage)	ļ	-		-	0.0007025										<b>—</b>
	End Office Switching Function, Per MOU	ļ														<b></b>
L .	End Office Trunk Port - Shared, Per MOU	ļ				0.0001638										<b></b>
Tande	m Switching (Port Usage) (Local or Access Tandem)	ļ														<b></b>
	Tandem Switching Function Per MOU	ļ				0.000095										<b></b>
	Tandem Trunk Port - Shared, Per MOU					0.0002015										<b></b>
	Tandem Switching Function Per MOU (Melded)					0.000040993										
	Tandem Trunk Port - Shared, Per MOU (Melded)					0.000086947										
	Factor: 43.15% of the Tandem Rate															
Comm	on Transport															
	Common Transport - Per Mile, Per MOU					0.0000023										
	Common Transport - Facilities Termination Per MOU	ļ		ļ	1	0.0003224										<b></b>
	PORT/LOOP COMBINATIONS - COST BASED RATES			L	1	1			ļ							<del></del>
	Based Rates are applied where BellSouth is required by FCC	and/or St	ate Con	nmission rule to pro	vide Unbund	dled Local Switch	ing or									
	Ports.															
	UNE-P Switching Port Rates Reflected in the Cost Based Sect	ion Apply	to Emb	pedded Base UNE-P	s as of Marc	h 10, 2005 and Co	onsist of the									
	C Cost Based Rates Plus \$1.00 in Accordance with the TRRO.															
	res shall apply to the Unbundled Port/Loop Combination - Co	ost Based	Rate se	ection in the same n	nanner as the	ey are applied to	the Stand-									
	Unbundled Port section of this Rate Exhibit.															
	Office and Tandem Switching Usage and Common Transport				s rate exhibi	t shall apply to al	I									
	nations of loop/port network elements except for UNE Coin P															
	irst and additional Port nonrecurring charges apply to Not Cu				ently Combi	ned Combos the	nonrecurring									1
	es shall be those identified in the Nonrecurring - Currently Co	mbined s	ections.													
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
UNE P	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1					13.70										
	2-Wire VG Loop/Port Combo - Zone 2					22.19										
	2-Wire VG Loop/Port Combo - Zone 3					35.80										
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	11.55										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	20.04										
	2-Wire Voice Grade Loop (SL1) - Zone 3	ľ	3	UEPRX	UEPLX	33.65										
0.100	Voice Grade Line Port Rates (Res)	1	_	1	1	1		i	1	i		t				

JNBUNDLEI	D NETWORK ELEMENTS - Alabama							· · · · · · · · · · · · · · · · · · ·					Attachment	:: 2 - Exh. A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				emitted Submitted Elec Manually er LSR per LSR	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Charge - Manual S Order vs
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
						Rec	Nonred	curring	Nonrecurring	g Disconnect		•	oss	Rates (\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	2.15	40.19	19.83	24.91	6.63						
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	2.15	40.19	19.83	24.91	6.63						
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	2.15	40.19	19.83	24.91	6.63						
	2-Wire voice Grade unbundled Alabama extended local dialing															
	parity port with Caller ID - res			UEPRX	UEPAR	2.15	40.19	19.83	24.91	6.63						
	2-Wire voice unbundles res, low usage line port with Caller ID															
	(LUM)			UEPRX	UEPAP	2.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Unbundled Alabama Residence Dialing Plan															
	without Caller ID			UEPRX	UEPWA	2.15	40.19	19.83	24.91	6.63						<u> </u>
	2-Wire voice unbundled Low Usage Line Port without Caller ID			HEDDY	LIEDDT	0.45	10.10	40.00	24.91	0.00						
FEATU	Capability			UEPRX	UEPRT	2.15	40.19	19.83	24.91	6.63	-	-				<b>├</b>
FEATU	All Features Offered			UEPRX	UEPVF	1.98	0.00	0.00								<del>                                     </del>
NONDE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPRX	UEPVF	1.98	0.00	0.00			-	-				<del></del>
NONKE																<del>                                     </del>
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPRX	USAC2		0.40	0.10								
_	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPKA	USACZ		0.10	0.10			-	-				<del> </del>
	Switch with change			UEPRX	USACC		0.10	0.10								
	2-Wire Voice Grade Loop / Line Port Platform - Installation			UEPRA	USACC		0.10	0.10								<del>                                     </del>
	Charge at QuickService location - Not Conversion of Existing															
	Service			UEPRX	URECC		0.10									
ADDITI	ONAL NRCs			UEFRA	URECC		0.10				-	-				<del> </del>
ADDITI	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															<del>                                     </del>
	Activity			UEPRX	USAS2	0.00	0.00	0.00								
_	Unbundled Miscellaneous Rate Element, Tag Loop at End User			OLITON	CONOL	0.00	0.00	0.00								<del>                                     </del>
	Premise			UEPRX	URETL		8.33	0.83								
OFF/O	N PREMISES EXTENSION CHANNELS			OLI IXX	OKLIL		0.55	0.03								<del>                                     </del>
0.170	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	12.58	37.81	17.56	23.49	5.30						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	21.05	37.81	17.56	23.49	5.30						<del>                                     </del>
-	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	34.34	37.81	17.56	23.49	5.30						
1	2 Wire Analog Voice Grade Extension Loop – Design			UEPRX	UEAED	14.38	88.00	55.00	47.24	7.44						
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	22.85	88.00	55.00	47.24	7.44						
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	36.14	88.00	55.00	47.24	7.44						
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPRX	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPRX	U1TVM	0.008838	0.00	0.00								
2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1					13.70										
	2-Wire VG Loop/Port Combo - Zone 2					22.19										
	2-Wire VG Loop/Port Combo - Zone 3					35.80										
UNE Lo	pop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	11.55										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	20.04										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	33.65										
2-Wire	Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.15	40.19	19.83	24.91	6.63						
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.15	40.19	19.83	24.91	6.63						
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.15	40.19	19.83	24.91	6.63						
	2-Wire voice Grade unbundled Alabama extended local dialing															
	parity port with Caller ID - bus		L	UEPBX	UEPAW	1.15	40.19	19.83	24.91	6.63				<u> </u>		<u></u>
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Unbundled Alabama Business Dialing Plan without															
	Caller ID			UEPBX	UEPWB	1.15	40.19	19.83	24.91	6.63						
	2-Wire voice unbundled Incoming Only Port without Caller ID															
L	Capability	<u></u>	L	UEPBX	UEPBE	1.15	40.19	19.83	24.91	6.63	<u> </u>	<u> </u>		<u> </u>		<u></u>
FEATU	DES.															

JNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachment	: 2 - Exh. A		
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR		Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge
							Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	All Features Offered			UEPBX	UEPVF	1.98	0.00	0.00								1
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPBX	USAC2		0.10	0.10								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch with change			UEPBX	USACC		0.10	0.10								
ADDIT	ONAL NRCs															1
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity			UEPBX	USAS2		0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User				l											
	Premise			UEPBX	URETL		8.33	0.83								
OFF/O	N PREMISES EXTENSION CHANNELS	ļ		LIEDDY	LIEAEN	10.50	07.01	47.50	00.70	F 00						+
	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	12.58	37.81	17.56	23.49	5.30						
$\rightarrow$	2 Wire Analog Voice Grade Extension Loop – Non-Design	-	2	UEPBX	UEAEN	21.05	37.81	17.56	23.49	5.30						+
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	34.34	37.81	17.56	23.49	5.30						
	2 Wire Analog Voice Grade Extension Loop – Design	-	1	UEPBX	UEAED	14.38	88.00	55.00	47.24	7.44						<b>↓</b>
-	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	22.85	88.00	55.00	47.24	7.44						
INTER	2 Wire Analog Voice Grade Extension Loop – Design	-	3	UEPBX	UEAED	36.14	88.00	55.00	47.24	7.44						<del></del>
INTER	DFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			UEPBX	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		-	UEPBA	01172	21.13	40.54	21.41	10.74	0.90						+
	or Fraction Mile			UEPBX	U1TVM	0.008838	0.00	0.00								
2.WIDE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	-		UEPBA	UTTVIVI	0.00000	0.00	0.00								+
	ort/Loop Combination Rates															+
ONLF	2-Wire VG Loop/Port Combo - Zone 1			1		13.70										+
	2-Wire VG Loop/Port Combo - Zone 2					22.19										+
	2-Wire VG Loop/Port Combo - Zone 3					35.80										+
UNFI	pop Rates					00.00										+
0.12	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	11.55										
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEPRG	UEPLX	20.04										<b>†</b>
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEPRG	UEPLX	33.65										†
2-Wire	Voice Grade Line Port Rates (RES - PBX)		Ť													<b>†</b>
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															<b>†</b>
	Res			UEPRG	UEPRD	1.15	69.08	32.41	37.43	6.20						
FEATU	RES															
	All Features Offered			UEPRG	UEPVF	1.98	0.00	0.00								1
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is	<u></u>	<u></u>	UEPRG	USAC2		7.91	1.90								<u></u>
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change			UEPRG	USACC		7.81	1.90								
ADDIT	ONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group			L	1		7.32	7.32								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEPRG	URETL		8.33	0.83								
OFF/O	N PREMISES EXTENSION CHANNELS	ļ			1											
	Local Channel Voice grade, per termination	ļ	1	UEPRG	P2JHX	14.38	88.00	55.00	47.24	7.44						
	Local Channel Voice grade, per termination	ļ		UEPRG	P2JHX	22.85	88.00	55.00	47.24	7.44						<b></b>
	Local Channel Voice grade, per termination	ļ	_	UEPRG	P2JHX	36.14	88.00	55.00	47.24	7.44						
	Non-Wire Direct Serve Channel Voice Grade	ļ	1	UEPRG	SDD2X	22.41	131.60	61.92	90.50	13.40						
	Non-Wire Direct Serve Channel Voice Grade	ļ	2	UEPRG	SDD2X	23.88	131.60	61.92	90.50	13.40						<b>↓</b>
	Non-Wire Direct Serve Channel Voice Grade	-	3	UEPRG	SDD2X	33.72	131.60	61.92	90.50	13.40						-
INTER	DEFICE TRANSPORT	-	<b>—</b>	<b>.</b>	+			-								+
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		1	1												1

JNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachment	: 2 - Exh. A		
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Increment Charge Manual S Order vs Electron
													1st	Add'l	Disc 1st	Disc Add
						Rec	First	curring Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile				+		THIST	Auui	11130	Auu	JOINEO	JONAN	JONAN	JOWAN	JOWAN	JOINTAIN
	or Fraction Mile			UEPRG	U1TVM	0.008838	0.00	0.00								
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE P	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1					13.70										ļ
	2-Wire VG Loop/Port Combo - Zone 2					22.19										
LINET	2-Wire VG Loop/Port Combo - Zone 3		-			35.80										<del></del>
UNE LO	pop Rates  2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	11.55										<del></del>
	2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2	-	2	UEPPX	UEPLX	20.04										<del>                                     </del>
	2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 1) - Zone 3	1		UEPPX	UEPLX	33.65										<del></del>
2-Wiro	Voice Grade Line Port Rates (BUS - PBX)	<del>                                     </del>	3	OLFFA	ULFLA	33.03		1								$\vdash$
Z-4411.6	Total Stade Line Fort Nates (BOS - FBA)	<del>                                     </del>	t								<b>-</b>					<b>†</b>
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	1	1	UEPPX	UEPPC	2.15	69.08	32.41	37.43	6.20	1					
	Line Side Unbundled Outward PBX Trunk Port - Bus	1		UEPPX	UEPPO	2.15	69.08	32.41	37.43	6.20						<del>                                     </del>
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	2.15	69.08	32.41	37.43	6.20						<b>†</b>
	2-Wire Voice Unbundled 2-Way Combination PBX Alabama	1			-				01110	0.00						<b>†</b>
	Calling Port			UEPPX	UEPA2	2.15	69.08	32.41	37.43	6.20						
	2-Wire Voice Unbundled PBX LD Terminal Ports	1		UEPPX	UEPLD	2.15	69.08	32.41	37.43	6.20						<b>†</b>
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	2.15	69.08	32.41	37.43	6.20						1
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	2.15	69.08	32.41	37.43	6.20						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	2.15	69.08	32.41	37.43	6.20						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	2.15	69.08	32.41	37.43	6.20						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPPX	UEPXE	2.15	69.08	32.41	37.43	6.20						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPPX	UEPXL	2.15	69.08	32.41	37.43	6.20						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			HEDDY	LIEDVA	0.45	00.00	00.44	07.40	0.00						
-	Room Calling Port	ļ	-	UEPPX	UEPXM	2.15	69.08	32.41	37.43	6.20						<del></del>
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPPX	UEPXO	2.15	69.08	32.41	37.43	6.20						
_	Discount Room Calling Port  2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	1	-	UEPPX	UEPXS	2.15	69.08	32.41	37.43	6.20						<del></del>
FEATU		1		ULFFX	ULFAG	2.13	09.00	32.41	37.43	0.20						+
ILAIO	All Features Offered	1		UEPPX	UEPVF	1.98	0.00	0.00								+
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED	1		OLI I X	OLI VI	1.00	0.00	0.00								
NOTHIN	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1														
	Conversion - Switch-As-Is			UEPPX	USAC2		7.91	1.90								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1														<b>†</b>
	Conversion - Switch with Change			UEPPX	USACC		7.91	1.90								
ADDIT	ONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															1
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group						7.32	7.32								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	1														
	Premise			UEPPX	URETL		8.33	0.83								
OFF/O	N PREMISES EXTENSION CHANNELS															
	Local Channel Voice grade, per termination		1	UEPPX	P2JHX	14.38	88.00	55.00	47.24	7.44						
	Local Channel Voice grade, per termination	<b> </b>	2	UEPPX	P2JHX	22.85	88.00	55.00	47.24	7.44						
_	Local Channel Voice grade, per termination	<b> </b>	3	UEPPX	P2JHX	36.14	88.00	55.00	47.24	7.44	<b> </b>					₩
_	Non-Wire Direct Serve Channel Voice Grade	-		UEPPX	SDD2X	22.41 23.88	131.60	61.92	90.50	13.40						+
$\rightarrow$	Non-Wire Direct Serve Channel Voice Grade  Non-Wire Direct Serve Channel Voice Grade	-		UEPPX UEPPX	SDD2X SDD2X	23.88 33.72	131.60 131.60	61.92 61.92	90.50 90.50	13.40 13.40						+
INTER	Pron-wire Direct Serve Channel Voice Grade  DFFICE TRANSPORT	<del>                                     </del>	3	ULFFA	ΟυυΖλ	33.12	131.00	61.92	90.50	13.40	-	-	-	-		+
INTER	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1	<del>                                     </del>		+						<b> </b>	-				+
	Termination	1	1	UEPPX	U1TV2	21.13	40.54	27.41	16.74	6.90	1					1
-	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	<del>                                     </del>	t	OLI I A	01172	21.13	40.34	21.41	10.74	0.90	<b>-</b>					<b>†</b>
	or Fraction Mile	1	1	UEPPX	U1TVM	0.008838	0.00	0.00			1	1				1
<del></del>	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POI	ь	<del>                                     </del>		S VIVI	5.500000	0.00	0.00				+				$\leftarrow$

CATEGORY	RATE ELEMENTS  RATE ELEMENTS  Ort/Loop Combination Rates	Interim	Zone											Incremental	Incremental	Incrementa
			Zone	e BCS	usoc			RATES (\$)	Elec per LSR		Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge Manual S Order vs Electroni		
													1st	Add'l	Disc 1st	Disc Add
						Rec	Nonred	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE I	2 Mins VC Cais Darth and Camba Zana 4															
UNE I	2-Wire VG Coin Port/Loop Combo – Zone 1					13.70										
UNE I	2-Wire VG Coin Port/Loop Combo – Zone 2					22.19										
UNE I	2-Wire VG Coin Port/Loop Combo – Zone 3				1	35.80										
	oop Rates				1											
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	11.55										
II.	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	20.04										
	2-Wire Voice Grade Loop (SL1) - Zone 3			UEPCO	UEPLX	33.65										
2-Wir	Voice Grade Line Ports (COIN)															
	2-Wire Coin 2-Way without Operator Screening and without				1											
	Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	2.15	40.19	19.83	24.91	6.63						İ
-	2-Wire Coin 2-Way with Operator Screening (AL, KY)	<b> </b>	<b>t</b>	UEPCO	UEPRE	2.15	40.19	19.83	24.91	6.63						<del>                                     </del>
	2-Wire Coin 2-Way with Operator Screening (AL, KT)  2-Wire Coin 2-Way with Operator Screening and Blocking: 011,	<del>                                     </del>	<del>                                     </del>	JL1 00	OLI NL	2.13	40.19	19.03	24.31	0.03						<del>                                     </del>
	900/976, 1+DDD (AL, KY, LA, MS)	1	1	UEPCO	UEPRA	2.15	40.19	19.83	24.91	6.63						1
		<b> </b>	<del>                                     </del>	ULFCO	UEFKA	2.15	40.19	19.83	24.91	0.03						<del></del>
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking			LIEDOO	LIEDES	0.4-	10.10	10.00	24.21	2.00						
	(AL, LA, MS)		-	UEPCO	UEPRB	2.15	40.19	19.83	24.91	6.63						
	2-Wire Coin 2-Way with Operator Screening & Blocking:		1													1
	900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	2.15	40.19	19.83	24.91	6.63						ļ
	2-Wire Coin Outward with Operator Screening and 011 Blocking															İ
	(AL, FL)			UEPCO	UEPRK	2.15	40.19	19.83	24.91	6.63						
	2-Wire Coin Outward with Operator Screening and Blocking:															
	011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	2.15	40.19	19.83	24.91	6.63						İ
	2-Wire Coin Outward Operator Screening & Blocking: 900/976,															
	1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	2.15	40.19	19.83	24.91	6.63						İ
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	2.15	40.19	19.83	24.91	6.63						
	2-Wire Coin Outward Smartline with 900/976 (all states except															
	LA)			UEPCO	UEPCR	2.15	40.19	19.83	24.91	6.63						İ
ADDI	IONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.56	0.00	0.00	0.00	0.00						
NONE	ECURRING CHARGES - CURRENTLY COMBINED							0.00								
- IVOIVII	2-Wire Voice Grade Loop / Line Port Combination - Conversion -				+											<del>                                     </del>
	Switch-as-is			UEPCO	USAC2		0.10	0.10								
_	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			OLFCO	USACZ		0.10	0.10								<del>                                     </del>
	Switch with change			UEPCO	USACC		0.10	0.10								Ì
A DDI	IONAL NRCs		-	ULFCO	USACC		0.10	0.10								<del></del>
ADDI			_		_											<del></del>
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent			LIEBOO	110400		0.00	0.00								
	Activity			UEPCO	USAS2		0.00	0.00								<u> </u>
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise	<u> </u>		UEPCO	URETL		8.33	0.83								
	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE PO	ORT (RE	(S)												<u> </u>
UNE	ort/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1					16.76										<b>.</b>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2					25.23										İ
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3					38.52										
UNE I	oop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	14.38										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	22.85										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	36.14										
2-Wir	Voice Grade Line Port Rates (Res)		1	Ì	1											
	2-Wire voice unbundled port - residence	i	1	UEPFR	UEPRL	2.38	90.38	57.27	48.66	8.77						
	2-Wire voice unbundled port with Caller ID - res	l	1	UEPFR	UEPRC	2.38	90.38	57.27	48.66	8.77						
	2-Wire voice unbundled port with Galler 15 - res  2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	2.38	90.38	57.27	48.66	8.77						<b>—</b>
	2-Wire voice drade unbundled Alabama extended local dialing parity port with Caller ID - res		t	UEPFR	UEPAR	2.38	90.38	57.27	48.66	8.77						
	2-Wire voice unbundles res, low usage line port with Caller ID			UEPFR	UEPAP	2.38	90.38		48.66	8.77						
	2-Wire Voice Unbundled Alabama Residence Dialing Plan							57.27								
	without Caller ID	<u> </u>		UEPFR	UEPWA	2.38	90.38	57.27	48.66	8.77						Ь——
INTER	OFFICE TRANSPORT				1											

NBUNDLE	D NETWORK ELEMENTS - Alabama												Attachment	: 2 - Exh. A		
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Increment Charge Manual S Order vs Electron
													1st	Add'l	Disc 1st	Disc Add
						Rec	Nonre			Disconnect	001150	0014411		Rates (\$)	0011411	001441
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	-					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Termination			UEPFR	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	İ														
	or Fraction Mile			UEPFR	1L5XX	0.008838										
FEATU		ļ		UEPFR	LIED) (E	4.00	0.00	0.00								
NONRE	All Features Offered  CURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPFR	UEPVF	1.98	0.00	0.00								1
HOME	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFR	USAC2		8.48	1.87								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		8.48	1.87								-
'	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPFR	URETN		11.21	1.10								
2-WIRE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	FINF PO	DRT (BL		OKLIN		11.21	1.10								
	ort/Loop Combination Rates	<u> </u>		l												
,	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1					16.76										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2					25.23										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3					38.52										
UNE Lo	pop Rates				115050	44.00										
-+-	2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2		1 2	UEPFB UEPFB	UECF2	14.38 22.85										<u> </u>
+	2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	36.14										
2-Wire	Voice Grade Line Port (Bus)			OLITB	OLOI 2	30.14										
,	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	2.38	90.38	57.27	48.66	8.77						
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	2.38	90.38	57.27	48.66	8.77						
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	2.38	90.38	57.27	48.66	8.77						
	2-Wire voice Grade unbundled Alabama extended local dialing			LIEDED	LIEDAW	0.00	00.00	57.07	40.00	0.77						
	parity port with Caller ID - bus  2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB UEPFB	UEPAW UEPB1	2.38	90.38 90.38	57.27 57.27	48.66 48.66	8.77 8.77						1
	2-Wire Voice Unburidled Alabama Business Dialing Plan without		-	UEPFB	UEPBI	2.30	90.30	51.21	40.00	0.77						1
	Caller ID			UEPFB	UEPWB	2.38	90.38	57.27	48.66	8.77						
INTERC	OFFICE TRANSPORT							911								
'	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPFB	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile				41 =>04											
FEATU	or Fraction Mile		-	UEPFB	1L5XX	0.008838										ļ
FEATU	All Features Offered			UEPFB	UEPVF	1.98	0.00	0.00								
NONRE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLITB	OLI VI	1.50	0.00	0.00								
1	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFB	USAC2		8.48	1.87								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch with change	ļ		UEPFB	USACC		8.48	1.87								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPFB	URETN		11.21	1.10								
2-WIRE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	F I INF PO	RT (PR		OKLIN		11.21	1.10								<del>                                     </del>
	ort/Loop Combination Rates			,		1				İ						1
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1					16.76										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2					25.23										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	<del>                                     </del>				38.52										1
UNE Lo	pop Rates  2-Wire Voice Grade Loop (SL2) - Zone 1	-	1	UEPFP	UECF2	14.38										-
-	2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2	1		UEPFP	UECF2 UECF2	14.38 22.85				-	-					1
+	2-Wire Voice Grade Loop (SL2) - Zone 2	1	3	UEPFP	UECF2	36.14										$\vdash$
2-Wire	Voice Grade Line Port Rates (BUS - PBX)	1	Ť		7											
<del> </del>																
				1	1			00.05	C4 40	0.04	1	1	1		1	1
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP UEPFP	UEPPC UEPPO	2.38 2.38	119.27 119.27	69.85 69.85	61.18 61.18	8.34 8.34						

BUNDLE	ED NETWORK ELEMENTS - Alabama												Attachmen	t: 2 - Exh. A		
	***************************************		1								Svc Order	Svc Order	Incremental		Incremental	Increment
												Submitted		Charge -	Charge -	Charge
CORV	DATE ELEMENTS		7	BCS	11000			DATEC (A)			Elec		Manual Svc			
EGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
													Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'
						Rec		curring	Nonrecurring	Disconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled 2-Way Combination PBX Alabama															
	Calling Port			UEPFP	UEPA2	2.38	119.27	69.85	61.18	8.34						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	2.38	119.27	69.85	61.18	8.34						
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	2.38	119.27	69.85	61.18	8.34						1
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	2.38	119.27	69.85	61.18	8.34						1
+	2-Wire Voice Unbundled PBX LD DDD Terminals Port	1	<b>†</b>	UEPFP	UEPXC	2.38	119.27	69.85	61.18	8.34						1
+	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		1	UEPFP	UEPXD	2.38	119.27	69.85	61.18	8.34					<del>                                     </del>	+
		-	-	UEFFF	UEPAD	2.30	119.27	09.00	01.10	0.34						-
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPFP	UEPXE	2.38	119.27	69.85	61.18	8.34						
1	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy					1					l	l				
	Administrative Calling Port	ļ		UEPFP	UEPXL	2.38	119.27	69.85	61.18	8.34						ļ
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy					1					l	l				1
	Room Calling Port			UEPFP	UEPXM	2.38	119.27	69.85	61.18	8.34	l	l				1
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port		1	UEPFP	UEPXO	2.38	119.27	69.85	61.18	8.34	1	1	l	l	I	
1	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	i e		UEPFP	UEPXS	2.38	119.27	69.85	61.18	8.34			i e	i e	1	1
INTER	ROFFICE TRANSPORT	1	<b>†</b>		52. AG	2.00	110.21	00.00	01.10	0.04			l	l	<b>†</b>	t
THEFT	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	<del>                                     </del>	<del>                                     </del>		+	+		-			<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del> </del>	+
	Termination		1	UEPFP	U1TV2	21.13	40.54	27.41	16.74	6.90	1	1	l	l	I	1
+				UEPFP	UTIVZ	21.13	40.54	27.41	16.74	6.90						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			l												
	or Fraction Mile			UEPFP	1L5XX	0.008838										
FEAT																
	All Features Offered			UEPFP	UEPVF	1.98	0.00	0.00								
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFP	USAC2		8.48	1.87								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															1
	Combination - Conversion - Switch with change			UEPFP	USACC		8.48	1.87								
+	Unbundled Miscellaneous Rate Element, Tag Designed Loop at	1	<b>†</b>	02	00/100		0.10									<del>                                     </del>
	End User Premise			UEPFP	URETN		11.21	1.10								
2 WID	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT	1	OLFIF	OKLIN		11.21	1.10							<del>                                     </del>	+
		PURI			_	-										1
UNE F	Port/Loop Combination Rates					00.10										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1					23.40										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2					31.88										ļ
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	ļ				45.17										ļ
UNE L	oop Rates															
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	14.38										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	22.85										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	36.14					i	i	İ	İ		İ
UNE F	Port Rate	1	1								i	i	İ	İ		1
	Exchange Ports - 2-Wire DID Port	i e		UEPPX	UEPD1	9.02	207.31	73.74	107.14	11.20			i e	i e	1	
NONP	ECURRING CHARGES - CURRENTLY COMBINED	1	<b>†</b>		J. D.	0.02	207.01	70.74	107.17	11.20			l	l	<b>†</b>	t
INOINE	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -	1	<del>                                     </del>			+							<b> </b>	<b> </b>	<del>                                     </del>	<del>                                     </del>
		1		LIEDDY	LICACI	1	7.04	1.87			l	l				1
+	Switch-as-is	<b> </b>	-	UEPPX	USAC1		7.31	1.87					ļ	ļ	<del>                                     </del>	1
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion	1	1	LIEBBY		1					1	1	1	1		1
1	with BellSouth Allowable Changes	ļ	<b></b>	UEPPX	USA1C		7.31	1.87								<b></b>
ADDIT	TIONAL NRCs															ļ
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		26.78	26.78								
1	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
_L_	End User Premise	<u></u>	<u> </u>	UEPPX	URETN		11.21	1.10			<u></u>	<u></u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
Telepi	hone Number/Trunk Group Establisment Charges															
1	DID Trunk Termination (One Per Port)	1	1	UEPPX	NDT	0.00	0.00	0.00			i	i	İ	İ		1
1	Additional DID Numbers for each Group of 20 DID Numbers	i e		UEPPX	ND4	0.00	0.00	0.00					i e	i e	1	<b>†</b>
+	DID Numbers, Non- consecutive DID Numbers , Per Number	<del>                                     </del>	<del>                                     </del>	UEPPX	ND5	0.00	0.00	0.00			<b>-</b>	<b>-</b>	<b> </b>	<b> </b>	t	<b>†</b>
+	Reserve Non-Consecutive DID numbers	1	<del>                                     </del>	UEPPX	ND6	0.00	0.00	0.00			-	-	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	+
		<b></b>	-					0.00			<del>                                     </del>	<del>                                     </del>	ļ	ļ	1	+
+-																
0.14/7-	Reserve DID Numbers  E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE OIDE :	DODT	UEPPX	NDV	0.00	0.00	0.00								

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachment	t: 2 - Exh. A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	us	ос		RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -
													1st	Add'l	Disc 1st	Disc Add'
						B	Nonre	curring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -															
	UNE Zone 1					28.2	8									
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -															
	UNE Zone 2					38.8	6									1
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -						.									
	UNE Zone 3	ļ			_	53.8	4									
UNE L	oop Rates	ļ		LIEDDD LIEDE	D 1101.0	10.0										
	2-Wire ISDN Digital Grade Loop - UNE Zone 1	ļ	1	UEPPB UEPF	R USL2	X 19.0	3									
	2 Wire ISBN Digital Crade Loop LINE Zone 2		2	LIEDDD LIEDI	מ ופון	v 20.6	,									
	2-Wire ISDN Digital Grade Loop - UNE Zone 2 2-Wire ISDN Digital Grade Loop - UNE Zone 3	1	3	UEPPB UEPF	PR USL2			1	-	-	<del>                                     </del>	-	+	<del> </del>	<del>                                     </del>	+
LINE D	p2-wire ISDN Digital Grade Loop - UNE Zone 3	1	3	UEPP UEPP	IX USL2	A 45.0	<u> </u>	1	-	-	<del>                                     </del>	-	+	<del> </del>	<del>                                     </del>	+
UNE P	Exchange Port - 2-Wire ISDN Line Side Port	+	<b>H</b>	UEPPR	UEPF	R 9.2	4 190.01	132.76	100.67	21.28	<b>H</b>		t	<del>                                     </del>	<del> </del>	+
	Exchange Port - 2-Wire ISDN Line Side Port	1	<del>                                     </del>	UEPPB	UEPF				100.67	21.28	<del>                                     </del>	-	+	<del> </del>	<del> </del>	+
NOND	ECURRING CHARGES - CURRENTLY COMBINED	1	<del>                                     </del>	OLI I D	JLPF	9.2	190.01	132.76	100.07	21.20	<del>                                     </del>	<b>-</b>	+	1	1	+
NONKI	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port	+	<b>H</b>		_	+	+	1	1	1	<b>H</b>		t	<del>                                     </del>	<del> </del>	+
	Combination - Conversion	1		UEPPB UEPP	R USAC	В 0.0	0 38.51	27.02				1	I			1
ADDIT	IONAL NRCs			OLFFB OLFF	N USAC	0.0	30.31	21.02			1				1	+
ADDIT	Unbundled Miscellaneous Rate Element, Tag Designed Loop at	1					+				1		-			+
	End User Premise			UEPPB UEPF	R URET	N	11.21	1.10								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User			OLFFB OLFF	K OKLI	IN	11.21	1.10			1				1	+
	Premise			UEPPB UEPF	R URET	1	8.33	0.83								
B-CHA	NNEL USER PROFILE ACCESS:	1		OLITE OLIT	IX OILLI	-	0.55	0.03			<b>-</b>					+
D 0117	CVS/CSD (DMS/5ESS)	1		UEPPB UEPF	R U1UC	A 0.0	0.00	0.00			<b>-</b>					+
	CVS (EWSD)	1		UEPPB UEPP							1					<del></del>
	CSD	1		UEPPB UEPP							1					
B-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C.MS. & T	N)	02.1.5 02.1.	0.00	0.0	0.00	0.00								
	CVS/CSD (DMS/5ESS)	1	i ,	UEPPB UEPP	R U1UC	D 0.0	0.00	0.00								1
	CVS (EWSD)			UEPPB UEPF												1
	CSD			UEPPB UEPF	R U1UC	F 0.0	0.00	0.00								1
USER	TERMINAL PROFILE															1
	User Terminal Profile (EWSD only)			UEPPB UEPF	R U1UN	IA 0.0	0.00	0.00								1
VERTI	CAL FEATURES															1
ĺ	All Vertical Features - One per Channel B User Profile			UEPPB UEPF	R UEPV	F 1.9	8 0.00	0.00								1
INTER	OFFICE CHANNEL MILEAGE															
	Interoffice Channel mileage each, including first mile and															
	facilities termination			UEPPB UEPPF					16.74	6.90						
	Interoffice Channel mileage each, additional mile			UEPPB UEPP	R M1GN	IM 0.00883	0.00	0.00								
	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE:															
	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	()														
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE P	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1					_									
	Non-Design					13.7	0									
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1					.					1	I			1
	Non-Design	<b> </b>				22.1	9	1	1	1			<del>                                     </del>	<del>                                     </del>	<b>.</b>	+
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1				05.0	.					1	I			1
LINES	Non-Design	1	-		_	35.8	U	+	1	1	1		<del>                                     </del>	<b> </b>	<del>                                     </del>	+
UNE P	ort/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	+	<b>-</b>				+	1	1	1	-	-	<del>                                     </del>			+
- 1	Design	1				16.5	3					1	I			1
-	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	+	<b>H</b>		_	10.0	-	1	1	1	<b>H</b>		t	<del>                                     </del>	<del> </del>	+
1	Design	1				25.0	n l					1	I			1
-	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	+	<b>H</b>		_	25.0	<u> </u>	1	1	1	<b>H</b>		t	<del>                                     </del>	<del> </del>	+
1	Design					38.2	۵						1			
LINE I	poesign	<del>                                     </del>	<b>-</b>			30.2	_	<u> </u>	1	1	<b>-</b>		<del>                                     </del>	<b> </b>	<del> </del>	+
OIAL L	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1	UEP91	UECS	1 11.5	5	1	1	1	<del>                                     </del>	<b>†</b>	<b>I</b>	<b> </b>		<del></del>
	2-Wire Voice Grade Loop (SL 1) - Zone 2	<b>†</b>		UEP91	UECS			1					<b>—</b>			<del>                                     </del>
	2-Wire Voice Grade Loop (SL 1) - Zone 2		3	UEP91	UECS			+	<del>                                     </del>	<b></b>						+

Note   Part	NBUNDLE	D NETWORK ELEMENTS - Alabama												Attachment	:: 2 - Exh. A		
Part   Part			Interim	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge Manual S Order vs Electroni
Mile   March   Control																Disc 1st	Disc Add
View Protect Control Long 15, 17, 20m1   1   1   1   1   1   1   1   1   1							Rec		curring								
Deviver Votes Create Long (SL 2) - Zeno 2								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wive Votor Grade Pot Common State Control   1				1													
UNE Print:		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	22.85										
All States (Except North Carolina and South Carolina)  - 2-Win Votes (Gride Prit Carolina & Buel Local Area  - 2-Win Votes (Gride Prit Carolina & Buel Local Area  - 2-Win Votes (Gride Prit Carolina & Buel Local Area  - 2-Win Votes (Gride Prit Carolina & Carolina)  - 2-Win Votes (Gride Prit Carolina & Carolina)  - 2-Win Votes (Gride Prit Carolina & Carolina)  - 2-Win Votes (Gride Prit Carolina & Carolina)  - 2-Win Votes (Gride Prit Carolina & Gride Prit Carolina & Carol		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	36.14										
2-vivv vives Grant Port (Centrery Issuer Local Area   2-vivv vives Grant Port (Centrery Start Local Area   2-vivv Vives Grant Port (Centrers with Culter (Different Base)	UNE P	orts			İ												
2-vivv vives Grant Port (Centrery Issuer Local Area   2-vivv vives Grant Port (Centrery Start Local Area   2-vivv Vives Grant Port (Centrers with Culter (Different Base)	All Sta	tes (Except North Carolina and Sout Carolina)															
2-Wine Vexos Grade Prof. Controls 800 terminatori) Basic Local Area   Local Area   Local Area   Local Area   2-Wine Vexos Grade Prof. Control 800 terminatori Basic Local Area   2-Wine Vexos Grade Prof. Control 81 Evering Vinc Centrer   Neek 2.3 Basic Local Area   2-Wine Vexos Grade Prof. Control 81 Evering Vinc Centrer 800 Service   Term - Basic Local Area   2-Wine Vexos Grade Prof. Centrer 800 Service   Term - Basic Local Area   2-Wine Vexos Grade Prof. Centrer 800 Service   Term - Basic Local Area   2-Wine Vexos Grade Prof. Centrer 800 Service   Term - Basic Local Area   2-Wine Vexos Grade Prof. Centrer 800 Service   Term - Basic Local Area   2-Wine Vexos Grade Prof. Centrer 800 Service   Term - Basic Local Area   2-Wine Vexos Grade Prof. Centrer 800 Service   Term - Basic Local Area   2-Wine Vexos Grade Prof. Centrer 800 Service   Term - Basic Local Area   2-Wine Vexos Grade Prof. Centrer 800 Service   Term - Basic Local Area   2-Wine Vexos Grade Prof. Centrer 800 Service   2-Wine Vexos Grade					UEP91	UEPYA	2.15	40.19	19.83	24.91	6.63						
Area																	
2-Wiley Note Grade Prof. (Centrax with Called FORNes) Basic Used Anni   19.80   24.01   19.80   24.01   19.80   24.01   19.80   24.01   19.80   24.01   19.80   24.01   19.80   24.01   19.80   24.01   24.0					UFP91	UEPYB	2 15	40 19	19.83	24 91	6.63						
Lord Area   Lord				<b>!</b>	02.0.	02.15	20	10.10	10.00	21.01	0.00						
2-Wire Voice Grade Port (Centres from off Sevring Wire Centre)   UEP91   UEP7Z   2.15   90.38   57.77   48.66   8.77					LIED01	LIEDVL	2.15	40.10	10.92	24.01	6.63						
Name 2   Basis Lond Area   UEP91   UEP70   2.15   0.38   57.77   48.66   0.77					OLF91	OLFIII	2.13	40.19	19.03	24.31	0.03		-				-
2-Wive Voice Grade Port (Emminated on the Rigalink or equivalent   UEP91   UEP72   2.15   00.38   57.77   48.66   8.77				I	LIED01	LIEDVM	0.45	00.20	E7 07	40.60	0 77	1	I				
Term - Spatic Local Area	_		<del>                                     </del>	1	OLFSI	UEFTIVI	2.15	90.38	51.21	48.00	8.77	<b>-</b>	-				-
2-Wire Voice Grade Port terminated in or Megalinic or equivalent   Bestic Local Area   UEP91   UEP90   2.15   40.19   19.83   24.91   6.63							0.45			40.00							
Basic Local Avea			ļ	<del>                                     </del>	UEP91	UEPYZ	2.15	90.38	57.27	48.66	8.77						
Sevent point   Seve																	
Basic Local Area					UEP91	UEPY9	2.15	40.19	19.83	24.91	6.63						
A. Y. L.A. MS, & TN Only																	
2-Wire Voice Grande Port (Centres 80) termination   UEP91   UEP08   2.15   40.19   19.83   24.91   6.63					UEP91	UEPY2	2.15	40.19	19.83	24.91	6.63						
2-Wire Voice Grade Pott (Centrex with Califer POtt)   UEPP1   UEPP3   UEPP4   2.15   40.19   19.83   2.491   6.63	AL, KY																
2-Wire Voice Grade Port (Centres kind Caller ID)1		2-Wire Voice Grade Port (Centrex )			UEP91	UEPQA	2.15	40.19	19.83	24.91	6.63						
2-Wire Voice Grade Port Centrers from diff Serving Wire   UEP91   UEP04   2.15   90.38   57.27   48.66   8.77		2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	2.15	40.19	19.83	24.91	6.63						
2-Wire Voice Grade Port (Centres from dill Serving Wire   UEP91   UEP0M   2.15   90.38   57.27   48.66   8.77		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	2.15	40.19	19.83	24.91	6.63						
Center(2,3   UEP91   UEP0M   2.15   90.38   57.27   48.66   8.77					İ												
S-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800					UEP91	UEPQM	2.15	90.38	57.27	48.66	8.77						
Service Term		2-Wire Voice Grade Port Diff Serving Wire Center - 2.3 - 800		<b>†</b>													
2-Wire Voice Grade Port terminated in on Megalink or equivalent   UEP91   UEPQ9   2.15   40.19   19.83   24.91   6.63					LIEP91	LIEPOZ	2 15	90.38	57 27	48 66	8 77						
2-Wire Voice Grade Port Terminated on 800 Service Term		CONTROL TOTAL		<b>!</b>	OLI 01	OLI QL	2.10	50.00	01.21	40.00	0.11						
2-Wire Voice Grade Port Terminated on 800 Service Term		2 Wire Voice Grade Port terminated in an Magalink or equivalent			LIED01	LIEDOG	2.15	40.10	10.92	24.01	6.63						
Centrex Intercom Funionality, per port   UEP91   URECS   0.5488	_		-														
Centrax Intercom Funtionality, per port	1 1				UEF91	UEFQZ	2.13	40.19	19.03	24.91	0.03						
Feature	Local				LIEDO.		0.5400										
All Standard Features Offered, per port   UEP91   UEPVS   1.98					UEP91	URECS	0.5488										
All Select Features Offered, per port  All Centrex Control Features Offered, per port  UEP91 UEPVC 1.98  UEP91 UEPVC 1.98  UEP91 UEPVC 1.98  UIEP9	Featur					4											
All Centrex Control Features Offered, per port   UEP91   UEPVC   1.98																	
NARS   Unbundled Network Access Register - Combination   UEP91   UARCX   0.00								405.52									
Unbundled Network Access Register - Combination		All Centrex Control Features Offered, per port			UEP91	UEPVC	1.98										
Unbundled Network Access Register - Indial   UEP91   UAR1X	NARS																
Unbundled Network Access Register - Outdial   UEP91   UAROX   0.00   0								0.00	0.00	0.00	0.00						
Miscellaneous Terminations		Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00						
Miscellaneous Terminations		Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						
2-Wire Trunk Side	Miscel	aneous Terminations															
Interoffice Channel Mileage - 2-Wire  Interoffice Channel Facilities Termination - Voice Grade  UEP91 MIGBC 21.13 40.54 27.41 16.74 6.90  Interoffice Channel Facilities Termination of mile  UEP91 MIGBM 0.008838  Feature Activations (DS0) Centrex Loops on Channelized DS1 Service  D4 Channel Bank Feature Activations  Feature Activation on D-4 Channel Bank Centrex Loop Slot  UEP91 1PQWS 0.56  Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot  Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot  Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center  UEP91 1PQWP 0.56  Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP91 1PQWP 0.56  Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP91 1PQWP 0.56  Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP91 1PQWP 0.56																	
Interoffice Channel Facilities Termination - Voice Grade    Interoffice Channel Facilities Termination - Voice Grade   UEP91   M1GBC   21.13   40.54   27.41   16.74   6.90     Interoffice Channel mileage, per mile or fraction of mile   UEP91   M1GBM   0.008838		Trunk Side Terminations, each			UEP91	CENA6	8.05	119.31	18.74	59.90	3.76						
Interoffice Channel Facilities Termination - Voice Grade    Interoffice Channel Facilities Termination - Voice Grade   UEP91   M1GBC   21.13   40.54   27.41   16.74   6.90     Interoffice Channel mileage, per mile or fraction of mile   UEP91   M1GBM   0.008838	Interof	fice Channel Mileage - 2-Wire			İ												
Interoffice Channel mileage, per mile or fraction of mile  Feature Activations (DS0) Centrex Loops on Channelized DS1 Service  D4 Channel Bank Feature Activations  Feature Activation on D-4 Channel Bank Centrex Loop Slot  Feature Activation on D-4 Channel Bank FX line Side Loop Slot  Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot  Feature Activation on D-4 Channel Bank Centrex Loop Slot  UEP91  1PQW6  0.56  Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP91  1PQW7  0.56  Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP91  1PQW7  0.56  Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP91  1PQWV  0.56  Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP91  1PQWV  0.56  Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP91  1PQWV  0.56  Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP91  1PQWV  0.56  Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot UEP91  1PQWV  0.56				<b>†</b>	UEP91	M1GBC	21.13	40.54	27.41	16.74	6.90						
Feature Activations (DS0) Centrex Loops on Channelized DS1 Service  D4 Channel Bank Feature Activations  Feature Activation on D-4 Channel Bank Centrex Loop Slot  Feature Activation on D-4 Channel Bank FX line Side Loop Slot  Feature Activation on D-4 Channel Bank FX line Side Loop Slot  UEP91  1PQW6  0.56  Feature Activation on D-4 Channel Bank FX Trunk Side Loop  Slot  Feature Activation on D-4 Channel Bank Centrex Loop Slot -  Different Wire Center  UEP91  1PQWP  0.56  Feature Activation on D-4 Channel Bank Private Line Loop Slot  UEP91  1PQWP  0.56  UEP91  1PQWP  0.56  UEP91  1PQWP  0.56  UEP91  1PQWV  0.56  UEP91  1PQWV  0.56  UEP91  1PQWV  0.56	_																
D4 Channel Bank Feature Activations  Feature Activation on D-4 Channel Bank Centrex Loop Slot  UEP91  1PQWS  0.56  Feature Activation on D-4 Channel Bank FX line Side Loop Slot  Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot  Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center  UEP91  1PQW7  0.56  Feature Activation on D-4 Channel Bank Private Line Loop Slot  UEP91  1PQW7  0.56  Feature Activation on D-4 Channel Bank Private Line Loop Slot  UEP91  1PQWV  0.56  Feature Activation on D-4 Channel Bank Private Line Loop Slot  UEP91  1PQWV  0.56  UEP91  1PQWV  0.56	Featur		20		OLI 01	WITODW	0.000000										
Feature Activation on D-4 Channel Bank Centrex Loop Slot  Feature Activation on D-4 Channel Bank FX line Side Loop Slot  Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot  Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center  Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP91  1PQW7  0.56  UEP91  1PQW7  0.56  UEP91  1PQWP  0.56  UEP91  1PQWP  0.56  UEP91  1PQWV  0.56  UEP91  1PQWV  0.56  UEP91  1PQWV  0.56			Ĭ	l	<del> </del>	+							<b>-</b>				$\vdash$
Feature Activation on D-4 Channel Bank FX line Side Loop Slot UEP91 1PQW6 0.56  Feature Activation on D-4 Channel Bank FX Trunk Side Loop UEP91 1PQW7 0.56  Feature Activation on D-4 Channel Bank Centrex Loop Slot - UEP91 1PQWP 0.56  Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP91 1PQWV 0.56  Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot UEP91 1PQWV 0.56  UEP91 1PQWV 0.56  UEP91 1PQWV 0.56	24 011		<del>                                     </del>	t	LIEP91	1POWS	0.56						<b>-</b>				
Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center UEP91 1PQWP 0.56  Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP91 1PQWV 0.56  UEP91 1PQWV 0.56  UEP91 1PQWV 0.56	-	- Salara Administration on D 4 Originals Bank Centres Loop Glot	1	<del>                                     </del>	02101	11 9440	0.30						<del>                                     </del>				<b>-</b>
Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center UEP91 1PQWP 0.56  Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP91 1PQWV 0.56  UEP91 1PQWV 0.56  UEP91 1PQWV 0.56		Feature Activation on D-4 Channel Bank EV line Side Lean Slat		I	LIED01	100///6	0.56					1	I				
Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center  Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot UEP91  1PQWV 0.56  UEP91  1PQWV 0.56  UEP91  1PQWV 0.56			<del>                                     </del>	<del>                                     </del>	OLFSI	IF QVVO	0.00					<b>-</b>	<del>                                     </del>				<b>-</b>
Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center  UEP91 1PQWP 0.56  Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP91 1PQWV 0.56  Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot UEP91 1PQWQ 0.56				I	LIED04	100147	0.50					1	I				l
Different Wire Center UEP91 1PQWP 0.56  Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP91 1PQWV 0.56  Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot UEP91 1PQWQ 0.56	_		<del>                                     </del>	<del>                                     </del>	UEP91	TPQW/	0.56						-				-
Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP91 1PQWV 0.56  Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot UEP91 1PQWQ 0.56				I	LIEBOA	400000						1	I				l
Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot UEP91 1PQWQ 0.56		Different Wire Center	ļ	ļ	UEP91	1PQWP	0.56						ļ				
Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot UEP91 1PQWQ 0.56				1													
				ļ	UEP91	1PQWV	0.56										
				1	1												
Feature Activation on D-4 Channel Bank WATS Loop Slot   UEP91   1PQWA   0.56			<u> </u>	<u> </u>													
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.56				_						

NBUNDLED NET	WORK ELEMENTS - Alabama												Attachmen	t: 2 - Exh. A		
EGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			1	Submitted	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge Manual S Order vs Electroni
													1st	Add'l	Disc 1st	Disc Add
						Rec		urring	Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Charges (NRC) Associated with UNE-P Centrex					-					-	-				
	sion - Currently Combined Switch-As-Is with allowed as, per port			UEP91	USAC2		0.10	0.10								
	sion of Existing Centrex Common Block			UEP91	USACN		37.75	16.58			1				1	+
	entrex Standard Common Block	1		UEP91	M1ACS	0.00	667.21	10.00			1					+
	entrex Customized Common Block			UEP91	M1ACC	0.00	667.21								t	<b>†</b>
Second	dary Block, per Block			UEP91	M2CC1	0.00	78.02									1
	stablishment Charge, Per Occasion			UEP91	URECA	0.00	72.73									1
	n-Recurring Charges (NRC)															
	dled Miscellaneous Rate Element, Tag Loop at End Use															
Premise				UEP91	URETL		8.33	0.83								
	dled Miscellaneous Rate Element, Tag Design Loop at			UEP91	URETN		11.21	1.10								
	e Premise EX - 5ESS (Valid in All States)		-	UEP91	UKETN	-	11.21	1.10			-				-	+
	p/2-Wire Voice Grade Port (Centrex) Combo										1				1	+
	Combination Rates (Non-Design)	1			_						1					+
	VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo										1					_
Non-De						13.70										
	VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															1
Non-De	esign					22.19										
	VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															T .
Non-De						35.80										
	Combination Rates (Design)															
	VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1				40.50										
Design	VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	ļ	-		_	16.53					1				-	+
Design	VG Loop/2-vvire voice Grade Port (Centrex)Port Combo -					25.00										
	VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					23.00										+
Design	ve 200p/2 vviie voice drade i dit (dentiex)i dit dembe					38.29										
UNE Loop Rate	e										1				t	+
	Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	11.55					1					
	Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	20.04										1
	Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	33.65										1
	Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	14.38										
	Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	22.85										
	Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	36.14										
UNE Port Rate All States		ļ	-													+
	Voice Grade Port (Centrex ) Basic Local Area		-	UEP95	UEPYA	2.15	40.19	19.83	24.91	6.63	-				-	+
	Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	2.15	40.19	19.83	24.91	6.63	1				1	+
	Voice Grade Port (Centrex with Caller ID)1Basic Local	<b> </b>	1	OL1 30	OLITE	2.10	40.19	13.03	24.31	0.03					<b>†</b>	+
Area	Total Stade For (Someon with Saller ID) I Dasic Local		1	UEP95	UEPYH	2.15	40.19	19.83	24.91	6.63					I	1
2-Wire	Voice Grade Port (Centrex from diff Serving Wire									3.00		İ			1	1
	2,3 Basic Local Area			UEP95	UEPYM	2.15	90.38	57.27	48.66	8.77					1	
2-Wire	Voice Grade Port, Diff Serving Wire Center 2,3 - 800															1
	Term - Basic Local Area	ļ	ļ	UEP95	UEPYZ	2.15	90.38	57.27	48.66	8.77	ļ					1
	Voice Grade Port terminated in on Megalink or equivalent															
	Local Area	ļ	<b>.</b>	UEP95	UEPY9	2.15	40.19	19.83	24.91	6.63	ļ				ļ	<b>_</b>
I I	Voice Grade Port Terminated on 800 Service Term -		1	LIEDOS	LIEBYO	0.45	40.40	10.00	04.61	0.00					I	
	ocal Area	1	-	UEP95	UEPY2	2.15	40.19	19.83	24.91	6.63	<u> </u>		-	-	<del>                                     </del>	+
	S, SC, & TN Only Voice Grade Port (Centrex )	1	1	UEP95	UEPQA	2.15	40.19	19.83	24.91	6.63	1		-	-	<del>                                     </del>	+
	Voice Grade Port (Centrex ) Voice Grade Port (Centrex 800 termination)	1	<del>                                     </del>	UEP95	UEPQA	2.15	40.19	19.83	24.91	6.63			<del> </del>	<del> </del>	<del>                                     </del>	+
	Voice Grade Port (Centrex vith Caller ID)1	<b> </b>	1	UEP95	UEPQH	2.15	40.19	19.83	24.91	6.63					<b>†</b>	+
	Voice Grade Port (Centrex from diff Serving Wire				J2. Q	20		. 5.00	201	3.00					t	<del>+</del>
Center)			1	UEP95	UEPQM	2.15	90.38	57.27	48.66	8.77					I	
	Voice Grade Port, Diff Serving Wire Center - 800 Service	Ì	i –										1	1		
Term 2,			1	UEP95	UEPQZ	2.15	90.38	57.27	48.66	8.77	1	l	l	l	I	1

JNBUNDLED N	IETWORK ELEMENTS - Alabama												Attachment	t: 2 - Exh. A		
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			1	Submitted	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge Manual S Order vs Electroni
										-			1st	Add'l	Disc 1st	Disc Add
			ļ		_	Rec	Nonred First	curring Add'l	Nonrecurring First	g Disconnect Add'l	SOMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
			<del>                                     </del>				FIISL	Add I	FIISL	Addi	SOMEC	SOWAN	SOWAN	SOWAN	SOWAN	SOWAN
2-V	Vire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	2.15	40.19	19.83	24.91	6.63						
2-V	Vire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	2.15	40.19	19.83	24.91	6.63						1
Local Swit																
	ntrex Intercom Funtionality, per port			UEP95	URECS	0.5488										4
Features	Our lead Front are Office I account			LIEDOS	LIEDVE	4.00										<del>                                     </del>
	Standard Features Offered, per port Select Features Offered, per port			UEP95 UEP95	UEPVF UEPVS	1.98 0.00	405.52			-					-	+
	Centrex Control Features Offered, per port	1		UEP95	UEPVC	1.98	405.52			-					-	+
NARS	Control Catalog Cherca, per port	1		021 00	OLI VO	1.50										†
	bundled Network Access Register - Combination		1	UEP95	UARCX	0.00	0.00	0.00	0.00	0.00				İ	1	1
Uni	bundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00						
	bundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						
	eous Terminations															
2-Wire Tru				LIEDOS	OFNER	2.05	,,,,,,	10.7	=0.5	2 ==						
	ınk Side Terminations, each ital (1.544 Megabits)	1	₩	UEP95	CEND6	8.05	119.31	18.74	59.90	3.76	1	-	-	<del> </del>	<del>                                     </del>	+
	1 Circuit Terminations, each	1	-	UEP95	M1HD1	60.09	202.02	95.69	72.59	2.46	-				-	+
	60 Channels Activated, each			UEP95	M1HDO	0.00	14.48	93.09	12.55	2.40	1				1	+
	Channel Mileage - 2-Wire	1		021 00	WIIIIDO	0.00	14.40									+
	eroffice Channel Facilities Termination			UEP95	M1GBC	21.13	40.54	27.41	16.74	6.90						†
	eroffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.008838										1
Feature Ac	ctivations (DS0) Centrex Loops on Channelized DS1 Service	ce														
	el Bank Feature Activations															
Fea	ature Activation on D-4 Channel Bank Centrex Loop Slot	ļ		UEP95	1PQWS	0.56										4
	ature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.56										
Slo				UEP95	1PQW7	0.56										
	ature Activation on D-4 Channel Bank Centrex Loop Slot - ferent Wire Center			UEP95	1PQWP	0.56										
	ature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.56										
Fea Slo	ature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP95	1PQWQ	0.56										
	ature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.56										
	rring Charges (NRC) Associated with UNE-P Centrex															
	C Conversion Currently Combined Switch-As-Is with allowed															
	anges, per port	1	<u> </u>	UEP95	USAC2		0.10	0.10			1		ļ			<del>                                     </del>
	nversion of Existing Centrex Common Block, each w Centrex Standard Common Block	ļ	-	UEP95 UEP95	USACN M1ACS	0.00	37.75 667.21	16.58		1	-				1	┼
	w Centrex Standard Common Block w Centrex Customized Common Block	1		UEP95	M1ACC	0.00	667.21			-					-	+
	R Establishment Charge, Per Occasion		1	UEP95	URECA	0.00	72.73									+
	Non-Recurring Charges (NRC)			02.00	0.120/1	0.00	72.70									<del>†                                      </del>
Uni	bundled Miscellaneous Rate Element, Tag Loop at End Use emise			UEP95	URETL		8.33	0.83								
Uni	bundled Miscellaneous Rate Element, Tag Design Loop at d Use Premise			UEP95	URETN		11.21	1.10								
	NTREX - DMS100 (Valid in All States)	1	<del>                                     </del>	021 00	OILLIN	+	11.21	1.10		<del>                                     </del>	<del>                                     </del>		<b> </b>	<del> </del>	<del>                                     </del>	+
	Loop/2-Wire Voice Grade Port (Centrex) Combo		<b>†</b>	1		<del>                                     </del>				<u> </u>				1	<u> </u>	†
	Loop Combination Rates (Non-Design)	İ.,														
2-V	Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo n-Design	-				13.70										
	Nire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - n-Design					22.19										
2-V	Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - n-Design					35.80										
	Loop Combination Rates (Design)			1		55.55				t	1	t e	l	i e	1	<b>†</b>

INRONDF	ED NETWORK ELEMENTS - Alabama												Attachmen	t: 2 - Exh. A		
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)			1	Submitted	Incremental	Incremental Charge -	Charge -	Order vs.
		1				_ 1	Nonre	curring	Nonrecurring	a Disconnect			OSS	Rates (\$)	L	
						Rec	First	Add'I	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
	Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					16.53									-	
	Design					25.00										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															<b>†</b>
	Design					38.29										
UNE	Loop Rate	ļ	1	UEP9D	LIECCA	11.55										
	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2	<b> </b>		UEP9D	UECS1 UECS1	20.04									-	+
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	33.65										+
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	14.38										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	22.85										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	36.14										
	Port Rate STATES	-				-									-	+
ALL	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9D	UEPYA	2.15	40.19	19.83	24.91	6.63						+
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local									0.00						1
	Area			UEP9D	UEPYB	2.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local							40.00								
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local	-		UEP9D	UEPYC	2.15	40.19	19.83	24.91	6.63					-	+
	Area			UEP9D	UEPYD	2.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local									0.00						1
	Area			UEP9D	UEPYE	2.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local															
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local			UEP9D	UEPYF	2.15	40.19	19.83	24.91	6.63					1	
	Area			UEP9D	UEPYG	2.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local									0.00						1
	Area			UEP9D	UEPYT	2.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local			LIEDOD	LIEDVII.	0.45	40.40	40.00	04.04	0.00						
_	Area 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			UEP9D	UEPYU	2.15	40.19	19.83	24.91	6.63					-	<del> </del>
	Area			UEP9D	UEPYV	2.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local								-							1
	Area			UEP9D	UEPY3	2.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			UEP9D	UEPYH	2.15	40.19	40.00	04.04	0.00						
-	Area  2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			UEP9D	UEPTH	2.15	40.19	19.83	24.91	6.63					-	+
	Indication))4 Basic Local Area			UEP9D	UEPYW	2.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4	İ														1
	Basic Local Area			UEP9D	UEPYJ	2.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPYM	2.15	90.38	57.27	48.66	8.77						
	2,3-Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPTIVI	2.15	90.36	57.27	40.00	0.77						+
	Basic Local Area			UEP9D	UEPYO	2.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4															
	Basic Local Area			UEP9D	UEPYP	2.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local Area			UEP9D	UEPYQ	2.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			OLFBD	ULF TQ	2.13	90.38	51.21	40.00	0.77	<del>                                     </del>	<del>                                     </del>			<b> </b>	+
	Basic Local Area	<u> </u>		UEP9D	UEPYR	2.15	90.38	57.27	48.66	8.77	<u> </u>	<u> </u>			<u> </u>	<u> </u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4															
	Basic Local Area			UEP9D	UEPYS	2.15	90.38	57.27	48.66	8.77					<u> </u>	₩
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area			UEP9D	UEPY4	2.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3	<b>†</b>		021 00	OLI 14	2.13	30.30	31.21	40.00	0.77	<del>                                     </del>	<del>                                     </del>			<del>                                     </del>	+
	Basic Local Area	1		UEP9D	UEPY5	2.15	90.38	57.27	48.66	8.77					I	

INBUNDLE	D NETWORK ELEMENTS - Alabama												Attachment	: 2 - Exh. A		
					1						Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
											Submitted		Charge -	Charge -	Charge -	Charge
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
											p	p	Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'
						1	Nonre	curring	Nonrecurring	Disconnect			220	Rates (\$)		<del></del>
			-		<del> </del>	Rec	First	Add'l		Add'l	COMEC	SOMAN			SOMAN	SOMAN
	0 M/2 - 1/2 - 0 - 1 - D - 1 /0 - 1 - 2 /1/4 - 0 M/0 /EBO ME040\0.0 4				+		FIRST	Addi	First	Addi	SOMEC	SUMAN	SUMAN	SOMAN	SUMAN	SUMAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4													, ,		
	Basic Local Area			UEP9D	UEPY6	2.15	90.38	57.27	48.66	8.77						<u> </u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4													, ,		1
	Basic Local Area			UEP9D	UEPY7	2.15	90.38	57.27	48.66	8.77				, ,		1
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term 2,3			UEP9D	UEPYZ	2.15	90.38	57.27	48.66	8.77				, ,		1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent							****								
	Basic Local Area			UEP9D	UEPY9	2.15	40.19	19.83	24.91	6.63				, ,		1
			-	UEP9D	UEF19	2.13	40.19	19.03	24.91	0.03						
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic	1	1								1			, ,		1
	Local Area	ļ	L	UEP9D	UEPY2	2.15	40.19	19.83	24.91	6.63	ļ					
AL, KY	, LA, MS, SC, & TN Only												_			
	2-Wire Voice Grade Port (Centrex)		$\Box$	UEP9D	UEPQA	2.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	2.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPQC	2.15	40.19	19.83	24.91	6.63	i					
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4		<b>†</b>	UEP9D	UEPQD	2.15	40.19	19.83	24.91	6.63						<del>                                     </del>
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4  2-Wire Voice Grade Port (Centrex / EBS-M5209)4	<b>-</b>	<del>                                     </del>	UEP9D	UEPQE	2.15	40.19	19.83	24.91	6.63	<b> </b>			$\overline{}$		<del></del>
-+		<del>                                     </del>	-								<b> </b>					
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPQF	2.15	40.19	19.83	24.91	6.63					·	
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPQG	2.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPQT	2.15	40.19	19.83	24.91	6.63				<u> </u>		1
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPQU	2.15	40.19	19.83	24.91	6.63				, ,		
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPQV	2.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPQ3	2.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	2.15	40.19	19.83	24.91	6.63						t
	2-Wire Voice Grade Port (Centrex With Galler ID)  2-Wire Voice Grade Port (Centrex/Caller ID/Msq Wtg Lamp		-	OLI 3D	OLI QII	2.10	40.13	13.00	24.31	0.00						<del></del>
				LIEDOD	LIEDOW	0.45	10.10	40.00	04.04	0.00				, ,		1
	Indication)4			UEP9D	UEPQW	2.15	40.19	19.83	24.91	6.63					·	
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	2.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)													, ,		İ
	2,3			UEP9D	UEPQM	2.15	90.38	57.27	48.66	8.77				, ,		1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	2.15	90.38	57.27	48.66	8.77				, ,		1
1	2 1110 10100 01440 1 011 (0011110) 411101 0110 (2001 021)2303			02.05	02. 00	2.10	00.00	01.21	10.00	0						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	2.15	90.38	57.27	48.66	8.77				, ,		1
_	2-Wile Voice Grade Fort (Certifexuller SWC/EBS-W5009)2,3,4		-	UEP9D	UEFUF	2.13	90.30	31.21	40.00	0.77						<del></del>
				l										, ,		1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	2.15	90.38	57.27	48.66	8.77						
														, ,		1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4	1	1	UEP9D	UEPQR	2.15	90.38	57.27	48.66	8.77	1			, ,		1
	, , , , , , , , , , , , , , , , , , , ,													, ,		
1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4	1	1	UEP9D	UEPQS	2.15	90.38	57.27	48.66	8.77	1			, ,		1
-		<b> </b>	<del>                                     </del>		32. 30	2.10	55.56	01.21	40.00	0.77	<del>                                     </del>					<del></del>
	2 Wire Voice Crade Bert (Centray/differ SWC /EBC ME000) 2.4	l	1	UEP9D	LIEDO4	2.45	00.00	E7 07	40.00	0 77	l			, ,		1
$\rightarrow$	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4	<b> </b>	-	UEP9D	UEPQ4	2.15	90.38	57.27	48.66	8.77	<b> </b>					₩
		1	1	l	l			1			1			, ,		1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	2.15	90.38	57.27	48.66	8.77						
		I	1		1						l			, 7		1
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	2.15	90.38	57.27	48.66	8.77	l			, ,		İ
	, , , ,													, ,		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4	l	1	UEP9D	UEPQ7	2.15	90.38	57.27	48.66	8.77	l			, ,		1
$\neg$	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		<b>1</b>	- · · · · · ·	1	20	55.56	J2/	.0.00	51	l			$\overline{}$		
	Term 2,3	1	1	UEP9D	UEPQZ	2.15	90.38	57.27	48.66	8.77	1			, ,		1
	161111 2,0	-	-	OL: 3D	ULFUL	2.13	30.30	31.21	40.00	0.77	<b> </b>					<del></del>
	[	l	1				40 :-				l			, ,		1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	ļ	<b></b>	UEP9D	UEPQ9	2.15	40.19	19.83	24.91	6.63					·	<b></b>
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	2.15	40.19	19.83	24.91	6.63						1
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.5488										
Featur		İ	1		İ						i					
	All Standard Features Offered, per port		<b>1</b>	UEP9D	UEPVF	1.98					l			$\overline{}$		
		<b> </b>	<del>                                     </del>	UEP9D	UEPVS	0.00	405.52				<b> </b>			$\overline{}$		<b>—</b>
-					ULFVO	0.00	400.02	1	l .					. ,	. '	
$\Rightarrow$	All Select Features Offered, per port		<del>                                     </del>		LIEDVC	1.00		i e								
NARS	All Select Features Offered, per port All Centrex Control Features Offered, per port			UEP9D	UEPVC	1.98										

JNBUNDLE	D NETWORK ELEMENTS - Alabama												Attachment	: 2 - Exh. A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Order vs Electroni
													1st	Add'l	Disc 1st	Disc Add
						Rec	Nonre First	curring Add'l	Nonrecurring First	g Disconnect Add'l	SOMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00		SOWIEC	SOWAN	SOWAN	SOWAN	SOWAN	SOWAN
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00							
Miscel	laneous Terminations		1			0.00										<u> </u>
	Trunk Side															
	Trunk Side Terminations, each			UEP9D	CEND6	8.05	119.31	18.74	59.90	3.76						1
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9D	M1HD1	60.09	202.02	95.69	72.59	2.46						
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.48									
Interof	fice Channel Mileage - 2-Wire	ļ	ļ													ļ
	Interoffice Channel Facilities Termination			UEP9D	M1GBC	21.13	40.54	27.41	16.74	6.90						
F 1	Interoffice Channel mileage, per mile or fraction of mile		<u> </u>	UEP9D	M1GBM	0.008838										<del></del>
	e Activations (DS0) Centrex Loops on Channelized DS1 Service annel Bank Feature Activations	je I	1	<b>+</b>	-				1	1		-	-	-		+
D4 Cha	Feature Activation on D-4 Channel Bank Centrex Loop Slot	1	<del>                                     </del>	UEP9D	1PQWS	0.56				1	-	<b> </b>				$\vdash$
	realure Activation on 5-4 Chamber Bank Centrex Loop Stot	<del>                                     </del>	<del>                                     </del>	OLI SD	IFQVVS	0.56		<b> </b>	1	<del> </del>						$\vdash$
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.56										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop	<b>†</b>	t	02.100	11 9440	0.50			<b>†</b>	1	<b>-</b>	<b> </b>				
	Slot			UEP9D	1PQW7	0.56										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP9D	1PQWP	0.56										+
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.56										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9D	1PQWQ	0.56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.56										1
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9D	USAC2		0.10	0.10								
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		37.75	16.58								
	New Centrex Standard Common Block		1	UEP9D	M1ACS	0.00	667.21									
	New Centrex Customized Common Block	ļ	<u> </u>	UEP9D	M1ACC	0.00	667.21									
A -1 -1:4:	NAR Establishment Charge, Per Occasion		<u> </u>	UEP9D	URECA	0.00	72.73				-					
Additio	onal Non-Recurring Charges (NRC) Unbundled Miscellaneous Rate Element, Tag Loop at End Use		<u> </u>								-					
	Premise			UEP9D	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at			OLF 9D	OKLIL		0.33	0.63								$\vdash$
	End Use Premise			UEP9D	URETN		11.21	1.10								
UNE-P	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)			02.02	O.K.Z.IIV											<b>†</b>
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo		<u> </u>													<b>†</b>
UNE P	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo															
	Non-Design					13.70										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design					22.19										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design					35.80										
UNE P	ort/Loop Combination Rates (Design)		1		-											-
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1				40.50										
-	Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	<del>                                     </del>	1	<b>+</b>	-	16.53			1	1		-	-	-		+
	Design					25.00										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design					38.29										
LINE	posign pop Rate	1	<del>                                     </del>	-	+	30.29				1	-	<b> </b>				$\vdash$
JINE L	2-Wire Voice Grade Loop (SL 1) - Zone 1	<del>                                     </del>	1	UEP9E	UECS1	11.55		<del> </del>	1	<u> </u>						$\vdash$
-	2-Wire Voice Grade Loop (SL 1) - Zone 2	<del>                                     </del>	2	UEP9E	UECS1	20.04			1	1	-					$\vdash$
	2-Wire Voice Grade Loop (SL 1) - Zone 3	1	3	UEP9E	UECS1	33.65		1		1						<b>—</b>
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	14.38				<b>†</b>						<b>†</b>
	2-Wire Voice Grade Loop (SL 2) - Zone 2	1	2	UEP9E	UECS2	22.85		i			1					t

IBUNDLED N	NETWORK ELEMENTS - Alabama												Attachment	: 2 - Exh. A		
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
												Submitted	Charge -	Charge -	Charge -	Charge
											Elec		Manual Svc			
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)								1
ILGORI	RATE ELEMENTS	miteriiii	Zone	603	0300			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'
					_	Rec		curring	Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	36.14										
UNE Port F																
	Y, LA, MS, & TN only															
2-V	Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9E	UEPYA	2.15	40.19	19.83	24.91	6.63						
2-V	Wire Voice Grade Port (Centrex 800 termination)Basic Local															
Are	ea			UEP9E	UEPYB	2.15	40.19	19.83	24.91	6.63						
2-V	Wire Voice Grade Port (Centrex with Caller ID)1Basic Local										1					
Are				UEP9E	UEPYH	2.15	40.19	19.83	24.91	6.63						
	Wire Voice Grade Port (Centrex from diff Serving Wire										1	1				1
	enter)2,3 Basic Local Area			UEP9E	UEPYM	2.15	90.38	57.27	48.66	8.77						
	Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800			ULF9L	OLF TIVI	2.13	90.30	31.21	40.00	0.11	<b>†</b>	<b>†</b>				<b>†</b>
		1		UEP9E	LIEDVZ	0.45	00.00	57.27	48.66	8.77	1		1		l	
	ervice Term - Basic Local Area	<b>-</b>	-	UEP9E	UEPYZ	2.15	90.38	57.27	48.66	8.77	1	1	-	-	<del>                                     </del>	<del>                                     </del>
	Wire Voice Grade Port terminated in on Megalink or equivalent	l														
	Basic Local Area	ļ		UEP9E	UEPY9	2.15	40.19	19.83	24.91	6.63	1	ļ			ļ	L
2-V	Wire Voice Grade Port Terminated on 800 Service Term -	l														
	sic Local Area	<u> </u>	<u></u>	UEP9E	UEPY2	2.15	40.19	19.83	24.91	6.63			<u> </u>	<u> </u>		
AL, KY, LA	A, MS, & TN Only															
2-V	Wire Voice Grade Port (Centrex )			UEP9E	UEPQA	2.15	40.19	19.83	24.91	6.63						
2-V	Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	2.15	40.19	19.83	24.91	6.63						
	Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	2.15	40.19	19.83	24.91	6.63	1	1				1
	Wire Voice Grade Port (Centrex from diff Serving Wire			OLI OL	OLI QII	2.10	40.10	10.00	24.01	0.00		1				1
	enter)2,3			UEP9E	UEPQM	2.15	90.38	57.27	48.66	8.77						
	Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800			ULF9L	ULFQIVI	2.13	90.30	31.21	40.00	0.11	<b>†</b>	<b>†</b>				<b>†</b>
				UEP9E	UEPQZ	2.15	90.38	57.27	48.66	8.77						
Sei	rvice Term			UEP9E	UEPQZ	2.15	90.38	57.27	48.66	8.77						
	Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	2.15	40.19	19.83	24.91	6.63						
2-V	Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	2.15	40.19	19.83	24.91	6.63						
Local Swit	tching															
Cei	entrex Intercom Funtionality, per port			UEP9E	URECS	0.5488										
Features											1					
	Standard Features Offered, per port			UEP9E	UEPVF	1.98										
	Select Features Offered, per port			UEP9E	UEPVS	0.00	405.52									
	Centrex Control Features Offered, per port			UEP9E	UEPVC	1.98	400.02					1				1
NARS	Centrex Control realtines Offered, per port			OLI SL	OLI VO	1.30					<b>†</b>	<b>†</b>				<b>†</b>
	burdled Netural Access Desister Combination		-	LIEDOE	UARCX	0.00	0.00	0.00	0.00	0.00		-				-
	bundled Network Access Register - Combination	<del>                                     </del>	-	UEP9E	UARCX UAR1X	0.00	0.00	0.00	0.00	0.00	1	1	-	-	<del> </del>	1
	bundled Network Access Register - Indial	ļ		UEP9E		0.00	0.00	0.00	0.00	0.00	-	1	-	-	-	-
	bundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00	-	ļ				<u> </u>
	eous Terminations										1	1				
2-Wire Tru		ļ									1	1				<u> </u>
	unk Side Terminations, each			UEP9E	CEND6	8.05	119.31	18.74	59.90	3.76						
4-Wire Dig	ital (1.544 Megabits)															
DS	S1 Circuit Terminations, each			UEP9E	M1HD1	60.09	202.02	95.69	72.59	2.46						
	60 Channel Activated Per Channel			UEP9E	M1HDO	0.00	14.48									
	Channel Mileage - 2-Wire	l		İ	1			i		İ	1	1	İ	İ	İ	
	eroffice Channel Facilities Termination		1	UEP9E	M1GBC	21.13	40.54	27.41	16.74	6.90	t	1			l	1
	eroffice Channel mileage, per mile or fraction of mile	<b> </b>		UEP9E	M1GBM	0.008838	40.04	21.71	10.74	0.30	t	t				<b>†</b>
	ctivations (DS0) Centrex Loops on Channelized DS1 Service	·	-	OL: 3L	IVITODIVI	0.000030				<del>                                     </del>	<del> </del>	<del> </del>			<del>                                     </del>	<b>t</b>
	el Bank Feature Activations	, c			+						1	1			<del>                                     </del>	<del>                                     </del>
		<b>-</b>	-	LIEDOE	100140	0.50				<del>                                     </del>	1	1	-	-	<del>                                     </del>	<del>                                     </del>
rea	ature Activation on D-4 Channel Bank Centrex Loop Slot	ļ		UEP9E	1PQWS	0.56				<b>.</b>	-	1	-	-	-	-
		1									1		1		l	
	ature Activation on D-4 Channel Bank FX line Side Loop Slot	ļ		UEP9E	1PQW6	0.56					-	<b>.</b>				ļ
	ature Activation on D-4 Channel Bank FX Trunk Side Loop	1			1						1		1		l	
Slo		<u></u>		UEP9E	1PQW7	0.56				<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u></u>
Fea	ature Activation on D-4 Channel Bank Centrex Loop Slot -						•									
	ferent Wire Center	1		UEP9E	1PQWP	0.56					1		1		l	
1 12		l						i		İ	1	1	İ	İ	İ	
Fes	ature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.56										
	rature Activation on D-4 Channel Bank Tivate Line Loop Stot	<b>-</b>	<b>H</b>	J_1 JL	11 04 77 7	0.50		<del>                                     </del>		<del>                                     </del>	1	1	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
Sio		1	1	UEP9E	1PQWQ	0.56				1	1	1	1	1	1	1

JNBUNDLED	NETWORK ELEMENTS - Alabama												Attachmen	t: 2 - Exh. A		
TEGORY		Interior	76	BCS	licoc			DATES (A)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Charge - Manual Svc	Charge Manual S
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs Electronic Disc Add
						Rec		curring		g Disconnect				Rates (\$)		
_	Feature Activation on D-4 Channel Bank WATS Loop Slot		-	UEP9E	1PQWA	0.56	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	curring Charges (NRC) Associated with UNE-P Centrex			UEF9E	IPQWA	0.56				1	1	1	1		1	+
	NRC Conversion Currently Combined Switch-As-Is with allowed				_						+	1				+
	changes, per port			UEP9E	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		37.75	16.58								
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	667.21									
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	667.21									
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	72.73									
	nal Non-Recurring Charges (NRC)											ļ				
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9E	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at	1	-	UEP9E	UKEIL		8.33	0.83		-	+	<b>-</b>	-		-	+
	End Use Premise			UEP9E	URETN		11.21	1.10								
	CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)			OLI OL	OKETIV		11.21	1.10			+	1				+
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo									1	1	†	t		1	†
	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														1
	Non-Design					13.70										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design					22.19										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design					35.80										
	rt/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
	Design Control of the					16.53						ļ				
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design					25.00										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design					38.29										
	op Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1	ļ	1	UEP93	UECS1	11.55					1	1				<del>                                     </del>
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	-	3	UEP93 UEP93	UECS1 UECS1	20.04 33.65				-	<del>                                     </del>	<b>.</b>	-		-	+
	2-Wire Voice Grade Loop (SL 2) - Zone 3		1	UEP93	UECS2	14.38					-	<b> </b>				+
	2-Wire Voice Grade Loop (SL 2) - Zone 1		2	UEP93	UECS2	22.85				1	1	1	1		1	+
	2-Wire Voice Grade Loop (SL 2) - Zone 3	1	3	UEP93	UECS2	36.14					<b>+</b>	<b>†</b>				+
UNE Po			Ť	02.00	02002	00.11				1	1	†	t		1	†
	LA, MS, & TN only															
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP93	UEPYA	2.15	40.19	19.83	24.91	6.63						1
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP93	UEPYB	2.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP93	UEPYH	2.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3 Basic Local Area			UEP93	UEPYM	2.15	90.38	57.27	48.66	8.77	1	ļ				+
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800 Service Term - Basic Local Area			UEP93	UEPYZ	2.15	90.38	57.27	48.66	8.77			1		1	
	Service Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent	+	1	UEFSS	UEPTZ	∠.15	90.38	51.27	48.00	8.77	+	1	<del>                                     </del>	<del> </del>	<del>                                     </del>	+
	- Basic Local Area	1		UEP93	UEPY9	2.15	40.19	19.83	24.91	6.63			1		1	
$\dashv$	2-Wire Voice Grade Port Terminated on 800 Service Term -	<b>†</b>	<del>                                     </del>	02.00	02.10	2.10	70.19	10.00	2-1.01	3.03	<del>                                     </del>		<b>†</b>		<del>                                     </del>	+
	Basic Local Area	1	1	UEP93	UEPY2	2.15	40.19	19.83	24.91	6.63	1		I		I	
	2-Wire Voice Grade Port (Centrex )	t	t	UEP93	UEPQA	2.15	40.19	19.83	24.91	6.63			1	İ	1	1
	2-Wire Voice Grade Port (Centrex 800 termination)	İ	İ	UEP93	UEPQB	2.15	40.19	19.83	24.91	6.63						1
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	2.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3			UEP93	UEPQM	2.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800	İ	İ							, , , , ,						1
	Service Term	1	1	UEP93	UEPQZ	2.15	90.38	57.27	48.66	8.77	1	1	1	1		1

NRONDLE	D NETWORK ELEMENTS - Alabama												Attachmen	: 2 - Exh. A		
												Submitted	Incremental Charge - Manual Svc	Charge -	Incremental Charge - Manual Svc	Charge
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order v Electron Disc Ad
						B	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	2.15	40.19	19.83	24.91	6.63						İ
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	2.15	40.19	19.83	24.91	6.63						
Local S	Switching															
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.5488										
Feature	es															
	All Standard Features Offered, per port			UEP93	UEPVF	1.98										
	All Centrex Control Features Offered, per port			UEP93	UEPVC	1.98										
NARS		İ	İ								İ					
	Unbundled Network Access Register - Combination	İ	İ	UEP93	UARCX	0.00	0.00	0.00	0.00	0.00	İ					
	Unbundled Network Access Register - Indial	İ	İ	UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00	İ					
	Unbundled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00	0.00	0.00						
Miscel	laneous Terminations															
	Trunk Side															
	Trunk Side Terminations, each			UEP93	CEND6	8.05	119.31	18.74	59.90	3.76						
4-Wire	Digital (1.544 Megabits)			02.00	02.120	0.00	110.01		00.00	0.70						
7 11110	DS1 Circuit Terminations, each			UEP93	M1HD1	60.09	202.02	95.69	72.59	2.46						<del>                                     </del>
-	DS0 Channels Activated, Per Channel		<del>                                     </del>	UEP93	M1HDO	0.00	14.48	50.00	72.00	2.40						<del>                                     </del>
Interef	fice Channel Mileage - 2-Wire			OLI 33	WITTIDO	0.00	14.40									<del>                                     </del>
interor	Interoffice Channel Facilities Termination			UEP93	M1GBC	21.13	40.54	27.41	16.74	6.90						<del>                                     </del>
-	Interoffice Channel mileage, per mile or fraction of mile		1	UEP93	M1GBM	0.008838	40.54	27.41	10.74	0.90	-					├──
Footur	e Activations (DS0) Centrex Loops on Channelized DS1 Service		1	ULF 93	IVITODIVI	0.000030					-					├
	annel Bank Feature Activations	je I	-		+						-					├
D4 Cita	Feature Activation on D-4 Channel Bank Centrex Loop Slot		-	UEP93	1PQWS	0.56										-
_	realure Activation on D-4 Charmer Bank Centrex Loop Stot		-	UEP93	IFQWS	0.56										-
	Fration Astrophics on D.4 Channel Bank EV Line Cide Lang Class			UEP93	1PQW6	0.56										İ
_	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop	ļ	-	UEP93	1PQW6	0.56										<b>├</b>
				LIEDOO	40014/7	0.50										İ
_	Slot			UEP93	1PQW7	0.56										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															İ
	Different Wire Center			UEP93	1PQWP	0.56										
	L															İ
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.56										<u> </u>
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop															İ
	Slot			UEP93	1PQWQ	0.56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.56										<u> </u>
Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex	ļ	ļ	1	+											<b></b>
	NRC Conversion Currently Combined Switch-As-Is with allowed			l	l		_									1
	changes, per port			UEP93	USAC2		0.10	0.10								<b></b>
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		37.75	16.58								<b></b>
	New Centrex Standard Common Block		<u> </u>	UEP93	M1ACS	0.00	667.21									<u> </u>
	New Centrex Customized Common Block	ļ		UEP93	M1ACC	0.00	667.21				ļ					
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.73									<u> </u>
Additio	onal Non-Recurring Charges (NRC)															<u> </u>
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP93	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP93	URETN		11.21	1.10								
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD			1	1						İ					
	2 - Required Interoffice Channel Mileage	†	<b>†</b>	<b>†</b>	1	<b>-</b>					<b>†</b>					1
	- Installation is combination of Installation charge for SL2 Lo	on and D	ort	<b>†</b>	+	<b></b>					<b>-</b>					<del>                                     </del>
	Requires Specific Customer Premises Equipment	op and F	1	<del> </del>	+				<del>                                     </del>		<del>                                     </del>					-
	NOGOTIO ODECTIO OGSTOTIET FICILISES EURIDITICIT			i .												

UNBUND	DLED	NETWORK ELEMENTS - Florida						•		_	_		_	Attachmen	t: 2 - Exh. A		
CATEGOR		RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec		curring		g Disconnect				Rates (\$)		
			-	ļ				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		ne" shown in the sections for stand-alone loops or loops as			ation refers to Geog	raphically De	averaged UNE	Zones. To vie	ew Geographic	cally Deaverage	ed UNE Zone D	l Designations	by Central	Office, refer t	to internet We	bsite:	
		ww.interconnection.bellsouth.com/become_a_clec/html/inter SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	Connection	on.ntm			1		1	1		1		1	1		
NC ele ead NC car	OTE: ( ect eit ch of OTE: ( nnot II be:	1) CLEC should contact its contract negotiator if it prefers the the state specific Commission ordered rates for the servithe 9 states.  2) Any element that can be ordered electronically will be bill be ordered electronically at present per the LOH, the listed Sapplied to a CLECs bill when it submits an LSR to BellSouth.	ed accord	ng char	ges, or CLEC may ele	ect the region	gory. Please r	ering charge, efer to BellSo	however, CLE	C can not obta	in a mixture of	the two reg	product ca	LEC has a in	terconnection	. For those e	ablished in elements that
		OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
		OSS - Manual Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMAN		11.90	0.00	1.83	0.00						
		DATÉ ADVANCEMENT CHARGE															
NO	TE:	The Expedite charge will be maintained commensurate with	BellSouth	's FCC	No.1 Tariff, Section 5	as applicab	le.										
		UNE Expedite Charge per Circuit or Line Assignable USOC, per Dav			UEF, UDF, UEQ, UDL, UENTW, UDN, UEA, UHL, ULC, USL, U1T12, U1T48, U1TD1, U1T03, U1TDX, U1T03, U1TS1, U1TVX, UC1BC, UC1BL, UC1CC, UC1CL, UC1CC, UC1CL, UC1EC, UC1FL, UC1FC, UC1FL, UC1FC, UC1FL, UC1HC, UC1HL, UDL12, UDL48, UDL03, UDL54, UDL03, ULDD3, ULD03, ULDD3, ULD03, ULD03, ULD03, ULD03, ULD03, UNC0X, UNC0X, UNC0X, UNC0X, UNC0X, UNC0X, UNCDX, UNC1X,	SDASP		200.00									
	ED E	XCHANGE ACCESS LOOP			· ·												
2-V		ANALOG VOICE GRADE LOOP		<b>.</b>	LIE AND	115.1.0	10.00	10.5-	20.55			<u> </u>	1		ļ		1
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	-	2	UEANL UEANL	UEAL2 UEAL2	10.69 15.20	49.57 49.57	22.83 22.83	25.62 25.62	6.57 6.57		<del>                                     </del>			<del>                                     </del>	1
-	-	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	<del>                                     </del>	3	UEANL	UEAL2	26.97	49.57	22.83	25.62	6.57	-	<del>                                     </del>		-	<del>                                     </del>	<del>                                     </del>
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		1	UEANL	UEASL	10.69	49.57	22.83	25.62	6.57						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	15.20	49.57	22.83	25.62	6.57				İ		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User		3	UEANL	UEASL	26.97	49.57	22.83	25.62	6.57						
		Premise	<u> </u>		UEANL	URETL		8.33	0.83			<u> </u>	<u></u>				<u></u>
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		48.65	48.65								
1	Т	Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.95	23.95								

CATEGORY	RATE ELEMENTS	Interim									Svc Order	Svc Order	Incremental	Incremental	Incremental	T
	RATE ELEMENTS	Interim										Submitted	Charge -	Charge -	Charge -	Charge -
			Zone	BCS	USOC			RATES (\$)			Elec per LSR	Manually per LSR		Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-	
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
			i i			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-SL1)			UEANL	UREWO		15.78	8.94								
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
	providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.49									ļ
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		9.00	9.00								ļ
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL		23.02									
2-WI	RE Unbundled COPPER LOOP			OLANE	OCCOL		25.02									<del>                                     </del>
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	7.69	44.98	20.90	24.88	6.45						<b>†</b>
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	10.92	44.98	20.90	24.88	6.45						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	19.38	44.98	20.90	24.88	6.45						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEQ	URETL		8.33	0.83								
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)			UEQ	USBMC		9.00									
	Unbundled Copper Loop, Non-Design Cooper Loop, billing for															
	BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.49	40.05								ļ
$\longrightarrow$	Loop Testing - Basic 1st Half Hour  Loop Testing - Basic Additional Half Hour	1		UEQ UEQ	URET1 URETA		48.65 23.95	48.65 23.95								<del> </del>
	CLEC to CLEC Conversion Charge Without Outside Dispatch															
INDINDI EI	(UCL-ND)			UEQ	UREWO		14.27	7.43								-
	D EXCHANGE ACCESS LOOP RE ANALOG VOICE GRADE LOOP	1														-
2-9911	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	1														1
	Zone 1  2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		1	UEPSR UEPSB	UEALS	10.69	49.57	22.83	25.62	6.57						
	Zone 1		1	UEPSR UEPSB	UEABS	10.69	49.57	22.83	25.62	6.57						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEALS	15.20	49.57	22.83	25.62	6.57						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-			LIEDOD LIEDOD	LIEADO	45.00	40.57	00.00	05.00	0.57						
	Zone 2  2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		2	UEPSR UEPSB	UEABS	15.20	49.57	22.83	25.62	6.57						
	Zone 3  2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		3	UEPSR UEPSB	UEALS	26.97	49.57	22.83	25.62	6.57						
	Zone 3		3	UEPSR UEPSB	UEABS	26.97	49.57	22.83	25.62	6.57						
UNBUNDLE	D EXCHANGE ACCESS LOOP															
2-WI	RE ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA	UEAL2	12.24	135.75	82.47	63.53	12.01						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	17.40	135.75	82.47	63.53	12.01						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	30.87	135.75	82.47	63.53	12.01						
$\longrightarrow$	Order Coordination for Specified Conversion Time (per LSR)	1		UEA	OCOSL		23.02									<del> </del>
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	12.24	135.75	82.47	63.53	12.01						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	17.40	135.75	82.47	63.53	12.01						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	30.87	135.75	82.47	63.53	12.01						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.02									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.71	36.35								
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.21	1.10								
4-WII	RE ANALOG VOICE GRADE LOOP	1	$\vdash$	LIE*		40.00			07.5							
$-\!\!\!\!-\!\!\!\!\!-$	4-Wire Analog Voice Grade Loop - Zone 1	1	1	UEA UEA	UEAL4 UEAL4	18.89	167.86	115.15	67.08	15.56	-					<del>                                     </del>
-+	4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 3	1	3	UEA	UEAL4 UEAL4	26.84 47.62	167.86 167.86	115.15 115.15	67.08 67.08	15.56 15.56				-	<b> </b>	<del>                                     </del>
+-	Order Coordination for Specified Conversion Time (per LSR)	<b>†</b>	3	UEA	OCOSL	41.02	23.02	115.15	67.08	10.00						<del>                                     </del>
	CLEC to CLEC Conversion Charge without outside dispatch	<b>†</b>		UEA	UREWO		87.71	36.35								<del>                                     </del>

ATEGORY RATE ELEMENTS Interim Zone BCS USOC RATES (\$)  Svc Order Submitted Submitted Submitted Elec Manually per LSR Per LSR Per LSR Per LSR Electronic- Electroni	UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachmen	t: 2 - Exh. A		
April   SECO   DOTTO, GRADE COOP   Control	CATEGORY		Interim	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge -
April   SECO   DOTTO, GRADE COOP   Control			1					Nonred	rurring	Nonrecurring	Disconnect	ł		OSS	Rates (\$)		
Symmetric Configuration (Configuration of Configuration of Configuration of Configuration of Configuration of Configuration (Configuration of Configuration o							Rec					SOMEC	SOMAN			SOMAN	SOMAN
2-WW-SEN Diguid Conduct Control Cont	2-WIR	E ISDN DIGITAL GRADE LOOP				1		11130	Addi	11130	Addi	COMILO	COMPAR	COMPAN	COMPAR	COMPAR	COMPAR
2-Win ISSN Digital Credit Log - 20x02   2 UPN UTLX				1	UDN	U1L2X	19.28	147.69	94.41	62.23	10.71	İ					
SWW ESTA Grant Control Log 2 Zon 3				2								İ					
Costs   Coordination of Stigueties Convenient Time (set 185)   URN   Cocost			1	3	UDN				94.41			t					
Clif. Clif. C. C.C. C. Conversion Change without causes degree   URS					UDN	OCOSL		23.02									
2-Wise Unbanded ADS. Long Including Invalual Service Includes     U.N.			Î	i i	UDN	UREWO		91.61	44.15								
A finelity resourcedor. Zone 1   1   UAL   UALZX   8.30   1406.55   1703.85   75.05   15.63	2-WIR		PATIBLE L	OOP													
2 Wise Unbursted ASS Licos including manual service requiry   2		2 Wire Unbundled ADSL Loop including manual service inquiry															
Statility reservation - Zone 2				1	UAL	UAL2X	8.30	149.53	103.85	75.05	15.63						
With Childrander ADEL Loss including manual service requiry   3 UAL																	
S facility reservation - Zone 3 Orther Conditation for Specified Convention Trine (per LSR) 2 Whe Unbrundled ADS. Locy without manual service inquiry 8 1 UAL				2	UAL	UAL2X	11.80	149.53	103.85	75.05	15.63						
Other Coordination for Specified Convention Tring (per LSR)																	
2 Wire Unbunded ASK, Loop without manual service inquiry & 1				3			20.94		103.85	75.05	15.63						
Scality reservation - Zone 1					UAL	OCOSL		23.02									
2 \( Viec Unburded ADSL Loop without manual service inquiry \( \)   2																	
Society reservation - Zone 2   2   UAL   UALZW   11.80   124.83   71.12   60.64   9.12				1	UAL	UAL2W	8.30	124.83	71.12	60.64	9.12						
2 Vivo Unbundido ADSL Loop without manual service inquiry & service received - 2 core 0 contribution for Specified Conversion Time (per LSR)				_													
Solity reservation - Zone 1				2	UAL	UAL2W	11.80	124.83	71.12	60.64	9.12						<u> </u>
Octob   Confidentiation for Specified Conversion Time (per LSR)   UAL   UREWO   86.19   40.39																	
CLEC to CLEC Conversion Charge without outside dispatch   UAL UREWO   86.19   40.39				3			20.94		71.12	60.64	9.12						
2-Wire High Bit FAIT E IoriTAL SUBSCRIBER LINE (HOSL) COMPATIBLE LOOP   2 Wire Unbundled HDSL, Cope including manual service inquiry   1 UHL																	
2 Wire Unbundled HOSL Loop including manual service inquiry   1			L		UAL	UREWO		86.19	40.39								
& facility reservation - Zone 1         1         UHL         UHL         UHLX         7.22         159.09         113.41         75.05         15.63           2 Wire Unbundled HDSL Loop including manual service inquiry         2         UHL         UHLX         159.09         113.41         75.05         15.63           2 Wire Unbundled HDSL Loop including manual service inquiry         3         UHL         UHLX         159.09         113.41         75.05         15.63           Christ Coordination to Foseidad Conversion Time (per LSR)         UHL         UHLX         16.21         158.09         113.41         75.05         15.63           Christ Coordination to Foseidad Conversion Time (per LSR)         UHL         UHLX         23.02         10.00         15.63         10.00           2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2         1         UHL         UHLWW         7.22         134.40         80.09         60.64         9.12           2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2         3         UHL         UHLWW         18.21         134.40         80.09         60.64         9.12           Christ Coordination To Seeigled Conversion Time (per LSR)         UHL         UHLWW         18.21         134.40	2-WIR		ATIBLE LO	OOP													
2 Wire Unbunded HDSL Loop including manual service inquiry 8 facility reservation - Zone 2 2 Wire Unbunded HDSL Loop including manual service inquiry 8 facility reservation - Zone 3 3 UHL UHL2X 18.21 159.09 113.41 75.05 15.63  Driser Coordination for Specified Conversion Time (per LSR) UHL OCOSL 2 Wire Unbunded HDSL Loop without manual service inquiry and facility reservation - Zone 3 4 UHL UHL2W 10.26 134.40 80.69 60.64 9.12  Wire Unbunded HDSL Loop without manual service inquiry and facility reservation - Zone 2 2 Wire Unbunded HDSL Loop without manual service inquiry and facility reservation - Zone 2 3 UHL UHL2W 10.26 134.40 80.69 60.64 9.12  Wire Unbunded HDSL Loop without manual service inquiry and facility reservation - Zone 2 3 UHL UHL2W 10.26 134.40 80.69 60.64 9.12  Wire Unbunded HDSL Loop without manual service inquiry and facility reservation - Zone 3 3 UHL UHL2W 18.21 134.40 80.69 60.64 9.12  Order Coordination for Specified Conversion Time (per LSR) UHL UHL2W 18.21 134.40 80.69 60.64 9.12  Wire Unbunded HDSL Loop mituding in general service inquiry and facility reservation - Zone 3 4 UHL URL2W 18.21 134.40 80.69 60.64 9.12  Wire Unbunded HDSL Loop mituding manual service inquiry and facility reservation - Zone 3 4 Wire Unbunded HDSL Loop including manual service inquiry and facility reservation - Zone 3 4 Wire Unbunded HDSL Loop including manual service inquiry and facility reservation - Zone 3 4 Wire Unbunded HDSL Loop including manual service inquiry and facility reservation - Zone 3 4 Wire Unbunded HDSL Loop including manual service inquiry and facility reservation - Zone 3 4 UHL UHL4X 10.86 193.31 138.98 77.15 12.61  UHL UHL4X 10.86 193.31 138.98 77.15 12.61  UHL UHL4X 10.86 193.31 138.98 77.15 12.61  UHL UHL4X 10.86 193.31 138.98 77.15 12.61  UHL UHL4W 10.86 186.62 115.47 62.74 11.22  UHL UHL4W 10.86 186.62 115.47 62.74 11.22  UHL UHL4W 10.86 186.62 115.47 62.74 11.22  UHL UHL4W 10.86 186.62 115.47 62.74 11.22  UHL UHL4W 10.86 186.62 115.47 62.74 11.22  UHL UHL4W 10.86 186.62 115.47 62.74 11.2																	
\$ facility reservation - Zone 2				1	UHL	UHL2X	7.22	159.09	113.41	75.05	15.63						
2 Wire Unbundled HDSL Loop including manual service inquiry 8 I lacility reservation - Zone 3  UHL UHLZX 18.21 159.09 113.41 75.05 15.63  Order Coordination for Specified Conversion Time (per LSR)  UHL UHLZW 7.22 134.40 80.69 60.64 9.12  2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2  2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2  2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2  3 UHL UHLZW 10.26 134.40 80.69 60.64 9.12  Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3  3 UHL UHLZW 18.21 134.40 80.69 60.64 9.12  Order Coordination for Specified Conversion Time (per LSR) UHL OCOSL UREWO 88.12 40.39 60.64 9.12  Wire Unbundled HDSL Loop without outside dispatch URL UREWO 88.12 40.39 12  Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1  4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1  4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1  4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1  4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2  UHL UHL4X 15.44 193.31 138.98 77.15 12.61  4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2  UHL UHL4X 15.44 193.31 138.99 77.15 12.61  Order Coordination for Specified Conversion Time (per LSR)  UHL UHL4X 15.44 193.31 138.99 77.15 12.61  UHL UHL4X 15.44 193.31 138.99 77.15 12.61  UHL UHL4X 15.44 193.31 138.99 77.15 12.61  UHL UHL4X 15.44 193.31 138.99 77.15 12.61  UHL UHL4X 15.44 193.31 138.99 77.15 12.61  UHL UHL4X 15.44 193.31 138.99 77.15 12.61  UHL UHL4X 15.44 193.31 138.99 77.15 12.61  UHL UHL4X 15.44 193.31 138.99 77.15 12.61  UHL UHL4X 15.44 193.31 138.99 77.15 12.61  UHL UHL4X 15.44 193.31 138.99 77.15 12.61  UHL UHL4X 15.44 193.31 138.99 77.				_													ĺ
& facility reservation - Zone 3         3         UHL         UHLX         15.09         113.41         75.05         15.63           Order Coordination for Specified Conversion Time (per LSR)         UHL         COSSL         23.02				2	UHL	UHL2X	10.26	159.09	113.41	75.05	15.63						<b></b>
Order Coordination for Specified Conversion Time (per LSR)							40.04	450.00	440.44	75.05	45.00						
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1 UHL UHLZW 7.22 134.40 80.69 60.64 9.12 134.00 80.69 60.64 9.12 134.00 80.69 60.64 9.12 134.00 80.69 60.64 9.12 134.00 80.69 60.64 9.12 134.00 80.69 60.64 9.12 136.00 80.60				3			18.21		113.41	75.05	15.63						<b></b>
and facility reservation - Zone 1					UHL	OCOSL		23.02				1					<b>!</b>
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2						1 11 11 0147	7.00	101.10	00.00	00.04	0.40						ĺ
and facility reservation - Zone 2			1	1	UHL	UHL2W	7.22	134.40	80.69	60.64	9.12	<b> </b>		-			<del></del>
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2   3   UHL   UHLAW   18.21   134.40   80.69   60.64   9.12   9.				_		1 11 11 014/	40.00	101.10	00.00	00.04	0.40						
and facility reservation - Zone 3					UHL	UHLZVV	10.26	134.40	80.69	60.64	9.12	-					<del></del>
Order Coordination for Specified Conversion Time (per LSR)				_		11111 0147	40.04	101.10	00.00	00.04	0.40						ĺ
CLEC to CLEC Conversion Charge without outside dispatch   UHL   UREWO   86.12   40.39			_	3			18.21		80.69	60.64	9.12	<b> </b>	-				<del> </del>
A-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP	-		1						40.20			1	1				<del>                                     </del>
4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1   1   UHL   UHL4X   10.86   193.31   138.98   77.15   12.61	4-WID		ATIDLE L	OP	UNL	UKEWU		00.12	40.39			<b> </b>	-				<del> </del>
and facility reservation - Zone 1	4-4411		TIBLE EC	T		+						1	1				<del>                                     </del>
A-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2				1	HHI	TIHLAY	10.86	103 31	138 08	77 15	12.61						
and facility reservation - Zone 2			<u> </u>	<u> </u>	OTIL	OFILTA	10.00	190.01	130.30	77.13	12.01	<b>†</b>	<b>-</b>				<del> </del>
4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3				2	UHI	LIHLAX	15 44	193 31	138 98	77 15	12 61						
Author   Continuation   Continuati					OTIL	OTILHA	10.44	100.01	100.00	77.10	12.01	<b>†</b>					-
Order Coordination for Specified Conversion Time (per LSR)				3	UHI	LIHLAX	27 39	193 31	138 98	77 15	12 61						
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1				Ŭ			27.00		100.00	77.10	12.01	1	1				1
Additive the properties of t					OTIL	00002		20.02				1	1				1
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2				1	UHI	UHI 4W	10.86	168 62	115 47	62 74	11 22						ĺ
Additive the control of the contro												i e					
4-Wire DS1 Digital Loop - Zone 2   2   USLX   USLXX   178.39   181.48   61.22   13.53   181.48			1	2	UHL	UHL4W	15.44	168.62	115.47	62.74	11.22						1
and facility reservation - Zone 3   3			<u> </u>	1										İ	İ		
Order Coordination for Specified Conversion Time (per LSR)			1	3	UHL	UHL4W	27.39	168.62	115.47	62.74	11.22	1					1
CLEC to CLEC Conversion Charge without outside dispatch			1									1		İ	İ		
4-WIRE DS1 DIGITAL LOOP         1         USL         USLXX         70.74         313.75         181.48         61.22         13.53			<u> </u>						40.39					İ	İ		
4-Wire DS1 Digital Loop - Zone 1     1     USL     USLXX     70.74     313.75     181.48     61.22     13.53       4-Wire DS1 Digital Loop - Zone 2     2     USL     USLXX     100.54     313.75     181.48     61.22     13.53       4-Wire DS1 Digital Loop - Zone 3     3     USL     USLXX     178.39     313.75     181.48     61.22     13.53	4-WIR																
4-Wire DS1 Digital Loop - Zone 2 2 USL USLXX 100.54 313.75 181.48 61.22 13.53 4-Wire DS1 Digital Loop - Zone 3 3 USL USLXX 178.39 313.75 181.48 61.22 13.53				1	USL	USLXX	70.74	313.75	181.48	61.22	13.53	1		ĺ	ĺ		
4-Wire DS1 Digital Loop - Zone 3 3 USL USLXX 178.39 313.75 181.48 61.22 13.53	İ			2								İ		1	1		
	i			3		USLXX		313.75	181.48	61.22	13.53						
	İ														İ		

CATEGO																	
4	RY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -
4														1st	Add'l	Disc 1st	Disc Add'l
4-							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	•	
4-							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-		CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.07	43.04								
		19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
		4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	22.20	161.56	108.85	67.08	15.56						
		4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital 19.2 Kbps		3	UDL UDL	UDL19 UDL19	31.56 55.99	161.56 161.56	108.85 108.85	67.08 67.08	15.56 15.56						<u> </u>
-		4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	22.20	161.56	108.85	67.08	15.56						<del>                                     </del>
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	31.56	161.56	108.85	67.08	15.56						1
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	55.99	161.56	108.85	67.08	15.56						1
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.02									
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	22.20	161.56	108.85	67.08	15.56						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	31.56	161.56	108.85	67.08	15.56						
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	55.99	161.56	108.85	67.08	15.56						
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.02									ļ
		CLEC to CLEC Conversion Charge without outside dispatch		$\vdash$	UDL	UREWO		102.11	49.74								<b>↓</b>
2.		Unbundled COPPER LOOP															
		2-Wire Unbundled Copper Loop-Designed including manual			UCL	UCLPB	8.30	148.50	102.82	75.05	15.63						
		service inquiry & facility reservation - Zone 1 2-Wire Unbundled Copper Loop-Designed including manual		1	UCL	UCLPB	8.30	148.50	102.82	75.05	15.63	-					<del> </del>
		service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.80	148.50	102.82	75.05	15.63						
-		2 Wire Unbundled Copper Loop-Designed including manual			OOL	OCLID	11.00	140.50	102.02	75.05	15.05						
		service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	20.94	148.50	102.82	75.05	15.63						
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
		2-Wire Unbundled Copper Loop-Designed without manual															
		service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	8.30	123.81	70.09	60.64	9.12						
		2-Wire Unbundled Copper Loop-Designed without manual															
		service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.80	123.81	70.09	60.64	9.12						ļ
		2-Wire Unbundled Copper Loop-Designed without manual							=								
		service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	20.94	123.81 9.00	70.09 9.00	60.64	9.12						
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLIVIC		9.00	9.00								<u> </u>
		CLEC to CLEC Conversion Charge without outside dispatch (UCL -Des)			UCL	UREWO		97.21	42.47								
4.	-WIRE	COPPER LOOP			UCL	UKLVVO		31.21	42.47								
		4-Wire Copper Loop-Designed including manual service inquiry															1
		and facility reservation - Zone 1		1	UCL	UCL4S	11.83	177.87	132.76	77.15	17.73						
		4-Wire Copper Loop-Designed including manual service inquiry															
		and facility reservation - Zone 2		2	UCL	UCL4S	16.81	177.87	132.76	77.15	17.73						
		4-Wire Copper Loop-Designed including manual service inquiry															
		and facility reservation - Zone 3		3	UCL	UCL4S	29.82	177.87	132.76	77.15	17.73						
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	ľ	4-Wire Copper Loop-Designed without manual service inquiry		1	UCL	UCL4W	11.83	153.18	400.00	62.74	11.22						
		and facility reservation - Zone 1  4-Wire Copper Loop-Designed without manual service inquiry		1	UCL	UCL4W	11.83	153.18	100.03	62.74	11.22	-					
		and facility reservation - Zone 2		2	UCL	UCL4W	16.81	153.18	100.03	62.74	11.22						
		4-Wire Copper Loop-Designed without manual service inquiry			OOL	OOL4W	10.01	155.10	100.03	02.74	11.22						+
		and facility reservation - Zone 3		3	UCL	UCL4W	29.82	153.18	100.03	62.74	11.22						
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
		CLEC to CLEC Conversion Charge without outside dispatch			UCL	UREWO		97.21	42.47								
LOOP MO	ODIFIC	ATION															
					UAL, UHL, UCL,												
					UEQ, ULS, UEA,												
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire	1		UEANL, UEPSR,			0.00	0.00								
		pair less than or equal to 18k ft, per Unbundled Loop		$\vdash$	UEPSB	ULM2L		0.00	0.00			-					+
		Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		0.00	0.00								
		ress than or equal to fortit, per oribunitied Loop		$\vdash$	UAL, UHL, UCL,	ULIVIAL		0.00	0.00							-	+
					UEQ, ULS, UEA,												
		Unbundled Loop Modification Removal of Bridged Tap Removal,			UEANL, UEPSR,												
		per unbundled loop			UEPSB	ULMBT		10.52	10.52								
SUB-LOC	PS																

UNBUNDI	LED NETWORK ELEMENTS - Florida												Attachment	: 2 - Exh. A		
CATEGORY		Interim	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
<b>—</b>		1	<u> </u>			Rec	First	curring Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
Sub	-Loop Distribution	1	1				11131	Auu	11131	Addi	JONIEC	JOINAIN	JONIAN	JOWAN	JONIAN	JOHAN
1	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-	1	1								İ					1
	Up	1		UEANL	USBSA		487.23									
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder	I		UEANL	USBSB		6.25									
	Facility Set-Up			UEANL	USBSC		169.25									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel		<u> </u>	02/11/2	00200		100.20					i e				+
	Set-Up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	I		UEANL	USBSD		38.65									
	Zone 1		1	UEANL	USBN2	6.46	60.19	21.78	47.50	5.26						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN2	9.18	60.19	21.78	47.50	5.26						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN2	16.29	60.19	21.78	47.50	5.26						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pai	,		UEANL	USBMC		9.00	9.00								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	7.37	68.83	30.42	49.71	6.60						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		Ė													
	Zone 2 Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		2	UEANL	USBN4	10.47	68.83	30.42	49.71	6.60						1
	Zone 3		3	UEANL	USBN4	18.58	68.83	30.42	49.71	6.60						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pai	r		UEANL	USBMC		9.00	9.00								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR2	3.96	51.84	13.44	47.50	5.26						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pai	r		UEANL	USBMC		9.00	9.00								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR4	9.37	55.91	17.51	49.71	6.60						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pai	-		UEANL	USBMC		9.00	9.00								
	Loop Testing - Basic 1st Half Hour		<u> </u>	UEANL	URET1		48.65	48.65				i e				<b>†</b>
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.95	23.95				1				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	5.15	60.19	21.78	47.50	5.26						1
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X	7.31	60.19	21.78	47.50	5.26						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	- 1	3	UEF	UCS2X	12.98	60.19	21.78	47.50	5.26						1
	Order Coordination for Unbundled Sub-Loops, per sub-loop pai			UEF	USBMC		9.00	9.00								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS4X	5.36	68.83	30.42	49.71	6.60		1	1			+
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	<del>i i</del>	2	UEF	UCS4X	7.61	68.83	30.42	49.71	6.60	<b>†</b>					+
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	<del>i</del>	3	UEF	UCS4X	13.51	68.83	30.42	49.71	6.60			1			$\vdash$
	Order Coordination for Unbundled Sub-Loops, per sub-loop pai	1	ļ	UEF	USBMC		9.00	9.00			ļ	ļ	ļ			ļ
$\vdash$	Loop Testing - Basic 1st Half Hour	-	1	UEF	URET1		48.65	48.65				1	-	ļ		+
linh	Loop Testing - Basic Additional Half Hour undled Network Terminating Wire (UNTW)	+	-	UEF	URETA		23.95	23.95			-	1	<del>                                     </del>			+
Unio	Unbundled Network Terminating Wire (UNTW) per Pair	1		UENTW	UENPP	0.4572	18.02									<del>                                     </del>
Netv	work Interface Device (NID)															
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		71.49	48.87								
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		113.89	89.07					ļ			
	Network Interface Device Cross Connect - 2 W	1	<u> </u>	UENTW	UNDC2		7.63	7.63			<u> </u>	<u> </u>		ļ		
LINE OTHER	Network Interface Device Cross Connect - 4W R, PROVISIONING ONLY - NO RATE	1	<del>                                     </del>	UENTW	UNDC4		7.63	7.63			1	1	1			
ONE OTHER	NID - Dispatch and Service Order for NID installation	1	1	UENTW	UNDBX	0.00	0.00				-		<b>-</b>		-	+
$\vdash$	UNTW Circuit Id Establishment, Provisioning Only - No Rate	+	<del>                                     </del>	UENTW	UENCE	0.00	0.00		1	1	1	1	<del>                                     </del>	<del> </del>		+
		t -		UEANL,UEF,UEQ,U							1					1
LINE OTHER	Unbundled Contract Name, Provisioning Only - No Rate	1	ļ	ENTW	UNECN	0.00	0.00									1
UNE OTHER	R, PROVISIONING ONLY - NO RATE								l	l	1	L	1	<u> </u>		1

UNBU	INDLE	D NETWORK ELEMENTS - Florida												Attachment	: 2 - Exh. A		
CATEG		RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
-	-			-			Rec	Nonred First	urring Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
		Unbundled Contact Name, Provisioning Only - no rate Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			UAL,UCL,UDC,UDL, UDN,UEA,UHL,USL	UNECN	0.00	0.00	Addi	First	Addi	SOMEC	SOMAN	SUMAN	SOMAN	SUMAN	SOMAN
		rate Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate			UEA,UDN,UCL,UDC UEA,USL,UCL,UDL	USBFQ USBFR	0.00	0.00									
		Unbundled DS1 Loop - Superframe Format Option - no rate Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	CCOSF	0.00	0.00									
HIGH C	APACI	Try UNBUNDLED LOCAL LOOP High Capacity Unbundled Local Loop - DS3 - Per Mile per			UE3	1L5ND	10.92	0.00									
		High Capacity Unbundled Local Loop - DS3 - Facility Termination per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per			UE3	UE3PX	386.88	639.8255	394.4615	159.9995	111.366						
		month High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	1L5ND UDLS1	10.92 426.60	639.8255	394.4615	159.9995	111.366						
LOOP	MAKE-L				UMK	UMKLW		52.17	52.17								
		Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).  Loop Makeup-With or Without Reservation, per working or			UMK	UMKLP		55.07	55.07								
LINE S	PLITTI	spare facility queried (Mechanized)			UMK	UMKMQ		0.6784	0.6784								
		SER ORDERING-CENTRAL OFFICE BASED  Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB UEPSR UEPSB	UREOS UREBP	0.61 0.61	29.68	21,28	19.57	9.61						
MAINT		Line Splitting - per line activation BST owned - physical Line Splitting - per line activation BST owned - virtual E OF SERVICE The Expedite charge will be maintained commensurate with	B-110		UEPSR UEPSB	UREBV	1.134	29.68	21.28	19.57	9.61						
	NOTE:	No Trouble Found - per 1/2 hour increments - Basic No Trouble Found - per 1/2 hour increments - Overtime	BellSoutr	r's FCC	No.1 Tariff, Section 1	13.3.1 as app	licable.	80.00 90.00	55.00 65.00								
UNBUN		No Trouble Found - per 1/2 hour increments - Premium DEDICATED TRANSPORT OFFICE CHANNEL - DEDICATED TRANSPORT						100.00	75.00								
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			U1TVX	1L5XX	0.0091										
		Facility Termination Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month			U1TVX U1TVX	U1TV2 1L5XX	25.32 0.0091	47.35	31.78	18.31	7.03						
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat. Facility Termination Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade			U1TVX	U1TR2	25.32	47.35	31.78	18.31	7.03						
		Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination			U1TVX U1TVX	1L5XX U1TV4	0.0091 22.58	47.35	31.78	18.31	7.03						
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility			U1TDX	1L5XX	0.0091										
		Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX U1TDX	U1TD5 1L5XX	18.44 0.0091	47.35	31.78	18.31	7.03						
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TDX	U1TD6	18.44	47.35	31.78	18.31	7.03						

UNBUNDLE	NETWORK ELEMENTS - Florida												Attachment	: 2 - Exh. A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Order vs. Electronic-	Charge - Manual Sv Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add'l
			-			Rec	Nonrec First	urring Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per						1 1131	Auu	11130	Addi	COMEC	COMPAR	COMPAN	COMPAR	COMPAR	COMPAR
	month			U1TD1	1L5XX	0.1856										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination			U1TD1	U1TF1	88.44	105.54	98.47	21.47	19.05						
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	1		OTIDI	01111	00.44	105.54	90.47	21.47	19.03						
	month			U1TD3	1L5XX	3.87										
	Interoffice Channel - Dedicated Transport - DS3 - Facility							0.10.00	=====	=						
	Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per		1	U1TD3	U1TF3	1,071.00	335.46	219.28	72.03	70.56						
	month			U1TS1	1L5XX	3.87										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility															
	Termination			U1TS1	U1TFS	1,056.00	335.46	219.28	72.03	70.56						
DARK FIBER	Dark Fiber. Four Fiber Strands. Per Route Mile or Fraction		1													
	Thereof per month - Local Channel			UDF, UDFCX	1L5DC	53.87										
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	1		ODI, ODI OX	ILODO	00.07										
	Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	26.85										
	NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14		751.34	193.88	356.21	230.11						
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			LIBE LIBEAU		====										
OVV ACCESS	Thereof per month - Local Loop EN DIGIT SCREENING	-	-	UDF, UDFCX	1L5DL	53.87										-
OAA ACCESS	8XX Access Ten Digit Screening, Per Call					0.0006252										-
	over tooses for pign corestning, for ear					0.0000202										1
	8XX Access Ten Digit Screening, w/ 8FL No. Delivery, per query					0.0006252										
	8XX Access Ten Digit Screening, w/ POTS No. Delivery, per															
LINE INFORM	query TION DATA BASE ACCESS (LIDB)	-	-			0.0006252										+
LINE INFORMA	LIDB Common Transport Per Query					0.0000203										-
	LIDB Validation Per Query					0.0136959										
ĺ	LIDB Originating Point Code Establishment or Change			OQU	NRBPX		55.13	55.13	55.13	55.13						
CALLING NAM	E (CNAM) SERVICE					2 22 4 22 4										
	CNAM for DB Owners, Per Query CNAM for Non DB Owners, Per Query		1			0.001024 0.001024										-
LNP Query Ser						0.001024										<del> </del>
	LNP Charge Per query					0.000852										
	LNP Service Establishment Manual						13.83	13.83	12.71	12.71						
OF LEGITIVE D	LNP Service Provisioning with Point Code Establishment						655.50	334.88	297.03	218.40						
SELECTIVE RO	Selective Routing Per Unique Line Class Code Per Request Per	-	-													-
	Switch						93.55	93.55	12.71	12.71						
VIRTUAL COL																
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line															
DIDYOLO AL OO	Splitting	ļ		UEPSR UEPSB	VE1LS	0.0502	11.57	11.57	0.00	0.00						ļ
PHYSICAL CO	Physical Collocation-2 Wire Cross Connects (Loop) for Line	<b> </b>	-													<b>-</b>
	Splitting			UEPSR UEPSB	PE1LS	0.0276	8.22	7.22	5.74	4.58						
AIN SELECTIV	E CARRIER ROUTING															
	Regional Service Establishment						193,444.00		7,737.00							
	End Office Establishment	<b> </b>	1		-	0.0031868	187.36	187.36	0.69	0.69	<b> </b>	ļ				<del> </del>
AIN - BELLSO	Query NRC, per query JTH AIN SMS ACCESS SERVICE	<del>                                     </del>				0.0031868						<u> </u>				
T DELEGO	AIN SMS Access Service - Service Establishment, Per State,	<u> </u>	t								<u> </u>					
	Initial Setup			A1N	CAMSE		43.56	43.56	44.93	44.93	ļ					
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		8.64	8.64	10.03	10.03						
	AIN SMS Access Service - Port Connection - ISDN Access	1	<u> </u>	A1N	CAM1P		8.64	8.64	10.03	10.03						
	AIN SMS Access Service - User Identification Codes - Per User	İ	İ							2.00						
	ID Code			A1N	CAMAU		38.66	38.66	29.88	29.88						

JNBU	NDLE	D NETWORK ELEMENTS - Florida												Attachment	: 2 - Exh. A		-
CATEG		RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge -		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs.
							D	Nonre	curring	Nonrecurring	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		AIN SMS Access Service - Security Card, Per User ID Code,															1
		Initial or Replacement			A1N	CAMRC		75.10	75.10	12.93	12.93						
		AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0028										
		AIN SMS Access Service - Session, Per Minute					0.7809										
		AIN SMS Access Service - Company Performed Session, Per					0.4000										
- NILIAN	ICED EV	Minute (TENDED LINK (EELs)		-			0.4609						-				-
INHAIN		THE MONTHLY RECURRING AND NON-RECURRING CHARGES BELOW WILL	annly and	the Su	/itch-∆s-Is Charge w	ill not annly	for LINE combi	nations provis	ioned as ' Ord	inarily Combin	ed' Network El	omonte	1				
		The monthly recurring and the Switch-As-Is Charge and not															<del>                                     </del>
		VOICE GRADE LOOP FOR USE IN A COMBINATION				1		o p. o v. o. o o u				ï – –	1				<del>                                     </del>
		2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81	1					
		2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						
		2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81						
		Voice Grade COCI - Per Month			UNCVX	1D1VG	1.38	10.07	7.08								
	4-WIRE	VOICE GRADE LOOP FOR USE IN A COMBINATION															
	ļ	4-Wire Analog Voice Grade Loop in Combination - Zone 1	ļ	1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						<del>                                     </del>
		4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						
		4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						ļ
	4 WIDE	Voice Grade COCI in combination - per month			UNCVX	1D1VG	1.38	10.07	7.08								
	4-WIRE	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	1	1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81		-				<del> </del>
		4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						<del>                                     </del>
		4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	1	3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						<del>                                     </del>
		OCU-DP COCI (data) per month (2.4-64kbs)		Ť	UNCDX	1D1DD	2.10	10.07	7.08								
	4-WIRE	64 KBPS DIGITAL LOOP FOR USE IN A COMBINATI\ON					_										
		4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						1
		4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
		4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
		OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	7.08								
	2-WIRE	ISDN LOOP FOR USE IN COMBINATION															
		2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81						
		2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81						
		2-Wire ISDN Loop in Combination - Zone 3 2-wire ISDN COCI (BRITE) - in combination - per month	ļ	3	UNCNX UNCNX	U1L2X UC1CA	48.62 3.66	127.59 10.07	60.60 7.08	42.79	2.81						
	4-WIRE	DS1 DIGITAL LOOP FOR USE IN A COMBINATION	1	-	UNCINA	UCTCA	3.00	10.07	7.06				-				<del></del>
	4-4411VE	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						<del>                                     </del>
		4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45		1				1
		4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
		DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08								
	2 WIRE	VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A C	OMBINAT	ION													Ĭ
		Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.0091										
		Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV2	25.32	94.70	52.59	50.49	21.53						
	4 WIRE	VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A C	OMBINAT	ION													<u> </u>
		Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.0091										
		Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV4	22.58	94.70	52.59	50.49	21.53						
	DS1 IN	TEROFFICE TRANSPORT FOR COMBINATION															
		Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.1856										
		Termination per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	DS3 IN	TEROFFICE TRANSPORT FOR USE IN A COMBINATION	1	<del>                                     </del>	014017	01111	00.44	174.40	122.40	40.01	17.95	<b> </b>	<del>                                     </del>	1			<del>                                     </del>
	200114	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	3.87										
		Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	1,071.00	335,46	219.28	72.03	70.56						

INBUNDLED	NETWORK ELEMENTS - Florida												Attachment	: 2 - Exh. A		
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		Name	RATES (\$)	Name	· Diagonat		Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		-	-			Rec	Nonred First	Add'l	Nonrecurring		COMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
STS-1 IN	ITEROFFICE TRANSPORT FOR USE IN COMBINATION	1	-		_		FIRST	Addi	First	Add'l	SOMEC	SOWAN	SUMAN	SOMAN	SUMAN	SUMAN
	nteroffice Transport - Dedicated - STS-1 combination - Per Mile				+											+
	Per Month			UNCSX	1L5XX	3.87										
	nteroffice Transport - Dedicated - STS-1 combination - Facility					0.01										
-	Termination per month			UNCSX	U1TFS	1,056.00	314.45	130.88	38.60	18.23						
	56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN	NSPORT														
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
	4-wire 56 kbps Local Loop in combination - Zone 3	1	3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNCDX	1L5XX	0.0091										
	nteroffice Transport - Dedicated - 4-wire 56 kbps combination -	<del>                                     </del>	<del>                                     </del>	OINODA	ILUAA	0.0091							1	1		<del>                                     </del>
	Facility Termination per month			UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53						
	64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE TR	ANSPO													<u> </u>
4	4-wire 64 kbps Lcoal Loop in Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
4	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
	nteroffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Per Mile per month			UNCDX	1L5XX	0.0091										ļ
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			LINCDY	LIATEC	40.44	94.70	50.50	50.40	04.50						
	Facility Termination per month 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	ETDANG	DODT	UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53						<del> </del>
	4-wire 56 kbps Local Loop in combination - Zone 1	LIKANS	1 1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						<del>                                     </del>
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81						
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						<u> </u>
	4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0091										
	4-wire 56 kbps Interoffice Transport - Dedicated - Facility															
	Termination per month			UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53						
	64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRANS	PORT	LINIORY	1151.04	20.00	107.50	00 = 1	40.00							
	4-wire 64 kbps Local Loop in combination - Zone 1	1	2	UNCDX	UDL64	22.20 31.56	127.59	60.54	42.79 42.79	2.81 2.81						
	4-wire 64 kbps Local Loop in combination - Zone 2 4-wire 64 kbps Local Loop in combination - Zone 3	1	3	UNCDX	UDL64 UDL64	55.99	127.59 127.59	60.54 60.54	42.79	2.81						<del></del>
	14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per	1	3	UNCDX	UDL04	33.99	127.59	00.54	42.75	2.01						<del> </del>
	month			UNCDX	1L5XX	0.0091										
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility					0.000										
	Termination per month			UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53						
	ITAL LOOP AND DS1 INTERFOFFICE TRANSPORT															
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
	4-Wire DS1 Digital Loop in Combination - Zone 3	1	3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						<del></del>
	Interoffice Transport - Dedicated - DS1 combination - Per Mile over month			UNC1X	1L5XX	0.1856										
	nteroffice Transport - Dedicated - DS1 combination - Facility	1		UNCIX	ILJAA	0.1030										
	Termination per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	STAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSP	ORT		0.10.17	0	00.11	17 11 10	122.10	.0.01	11.00						<u> </u>
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	12.558										
	DS3 Local Loop in combination - Facility Termination per month	ļ		UNC3X	UE3PX	444.912	639.8255	394.4615	159.9995	111.366						ļ
	nteroffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	3.87										<u> </u>
	Interoffice Transport - Dedicated - DS3 combination - Facility	1		LINGOV	114750	4 0= 4 0=		6.5.5-								
	Termination per month	I COCOT	-	UNC3X	U1TF3	1,071.00	335.46	219.28	72.03	70.56	-		-	-		<del>                                     </del>
	IGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSTS-1 Local Lolp in combination - per mile per month	ISPURI	<b>-</b>	UNCSX	1L5ND	12.558						-				<del>                                     </del>
	STS-1 Local Loop in combination - per finite per frioriting	<u> </u>	<del>                                     </del>	011007	ILUIAD	12.336										<del>                                     </del>
	month			UNCSX	UDLS1	490.59	639.8255	394.4615	159.9995	111.366						
	nteroffice Transport - Dedicated - STS-1 combination - per mile	1									İ	İ	1	1		1
	per month	1	1	UNCSX	1L5XX	3.87					I	I	1	1	1	1

UNBUNDLE	ED NETWORK ELEMENTS - Florida												Attachment	: 2 - Exh. A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonred First	curring Add'l	Nonrecurring First	Disconnect Add'l	COMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - STS-1 combination - Facility						FIISL	Addi	FIISL	Add I	SOWIEC	SOWAN	SOWAN	SOWAN	SOWAN	SOWAN
	Termination per month			UNCSX	U1TFS	1,056.00	314.45	130.88	38.60	18.23						
	NETWORK ELEMENTS															
	used as a part of a currently combined facility, the non-recurrence used as ordinarily combined network elements in All States, the															
	ecurring Currently Combined Network Elements III All States, to					s is Charge do	es not.									
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - 2 wire/4-Wire VG	, , , , , , , , , , , , , , , , , , ,		UNCVX, UNCDX, UNC1X, UNC3X, UNCSX	UNCCC		8.98	8.98	8.98	8.98						
Optio	nal Features & Functions:			ONOOX	011000		0.50	0.00	0.50	0.00						
				U1TD1,												
	Clear Channel Capability Extended Frame Option - per DS1	I		ULDD1,UNC1X	CCOEF		0.00	0.00	0.00	0.00						
	Clear Channel Capability Super FrameOption - per DS1	1		U1TD1, ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,												
	Activity - per DS1	I		UNC1X, USL	NRCCC		184.92	23.82	2.07	0.80						
MILL	C-bit Parity Option - Subsequent Activity - per DS3	i		U1TD3, ULDD3, UE3, UNC3X	NRCC3		219.09	7.67	0.773	0.00						
WIOLI	DS1 to DS0 Channel System per month			UNC1X	MQ1	146.77	101.42	71.62								
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			ONOTA	IVIQII	140.77	101.42	71.02								
	month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	2.10	10.07	7.08								
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1															
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	2.10	10.07	7.08	0.00	0.00						
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop			UDN	UC1CA	3.66	10.07	7.08								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	3.66	10.07	7.08	0.00	0.00						
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	1.38	10.07	7.08								
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the			OLA	IDIVG	1.36	10.07	7.00								
	same SWC as collocation			U1TUC	1D1VG	1.38	10.07	7.08	0.00	0.00						
-	DS3 to DS1 Channel System per month STS-1 to DS1 Channel System per month	-	-	UNC3X UNCSX	MQ3 MQ3	211.19 211.19	199.28 199.28	118.64 118.64	40.34 40.34	39.07 39.07						
	DS1 COCI used with Loop per month	<u> </u>		USL	UC1D1	13.76	10.07	7.08	40.34	35.07						
	DS1 COCI (used for connection to a channelized DS1 Local															
	Channel in the same SWC as collocation) per month	ļ	<b></b>	U1TUA U1TD1	UC1D1	13.76 13.76	10.07 10.07	7.08 7.08	0.00	0.00						
	DS1 COCI used with Interoffice Channel per month DS3 Interface Unit (DS1 COCI) used with Local Channel per			וטווטו	UC1D1	13.76	10.07	7.08	0.00	0.00						-
	month			ULDD1	UC1D1	13.76	10.07	7.08	0.00	0.00						
	LOCAL EXCHANGE SWITCHING(PORTS)	ded Deci	Constant	no Doute on of Marin	h 40, 2005											
	xchange Switching Port Rates Reflected Here Apply to Embedo Consist of the TELRIC Cost Based Rates Plus \$1.00 in Accordar				n 10, 2005											
	consist of the Telric Cost Based Rates Plus \$1.00 in Accordar	ice with th	IC IKK	J. I							-	-				<del>                                     </del>
NOTE	: Although the Port Rate includes all available features in GA,	KY, LA &	TN, the	desired features wil	need to be	ordered using	retail USOCs							_		
2-WIR	RE VOICE GRADE LINE PORT RATES (RES)			HEDOD	LIEDDI	0.10	0 = 1	0.00	4.00	4.00						
	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	2.40	3.74	3.63	1.88	1.80						
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. #NAME?			UEPSR UEPSR	UEPRC UEPRO	2.40 2.40	3.74 3.74	3.63 3.63	1.88 1.88	1.80 1.80						
	Exchange Ports - 2-Wire VG unbundled Florida area calling with															
	Caller ID - Res.			UEPSR	UEPAF	2.40	3.74	3.63	1.88	1.80						1
	Exchange Ports - 2-Wire VG unbundled Florida Residence Area Calling Plan, without Caller ID capability			UEPSR	UEPA9	2.40	3.74	3.63	1.88	1.80						
	Exchange Ports - 2-Wire VG unbundled Florida extended dialing port for use with CREX7 and Caller ID			UEPSR	UEPA1	2.40	3.74	3.63	1.88	1.80						

NBUNDL	ED NETWORK ELEMENTS - Florida												Attachment	:: 2 - Exh. A		
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonred			g Disconnect				Rates (\$)		1
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire VG unbundled Florida extended dialing port for use with CREX7, without Caller ID capability			UEPSR	UEPA8	2.40	3.74	3.63	1.88	1.80						
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	2.40	3.74	3.63	1.88	1.80						
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPSR	UEPRT	2.40	3.74	3.63	1.88	1.80						
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00								
FEAT	TURES															
	All Available Vertical Features			UEPSR	UEPVF	2.26	0.00	0.00								
2-WIF	RE VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus			UEPSB	UEPBL	2.40	3.74	3.63	1.88	1.80						
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	2.40	3.74	3.63	1.88	1.80						
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	2.40	3.74	3.63	1.88	1.80						
	Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus  2-Wire voice unbundled Incoming Only Port without Caller ID			UEPSB	UEPB1	2.40	3.74	3.63	1.88	1.80						
	Capability			UEPSB	UEPBE	2.40	3.74	3.63	1.88	1.80						
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
FEAT	TURES															
EVO	All Available Vertical Features			UEPSB	UEPVF	2.26	0.00	0.00								
EXCI	HANGE PORT RATES (DID & PBX)  2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	2.40	39.06	18.18	12.35	0.7187						
	2-Wire VG Unbundled 2-Way PBX Trunk - Res 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus	1		UEPSP	UEPPC	2.40	39.06	18.18	12.35	0.7187	-					
_	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	2.40		18.18	12.35	0.7187						
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	2.40	39.06	18.18	12.35	0.7187						
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	2.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	2.40	39.06	18.18	12.35	0.7187						
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	2.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	2.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	2.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			UEPSP	UEPXD	2.40		18.18	12.35	0.7187						
	Capable Port  2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPSP	UEPXE	2.40	39.06	18.18	12.35	0.7187						
	Administrative Calling Port  2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPSP	UEPXL	2.40	39.06	18.18	12.35	0.7187						
	Room Calling Port  2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPSP	UEPXM	2.40	39.06	18.18	12.35	0.7187						
	Discount Room Calling Port			UEPSP	UEPXO	2.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	2.40	39.06	18.18	12.35	0.7187						
	Subsequent Activity	<del>                                     </del>	<b>—</b>	UEPSP	USASC	0.00	0.00	0.00								
FEAT	TURES All Available Vertical Features	<del>                                     </del>	<del>                                     </del>	HEDOD HEDOF	UEPVF	2.26	0.00	0.00	<b>-</b>		1	-	-	-		
NOTE	I Available Vertical Features     Transmission/usage charges associated with POTS circuit s	witched :	eane wi	UEPSP UEPSE					ion by R-Char	nele secociat	d with 2-wi	re ISDN nor	te .			-
NOTE	Access to B Channel or D Channel Packet capabilities will be	e availahl	e only th	rough BFR/New Ris	siness Reau	est Process. R	Rates for the na	cket canahiliti	es will be deter	rmined via the	Bona Fide	Request/No	w Business R	equest Proce	SS.	<b> </b>
2-WIF	RE VOICE GRADE LINE PORT RATES (DID)		- J, ti										4.0000 10			
0.14/17	Exchange Ports - 2-Wire DID Port	-	-	UEPEX	UEPP2	9.73	78.41	15.82	41.94	4.26	-					
2-1/11	RE VOICE GRADE LINE PORT RATES (ISDN-BRI)  Exchange Ports - 2-Wire ISDN Port (See Notes below.)	<del>                                     </del>	1	UEPTX, UEPSX	U1PMA	8.83	46.83	50.68	27.64	11.93	-	-			-	-
+	All Features Offered	<del>                                     </del>	1	UEPTX, UEPSX	UEPVF	2.26	46.83 0.00	0.00	21.04	11.93	<del>                                     </del>	1	<del> </del>	<del> </del>		
-	Exchange Ports - 2-Wire ISDN Port Channel Profiles	<del>                                     </del>	<del>                                     </del>	UEPTX, UEPSX	U1UMA	0.00	0.00	0.00	<del>                                     </del>	<del> </del>	<del>                                     </del>		<b> </b>	<b> </b>		
NOTE	E: Access to B Channel or D Channel Packet capabilities will be	e availabl	e only th							rmined via the	Bona Fide	Request/Ne	w Business R	equest Proces	SS.	
	E: Access to B Channel or D Channel Packet capabilities will be															
UNBU	JNDLED PORT with REMOTE CALL FORWARDING CAPABILITY	Y														
	JNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE	1														
UNBU	Unbundled Remote Call Forwarding Service, Area Calling, Res	1		UEPVR	UERAC	2.40	3.74	3.63	1.88	1.80						

UNBUNDLE	ED NETWORK ELEMENTS - Florida												Attachment	: 2 - Exh. A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs.
		ļ				Rec	Nonrec		Nonrecurring		001450	0011411		Rates (\$)	001441	0011411
		-	-		-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	2.40	3.74	3.63	1.88	1.80						
	Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	2.40	3.74	3.63	1.88	1.80						
	Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	2.40	3.74	3.63	1.88	1.80						
Non-F	Recurring Unbundled Remote Call Forwarding Service - Conversion -		1													
	Switch-as-is			UEPVR	USAC2		0.102	0.102								
	Unbundled Remote Call Forwarding Service - Conversion with	1		OEI VIC	00/102		0.102	0.102								
	allowed change (PIC and LPIC)			UEPVR	USACC		0.102	0.102								
UNBU	NDLED REMOTE CALL FORWARDING - Bus															
	Unbundled Remote Call Forwarding Service, Area Calling - Bus		1	UEPVB	UERAC	2.40	3.74	3.63	1.88	1.80						
	Tonbundied Nemote Call Forwarding Service, Area Calling - Bus	1	<del>                                     </del>	ULFVD	ULKAC	2.40	3.14	3.03	1.08	1.60	<del>                                     </del>	<b>†</b>				<del>                                     </del>
	Unbundled Remote Call Forwarding Service, Local Calling - Bus		1	UEPVB	UERLC	2.40	3.74	3.63	1.88	1.80						
	Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	2.40	3.74	3.63	1.88	1.80						
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	2.40	3.74	3.63	1.88	1.80						
	Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling			UEPVB	UERVJ	2.40	3.74	3.63	1.88	1.80						
Non-F	Recurring		1	UEFVB	UERVJ	2.40	3.74	3.03	1.00	1.00						
14011-1	Unbundled Remote Call Forwarding Service - Conversion -	1	1													<del>                                     </del>
	Switch-as-is			UEPVB	USAC2		0.102	0.102								
	Unbundled Remote Call Forwarding Service - Conversion with															
	allowed change (PIC and LPIC)			UEPVB	USACC		0.102	0.102								
	LOCAL SWITCHING, PORT USAGE											ļ				
End C	Office Switching (Port Usage)  End Office Switching Function, Per MOU					0.0007662						ļ				
	End Office Switching Function, Per MOU  End Office Trunk Port - Shared, Per MOU	-	1			0.0007662						<b>.</b>				<del></del>
Tanda	em Switching (Port Usage) (Local or Access Tandem)		1			0.000164						1				
Tanue	Tandem Switching Function Per MOU		1			0.0001319						1				
	Tandem Trunk Port - Shared, Per MOU					0.0001313						<b>+</b>				<del>                                     </del>
	Tandem Switching Function Per MOU (Melded)	1			+	0.000027185					1	1				
	Tandem Trunk Port - Shared, Per MOU (Melded)					0.000048434						†				<u> </u>
Melde	d Factor: 20.61% of the Tandem Rate															
	non Transport															
	Common Transport - Per Mile, Per MOU					0.0000035										
	Common Transport - Facilities Termination Per MOU					0.0004372										
	PORT/LOOP COMBINATIONS - COST BASED RATES	L., _		L	1											
	Based Rates are applied where BellSouth is required by FCC	and/or St	ate Com	mission rule to pro	vide Unbund	led Local Switc	hing or									
	h Ports. UNE-P Switching Port Rates Reflected in the Cost Based Sect	: AI-	. 4 a	added Dees UNE D	a aa af Manab	40 2005 and 0	amaiat af tha									
	IC Cost Based Rates Plus \$1.00 in Accordance with the TRRO.	ion Appry	to Ellip	edded base UNE-F	s as or wardi	10, 2005 and C	onsist of the									
	ures shall apply to the Unbundled Port/Loop Combination - Co	nst Rased	Rate se	ction in the same m	anner as the	v are annlied to	the Stand-					1				
	Unbundled Port section of this Rate Exhibit.	Jot Basca	rtate se	otion in the same i	idililei do tile	y are applied to	the otalia									
	Office and Tandem Switching Usage and Common Transport	Usage rate	es in the	Port section of this	s rate exhibit	shall apply to a	all									
	inations of loop/port network elements except for UNE Coin P					,										
	first and additional Port nonrecurring charges apply to Not Cu				ently Combin	ed Combos the	)									1
	curring charges shall be those identified in the Nonrecurring -	Currently	/ Combi	ned sections.	_											
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	ļ	1		1							ļ				<b></b>
UNE	Port/Loop Combination Rates	<del>                                     </del>	1		1	44.01					1			ļ		<del>                                     </del>
	2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	+	1		+	11.94 16.05					1	1		-		<del> </del>
	2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3	1	<del>                                     </del>		+	26.80			<b> </b>	1	<del>                                     </del>	1	<del> </del>	<del> </del>		<del>                                     </del>
UNF	Loop Rates	1	<b>t</b>		1	20.00					<b>-</b>	<b>†</b>				<b>†</b>
O.4E	2-Wire Voice Grade Loop (SL1) - Zone 1	<b>†</b>	1	UEPRX	UEPLX	9.77										$\vdash$
	2-Wire Voice Grade Loop (SL1) - Zone 2	<b>†</b>	2	UEPRX	UEPLX	13.88				1			1			
	2-Wire Voice Grade Loop (SL1) - Zone 3	1	3	UEPRX	UEPLX	24.63				ĺ		Ì		1		
2-Wire	e Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	2.17	53.31	26.46	27.50	8.37						
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	2.17	53.31	26.46	27.50	8.37	1	1				1

INBUNDL	ED NETWORK ELEMENTS - Florida												Attachment	: 2 - Exh. A		
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge -		Charge -	Charge -
						Rec	Nonre	curring	Nonrecurring	g Disconnect			oss	Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	2.17	53.31	26.46	27.50	8.37						
	O.M. Control of the Land Collins of Collins ID			HEDDY	LIEDAE	0.47	50.04	00.40	07.50	0.07						
	2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID	ļ	-	UEPRX	UEPAF	2.17	53.31	26.46	27.50	8.37		1			-	
	(LUM)			UEPRX	UEPAP	2.17	53.31	26.46	27.50	8.37						
	2-Wire voice unbundled Florida extended dialing with Caller ID			UEPRX	UEPA1	2.17	53.31	26.46	27.50	8.37					-	1
	2-Wire voice unbundled Florida extended dialing port without			02.100	02.71		00.01	20.10	27.00	0.01					t	
	Caller ID capability			UEPRX	UEPA8	2.17	53.31	26.46	27.50	8.37						
	2-Wire voice unbundled Florida Area Calling Port without Caller															
	ID Capability			UEPRX	UEPA9	2.17	53.31	26.46	27.50	8.37						
	2-Wire voice unbundled Low Usage Line Port without Caller ID			HEDDY	LIEDDT	0.47	50.04	00.40	07.50	0.07						
EE ^	Capability TURES	1	1	UEPRX	UEPRT	2.17	53.31	26.46	27.50	8.37				-	-	<del>                                     </del>
FLA	All Features Offered			UEPRX	UEPVF	2.26	0.00	0.00							1	
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1	t	22.101		2.20	3.30	3.30	1	1			1		1	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		i –										1			
	Switch-as-is			UEPRX	USAC2		0.102	0.102								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1														
	Switch with change			UEPRX	USACC		0.102	0.102								
	2-Wire Voice Grade Loop / Line Port Platform - Installation															
	Charge at QuickService location - Not Conversion of Existing Service			UEPRX	URECC		0.102									
ADD	ITIONAL NRCs			ULFKA	UNLCC		0.102									
7,22	2-Wire Voice Grade Loop/Line Port Combination - Subsequent											1				1
	Activity			UEPRX	USAS2	0.00	0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															1
	Premise			UEPRX	URETL		8.33	0.83								
OFF/	ON PREMISES EXTENSION CHANNELS	ļ	L	UEDDV		10.00	10.55	20.00	000							
_	Wire Analog Voice Grade Extension Loop – Non-Design     Wire Analog Voice Grade Extension Loop – Non-Design	ļ	2	UEPRX UEPRX	UEAEN UEAEN	10.69 15.20	49.57 49.57	22.83	25.62 25.62	6.57 6.57		1			-	
-	2 Wire Analog Voice Grade Extension Loop – Non-Design  2 Wire Analog Voice Grade Extension Loop – Non-Design	1	3	UEPRX	UEAEN	26.97	49.57	22.83 22.83	25.62	6.57					-	-
_	2 Wire Analog Voice Grade Extension Loop – North-Design	1	1	UEPRX	UEAED	12.24	135.75	82.47	63.53	12.01		1				<del>                                     </del>
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	17.40	135.75	82.47	63.53	12.01					t	
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	30.87	135.75	82.47	63.53	12.01						
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPRX	U1TV2	25.32	47.35	31.78								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPRX	U1TVM	0.0091	0.00	0.00								
2-W/I	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	<b>—</b>		ULFRA	OTTVIVI	0.0091	0.00	0.00	<del> </del>	<del> </del>	<del>                                     </del>	<del>                                     </del>			<b>+</b>	<del>                                     </del>
	Port/Loop Combination Rates	1	<b>†</b>		1										<b>-</b>	
1	2-Wire VG Loop/Port Combo - Zone 1		l			11.94			İ	İ		1	İ		1	
	2-Wire VG Loop/Port Combo - Zone 2					16.05										
	2-Wire VG Loop/Port Combo - Zone 3					26.80		_								
UNE	Loop Rates		<u> </u>													<u> </u>
-	2-Wire Voice Grade Loop (SL1) - Zone 1	-	1 2	UEPBX	UEPLX	9.77				-	-	<b> </b>			-	<del>                                     </del>
_	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3	1	3	UEPBX UEPBX	UEPLX UEPLX	13.88 24.63					-	1	-	1	<del>                                     </del>	<del>                                     </del>
2-Wi	re Voice Grade Line Port (Bus)	1	3	OLFBA	OLFLA	24.03				<del> </del>	<del>                                     </del>	<u> </u>	<del> </del>	1	<del> </del>	<del>                                     </del>
	2-Wire voice unbundled port without Caller ID - bus		<b>†</b>	UEPBX	UEPBL	2.17	53.31	26.46	27.50	8.37			1		1	
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	2.17	53.31	26.46	27.50	8.37						
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	2.17	53.31	26.46	27.50	8.37						
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	2.17	53.31	26.46	27.50	8.37						
	2-Wire voice unbundled Incoming Only Port without Caller ID														1	
	Capability TURES	-		UEPBX	UEPBE	2.17	53.31	26.46	27.50	8.37	-	<b> </b>			-	<del>                                     </del>
	IUKES	1									ļ	1				<b>↓</b>
FEA	All Features Offered	1		UEPBX	UEPVF	2.26	0.00	0.00			1	1				1

JNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment	: 2 - Exh. A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		Nove	RATES (\$)		a Disconnect		Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		<b> </b>	-			Rec	First	curring Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -				+		FIISL	Auu i	First	Addi	JOINIEC	JOWIAN	JOWAN	JOWAN	JOWAN	JOWAN
	Switch-as-is			UEPBX	USAC2		0.102	0.102								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch with change			UEPBX	USACC		0.102	0.102								
ADDIT	IONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent			HEDDY	110400		0.00	0.00								
	Activity Unbundled Miscellaneous Rate Element, Tag Loop at End User			UEPBX	USAS2		0.00	0.00								<u> </u>
	Premise			UEPBX	URETL		8.33	0.83								
OFF/C	N PREMISES EXTENSION CHANNELS	1		OLI DX	OKETE		0.00	0.00				1				<del>                                     </del>
0	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	10.69	49.57	22.83	25.62	6.57						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	15.20	49.57	22.83	25.62	6.57						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	26.97	49.57	22.83	25.62	6.57						
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	12.24	135.75	82.47	63.53	12.01						
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	17.40	135.75	82.47	63.53	12.01						
INITER	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	30.87	135.75	82.47	63.53	12.01						
INTER	OFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility				+							-				
	Termination			UEPBX	U1TV2	25.32	47.35	31.78								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1		OLI DX	011172	20.02	47.00	01.70				1				<del>                                     </del>
	or Fraction Mile			UEPBX	U1TVM	0.0091	0.00	0.00								
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															1
UNE F	ort/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1					11.94										
	2-Wire VG Loop/Port Combo - Zone 2					16.05										
LIME	2-Wire VG Loop/Port Combo - Zone 3	ļ				26.80						1				
UNE L	oop Rates 2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1	UEPRG	UEPLX	9.77										<del>                                     </del>
	2-Wire Voice Grade Loop (SL 1) - Zone 1		2	UEPRG	UEPLX	13.88										<del>                                     </del>
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	24.63						1				
2-Wire	Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
	Res			UEPRG	UEPRD	2.17	174.81	100.65	75.88	12.73						
FEAT				LIEBBO												
NOND	All Features Offered ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	ļ		UEPRG	UEPVF	2.26	0.00	0.00				1				
NONK	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1			+											-
	Conversion - Switch-As-Is			UEPRG	USAC2		8.45	1.91								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change			UEPRG	USACC		8.45	1.91								
ADDIT	IONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						7.86	7.86								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User				+		7.00	7.80								-
	Premise			UEPRG	URETL		8.33	0.83								
OFF/C	N PREMISES EXTENSION CHANNELS			*												
	Local Channel Voice grade, per termination		1	UEPRG	P2JHX	12.24	135.75	82.47	63.53	12.01						
	Local Channel Voice grade, per termination		2	UEPRG	P2JHX	17.40	135.75	82.47	63.53	12.01						
$\rightarrow$	Local Channel Voice grade, per termination	ļ	3	UEPRG	P2JHX	30.87	135.75	82.47	63.53	12.01	1	ļ				<del>                                     </del>
_	Non-Wire Direct Serve Channel Voice Grade	-	1	UEPRG	SDD2X	12.92	120.38	43.56	95.00	10.54						<del>                                     </del>
-	Non-Wire Direct Serve Channel Voice Grade	-	2	UEPRG UEPRG	SDD2X SDD2X	18.36 32.58	120.38 120.38	43.56 43.56	95.00 95.00	10.54 10.54	-	<b> </b>				<del>                                     </del>
INTER	Non-Wire Direct Serve Channel Voice Grade  OFFICE TRANSPORT	-	3	UEPKG	SUUZX	32.58	120.38	43.36	95.00	10.54	-	<del>                                     </del>				<del>                                     </del>
INTER	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1			+											<del>                                     </del>
	Termination			UEPRG	U1TV2	25.32	47.35	31.78								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			*												
1	or Fraction Mile	I		UEPRG	U1TVM	0.0091	0.00	0.00	1	1	I			1		

NBUNDLED NETWORK ELEME	NTS - Florida												Attachment	: 2 - Exh. A		
ATEGORY RA	TE ELEMENTS	Interim	Zone	BCS	USOC		Nonro	RATES (\$)	Nonroqueria	a Disconnect		Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		<u> </u>	1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
2-WIRE VOICE GRADE LOOP W	ITH 2-WIRE LINE PORT (BUS - PBX)	+					FIISL	Auu i	First	Addi	JOINIEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
UNE Port/Loop Combination Ra												1				
2-Wire VG Loop/Port Con						11.94										
2-Wire VG Loop/Port Con	bo - Zone 2		1			16.05										1
2-Wire VG Loop/Port Con	bo - Zone 3					26.80										
UNE Loop Rates																
2-Wire Voice Grade Loop			1	UEPPX	UEPLX	9.77										
2-Wire Voice Grade Loop		1	3	UEPPX UEPPX	UEPLX	13.88 24.63					-					<del>                                     </del>
2-Wire Voice Grade Loop  2-Wire Voice Grade Line Port R			3	UEPPX	UEPLX	24.03										<del> </del>
2-Wile Voice Grade Line Fort K	ites (BUS - FBA)	+														<del>                                     </del>
Line Side Unbundled Cor	nbination 2-Way PBX Trunk Port - Bus		1	UEPPX	UEPPC	2.17	174.81	100.65	75.88	12.73						
	ward PBX Trunk Port - Bus	1	1	UEPPX	UEPPO	2.17	174.81	100.65	75.88	12.73						1
Line Side Unbundled Inco	ming PBX Trunk Port - Bus			UEPPX	UEPP1	2.17	174.81	100.65	75.88	12.73						
2-Wire Voice Unbundled				UEPPX	UEPLD	2.17	174.81	100.65	75.88	12.73						
	2-Way Combination PBX Usage Port			UEPPX	UEPXA	2.17	174.81	100.65	75.88	12.73						
	PBX Toll Terminal Hotel Ports	ļ		UEPPX	UEPXB	2.17	174.81	100.65	75.88	12.73						ļ
	PBX LD DDD Terminals Port			UEPPX	UEPXC	2.17	174.81	100.65	75.88	12.73						
	PBX LD Terminal Switchboard Port PBX LD Terminal Switchboard IDD	1	-	UEPPX	UEPXD	2.17	174.81	100.65	75.88	12.73		1				
Capable Port				UEPPX	UEPXE	2.17	174.81	100.65	75.88	12.73						
Administrative Calling Por				UEPPX	UEPXL	2.17	174.81	100.65	75.88	12.73						
	2-Way PBX Hotel/Hospital Economy															
Room Calling Port	I W - O to '- BBV Hatal/Hatal's			UEPPX	UEPXM	2.17	174.81	100.65	75.88	12.73						
Discount Room Calling P				UEPPX	UEPXO	2.17	174.81	100.65	75.88	12.73						
	I-Way Outgoing PBX Measured Port			UEPPX	UEPXS	2.17	174.81	100.65	75.88	12.73						
FEATURES		ļ														
All Features Offered NONRECURRING CHARGES (N	OC-) CURRENTLY COMPINED	<u> </u>	-	UEPPX	UEPVF	2.26	0.00	0.00			-					<b>├</b>
	Line Port Combination (PBX) -	<u> </u>	1									1				<del></del>
Conversion - Switch-As-Is	, ,			UEPPX	USAC2		8.45	1.91								
Conversion - Switch with	Line Port Combination (PBX) - Change			UEPPX	USACC		8.45	1.91								
ADDITIONAL NRCs																
2-Wire Voice Grade Loop, Subsequent Activity	Line Port Combination (PBX) -			UEPPX	USAS2	0.00	0.00	0.00								
PBX Subsequent Activity Group	- Change/Rearrange Multiline Hunt						7.86	7.86								
	Rate Element, Tag Loop at End User			UEPPX	URETL		8.33	0.83								
OFF/ON PREMISES EXTENSION	CHANNELS	1	1	OLITA	ONLIZ		0.00	0.00		1						<u> </u>
Local Channel Voice grad		1	1	UEPPX	P2JHX	12.24	135.75	82.47	63.53	12.01		1				<b>†</b>
Local Channel Voice grad	e, per termination		2	UEPPX	P2JHX	17.40	135.75	82.47	63.53	12.01						
Local Channel Voice grad			3	UEPPX	P2JHX	30.87	135.75	82.47	63.53	12.01						
Non-Wire Direct Serve Ch			1	UEPPX	SDD2X	12.92	120.38	43.56	95.00	10.54						
Non-Wire Direct Serve Ch		1	2	UEPPX	SDD2X	18.36	120.38	43.56	95.00	10.54						<del>                                     </del>
Non-Wire Direct Serve Ch INTEROFFICE TRANSPORT	annei Voice Grade	+	3	UEPPX	SDD2X	32.58	120.38	43.56	95.00	10.54	1	<b> </b>				₩
	licated - 2 Wire Voice Grade - Facility	1	+	<del> </del>	+						1					$\vdash$
Termination	noacod - 2 vviie voice Grade - r acility		1	UEPPX	U1TV2	25.32	47.35	31.78								
	licated - 2 Wire Voice Grade - Per Mile		1	UEPPX	U1TVM	0.0091	0.00	0.00								
	ITH 2-WIRE ANALOG LINE COIN PO	DT.	+	UEPPA	UTTVIVI	0.0091	0.00	0.00			-	1				+
UNE Port/Loop Combination Ra		151	+	<del> </del>	+						<del>                                     </del>	1				<del>                                     </del>
2-Wire VG Coin Port/Loop		1	1	İ		11.94			İ	İ		1				<b>†</b>
2-Wire VG Coin Port/Loop						16.05										
2-Wire VG Coin Port/Loor	Combo – Zone 3					26.80									_	

IBUNDLE	D NETWORK ELEMENTS - Florida												Attachment	: 2 - Exh. A		
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		N	RATES (\$)		B		Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
_		-			-	Rec	First	curring Add'l	First	Disconnect Add'l	COMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
LINE	oop Rates		1				FIISL	Add I	FIISL	Add I	SOMEC	SOWAN	SOWAN	SOWAN	SOWAN	SOWAN
ONL	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	9.77						1				
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	13.88						i e				
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	24.63						İ				
2-Wire	Voice Grade Line Ports (COIN)															
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															
	900/976, 1+DDD (FL)			UEPCO	UEP2F	2.17	53.31	26.46	27.50	8.37						
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (FL)			UEPCO	UEPFA	2.17	53.31	26.46	27.50	8.37						
	2-Wire Coin 2-Way with Operator Screening and Blocking: 900/976, 1+DDD, 011+, and Local (FL)			UEPCO	UEPCG	2.17	53.31	26.46	27.50	8.37						
	2-Wire Coin Outward with Operator Screening and 011 Blocking	1			1					,		Ì				İ
	(AL, FL)	1		UEPCO	UEPRK	2.17	53.31	26.46	27.50	8.37						
	2-Wire Coin Outward with Operator Screening and Blocking:											İ				İ
	900/976, 1+DDD, 011+ (FL)			UEPCO	UEPOF	2.17	53.31	26.46	27.50	8.37						
	2-Wire Coin Outward with Operator Screening and Blocking:															
	900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	2.17	53.31	26.46	27.50	8.37						
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	2.17	53.31	26.46	27.50	8.37						
	2-Wire Coin Outward Smartline with 900/976 (all states except						== =									
ADDIT	TONAL UNE COIN PORT/LOOP (RC)		1	UEPCO	UEPCR	2.17	53.31	26.46	27.50	8.37		1				1
ADDII	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.86	0.00	0.00	0.00	0.00	1	<b> </b>				ļ
NOND	ECURRING CHARGES - CURRENTLY COMBINED	1	1	UEPCO	URECU	1.00	0.00	0.00	0.00	0.00	1	1				1
INOINI	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		1									1				
	Switch-as-is			UEPCO	USAC2		0.102	0.102								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			021 00	00/102		0.102	0.102				1				
	Switch with change			UEPCO	USACC		0.102	0.102								
ADDIT	TONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity			UEPCO	USAS2		0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEPCO	URETL		8.33	0.83								
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRI	E LINE PO	ORT (RE	S)												
UNE F	Port/Loop Combination Rates					44.04						ļ				
_	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			14.64 19.80						1				
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	1	1		+	33.27						<b> </b>				1
UNF	oop Rates					33.21						<b>+</b>				
0.112	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	12.24						1				
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	17.40						†				
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	30.87										
2-Wire	Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	2.40	174.81	100.65	75.88	12.73						
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	2.40	174.81	100.65	75.88	12.73						
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	2.40	174.81	100.65	75.88	12.73						
	O MC	1														1
-	2-Wire voice unbundled Florida Area Calling with Caller ID - res	<b> </b>	1	UEPFR	UEPAF	2.40	174.81	100.65	75.88	12.73		ļ				<b> </b>
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)	1		UEPFR	UEPAP	2.40	174.81	100.65	75.88	12.73						1
INTER	COFFICE TRANSPORT	1	<del>                                     </del>	ULPFR	ULFAF	2.40	1/4.01	100.05	75.68	12.73	<del>                                     </del>	}				1
IIII	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	<b>†</b>			+	1										<b>†</b>
	Termination	1		UEPFR	U1TV2	25.32	47.35	31.78								1
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1				20.02	50	50	İ	İ						1
1	or Fraction Mile	1		UEPFR	1L5XX	0.0091										1
	IDEC					1										
FEAT	DRES															
	All Features Offered			UEPFR	UEPVF	2.26	0.00	0.00								
				UEPFR	UEPVF	2.26	0.00	0.00								

NBUNDLE	D NETWORK ELEMENTS - Florida												Attachment	: 2 - Exh. A		
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc		Name	RATES (\$)	Name	a Disconnect		Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1			+		riist	Auu i	FIISL	Addi	SOWIEC	JOWIAN	JOWAN	JOWAN	JOWAN	JOWAN
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		16.97	3.73								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
	End User Premise			UEPFR	URETN		11.21	1.10								
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE PO	RT (BU	S)												<u> </u>
UNE P	ort/Loop Combination Rates  2-Wire VG Loop/IO Tranport/Port Combo - Zone 1				+	14.64										-
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1					19.80										-
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3				+	33.27										<del>                                     </del>
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	12.24										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	17.40										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	30.87										ļ
2-Wire	Voice Grade Line Port (Bus)			HEDED	LIEDDI	0.40	171.01	100.05	75.00	10.70						<b>_</b>
	2-Wire voice unbundled port without Caller ID - bus  2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB UEPFB	UEPBL UEPBC	2.40 2.40	174.81 174.81	100.65 100.65	75.88 75.88	12.73 12.73		-				-
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	2.40	174.81	100.65	75.88	12.73						+
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	2.40	174.81	100.65	75.88	12.73		i e				<b>†</b>
INTER	OFFICE TRANSPORT			-												
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPFB	U1TV2	25.32	47.35	31.78								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
FEATU	or Fraction Mile			UEPFB	1L5XX	0.0091										<b>_</b>
FEAT	All Features Offered			UEPFB	UEPVF	2.26	0.00	0.00								<del>                                     </del>
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEFFB	UEFVF	2.20	0.00	0.00								-
IVOIVI	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															<b>†</b>
	Combination - Conversion - Switch-as-is			UEPFB	USAC2		16.97	3.73								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch with change			UEPFB	USACC		16.97	3.73								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
0.14/1701	END USER PREMISE  E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE DO	DT (DD)	UEPFB	URETN		11.21	1.10								ļ
	e voice Loop/ 2Wike voice GRADE IO TRANSPORT/ 2-Wiki	E LINE PO	KI (PB	X)												
ONLF	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1					14.64										-
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2					19.80						1				
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3					33.27										1
UNE L	oop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	12.24										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	17.40										
2 Wire	2-Wire Voice Grade Loop (SL2) - Zone 3 Voice Grade Line Port Rates (BUS - PBX)		3	UEPFP	UECF2	30.87										
2-wire	Voice Grade Line Port Rates (BUS - PBX)	1			+ +											-
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	2.40	174.81	100.65	75.88	12.73						
1	Line Side Unbundled Outward PBX Trunk Port - Bus	1		UEPFP	UEPPO	2.40	174.81	100.65	75.88	12.73						
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	2.40	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	2.40	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	2.40	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	ļ	$\sqcup$	UEPFP	UEPXB	2.40	174.81	100.65	75.88	12.73		ļ				ļ
_	2-Wire Voice Unbundled PBX LD DDD Terminals Port	-		UEPFP	UEPXC	2.40	174.81	100.65	75.88	12.73		<u> </u>				₩
-	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	<del>                                     </del>		UEPFP	UEPXD	2.40	174.81	100.65	75.88	12.73	<del>                                     </del>	1				<del>                                     </del>
	Capable Port			UEPFP	UEPXE	2.40	174.81	100.65	75.88	12.73						
_	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	<del>                                     </del>	$\vdash$	OLITI	JLI AL	2.40	177.01	100.03	75.00	12.73	<del>                                     </del>	1				<del>                                     </del>
	Administrative Calling Port			UEPFP	UEPXL	2.40	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port	-	$\vdash$	UEPFP	UEPXM	2.40	174.81	100.65	75.88	12.73	-	-				₩
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	1	1	UEPFP	UEPXO	2.40	174.81	100.65	75.88	12.73	1	1	1			1

Version: 4Q04 Standard IA with TRRO for Renegotiations 03/16/05

JNBUNDL	LED NETWORK ELEMENTS - Florida												Attachment	: 2 - Exh. A		
CATEGORY		Interim	Zone	BCS	USOC		Nonro	RATES (\$)	Nonrecurring	g Disconnect		Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		+	1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	+		UEPFP	UEPXS	2.40	174.81	100.65	75.88	12.73		JOINAIN	JOWAN	JOWAN	JOWAN	JOWAN
INT	EROFFICE TRANSPORT	1	1	OLITI	OLI XO	2.40	174.01	100.03	73.00	12.73		1				+
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPFP	U1TV2	25.32	47.35	31.78								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	Э														
	or Fraction Mile			UEPFP	1L5XX	0.0091										
FEA	ATURES	1		LIEDED	LIED) /E	0.00	0.00	0.00								
NON	All Features Offered NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED	-	-	UEPFP	UEPVF	2.26	0.00	0.00	1			-				
NON	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	+	1						-			-				+
	Combination - Conversion - Switch-as-is			UEPFP	USAC2		16.97	3.73								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	+		OLITT	00/102		10.07	0.70	1							<del>†                                      </del>
	Combination - Conversion - Switch with change			UEPFP	USACC		16.97	3.73								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop a	t														1
	End User Premise			UEPFP	URETN		11.21	1.10								
	IRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUN	K PORT														
UNE	E Port/Loop Combination Rates	1				04.05										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2	+	-			21.95 27.11			1							+
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	+	1			40.58			-			-				+
LINE	E Loop Rates	+				40.36										+
0.11	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	12.24						1				
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	17.40										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	30.87										1
UNE	E Port Rate															
	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	9.71	214.16	98.29								
NON	NRECURRING CHARGES - CURRENTLY COMBINED	1														
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination Switch-as-is	1		UEPPX	USAC1		7.85	1.87								
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion	+	1	UEPFA	USACI		7.00	1.07	-			-				+
	with BellSouth Allowable Changes			UEPPX	USA1C		7.85	1.87								
ADD	DITIONAL NRCs			02.17	00/110		7.00	1.01	t							
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		32.26	32.26								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop a	t														
	End User Premise			UEPPX	URETN		11.21	1.10								
Tele	ephone Number/Trunk Group Establisment Charges	_														
	DID Trunk Termination (One Per Port)	-		UEPPX	NDT	0.00	0.00	0.00								
	DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers			UEPPX	NDZ	0.00	0.00	0.00								
	Additional DID Numbers for each Group of 20 DID Numbers	+		UEPPX	ND4	0.00	0.00	0.00								+
	DID Numbers, Non- consecutive DID Numbers , Per Number	1	1	UEPPX	ND5	0.00	0.00	0.00	1	1		1				<b>†</b>
	Reserve Non-Consecutive DID numbers		L	UEPPX	ND6	0.00	0.00	0.00		İ						
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
	IRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL L	INE SIDE	PORT													
UNE	E Port/Loop Combination Rates	1	1								ļ					
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port					00.00			1							1
	UNE Zone 1  2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	+	1	-		23.63			-							+
	UNE Zone 2					30.05										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	1	1			00.00			<b>†</b>		1	<u> </u>		1		<del>                                     </del>
	UNE Zone 3					46.84			1							
UNE	E Loop Rates		1													
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UEPPR	USL2X	15.25										
														l		
_	2-Wire ISDN Digital Grade Loop - UNE Zone 2	1	2	UEPPB UEPPR	USL2X	21.67										
LINIE	2-Wire ISDN Digital Grade Loop - UNE Zone 3 E Port Rate	1	3	UEPPB UEPPR	USL2X	38.46			-		-					+
	- FUIL NAIG			1					ļ	<b></b>	<b>!</b>	<b> </b>		<b>L</b>	<b></b>	+
OIVE	Exchange Port - 2-Wire ISDN Line Side Port			UEPPR	UEPPR	8.38	194.52	145.09			l .					

UNB	UNDLE	D NETWORK ELEMENTS - Florida												Attachment	: 2 - Exh. A		
	GORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs.
	-		ļ	-			Rec	Nonred First	urring Add'l	Nonrecurring First	Add'l	COMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
	NONE	L ECURRING CHARGES - CURRENTLY COMBINED	1					FIRST	Addi	FIRST	Addi	SOWIEC	SUMAN	SUMAN	SOWAN	SUMAN	SUMAN
	IVOIVIN	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port	1										1				<b>†</b>
		Combination - Conversion			UEPPB UEPPR	USACB	0.00	25.22	17.00								
	ADDIT	IONAL NRCs					0.00						†				
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
		End User Premise			UEPPB UEPPR	URETN		11.21	1.10								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEPPB UEPPR	URETL		8.33	0.83								
	B-CHA	NNEL USER PROFILE ACCESS:															
	-	CVS/CSD (DMS/5ESS)			UEPPB UEPPR	U1UCA	0.00	0.00	0.00				ļ				
	+	CVS (EWSD)	1		UEPPB UEPPR UEPPB UEPPR	U1UCB U1UCC	0.00	0.00	0.00			1	1	-	-		<del>                                     </del>
	B-CHA	ICSD NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C MS & T	N)	UEPPB UEPPR	01000	0.00	0.00	0.00	<b> </b>	1	1	1	<del> </del>	<del> </del>		<del>                                     </del>
		TERMINAL PROFILE	C, IVI G, & I	IV)									1				
	OOLIK	User Terminal Profile (EWSD only)	1		UEPPB UEPPR	U1UMA	0.00	0.00	0.00				1				<b>-</b>
	VERTI	CAL FEATURES			OZITE OZITE	0.000	0.00	0.00	0.00				†				
		All Vertical Features - One per Channel B User Profile			UEPPB UEPPR	UEPVF	2.26	0.00	0.00			1					
	INTER	OFFICE CHANNEL MILEAGE															1
		Interoffice Channel mileage each, including first mile and															1
		facilities termination			UEPPB UEPPR	M1GNC	25.3291	47.35	31.78	18.31	7.03						
		Interoffice Channel mileage each, additional mile			UEPPB UEPPR	M1GNM	0.0091	0.00	0.00								
UNBL		CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE															
		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	<u>')</u>														
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo											ļ				
-	UNE P	ort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	ļ	-									1				<del>                                     </del>
		Non-Design	1				11.94										
	+	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<b>-</b>			11.54						<b>+</b>				+
		Non-Design					16.05										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -										İ	İ				1
		Non-Design					26.80										
	UNE P	ort/Loop Combination Rates (Design)															1
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-														1
		Design					14.41										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design	ļ				19.57										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					00.04										
-	LIME	Design oop Rate	ļ	-			33.04						1				<u> </u>
-	ONE L	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	1	UEP91	UECS1	9.77						<b>-</b>				<del>                                     </del>
	+	2-Wire Voice Grade Loop (SL 1) - Zone 1		2	UEP91	UECS1	13.88						<b>†</b>				+
	+	2-Wire Voice Grade Loop (SL 1) - Zone 2	1	3	UEP91	UECS1	24.63						1				<del>                                     </del>
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	12.24						†				<u> </u>
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	17.40						İ				
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	30.87										1
	UNE P																
	All Sta	tes (Except North Carolina and Sout Carolina)															
		2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP91	UEPYA	2.17	53.31	26.46	27.50	8.37	ļ					ļ
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			LIEBO.	LIEDY CD											
<u> </u>	+	Area	1	-	UEP91	UEPYB	2.17	53.31	26.46	27.50	8.37	<del> </del>	ļ	-	-		<del>                                     </del>
		2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area			UEP91	UEPYH	2.17	E2 24	26.40	27.50	8.37						
-	+	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	1	<del>                                     </del>	UEP91	UEPIH	2.17	53.31	26.46	27.50	8.37	<b> </b>					<del>                                     </del>
		Note 2, 3 Basic Local Area		1	UEP91	UEPYM	2.17	139.49	86.10	65.41	13.81						
<b>-</b>	1	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	<b>†</b>	<b>†</b>	02101	OLI IIVI	2.17	100.40	00.10	05.41	13.01	<b>†</b>	<b>†</b>				<b>†</b>
1		Term - Basic Local Area			UEP91	UEPYZ	2.17	139.49	86.10	65.41	13.81						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent		İ													
I		- Basic Local Area		1	UEP91	UEPY9	2.17	53.31	26.46	27.50	8.37	1				1	

NBUNDLED	NETWORK ELEMENTS - Florida												Attachment	: 2 - Exh. A		
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual So Order vs
						Rec	Nonrec		Nonrecurring			T =		Rates (\$)		T
			ļ				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP91	UEPY2	2.17	53.31	26.46	27.50	8.37						
	and Florida Only		1	UEF91	UEPTZ	2.17	55.51	20.40	21.50	0.37		1				+
	2-Wire Voice Grade Port (Centrex )			UEP91	UEPHA	2.17	53.31	26.46	27.50	8.37	<del> </del>	1				+
	2-Wire Voice Grade Port (Centrex )	1	1	UEP91	UEPHB	2.17	53.31	26.46	27.50	8.37		1				
	2-Wire Voice Grade Port (Centrex with Caller ID)1		<u> </u>	UEP91	UEPHH	2.17	53.31	26.46	27.50	8.37		†				<del></del>
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			V	9=11					0.01						
	Center)2,3			UEP91	UEPHM	2.17	139.49	86.10	65.41	13.81						
1	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800		1													
	Service Term			UEP91	UEPHZ	2.17	139.49	86.10	65.41	13.81						
								_								
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPH9	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPH2	2.17	53.31	26.46	27.50	8.37						
	witching															
	Centrex Intercom Funtionality, per port		ļ	UEP91	URECS	0.7384										
Features			1	LIEBO												
	All Standard Features Offered, per port	ļ	<u> </u>	UEP91	UEPVF	2.26	070.70				1	1				<del></del>
	All Select Features Offered, per port		ļ	UEP91	UEPVS	0.00	370.70					ļ				
	All Centrex Control Features Offered, per port	ļ	<u> </u>	UEP91	UEPVC	2.26										<del>                                     </del>
NARS	Unbundled Network Access Register - Combination		<u> </u>	UEP91	UARCX	0.00	0.00	0.00	0.00	0.00	<b> </b>	-				
	Unbundled Network Access Register - Combination  Unbundled Network Access Register - Indial		-	UEP91	UARCX UAR1X	0.00	0.00	0.00	0.00	0.00	<b>†</b>	<b> </b>				+
	Unbundled Network Access Register - Indial  Unbundled Network Access Register - Outdial		ł	UEP91	UAROX	0.00	0.00	0.00	0.00	0.00	1	1				+
	neous Terminations		<b>!</b>	OLF91	UAROX	0.00	0.00	0.00	0.00	0.00	1	1				+
	runk Side											<b>+</b>				+
	Trunk Side Terminations, each	1	1	UEP91	CENA6	8.73						1				<del>                                     </del>
	ce Channel Mileage - 2-Wire			02.0.	02.0.0	0.70					İ	İ				<b>†</b>
	Interoffice Channel Facilities Termination - Voice Grade		1	UEP91	M1GBC	25.32					İ	İ				<b>†</b>
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.0091					1					
Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e	1													1
D4 Chan	nnel Bank Feature Activations															
F	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP91	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center	ļ	ļ	UEP91	1PQWP	0.66										
l I.				LIEBO.	450457											
	Feature Activation on D-4 Channel Bank Private Line Loop Slot	ļ	<u> </u>	UEP91	1PQWV	0.66					1	1				<del></del>
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP91	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot	1	<u> </u>	UEP91	1PQWQ	0.66						<b> </b>				+
	curring Charges (NRC) Associated with UNE-P Centrex	1	<u> </u>	UEF91	IPQVVA	0.00						<b> </b>				+
	Conversion - Currently Combined Switch-As-Is with allowed	1	<del>                                     </del>	1	1						1	1		<b>l</b>		+
	changes, per port		1	UEP91	USAC2		21.50	8.42	[							1
	Conversion of Existing Centrex Common Block	t	t	UEP91	USACN		5.17	8.32			1	1				<del></del>
	New Centrex Standard Common Block	i e	i e	UEP91	M1ACS	0.00	618.82	0.02								t
	New Centrex Customized Common Block	1	t	UEP91	M1ACC	0.00	618.82									<del>                                     </del>
	Secondary Block, per Block	1	1	UEP91	M2CC1	0.00	71.31							l		1
1	NAR Establishment Charge, Per Occasion	Ì		UEP91	URECA	0.00	66.48				İ	İ				
UNE-P C	CENTREX - 5ESS (Valid in All States)															
2-Wire V	/G Loop/2-Wire Voice Grade Port (Centrex) Combo															
	rt/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1														
	Non-Design					11.94										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -											1				
1 1	Non-Design	1	1			16.05					1	1		l		1

NBUNDLED NET	TWORK ELEMENTS - Florida												Attachmen	t: 2 - Exh. A		
											Submitted	Svc Order Submitted	Charge -	Charge -	Incremental Charge -	Charge
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'l	Manual Svc Order vs. Electronic- Disc 1st	Manual S Order vs Electroni Disc Add
						Rec		curring	Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					00.00										
Non-D	pe Combination Rates (Design)				+	26.80							-	-		<del></del>
	e VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				1							1	1	1		<del></del>
Design						14.41										
	e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
Design	n					19.57										
	e VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
Design						33.04										
UNE Loop Ra				LIEDOF	LIFOO4	0.77										
	e Voice Grade Loop (SL 1) - Zone 1 e Voice Grade Loop (SL 1) - Zone 2	1	1 2	UEP95 UEP95	UECS1 UECS1	9.77 13.88					1	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>		<del>                                     </del>
	e Voice Grade Loop (SL 1) - Zone 2		3	UEP95	UECS1	24.63						1	1	1		<del></del>
	e Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	12.24							<del> </del>	<b>†</b>		<del>                                     </del>
	e Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	17.40										<b>†</b>
	e Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	30.87						1				
UNE Port Rate	e															
All States																
	e Voice Grade Port (Centrex ) Basic Local Area			UEP95	UEPYA	2.17	53.31	26.46	27.50	8.37						ļ
	e Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	2.17	53.31	26.46	27.50	8.37						
Area	e Voice Grade Port (Centrex with Caller ID)1Basic Local			UEP95	UEPYH	2.17	53.31	26.46	27.50	8.37						
	e Voice Grade Port (Centrex from diff Serving Wire			UEF95	UEPTH	2.17	55.51	20.40	27.50	0.37			<del> </del>	<del> </del>		<del>                                     </del>
	er)2,3 Basic Local Area			UEP95	UEPYM	2.17	139.49	86.10	65.41	13.81						
	e Voice Grade Port, Diff Serving Wire Center 2,3 - 800												t	t		<u> </u>
	ce Term - Basic Local Area			UEP95	UEPYZ	2.17	139.49	86.10	65.41	13.81						
2-Wire	e Voice Grade Port terminated in on Megalink or equivalent															
	c Local Area			UEP95	UEPY9	2.17	53.31	26.46	27.50	8.37						
	e Voice Grade Port Terminated on 800 Service Term -															
	Local Area			UEP95	UEPY2	2.17	53.31	26.46	27.50	8.37						
FL & GA Only	//S, SC, & TN Only				+	2.17 2.17							-	-		<del></del>
	e Voice Grade Port (Centrex )			UEP95	UEPHA	2.17	53.31	26.46	27.50	8.37			-			<del>                                     </del>
	e Voice Grade Port (Centrex 800 termination)			UEP95	UEPHB	2.17	53.31	26.46	27.50	8.37		1				<del>                                     </del>
	e Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPHH	2.17	53.31	26.46	27.50	8.37			t	t		<b>†</b>
	e Voice Grade Port (Centrex from diff Serving Wire															1
Cente				UEP95	UEPHM	2.17	139.49	86.10	65.41	13.81						
	e Voice Grade Port, Diff Serving Wire Center - 800 Service															
Term 2	2,3			UEP95	UEPHZ	2.17	139.49	86.10	65.41	13.81						ļ
0.145	With Oarla Bartanaita ta Lisaa Maaalia Laasaa isalaat			LIEDOS	LIEDLIO	0.47	50.04	00.40	07.50	0.07						
	e Voice Grade Port terminated in on Megalink or equivalent e Voice Grade Port Terminated on 800 Service Term		-	UEP95 UEP95	UEPH9 UEPH2	2.17 2.17	53.31 53.31	26.46 26.46	27.50 27.50	8.37 8.37		-	-	-		<del>                                     </del>
Local Switchi				ULF 95	ULFIIZ	2.17	33.31	20.40	21.30	0.37			-			<del>                                     </del>
	ex Intercom Funtionality, per port			UEP95	URECS	0.7384						1				<del>                                     </del>
Features												i e	t			<b>†</b>
	andard Features Offered, per port			UEP95	UEPVF	2.26										1
	lect Features Offered, per port			UEP95	UEPVS	0.00	370.70									
	entrex Control Features Offered, per port			UEP95	UEPVC	2.26						ļ	1	1		<u> </u>
NARS	- Hall National Assess Burgary Co. 12 and			LIEBAS	114501						1	<u> </u>				<del>                                     </del>
	ndled Network Access Register - Combination ndled Network Access Register - Indial	1	1	UEP95 UEP95	UARCX UAR1X	0.00	0.00	0.00	0.00	0.00	1	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>		<del> </del>
	ndled Network Access Register - Indial ndled Network Access Register - Outdial	<del>                                     </del>	1	UEP95 UEP95	UARTX	0.00	0.00	0.00	0.00	0.00	<del>                                     </del>	1	<del>                                     </del>	<del>                                     </del>		+
	IS Terminations			OLF 30	UANUA	0.00	0.00	0.00	0.00	0.00	<b>-</b>	1	t	t		<b>†</b>
2-Wire Trunk					1								1	1		<b>†</b>
Trunk	Side Terminations, each			UEP95	CEND6	8.73										
	I (1.544 Megabits)															
	Circuit Terminations, each			UEP95	M1HD1	54.95										
	Channels Activated, each			UEP95	M1HDO	0.00	15.69					ļ	1	ļ		<u> </u>
Interoffice Ch	nannel Mileage - 2-Wire	I									1	1	1			1

<b>NBUNDLED</b>	NETWORK ELEMENTS - Florida												Attachment	: 2 - Exh. A		
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec		curring		g Disconnect				Rates (\$)		
	nteroffice Channel Facilities Termination	ļ		UEP95	MAGRO	25.32	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	nteroffice Channel mileage, per mile or fraction of mile	ļ		UEP95	M1GBC M1GBM	0.0091					1	-				
	Activations (DS0) Centrex Loops on Channelized DS1 Service	20		UEF95	IVITGDIVI	0.0091				-	1	1				
	nel Bank Feature Activations	T			+					-	1	1				
	Feature Activation on D-4 Channel Bank Centrex Loop Slot	1		UEP95	1PQWS	0.66						<b>†</b>				
<del>-                                     </del>	Catalo / Catalon Cit B   Citalino Bailly Control 2005 Cic	1		02.00		0.00				t						
F	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
S	Slot			UEP95	1PQW7	0.66										
F	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP95	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP95	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot	ļ	-	UEP95	1PQWA	0.66				1						
	curring Charges (NRC) Associated with UNE-P Centrex	-			+					-		-				
	changes, per port			UEP95	USAC2	0.00	21.50	8.42								
	Conversion of Existing Centrex Common Block, each	<b>-</b>		UEP95	USACN	0.00	5.17	8.32		-		-				
	New Centrex Standard Common Block	1		UEP95	M1ACS	0.00	618.82	0.32		-	1	1				
	New Centrex Standard Common Block			UEP95	M1ACC	0.00	618.82									
	NAR Establishment Charge, Per Occasion	1		UEP95	URECA	0.00	66.48				1	1				
	al Non-Recurring Charges (NRC)	1		02.00	O. I.E.O. I	0.00	00.10				1	1				
	Jnbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP95	URETL		8.33	0.83								
L	Jnbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP95	URETN		11.21	1.10								
	ENTREX - DMS100 (Valid in All States)															
	G Loop/2-Wire Voice Grade Port (Centrex) Combo															
	t/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1														
	Non-Design	ļ				11.94										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					40.05										
	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	<u> </u>				16.05				-						
	-vviile vo Loop/2-vviile voice Grade Port (Certifex)Port Combo - Non-Design					26.80										
	t/Loop Combination Rates (Design)					20.00										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1			+				1	<b>†</b>	<b>-</b>	<b>-</b>				
	Design	1				14.41				I						
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	İ			1								İ			
	Design	1				19.57				I						
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design	Ш	<u> </u>			33.04				<u> </u>	<u></u>	<u></u>	<u> </u>			<u></u>
UNE Loo							·									
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	9.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2	<u> </u>	2	UEP9D	UECS1	13.88										
	2-Wire Voice Grade Loop (SL 1) - Zone 3	ļ	3	UEP9D	UECS1	24.63				ļ						
	2-Wire Voice Grade Loop (SL 2) - Zone 1	<del>                                     </del>	1	UEP9D	UECS2	12.24			1							<u> </u>
	2-Wire Voice Grade Loop (SL 2) - Zone 2	<b> </b>	2	UEP9D	UECS2	17.40			1	<del>                                     </del>			<b> </b>			
	2-Wire Voice Grade Loop (SL 2) - Zone 3	1	3	UEP9D	UECS2	30.87			1	<del>                                     </del>	1	1	-			-
UNE Por		+	$\vdash$		+				1	<del>                                     </del>	-	-				<b>-</b>
	2-Wire Voice Grade Port (Centrex ) Basic Local Area	<del> </del>	$\vdash$	UEP9D	UEPYA	2.17				+	-					-
	2-Wire Voice Grade Port (Centrex ) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	+		OLFBD	OLFIA	2.17			1	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<b> </b>			<del>                                     </del>
	Area	1		UEP9D	UEPYB	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local	t				2	00.01	20.10	250	0.07			i			
	Area	ı	1 1	UEP9D	UEPYC	2.17	53.31	26.46	27.50	8.37	I		l			

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attachment	: 2 - Exh. A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)	Nonrecurring	B		Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
			-		-	Rec	First	curring Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area			UEP9D	UEPYD	2.17	53.31	26.46	27.50	8.37	JONIEC	JOWIAN	SOMAN	OOMAN	SOMAN	JOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area			UEP9D	UEPYF	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area			UEP9D	UEPYG	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area			UEP9D	UEPYT	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			UEP9D	UEPYU	2.17	53.31	26.46	27.50	8.37						
	Area  2-Wire Voice Grade Port (Centrex / EBS-NIS216))3 Basic Local  2-Wire Voice Grade Port (Centrex / EBS-NIS316))3 Basic Local			UEP9D	UEPYV	2.17	53.31	26.46	27.50	8.37						
	Area  2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			UEP9D	UEPY3	2.17	53.31	26.46	27.50	8.37						
	Area  2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			UEP9D	UEPYH	2.17	53.31	26.46	27.50	8.37						
	Indication))4 Basic Local Area  2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4			UEP9D	UEPYW	2.17	53.31	26.46	27.50	8.37						
	Basic Local Area  2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPYJ	2.17	53.31	26.46	27.50	8.37						
	2,3-Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPYM	2.17	53.31	26.46	27.50	8.37						
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPYO	2.17	53.31	26.46	27.50	8.37						
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPYP	2.17	53.31	26.46	27.50	8.37						
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPYQ	2.17	139.49	86.10	65.41	13.81						
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4  Basic Local Area			UEP9D UEP9D	UEPYS	2.17	139.49	86.10 86.10	65.41 65.41	13.81						
	Pasic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4  Basic Local Area			UEP9D	UEPY4	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area			UEP9D	UEPY6	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local Area			UEP9D	UEPY7	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3			UEP9D	UEPYZ	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	2.17	53.31	26.46	27.50	8.37						
FL & C	SA Only			LIEBAR		2.17	== 0.1									
	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)	-	<b> </b>	UEP9D UEP9D	UEPHA UEPHB	2.17 2.17	53.31 53.31	26.46 26.46	27.50 27.50	8.37 8.37						-
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex / EBS-PSET)4	1	1	UEP9D UEP9D	UEPHB	2.17	53.31	26.46	27.50	8.37 8.37						<del>                                     </del>
	2-Wire Voice Grade Port (Centrex / EBS-PSE1)4  2-Wire Voice Grade Port (Centrex / EBS-M5009)4	1	<del>                                     </del>	UEP9D	UEPHD	2.17	53.31	26.46	27.50	8.37	-					<del>                                     </del>
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4	1	<del>                                     </del>	UEP9D	UEPHE	2.17	53.31	26.46	27.50	8.37	-					<del>                                     </del>
<u> </u>	2-Wire Voice Grade Fort (Centrex / EBS-M5112)4	1	t	UEP9D	UEPHF	2.17	53.31	26.46	27.50	8.37	<b>†</b>	<b>†</b>				<b>†</b>
<u> </u>	2-Wire Voice Grade Port (Centrex / EBS-M5312)4		t	UEP9D	UEPHG	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4		İ	UEP9D	UEPHT	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPHU	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPHV	2.17	53.31	26,46	27.50	8.37						

IBUNDLE	D NETWORK ELEMENTS - Florida												Attachment	: 2 - Exh. A		
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonred		Nonrecurring					Rates (\$)		
	lang vi a la baya da da da da da da da da da da da da da			LIEBAD	LIEBLIO		First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	2-Wire Voice Grade Port (Centrex / EBS-M5316)4	<u> </u>		UEP9D UEP9D	UEPH3	2.17 2.17	53.31 53.31	26.46 26.46	27.50 27.50	8.37 8.37	<b> </b>	-				
_	2-Wire Voice Grade Port (Centrex with Caller ID) 2-Wire Voice Grade Port (Centrex/Caller ID/Msq Wtq Lamp	1		UEP9D	UEPHH	2.17	33.31	20.40	27.50	0.37	1	1				
	Indication)4			UEP9D	UEPHW	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex/Msq Wtg Lamp Indication)4	1		UEP9D	UEPHJ	2.17	53.31	26.46	27.50	8.37		1				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	1		02.05	020	2	00.01	20.10	27.00	0.01		i e				
	2,3			UEP9D	UEPHM	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPHO	2.17	139.49	86.10	65.41	13.81						
	, , , ,															
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPHP	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPHQ	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPHR	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3,4			UEP9D	UEPHS	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPH4	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPH5	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPH6	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPH7	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2.3			UEP9D	UEPHZ	2.17	139.49	86.10	65.41	13.81						
	,-			UEP9D	UEPH9	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent     2-Wire Voice Grade Port Terminated on 800 Service Term	-		UEP9D	UEPH9	2.17	53.31	26.46	27.50	8.37		-				
Local	Switching	<u> </u>		UEP9D	UEPHZ	2.17	55.51	20.40	27.50	0.37		1				
Local	Centrex Intercom Funtionality, per port	1		UEP9D	URECS	0.7384						1				
Featur		1		02.05	0.1200	0.7001						i e				
	All Standard Features Offered, per port	1		UEP9D	UEPVF	2.26										
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	370.70									
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	2.26										
NARS																
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
_	Unbundled Network Access Register - Inward	ļ		UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
Minesi	Unbundled Network Access Register - Outdial	ļ		UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00		1				
	laneous Terminations Trunk Side	1										1				
2-44116	Trunk Side Terminations, each			UEP9D	CEND6	8.73					<del> </del>	<del> </del>				
4-Wire	Digital (1.544 Megabits)			OLI 3D	CLINDO	0.73										
	DS1 Circuit Terminations, each	1		UEP9D	M1HD1	54.95					1	1				
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	15.69				İ					
Interof	fice Channel Mileage - 2-Wire										1					
	Interoffice Channel Facilities Termination			UEP9D	M1GBC	25.32										
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.0091										
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	ce														
D4 Cha	nnel Bank Feature Activations	<u> </u>														
	Feature Activation on D-4 Channel Bank Centrex Loop Slot	ļ		UEP9D	1PQWS	0.66					ļ	ļ				
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0.66										

NRONDLI	ED NETWORK ELEMENTS - Florida												Attachment	t: 2 - Exh. A		
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec		curring		g Disconnect				Rates (\$)	_	
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.66					1					ļ
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop				450140											
_	Slot	ļ	1	UEP9D	1PQWQ	0.66 0.66					1	1				<b></b>
Non-E	Feature Activation on D-4 Channel Bank WATS Loop Slot Recurring Charges (NRC) Associated with UNE-P Centrex	1	-	UEP9D	1PQWA	0.00					+	+	-			-
NOI1-F	NRC Conversion Currently Combined Switch-As-Is with allowed		1								1	1	1			
	changes, per port			UEP9D	USAC2		21.50	8.42								
	Conversion of existing Centrex Common Block, each		1	UEP9D	USACN		5.17	8.32			+	+				<b>—</b>
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	618.82									<b>†</b>
	New Centrex Customized Common Block	İ	1	UEP9D	M1ACC	0.00	618.82									
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	66.48									
Addit	ional Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															1
	Premise	<u> </u>	1	UEP9D	URETL		8.33	0.83			<u> </u>	<u> </u>				
	Unbundled Miscellaneous Rate Element, Tag Design Loop at				1								1			
	End Use Premise			UEP9D	URETN		11.21	1.10								ļ
	P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo		-								1					<b>.</b>
UNE	Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-	+		+						<b>-</b>	<del>                                     </del>	-			-
	Non-Design	1				11.94										
_	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	+		+	11.34					+	+				-
	Non-Design					16.05										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1	1			10.00					1	1				
	Non-Design					26.80										
UNE I	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-														
	Design					14.41										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design					19.57										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design					33.04					1					ļ
UNE I	Loop Rate		ļ .	LIEBAE	115004											
-	2-Wire Voice Grade Loop (SL 1) - Zone 1		1 2	UEP9E UEP9E	UECS1 UECS1	9.77 13.88					+	1				<b>├</b>
_	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3	-	3	UEP9E UEP9E	UECS1	24.63					<b>-</b>	<del>                                     </del>	-			-
-	2-Wire Voice Grade Loop (SL 1) - Zone 3		1	UEP9E	UECS2	12.24					1	1	1			
_	2-Wire Voice Grade Loop (SL 2) - Zone 2	1	2	UEP9E	UECS2	17.40					+	+				-
	2-Wire Voice Grade Loop (SL 2) - Zone 3	1	3	UEP9E	UECS2	30.87					1	1				
UNE	Port Rate		Ť	02.02	02002	00.01					1	1				<b>†</b>
	L, KY, LA, MS, & TN only															
	2-Wire Voice Grade Port (Centrex ) Basic Local Area		1	UEP9E	UEPYA	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP9E	UEPYB	2.17	53.31	26.46	27.50	8.37						<u> </u>
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP9E	UEPYH	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire	1			I								_	[		1
	Center)2,3 Basic Local Area	ļ	<b> </b>	UEP9E	UEPYM	2.17	139.49	86.10	65.41	13.81			ļ			<b></b>
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800	1									1	1	I			1
_	Service Term - Basic Local Area	1	<del> </del>	UEP9E	UEPYZ	2.17	139.49	86.10	65.41	13.81	1	1	<del>                                     </del>		ļ	₩
	2-Wire Voice Grade Port terminated in on Megalink or equivalent	1		LIEBAE	LIEDYO	0.4-	50.01	00.40	07.50	0.0-	1	1	I			1
-	- Basic Local Area  2-Wire Voice Grade Port Terminated on 800 Service Term -	-	+	UEP9E	UEPY9	2.17	53.31	26.46	27.50	8.37	+	1	<del>                                     </del>			$\vdash$
	Basic Local Area	1		UEP9E	UEPY2	2.17	53.31	26.46	27.50	8.37	1	1	I			1
Florio	la Only	<del>                                     </del>	+	OLFSE	ULPIZ	2.17	33.31	20.46	27.30	0.37	+	+	t		<del> </del>	
1-10110	2-Wire Voice Grade Port (Centrex )	<del>                                     </del>	+	UEP9E	UEPHA	2.17	53.31	26.46	27.50	8.37	+	+	<del>                                     </del>			<b>+</b>
	2-Wire Voice Grade Port (Centrex )	<b>†</b>	1	UEP9E	UEPHB	2.17	53.31	26.46	27.50	8.37		<b>†</b>	<u> </u>			
-	2-Wire Voice Grade Port (Centrex odo termination)	<b>†</b>	+	UEP9E	UEPHH	2.17	53.31	26.46	27.50	8.37		+	t		<del>                                     </del>	$\vdash$

NBUNDLE	ED NETWORK ELEMENTS - Florida												Attachment	: 2 - Exh. A		
TOUTE	T TOTAL TOTAL		1								Cvo Ordor	Svc Order	Incremental		Incremental	Ingramant
												Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'I	Disc 1st	Disc Add'
													151	Addi	DISC ISL	DISC Add
							Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)		
					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex from diff Serving Wire		$\vdash$		+		11130	Addi	11100	Auui	COME	COMPAR	OOMAN	COMPAN	COMPAR	COMPAR
				UEP9E	UEPHM	2.17	139.49	86.10	65.41	13.81						
	Center)2,3		1	UEP9E	UEPHIVI	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term 2,3			UEP9E	UEPHZ	2.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPH9	2.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPH2	2.17	53.31	26.46	27.50	8.37						
Local	Switching															Ī
	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.7384										1
Featu																1
7 0414	All Standard Features Offered, per port		$\vdash$	UEP9E	UEPVF	2.26					l .	l .			<b> </b>	<b>†</b>
-	All Select Features Offered, per port	<b>—</b>	$\vdash$	UEP9E	UEPVS	0.00	370.70				<del>                                     </del>	<del>                                     </del>			l	+
_		-	$\vdash$				3/0./0				<b>!</b>	<b>!</b>			-	<del> </del>
	All Centrex Control Features Offered, per port		$\vdash$	UEP9E	UEPVC	2.26									ļ	
NARS																<b></b>
	Unbundled Network Access Register - Combination		oxdot	UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00		ļ				ļ
	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00						Ī
Misce	Ilaneous Terminations															1
	e Trunk Side															1
	Trunk Side Terminations, each		$\vdash$	UEP9E	CEND6	8.73										<del></del>
4 10/1:04			1	OLI JL	CLIVEO	0.73										
4-99116	Digital (1.544 Megabits)		_	LIEDOE	MALIDA	54.05										
	DS1 Circuit Terminations, each			UEP9E	M1HD1	54.95										
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	15.69									1
Intero	ffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9E	M1GBC	25.32										
	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	M1GBM	0.0091										Ī
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.66										
_	T datate / ottvation on B + onaimer bank ochtrox 200p olot			OLIGE	11 00110	0.00										+
	Factors Activistics on D. 4 Channel Book EV line Cids I and Clat			UEP9E	1PQW6	0.66										
_	Feature Activation on D-4 Channel Bank FX line Side Loop Slot		_	UEP9E	TPQVV6	0.00										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP9E	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP9E	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.66					I	I			1	1
	Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop			<del></del>		2.30						1				
1	Slot		1 1	UEP9E	1PQWQ	0.66					I	I			1	1
-	Feature Activation on D-4 Channel Bank WATS Loop Slot	<b>—</b>	$\vdash$	UEP9E	1PQWA	0.66					<del>                                     </del>	<del>                                     </del>			l	+
N		-	$\vdash$	UEPSE	IFQVVA	0.00					<b>!</b>	<b>!</b>			-	<del> </del>
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex		$\vdash$								<b></b>	<b></b>			<b> </b>	<del></del>
	NRC Conversion Currently Combined Switch-As-Is with allowed				1						I	I			1	1
	changes, per port			UEP9E	USAC2		21.50	8.42	<u> </u>						<u> </u>	<u> </u>
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		5.17	8.32								
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	618.82									
1	New Centrex Customized Common Block		$\Box$	UEP9E	M1ACC	0.00	618.82				i .	i .			i e	1
_	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	66.48				i	i			i	
Αdditi	ional Non-Recurring Charges (NRC)		$\vdash$	02.02	0.120.1	5.50	55.46				<b>-</b>	<b>†</b>				<del>                                     </del>
Additi	Unbundled Miscellaneous Rate Element, Tag Loop at End Use	-	$\vdash$		+	+					<del>                                     </del>	<del>                                     </del>				+
				LIEBOE	LIDET	1	0.00	0.00								
	Premise		$\vdash$	UEP9E	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at					1										
	End Use Premise		لـــــــا	UEP9E	URETN		11.21	1.10								
	1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	2 - Requres Interoffice Channel Mileage														l	1
	3 - Installation is combination of Installation charge for SL2 Lo	op and P	ort									1				1
11016		CP unu I	Ÿ.,		_				l		-	<del>                                     </del>			<b> </b>	+
Note /	4 - Requires Specific Customer Premises Equipment															1

UNBUN	NDLE	NETWORK ELEMENTS - Georgia												Attachmen	t: 2 - Exh. A		
													Svc Order Submitted Manually	Incremental Charge -	Incremental Charge -	Incremental Charge - Manual Svc	Incrementa Charge - Manual Sv
CATEGO	ORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic Disc Add'
П							Rec	Nonre	curring	Nonrecurrin	g Disconnect		1	oss	Rates (\$)		1
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
H-1	The "70	one" shown in the sections for stand-alone loops or loops as	nart of a	combin	ation refers to Geogr	ranhically De	 eaveraged UNF	Zones. To vie	 ew Geographic	ally Deaverage	 ed UNF Zone D	esignations	by Central	Office, refer t	o internet We	hsite:	
ŀ	http://w	ww.interconnection.bellsouth.com/become_a_clec/html/intel			 						1	 	T	1	1	<u> </u>	
		(1) CLEC should contact its contract negotiator if it prefers the															
		ther the state specific Commission ordered rates for the servi	ice orderi	ng char	ges, or CLEC may ele	ect the regio	nal service ord	lering charge,	however, CLE	C can not obta	in a mixture of	the two reg	ardless if C	LEC has a inf	terconnection	contract esta	ablished in
		the 9 states. (2) Any element that can be ordered electronically will be bill	led accord	ding to	the SOMEC rate liste	d in this cate	egory. Please	refer to BellSo	uth's Local Ore	dering Handbo	ok (LOH) to de	termine if a	product ca	n be ordered	electronically	. For those e	lements tha
		be ordered electronically at present per the LOH, the listed S		-						•	` '		•				
v		applied to a CLECs bill when it submits an LSR to BellSouth															
		OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
		OSS - Manual Service Order Charge, Per Local Service Request				COIVIEC			0.00	3.30	0.00		<u> </u>				
		(LSR) - UNE Only				SOMAN		11.73	0.00	6.13	0.00						
		DATE ADVANCEMENT CHARGE	D-IIOII	1- 500	No 4 Torin Occident												
- I	NOIE:	The Expedite charge will be maintained commensurate with	BellSoutr	TS FCC	No.1 Tariff, Section :	as applicar	oie.							-	-		
					UAL, UEANL, UCL,												
					UEF, UDC, UDF,												
					UEQ, UDL, UENTW,												
					UDN, UEA, UHL, ULC, USL, U1T12,												
					U1T48, U1TD1,												
					U1TD3, U1TDX,												
					U1TO3, U1TS1,												
					U1TVX, UC1BC,												
					UC1BL, UC1CC, UC1CL, UC1DC,												
					UC1DL, UC1EC,												
					UC1EL, UC1FC,												
					UC1FL, UC1GC,												
					UC1GL, UC1HC,												
					UC1HL, UDL12, UDL48, UDLO3,												
					UDLSX, UE3,												
					ULD12, ULD48,												
					ULDD1, ULDD3,												
					ULDDX, ULDO3,												
					ULDS1, ULDVX, UNC1X, UNC3X,												
					UNCDX, UNCNX,												
					UNCSX, UNCVX,												
					UNLD1, UNLD3,												
					UXTD1, UXTD3,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			UXTS1, U1TUC, U1TUD, U1TUB,												
		Day			U1TUA	SDASP		200.00									
		XCHANGE ACCESS LOOP															
2	2-WIRE	ANALOG VOICE GRADE LOOP		<b>.</b>	LIFANI	LIEALO	10.51	40.00	0.00	F.C.			1				
$\vdash$		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	-	1 2	UEANL UEANL	UEAL2 UEAL2	10.51 15.85	40.02 40.02	9.99 9.99	5.61 5.61	1.72		<del>                                     </del>	<b>-</b>	<b>-</b>		
$\vdash$		2-Wire Analog Voice Grade Loop - Service Level 1-Zone 2			UEANL	UEAL2	31.97	40.02	9.99	5.61	1.72						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	10.51	40.02	9.99	5.61	1.72						
$\Box$		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	15.85	40.02	9.99	5.61	1.72						
$\vdash$		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 Unbundled Miscellaneous Rate Element. Tag Loop at End User	-	3	UEANL	UEASL	31.97	40.02	9.99	5.61	1.72		-	-	-		
		Premise			UEANL	URETL		8.33	0.83		1						
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		25.12	25.12								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		13.62	13.62								

UNBU	NDLE	D NETWORK ELEMENTS - Georgia												Attachment	: 2 - Exh. A		-
CATEG		RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Charge - Manual Svo Order vs.
														Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
							Rec	Nonred	· J		g Disconnect				Rates (\$)		
		OLEO COLEO O CONTROL DE CONTROL D	ļ					First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-SL1)			UEANL	UREWO		15.75	8.92								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST	1	1	OLANL	OKLWO		13.73	0.92								+
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		7.30	7.30								
		Manual Order Coordiantion for UVL-SL1s (per loop)			UEANL	UEAMC		18.92	18.92								
		Order Coordination for Specified Conversion Time for UVL-SL1															
		(per LSR)			UEANL	OCOSL		57.79									
	2-WIRE	UNBUNDLED COPPER LOOP - NON-DESIGNED	ļ	1	UEQ	UEQ2X	11.02	44.69	22.40	0.00	0.00						
		2 Wire Unbundled Copper Loop Non-Designed- Zone 1 2 Wire Unbundled Copper Loop Non-Designed- Zone 2		2	UEQ	UEQ2X UEQ2X	11.02	44.69	22.40	0.00	0.00						
		2 Wire Unbundled Copper Loop Non-Designed-Zone 3		3	UEQ	UEQ2X	20.22	44.69	22.40	0.00	0.00						
		Unbundled Miscellaneous Rate Element, Tag Loop at End User			OLG	OLGEA	20.22	44.00	22.40	0.00	0.00						
		Premise			UEQ	URETL		8.33	0.83								
		Manual Order Coordination 2 Wire Unbundled Copper Loop -					ĺ										
		Non-Designed (per loop)			UEQ	USBMC		18.92	18.92								
		Unbundled Copper Loop, Non-Design Copper Loop, billing for															
		BST providing make-up (Engineering Information - E.I.)		ļ	UEQ	UEQMU		7.30	7.30								<b></b>
		Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour		1	UEQ UEQ	URET1 URETA		25.12 13.62	25.12 13.62								
		CLEC to CLEC Conversion Charge Without Outside Dispatch		1	UEQ	UKETA		13.02	13.02								
		(UCL-ND)			UEQ	UREWO		14.25	7.42								
JNBUN	DLED E	EXCHANGE ACCESS LOOP		1	024	O.K.E.V.O		11.20	2								
		ANALOG VOICE GRADE LOOP															
	UNE L	oop Rates for Line Splitting (In Ga. PSC ordered the line spli	itting loop	USOC													
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	I	1	UEPSR UEPSB	UEALS	9.56	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1		1	UEPSR UEPSB	UEABS	9.56	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2		2	UEPSR UEPSB UEPSR UEPSB	UEALS UEABS	14.86 14.86	10.05 10.05	7.36 7.36	1.37 1.37	1.28 1.28						
		2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2	H	3	UEPSR UEPSB	UEALS	31.66	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3	i i	3	UEPSR UEPSB	UEABS	31.66	10.05	7.36	1.37	1.28		1				
UNBUN	DLED E	EXCHANGE ACCESS LOOP					0.100										
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	11.57	79.85	24.65	18.92	7.87						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		2		UEAL2	16.95	79.85	24.65	18.92	7.87						
		Ground Start Signaling - Zone 2 2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			UEA	UEALZ	16.95	79.85	24.00	18.92	7.87						
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	33.08	79.85	24.65	18.92	7.87						
		Order Coordination for Specified Conversion Time (per LSR)	1		UEA	OCOSL		57.79					†				
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse					ĺ										
		Battery Signaling - Zone 1		1	UEA	UEAR2	11.57	79.85	24.65	18.92	7.87						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 2		2	UEA	UEAR2	16.95	79.85	24.65	18.92	7.87						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	33.08	79.85	24.65	18.92	7.87						
-		Order Coordination for Specified Conversion Time (per LSR)		3	UEA	OCOSL	33.08	57.79	24.00	18.92	7.87						-
		CLEC to CLEC Conversion Charge without outside dispatch	1	1	UEA	UREWO		87.72	36.36								
		Loop Tagging - Service Level 2 (SL2)		1	UEA	URETL		11.19	1.10								
	4-WIRE	ANALOG VOICE GRADE LOOP	1	1	ĺ	1	i i			İ	ĺ		Ì				
		4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	17.80	93.01	28.17	19.52	8.12						
		4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	21.68	93.01	28.17	19.52	8.12						
		4-Wire Analog Voice Grade Loop - Zone 3	ļ	3	UEA	UEAL4	30.25	93.01	28.17	19.52	8.12	1					
		Order Coordination for Specified Conversion Time (per LSR)  CLEC to CLEC Conversion Charge without outside dispatch	<b> </b>	-	UEA UEA	OCOSL		57.79 87.72	26.20	-	ļ	-	ļ				<del>                                     </del>
	2-WIDE	EISDN DIGITAL GRADE LOOP	1	1	OLA	UKEWU		81.12	36.36			-	1				<del>                                     </del>
	~- 44 II/E	2-Wire ISDN Digital Grade Loop - Zone 1	1	1	UDN	U1L2X	21.89	180.06	35.25	18.23	6.97	<b>-</b>	<b>†</b>				<del>                                     </del>
		2-Wire ISDN Digital Grade Loop - Zone 2	t	2	UDN	U1L2X	25.27	180.06	35.25	18.23	6.97						
		2-Wire ISDN Digital Grade Loop - Zone 3	i e	3	UDN	U1L2X	40.17	180.06	35.25	18.23	6.97		İ				
		Order Coordination For Specified Conversion Time (per LSR)	1	1	UDN	OCOSL		57.79		i e	i e		i e				T .

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attachment	: 2 - Exh. A		
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		ļ				Rec		curring		Disconnect				Rates (\$)		
				LIDAL	UREWO		First 120.98	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2 WIE	CLEC to CLEC Conversion Charge without outside dispatch RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIDLE	OOB	UDN	UREWU		120.98	33.04			1	<b> </b>				<del> </del>
2-9911	2 Wire Unbundled ADSL Loop including manual service inquiry	ATIBLE	.00F									1				<del> </del>
	& facility reservation - Zone 1	1	1	UAL	UAL2X	11.23	44.69	31.55	0.00	0.00						
	2 Wire Unbundled ADSL Loop including manual service inquiry		<u> </u>	0712	O/ ILL/ I	11.20	11100	01.00	0.00	0.00						
	& facility reservation - Zone 2	- 1	2	UAL	UAL2X	12.97	44.69	31.55	0.00	0.00						
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 3	- 1	3	UAL	UAL2X	20.62	44.69	31.55	0.00	0.00						
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		57.79									ļ
	2 Wire Unbundled ADSL Loop without manual service inquiry &	١.	1		1141 0141	44.00	44.00	04.55	0.00	0.00						
	facility reservaton - Zone 1  2 Wire Unbundled ADSL Loop without manual service inquiry &		1	UAL	UAL2W	11.23	44.69	31.55	0.00	0.00		<b>.</b>				-
	facility reservation - Zone 2	1 1	2	UAL	UAL2W	12.97	44.69	31.55	0.00	0.00						
	2 Wire Unbundled ADSL Loop without manual service inquiry &	<del></del>		U. 1L	J, 1LL V V	12.31	44.05	31.33	0.00	0.00	<del>                                     </del>	1				<del>                                     </del>
	facility reservaton - Zone 3	1	3	UAL	UAL2W	20.62	44.69	31.55	0.00	0.00						
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		57.79									
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		44.69	29.29								
2-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE LO	OP													
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 1	ı	1	UHL	UHL2X	7.88	44.69	31.55	0.00	0.00						
	2 Wire Unbundled HDSL Loop including manual service inquiry	١.				0.00	44.00	04.55	0.00	0.00						
	& facility reservation - Zone 2  2 Wire Unbundled HDSL Loop including manual service inquiry		2	UHL	UHL2X	9.09	44.69	31.55	0.00	0.00						
	& facility reservation - Zone 3		3	UHL	UHL2X	14.48	44.69	31.55	0.00	0.00						
	Order Coordination for Specified Conversion Time (per LSR)	<u> </u>	<del>-</del>	UHL	OCOSL	14.40	57.79	01.00	0.00	0.00		1				<b>——</b>
	2 Wire Unbundled HDSL Loop without manual service inquiry			OTIL	CCCCE		07.70									<b>—</b>
	and facility reservation - Zone 1	- 1	1	UHL	UHL2W	7.88	44.69	31.55	0.00	0.00						
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2	- 1	2	UHL	UHL2W	9.09	44.69	31.55	0.00	0.00						
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL2W	14.48	44.69	31.55	0.00	0.00		ļ				ļ
	Order Coordination for Specified Conversion Time (per LSR)  CLEC to CLEC Conversion Charge without outside dispatch	-	-	UHL UHL	OCOSL UREWO		57.79 44.69	31.55								<del>                                     </del>
4-WIE	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE LO	OP	UNL	UKEWU		44.09	31.33				<b> </b>				-
4-4411	4 Wire Unbundled HDSL Loop including manual service inquiry	TIBLE EC	I		1											-
	and facility reservation - Zone 1	1	1	UHL	UHL4X	10.39	44.69	31.55	0.00	0.00						
	4-Wire Unbundled HDSL Loop including manual service inquiry	1	Ė		1		50	21.30	2.30			Ì				
	and facility reservation - Zone 2		2	UHL	UHL4X	12.00	44.69	31.55	0.00	0.00						
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 3	1	3	UHL	UHL4X	19.07	44.69	31.55	0.00	0.00						<b></b>
	Order Coordination for Specified Conversion Time (per LSR)	-	<u> </u>	UHL	OCOSL		57.79									<b>├</b>
	4-Wire Unbundled HDSL Loop without manual service inquiry		4	UHL		10.20	44.69	31.55	0.00	0.00						
	and facility reservation - Zone 1  4-Wire Unbundled HDSL Loop without manual service inquiry	<del>                                     </del>	1	UTL	UHL4W	10.39	44.69	31.55	0.00	0.00	1	1				<del>                                     </del>
	and facility reservation - Zone 2	1	2	UHL	UHL4W	12.00	44.69	31.55	0.00	0.00						
	4-Wire Unbundled HDSL Loop without manual service inquiry	<u> </u>		U. IL	JI IL-TVV	12.00	44.09	31.33	0.00	0.00	t	1				<b>†</b>
	and facility reservation - Zone 3	1	3	UHL	UHL4W	19.07	44.69	31.55	0.00	0.00						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		57.79									
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		44.69	31.55								
4-WIF	RE DS1 DIGITAL LOOP				1											1
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	41.02	211.93	72.49	38.24	7.20	1	1				<u> </u>
	4-Wire DS1 Digital Loop - Zone 2	1		USL	USLXX	46.41	211.93	72.49	38.24 38.24	7.20	1	ļ				<del>                                     </del>
-+	4-Wire DS1 Digital Loop - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	1	3	USL	USLXX	62.03	211.93 57.79	72.49	38.24	7.20	1	1				
	CLEC to CLEC Conversion Charge without outside dispatch	1	<b>-</b>	USL	UREWO		100.91	42.97	<b> </b>	1	<del>                                     </del>	1				1
4-WIF	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	1		001	SILLAND		100.91	72.57								
1	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	21.86	196.66	37.00	18.82	7.20						
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	28.36	196.66	37.00	18.82	7.20						
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	38.22	196.66	37.00	18.82	7.20						

Version: 4Q04 Standard IA with TRRO for Renegotiations 03/16/05

UNBU	NDLE	D NETWORK ELEMENTS - Georgia												Attachment	: 2 - Exh. A		
CATEG		RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
<u> </u>							Rec	Nonrec		Nonrecurring		201150	001441		Rates (\$)	0011411	
$\vdash$		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	1	UDL	UDL56	21.86	First 196.66	Add'l 37.00	First 18.82	Add'I 7.20	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
$\vdash$		4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	28.36	196.66	37.00	18.82	7.20						<del>                                     </del>
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	38.22	196.66	37.00	18.82	7.20						
		Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		57.79									
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	21.86	196.66	37.00	18.82	7.20						
$\vdash$		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	28.36	196.66	37.00	18.82	7.20						<b>↓</b>
$\vdash$		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3 Order Coordination for Specified Conversion Time (per LSR)		3	UDL UDL	UDL64 OCOSL	38.22	196.66 57.79	37.00	18.82	7.20						<b></b>
		CLEC to CLEC Conversion Charge without outside dispatc h		-	UDL	UREWO		101.95	49.66								<b></b>
$\vdash$	2-WIRE	Unbundled COPPER LOOP			ODE	OKEWO		101.00	40.00								<del>                                     </del>
		2-Wire Unbundled Copper Loop-Designed including manual															
L'		service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.02	44.69	31.55	0.00	0.00						<u> </u>
		2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2	ı	2	UCL	UCLPB	13.88	44.69	31.55	0.00	0.00						
		2 Wire Unbundled Copper Loop-Designed including manual															
$\vdash$		service inquiry & facility reservation - Zone 3	- 1	3	UCL	UCLPB	22.07	44.69	31.55	0.00	0.00						<b>_</b>
$\vdash$		Order Coordination for Unbundled Copper Loops (per loop)  2-Wire Unbundled Copper Loop-Designed without manual			UCL	UCLMC		18.92	18.92								<b></b>
		service inquiry and facility reservation - Zone 1	1	1	UCL	UCLPW	12.02	44.69	31.55	0.00	0.00						
$\vdash$		2-Wire Unbundled Copper Loop-Designed without manual	<u> </u>	<u> </u>	002	OOLI W	12.02	44.00	01.00	0.00	0.00						<del>                                     </del>
'		service inquiry and facility reservation - Zone 2	- 1	2	UCL	UCLPW	13.88	44.69	31.55	0.00	0.00						
		2-Wire Unbundled Copper Loop-Designed without manual															
		service inquiry and facility reservation - Zone 3	- 1	3	UCL	UCLPW	22.07	44.69	31.55	0.00	0.00						
$\vdash$		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								<b>_</b>
$\vdash$		Order Coordination for Unbundled Copper Loops (per loop)  CLEC to CLEC Conversion Charge without outside dispatch			UCL	UCLMC		18.92	18.92								<b></b>
'		(UCL-Des)	1		UCL	UREWO		44.69	31.55								
	4-WIRE	COPPER LOOP			002	OKEWO		44.00	01.00								<u> </u>
		4-Wire Copper Loop-Designed including manual service inquiry															
		and facility reservation - Zone 1	I	1	UCL	UCL4S	16.65	44.69	31.55	0.00	0.00						
		4-Wire Copper Loop-Designed including manual service inquiry					40.00		04 ==								
$\vdash$		and facility reservation - Zone 2		2	UCL	UCL4S	19.22	44.69	31.55	0.00	0.00						<b>_</b>
		4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	30.55	44.69	31.55	0.00	0.00						
$\vdash$		Order Coordination for Unbundled Copper Loops (per loop)	<u>'</u>	3	UCL	UCLMC	30.33	18.92	18.92	0.00	0.00						
		4-Wire Copper Loop-Designed without manual service inquiry			002	COLIVIO		10.02	10.02								
		and facility reservation - Zone 1	- 1	1	UCL	UCL4W	16.65	44.69	31.55	0.00	0.00						
		4-Wire Copper Loop-Designed without manual service inquiry															
$\vdash$		and facility reservation - Zone 2		2	UCL	UCL4W	19.22	44.69	31.55	0.00	0.00						<u> </u>
		4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4W	30.55	44.69	31.55	0.00	0.00						
$\vdash$		Order Coordination for Unbundled Copper Loops (per loop)	-	3	UCL	UCLMC	30.33	18.92	18.92	0.00	0.00						+
		CLEC to CLEC conversion Charge without outside dispatch	ı		UCL	UREWO		44.69	31.55								
LOOP I	ODIFIC	CATION															
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL. UEPSR.												
1 '		pair less than or equal to 18k ft, per Unbundled Loop	Li	1	UEPSB	ULM2L		0.00	0.00								
		Unbundled Loop Modification Removal of Load Coils - 4 Wire		1				2.20	2.20								<u> </u>
<u> </u>		less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		0.00	0.00								<u> </u>
1 7					UAL, UHL, UCL,												
'		Habundled Loop Medification Descript of Bridged Tee Bridged			UEQ, ULS, UEA,												
'		Unbundled Loop Modification Removal of Bridged Tap Removal, per Unbundled Loop			UEANL, UEPSR, UEPSB	ULMBT		17.91									
SUB-LC	OPS	per onburidied Loop	1		OLFOD	OLIVID I		17.91									<del>                                     </del>
		op Distribution															<b>†</b>
1 .				1	i e	1							1				1
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-			UEANL	USBSA		255.76									

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attachment	: 2 - Exh. A		
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge Manual S Order vs Electroni
													1st	Add'l	Disc 1st	Disc Add'
						Rec		curring	Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	O. I. I			115 4411	LIODOD		7.00									
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up Sub-Loop - Per Building Equipment Room - CLEC Feeder		-	UEANL	USBSB		7.29		-			-				-
	Facility Set-Up			UEANL	USBSC		175.09									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel		1	OL7 II VL	CODOC		170.00									<b>——</b>
	Set-Up			UEANL	USBSD		51.61									
İ	Unbundled Sub-Loops, Riser Cable, 2-Wire per Loop, Working															
	and Spare Loop Activation			UEANL	USBRC	3.61	28.46	3.85	2.20	0.01						
	Unbundled Sub-Loops, Riser Cable, 4-Wire per Loop, Working															
	and Spare Loop Activation			UEANL	USBRD	7.67	31.07	4.79	2.27	0.01						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -			UEANL	LICDNIO	6.52	00.40	3.85	2.20	0.04						
- t	Zone 1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		-	UEAINL	USBN2	0.52	28.46	3.00	2.20	0.01		1				
	Zone 2		2	UEANL	USBN2	10.18	28.46	3.85	2.20	0.01						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		<del>  -</del>	027.112	002.12	10.10	20.10	0.00	2.20	0.01						<b>—</b>
	Zone 3		3	UEANL	USBN2	19.51	28.46	3.85	2.20	0.01						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 1		1	UEANL	USBN4	5.93	31.07	4.79	2.27	0.01						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 2		2	UEANL	USBN4	9.71	31.07	4.79	2.27	0.01						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		3	LIFANII	USBN4	18.85	31.07	4.79	2.27	0.01						
	Zone 3	1	3	UEANL	USBN4	18.85	31.07	4.79	2.21	0.01		1				-
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	3.61	28.46	3.85	2.20	0.01						
	( )							0.00								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR4	7.67	31.07	4.79	2.27	0.01						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		-	UEANL	USBMC		18.92	18.92								<b>_</b>
	Loop Testing - Basic 1st Half Hour  Loop Testing - Basic Additional Half Hour		1	UEANL UEANL	URET1 URETA		25.12 13.62	25.12 13.62	-							
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	5.94	28.46	3.85	2.20	0.01						-
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	i i	2	UEF	UCS2X	7.51	28.46	3.85	2.20	0.01						<del>                                     </del>
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i	3	UEF	UCS2X	9.22	28.46	3.85	2.20	0.01						<b>-</b>
												1				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		1	UEF	USBMC		18.92	18.92								ļ
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	6.37	31.07	4.79	2.27	0.01						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2	UEF	UCS4X	6.32	31.07	4.79	2.27	0.01	1	<u> </u>				ļ
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	9.10	31.07	4.79	2.27	0.01	<del> </del>	<b> </b>				<del>                                     </del>
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		18.92	18.92	1							
<del>-  </del> -	Loop Testing - Basic 1st Half Hour	1	<del>                                     </del>	UEF	URET1		25.12	25.12	<del>                                     </del>		<b> </b>	1				-
	Loop Testing - Basic Additional Half Hour	<b>†</b>	<b>†</b>	UEF	URETA		13.62	13.62	<b>+</b>		1					<del>                                     </del>
Unbu	Indled Network Terminating Wire (UNTW)		t	-					1							
	Unbundled Network Terminating Wire (UNTW) per Pair		1	UENTW	UENPP	0.533	25.12	12.28								
Netw	ork Interface Device (NID)						·									
	Network Interface Device (NID) - 1-2 lines		1	UENTW	UND12		32.86	20.69								
	Network Interface Device (NID) - 1-6 lines	!	1	UENTW	UND16		56.03	43.86			<u> </u>					<u> </u>
	Network Interface Device Cross Connect - 2 W		1	UENTW UENTW	UNDC2 UNDC4		2.45	2.45 2.45	<del>                                     </del>	-	<del> </del>	<b> </b>				<del>                                     </del>
NE OTUED	Network Interface Device Cross Connect - 4W PROVISIONING ONLY - NO RATE	-	1	UEIN I W	UNDC4		2.45	2.45	<del>                                     </del>		1	1				<del>                                     </del>
THE OTHER,	NID - Dispatch and Service Order for NID installation	1	+	UENTW	UNDBX	0.00	0.00		<del>                                     </del>	<del> </del>	<b>+</b>	<b> </b>				<del>                                     </del>
	UNTW Circuit Id Establishment, Provisioning Only - No Rate	1	1	UENTW	UENCE	0.00	0.00		<b>—</b>		<b>†</b>					
	, , , , , , , , , , , , , , , , , , , ,	Ì	1	UEANL,UEF,UEQ,U					1	ĺ	İ					
	Unbundled Contract Name, Provisioning Only - No Rate	<u></u>	<u></u>	ENTW	UNECN	0.00	0.00		<u> </u>	<u> </u>	<u></u>	<u></u>				<u></u>
NE OTHER	PROVISIONING ONLY - NO RATE										1					

UNBU	INDLE	D NETWORK ELEMENTS - Georgia												Attachment	: 2 - Exh. A		
CATEG		RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
-	-		ļ	ļ			Rec	Nonred First	urring Add'l	Nonrecurring First	g Disconnect Add'l	COMEC	SOMAN		Rates (\$) SOMAN	SOMAN	SOMAN
		Unbundled Contact Name, Provisioning Only - no rate Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			UAL,UCL,UDC,UDL, UDN,UEA,UHL,USL	UNECN	0.00	0.00	Addi	First	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate  Unbundled DS1 Loop - Superframe Format Option - no rate			UEA,USL,UCL,UDL USL	USBFR CCOSF	0.00	0.00									
		Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	CCOEF	0.00	0.00									
HIGH C	CAPACI	TY UNBUNDLED LOCAL LOOP															
		High Capacity Unbundled Local Loop - DS3 - Per Mile per month High Capacity Unbundled Local Loop - DS3 - Facility			UE3	1L5ND	10.97										
		Termination per month  High Capacity Unbundled Local Loop - DS3 - Facility  Figh Capacity Unbundled Local Loop - STS-1 - Per Mile per			UE3	UE3PX	253.38	2,016.2145	151.685	129.8465	87.262						
		month High Capacity Unbundled Local Loop - STS-1 - Facility			UDLSX	1L5ND	10.97										
LOOP I	MAKE-U				UDLSX	UDLS1	305.42	2,016.2145	151.685	129.8465	87.262						
		Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		15.19	15.19								
		Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		19.85	19.85								
LINE	PLITTIN	Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)			UMK	UMKMQ		0.82	0.82								
LINE 3		PLITTING															<del>                                     </del>
	END U	SER ORDERING-CENTRAL OFFICE BASED															
	-	Line Splitting - per line activation DLEC owned splitter Line Splitting - per line activation BST owned - physical	ļ	ļ	UEPSR UEPSB UEPSR UEPSB	UREOS UREBP	0.61 0.6297	20.10	12.40	7.68	4.30						
		Line Splitting - per line activation BST owned - physical  Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.6288	20.10	12.40	7.68	4.30						<del>                                     </del>
MAINT		E OF SERVICE															
	NOTE:	The Expedite charge will be maintained commensurate with	BellSouth	's FCC	No.1 Tariff, Section 1	3.3.1 as app	licable.		====								
	-	No Trouble Found - per 1/2 hour increments - Basic  No Trouble Found - per 1/2 hour increments - Overtime						80.00 90.00	55.00 65.00								<del>                                     </del>
		No Trouble Found - per 1/2 hour increments - Premium						100.00	75.00								<b>†</b>
UNBUN		DEDICATED TRANSPORT															
	INTER	OFFICE CHANNEL - DEDICATED TRANSPORT  Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0057										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination			U1TVX	U1TV2	12.87	48.46	19.48	16.58	5.00						
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month			U1TVX	1L5XX	0.0057										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat. Facility Termination			U1TVX	U1TR2	12.87	48.46	19.48	16.58	5.00						
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade Per Mile per month			U1TVX	1L5XX	0.0057										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	10.78	48.46	19.48	16.58	5.00						
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month  Interoffice Channel - Dedicated Transport - 56 kbps - Facility			U1TDX	1L5XX	0.0057										
		Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile			U1TDX	U1TD5	7.83	48.46	19.48	16.58	5.00						
	_	per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility			U1TDX	1L5XX	0.0057										
		Termination			U1TDX	U1TD6	7.83	48.46	19.48	16.58	5.00						

IINRII	NDI F	D NETWORK ELEMENTS - Georgia												Attachment	: 2 - Exh. A	1	
CATEG		RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Order vs.
							Rec		curring		Disconnect				Rates (\$)		
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per		-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		month			U1TD1	1L5XX	0.1154										
		Interoffice Channel - Dedicated Tranport - DS1 - Facility		+	OTIBI	120701	0.1104										1
		Termination			U1TD1	U1TF1	34.19	111.03	80.28	31.36	21.73						
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
		month Page 5 111			U1TD3	1L5XX	2.53										
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	342.02	320.47	86.32	66.77	52.81						
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	1	+	01103	UTIF3	342.02	320.47	00.32	00.77	52.01						1
		month			U1TS1	1L5XX	2.53										
		Interoffice Channel - Dedicated Transport - STS-1 - Facility															
		Termination			U1TS1	U1TFS	358.67	320.47	86.32	66.77	52.81						
DARK F	IBER			ļ													ļ
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel			UDF, UDFCX	1L5DC	46.84										
$\vdash$		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	<b>—</b>	1	ODF, ODFGA	ILOUG	40.84			<del> </del>	<del> </del>	<del>                                     </del>	<del>                                     </del>				+
		Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	23.29										
		NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14		1,776.53	89.75	73.64	18.70						
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
		Thereof per month - Local Loop			UDF, UDFCX	1L5DL	46.84										
8XX AC	CESS	TEN DIGIT SCREENING		<u> </u>			0.0000540										ļ
		8XX Access Ten Digit Screening, Per Call  8XX Access Ten Digit Screening, w/8FL No. Delivery		+		+	0.0008543 0.0008543										<b>-</b>
		8XX Access Ten Digit Screening, w/POTS No. Delivery		1		+	0.0008543										+
LINE IN	FORM	ATION DATA BASE ACCESS (LIDB)					0.00000										
		LIDB Common Transport Per Query					0.0000682										
		LIDB Validation Per Query		ļ			0.0266962										
CALLIA	IC NAM	LIDB Originating Point Code Establishment or Change		<u> </u>	OQU	NRBPX		33.24	33.24	39.35	39.35						ļ
CALLIN	IG NAIV	IE (CNAM) SERVICE CNAM for DB Owners, Per Query	<b> </b>	+			0.0009924										1
		CNAM for Non DB Owners, Per Query					0.0009924										1
LNP Qu	ery Se	rvice					0.00000										
		LNP Charge Per query					0.00082										
		LNP Service Establishment Manual		ļ				12.49		11.09							
CEL EC	TIVE D	LNP Service Provisioning with Point Code Establishment  OUTING		-		1		574.87	293.68	251.47	184.91						1
SELEC	IIVER	Selective Routing Per Unique Line Class Code Per Request Per	<b> </b>	+													1
		Switch						102.19	61.15	12.68	6.34						
VIRTUA	L COL	LOCATION															
		Virtual Collocation-2 Wire Cross Connects (Loop) for Line															
		Splitting		ļ	UEPSR UEPSB	VE1LS	0.0188	0.00	0.00	0.00	0.00						
PHYSIC	AL CO	LLOCATION	ļ	-		1						-					1
		Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.0197	0.00	0.00								
AIN SF	LECTIV	E CARRIER ROUTING	<del>                                     </del>	<del>                                     </del>	021 01 0E1 0E		0.0137	0.00	0.00			<del>                                     </del>	1				<del>                                     </del>
		Regional Service Establishment			İ	<b>†</b>		101,311.67	101,311.67	7,833.25	7,833.25		1				1
		End Office Establishment						158.92	158.92	1.64	1.64						
		Line/Port NRC, per end user			ļ			2.06	2.06								1
AIN S	FI I 66	Query NRC, per query	-	1	-		0.0020368			-	-	-	<u> </u>				<del>                                     </del>
AIN - B	ELLSO	UTH AIN SMS ACCESS SERVICE AIN SMS Access Service - Service Establishment, Per State,	-	1		+						-	<b> </b>				<del>                                     </del>
		Initial Setup			A1N	CAMSE		41.41	41.41	41.63	41.63						
					T	1				11.30	50		1				1
		AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		8.15	8.15	9.16	9.16						
		AIN SMS Access Service - Port Connection - ISDN Access		lacksquare	A1N	CAM1P		8.15	8.15	9.16	9.16						ļ
		AIN SMS Access Service - User Identification Codes - Per User ID Code			A1N	CAMAU		35.29	35.29	26.50	26.50						
		AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement			A1N	CAMRC		40.24	40.24	11.72	11.72						

Jnbundled N	ETWORK ELEMENTS - Georgia						•						Attachment	t: 2 - Exh. A		
											Svc Order	Svc Order		Incremental	Incremental	Increment
												Submitted		Charge -	Charge -	Charge
											Elec			Manual Svc		
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Manually				l .
ATEGORT	RATE ELEMENTS	mterim	Zone	ВСЗ	0300			KAIES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
													Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add
		1				Rec	Nonre		Nonrecurring	,				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	I SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0038										
	I SMS Access Service - Session, Per Minute					1.81										
AIN	I SMS Access Service - Company Performed Session, Per															
Min	iute					0.8323										
IHANCED EXTEN	NDED LINK (EELs)															
NOTE: The	monthly recurring and non-recurring charges below will	apply and	the Sw	itch-As-Is Charge	will not apply	for UNE combi	nations provis	ioned as ' Ord	inarily Combin	ed' Network E	ements.					ĺ
	monthly recurring and the Switch-As-Is Charge and not															1
	ICE GRADE LOOP FOR USE IN A COMBINATION				1				1		Ī					1
	Wire VG Loop (SL2) in Combination - Zone 1	1	1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86		1				1
	Wire VG Loop (SL2) in Combination - Zone 1	t	2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86	<b>-</b>	1	<b> </b>	<b> </b>	<del> </del>	<b>t</b>
	Wire VG Loop (SL2) in Combination - Zone 2 Wire VG Loop (SL2) in Combination - Zone 3	<del>                                     </del>	3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86		1	<b> </b>	<b> </b>	1	<del>                                     </del>
	ce Grade COCI - Per Month	<del>                                     </del>	3	UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04	<b>-</b>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	}	1
	ICE GRADE LOOP FOR USE IN A COMBINATION	1	<b>I</b>	OINCVA	IDIVG	0.4689	21.33	∠.90	10.86	1.04	<b>-</b>	<del> </del>			1	<del>                                     </del>
		<b>├</b>	1	LINICVIV	LIEALA	47.00	405.04	20.00	40.40	0.00		1	-	-	1	1
	Wire Analog Voice Grade Loop in Combination - Zone 1	<u> </u>	1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86		1			1	-
	Wire Analog Voice Grade Loop in Combination - Zone 2	<u> </u>	2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86		<b>.</b>				ļ
	Nire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86		ļ			ļ	<u> </u>
	ce Grade COCI in combination - per month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						<u> </u>
	KBPS DIGITAL LOOP FOR USE IN A COMBINATION															
4-V	Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
4-V	Nire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						
4-V	Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						Ĭ .
OCI	U-DP COCI (data) per month (2.4-64kbs)	1		UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						i e
	KBPS DIGITAL LOOP FOR USE IN A COMBINATI\ON											İ				
	Wire 64Kbps Digital Grade Loop in Combination - Zone 1	1	1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						i e
	Wire 64Kbps Digital Grade Loop in Combination - Zone 2	1		UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86		1				1
	Wire 64Kbps Digital Grade Loop in Combination - Zone 3	1	3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86		<b>†</b>				1
	U-DP COCI (data) - in combination - per month (2.4-64kbs)	1	- 3	UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						<del> </del>
	ON LOOP FOR USE IN COMBINATION	1		ONODA	10100	0.3303	27.55	2.30	10.00	1.04						<del> </del>
	Wire ISDN Loop in Combination - Zone 1	1	1	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86		-				
		1	1													<u> </u>
	Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86						ļ
	Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86		ļ				<b>.</b>
	rire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04						
	1 DIGITAL LOOP FOR USE IN A COMBINATION	1														
	Vire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						
	Vire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						
	Vire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						
	1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	ICE GRADE INTEROFFICE TRANSPORT FOR USE IN A C	OMBINAT	ION													
Inte	eroffice Transport - 2-wire VG - Dedicated- Per Mile Per															
Mor	nth			UNCVX	1L5XX	0.0057										
Inte	eroffice Transport - 2-wire VG - Dedicated - Facility															
Terr	mination per month			UNCVX	U1TV2	12.87	66.53	33.61	43.42	27.60						
4 WIRE VO	ICE GRADE INTEROFFICE TRANSPORT FOR USE IN A C	OMBINAT	ON									İ				
	eroffice Transport - 4-wire VG - Dedicated - Per Mile Per	T										1				1
Mor	•			UNCVX	1L5XX	0.0057										
11101	eroffice Transport - 4-wire VG - Dedicated - Facility			ONOVA	TLOXX	0.0037										
	mination per month			UNCVX	U1TV4	10.78	66.53	33.61	43.42	27.60						
	OFFICE TRANSPORT FOR COMBINATION	1		UNCVA	01174	10.76	00.55	33.01	43.42	27.00		1			1	
	eroffice Transport - Dedicated - DS1 combination - Per Mile	<del>                                     </del>	-		+	<del></del>				-		<del>                                     </del>			<b> </b>	<del>                                     </del>
	•			LINICAV	41.577	0.4454					1		l	l		1
	month	+	-	UNC1X	1L5XX	0.1154			1			1	<del>                                     </del>	<del>                                     </del>	1	<del>                                     </del>
	eroffice Transport - Dedicated - DS1 combination - Facility			LINIOAN												
	mination per month	1		UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97		<b></b>				ļ
	OFFICE TRANSPORT FOR USE IN A COMBINATION				1	ļ					ļ	ļ	ļ	ļ		ļ
	eroffice Transport - Dedicated - DS3 combination - Per Mile					I					1		l	l		1
	Month			UNC3X	1L5XX	2.53			]			1				ļ
Inte	eroffice Transport - Dedicated - DS3 - Facility Termination per									l						
mor	nth			UNC3X	U1TF3	342.02	325.91	77.07	49.56	32.88	1		1	1		1
OTO 4 INTE	EROFFICE TRANSPORT FOR USE IN COMBINATION	1			1						i				1	i e

INBUNDL	ED NETWORK ELEMENTS - Georgia												Attachment	: 2 - Exh. A		
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonre	curring	Nonrecurring	Disconnect		1		Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile			LINIOOV	41.500/	0.50										
	Per Month Interoffice Transport - Dedicated - STS-1 combination - Facility		-	UNCSX	1L5XX	2.53										<b>-</b>
	Termination per month			UNCSX	U1TFS	358.67	325.91	77.07	49.56	32.88						
4-WIF	RE 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRAN	SPORT			1											
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			UNCDX	1L5XX	0.0057										
	Per Mile per month Interoffice Transport - Dedicated - 4-wire 56 kbps combination -	1		UNCDX	ILSXX	0.0057										
	Facility Termination per month			UNCDX	U1TD5	7.83	66.53	33.61	43.42	27.60						
4-WIF	RE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTERO	FFICE TR	ANSPO													
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						ļ
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNCDX	1L5XX	0.0057										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -	1		UNCDA	ILSAA	0.0057										
	Facility Termination per month			UNCDX	U1TD6	7.83	66.53	33.61	43.42	27.60						
4-WIF	RE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRANS	PORT	0110271	050	7.00	00.00	00.01	10.12	27.00						<b>†</b>
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						
	4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per			LINCDY	41 EVV	0.0057										
	month  4-wire 56 kbps Interoffice Transport - Dedicated - Facility		-	UNCDX	1L5XX	0.0057										<b>-</b>
	Termination per month			UNCDX	U1TD5	7.83	66.53	33.61	43.42	27.60						
4-WIF	RE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFIC	E TRANS	PORT	0110271	050	7.00	00.00	00.01	.0.12	21.00						<b>†</b>
	4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
	4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
	4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						<u> </u>
	I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0057										
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility		-	UNCDX	ILSXX	0.0057										<b>+</b>
	Termination per month			UNCDX	U1TD6	7.83	66.53	33.61	43.42	27.60						
DS1 I	DIGITAL LOOP AND DS1 INTERFOFFICE TRANSPORT			0110271	050	7.00	00.00	00.01	101.12	21.00						<b>†</b>
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						
	4-Wire DS1 Digital Loop in Combination - Zone 3	<u> </u>	3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.1154										
	Interoffice Transport - Dedicated - DS1 combination - Facility	<del>                                     </del>		OINC IA	ILSAA	0.1154										<del>                                     </del>
	Termination per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
DS3 I	DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPO	ORT														
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	12.6155										
	DS3 Local Loop in combination - Facility Termination per month	-		UNC3X	UE3PX	291.387	2,016.2145	151.685	129.8465	87.262						₩
	Interoffice Transport - Dedicated - DS3 - Per Mile per month Interoffice Transport - Dedicated - DS3 combination - Facility	1	<del>                                     </del>	UNC3X	1L5XX	2.53										<del>                                     </del>
	Termination per month			UNC3X	U1TF3	342.02	325.91	77.07	49.56	32.88						
STS-	1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRAN	NSPORT			1	2.2.02				200						
	STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	12.6155										
	STS-1 Local Loop in combination - Facility Termination per															
	month	<u> </u>	<b></b>	UNCSX	UDLS1	351.233	2,016.2145	151.685	129.8465	87.262						
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	1L5XX	2.53										
	Interoffice Transport - Dedicated - STS-1 combination - Facility					2.00										
	Termination per month	1	1	UNCSX	U1TFS	358.67	325.91	77.07	49.56	32.88	1					1

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment	: 2 - Exh. A		
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						_	Nonred	urring	Nonrecurring	Disconnect			oss	Rates (\$)	1	1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	NETWORK ELEMENTS															
	used as a part of a currently combined facility, the non-recurr															
	used as ordinarily combined network elements in All States, the					Is Charge do	es not.									
Nonrec	curring Currently Combined Network Elements "Switch As Is"	Charge (0	one app	lies to each combin	nation)											
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX, UNCDX, UNC1X, UNC3X,												
Ontion	Is Charge al Features & Functions:			UNCSX	UNCCC		5.70	5.70	6.61	6.61					-	
Орион	di reduies & runctions.			U1TD1.							1				1	
	Clear Channel Capability Extended Frame Option - per DS1	I		ULDD1,UNC1X U1TD1.	CCOEF		0.00	0.00	0.00	0.00						
	Clear Channel Capability Super FrameOption - per DS1	1		ULDD1,UNC1X	CCOSF		0.00	0.00	0.00	0.00						
	Clear Channel Capability (SF/ESF) Option - Subsequent	<u> </u>		ULDD1, U1TD1,	1		3.30	3.30	5.50	5.50					1	
	Activity - per DS1	- 1		UNC1X, USL	NRCCC		184.62	23.78	2.03	0.79						
	C-bit Parity Option - Subsequent Activity - per DS3	i		U1TD3, ULDD3, UE3, UNC3X	NRCC3		218.74	7.66	0.7591	0.00						
MULTI	PLEXERS															
	DS1 to DS0 Channel System per month			UNC1X	MQ1	69.75	86.10									
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
	month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	0.9963	11.98	11.39	6.61	6.61						
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
	month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	0.9963	11.98	11.39	6.61	6.61						
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			עטווט	טטוטו	0.9963	11.98	11.39	0.01	0.01	-				-	
	month for a Local Loop			UDN	UC1CA	1.66	15.81	11.39	6.61	6.61						
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			ODIN	OCTOA	1.00	10.01	11.55	0.01	0.01					-	
	month used for connection to a channelized DS1 Local Channel															
	in the same SWC as collocation			U1TUB	UC1CA	1.66	15.81	11.39	6.61	6.61						
	Voice Grade COCI - DS1 to DS0 Channel System - per month															
	used for a Local Loop			UEA	1D1VG	0.4689	11.98	11.39	6.61	6.61						
	Voice Grade COCI - DS1 to DS0 Channel System - per month															
	used for connection to a channelized DS1 Local Channel in the															
	same SWC as collocation			U1TUC	1D1VG	0.4689	11.98	11.39	6.61	6.61						ļ
	DS3 to DS1 Channel System per month			UNC3X	MQ3	121.90										
	STS-1 to DS1 Channel System per month DS1 COCI used with Loop per month			UNCSX USL	MQ3 UC1D1	121.90 7.35	15.81	11.39	6.61	6.61					1	ļ
	DS1 COCI used with Loop per month  DS1 COCI (used for connection to a channelized DS1 Local			USL	OCIDI	7.33	15.61	11.39	0.01	0.01	-				-	<b>-</b>
	Channel in the same SWC as collocation) per month			U1TUA	UC1D1	7.35	15.81	11.39	6.61	6.61					I	
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	7.35	15.81	11.39	6.61	6.61	t				<b>†</b>	1
	DS3 Interface Unit (DS1 COCI) used with Local Channel per				1	7.50	.0.01	50	3.51	5.51					1	
	month			ULDD1	UC1D1	7.35	15.81	11.39	6.61	6.61						
NBUNDLED I	LOCAL EXCHANGE SWITCHING(PORTS)															
	change Switching Port Rates Reflected Here Apply to Embedo				ch 10, 2005											
	onsist of the TELRIC Cost Based Rates Plus \$1.00 in Accordan	ce with the	ne TRR	). -												
	nge Ports	0/ 1 4 0	Th1 41 -	1												
	Although the Port Rate includes all available features in GA, I E VOICE GRADE LINE PORT RATES (RES)	KY, LA &	IN, the	desired features wi	Il need to be	ordered using	retail USOCs									
Z-WIRE	Exchange Ports - 2-Wire Analog Line Port- Res.		<b>!</b>	UEPSR	UEPRL	2.09	2.42	2.31	1.37	1.28	-		-	-	<del>                                     </del>	<del>                                     </del>
	Lacriange i ons - 2-Wile Analog Line Fort- Nes.		<del>                                     </del>	OLI OK	OLFIL	2.09	2.42	2.31	1.37	1.20				-	<del>                                     </del>	
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	2.09	2.42	2.31	1.37	1.28						
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.  Exchange Ports - 2-Wire VG unbundled res, low usage line port			UEPSR	UEPRO	2.09	2.42	2.31	1.37	1.28						
	with Caller ID (LUM)			UEPSR	UEPAP	2.09	2.42	2.31	1.37	1.28					I	
	with Caller ID (LOW)  Exchange Ports - 2-Wire Voice Georgia basic dialing port without Caller ID			UEPSR	UEPWC	2.09	2.42	2.31	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port for use with		<b>-</b>	021 010	32.770	2.09	2.72	2.01	1.57	1.20	<b>-</b>				t	<b>-</b>
1	Caller ID - res		l	UEPSR	UEPWQ	2.09	2.42	2.31	1.37	1.28				1	1	

NBUNDLED N	NETWORK ELEMENTS - Georgia												Attachment	: 2 - Exh. A		
regory	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charg
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Wire voice unbundled Georgia basic dialing port - outgoing															
onl	• 9		ļ	UEPSR	UEPWR	2.09	2.42	2.31	1.37	1.28						
	Wire voice unbundled Low Usage Line Port without Caller ID			LIEDOD	LIEDDT	0.00	0.40	0.04	4.07	4.00						
	pability Nire Voice Grade Unbundled Port without Caller ID capability,	-		UEPSR	UEPRT	2.09	2.42	2.31	1.37	1.28						-
	eorgia			UEPSR	UEPRV	2.09	2.42	2.31	1.37	1.28						
	Wire Voice Grade Unbundled Port with Caller ID capability,			OLI OIL	OLI III	2.00	2.72	2.01	1.07	1.20						<b>—</b>
	eorgia			UEPSR	UEPRU	2.09	2.42	2.31	1.37	1.28						
Su	bsequent Activity			UEPSR	USASC	0.00	0.00	0.00								
FEATURES	S															1
	Available Vertical Features			UEPSR	UEPVF	0.775	0.00	0.00								
	DICE GRADE LINE PORT RATES (BUS)															
	change Ports - 2-Wire Analog Line Port without Caller ID -															
Bu				UEPSB	UEPBL	2.09	2.42	2.31	1.37	1.28						-
	change Ports - 2-Wire VG unbundled Line Port with bundled port with Caller+E484 ID - Bus.	1	1	UEPSB	UEPBC	2.09	2.42	2.31	1.37	1.28						
	change Ports - 2-Wire Voice Georgia Business Basic Dialing	1	<u> </u>	UEPSB	UEPBC	2.09	2.42	2.31	1.37	1.28						<del> </del>
	ort, with Caller ID capability			UEPSB	UEPWP	2.09	2.42	2.31	1.37	1.28						
1 0	nt, with danor is depaidinty	1	<u> </u>	OLI OB	OLI WI	2.00	2.72	2.01	1.07	1.20						<del>                                     </del>
Exc	change Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	2.09	2.42	2.31	1.37	1.28						
	hange Ports - 2-Wire VG unbundled incoming only port with		<u> </u>	02. 03	02. 50	2.00	2.12	2.01	1.07	20						<del>                                     </del>
	aller ID - Bus			UEPSB	UEPB1	2.09	2.42	2.31	1.37	1.28						
Exc	change Ports - 2-Wire Voice Georgia Business Dialing Plan															
	thout Caller ID			UEPSB	UEPWD	2.09	2.42	2.31	1.37	1.28						
	Wire voice unbundled Incoming Only Port without Caller ID															
	pability			UEPSB	UEPBE	2.09	2.42	2.31	1.37	1.28						-
FEATURES	bsequent Activity		<u> </u>	UEPSB	USASC	0.00	0.00	0.00								-
	Available Vertical Features	1	<u> </u>	UEPSB	UEPVF	0.775	0.00	0.00								<b>├</b>
	E PORT RATES (DID & PBX)			OLI OD	OLI VI	0.773	0.00	0.00								+
	Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	2.09	28.88	13.63	11.48	0.83						<b>—</b>
	Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	2.09	28.88	13.63	11.48	0.83						<b>†</b>
2-V	Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	2.09	28.88	13.63	11.48	0.83						1
	Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	2.09	28.88	13.63	11.48	0.83						
	Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	2.09	28.88	13.63	11.48	0.83						
	Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	2.09	28.88	13.63	11.48	0.83						
	Nire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	2.09	28.88	13.63	11.48	0.83						
	Wire Voice Unbundled PBX Toll Terminal Hotel Ports Wire Voice Unbundled PBX LD DDD Terminals Port	<del> </del>	<b>!</b>	UEPSP UEPSP	UEPXB	2.09	28.88 28.88	13.63 13.63	11.48 11.48	0.83 0.83						₩
	Wire Voice Unbundled PBX LD DDD Terminals Port Wire Voice Unbundled PBX LD Terminal Switchboard Port	+	<del>                                     </del>	UEPSP	UEPXC	2.09	28.88	13.63	11.48	0.83	-	-				+
	Wire Voice Unbundled PBX LD Terminal Switchboard IDD	1	<del>                                     </del>	ULFOF	UEFAD	∠.∪9	∠8.88	13.03	11.48	0.83	<del>                                     </del>	1				+
	apable Port	1	1	UEPSP	UEPXE	2.09	28.88	13.63	11.48	0.83						
	Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1	t	021 01	OLI AL	2.09	20.00	13.03	11.40	0.03	<b>†</b>	<b>†</b>				<b>†</b>
	ministrative Calling Port			UEPSP	UEPXL	2.09	28.88	13.63	11.48	0.83						
2-V	Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	oom Calling Port			UEPSP	UEPXM	2.09	28.88	13.63	11.48	0.83						
	Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	scount Room Calling Port			UEPSP	UEPXO	2.09	28.88	13.63	11.48	0.83						
	Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		ļ	UEPSP	UEPXS	2.09	28.88	13.63	11.48	0.83						
	Wire voice unbundled Georgia basic dialing port - 1-Way	1	1	LIEDOD	LIEDIAGO	0.00	20.00	10.00	44.40	0.00						
	udial Trunk	+	<del>                                     </del>	UEPSP	UEPWS	2.09	28.88	13.63	11.48	0.83	-	-				<del></del>
Z-V Tru	Wire voice unbundled Georgia basic dialing port - 2-Way	1	1	UEPSP	UEPWT	2.09	28.88	13.63	11.48	0.83						
	wire voice unbundled Georgia basic dialing port - 2-way PBX	1	<del>                                     </del>	OLFOF	OLF WI	2.09	∠0.08	13.03	11.48	0.63	<del>                                     </del>	1				+
	unk	1	1	UEPSP	UEPPQ	2.09	28.88	13.63	11.48	0.83						
	bsequent Activity	<b>†</b>	1	UEPSP	USASC	0.00	0.00	0.00	11.70	0.00						t t
FEATURES		1	1		1	0	3.30	2.30	İ		İ	İ				1
All	Available Vertical Features			UEPSP UEPSE	UEPVF	0.775	0.00	0.00								I
	smission/usage charges associated with POTS circuit switched usage v	vill alaa ann		it audiahad valaa and/a	u aluarrit arritation d	data tanananda da d	hu B Channala a	a a a lata d uulth 2 uu	ing ICDM masta	i	1					1

UNRU	NDI F	D NETWORK ELEMENTS - Georgia												Attachment	: 2 - Exh. A		
ONE	INDLL	NETWORK ELLINENTS - Georgia		T	1		T					Svc Order	Svc Order			Incremental	Incrementa
													Submitted				Charge -
														_	Charge -	Charge -	_
CATEG	OPV	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)			Elec	Manually		Manual Svc	Manual Svc	1
CAILO	OICI	KATE ELEMENTO	interim	20116	B00	0000			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
			1	1		+		Nonred	urring	Nonrecurring	n Disconnect		l .	OSS	Rates (\$)		<del></del>
			1	1		+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-WIRE	VOICE GRADE LINE PORT RATES (DID)	1	1		+		11131	Auu i	11130	Addi	JOINEC	JONAN	JOINAIN	JOINAIN	JOWAN	JOHIAN
	_ ******	Exchange Ports - 2-Wire DID Port	1	1	UEPEX	UEPP2	6.50	122.26	18.65	54.82	3.45						<del></del>
	2-WIRE	VOICE GRADE LINE PORT RATES (ISDN-BRI)	<u> </u>	<u>†                                      </u>	02. 27.	022	0.00	122.20	10.00	0 1.02	00						
		Exchange Ports - 2-Wire ISDN Port (See Notes below.)	<u> </u>	<u>†                                      </u>	UEPTX. UEPSX	U1PMA	7.09	76.39	51.50	45.67	10.36						
		All Features Offered			UEPTX, UEPSX	UEPVF	0,775	0.00	0.00								
		Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								
	NOTE: T	ransmission/usage charges associated with POTS circuit switched usage v	vill also app	ly to circu	it switched voice and/or	circuit switche	d data transmission	by B-Channels as	sociated with 2-w	rire ISDN ports.							
		ccess to B Channel or D Channel Packet capabilities will be available only t		New Bus	iness Request Process.	Rates for the p	acket capabilities v	ill be determined	ia the Bona Fide	Request/New Busi	iness Request Pro	cess.					
		IDLED PORT with REMOTE CALL FORWARDING CAPABILITY															
	UNBUN	IDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
		Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	2.09	2.42	2.31	1.37	1.28						
L		Unbundled Remote Call Forwarding Service, Local Calling - Res		<u> </u>	UEPVR	UERLC	2.09	2.42	2.31	1.37	1.28			<u></u>			<u></u>
		Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	2.09	2.42	2.31	1.37	1.28						
		Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	2.09	2.42	2.31	1.37	1.28						
	Non-Re	ecurring															Ī
		Unbundled Remote Call Forwarding Service - Conversion -															Ī
		Switch-as-is			UEPVR	USAC2		2.01	0.31								
		Unbundled Remote Call Forwarding Service - Conversion with															Ī
		allowed change (PIC and LPIC)			UEPVR	USACC		2.01	0.31								
	UNBUN	IDLED REMOTE CALL FORWARDING - Bus								Î							Î
										Î							Î
		Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	2.09	2.42	2.31	1.37	1.28						
		-								Î							Î
		Unbundled Remote Call Forwarding Service, Local Calling - Bus	;		UEPVB	UERLC	2.09	2.42	2.31	1.37	1.28						
		Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	2.09	2.42	2.31	1.37	1.28						1
		Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	2.09	2.42	2.31	1.37	1.28						1
		Unbundled Remote Call Forwarding Service Expanded and															1
		Exception Local Calling			UEPVB	UERVJ	2.09	2.42	2.31	1.37	1.28						
	Non-Re	curring															1
		Unbundled Remote Call Forwarding Service - Conversion -															1
		Switch-as-is			UEPVB	USAC2		2.01	0.31								
		Unbundled Remote Call Forwarding Service - Conversion with															1
		allowed change (PIC and LPIC)			UEPVB	USACC		2.01	0.31								
UNBUN	DLED L	OCAL SWITCHING, PORT USAGE	1	1													
	End Of	fice Switching (Port Usage)															1
		End Office Switching Function, Per MOU					0.0006153										1
		End Office Trunk Port - Shared, Per MOU					0.0001226										1
	Tander	n Switching (Port Usage) (Local or Access Tandem)															1
		Tandem Switching Function Per MOU					0.0000972										1
		Tandem Trunk Port - Shared, Per MOU					0.0001557										1
		Tandem Switching Function Per MOU (Melded)					0.000017904										1
		Tandem Trunk Port - Shared, Per MOU (Melded)					0.00002868										1
	Melded	Factor: 18.42% of the Tandem Rate															1
		on Transport	<u> </u>	<u>†                                      </u>													
		Common Transport - Per Mile, Per MOU	1	1			0.0000027										
		Common Transport - Facilities Termination Per MOU	1	1		İ	0.0001914			İ	1						
UNBUN	DLED F	ORT/LOOP COMBINATIONS - COST BASED RATES	1	1													1
		Based Rates are applied where BellSouth is required by FCC	and/or St	ate Com	mission rule to pro	vide Unbund	lled Local Swite	hina or									1
	Switch							•			I	1	1				
	> The U	JNE-P Switching Port Rates Reflected in the Cost Based Sect	ion Apply	to Emb	edded Base UNE-Ps	s as of Marci	n 10, 2005 and (	Consist of the									1
		Cost Based Rates Plus \$1.00 in Accordance with the TRRO.	,								I	1	1				
		res shall apply to the Unbundled Port/Loop Combination - Co	st Based	Rate se	ection in the same m	anner as the	y are applied to	the Stand-		i	†			i			
		Jnbundled Port section of this Rate Exhibit.					,										
		Office and Tandem Switching Usage and Common Transport	Usage rate	es in the	e Port section of this	rate exhibit	shall apply to	all		1	1						
		nations of loop/port network elements except for UNE Coin P					11.7.0				I	1	1				
		rst and additional Port nonrecurring charges apply to Not Cu				ently Combin	ned Combos the	9		1	1						
		urring charges shall be those identified in the Nonrecurring -				,					I	1	1				
$\vdash$		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)		, 556						i	1						
		ort/Loop Combination Rates			1	+	+				<del>                                     </del>		<b></b>	<b></b>			

IBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment	: 2 - Exh. A		
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
						Rec		urring	Nonrecurring	,				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	2-Wire VG Loop/Port Combo - Zone 1					11.46										<u> </u>
	2-Wire VG Loop/Port Combo - Zone 2					16.76										<u> </u>
	2-Wire VG Loop/Port Combo - Zone 3					33.56										<u> </u>
UNE L	pop Rates															<u> </u>
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	9.56										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	14.86										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	31.66										
2-Wire	Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled port outgoing only - res	<u> </u>	<u> </u>	UEPRX	UEPRO	1.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundles res, low usage line port with Caller ID															
	(LUM)			UEPRX	UEPAP	1.9019	10.05	7.36	1.37	1.28						1
	2-Wire voice unbundled Georgia basic dialing port without Caller	1														
	ID capability - res			UEPRX	UEPWC	1.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port for use with		1								1	1				
	Caller ID - res			UEPRX	UEPWQ	1.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - outgoing															
	only			UEPRX	UEPWR	1.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Low Usage Line Port without Caller ID															
	Capability			UEPRX	UEPRT	1.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Unbundled Port without Caller ID, Georgia			UEPRX	UEPRV	1.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Unbundled Port with Caller ID, Georgia			UEPRX	UEPRU	1.9019	10.05	7.36	1.37	1.28						
FEATU	RES															
	All Features Offered			UEPRX	UEPVF	0.775	0.00	0.00								
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPRX	USAC2		0.10	0.10								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch with change			UEPRX	USACC		0.10	0.10								
	2-Wire Voice Grade Loop / Line Port Platform - Installation Charge at QuickService location - Not Conversion of Existing Service			UEPRX	URECC		0.10									
ADDIT	ONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity			UEPRX	USAS2	0.00	0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEPRX	URETL		8.33	0.83								
OFF/O	N PREMISES EXTENSION CHANNELS															
	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	10.51	40.02	9.99	5.61	1.72						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	15.85	40.02	9.99	5.61	1.72						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	31.97	40.02	9.99	5.61	1.72						
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	11.57	79.85	24.65	18.92	7.87						
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	16.95	79.85	24.65	18.92	7.87						
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	33.08	79.85	24.65	18.92	7.87						
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPRX	U1TV2	12.87	48.46	19.48	16.58	5.00						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPRX	U1TVM	0.0057	0.00	0.00								
	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)	ļ	ļ		$\bot$											<b>↓</b>
UNE P	ort/Loop Combination Rates	ļ	ļ		$\bot$							ļ				<b>↓</b>
	2-Wire VG Loop/Port Combo - Zone 1	<u> </u>	<u> </u>			11.46										↓
	2-Wire VG Loop/Port Combo - Zone 2		L		$\bot$	16.76										↓
	2-Wire VG Loop/Port Combo - Zone 3	ļ	ļ		$\bot$	33.56										<del>   </del>
UNE L	pop Rates		L													<del>   </del>
_	2-Wire Voice Grade Loop (SL1) - Zone 1	ļ	1	UEPBX	UEPLX	9.56										<b></b>
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	14.86		i e	1	i					1	1

NBUNDLI	ED NETWORK ELEMENTS - Georgia												Attachment	: 2 - Exh. A		
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		ļ	-		+	Rec	Nonred First		Nonrecurring		COMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
2-Wir	e Voice Grade Line Port (Bus)				+		FIRST	Add'l	First	Add'l	SOMEC	SOWAN	SUMAN	SUMAN	SOWAN	SOWAN
2 ****	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.9019	10.05	7.36	1.37	1.28						
i	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port, without															
	Caller ID capability - bus			UEPBX	UEPWD	1.9019	10.05	7.36	1.37	1.28						ļ
	2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - bus			UEPBX	UEPWP	1.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Incoming Only Port without Caller ID	1	-	UEPBA	UEFWF	1.9019	10.05	7.30	1.37	1.20						<del> </del>
	Capability			UEPBX	UEPBE	1.9019	10.05	7.36	1.37	1.28						
FEAT	URES	1	t		- J. J.	1.5519	10.00	7.50	1.57	1.20						
1	All Features Offered	1		UEPBX	UEPVF	0.775	0.00	0.00	İ		İ	İ				
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is	ļ	ļ	UEPBX	USAC2		0.10	0.10								ļ
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1		LIEDDY	110400		0.40	0.40								
A DDI	Switch with change TIONAL NRCs	ļ	-	UEPBX	USACC		0.10	0.10								<del></del>
ADDI	2-Wire Voice Grade Loop/Line Port Combination - Subsequent	1	-		-											-
	Activity			UEPBX	USAS2		0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User			02. 5%	00/102		0.00	0.00								
	Premise			UEPBX	URETL		8.33	0.83								
OFF/0	ON PREMISES EXTENSION CHANNELS															
	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	10.51	40.02	9.99	5.61	1.72						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	15.85	40.02	9.99	5.61	1.72						<u> </u>
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	31.97	40.02	9.99	5.61	1.72						
	2 Wire Analog Voice Grade Extension Loop – Design		1 2	UEPBX UEPBX	UEAED	11.57 16.95	79.85 79.85	24.65 24.65	18.92 18.92	7.87						<b></b>
_	2 Wire Analog Voice Grade Extension Loop – Design 2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	33.08	79.85	24.65	18.92	7.87 7.87						-
INTE	ROFFICE TRANSPORT		3	UEPBA	UEAED	33.06	79.65	24.65	10.92	1.01						-
114121	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPBX	U1TV2	12.87	48.46	19.48	16.58	5.00						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPBX	U1TVM	0.0057	0.00	0.00								
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1					11.46										ļ
	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	1	1		+	16.76 33.56					-					$\vdash$
LINE	Loop Rates					33.30										$\vdash$
O.V.E.	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	9.56										
	2-Wire Voice Grade Loop (SL 1) - Zone 2	1	2	UEPRG	UEPLX	14.86			İ		İ	İ				
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	31.66										
2-Wir	e Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -				1			_								
	Res	-	<del>                                     </del>	UEPRG	UEPRD	1.9019	10.05	7.36	1.37	1.28						₩
FEAT	TURES All Features Offered	1	₩	UEPRG	UEPVF	0.775	0.00	0.00			-					<del>                                     </del>
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	1		OLFING	OLF VF	0.775	0.00	0.00	<del> </del>							<del>                                     </del>
.40.41	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	1	t		+						<b>†</b>	1				<b>†</b>
	Conversion - Switch-As-Is		1	UEPRG	USAC2		0.10	0.10								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		i –								Ì					
	Conversion - Switch with Change			UEPRG	USACC		0.10	0.10								
ADDI	TIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEDDO	LICACO	2.22	0.00	0.00								
	Subsequent Activity  PBX Subsequent Activity - Change/Rearrange Multiline Hunt	1	-	UEPRG	USAS2	0.00	0.00	0.00								$\vdash$

CATEGORY   RATE FLEMENTS   Inherit   Zone   BCS   USOC   RATE (I)   Security   Security   Company   Comp	INBUNDLE	D NETWORK ELEMENTS - Georgia												Attachment	: 2 - Exh. A		
Process   Proc			Interim	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge -
Description   Section	-							Nonro	urring	Nonrocurring	Disconnect					DISC 1St	DISC Add I
Modernate Microscope Research Top Loop of Evolution   USEPAG   U				<b>-</b>			Rec					SOMEC	SOMAN			SOMAN	SOMAN
Control PRESENCE EXTENSION CAMANULES   1   UPPRIG   P2,014   11,57   7,50   2,45   11,90   7,77   1,00		Unbundled Miscellaneous Rate Element, Tag Loop at End User							7144	101	7144		007	00	001117111	00	
Local Charmed Votog goods pot terrimentom   1 URPRG   PSAKK   11.07   PRISE   24.65   16.92   7.67					UEPRG	URETL		8.33	0.83								
	OFF/O			_	LIEDDO	DO ILIV	44.57	70.05	04.05	40.00	7.07						
Local Charmet Nove goods per termination   3 UPPS   P2HPX   S00   79   70   4 0   0 0   0			ļ	1													<del> </del>
Now-Wire Dixes Serve Channel Voxo Grade																	1
Non-Yelle Direct Series Channel Voce Grade   2   UEPRG   SDDXX   1776   56.02   7.70   4.40   D.02			1														+
Non-Yelle Dimed Sewar Claramed Votac Grade - Facility   UEPRG   SDDXX   27.18   56.92   7.70   4.40   0.003																	1
Intereffice Transport - Dedicated - 2 Were Vicine Grande - Per Mile   UEPRG   UTTVM   0.0097   0.00   0.0																	
Termination   UPPRC   UTIVA   12.077   48.46   19.48   16.58   5.00	INTER	OFFICE TRANSPORT															
Interdition Transport - Cedicated - 2 Wire Voice Grade - Per Mile or Fraction Male   UEPRG   UTM   0.0057   0.00																	
OF Proction Mile   UPPRC UTTM			<b>!</b>	1	UEPRG	U1TV2	12.87	48.46	19.48	16.58	5.00	1					
2-Wife Voice Grant-Loof WiTH 2-Wife Line PORT (BUS - PBX)			1		LIEDDO	11477/04	0.0057	0.00	0.00								
UNE For   Comparison Rates	2 WIDE			<u> </u>	UEPRG	UTIVM	0.0057	0.00	0.00								<del> </del>
2-Wire Vol LoopProt Combo - Zone 1   1.46			1	1									<b> </b>				<del> </del>
2-Wire VS LoopProt Corbor - Zone 2   16.76   3.56	ONLF		1	1			11 46										+
2-Wire Vot Complete Carde Loop (St. 1) - Zone 1													1				
UNE   Loop Rates													†				
2-Viver Voice Grade Loop (St.1) - Zone 3	UNE Lo																
2-Wire Voice Grade Line PRIA stage (BUS - PRX)		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	9.56										
2-Wire Vote Grade Line Port Rates (BUS - PBX)																	
Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus				3	UEPPX	UEPLX	31.66										
Une Side Urbundled Dutward PBX Trunk Port - Bus	2-Wire	Voice Grade Line Port Rates (BUS - PBX)															
Une Side Urbundled Dutward PBX Trunk Port - Bus								40.05	= 00								
Line Side Unbundled Incoming PBX Trunk Port - Bus			-	-									<b>.</b>				-
2-Wire Voice Unbundled 2-Way Combination PBX LD Terminal Ports   UEPX UEPX 1.9019   10.05   7.36   1.37   1.28				1									1				1
2-Wire Voice Unbundled 2-Way Combination PBX Usage Port   UEPPX   UEPXB   1.9019   10.05   7.36   1.37   1.28													<b>+</b>				
2-Wire Voice Unbundled PSX Toll Terminal Hotel Ports													1				
2-Wire Voice Unbundled PBX LD DDD Terminals Port   UEPPX   UEPX																	
2-Wire Vaice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port   UEPPX   UEXX   UEXX   UEXX   UEXX   UEXX   UEXX   UEXX   UEXX   UEXX   UEX					UEPPX				7.36		1.28						
Capable Port   UEPPX   UEPX   1.9019   10.05   7.36   1.37   1.28					UEPPX	UEPXD	1.9019	10.05	7.36	1.37	1.28						
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy   Administrative Calling Port   UEPX   UEP																	
Administrative Calling Port					UEPPX	UEPXE	1.9019	10.05	7.36	1.37	1.28						
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port   UEPPX   UEPX					HEDDY	LIEDVI	4 0040	40.05	7.00	4.07	4.00						
Room Calling Port			1	1	UEPPA	UEPXL	1.9019	10.05	7.36	1.37	1.28	-	1	-		-	<del>                                     </del>
2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital   UEPPX   UEX			1		LIEPPX	UEDXM	1 9010	10.05	7 36	1 37	1 29						
Discount Room Calling Port			1	<b>†</b>	OLI I A	OLI AIVI	1.3019	10.03	7.30	1.37	1.20	<b>-</b>	<b> </b>				<del>                                     </del>
2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port   UEPPX   UEPX   1.9019   10.05   7.36   1.37   1.28			1		UEPPX	UEPXO	1.9019	10.05	7.36	1.37	1.28						
2-Wire voice unbundled Georgia basic dialing port - 1-Way Oudial Trunk  2-Wire voice unbundled Georgia basic dialing port - 2-Way Trunk  UEPPX  UEPWT  1.9019  10.05  7.36  1.37  1.28   2-Wire voice unbundled Georgia basic dialing port - 2-way PBX Trunk  UEPPX  UEPPX  UEPPX  UEPPQ  1.9019  10.05  7.36  1.37  1.28   2-Wire voice unbundled Georgia basic dialing port - PBX LD Terminal Ports  2-Wire voice unbundled Georgia basic dialing port - PBX LD Terminal Ports  1.9019  1.9019  10.05  7.36  1.37  1.28  2-Wire voice unbundled Georgia basic dialing port - PBX LD Terminal Ports  1.9019	1		1	1									Ì	ĺ		l	
2-Wire voice unbundled Georgia basic dialing port - 2-Way   Trunk   UEPPX   UEPWT   1.9019   10.05   7.36   1.37   1.28																	
Trunk			ļ	1	UEPPX	UEPWS	1.9019	10.05	7.36	1.37	1.28						
2-Wire voice unbundled Georgia basic dialing port - 2-way PBX   Trunk   UEPPX   UEPPQ   1.9019   10.05   7.36   1.37   1.28			1														
Trunk			<del>                                     </del>	1	UEPPX	UEPWT	1.9019	10.05	7.36	1.37	1.28	1	1				
2-Wire voice unbundled Georgia basic dialing port - PBX LD Terminal Ports  2-Wire voice unbundled Georgia basic dialing port - PBX Toll Terminal Ports  2-Wire voice unbundled Georgia basic dialing port - PBX Toll Terminal Ports  2-Wire voice unbundled Georgia basic dialing port - PBX LD DD Terminal Port  2-Wire voice unbundled Georgia basic dialing port - PBX LD Terminal Switchboard Port  2-Wire voice unbundled Georgia basic dialing port - PBX LD Terminal Switchboard Port  2-Wire voice unbundled Georgia basic dialing port - PBX LD Terminal Switchboard Port  2-Wire voice unbundled Georgia basic dialing port - PBX LD Terminal Switchboard Port  2-Wire voice unbundled Georgia basic dialing port - PBX LD			1		LIEDDY	LIEDDO	4 0040	40.05	7.00	4.07	4.00						
Terminal Ports			-	1	UEPPX	UEPPQ	1.9019	10.05	7.36	1.37	1.28						
2-Wire voice unbundled Georgia basic dialing port - PBX Toll   1.9019   10.05   7.36   1.37   1.28			1		1		1 0010	10.05	7 26	1 37	1 20						
Terminal Ports			1	<b>†</b>	<b>+</b>	_	1.5019	10.05	1.30	1.37	1.20	<b>-</b>	<b> </b>				<del>                                     </del>
2-Wire voice unbundled Georgia basic dialing port - PBX LD DDD Terminal Port  2-Wire voice unbundled Georgia basic dialing port - PBX LD Terminal Switchboard Port  2-Wire voice unbundled Georgia basic dialing port - PBX LD  2-Wire voice unbundled Georgia basic dialing port - PBX LD  2-Wire voice unbundled Georgia basic dialing port - PBX LD							1,9019	10.05	7,36	1,37	1.28						
DDD Terminal Port   1.9019   10.05   7.36   1.37   1.28			l	1				. 5.700	. 700		20					İ	
2-Wire voice unbundled Georgia basic dialing port - PBX LD Terminal Switchboard Port 1.9019 10.05 7.36 1.37 1.28 2-Wire voice unbundled Georgia basic dialing port - PBX LD			1		1		1.9019	10.05	7.36	1.37	1.28						
2-Wire voice unbundled Georgia basic dialing port - PBX LD																	
			<u> </u>	1	L		1.9019	10.05	7.36	1.37	1.28			ļ			
		2-Wire voice unbundled Georgia basic dialing port - PBX LD Terminal Switchboard DDD Capable Port	1		ĺ		1.9019	10.05	7.36	1.37	1.28						

NBUNDLE	ED NETWORK ELEMENTS - Georgia												Attachment	: 2 - Exh. A		-
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonre			Disconnect				Rates (\$)		T
	2-Wire voice unbundled Georgia basic dialing port - PBX 2-Way	ļ	1				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Trunk			UEPPX	UEPPC	1.9019	10.05	7.36	1.37	1.28				, ,		
FEAT				02.17	020	110010	10.00	7.00		1120						
	All Features Offered			UEPPX	UEPVF	0.775	0.00	0.00								
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		1													
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPPX	USAC2		0.10	0.10						<sub> </sub>		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		1	OLITA	OOAOZ		0.10	0.10								
	Conversion - Switch with Change			UEPPX	USACC		0.10	0.10						, ,		
ADDI	TIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEDDY	LICACO	0.00	0.00	0.00						<sub> </sub>		
	Subsequent Activity  PBX Subsequent Activity - Change/Rearrange Multiline Hunt	1	<del>                                     </del>	UEPPX	USAS2	0.00	0.00	0.00	<del> </del>	1	<del>                                     </del>	<del>                                     </del>				+
	Group						6.70	6.70						, ,		
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEPPX	URETL		8.33	0.83								
OFF/C	ON PREMISES EXTENSION CHANNELS		1	HEDDY	DO ILIV	44.57	70.05	24.05	40.00	7.07						
	Local Channel Voice grade, per termination  Local Channel Voice grade, per termination	<b> </b>	2	UEPPX UEPPX	P2JHX P2JHX	11.57 16.95	79.85 79.85	24.65 24.65	18.92 18.92	7.87 7.87						<del></del>
	Local Channel Voice grade, per termination		3	UEPPX	P2JHX	33.08	79.85	24.65	18.92	7.87						
	Non-Wire Direct Serve Channel Voice Grade		1	UEPPX	SDD2X	12.74	56.92	7.70	4.40	0.02						
	Non-Wire Direct Serve Channel Voice Grade		2	UEPPX	SDD2X	19.76	56.92	7.70	4.40	0.02						
INITEE	Non-Wire Direct Serve Channel Voice Grade		3	UEPPX	SDD2X	37.18	56.92	7.70	4.40	0.02				ļ		
INTER	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		1													+
	Termination			UEPPX	U1TV2	12.87	48.46	19.48	16.58	5.00				, ,		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPPX	U1TVM	0.0057	0.00	0.00								
	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT														
UNE	Port/Loop Combination Rates  2-Wire VG Coin Port/Loop Combo – Zone 1		1			11.46										
	2-Wire VG Coin Port/Loop Combo – Zone 2					16.76										<b>†</b>
	2-Wire VG Coin Port/Loop Combo – Zone 3					33.56										1
UNE I	oop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		2	UEPCO UEPCO	UEPLX	9.56 14.86										
	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	31.66										+
2-Wire	e Voice Grade Line Ports (COIN)		Ŭ	021 00	OLI EX	01.00										<b>†</b>
	2-Wire Coin 2-Way with Operator Screening (GA)			UEPCO	UEPGC	1.9019	10.05	7.36	1.37	1.28						
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,													, ,		
	900/976, 1+DDD (GA)  2-Wire Coin 2-Way with Operator Screening and 011 Blocking	1	1	UEPCO	UEP2G	1.9019	10.05	7.36	1.37	1.28						
	(GA)			UEPCO	UEPGA	1.9019	10.05	7.36	1.37	1.28				, ,		
	2-Wire Coin 2-Way with Operator Screening and 900/976			02. 00	02. 0/1	110010	10.00	7.00	1.01	1120						<b>†</b>
	Blocking (GA)			UEPCO	UEPGB	1.9019	10.05	7.36	1.37	1.28				<u> </u>		
	2-Wire Coin 2-Way with Operator Screening and Blocking:													ı		
	900/976, 1+DDD, 011+, and Local (GA)  2-Wire Coin Outward with Operator Screening and 011 Blocking		<u> </u>	UEPCO	UEPCH	1.9019	10.05	7.36	1.37	1.28						<del></del>
	(GA, KY, MS)			UEPCO	UEPRJ	1.9019	10.05	7.36	1.37	1.28				, ,		
	2-Wire Coin Outward with Operator Screening and Blocking:		t		02.70	1.5519	10.00	7.50	1.57	1.20		<u> </u>				<del></del>
	900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	1.9019	10.05	7.36	1.37	1.28						
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.9019	10.05	7.36	1.37	1.28				$\Box$		
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	1.9019	10.05	7.36	1.37	1.28						
	TIONAL UNE COIN PORT/LOOP (RC)	1	<del>                                     </del>	UEPUU	UEFUR	1.9019	10.05	7.36	1.37	1.28	<del>                                     </del>	<del>                                     </del>				+
ADDI										I.			1	. ,		+
ADDI				UEPCO	URECU	3.59	0.00	0.00	0.00	0.00				՝ ՝		
	UNE Coin Port/Loop Combo Usage (Flat Rate)  ECURRING CHARGES - CURRENTLY COMBINED  2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPCO	URECU	3.59	0.00	0.00	0.00	0.00						

NBUNDLI	ED NETWORK ELEMENTS - Georgia												Attachment	: 2 - Exh. A		
TEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge -		Charge -	Charge
							Nonre	urring	Nonrecurring	n Disconnect				Rates (\$)	D130 131	DISC Add
		<u> </u>	<del>                                     </del>		+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		1													
	Switch with change	ļ		UEPCO	USACC		0.10	0.10								<u> </u>
ADDI	TIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent			LIEDOO	110 4 00		0.00	0.00								
-	Activity Unbundled Miscellaneous Rate Element, Tag Loop at End User	1		UEPCO	USAS2		0.00	0.00								<del>                                     </del>
	Premise			UEPCO	URETL		8.33	0.83								
2-WIF	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR	F I INF PO	ORT (RE		OKLIL		0.55	0.03				1				<b>——</b>
	Port/Loop Combination Rates		J. (	l .								1				<b>——</b>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1					26.53										<b>†</b>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2					31.92										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3					48.04										
UNE	_oop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	11.57										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	16.95										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	33.08										
2-Wir	e Voice Grade Line Port Rates (Res)		ļ													ļ
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	2.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundled port with Caller ID - res	ļ		UEPFR	UEPRC	2.09	166.05	43.66	41.89	15.44						
-	2-Wire voice unbundled port outgoing only - res		-	UEPFR	UEPRO	2.09	166.05	43.66	41.89	15.44		1				<del></del>
	2-Wire voice unbundles res, low usage line port with Caller ID			UEPFR	UEPAP	2.09	166.05	43.66	41.89	15.44						
-	2-Wire voice unbundled Georgia basic dialing port, without		1	UEPFR	UEPAP	2.09	166.05	43.00	41.09	15.44		1				
	Caller ID capability - res			UEPFR	UEPWC	2.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundled Georgia basic dialing port for use with			02	020	2.00	100.00	10.00	11.00	10.11		1				
	Caller ID - res			UEPFR	UEPWQ	2.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundled Georgia basic dialing port - outgoing											1				
	only			UEPFR	UEPWR	2.09	166.05	43.66	41.89	15.44						
INTER	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPFR	U1TV2	12.87	48.46	19.48	16.58	5.00						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPFR	1L5XX	0.0057	0.00	0.00								ļ
FEAT	URES	ļ		LIEDED												
NONE	All Features Offered RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	<u> </u>	1	UEPFR	UEPVF	0.775	0.00	0.00				-			-	
NONF	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1	1		-							1				-
	Combination - Conversion - Switch-as-is			UEPFR	USAC2		7.85	1.86								
_	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1	<b>t</b>	0=1111	00,102		7.00	1.00			<b>-</b>	1				<b>t</b>
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		7.85	1.86								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at	1	1	İ			50	50	İ				İ	l	İ	
	End User Premise	<u></u>		UEPFR	URETN	<u> </u>	11.19	1.10				<u></u>			<u> </u>	<u></u>
2-WIF	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR	E LINE PO	ORT (BU	S)												
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1					26.53										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2					31.92									ļ	<u> </u>
1	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	<b> </b>	1			48.04										₽
UNE	Loop Rates	<del>                                     </del>	1	LIEDED	UECEO	44.57					-	1	ļ	<b> </b>	ļ	₩
	2-Wire Voice Grade Loop (SL2) - Zone 1	-	1	UEPFB UEPFB	UECF2	11.57					-	<u> </u>	-		-	-
	2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3	<del>                                     </del>	3	UEPFB UEPFB	UECF2 UECF2	16.95 33.08					-	1				+
2-W:-	e Voice Grade Line Port (Bus)	1	3	ULPED	UEUFZ	33.08					<del>                                     </del>	<b> </b>	<del> </del>	<b> </b>	<del>                                     </del>	<del></del>
Z-VVII	2-Wire voice unbundled port without Caller ID - bus	+	1	UEPFB	UEPBL	2.09	166.05	43.66	41.89	15.44	<del>                                     </del>	<u> </u>	<del> </del>	1	<del> </del>	<del></del>
-	2-Wire voice unburidled port with Caller + E484 ID - bus	<del>                                     </del>	<del>                                     </del>	UEPFB	UEPBC	2.09	166.05	43.66	41.89	15.44			<b> </b>		<b> </b>	$\vdash$
-	2-Wire voice unbundled port outgoing only - bus	<b>†</b>	<del>                                     </del>	UEPFB	UEPBO	2.09	166.05	43.66	41.89	15.44		<b> </b>				$\vdash$
-	2-Wire voice unbundled incoming only port with Caller ID - Bus		1	UEPFB	UEPB1	2.09	166.05	43.66	41.89	15.44			1		1	
	2-Wire voice unbundled Georgia basic dialing port, without	1	1	İ	1			.5.50	50				İ	l	İ	
- 1	Caller ID capability - bus	1	1	UEPFB	UEPWD	2.09	166.05	43.66	41.89	15.44				1	1	

INBUNDLI	ED NETWORK ELEMENTS - Georgia				•		•						Attachment	: 2 - Exh. A		
ATEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge -		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						_	Nonred	urring	Nonrecurring	Disconnect				Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled Georgia basic dialing port for use with															
	Caller ID - bus			UEPFB	UEPWP	2.09	166.05	43.66	41.89	15.44						
INTER	ROFFICE TRANSPORT															<b>_</b>
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFB	U1TV2	12.87	48.46	19.48	16.58	5.00						
-+	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		-	UEPFB	UTIVZ	12.01	40.40	19.40	10.56	5.00						+
	or Fraction Mile			UEPFB	1L5XX	0.0057	0.00	0.00								
FEAT	URES															
	All Features Offered			UEPFB	UEPVF	0.775	0.00	0.00								
NONF	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															1
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			LIEDED	LICACO		7.05	4.00								
$-\!\!\!\!+\!\!\!\!-$	Combination - Conversion - Switch-as-is  2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	-	<del>                                     </del>	UEPFB	USAC2		7.85	1.86								+
	Combination - Conversion - Switch with change		1	UEPFB	USACC		7.85	1.86								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at			OLITB	00/100		7.00	1.00								
	End User Premise			UEPFB	URETN		11.19	1.10								
2-WIF	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE PO	RT (PB	X)												1
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1					26.53										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2					31.92										
LINE	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3					48.04										
UNE	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	11.57										+
-+-	2-Wire Voice Grade Loop (SL2) - Zone 2			UEPFP	UECF2	16.95										+
	2-Wire Voice Grade Loop (SL2) - Zone 3			UEPFP	UECF2	33.08										<b>—</b>
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)															1
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	2.09	166.05	43.66	41.89	15.44						
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	2.09	166.05	43.66	41.89	15.44						
	Line Side Unbundled Incoming PBX Trunk Port - Bus 2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP UEPFP	UEPP1 UEPLD	2.09 2.09	166.05 166.05	43.66 43.66	41.89 41.89	15.44 15.44						
_	2-Wire Voice Unburidled PBX LD Terminal Ports  2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	2.09	166.05	43.66	41.89	15.44						+
_	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	2.09	166.05	43.66	41.89	15.44						$\vdash$
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	2.09	166.05	43.66	41.89	15.44						<b>—</b>
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	2.09	166.05	43.66	41.89	15.44						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPFP	UEPXE	2.09	166.05	43.66	41.89	15.44						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPFP	UEPXL	2.09	166.05	43.66	41.89	15.44						
_	Administrative Calling Port  2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		-	UEPFP	UEPAL	2.09	100.05	43.00	41.89	15.44						+
	Room Calling Port			UEPFP	UEPXM	2.09	166.05	43.66	41.89	15.44						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			02	02.7	2.00	100.00	10.00								<b>†</b>
	Discount Room Calling Port			UEPFP	UEPXO	2.09	166.05	43.66	41.89	15.44						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	2.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundled Georgia basic dialing port - 1-Way			l												
	Oudial Trunk	-	<b>!</b>	UEPFP	UEPWS	2.09	166.05	43.66	41.89	15.44						₩
	2-Wire voice unbundled Georgia basic dialing port - 2-Way Trunk			UEPFP	UEPWT	2.09	166.05	43.66	41.89	15.44						
INTE	ROFFICE TRANSPORT	1	1	OLFIF	OLF WI	2.09	100.05	43.00	41.09	15.44	<b>-</b>	1			<del>                                     </del>	+
114121	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1	t		1						<b>†</b>	<b>†</b>			1	<b>†</b>
	Termination		1	UEPFP	U1TV2	12.87	48.46	19.48	16.58	5.00						1
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPFP	1L5XX	0.0057	0.00	0.00								
FEAT	URES															
	All Features Offered	1	1	UEPFP	UEPVF	0.775	0.00	0.00	I		I	l		l	I	1
		1	1								1					1
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															-

JNBUNDL	ED NETWORK ELEMENTS - Georgia													Attachment	: 2 - Exh. A		
CATEGORY	RATE ELEMENTS	Interim	Zone	В	cs	USOC		Nonro	RATES (\$)	Nonroquerin	a Disconnect		Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs.
		1		1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port							FIISL	Add I	FIISL	Add I	SOIVIEC	SOWAN	SOWIAN	SOWAN	SOWAN	SOWAN
	Combination - Conversion - Switch with change			UEPFP		USACC		7.85	1.86								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
	End User Premise			UEPFP		URETN		11.19	1.10								
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT															
UNE	Port/Loop Combination Rates	ļ		ļ			40.05										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		1				18.05 23.44				-						
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		<del> </del>				39.56										
UNF	Loop Rates	1	1				33.30										-
0.12	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	11.57				t						
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	16.95										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	33.08	·									
UNE	Port Rate																
	Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	6.48	174.55	13.64	59.31	4.27						
NON	RECURRING CHARGES - CURRENTLY COMBINED		<u> </u>								1						
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is	1		UEPPX		USAC1		6.66	1.86								
1	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion		1	OLFFX		USACT		0.00	1.00		1		1				<del>                                     </del>
	with BellSouth Allowable Changes			UEPPX		USA1C		6.66	1.86								
ADD	ITIONAL NRCs			OL: IX		00/110		0.00	1.00		t						
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at																1
	End User Premise			UEPPX		URETN		11.19	1.10								
Tele	phone Number/Trunk Group Establisment Charges																1
	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
	DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers			UEPPX		NDZ	0.00	0.00	0.00								
	Additional DID Numbers for each Group of 20 DID Numbers		<del> </del>	UEPPX		ND4	0.00	0.00	0.00								-
	DID Numbers, Non- consecutive DID Numbers . Per Number			UEPPX		ND5	0.00	0.00	0.00				<b>+</b>				<del>                                     </del>
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE I	PORT														
UNE	Port/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 1  2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		<u> </u>			-	20.44				1		1				
	UNE Zone 2						25.45										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		1				20.40						1				<del>                                     </del>
	UNE Zone 3						39.09										
UNE	Loop Rates																1
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	14.25										
	2-Wire ISDN Digital Grade Loop - UNE Zone 2	<del>                                     </del>	2	UEPPB	UEPPR	USL2X	19.26					1					<del>                                     </del>
LINIT	2-Wire ISDN Digital Grade Loop - UNE Zone 3  Port Rate	-	3	UEPPB	UEPPR	USL2X	32.90			-	<del>                                     </del>	1	ļ				<del>                                     </del>
UNE	Exchange Port - 2-Wire ISDN Line Side Port	1	1	UEPPR		UEPPR	6.19	161.36	141.68	43.68	8.37	1					<del>                                     </del>
	Exchange Port - 2-Wire ISDN Line Side Port	1	<b>†</b>	UEPPB		UEPPB	6.19	161.36	141.68	43.68	8.37	<b>-</b>	<b>†</b>				<b>†</b>
NON	RECURRING CHARGES - CURRENTLY COMBINED	1	t -				5.10	.000		.5.00	3.07						
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port	1	1	Ì						l	1		Ì				
	Combination - Conversion			UEPPB	UEPPR	USACB	0.00	42.52	26.99		<u></u>						<u></u>
ADD	ITIONAL NRCs																
	2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy	1									1						
	Non Feature/Add Trunk	<del>                                     </del>	1	UEPPB	UEPPR	USASB		0.00				1					<del>                                     </del>
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPPB	UEPPR	URETN		11.19	1.10		1						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	<del>                                     </del>	1	UEPPB	UEPPR	OKETIV		11.19	1.10		<del>                                     </del>						<del>                                     </del>
	Premise	1		UEPPB	UEPPR	URETL		8.33	0.83		1						
B-CH	IANNEL USER PROFILE ACCESS:	l	1	1				2,00	2700								
	ICVS/CSD (DMS/5ESS)	İ	1	UEPPB	UEPPR	U1UCA	0.00	0.00	0.00		1		1	i			1

UNBL	JNDLE	D NETWORK ELEMENTS - Georgia													Attachment	:: 2 - Exh. A		
CATE		RATE ELEMENTS	Interim	Zone	BCS		USOC			RATES (\$)				Svc Order Submitted Manually per LSR			Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
	I			1				Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	ı	
									First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CVS (EWSD)					U1UCB	0.00	0.00	0.00								<u> </u>
	B CHAI	CSD NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	CMC 0 T	-NIV	UEPPB UEF	PPR	U1UCC	0.00	0.00	0.00	-							<u> </u>
		FERMINAL PROFILE	C,IVIS, & I	IN)														1
		User Terminal Profile (EWSD only)			UEPPB UE	PPR	U1UMA	0.00	0.00	0.00								
		CAL FEATURES						3.00	5.55									
		All Vertical Features - One per Channel B User Profile			UEPPB UE	PPR	UEPVF	0.775	0.00	0.00								
	INTER	OFFICE CHANNEL MILEAGE																
		Interoffice Channel mileage each, including first mile and			UEPPB UEP	,,,,,	M1GNC	12.8757	48.46	19.48	16.58	5.00						
	1	facilities termination Interoffice Channel mileage each, additional mile					M1GNM	0.0057	0.00	0.00	16.58	5.00						<del>                                     </del>
UNBUI	NDLED C	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE	S		OLITE OLI		WITOTAW	0.0007	0.00	0.00	1							1
	UNE-P	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only																
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo								-								
	UNE Po	ort/Loop Combination Rates (Non-Design)																<u> </u>
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design						11.46										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design						16.76										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -																
	LINE D	Non-Design	-	-				33.56			1							-
	UNE PO	ort/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo		<b>-</b>														-
		Design						13.47										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design						18.85										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design						34.98										
	UNE Lo	pop Rate																
	1	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91		UECS1	9.56										ļ
	1	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91 UEP91		UECS1 UECS1	14.86 31.66										-
		2-Wire Voice Grade Loop (SL 1) - Zone 3		1	UEP91		UECS2	11.57			<del> </del>							1
	1	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	-	UECS2	16.95										+
	1	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91		UECS2	33.08			t							
	UNE Po																	
	All Stat	es (Except North Carolina and Sout Carolina)																
	-	2-Wire Voice Grade Port (Centrex ) Basic Local Area		ļ	UEP91		UEPYA	1.9019	10.05	7.36	1.37	1.28						ļ
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP91		UEPYB	1.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area			UEP91		UEPYH	1.9019	10.05	7.36	1.37	1.28						
	<u></u>	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) Note 2, 3 Basic Local Area			UEP91		UEPYM	1.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP91		UEPYZ	1.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP91		UEPY9	1.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP91		UEPY2	1.9019	10.05	7.36	1.37	1.28						
	Georgi	a and Florida Only		t				1.0019	10.00	7.50	1.57	1.20						<b>—</b>
		2-Wire Voice Grade Port (Centrex )		L	UEP91		UEPHA	1.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP91		UEPHB	1.9019	10.05	7.36	1.37	1.28						
	1	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91		UEPHH	1.9019	10.05	7.36	1.37	1.28						<b>.</b>
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3			UEP91		UEPHM	1.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 Service Term			UEP91		UEPHZ	1.9019	82.27	26.96	20.29	9.15						

BUNDLE	D NETWORK ELEMENTS - Georgia												Attachment	: 2 - Exh. A		
FEGORY	RATE ELEMENTS	Interim	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge -		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge
		1				Rec	Nonre	curring	Nonrecurrin	g Disconnect		l.	oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2 Miss Vaiss Conds Bost towning to die on Manufal, or against and			LIEDO4	LIEDLIO	4 0040	10.05	7.00	4.07	4.00						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent     2-Wire Voice Grade Port Terminated on 800 Service Term		<del>                                     </del>	UEP91 UEP91	UEPH9 UEPH2	1.9019 1.9019	10.05 10.05	7.36 7.36	1.37 1.37	1.28 1.28						+
Local	Switching	1	1	OLI 31	OLITIZ	1.3013	10.03	7.50	1.57	1.20						+
	Centrex Intercom Funtionality, per port	1	1	UEP91	URECS	0.4237										<b>—</b>
Featur	es															1
	All Standard Features Offered, per port			UEP91	UEPVF	0.775										
	All Select Features Offered, per port			UEP91	UEPVS	0.00	0.00									
NARS	All Centrex Control Features Offered, per port		1	UEP91	UEPVC	0.00			-	-						<del> </del>
NAKS	Unbundled Network Access Register - Combination	<del> </del>	<del>                                     </del>	UEP91	UARCX	0.00	0.00	0.00	0.00	0.00		<del>                                     </del>				+
	Unbundled Network Access Register - Indial	t e	<b>†</b>	UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00	l					<b>†</b>
	Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						
	laneous Terminations						-									
2-Wire	Trunk Side	1		LIEBO	051				L							
leter-	Trunk Side Terminations, each fice Channel Mileage - 2-Wire	1	<u> </u>	UEP91	CENA6	5.50	122.26	18.65	54.82	3.45	-	ļ				+
Intero	Interoffice Channel Facilities Termination - Voice Grade	1	<del> </del>	UEP91	M1GBC	12.87	48.46	19.48	16.58	5.00						+
-	Interoffice Channel mileage, per mile or fraction of mile	1	1	UEP91	M1GBM	0.0057	40.40	13.40	10.50	3.00						+
Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Service	ce							t	t						<del></del>
	annel Bank Feature Activations															1
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.4689										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.4689										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0.4689										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP91	1PQWP	0.4689										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop			UEP91	1PQWV	0.4689										
	Slot			UEP91	1PQWQ	0.4689										
	Feature Activation on D-4 Channel Bank WATS Loop Slot		1	UEP91	1PQWA	0.4689										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex	1	1													1
	Conversion - Currently Combined Switch-As-Is with allowed changes, per port			UEP91	USAC2		0.10	0.10								
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	317.90	37.59	48.99	5.92						
_	New Centrex Customized Common Block Secondary Block, per Block		1	UEP91 UEP91	M1ACC M2CC1	0.00	317.90 77.10	37.59	48.99	5.92						₩
-	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	0.00		-	-						+
Additi	onal Non-Recurring Charges (NRC)	1	1	OLF91	UKLCA	0.00	0.00									+
, raun	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP91	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP91	URETN		11.19	1.10								
	CENTREX - 5ESS (Valid in All States)	İ														
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE P	ort/Loop Combination Rates (Non-Design)	1	<b>↓</b>								<u> </u>	1				<del></del>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design	1				11.46										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					16.76										
	Non-Design					33.56										<u> </u>
UNE P	ort/Loop Combination Rates (Design)		1	-					-	-						₩
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design					13.47										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design					18.85										