



RECEIVED
FEDERAL COMMUNICATIONS COMMISSION
APR 18 2006

BellSouth Telecommunications, Inc.
333 Commerce Street
Suite 2101
Nashville, TN 37201-3300

guy.hicks@bellsouth.com

2006 APR 18 PM 9:37
T.R.A. DOCKET ROOM

Guy M. Hicks
General Counsel
615 214 6301
Fax 615 214 7406

April 18, 2006

VIA HAND DELIVERY

Hon. Ron Jones
Chairman
Tennessee Regulatory Authority
460 James Robertson Parkway
Nashville, Tennessee 37243-0505

Re: *Approval of the Amendment to the Interconnection Agreement Negotiated by BellSouth Telecommunications, Inc. and Access Point, Inc. Pursuant to Sections 251 and 252 of the Telecommunications Act of 1996.*
Docket No. DE-00105

Dear Chairman Jones:

Enclosed are six paper copies and one electronic copy of the executed Amendment to the Interconnection Agreement between BellSouth Telecommunications, Inc. and Access Point, Inc. dated May 24, 2003. The Amendment relates to the Federal Communications Commission's (FCC) Order on Remand (Triennial Review Remand Order). The parties request approval of the Amendment by the Tennessee Regulatory Authority.

Thank you for your attention to this matter.

Sincerely yours,

Guy M. Hicks

cc: Richard E. Brown, CEO, Access Point, Inc.

BEFORE THE TENNESSEE REGULATORY AUTHORITY
Nashville, Tennessee

In re: *Approval of the Amendment to the Interconnection Agreement Negotiated by BellSouth Telecommunications, Inc. and Access Point, Inc. Pursuant to Sections 251 and 252 of the Telecommunications Act of 1996*

Docket No. _____

PETITION FOR APPROVAL OF THE
AMENDMENT TO THE INTERCONNECTION AGREEMENT
NEGOTIATED BETWEEN BELLSOUTH TELECOMMUNICATIONS, INC.
AND ACCESS POINT, INC.
PURSUANT TO THE TELECOMMUNICATIONS ACT OF 1996

COME NOW, Access Point, Inc. ("Access Point") and BellSouth Telecommunications, Inc., ("BellSouth"), and file this request for approval of the Amendment to the Interconnection Agreement dated May 24, 2003 (the "Amendment") negotiated between the two companies pursuant to Sections 251 and 252 of the Telecommunications Act of 1996, (the "Act"). In support of their request, Access Point and BellSouth state the following:

1. Access Point and BellSouth have successfully negotiated an agreement for interconnection of their networks, the unbundling of specific network elements offered by BellSouth and the resale of BellSouth's telecommunications services to Access Point. The Interconnection Agreement was approved by the Tennessee Regulatory Authority ("TRA") on August 18, 2003.

2. The parties have recently negotiated an Amendment to the Agreement which relates to the Federal Communications Commission's (FCC) Order on Remand (Triennial Review Remand Order). A copy of the Amendment is attached hereto and incorporated herein by reference.

3. Pursuant to Section 252(e) of the Telecommunications Act of 1996, Access Point and BellSouth are submitting their Amendment to the TRA for its consideration and approval. The Amendment provides that either or both of the parties are authorized to submit this Amendment to the TRA for approval.

4. In accordance with Section 252(e) of the Act, the TRA is charged with approving or rejecting the negotiated Amendment between BellSouth and Access Point within 90 days of its submission. The Act provides that the TRA may only reject such an agreement if it finds that the agreement or any portion of the agreement discriminates against a telecommunications carrier not a party to the agreement or the implementation of the agreement or any portion of the agreement is not consistent with the public interest, convenience and necessity.

5. Access Point and BellSouth aver that the Amendment is consistent with the standards for approval.


6. Pursuant to 47 USC Section 252(i) and 47 C.F.R. Section 51.809, BellSouth shall make available the entire Interconnection Agreement filed and approved pursuant to 47 USC Section 252.

Access Point and BellSouth respectfully request that the TRA approve the Amendment negotiated between the parties.

This 18 day of April, 2006.

Respectfully submitted,

BELLSOUTH TELECOMMUNICATIONS, INC.



By:

Guy M. Hicks
333 Commerce Street, Suite 2101
Nashville, Tennessee 37201-3300
(615) 214-6301
Attorney for BellSouth

CERTIFICATE OF SERVICE

I, Guy M. Hicks, hereby certify that I have served a copy of the foregoing Petition for Approval of the Amendment to the Interconnection Agreement on the following via United States Mail on the 18 day of April, 2006:

Richard E. Brown
CEO
Access Point, Inc.
1100 Crescent Green, Suite 109
Cary, NC 27511



Guy M. Hicks

**Amendment to the Agreement
Between
Access Point, Inc.
and
BellSouth Telecommunications, Inc.
Dated May 24, 2003**

Pursuant to this Amendment, (the "Amendment"), Access Point, Inc. ("Access Point"), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated May 24, 2003 ("Agreement") to be effective March 11, 2005.

WHEREAS, BellSouth and Access Point entered into the Agreement on May 24, 2003, and;

WHEREAS, BellSouth and Access Point desire to amend the Agreement to modify provisions pursuant to the Federal Communications Commission's (FCC) Order on Remand (Triennial Review Remand Order), WC Docket No. 04-313, released February 4, 2005 and effective March 11, 2005;

WHEREAS, the Parties desire to amend the Agreement to reflect other changes as agreed upon by the parties;

NOW, THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

1. The Parties agree to delete Attachment 2, Network Elements and Other Services, in its entirety and replace with Attachment 2 reflected as Exhibit 1, attached hereto and by reference incorporated into this Amendment.
2. The Parties agree to add Sections 10 and 11 to Attachment 3 as follows:

10 BASIC 911 AND E911 INTERCONNECTION

- 10.1 Basic 911 and E911 provides a caller access to the applicable emergency service bureau by dialing 911.
- 10.2 Basic 911 Interconnection. BellSouth will provide to Access Point a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten (10) digit directory number representing the appropriate emergency answering position for each municipality subscribing to 911. Access Point will be required to arrange to accept 911 calls from its End Users in municipalities that subscribe to Basic 911 service and translate the 911 call to the appropriate ten (10) digit directory number as stated on the list provided by BellSouth. Access Point will be required to route

- that call to the appropriate PSAP. When a municipality converts to E911 service, Access Point will be required to begin using E911 procedures.
- 10.3 E911 Interconnection. Access Point shall install a minimum of two (2) dedicated trunks originating from its Serving Wire Center and terminating to the appropriate E911 tandem. The Serving Wire Center must be in the same LATA as the E911 tandem. The dedicated trunks shall be, at a minimum, DS0 level trunks configured as part of a digital (1.544 Mb/s) interface (DSI facility). The configuration shall use CAMA-type signaling with MF pulsing or SS7/ISUP signaling either of which shall deliver ANI with the voice portion of the call. If SS7/ISUP connectivity is used, Access Point shall follow the procedures as set forth in Appendix A of the CLEC Users Guide to E911 for Facility Based Providers that is located on the BellSouth Interconnection Web site. If the user interface is digital, MF pulses as well as other AC signals shall be encoded per the u-255 Law convention. Access Point will be required to provide BellSouth daily updates to the E911 database. Access Point will be required to forward 911 calls to the appropriate E911 tandem along with ANI based upon the current E911 end office to tandem homing arrangement as provided by BellSouth. If the E911 tandem trunks are not available, Access Point will be required to route the call to a designated seven (7) digit or ten (10) digit local number residing in the appropriate PSAP. This call will be transported over BellSouth's interoffice network and will not carry the ANI of the calling party. Access Point shall be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 to its End Users.
- 10.4 Trunks and facilities for 911 Interconnection may be ordered by Access Point from BellSouth pursuant to the terms and conditions set forth in this Attachment.
- 10.5 The detailed practices and procedures for 911/E911 interconnection are contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers that is located on the BellSouth Interconnection Services Web site.

11 SS7 Network Interconnection

- 11.1 SS7 Network Interconnection is the interconnection of Access Point local signaling transfer point switches or Access Point local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, Access Point local

- or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.
- 11.2 The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and Access Point or other third-party switching systems with A-link access to the BellSouth SS7 network.
- 11.3 If traffic is routed based on dialed or translated digits between a Access Point Local Switching system and a BellSouth or other third-party Local Switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the Access Point local signaling transfer point switches and BellSouth or other third-party local switch.
- 11.4 SS7 Network Interconnection shall provide:
- 11.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2;
- 11.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and
- 11.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4.
- 11.5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1.112. This includes GTT and SCCP Management procedures as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a Access Point local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of Access Point local STPs and shall not include SCCP Subsystem Management of the destination.
- 11.6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part as specified in ANSI T1.113.
- 11.7 SS7 Network Interconnection shall provide all functions of the TCAP as specified in ANSI T1.114.

- 11.8 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.
- 11.9 Interface Requirements. The following SS7 Network Interconnection interface options are available to connect Access Point or Access Point-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network:
- 11.9.1 A-link interface from Access Point local or tandem switching systems; and
 - 11.9.2 B-link interface from Access Point STPs.
 - 11.9.3 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the Signaling Points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
 - 11.9.4 BellSouth shall provide intraoffice diversity between the Signaling Points of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
 - 11.9.5 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
 - 11.9.6 BellSouth shall set message screening parameters to accept messages from Access Point local or tandem switching systems destined to any signaling point in the BellSouth SS7 network, with which the Access Point switching system has a valid signaling relationship.

3. The Parties agree to add the rates for SS7 Interconnection to Exhibit A of Attachment 3, attached hereto as Exhibit 2 and by reference incorporated into this Amendment.
4. The Parties agree to add Section 3.8 to Attachment 6 as follows:

- 3.8 If Access Point modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by Access Point in accordance with FCC No. 1 Tariff, Section 5.

5. All of the other provisions of the Agreement dated May 24, 2003 shall remain unchanged and in full force and effect.
6. Either or both of the Parties are authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

Signature Page

IN WITNESS WHEREOF, the Parties have executed this Amendment the day and year
written below

BellSouth Telecommunications, Inc.

By Kristen S Shore

Name Kristen Rowe Shore

Title Director

Date 3/14/06

Access Point, Inc.

By Richard E. Brown

Name RICHARD E. BROWN

Title CEO

Date 3/10/06

Attachment 2

Network Elements and Other Services

TABLE OF CONTENTS

1	INTRODUCTION.....	3
2	LOOPS	7
3	LINE SPLITTING	27
4	UNBUNDLED NETWORK ELEMENT COMBINATIONS.....	28
5	DEDICATED TRANSPORT AND DARK FIBER TRANSPORT.....	31
6	AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS).....	36
7	OSS.....	37
	Rates.....	Exhibit A
	Rates.....	Exhibit B

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

1 Introduction

- 1.1 This Attachment sets forth rates, terms and conditions for unbundled network elements (Network Elements) and combinations of Network Elements (Combinations) that BellSouth offers to Access Point for Access Point's provision of Telecommunications Services in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services BellSouth makes available to Access Point (Other Services). Additionally, the provision of a particular Network Element or Other Service may require Access Point to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.
- 1.2 The rates for each Network Element, Combinations and Other Services are set forth in Exhibits A and B. If no rate is identified in this Agreement, the rate will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party. If Access Point purchases service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply. A one-month minimum billing period shall apply to all Network Elements, Combinations and Other Services.
- 1.3 Access Point may purchase and use Network Elements and Other Services from BellSouth in accordance with 47 C.F.R § 51.309.
- 1.4 The Parties shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.5 Access Point shall not obtain a Network Element for the exclusive provision of mobile wireless services or interexchange services.
- 1.6 Conversion of Wholesale Services to Network Elements or Network Elements to Wholesale Services. Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent Network Element or Combination that is available to Access Point pursuant to Section 251 of the Act and under this Agreement or convert a Network Element or Combination that is available to Access Point pursuant to Section 251 of the Act and under this Agreement to an equivalent wholesale service or group of wholesale services offered by BellSouth (collectively "Conversion"). BellSouth shall charge the applicable nonrecurring switch-as-is rates for Conversions to specific Network Elements or Combinations found in Exhibit A. BellSouth shall also charge the same nonrecurring switch-as-is rates when converting from Network Elements or Combinations. Any rate change resulting from the Conversion will be effective as of the next billing cycle following

BellSouth's receipt of a complete and accurate Conversion request from Access Point. A Conversion shall be considered termination for purposes of any volume and/or term commitments and/or grandfathered status between Access Point and BellSouth. Any change from a wholesale service/group of wholesale services to a Network Element/Combination, or from a Network Element/Combination to a wholesale service/group of wholesale services, that requires a physical rearrangement will not be considered to be a Conversion for purposes of this Agreement. BellSouth will not require physical rearrangements if the Conversion can be completed through record changes only. Orders for Conversions will be handled in accordance with the guidelines set forth in the Ordering Guidelines and Processes and CLEC Information Packages as referenced in Sections 1.13.1 and 1.13.2 below.

- 1.7 Except to the extent expressly provided otherwise in this Attachment, Access Point may not maintain unbundled network elements or combinations of unbundled network elements, that are no longer offered pursuant to this Agreement (collectively "Arrangements"). In the event BellSouth determines that Access Point has in place any Arrangements after the Effective Date of this Agreement, BellSouth may disconnect such Arrangements without notice under this Agreement to Access Point.
- 1.8 Prior to submitting an order pursuant to this Agreement for high capacity (DS1 or above) Dedicated Transport or high capacity Loops, Access Point shall undertake a reasonably diligent inquiry to determine whether Access Point is entitled to unbundled access to such Network Elements in accordance with the terms of this Agreement. By submitting any such order, Access Point self-certifies that to the best of Access Point's knowledge, the high capacity Dedicated Transport or high capacity Loop requested is available as a Network Element pursuant to this Agreement. Upon receiving such order, BellSouth shall process the request in reliance upon Access Point's self-certification. To the extent BellSouth believes that such request does not comply with the terms of this Agreement, BellSouth shall seek dispute resolution in accordance with the General Terms and Conditions of this Agreement.
- 1.9 Access Point may utilize Network Elements and Other Services to provide services in accordance with this Agreement, as long as such services are consistent with industry standards and applicable BellSouth Technical References.
- 1.10 BellSouth will perform Routine Network Modifications (RNM) in accordance with FCC 47 C.F.R. § 51.319 (a)(7) and (e)(4) for Loops and Dedicated Transport provided under this Attachment. If BellSouth has anticipated such RNM and performs them during normal operations and has recovered the costs for performing such modifications through the rates set forth in Exhibit A, then BellSouth shall perform such RNM at no additional charge. RNM shall be performed within the intervals established for the Network Element and subject to

the performance measurements and associated remedies set forth in Attachment 9 to the extent such RNM were anticipated in the setting of such intervals. If BellSouth has not anticipated a requested network modification as being a RNM and has not recovered the costs of such RNM in the rates set forth in Exhibit A, then such request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request and, upon receipt of payment from Access Point, BellSouth shall perform the RNM.

- 1.11 Commingling of Services
- 1.11.1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Combination, to one or more Telecommunications Services or facilities that Access Point has obtained at wholesale from BellSouth, or the combining of a Network Element or Combination with one or more such wholesale Telecommunications Services or facilities. Access Point must comply with all rates, terms or conditions applicable to such wholesale Telecommunications Services or facilities.
- 1.11.2 Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a Combination on the grounds that one or more of the elements: 1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or 2) shares part of BellSouth's network with access services or inputs for mobile wireless services and/or interexchange services.
- 1.11.3 Unless otherwise agreed to by the Parties, the Network Element portion of a commingled circuit will be billed at the rates set forth in this Agreement and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates or rates set forth in a separate agreement between the Parties.
- 1.11.4 When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment will be billed from the same agreement or tariff as the higher bandwidth circuit. Central Office Channel Interfaces (COCI) will be billed from the same agreement or tariff as the lower bandwidth circuit.
- 1.11.5 Notwithstanding any other provision of this Agreement, BellSouth shall not be obligated to commingle or combine Network Elements or Combinations with any service, network element or other offering that it is obligated to make available only pursuant to Section 271 of the Act.
- 1.12 Terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference. The charges shall be as set forth in Exhibit A.

1.13 Ordering Guidelines and Processes

1.13.1 For information regarding Ordering Guidelines and Processes for various Network Elements, Combinations and Other Services, Access Point should refer to the "Guides" section of the BellSouth Interconnection Web site, which is incorporated herein by reference, as amended from time to time. The Web site address is: <http://www.interconnection.bellsouth.com/>.

1.13.2 Additional information may also be found in the individual CLEC Information Packages, which are incorporated herein by reference, as amended from time to time, located at the "CLEC UNE Products" Web site address: <http://www.interconnection.bellsouth.com/guides/html/unes.html>.

1.13.3 The provisioning of Network Elements, Combinations and Other Services to Access Point's Collocation Space will require cross-connections within the central office to connect the Network Element, Combinations or Other Services to the demarcation point associated with Access Point's Collocation Space. These cross-connects are separate components that are not considered a part of the Network Element, Combinations or Other Services and, thus, have a separate charge pursuant to Attachment.

1.13.4 Testing/Trouble Reporting.

1.13.4.1 Access Point will be responsible for testing and isolating troubles on Network Elements. Access Point must test and isolate trouble to the BellSouth network before reporting the trouble to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. Upon request from BellSouth at the time of the trouble report, Access Point will be required to provide the results of the Access Point test which indicate a problem on the BellSouth network.

1.13.4.2 Once Access Point has isolated a trouble to the BellSouth network, and has issued a trouble report to BellSouth, BellSouth will take the actions necessary to repair the Network Element when trouble is found. BellSouth will repair its network facilities to its wholesale customers in the same time frames that BellSouth repairs similar services to its retail End Users.

1.13.4.3 If Access Point reports a trouble on a BellSouth Network Element and no trouble is found in BellSouth's network, BellSouth will charge Access Point a Maintenance of Service Charge for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Network Element's working status. BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No.1 Tariff, Section 13.3.1.

1.13.4.4 In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by Access Point (e.g.,

incomplete address, incorrect contact name/number, etc.), BellSouth will bill Access Point for each additional dispatch required to repair the Network Element due to the incorrect/incomplete information provided. BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No.1 Tariff, Section 13.3.1.

2

Loops

2.1

General. The local loop Network Element is defined as a transmission facility that BellSouth provides pursuant to this Attachment between a distribution frame (or its equivalent) in BellSouth's central office and the loop demarcation point at an End User premises (Loop). Facilities that do not terminate at a demarcation point at an End User premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute local Loops. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device, and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers (DSLAMs)), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the End User's premises, including inside wire owned or controlled by BellSouth. Access Point shall purchase the entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties, BellSouth shall not subdivide the frequency of the Loop.

2.1.1

The Loop does not include any packet switched features, functions or capabilities.

2.1.2

Fiber to the Home (FTTH) loops are local loops consisting entirely of fiber optic cable, whether dark or lit, serving an End User's premises or, in the case of predominantly residential multiple dwelling units (MDUs), a fiber optic cable, whether dark or lit, that extends to the MDU minimum point of entry (MPOE). Fiber to the Curb (FTTC) loops are local loops consisting of fiber optic cable connecting to a copper distribution plant that is not more than five hundred (500) feet from the End User's premises or, in the case of predominantly residential MDUs, not more than five hundred (500) feet from the MDU's MPOE. The fiber optic cable in a FTTC loop must connect to a copper distribution plant at a serving area interface from which every other copper distribution subloop also is not more than five hundred (500) feet from the respective End User's premises.

2.1.2.1

In new build (Greenfield) areas, where BellSouth has only deployed FTTH/FTTC facilities, BellSouth is under no obligation to provide Loops. FTTH facilities include fiber loops deployed to the MPOE of a MDU that is predominantly residential regardless of the ownership of the inside wiring from the MPOE to each End User in the MDU.

- 2.1.2.2 In FTTH/FTTC overbuild situations where BellSouth also has copper Loops, BellSouth will make those copper Loops available to Access Point on an unbundled basis, until such time as BellSouth chooses to retire those copper Loops using the FCC's network disclosure requirements. In these cases, BellSouth will offer a 64 kilobits per second (kbps) second voice grade channel over its FTTH/FTTC facilities.
- 2.1.2.3 Furthermore, in FTTH/FTTC overbuild areas where BellSouth has not yet retired copper facilities, BellSouth is not obligated to ensure that such copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by Access Point. If a request is received by BellSouth for a copper Loop, and the copper facilities have not yet been retired, BellSouth will restore the copper Loop to serviceable condition if technically feasible. In these instances of Loop orders in an FTTH/FTTC overbuild area, BellSouth's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval
- 2.1.3 A hybrid Loop is a local Loop, composed of both fiber optic cable, usually in the feeder plant, and copper twisted wire or cable, usually in the distribution plant. BellSouth shall provide Access Point with nondiscriminatory access to the time division multiplexing features, functions and capabilities of such hybrid Loop, on an unbundled basis to establish a complete transmission path between BellSouth's central office and an End User's premises.
- 2.1.4 Transition for DS1 and DS3 Loops
- 2.1.4.1 For purposes of this Section 2, the Transition Period for DS1 and DS3 Loops is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006.
- 2.1.4.2 For purposes of this Section 2, Embedded Base means DS1 and DS3 Loops that were in service for Access Point as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.
- 2.1.4.3 For purposes of this Section 2, a Business Line is defined in 47 C.F.R. § 51.5.
- 2.1.4.4 BellSouth shall make available DS1 and DS3 Loops as defined in this Section 2. Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available DS1 and DS3 Loops as described in this Section 2.1.4 only for Access Point's Embedded Base during the Transition Period:
- 2.1.4.4.1 DS1 Loops at any location within the service area of a wire center containing 60,000 or more Business Lines and four (4) or more fiber-based collocators.
- 2.1.4.4.2 DS3 Loops at any location within the service area of a wire center containing 38,000 or more Business Lines and four (4) or more fiber-based collocators.

- 2.1.4.5 During the Transition Period, the rates for Access Point's Embedded Base of DS1 and DS3 Loops described in this Section 2.1.4 shall be as set forth in Exhibit B.
- 2.1.4.6 The Transition Period shall apply only to Access Point's Embedded Base and Access Point shall not add new DS1 or DS3 loops as described in this Section 2.1.4 pursuant to this Agreement.
- 2.1.4.7 Once a wire center exceeds both of the thresholds set forth in Section 2.1.4.4.1, no future DS1 Loop unbundling will be required in that wire center.
- 2.1.4.8 Once a wire center exceeds both of the thresholds set forth in Section 2.1.4.4.2, no future DS3 Loop unbundling will be required in that wire center.
- 2.1.4.9 At the end of the Transition Period any remaining Embedded Base will be disconnected.
- 2.1.5 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at BellSouth's Web site: <http://www.interconnection.bellsouth.com>. For orders of fifteen (15) or more Loops, the installation and any applicable OC as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.
- 2.1.6 The Loop shall be provided to Access Point in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.7 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered.
- 2.1.7.1 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the End User's location. If Access Point wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g., UVL-SL1, UVL-SL2, and UCL-ND), Access Point may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit A.
- 2.1.7.2 For voice grade Loop orders (or orders for Loops intended to provide voice grade services), Access Point shall have dial-tone available for that Loop forty-eight (48) hours prior to the Loop order completion due date.
- 2.1.8 Order Coordination (OC) and Order Coordination-Time Specific (OC-TS)

- 2.1.8.1 OC allows BellSouth and Access Point to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to Access Point's facilities to limit End User service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the End User. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.
- 2.1.8.2 OC-TS allows Access Point to order a specific time for OC to take place. BellSouth will make commercially reasonable efforts to accommodate Access Point's specific conversion time request. However, BellSouth reserves the right to negotiate with Access Point a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. Access Point may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If Access Point specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in BellSouth's Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

2.1.9

	Order Coordination (OC)	Order Coordination – Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1 (Non-Designed)	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
UCL-ND (Non-Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop (Designed)	Included	Chargeable Option	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office
For UVL-SL1 and UCLs, Access Point must order and will be billed for both OC and OC-TS if requesting OC-TS.					

2.1.9 CLEC to CLEC Conversions for Unbundled Loops

- 2.1.9.1 The CLEC to CLEC conversion process for Loops may be used by Access Point when converting an existing Loop from another CLEC for the same End User. The Loop type being converted must be included in Access Point's Interconnection Agreement before requesting a conversion.

- 2.1.9.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same End User location from the same serving wire center, and must not require an outside dispatch to provision.
- 2.1.9.3 The Loops converted to Access Point pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Agreement for the specific Loop type.
- 2.1.10 **Bulk Migration**
- 2.1.10.1 BellSouth will make available to Access Point a Bulk Migration process pursuant to which Access Point may request to migrate port/loop combinations, provisioned pursuant to a separate agreement between the parties, to Loops (UNE-L). The Bulk Migration process may be used if such loop/port combinations are (1) associated with two (2) or more Existing Account Telephone Numbers (EATNs); and (2) located in the same Central Office. The terms and conditions for use of the Bulk Migration process are described in the BellSouth CLEC Information Package, incorporated herein by reference as it may be amended from time to time. The CLEC Information Package is located at www.interconnection.bellsouth.com/guides/html/unes.html. The rates for the Bulk Migration process shall be the nonrecurring rates associated with the Loop type being requested on the Bulk Migration, as set forth in Exhibit A. Additionally, Operations Support Systems (OSS) charges will also apply. Loops connected to Integrated Digital Loop Carrier (IDLC) systems will be migrated pursuant to Section 2.6 below.
- 2.1.10.2 Should Access Point request migration for two (2) or more EATNs containing fifteen (15) or more circuits, Access Point must use the Bulk Migration process referenced in 2.1.11.1 above.
- 2.2 **Unbundled Voice Loops (UVLs)**
- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop – SL1 (Non-Designed)
- 2.2.1.2 2-wire Analog Voice Grade Loop – SL2 (Designed)
- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed)
- 2.2.2 UVL may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber/copper combination (hybrid loop) or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any

given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that Access Point will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels - Service Level One (SL1) and Service Level Two (SL2).

2.2.3 Unbundled Voice Loop - SL1 (UVL-SL1). Loops are 2-wire Loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has been requested by Access Point, however, OC is always required on UCLs that involve the reuse of facilities that are currently providing service. Access Point may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its End Users.

2.2.4 For an additional charge BellSouth will make available Loop Testing so that Access Point may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A.

2.2.5 Unbundled Voice Loop – SL2 (UVL-SL2). Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to Access Point. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow Access Point to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

2.3 Unbundled Digital Loops

2.3.1 BellSouth will offer UDLs. UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.

2.3.2 BellSouth shall make available the following UDLs, subject to restrictions set forth herein:

2.3.2.1 2-wire Unbundled ISDN Digital Loop

- 2.3.2.2 2-wire Unbundled ADSL Compatible Loop
- 2.3.2.3 2-wire Unbundled HDSL Compatible Loop
- 2.3.2.4 4-wire Unbundled HDSL Compatible Loop
- 2.3.2.5 4-wire Unbundled DS1 Digital Loop
- 2.3.2.6 4-wire Unbundled Digital Loop/DS0 – 64 kbps, 56 kbps and below
- 2.3.2.7 DS3 Loop
- 2.3.2.8 STS-1 Loop
- 2.3.3 **2-wire Unbundled ISDN Digital Loops.** These will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. Access Point will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and End User. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service.
- 2.3.4 **2-wire ADSL-Compatible Loop.** This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18,000 feet long and may have up to 6,000 feet of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.5 **2-wire or 4-wire HDSL-Compatible Loop.** This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.6 **4-wire Unbundled DS1 Digital Loop.**
- 2.3.6.1 This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-wire DS1 Network Interface at the End User's location. For purposes of this Agreement, including the transition of DS1 and DS3 Loops described in Section 2.1.4 above, DS1 Loops include 2-wire and 4-wire copper Loops capable of providing high-bit rate digital subscriber line services, such as 2-wire and 4-wire HDSL Compatible Loops.
- 2.3.6.2 BellSouth shall not provide more than ten (10) unbundled DS1 Loops to Access Point at any single building in which DS1 Loops are available as unbundled Loops.

- 2.3.7 4-wire Unbundled Digital/DS0 Loop. These are designed 4-wire Loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.
- 2.3.8 DS3 Loop. DS3 Loop is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44.736 megabits per second (Mbps) that is dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.
- 2.3.9 STS-1 Loop. STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 Mbps. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 Both DS3 Loop and STS-1 Loop require a SI in order to ascertain availability.
- 2.3.11 DS3 services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth's TR73501 LightGate® Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 services.
- 2.3.12 Access Point may obtain a maximum of a single Unbundled DS3 Loop to any single building in which DS3 Loops are available as Unbundled Loops.
- 2.4 Unbundled Copper Loops (UCL).
- 2.4.1 BellSouth shall make available UCLs. The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types – Designed and Non-Designed.
- 2.4.2 Unbundled Copper Loop – Designed (UCL-D)

- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair (2-wire or 4-wire) Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters).
- 2.4.2.2 A UCL-D will be 18,000 feet or less in length and is provisioned according to Resistance Design parameters, may have up to 6,000 feet of bridged tap and will have up to 1300 Ohms of resistance.
- 2.4.2.3 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by Access Point.
- 2.4.2.4 These Loops are not intended to support any particular services and may be utilized by Access Point to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3 Unbundled Copper Loop – Non-Designed (UCL-ND)
- 2.4.3.1 The UCL-ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame (MDF) to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to 6,000 feet of bridged tap between the End User's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18,000 feet in length, although the UCL-ND will not have a specific length limitation. For Loops less than 18,000 feet and with less than 1300 Ohms resistance, the Loop will provide a voice grade transmission channel suitable for loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.
- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, Access Point can request LMU for which additional charges would apply.
- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that Access Point may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit A.
- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by Access Point to provide a wide-range of telecommunications services as

long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.

2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.

2.4.3.6 Access Point may use BellSouth's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.

2.5 Unbundled Loop Modifications (Line Conditioning)

2.5.1 Line Conditioning is defined as routine network modification that BellSouth regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Subloop that may diminish the capability of the Loop or Subloop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serve no network design purpose and that are beyond the limits set according to industry standards and/or the BellSouth's TR73600 Unbundled Local Loop Technical Specification.

2.5.2 BellSouth will remove load coils only on copper Loops and Subloops that are less than 18,000 feet in length.

2.5.3 For any copper loop being ordered by Access Point which has over six thousand (6,000) feet of combined bridged tap will be modified, upon request from Access Point, so that the loop will have a maximum of six thousand (6,000) feet of bridged tap. This modification will be performed at no additional charge to Access Point. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper Loop that will result in a combined total of bridged tap between two thousand five hundred (2,500) and six thousand (6,000) feet will be performed at the rates set forth in Exhibit A.

2.5.4 Access Point may request removal of any unnecessary and non-excessive bridged tap (bridged tap between zero (0) and two thousand five hundred (2,500) feet which serves no network design purpose), at rates pursuant to BellSouth's SC Process as mutually agreed to by the Parties.

2.5.5 Rates for ULM are as set forth in Exhibit A.

- 2.5.6 BellSouth will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered.
- 2.5.7 If Access Point requests ULM on a reserved facility for a new Loop order, BellSouth may perform a pair change and provision a different Loop facility in lieu of the reserved facility with ULM if feasible. The Loop provisioned will meet or exceed specifications of the requested Loop facility as modified. Access Point will not be charged for ULM if a different Loop is provisioned. For Loops that require a DLR or its equivalent, BellSouth will provide LMU detail of the Loop provisioned.
- 2.5.8 Access Point shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that Access Point desires BellSouth to condition.
- 2.5.9 When requesting ULM for a Loop that BellSouth has previously provisioned for Access Point, Access Point will submit a SI to BellSouth. If a spare Loop facility that meets the Loop modification specifications requested by Access Point is available at the location for which the ULM was requested, Access Point will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, Access Point will not be charged for ULM but will only be charged the service order charges for submitting an order.

2.6 Loop Provisioning Involving IDLC

- 2.6.1 Where Access Point has requested an Unbundled Loop and BellSouth uses IDLC systems to provide the local service to the End User and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to Access Point. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for Access Point (e.g., hairpinning):
1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
 3. If capacity exists, provide "side-door" porting through the switch.
 4. If capacity exists, provide "Digital Access Cross-Connect System (DACS)-door" porting (if the IDLC routes through a DACS prior to integration into the switch).
- 2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.

- 2.6.3 If no alternate facility is available, and upon request from Access Point, and if agreed to by both Parties, BellSouth may utilize its SC process to determine the additional costs required to provision facilities. Access Point will then have the option of paying the one-time SC rates to place the Loop.
- 2.7 Network Interface Device
- 2.7.1 The NID is defined as any means of interconnection of the End User's customer premises wiring to BellSouth's distribution plant, such as a cross-connect device used for that purpose. The NID is a single line termination device or that portion of a multiple line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the End User's premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the End User each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.
- 2.7.2 BellSouth shall permit Access Point to connect Access Point's Loop facilities to the End User's customer premises wiring through the BellSouth NID or at any other technically feasible point.
- 2.7.3 Access to NID
- 2.7.3.1 Access Point may access the End User's premises wiring by any of the following means and Access Point shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 BellSouth shall allow Access Point to connect its Loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises;
- 2.7.3.1.2 Where an adequate length of the End User's customer premises wiring is present and environmental conditions permit, either Party may remove the End User premises wiring from the other Party's NID and connect such wiring to that Party's own NID;
- 2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a cross-connect or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or

- 2.7.3.1.4 Access Point may request BellSouth to make other rearrangements to the End User premises wiring terminations or terminal enclosure on a time and materials cost basis.
- 2.7.3.2 In no case shall either Party remove or disconnect the other Party's loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be Access Point's responsibility to ensure there is no safety hazard, and Access Point will hold BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's loop has been disconnected from the NID, to reconnect the disconnected loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected loop must be appropriately cleared, capped and stored.
- 2.7.3.3 Access Point shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 Access Point shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with Access Point to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.4 Technical Requirements
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the End User's customer premises and the distribution media and/or cross-connect to Access Point's NID.
- 2.7.4.3 Existing BellSouth NIDs will be operational and provided in "as is" condition. Access Point may request BellSouth to do additional work to the NID on a time and material basis. When Access Point deploys its own local loops in a multiple-line termination device, Access Point shall specify the quantity of NID connections that it requires within such device.

- 2.8 Subloop Elements.
- 2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Subloop (USL) elements as specified herein.
- 2.8.2 Unbundled Subloop Distribution (USLD)
- 2.8.2.1 The USLD facility is a dedicated transmission facility that BellSouth provides from an End User's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The USLD media is a copper twisted pair that can be provisioned as a 2-wire or 4-wire facility. BellSouth will make available the following subloop distribution offerings where facilities exist:
- USLD – Voice Grade (USLD-VG)
Unbundled Copper Subloop (UCSL)
USLD – Intrabuilding Network Cable (USLD-INC (aka riser cable))
- 2.8.2.2 USLD-VG is a copper subloop facility from the cross-box in the field up to and including the point of demarcation at the End User's premises and may have load coils.
- 2.8.2.3 UCSL is a copper facility eighteen thousand (18,000) feet or less in length provided from the cross-box in the field up to and including the End User's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the End User and the cross-box.
- 2.8.2.3.1 If Access Point requests a UCSL and it is not available, Access Point may request the copper Subloop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.4 USLD-INC is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross-connect device in the building equipment room up to and including the point of demarcation at the End User's premises.
- 2.8.2.4.1 Upon request for USLD-INC from Access Point, BellSouth will install a cross-connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in twenty five (25) pair increments for Access Point's use on this cross-connect

panel. Access Point will be responsible for connecting its facilities to the twenty five (25) pair cross-connect block(s).

- 2.8.2.5 For access to Voice Grade USLD and UCSL, Access Point shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in Attachment 4. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. Access Point's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.2.6 Through the SI process, BellSouth will determine whether access to USLs at the location requested by Access Point is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet Access Point's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at BellSouth's Interconnection Web site address: <http://www.interconnection.bellsouth.com/products/html/unes.html>.
- 2.8.2.7 The site set-up must be completed before Access Point can order Subloop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice Access Point's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.8 Once the site set-up is complete, Access Point will request Subloop pairs through submission of a LSR form to the Local Carrier Service Center (LCSC). OC is required with USL pair provisioning when Access Point requests reuse of an existing facility, and the OC charge shall be billed in addition to the USL pair rate. For expedite requests by Access Point for Subloop pairs, expedite charges will apply for intervals less than five (5) days.
- 2.8.2.9 USLs will be provided in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specifications.
- 2.8.3 Unbundled Network Terminating Wire (UNTW)
- 2.8.3.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual End User's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.
- 2.8.3.2 This element will be provided in MDUs and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the End User's premises. Neither Party will provide this element in locations where the property owner provides its own

wiring to the End User's premises, where a third party owns the wiring to the End User's premises.

2.8.3.3 Requirements

- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the End Users premises, and Access Point does own or control such wiring, Access Point will install UNTW Access Terminals for BellSouth under the same terms and conditions as BellSouth provides UNTW Access Terminals to Access Point.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate Access Point for each pair activated commensurate to the price specified in Access Point's Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW SI requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the End User has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the End User is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.
- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as

certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or within thirty (30) days after completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.

- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.
- 2.8.3.3.9 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that End User if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten percent (10%) of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge (NRC) equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the End User began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.
- 2.8.4 Dark Fiber Loop.
- 2.8.4.1 Dark Fiber Loop is an unused optical transmission facility, without attached signal regeneration, multiplexing, aggregation or other electronics, from the demarcation point at an End User's premises to the End User's serving wire center. Dark Fiber

Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for Access Point to utilize Dark Fiber Loops.

- 2.8.4.2 **Transition for Dark Fiber Loop**
- 2.8.4.2.1 For purposes of this Section 2.8.4, the Transition Period for Dark Fiber Loops is the eighteen (18) month period beginning March 11, 2005 and ending September 10, 2006.
- 2.8.4.2.2 For purposes of this Section 2.8.4, Embedded Base means Dark Fiber Loops that were in service for Access Point as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.
- 2.8.4.3 During the Transition Period only, BellSouth shall make available for the Embedded Base Dark Fiber Loops for Access Point at the terms and conditions set forth in this Attachment.
- 2.8.4.4 The rates for Access Point's Embedded Base of Dark Fiber Loops during the Transition Period shall be as set forth in Exhibit A.
- 2.8.4.5 The Transition Period shall apply only to Access Point's Embedded Base and Access Point shall not add new Dark Fiber Loops pursuant to this Agreement.
- 2.8.4.6 Effective September 11, 2006, Dark Fiber Loops will no longer be made available pursuant to this Agreement and any remaining Embedded Base will be disconnected.
- 2.9 **Loop Makeup**
- 2.9.1 **Description of Service**
- 2.9.1.1 BellSouth shall make available to Access Point LMU information with respect to Loops that are required to be unbundled under this Agreement so that Access Point can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment Access Point intends to install and the services Access Point wishes to provide. LMU is a preordering transaction, distinct from Access Point ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) and mechanized LMU queries for preordering LMU are likewise unique from other preordering functions with associated SIs as described in this Agreement.
- 2.9.1.2 BellSouth will provide Access Point LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pair-gain devices; the Loop length; the wire gauge and electrical parameters.

- 2.9.1.3 BellSouth's LMU information is provided to Access Point as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a LOA from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.
- 2.9.1.5 Access Point may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by Access Point and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (e.g., ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee Access Point's ability to provide advanced data services over the ordered Loop type. Furthermore, the LMU information for Loops other than copper-only Loops (e.g., ADSL, UCL-ND, etc.) that support xDSL services, is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Except as set forth in Section 2.9.1.6, copper-only Loops will not be subject to change due to modification and/or upgrades to BellSouth's network and will remain on copper facilities until the Loop is disconnected by Access Point or the End User, or until BellSouth retires the copper facilities via the FCC's and any applicable Commission's requirements. Access Point is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.
- 2.9.1.6 If BellSouth retires its copper facilities using 47 C.F.R § 52.325(a) requirements; or is required by a governmental agency or regulatory body to move or replace copper facilities as a maintenance procedure, BellSouth will notify Access Point, according to the applicable network disclosure requirements. It will be Access Point's responsibility to move any service it may provide over such facilities to alternative facilities. If Access Point fails to move the service to alternative facilities by the date in the network disclosure notice, BellSouth may terminate the service to complete the network change.

2.9.2 Submitting LMUSI

- 2.9.2.1 Access Point may obtain LMU information and reserve facilities by submitting a mechanized LMU query or a manual LMUSI according to the terms and conditions as described in the LMU CLEC Information Package, incorporated herein by reference as it may be amended from time to time. The CLEC Information Package is located at the "CLEC UNE Product" Web site address: www.interconnection.bellsouth.com/guides/html/unes.html. After obtaining the Loop information from the mechanized LMU process, if Access Point needs further Loop information in order to determine Loop service capability, Access Point may initiate a separate Manual SI for a separate NRC as set forth in Exhibit A.
- 2.9.2.2 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. Access Point will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, Access Point does not reserve facilities upon an initial LMUSI, Access Point's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A.
- 2.9.2.3 Where Access Point has reserved multiple Loop facilities on a single reservation, Access Point may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to Access Point, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by Access Point.
- 2.9.2.4 Charges for preordering manual LMUSI or mechanized LMU are separate from any charges associated with ordering other services from BellSouth.

3 Line Splitting

- 3.1 Line splitting shall mean that a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to End Users over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers.
- 3.2 Line Splitting – UNE-L. In the event Access Point provides its own switching or obtains switching from a third party, Access Point may engage in line splitting arrangements with another CLEC using a splitter, provided by Access Point, in a Collocation Space at the central office where the loop terminates into a distribution frame or its equivalent.
- 3.3 Provisioning Line Splitting and Splitter Space
- 3.3.1 The Data LEC, Voice CLEC or BellSouth may provide the splitter. When Access Point or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at

the End User's location; a collocation cross-connection connecting the Loop to the collocation space; a second collocation cross-connection from the collocation space connected to a voice port; the high frequency spectrum line activation, and a splitter. When BellSouth owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the End User's location with CFA and splitter port assignments, and a collocation cross-connection from the collocation space connected to a voice port.

3.3.2 An unloaded 2-wire copper Loop must serve the End User. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.

3.4 **CLEC Provided Splitter – Line Splitting**

3.4.1 To order High Frequency Spectrum on a particular Loop, Access Point must have a DSLAM collocated in the central office that serves the End User of such Loop.

3.4.2 Access Point must provide its own splitters in a central office and have installed its DSLAM in that central office.

3.4.3 Access Point may purchase, install and maintain central office POTS splitters in its collocation arrangements. Access Point may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.

3.4.4 Any splitters installed by Access Point in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. Access Point may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

3.5 **Maintenance – Line Splitting.**

3.5.1 BellSouth will be responsible for repairing voice troubles and the troubles with the physical loop between the NID at the End User's premises and the termination point.

3.5.2 Access Point shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the other service provider, except to the extent caused by BellSouth's gross negligence or willful misconduct.

4 Unbundled Network Element Combinations

- 4.1 For purposes of this Section, references to "Currently Combined" Network Elements shall mean that the particular Network Elements requested by Access Point are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" Network Elements shall mean that the particular Network Elements requested by Access Point are not already combined by BellSouth in the location requested by Access Point but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" Network Elements shall mean that the particular Network Elements requested by Access Point are not elements that BellSouth combines for its use in its network.
- 4.1.1 Except as otherwise set forth in this Agreement, upon request, BellSouth shall perform the functions necessary to combine Network Elements that BellSouth is required to provide under this Agreement in any manner, even if those elements are not ordinarily combined in BellSouth's network, provided that such Combination is technically feasible and will not undermine the ability of other carriers to obtain access to Network Elements or to interconnect with BellSouth's network.
- 4.1.2 To the extent Access Point requests a Combination for which BellSouth does not have methods and procedures in place to provide such Combination, rates and/or methods or procedures for such Combination will be developed pursuant to the BFR process.
- 4.2 Rates
- 4.2.1 The rates for the Currently Combined Network Elements specifically set forth in Exhibit A shall be the rates associated with such Combinations. Where a Currently Combined Combination is not specifically set forth in Exhibit A, the rate for such Currently Combined Combination shall be the sum of the recurring rates for those individual Network Elements as set forth in Exhibit A and/or Exhibit B in addition to the applicable nonrecurring switch-as-is charge set forth in Exhibit A.
- 4.2.2 The rates for the Ordinarily Combined Network Elements specifically set forth in Exhibit A shall be the nonrecurring and recurring charges for those Combinations. Where an Ordinarily Combined Combination is not specifically set forth in Exhibit A, the rate for such Ordinarily Combined Combination shall be the sum of the recurring rates for those individual Network Elements as set forth in Exhibit A and/or Exhibit B and nonrecurring rates for those individual Network Elements as set forth in Exhibit A.
- 4.2.3 The rates for Not Typically Combined Combinations shall be developed pursuant to the BFR process upon request of Access Point.
- 4.3 Enhanced Extended Links (EELs)

- 4.3.1 EELs are combinations of Loops and Dedicated Transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements. BellSouth shall provide Access Point with EELs where the underlying Network Element are available and are required to be provided pursuant to this Agreement and in all instances where the requesting carrier meets the eligibility requirements, if applicable.
- 4.3.2 High-capacity EELs are (1) combinations of Loop and Dedicated Transport, (2) Dedicated Transport commingled with a wholesale loop, or (3) a loop commingled with wholesale transport at the DS1 and/or DS3 level as described in 47 C.F.R. § 51.318(b).
- 4.3.3 By placing an order for a high-capacity EEL, Access Point thereby certifies that the service eligibility criteria set forth herein are met for access to a converted high-capacity EEL, a new high-capacity EEL, or part of a high-capacity commingled EEL as a UNE. BellSouth shall have the right to audit Access Point's high-capacity EELs as specified below.
- 4.3.4 Service Eligibility Criteria
- 4.3.4.1 High capacity EELs must comply with the following service eligibility requirements. Access Point must certify for each high-capacity EEL that all of the following service eligibility criteria are met:
- 4.3.4.1.1 Access Point has received state certification to provide local voice service in the area being served;
- 4.3.4.2 For each combined circuit, including each DS1 circuit, each DS1 EEL, and each DS1-equivalent circuit on a DS3 EEL:
- 4.3.4.2.1 1) Each circuit to be provided to each End User will be assigned a local number prior to the provision of service over that circuit;
- 4.3.4.2.2 2) Each DS1-equivalent circuit on a DS3 EEL must have its own local number assignment so that each DS3 must have at least twenty-eight (28) local voice numbers assigned to it;
- 4.3.4.2.3 3) Each circuit to be provided to each End User will have 911 or E911 capability prior to provision of service over that circuit;
- 4.3.4.2.4 4) Each circuit to be provided to each End User will terminate in a collocation arrangement that meets the requirements of 47 C.F.R. § 51.318(c);
- 4.3.4.2.5 5) Each circuit to be provided to each End User will be served by an interconnection trunk over which Access Point will transmit the calling party's number in connection with calls exchanged over the trunk;

- 4.3.4.2.6 6) For each twenty-four (24) DS1 EELs or other facilities having equivalent capacity, Access Point will have at least one (1) active DS1 local service interconnection trunk over which Access Point will transmit the calling party's number in connection with calls exchanged over the trunk; and
- 4.3.4.2.7 7) Each circuit to be provided to each End User will be served by a switch capable of switching local voice traffic.
- 4.3.4.3 BellSouth may, on an annual basis, audit Access Point's records in order to verify compliance with the qualifying service eligibility criteria. The audit shall be conducted by a third party independent auditor, and the audit must be performed in accordance with the standards established by the American Institute for Certified Public Accountants (AICPA). To the extent the independent auditor's report concludes that Access Point failed to comply with the service eligibility criteria, Access Point must true-up any difference in payments, convert all noncompliant circuits to the appropriate service, and make the correct payments on a going-forward basis. In the event the auditor's report concludes that Access Point did not comply in any material respect with the service eligibility criteria, Access Point shall reimburse BellSouth for the cost of the independent auditor. To the extent the auditor's report concludes that Access Point did comply in all material respects with the service eligibility criteria, BellSouth will reimburse Access Point for its reasonable and demonstrable costs associated with the audit. Access Point will maintain appropriate documentation to support its certifications.
- 4.3.4.4 In the event Access Point converts special access services to UNEs, Access Point shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

5

Dedicated Transport and Dark Fiber Transport

- 5.1 Dedicated Transport. Dedicated Transport is defined as BellSouth's transmission facilities between wire centers or switches owned by BellSouth, or between wire centers or switches owned by BellSouth and switches owned by Access Point. Including but not limited to DS1, DS3 and OCn level services, as well as dark fiber, dedicated to Access Point. BellSouth shall not be required to provide access to OCn level Dedicated Transport under any circumstances pursuant to this Agreement. In addition, except as set forth in Section 5.2 below, BellSouth shall not be required to provide to Access Point unbundled access to Dedicated Transport that does not connect a pair of wire centers or switches owned by BellSouth ("Entrance Facilities").
- 5.2 Transition for DS1 and DS3 Dedicated Transport Including DS1 and DS3 Entrance Facilities

- 5.2.1 For purposes of this Section 5.2, the Transition Period for DS1 and DS3 Dedicated Transport including all DS1 and DS3 Entrance Facilities is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006.
- 5.2.2 For purposes of this Section 5.2, Embedded Base means DS1 and DS3 Dedicated Transport including DS1 and DS3 Entrance Facilities that were in service for Access Point as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.
- 5.2.3 For purposes of this Section 5.2, a Business Line is as defined in 47 C.F.R. § 51.5.
- 5.2.4 BellSouth shall make available Dedicated Transport as defined in this Section 5. Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dedicated Transport as described in this Section 5.2 only for Access Point's Embedded Base during the Transition Period:
- 5.2.4.1 DS1 Dedicated Transport where both wire centers at the end points of the route contain 38,000 Business Lines or four (4) or more fiber-based collocators.
- 5.2.4.2 DS3 Dedicated Transport where both wire centers at the end points of the route contain 24,000 or more Business Lines or three (3) or more fiber-based collocators.
- 5.2.4.3 During the Transition Period, the rates for Access Point's Embedded Base of DS1 and DS3 Dedicated Transport as described in this Section 5.2 shall be as set forth in Exhibit B and the rates for Access Point's Embedded Base of DS1 and DS3 Entrance Facilities as described in this Section 5.2 shall be as set forth in Exhibit A.
- 5.2.4.4 The Transition Period shall apply only to Access Point's Embedded Base and Access Point shall not add new DS1 or DS3 Dedicated Transport as described in this Section 5.2, or DS1 or DS3 Entrance Facilities, pursuant to this Agreement.
- 5.2.4.5 Once a wire center exceeds either of the thresholds set forth in this Section 5.2.4.1, no future DS1 Dedicated Transport unbundling will be required in that wire center.
- 5.2.4.6 Once a wire center exceeds either of the thresholds set forth in Section 5.2.4.2, no future DS3 Dedicated Transport will be required in that wire center.
- 5.2.4.7 At the end of the Transition Period any remaining Embedded Base will be disconnected.
- 5.3 BellSouth shall:
- 5.3.1 Provide Access Point exclusive use of Dedicated Transport to a particular customer or carrier;

- 5.3.2 Provide all technically feasible features, functions, and capabilities of Dedicated Transport as outlined within the technical requirements of this section;
- 5.3.3 Permit, to the extent technically feasible, Access Point to connect Dedicated Transport to equipment designated by Access Point, including but not limited to, Access Point's collocated facilities; and
- 5.3.4 Permit, to the extent technically feasible, Access Point to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 5.4 BellSouth shall offer Dedicated Transport:
- 5.4.1 As capacity on a shared facility; and
- 5.4.2 As a circuit (i.e., DS0, DS1, DS3, STS-1) dedicated to Access Point.
- 5.5 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.
- 5.6 Access Point may obtain a maximum of ten (10) unbundled DS1 Dedicated Transport circuits or twelve (12) unbundled DS3 Dedicated Transport circuits, or their equivalent, on each route where the respective Dedicated Transport is available as a Network Element. A route is defined as a transmission path between one of BellSouth's wire centers or switches and another of BellSouth's wire centers or switches. A route between two (2) points may pass through one or more intermediate wire centers or switches. Transmission paths between identical end points are the same "route", irrespective of whether they pass through the same intermediate wire centers or switches, if any.
- 5.7 Technical Requirements
- 5.7.1 BellSouth shall offer DS0 equivalent interface transmission rates for DS0 or voice grade Dedicated Transport. For DS1 or DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office (CI to CO) connections in the applicable industry standards.
- 5.7.2 BellSouth shall offer the following interface transmission rates for Dedicated Transport:
- 5.7.2.1 DS0 Equivalent;
- 5.7.2.2 DS1;
- 5.7.2.3 DS3; and

- 5.7.2.4 SDH (Synchronous Digital Hierarchy) Standard interface rates are in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.
- 5.7.3 BellSouth shall design Dedicated Transport according to its network infrastructure. Access Point shall specify the termination points for Dedicated Transport.
- 5.7.4 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references and BellSouth Technical References;
- 5.7.4.1 Telcordia TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.
- 5.7.4.2 BellSouth's TR73501 LightGate®Service Interface and Performance Specifications, Issue D, June 1995.
- 5.7.4.3 BellSouth's TR73525 MegaLink®Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.
- 5.8 Unbundled Channelization (Multiplexing)
- 5.8.1 To the extent Access Point is purchasing DS1 or DS3 or STS-1 Dedicated Transport pursuant to this Agreement, Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) Network Elements to be multiplexed or channelized at a BellSouth central office. Channelization can be accomplished through the use of a multiplexer or a digital cross-connect system at the discretion of BellSouth. Once UC has been installed, Access Point may request channel activation on a channelized facility and BellSouth shall connect the requested facilities via COCIs. The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility. This service is available as defined in NECA 4.
- 5.8.2 BellSouth shall make available the following channelization systems and interfaces:
- 5.8.2.1 DS1 Channelization System: channelizes a DS1 signal into a maximum of twenty-four (24) DS0s. The following COCI are available: Voice Grade, Digital Data and ISDN.
- 5.8.2.2 DS3 Channelization System: channelizes a DS3 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 5.8.2.3 STS-1 Channelization System: channelizes a STS-1 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.

- 5.8.3 Technical Requirements. In order to assure proper operation with BellSouth provided central office multiplexing functionality, Access Point's channelization equipment must adhere strictly to form and protocol standards. Access Point must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.
- 5.9 Dark Fiber Transport. Dark Fiber Transport is defined as Dedicated Transport that consists of unactivated optical interoffice transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics. Except as set forth in Section 5.9.1 below, BellSouth shall not be required to provide access to Dark Fiber Transport Entrance Facilities pursuant to this Agreement.
- 5.9.1 Transition for Dark Fiber Transport and Dark Fiber Transport Entrance Facilities
- 5.9.1.1 For purposes of this Section 5.9, the Transition Period for Dark Fiber Transport is the eighteen (18) month period beginning March 11, 2005 and ending September 10, 2006.
- 5.9.1.2 For purposes of this Section 5.9, Embedded Base means Dark Fiber Transport that was in service for Access Point as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.
- 5.9.1.3 For purposes of this Section 5.9, a Business Line is as defined in 47 C.F.R. § 51.5.
- 5.9.1.4 BellSouth shall make available Dark Fiber Transport as defined in this Section 5.9.1. Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dark Fiber Transport as described in this Section 5.9 only for Access Point's Embedded Base during the Transition Period:
- 5.9.1.4.1 Dark Fiber Transport where both wire centers at the end points of the route contain 24,000 or more Business Lines or three (3) or more fiber-based collocators.
- 5.9.1.5 During the Transition Period, the rates for Access Point's Embedded Base of Dark Fiber Transport as described in Section 5.9.1.1 shall be as set forth in Exhibit B and the rates for Access Point's Embedded Base of Dark Fiber Transport Entrance Facilities as described in Section 5.9.1 shall be as set forth in Exhibit A.
- 5.9.1.6 The Transition Period shall apply only to Access Point's Embedded Base and Access Point shall not add new Dark Fiber Transport as described in this Section 5.9 pursuant to this Agreement.

- 5.9.1.7 Once a wire center exceeds either of the thresholds set forth in this Section 5.9.1.4.1, no future Dark Fiber Transport unbundling will be required in that wire center.
- 5.9.1.8 At the end of the Transition Period any remaining Embedded Basic will be disconnected.
- 5.10 **Rearrangements**
- 5.10.1 A request to move a working Access Point CFA to another Access Point CFA, where both CFAs terminate in the same BellSouth Central Office ("Change in CFA"), shall not constitute the establishment of new service. The applicable rates set forth in Exhibit A.
- 5.10.2 Requests to re-terminate one end of a facility that is not a Change in CFA constitute the establishment of new service and require disconnection of existing service and the applicable rates set forth in Exhibit A shall apply.
- 5.10.3 Upon request of Access Point, BellSouth shall project manage the Change in CFA or re-termination of a facility as described in Sections 5.10.1 and 5.10.2 above and Access Point may request OC-TS for such orders.
- 5.10.4 BellSouth shall accept a Letter of Authorization (LOA) between Access Point and another carrier that will allow Access Point to connect a facility, or Combination that includes Dedicated Transport to the other carrier's collocation space or to another carrier's CFA associated with higher bandwidth transport.

6 Automatic Location Identification/Data Management System (ALI/DMS)

911 and E911 Databases

- 6.1.1 BellSouth shall provide Access Point with nondiscriminatory access to 911 and E911 databases on an unbundled basis, in accordance with 47 C.F.R. § 51.319 (f).
- 6.1.2 The ALI/DMS database contains End User information (including name, address, telephone information, and sometimes special information from the local service provider or End User) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911. Access Point will be required to provide the BellSouth 911 database vendor daily service order updates to E911 database in accordance with Section 6.2.1.

Technical Requirements

- 6.2.1 BellSouth's 911 database vendor shall provide Access Point the capability of providing updates to the ALI/DMS database through a specified electronic interface. Access Point shall contact BellSouth's 911 database vendor directly to

request interface. Access Point shall provide updates directly to BellSouth's 911 database vendor on a daily basis. Updates shall be the responsibility of Access Point and BellSouth shall not be liable for the transactions between Access Point and BellSouth's 911 database vendor.

- 6.2.2 It is Access Point's responsibility to retrieve and confirm statistical data and to correct errors obtained from BellSouth's 911 database vendor on a daily basis. All errors will be assigned a unique error code and the description of the error and the corrective action is described in the CLEC Users Guide for Facility Based Providers that is found on the BellSouth Interconnection Web site.
- 6.2.3 Access Point shall conform to the BellSouth standards as described in the CLEC Users Guide to E911 for Facilities Based Providers that is located on the BellSouth Interconnection Web site at <http://www.interconnection.bellsouth.com/guides>.
- 6.2.4 Stranded Unlocks are defined as End User records in BellSouth's ALI/DMS database that have not been migrated for over ninety (90) days to Access Point, as a new provider of local service to the End User. Stranded Unlocks are those End User records that have been "unlocked" by the previous local exchange carrier that provided service to the End User and are open for Access Point to assume responsibility for such records.
- 6.2.4.1 Based upon End User record ownership information available in the NPAC database, BellSouth shall provide a Stranded Unlock annual report to Access Point that reflects all Stranded Unlocks that remain in the ALI/DMS database for over ninety (90) days. Access Point shall review the Stranded Unlock report, identify its End User records and request to either delete such records or migrate the records to Access Point within two (2) months following the date of the Stranded Unlock report provided by BellSouth. Access Point shall reimburse BellSouth for any charges BellSouth's database vendor imposes on BellSouth for the deletion of Access Point's records.

7 OSS

- 7.1 BellSouth has developed and made available electronic interfaces by which Access Point may submit LSRs electronically.
- 7.2 LSRs submitted by means of one of these electronic interfaces will incur an electronic service order charge. LSRs submitted by means other than one of these interactive interfaces (e.g., mail, fax, courier, etc.) will incur a manual order service charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). Electronic and manual service order charges are specified in Exhibit A.

- 7.3 BellSouth will bill the electronic or manual service order charge for Network Elements as applicable, for an LSR, regardless of whether that LSR is later supplemented, clarified or cancelled.
- 7.4 Notwithstanding the foregoing, BellSouth will not bill an additional electronic or manual service order charge for supplements to any LSR submitted to clarify, correct, change or cancel a previously submitted LSR.
- 7.5 Denial/Restoral OSS Charge. BellSouth reserves the right to bill electronic or manual service order charges for each account as applicable. In the event Access Point provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.
- 7.6 Network Elements and Other Services Manual Additive. The Commissions in some states have ordered per element manual additive NRC for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per element charges are listed in Exhibit A.

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)		Nonrecurring Disconnect First Add'l	Nonrecurring Disconnect First	Attachment 2		Exhibit A	
					Rec	First			Attachment 1	Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l
UNBUNDLED NETWORK ELEMENTS - Alabama												
OPERATIONAL SUPPORT SYSTEMS (OSS) - REGIONAL RATES												
NOTE: (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established in each of the 9 states												
NOTE: (2) Any element that can be ordered electronically will be billed according to the SOMECS rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the LOH, the listed SOMECS rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be applied to a CLECs bill when it submits an LSR to BellSouth.												
OSS - Electronic Service Order Charge. Per Local Service Request: (LSR) - UNE Only							SOMECS		3.50	0.00	3.50	0.00
UNE SERVICE DATE ADVANCEMENT CHARGE							SOMAN		15.66	0.00	1.97	0.00
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No 1 Tariff, Section 5 as applicable												
UNBUNDLED EXCHANGE ACCESS LOOP												
2-WIRE ANALOG VOICE GRADE LOOP												
2-Wire Analog Voice Grade Loop - Service Level 1-Zone 1	1	UEANL					12.58		17.61		23.49	5.30
2-Wire Analog Voice Grade Loop - Service Level 1-Zone 2	2	UEANL					21.05		37.61		23.49	5.30
2-Wire Analog Voice Grade Loop - Service Level 1-Zone 3	3	UEANL					34.34		37.61		23.49	5.30
2-Wire Analog Voice Grade Loop - Service Level 1-Zone 1	1	UEANL					12.58		37.61		23.49	5.30
2-Wire Analog Voice Grade Loop - Service Level 1-Zone 2	2	UEANL					21.05		37.61		23.49	5.30
2-Wire Analog Voice Grade Loop - Service Level 1-Zone 3	3	UEANL					34.34		37.61		23.49	5.30
Unbundled Miscellaneous Rate Element, Tag Loop at End User Premises		UERET1					8.33					
Loop Testing - Basic 1st Half Hour		UEANL					34.16					
Loop Testing - Basic Additional Half Hour		URETA					19.85					

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC		RATES (\$)	Attachment 2		Exhibit A				
							Rec	First Add'l	Nonrecurring	Disconnect Add'l	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic Add'l	Incremental Charge - Manual Svc Order vs Electronic Add'l
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-SL1)			UEANL	UREWO	15.78	8.94						
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - E-1)			UEANL	UEAMN	13.44							
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC	8.15	8.15						
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL	18.09							
	2-WIRE Unbundled COPPER LOOP												
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1	UEQ	UEQZX	11.20	34.14	15.10	21.25	41.15				
	2-Wire Unbundled Copper Loop - Non-Designed -Zone 2	2	UEQ	UEQZX	13.27	34.14	15.10	21.25	41.15				
	2-Wire Unbundled Copper Loop - Non-Designed -Zone 3	3	UEQ	UEQZX	15.07	34.14	15.10	21.25	41.15				
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEQ	URETL	8.33	0.83						
	Manual Order Coordination 2-Wire Unbundled Copper Loop - Non-Designed (per loop)			UEQ	USBMC	8.15							
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST providing make-up (Engineering Information - E-1)			UEQ	UEOMU	13.44							
	Loop Testing - Basic 1st Half Hour			UEQ	URET1	34.16	34.16						
	Loop Testing - Basic Additional Half Hour			UEQ	URETA	19.85	19.85						
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND)			UEQ	UREWO	14.27	7.43						
	UNBUNDLED EXCHANGE ACCESS LOOP												
	2-Wire ANALOG VOICE GRADE LOOP												
	2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1	1	UEPSR UEPSB	UEALS	12.58	37.81	17.56	23.49	5.30				
	2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1	1	UEPSR UEPSB	UEABS	12.58	37.81	17.56	23.49	5.30				
	2-Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-Zone 2	2	UEPSR UEPSB	UEALS	21.05	37.81	17.56	23.49	5.30				
	2-Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-Zone 2	2	UEPSR UEPSB	UEABS	21.05	37.81	17.56	23.49	5.30				
	2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3	3	UEPSR UEPSB	UEALS	34.34	37.81	17.56	23.49	5.30				
	2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3	3	UEPSR UEPSB	UEABS	34.34	37.81	17.56	23.49	5.30				
	UNBUNDLED EXCHANGE ACCESS LOOP												
	2-Wire ANALOG VOICE GRADE LOOP												
	2-Wire Analog Voice Grade Loop - Service Level 2 w/loop or Ground Start Signaling -Zone 1	1	UEA	UEAL2	14.38	88.00	55.00	47.24	7.44				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/loop or Ground Start Signaling -Zone 2	2	UEA	UEAL2	22.85	88.00	55.00	47.24	7.44				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/loop or Ground Start Signaling -Zone 3	3	UEA	UEAL2	36.14	88.00	55.00	47.24	7.44				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL	18.09							
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling -Zone 1	1	UEA	YEAR2	14.38	88.00	55.00	47.24	7.44				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling -Zone 2	2	UEA	YEAR2	22.85	88.00	55.00	47.24	7.44				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling -Zone 3	-	-	UEA	YEAR2	36.14	88.00	55.00	47.24	-	-	-	-
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL	18.09							
	Battery Signaling -Zone 1			UEA	UREWO	87.72	36.36						
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL	11.21	1.10						
	4-WIRE ANALOG VOICE GRADE LOOP												
	4-Wire Analog Voice Grade Loop - Zone 1	1	UEA	UEAL4	25.34	131.97	94.51	59.14	14.50				
	4-Wire Analog Voice Grade Loop - Zone 2	2	UEA	UEAL4	38.58	131.97	94.51	59.14	14.50				
	4-Wire Analog Voice Grade Loop - Zone 3	3	UEA	UEAL4	60.02	131.97	94.51	59.14	14.50				
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL	18.09							
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO	87.72	36.36						

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)	Attachment 2		Attachment 3					
						Rec	Nonrecurring Add'l	Nonrecurring First	Nonrecurring Disconnect Add'l	Svc Order Submitted Elec per LSR	Manually Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs. Electronic Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic Disc Add'l
UNBUNDLED NETWORK ELEMENTS - Alabama										OSS Rates (\$)	SOMAN	SOMAN	SOMAN
										Svc Order Submitted Elec per LSR	Manually Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs. Electronic Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic Disc Add'l
<u>Sub-Loop Distribution</u>													
Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up		1	UEANL	USBSA	244.42								
Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up		1	UEANL	USBSB	22.64								
Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up		1	UEANL	USBSC	177.45								
Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up		1	UEANL	USBSD	55.15								
Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN2	11.21	65.80	30.96	45.25	6.70				
Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN2	11.94	65.80	30.96	45.25	6.70				
Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN2	16.86	65.80	30.96	45.25	6.70				
Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC	8.15	8.15							
Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	8.46	79.03	44.19	49.71	9.07				
Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	16.67	79.03	44.19	49.71	9.07				
Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	32.57	79.03	44.19	49.71	9.07				
Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC	8.15	8.15							
Sub-Loop Distribution Per 2-Wire Interbuilding Network Cable (INC)			UEANL	USBR2	2.27	53.01	18.17	45.25	6.70				
Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC	8.15	8.15							
Sub-Loop 4-Wire Interbuilding Network Cable (INC)		1	UEANL	USBR4	5.16	59.25	24.41	49.71	9.07				
Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC	8.15	8.15							
Loop Testing - Basic 1st Half Hour			UEANL	URE1	34.16	34.16							
Loop Testing - Basic Additional Half Hour			UEANL	URE1A	19.85	19.85							
2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	UEF	UCSX	6.22	65.80	30.96	45.25	6.70					
2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	2	UEF	UCSX	8.76	65.80	30.96	45.25	6.70					
2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	3	UEF	UCSX	11.27	65.80	30.96	45.25	6.70					
Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC	8.15	8.15							
4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	UEF	UCSX	6.11	79.03	44.19	49.71	9.07					
4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	2	UEF	UCSX	12.61	79.03	44.19	49.71	9.07					
4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	3	UEF	UCSX	15.36	79.03	44.19	49.71	9.07					
Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC	8.15	8.15							
Loop Testing - Basic 1st Half Hour			UEF	URE1	34.16	34.16							
Unbundled Network Terminating Wire (UNTW) per Pair			UEINTW	UENPP	0.40	30.01							
Network Interface Device (NID)			UEINTW	UND12	43.23	28.38							
Network Interface Device (NID) - 1-2 lines			UEINTW	UND16	63.97 5.87 5.87 5.87	-49.11 5.87 5.87 5.87						
Network Interface Device Cross Connect - 2 W			UEINTW	UND22									
Network Interface Device Cross Connect - 4 W			UEINTW	UND24									
UNE OTHER, PROVISIONING ONLY - NO RATE													
UNE - Dispatch and Service Order for NID Installation			UEINTW	UNDBX	0.00	0.00							
UNEINTW Circuit Id Establishment, Provisioning Only - No Rate			UEINTW	UENCE	0.00	0.00							
Unbundled Contract Name, Provisioning Only - No Rate			UEINTW	UNECN	0.00	0.00							
UNE OTHER, PROVISIONING ONLY - NO RATE													

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)		Nonrecurring Disconnect		Attachment. 2		Exhibit A	
					Rec	First Add'l	First	Add'l	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic Disc Add'l	Charge - Manual Svc Order vs Electronic Disc 1st	Incremental Charge - Manual Svc Order vs Electronic Disc Add'l
					UAI, UCL, UDC, UDL, UDN, UEA, UHL, USL, UNECN	0.00	0.00					
	Unbundled Contact Name, Provisioning Only - no rate				UEA, UDN, UCL, UDC, USBF-Q	0.00	0.00					
	Unbundled Sub-Loop Feeder-2 Wire Cross Box-Jumper - no rate				UEA, USL, UCL, UDL, USBF-R	0.00	0.00					
	Unbundled Sub-Loop Feeder-4 Wire Cross Box-Jumper - no rate				UEA, USL, UCL, UDL, USL, CCOSE	0.00	0.00					
	Unbundled DS1 Loop - Superframe Format Option - no rate				USL, CCOEF	0.00	0.00					
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate											
HIGH CAPACITY UNBUNDLED LOCAL LOOP												
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month				UE3	1.5ND	8.38					
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month				UE3	UE3PX	308.98	519.248	303.531	137.4135	96.117	
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month				UDLSX	1.5ND	8.38					
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month				UDLSX	UDLS1	319.83	519.248	303.531	137.4135	96.117	
LOOP MAKEUP												
	Loop Makeup - Preorder Being Without Reservation, per working or spare facility queued (Manual)				UMK	UMKLW	20.00	20.00				
	Loop Makeup - Preorder Being With Reservation, per spare facility queued (Manual)				UMK	UMKLP	21.00	21.00				
	Loop Makeup - With or Without Reservation, per working or spare facility queued (Mechanized)				UMK	UMKMQ	0.59	0.59				
LINE SPLITTING												
	Line Splitting - END USER ORDERING-CENTRAL OFFICE BASED				UEFSR, UEFSSB	UREOS	0.61					
	Line Splitting - per line activation DLEC owned splitter				UEFSR, UEFSSB	UREBP	0.61	37.01	21.19	20.02	9.83	
	Line Splitting - per line activation BST owned - physical				UEFSR, UEFSSB	UREBV	0.61	37.01	21.19	20.02	9.83	
	Line Splitting - per line activation BST owned - virtual											
MAINTENANCE												
	NOTE The Expedite charge will be maintained commensurate with BellSouth's FCC No. 1 Tariff, Section 13.3 as applicable											
	No Trouble Found - Per 1/2 hour increments - Basic						80.00	55.00				
	No Trouble Found - Per 1/2 hour increments - Overtime						90.00	65.00				
	No Trouble Found - Per 1/2 hour increments - Premium						100.00	75.00				
UNBUNDLED DEDICATED TRANSPORT												
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT				UITVX	1.5XX	0.008838					
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month				UITVX	U11FR2	21.13	40.54	27.41	16.74	6.90	
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Facility Termination				UITVX	U1TV2	21.13	40.54	27.41	16.74	6.90	
	Interoffice Channel - Dedicated Transport 1-2-Wire Voice Grade Rev Bat - Per Mile per month				UITVX	1.5XX	0.008838					
	Interoffice Channel - Dedicated Transport - 2-Wire VS Rev Bat - Facility Termination				UITVX	18.73	40.54	27.41	16.74	6.90		
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month				UITDX	1.5XX	0.008838					
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Facility Termination				UITDX	15.12	40.54	27.41	16.74	6.90		
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month				UITDX	15.12	40.54	27.41	16.74	6.90		
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination				UITDX	15.12	40.54	27.41	16.74	6.90		
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month				UITDX	15.12	40.54	27.41	16.74	6.90		
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination				UITDX	15.12	40.54	27.41	16.74	6.90		

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		RATES (\$)	Nonrecurring			Nonrecurring Disconnect			Attachment, 2	Incremental Charge - Manual Svc Order vs Electronic Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic Disc 1st	Incremental Charge - Manual Svc Order vs Electronic Add'l	Exhibit: A		
								Rec	First	Add'l	First	Add'l	SOMECA	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month	U1TD1		1L5XX		0.18														
	Interoffice Channel - Dedicated Transport - DS1 - Facility Termination	U1TF1		60 16		89.27		81.81		16.35		14.44								
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month	U1TD3		1L5XX		4.09														
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month	U1TD3					703.52		278.75		162.76		60.20		28.46					
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month	U1TS1		1L5XX		4.09														
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination	U1TS1					701.37		278.75		162.76		60.20		28.46					
DARK FIBER																				
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Threedi per month - Local Channel	UDF_UDFCX		1L5DC		69.37														
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Threedi per month - Interoffice Channel	UDF_UDFCX		1L5DF		23.29														
	NFC Dark Fiber - Interoffice Channel	UDF_UDFCX		UDF14		639.09		137.87												
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Threedi per month - Local Loop	UDF_UDFCX		1L5DL		69.37														
VIRTUAL COLLOCATION																				
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting	UEPSR_UEPSB		VEILS		0.03		12.30		11.80		6.03								
PHYSICAL COLLOCATION																				
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting	UEPSR_UEPSB		PEILS		0.03		12.30		11.80		6.03								
ENHANCED EXTENDED LINK (EEL's)																				
	NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-A's is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements																			
2-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION																				
	2-Wire VG Loop (SL2) in Combination - Zone 1	1	UNCVX		UEA12		14.38		88.00		55.00								47.24	7.44
	2-Wire VG Loop (SL2) in Combination - Zone 2	2	UNCVX		UEA12		22.85		88.00		55.00							47.24	7.44	
	2-Wire VG Loop (SL2) in Combination - Zone 3	3	UNCVX		UEA12		36.14		88.00		55.00							47.24	7.44	
	Voice Grade COCG - Per Month		UNCVX		1D1VG		0.53		6.58		4.72									
4-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION																				
	4-Wire Analog Voice Grade Loop in Combination -Zone 1	1	UNCVX		UEA14		25.34		131.97		94.51								59.14	14.50
	4-Wire Analog Voice Grade Loop in Combination -Zone 2	2	UNCVX		UEA14		38.58		131.97		94.51							59.14	14.50	
	4-Wire Analog Voice Grade Loop in Combination -Zone 3	3	UNCVX		UEA14		60.02		131.97		94.51							59.14	14.50	
	Voice Grade COCG in combination - per month		UNCVX		1D1VG		0.53		6.58		4.72									
4-WIRE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION																				
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	1	UNDGX		UDI64		26.09		126.27		88.80								59.14	14.50
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2	2	UNDGX		UDI64		35.95		126.27		88.80							59.14	14.50	
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	3	UNDGX		UDI64		37.88		126.27		88.80							59.14	14.50	
	OCU-DP COCG (data) - in combination - per month (2-4-64kbs)		UNDGX		1D1DD		1.12		6.58		4.72									
4-WIRE ISDN LOOP FOR USE IN A COMBINATION																				
	2-Wire ISDN Loop in Combination - Zone 1	1	UNCNX		U112X		21.88		117.24		79.77								52.88	10.54
	2-Wire ISDN Loop in Combination - Zone 2	2	UNCNX		U112X		32.85		117.24		79.77							52.88	10.54	
	2-Wire ISDN Loop in Combination - Zone 3	3	UNCNX		U112X		48.55		117.24		79.77							52.88	10.54	
	OCU-DP COCG (data) - in combination - per month (2-4-64kbs)		UNCNX		UC1CA		2.41		6.58		4.72									
2-WIRE ISDN LOOP FOR USE IN A COMBINATION																				
	4-Wire DS1 Digital Loop in Combination -Zone 1	1	UNCIX		US1XX		82.55		252.47		157.54								44.70	11.71
	4-Wire DS1 Digital Loop in Combination -Zone 2	2	UNCIX		US1XX		154.18		252.47		157.54								44.70	11.71
	4-Wire DS1 Digital Loop in Combination -Zone 3	3	UNCIX		US1XX		314.52		252.47		157.54								44.70	11.71
	DS1 COCG in combination per month		UNCIX		UC1D1		12.70		6.58		4.72									

CATEGORY	RATE ELEMENTS	Internt	Zone	BCS	USOC		RATES (\$)	Nonrecurring		Nonrecurring		OSS Rates (\$)		Attachment 2		Exhibit A	
								Rec	First	Add'l	First	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs Electronic - Add'l	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs Electronic - Add'l	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs Electronic - Add'l
	DS1 DIGITAL LOOP AND DS1 INTEROFFICE TRANSPORT																
	4-Wire DS1 Digital Loop in Combination - Zone 1	1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71								
	4-Wire DS1 Digital Loop in Combination - Zone 2	2	UNC1X	LSLXX	154.18	252.47	157.54	44.70	11.71								
	4-Wire DS1 Digital Loop in Combination - Zone 3	3	UNC1X	LSLXX	314.52	252.47	157.54	44.70	11.71								
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month																
	Interoffice Transport - Dedicated - DS1 combination - Facility																
	Termination per month																
	DS3 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT																
	DS3 Local Loop in combination - per mile per month																
	DS3 Local Loop in combination - Facility Termination per month																
	Interoffice Transport - Dedicated - DS3 combination - Facility																
	Termination per month																
	STS-1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT																
	STS-1 Local Loop in combination - per mile per month																
	STS-1 Local Loop in combination - Facility Termination per month																
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month																
	Termination per month																
	ADDITIONAL NETWORK ELEMENTS																
	When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As is charge does apply																
	When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As is Charge does not																
	Nonrecurring Currently Combined Network Elements 'Switch As Is' Charge (One applies to each combination)																
	Nonrecurring Currently Combined Network Elements Switch As-Is Charge																
	Optional Features & Functions																
	Clear Channel Capability Extended Frame Option - per DS1	-						UITD1, ULDD1,UNC1X	CCEOEF	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Clear Channel Capability Super FrameOption - per DS1	-						UITD1,ULDD1,UNC1X	CCOSF	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Clear Channel Capability (SFESF) Option - Subsequent Activity - per DS1	-						UNC1X, UTD1, ULDD1,ULDD3,	NRCCC	184.85	23.81	1.99	0.7741				
	[C,b] Party Option - Subsequent Activity - per DS3	-						UE3, UNC3X, NRCC3		219.13	7.67	0.755	0.00				
	MULTIPLEXERS																
	DS1 to DS0 Channel System per month																
	OC1-DP COCI (data) - DS1 to DS0 Channel System - per month (2-4-64kbs used for a Local Loop)							UDL	1D1DD	1.12	6.58	4.72	0.00	0.00	0.00	0.00	
	OC1-DP COCI (data) - DS1 to DS0 Channel System - per month (2-4-64kbs used for connection to a channelized DS1 Local Channel in the same SMC as collocation)								UITUD	1D1DD	1.12	6.58	4.72	0.00	0.00	0.00	
	2-wire ISDN COCI (BRI TE) - DS1 to DS0 Channel System - per month for a Local Loop								UDN	UC1ICA	2.41	6.58	4.72	0.00	0.00	0.00	
	2-wire ISDN COCI (BRI TE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SMC as collocation									UITUB	UC1ICA	2.41	6.58	4.72	0.00	0.00	
	Voice Grade COCI - DS1 to DS0 Channel System - per month Used for a Local Loop									UEA	1D1VG	0.53	6.58	4.72	0.00	0.00	
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SMC as collocation										UITUC	1D1VG	0.53	6.58	4.72	0.00	0.00
	DS3 to DS1 Channel System per month										WQ3	166.13	178.14	93.97	33.26	31.83	
	STS-1 to DS1 Channel System per month										MO3	166.13	178.14	93.97	33.26	31.83	
	DS1 COCI used with Loop per month										USL	12.70	6.58	4.72	0.00	0.00	

UNBUNDLED NETWORK ELEMENTS - Alabama										Attachment 2		Exhibit A	
CATEGORY	RATE ELEMENTS			Interim Zone	BCS	USOC	RATES (\$)			Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	
	Rec	Nonrecurring Add'l	Nonrecurring Disconnect Add'l				OSS Rates (\$)	Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l			Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l
	DS1 COCI (used for connection to a channeled DS1 Local Channel in the same SWC as collocation) per month	U1TUA	UC1D1	12.70	6.58	4.72	0.00	0.00	0.00	SOMAN	SOMAN	SOMAN	SOMAN
	DS1 COCI used with Interoffice Channel per month	U1TD1	UC1D1	12.70	6.58	4.72	0.00	0.00	0.00				
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month	ULDD1	UC1D1	12.70	6.58	4.72	0.00	0.00	0.00				

Note: Rates displaying an "I" in Interim column are interim as a result of a Commission order

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)		Rec	First	Nonrecurring Add'l	Nonrecurring First	Disconnect Add'l	Attachment 2	Exhibit A		
					1st	OSS Rates (\$)							Svc Order Submitted Elec per LSR	Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic Disc Add'l
UNBUNDLED NETWORK ELEMENTS - Florida															
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones To view Geographically Deaveraged UNE Zones To view internet Website .															
OPERATIONAL SUPPORT SYSTEMS (OSS) - REGIONAL RATES*															
NOTE: (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this rate exhibit are the BellSouth "regional" service ordering charges. CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established in each of the 9 states.															
NOTE: (2) Any element that can be ordered electronically will be billed according to the SOMECS rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically For those elements that cannot be ordered electronically at present per the LOH, the listed SOMECS rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMECS.															
* OSS - Electronic Service Order Charge, Per Local Service Request; (LSR) - UNE Only															
OSS - Manual Service Order Charge, Per Local Service Request (LSR) - UNE Only															
UNE SERVICE DATE ADVANCEMENT CHARGE															
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No 1 Tariff, Section 5 as applicable															
UAL, UEANL, UCL, UEF, UDF, UEO, UDL, UENTW, UDN, UEA, UHL, ULC, USL, UT12, UT148, UTID1, UTID3, UTDX, UTOS, UTTS1, UTIVX, UCIBC, UCIBL, UCIC, UCICL, UCIDC, UCIDL, UCIEC, UCIEL, UCIFC, UCIFL, UCIGC, UC1GL, UCICH, UC1HL, UDL12, UDL48, UDL03, UDLSX, UE3, ULD12, ULD48, ULD01, ULDD3, ULDDX, ULD03, ULD51, ULDVX, UNCX, UNC3X, UNCDX, UNCNX, UNCSX, UNCX, UNLD1, UNLD3, UXTD1, UXTD3, UXTS1, UUTUC, UUTD, UUTUB, UUTUA, SDASP, 200.00															
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day															
UNBUNDLED EXCHANGE ACCESS LOOP															
2-WIRE ANALOG VOICE GRADE LOOP															
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1															
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2															
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3															
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1															
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2															
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3															
Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise															
Loop Testing - Basic Test Hour															
Loop Testing - Basic Additional Half Hour															

UNBUNDLED NETWORK ELEMENTS - Florida										Exhibit A			
CATEGORY	RATE ELEMENTS			Interim Zone	BCS	USOC	RATES (\$)			Attachment 2		Attachment 3	
	Rec	Nonrecurring Add'l	First				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	OSS Rates (\$)	SOMAN	SOMAN	SOMAN	SOMAN
CLEC to CLEC Conversion Charge Without Outside Dispatch (UWL-SL1)		UEANL	UREWO				15.78	8.94					
Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up, (Engineering Information - E 1)		UEANL	UEAMC				13.49						
Manual Order Coordination for UWL-SL1's (per loop)		UEANL	UEAMC				9.00	9.00					
Order Coordination for Specified Conversion Time for UWL-SL1 (per LSR)		UEANL	OOCSL				23.02						
2-WIRE Unbundled COPPER LOOP													
2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1	UEQ	UEO2X	7.69			44.98	20.90	24.88	6.45			
2-Wire Unbundled Copper Loop - Non-Designed - Zone 2	2	UEQ	UEO2X	10.92			44.98	20.90	24.88	6.45			
2-Wire Unbundled Copper Loop - Non-Designed - Zone 3	3	UEQ	UEO2X	19.38			44.98	20.90	24.88	6.45			
Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise		UEQ	URETL				8.33	0.83					
Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)		UEQ	USBMC				9.00						
Unbundled Copper Loop, Non-Design Cooper Loop, billing for BST providing make-up, (Engineering Information - E 1)		UEQ	UEQMU	13.49									
Loop Testing - Basic 1st Half Hour		UEQ	URET1	48.65									
Loop Testing - Basic Additional Half Hour		UEQ	URETA	23.95									
CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND)		UEQ	UREWO				14.27	7.43					
UNBUNDLED EXCHANGE ACCESS LOOP													
2-WIRE ANALOG VOICE GRADE LOOP													
2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1	1	UEPSR UEPSB	UEALS	10.69			49.57	22.83	25.62	6.57			
2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1	1	UEPSR UEPSB	UEABS	10.69			49.57	22.83	25.62	6.57			
2-Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2	2	UEPSR UEPSB	UEALS	15.20			49.57	22.83	25.62	6.57			
2-Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2	2	UEPSR UEPSB	UEABS	15.20			49.57	22.83	25.62	6.57			
2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3	3	UEPSR UEPSB	UEALS	26.97			49.57	22.83	25.62	6.57			
2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3	3	UEPSR UEPSB	UEABS	26.97			49.57	22.83	25.62	6.57			
UNBUNDLED EXCHANGE ACCESS LOOP													
2-WIRE ANALOG VOICE GRADE LOOP													
2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1	1	UEA	UEAL2	12.24			135.75	82.47	63.53	12.01			
2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2	2	UEA	UEAL2	17.40			135.75	82.47	63.53	12.01			
2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3	3	UEA	UEAL2	30.87			135.75	82.47	63.53	12.01			
Order Coordination for Specified Conversion Time (per LSR)		UEA	OOCSL				23.02						
CLEC to CLEC Conversion Charge without outside dispatch Loop Tagging - Service Level 2 (SL2)		UEA	OOCOSL										
4-WIRE ANALOG VOICE GRADE LOOP													
4-Wire Analog Voice Grade Loop - Zone 1	1	UEA	UEAL4	18.89			115.15	67.08	15.56				
4-Wire Analog Voice Grade Loop - Zone 2	2	UEA	UEAL4	26.84			115.15	67.08	15.56				
4-Wire Analog Voice Grade Loop - Zone 3	3	UEA	UEAL4	47.62			115.15	67.08	15.56				
Order Coordination for Specified Conversion Time (per LSR)		UEA	OOCOSL				23.02						
CLEC to CLEC Conversion Charge without outside dispatch		UEA	UREWO	87.71			36.35						

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC		RATES (\$)	Attachment 2		Exhibit A			
							Rec	First Add'l	Nonrecurring Disconnect Add'l	OSS Rates (\$)	Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st
UNBUNDLED NETWORK ELEMENTS - Florida												
2-WIRE ISDN DIGITAL GRADE LOOP												
2-Wire ISDN Digital Grade Loop - Zone 1	1	UDN	U1L2X	19.28	147.69	94.41	62.23	10.71				
2-Wire ISDN Digital Grade Loop - Zone 2	2	UDN	U1L2X	27.40	147.69	94.41	62.23	10.71				
2-Wire ISDN Digital Grade Loop - Zone 3	3	UDN	U1L2X	48.62	147.69	94.41	62.23	10.71				
Order Coordination For Specified Conversion Time (per LSR)		UDN	OCOSL				23.02					
CLEC to CLEC Conversion Charge without outside dispatch		UDN	UREWO				91.61	44.15				
2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP												
2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1	1	UAL	UAL2X	8.30	149.53	103.85	75.05	15.63				
2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2	2	UAL	UAL2X	11.80	149.53	103.85	75.05	15.63				
2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3	3	UAL	UAL2X	20.94	149.53	103.85	75.05	15.63				
Order Coordination for Specified Conversion Time (per LSR)		UAL	OCOSL				23.02					
2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1	1	UAL	UAL2W	8.30	124.83	71.12	60.64	9.12				
2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2	2	UAL	UAL2W	11.80	124.83	71.12	60.64	9.12				
2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3	3	UAL	UAL2W	20.94	124.83	71.12	60.64	9.12				
Order Coordination for Specified Conversion Time (per LSR)		UAL	OCOSL				23.02					
CLEC to CLEC Conversion Charge without outside dispatch		UAL	UREWO				86.19	40.39				
2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP												
2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1	1	UHL	UHL2X	7.22	159.09	113.41	75.05	15.63				
2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2	2	UHL	UHL2X	10.26	159.09	113.41	75.05	15.63				
2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3	3	UHL	UHL2X	18.21	159.09	113.41	75.05	15.63				
Order Coordination for Specified Conversion Time (per LSR)		UHL	OCOSL				23.02					
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	UHL	UHL2W	7.22	134.40	80.69	60.64	9.12				
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	2	UHL	UHL2W	10.26	134.40	80.69	60.64	9.12				
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	3	UHL	UHL2W	18.21	134.40	80.69	60.64	9.12				
Order Coordination for Specified Conversion Time (per LSR)		UHL	OCOSL				23.02					
CLEC to CLEC Conversion Charge without outside dispatch		UHL	UREWO				86.12	40.39				
4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP												
4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1	1	UHL	UHL4X	10.86	193.31	138.98	77.15	12.61				
4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2	2	UHL	UHL4X	15.44	193.31	138.98	77.15	12.61				
4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3	3	UHL	UHL4X	27.39	193.31	138.98	77.15	12.61				
Order Coordination for Specified Conversion Time (per LSR)		UHL	OCOSL				23.02					
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	UHL	UHL4W	10.86	168.62	115.47	62.74	11.22				
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	2	UHL	UHL4W	15.44	168.62	115.47	62.74	11.22				
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	3	UHL	UHL4W	27.39	168.62	115.47	62.74	11.22				
Order Coordination for Specified Conversion Time (per LSR)		UHL	OCOSL				23.02					
CLEC to CLEC Conversion Charge without outside dispatch		UHL	UREWO				86.12	40.39				
4-WIRE DS1 DIGITAL LOOP												
4-Wire DS1 Digital Loop - Zone 1	1	USL	USLXX	70.74	313.75	181.48	61.22	13.53				
4-Wire DS1 Digital Loop - Zone 2	2	USL	USLXX	100.54	313.75	181.48	61.22	13.53				
4-Wire DS1 Digital Loop - Zone 3	3	USL	USLXX	178.39	313.75	181.48	61.22	13.53				
Order Coordination for Specified Conversion Time (per LSR)		USL	OCOSL				23.02					

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic - 1st	Attachment. 2 OSS Rates (\$)	Attachment. 2 OSS Rates (\$)	Exhibit A Incremental Charge - Manual Svc Order vs Electronic - Disc 1st
					Rec	Nonrecurring Add'l	First	Nonrecurring Add'l	First			
UNBUNDLED NETWORK ELEMENTS - Florida												
Sub-Loop Distribution	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	-	UEANL	UBBSA	487.23							
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	-	UEANL	UBSSB	6.25							
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	-	UEANL	UBSC	169.25							
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	-	UEANL	UBBSD	38.65							
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	1	UEANL	USBN2	6.46	60.19	21.78	47.50	5.26			
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	2	UEANL	USBN2	9.18	60.19	21.78	47.50	5.26			
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	3	UEANL	USBN2	16.29	60.19	21.78	47.50	5.26			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEANL	USBMC	9.00							
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1	1	UEANL	USBN4	7.37	68.83	30.42	49.71	6.60			
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2	2	UEANL	USBN4	10.47	68.83	30.42	49.71	6.60			
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3	3	UEANL	USBN4	18.58	68.83	30.42	49.71	6.60			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEANL	USBMC	9.00							
	Sub-Loop 2-Wire Interbuilding Network Cable (INC)	1	UEANL	UBBR2	3.96	51.84	13.44	47.50	5.26			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEANL	USBMC	9.00							
	Sub-Loop 4-Wire Interbuilding Network Cable (INC)	-	UEANL	UBBR4	9.37	55.91	17.51	49.71	6.60			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEANL	USBMC	9.00							
	Loop Testing - Basic 1st Half Hour		UEANL	URET1	48.65							
	Loop Testing - Basic Additional Half Hour		UEANL	URETA	23.95	23.95						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	UEF	UCS2X	5.15	60.19	21.78	47.50	5.26			
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	2	UEF	UCS2X	7.31	60.19	21.78	47.50	5.26			
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	3	UEF	UCS2X	12.98	60.19	21.78	47.50	5.26			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEF	USBMC	9.00							
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	UEF	UCS4X	5.36	68.83	30.42	49.71	6.60			
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	2	UEF	UCS4X	7.61	68.83	30.42	49.71	6.60			
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	3	UEF	UCS4X	13.51	68.83	30.42	49.71	6.60			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEF	USBMC	9.00							
	Loop Testing - Basic 1st Half Hour		UEF	URET1	48.65							
	Unbundled Network Terminating Wire (UNTW)		UEFTW	URETA	23.95	23.95						
	Network Interface Device (NID)		UENPP	0.4572	18.02							
	Network Interface Device (NID) - 1-2 Lines		UENTW	UND12	71.49							
	Network Interface Device (NID) - 1-6 Lines		UENTW	UND16	113.89							
	Network Interface Device Cross Connect - 2 W		UENTW	UNDCC2	7.63							
	Network Interface Device Cross Connect - 4 W		UENTW	UNDCC4	7.63	7.63						
	UNE OTHER, PROVISIONING ONLY - NO RATE		UENTW	UNDBX	0.00							
	NID - Dispatch and Service Order for NID Installation		UENTW	UENCE	0.00							
	UNE Circuit Id Establishment, Provisioning Only - No Rate		UENTW	UNEON	0.00							
	Unbundled Contract Name, Provisioning Only - No Rate		UENTW	UNEON	0.00							
	UNE OTHER, PROVISIONING ONLY - NO RATE		UENTW	UNEON	0.00							

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment 2				Exhibit A			
CATEGORY	RATE ELEMENTS			Interim Zone	BCS	USOC	RATES (\$)			Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic - Disc 1st	Incremental Charge - Manual Svc Order vs Electronic - Disc 1st	OSS Rates (\$)	SOMAN	SOMAN		
	Rec	Nonrecurring Add'l	Nonrecurring Disconnect Add'l				First										
	U41UCLUDCUDL UDNUEAUHLUSL	UNEQN	0.00	0.00													
	UEAUJDNLUCLUDC	USBFQ	0.00	0.00													
	UEAUSLUCLUDL	USBFR	0.00	0.00													
	USL	CCOSF	0.00	0.00													
	USL	CCOEFF	0.00	0.00													
	UE3	1LND	10.92														
	UE3	UE3PX	396.88	639.8255	394.4615	159.9995	111.366										
	UDLSX	1LND	10.92														
	UDLSX	UDLS1	426.60	639.8255	394.4615	159.9995	111.366										
	UMK	UMKLW			52.17	52.17											
	UMK	UMKLP			55.07	55.07											
	UMK	UMKMQ			0.6784	0.6784											
	UEPSRUEPSB UEPSRUEPSB UEPSRUEPSB	UREQS UREBP UREBV	0.61 0.61 1.134	29.68 29.68 21.28	21.28 21.28 19.57	19.57 19.57 9.61											
	U1TVX	1L5XX	0.0091														
	U1TVX	U1TV2	25.32	47.35	31.78	18.31	7.03										
	U1TVX	1L5XX	0.0091														
	U1TVX	U1TR2	25.32	47.35	31.78	18.31	7.03										
	U1TVX	1L5XX	0.0091														
	U1TV4		22.58	47.35	31.78	18.31	7.03										
	U1TDX	1L5XX	0.0091														
	U1TDX	U1TDS	18.44	47.35	31.78	18.31	7.03										
	U1TDX	1L5XX	0.0091														
	U1TDX	U1TB6	18.44	47.35	31.78	18.31	7.03										

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		RATES (\$)	Attachment 2		Exhibit A						
								Rec	First	Nonrecurring Add'l	First	Nonrecurring Disconnect Add'l	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month	U1TD1		1L5XX	0 1856											
	Interoffice Channel - Dedicated Transport - DS1 - Facility Termination	U1TD1		U1TF1	88 44	105 54	98 47	21 47	19 05							
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month	U1TD3		1L5XX	3 87											
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month	U1TF3		U1TF3	1,071 00	355 46	219 28	72 03	70 56							
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month	U1TS1		1L5XX	3 87											
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination	U1TS1		U1TS1	1,056 00	335 46	219 28	72 03	70 56							
DARK FIBER	DARK FIBER, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel	UDF...UDFCX		1L5DC	53 87											
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel	UDF...UDFCX		1L5DF	26 85											
	NRFC Dark Fiber - Interoffice Channel	UDF...UDFCX		UDF14	751 34		193 88	356 21	230 11							
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop	UDF...UDFCX		1L5DL	53 87											
VIRTUAL COLLOCATION	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splicing	UEPSR UEPSB		VE1LS	0 0502	11 57	11 57	0 00	0 00							
PHYSICAL COLLOCATION	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splicing	UEPSR UEPSB		PE1LS	0 0276	8 22	7 22	5 74	4 58							
ENHANCED EXTENDED LINK (EELs)	NOTE The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements.															
	NOTE The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as 'Currently Combined' Network Elements.															
2-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION	2-Wire (S) Loop (S12) in Combination - Zone 1	1 UNCVX		U1AL2	12 24	127 59	60 54	42 79	28 81							
	2-Wire (S) Loop (S12) in Combination - Zone 2	2 UNCVX		U1AL2	17 40	127 59	60 54	42 79	28 81							
	Voice Grade COCI - Per Month	UNCVX		U1AL2	30 87	127 59	60 54	42 79	28 81							
4-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION	4-Wire Analog Voice Grade Loop in Combination - Zone 1	1 UNCVX		1DIVG	1 38	10 07	7 08									
	4-Wire Analog Voice Grade Loop in Combination - Zone 2	2 UNCVX		U1AL4	18 89	127 59	60 54	42 79	28 81							
	4-Wire Analog Voice Grade Loop in Combination - Zone 3	3 UNCVX		U1AL4	26 84	127 59	60 54	42 79	28 81							
	Voice Grade COCI in combination - Per month	UNCVX		U1AL4	47 62	127 59	60 54	42 79	28 81							
4-WIRE 56 Kbps DIGITAL LOOP FOR USE IN A COMBINATION	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	1 UNCDX		UDL56	22 20	127 59	60 54	42 79	28 81							
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	2 UNCDX		UDL56	31 56	127 59	60 54	42 79	28 81							
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	3 UNCDX		UDL56	55 99	127 59	60 54	42 79	28 81							
	OC1-DF COCI (data) Per month (2+64Kbs)	UNCDX		1D1DD	2 10	10 07	7 08									
4-WIRE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	1 UNCDX		UD164	22 20	127 59	60 54	42 79	28 81							
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2	2 UNCDX		UDL64	31 56	127 59	60 54	42 79	28 81							
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	3 UNCDX		UDL64	55 99	127 59	60 54	42 79	28 81							
2-WIRE ISDN LOOP FOR USE IN A COMBINATION	OC1-DF COCI (data) in combination - Per month (2+64Kbs)	UNCDX		1D1DD	2 10	10 07	7 08									
	2-Wire ISDN Loop in Combination - Zone 1	1 UNCNX		U1L2X	19 28	127 59	60 60	42 79	28 81							
	2-Wire ISDN Loop in Combination - Zone 2	2 UNCNX		U1L2X	27 40	127 59	60 54	42 79	28 81							
	2-Wire ISDN Loop in Combination - Zone 3	3 UNCNX		U1L2X	48 62	127 59	60 60	42 79	28 81							
4-WIRE DS1 DIGITAL LOOP FOR USE IN A COMBINATION	OC1-DF COCI (BRI)T - in combination - Per month	UNCNX		UC1CA	3 66	10 07	7 08									
	4-Wire DS1 Digital Loop in Combination - Zone 1	1 UNCNX		U1SLXX	70 74	217 75	121 62	51 44	14 45							
	4-Wire DS1 Digital Loop in Combination - Zone 2	2 UNCNX		U1SLXX	100 54	217 75	121 62	51 44	14 45							
	4-Wire DS1 Digital Loop in Combination - Zone 3	3 UNCNX		U1SLXX	178 39	217 75	121 62	51 44	14 45							
	DS1 COCI in combination per month	UNCNX		UC1D1	13 76	10 07	7 08									

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		RATES (\$)	Attachment 2		Exhibit A	
								Rec	First Add'l	Nonrecurring	Disconnect First
UNBUNDLED NETWORK ELEMENTS - Florida											
								Svc Order Submitted	Submitted Manually per LSR	OSS Rates (\$)	SOMAN
								Elec			SOMAN
2 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION											
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per Month			UNCVX	1L5XX	0.0091					
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV2	25.32	94.70	52.59	50.49	21.53	
4 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION											
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0.0091					
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month			UNCVX	U1TV4	22.58	94.70	52.59	50.49	21.53	
DST INTEROFFICE TRANSPORT FOR COMBINATION											
	Interoffice Transport - Dedicated - DST combination - Per Mile per month			UNC1X	1L5XX	0.1856					
	Interoffice Transport - Dedicated - DST1 combination - Facility Termination per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95	
DSS INTEROFFICE TRANSPORT FOR USE IN A COMBINATION											
	Interoffice Transport - Dedicated - DSS3 combination - Per Mile Per Month			UNC3X	1L5XX	3.87					
	Interoffice Transport - Dedicated - DS3 - Facility Termination per Month			UNC3X	U1TF3	1,071.00	335.46	219.28	72.03	70.56	
STS-1 INTEROFFICE TRANSPORT FOR USE IN COMBINATION											
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month			UNCSX	1L5XX	3.87					
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	1,056.00	314.45	130.88	38.60	18.23	
4-WIRE 56 KBPS DIGITAL LOCAL LOOP WITH 56 KBPS INTEROFFICE TRANSPORT											
	4-wire 56 kbps Local Loop in combination - Zone 1	1	UNCDX	UDL56	22.20	127.59	60.54	42.79	21.81		
	4-wire 56 kbps Local Loop in combination - Zone 2	2	UNCDX	UDL56	31.56	127.59	60.54	42.79	21.81		
	4-wire 56 kbps Local Loop in combination - Zone 3	3	UNCDX	UDL56	55.99	127.59	60.54	42.79	21.81		
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNCDX	1L5XX	0.0091					
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month			UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53	
4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT											
	4-wire 64 kbps Local Loop in Combination - Zone 1	1	UNCDX	UDL64	22.20	127.59	60.54	42.79	21.81		
	4-wire 64 kbps Local Loop in Combination - Zone 2	2	UNCDX	UDL64	31.56	127.59	60.54	42.79	21.81		
	4-wire 64 kbps Local Loop in Combination - Zone 3	3	UNCDX	UDL64	55.99	127.59	60.54	42.79	21.81		
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNCDX	1L5XX	0.0091					
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53	
4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT											
	4-wire 64 kbps Local Loop in combination - Zone 1	1	UNCDX	UDI56	22.20	127.59	60.54	42.79	21.81		
	4-wire 64 kbps Local Loop in combination - Zone 2	2	UNCDX	UDI56	31.56	127.59	60.54	42.79	21.81		
	4-wire 64 kbps Local Loop in combination - Zone 3	3	UNCDX	UDI56	55.99	127.59	60.54	42.79	21.81		
	4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0091					
	4-wire 65 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53	
DST1 DIGITAL LOOP AND DS1 INTEROFFICE TRANSPORT											
	4-Wire DS1 Digital Loop in Combination - Zone 1	1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45		

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment 2										
CATEGORY	RATE ELEMENTS			Interim Zone	BCS	USOC	RATES (\$)			Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st			Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st			Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l		
	Rec	Nonrecurring	Disconnect				First	Add'l	SOMEC			SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	DS1 COCL used with Interoffice Channel per month			U1TD1	UC1D1	13.76	10.07	7.08	0.00	0.00										
	DS2 Interface Unit (DS1 COCL) used with Local Channel per month			ULDD1	UC1D1	13.76	10.07	7.08	0.00	0.00										
Note		Rates displaying an "I" in Interim column are interim as a result of a Commission order																		

Exhibit A

UNBUNDLED NETWORK ELEMENTS - Georgia										Exhibit A												
CATEGORY	RATE ELEMENTS			Interim Zone	BCS	USOC	RATES (\$)			Attachment 2			Incremental Charge - Manual Svc Order per LSR	Manually	Order vs.	Electronic-	1st	OSS Rates (\$)	SOMEC	SOMAN	SOMAN	
	Rec	First	Add'l				Nonrecurring	First	Nonrecurring Disconnect	Order per LSR	Manually	Order vs.	Electronic-	1st	OSS Rates (\$)	SOMAN	SOMAN	SOMAN	SOMAN			
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones To view Geographically Deaveraged UNE Zones To view Geographically Deaveraged UNE Zones																						
OPERATIONAL SUPPORT SYSTEMS (OSS) - REGIONAL RATES																						
NOTE: (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this rate exhibit are the BellSouth "regional" service ordering charges. CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established in each of the 9 states.																						
NOTE: (2) Any element that can be ordered electronically will be billed according to the SOMEC rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the LOH, the listed SOMEC rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be applied to a CLECs bill when it submits an LSR to BellSouth																						
OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only										SOMEC							3.50	0.00	3.50	0.00		
OSS - Manual Service Order Charge, Per Local Service Request (LSR) - LINE Only										SOMAN							11.73	0.00	6.13	0.00		
UNE SERVICE DATE ADVANCEMENT CHARGE																						
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No. 1 Tariff, Section 5 as applicable																						
UAL, UEA NL, UCL, UEF, UDC, UDF, UEO, UDL, UENTW, UDN, UEA, UHL, ULC, USL, UTT12, UTT48, UTTD1, UTTD3, UTTDX, UTT03, UTTS1, UTTX, UCIBC, UCIBL, UCICC, UCICL, UCIDC, UCIDL, UCIEC, UCIEL, UCIFC, UCIFL, UCIGC, UCIGL, UCICH, UCIHL, UDL12, UDL48, UDL03, UDLSX, UE3, ULD12, ULD48, ULD01, ULD03, ULD0X, ULD03, ULD05, ULDVX, UNCX, UNCSX, UNCNX, UNCSX, UNCVX, UNLD1, UNLD3, UXTD1, UXTD3, UXTS1, UTTD, UTTU, UTTA, SDASP																						
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day																						
UNBUNDLED EXCHANGE ACCESS LOOP																						
2-WIRE ANALOG VOICE GRADE LOOP																						
2-Wire Analog Voice Grade Loop - Service Level 1-Zone 1	1	UEANL								UEAL2	10.51	40.02	9.98				5.61		1.72			
2-Wire Analog Voice Grade Loop - Service Level 1-Zone 2	2	UEANL								UEAL2	15.85	40.02	9.98				5.61		1.72			
2-Wire Analog Voice Grade Loop - Service Level 1-Zone 3	3	UEANL								UEAL2	31.97	40.02	9.98				5.61		1.72			
2-Wire Analog Voice Grade Loop - Service Level 1-Zone 1	1	UEANL								UEASL	10.51	40.02	9.98				5.61		1.72			
2-Wire Analog Voice Grade Loop - Service Level 1-Zone 2	2	UEANL								UEASL	15.85	40.02	9.98				5.61		1.72			
2-Wire Analog Voice Grade Loop - Service Level 1-Zone 3	3	UEANL								UEASL	31.97	40.02	9.98				5.61		1.72			
Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise		URET1L								URET1							8.33	0.83				
Loop Testing - Basic 1st Half Hour		URET1								URET1							25.12					
Loop Testing - Basic Additional Half Hour		URET1								URET1							13.62	13.62				

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC		RATES (\$)	Attachment 2			Attachment 3		
							Rec	First Add'l	Nonrecurring Add'l	First	Nonrecurring Disconnect Add'l	OSS Rates (\$)
CLEC to CLEC Conversion Charge Without Outside Dispatch (UWL-SL1)		UEANL	UREWO			15.75	8.92					
Unbundled Voice Loop, Non-Design Voice Loop, billing for BST make-up (Engineering Information - E-1)		UEANL	UEAMC			7.30	7.30					
Manual Order Coordination for UWL-SL1 (per loop)		UEANL	UEAMC			18.92	18.92					
Order Coordination for Specified Conversion Time for UWL-SL1 (per LSR)		UEANL	OCOSL			57.79						
2-WIRE UNBUNDLED COPPER LOOP - NON-DESIGNED												
2-Wire Unbundled Copper Loop Non-Designed - Zone 1	1	UEQ	UEQ2X			11.02	44.69	22.40	0.00	0.00		
2-Wire Unbundled Copper Loop Non-Designed - Zone 2	2	UEQ	UEQ2X			12.72	44.69	22.40	0.00	0.00		
2-Wire Unbundled Copper Loop Non-Designed - Zone 3	3	UEQ	UEQ2X			20.22	44.69	22.40	0.00	0.00		
Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise		UEQ	URETL			8.33	0.83					
Manual Order Coordination 2-Wire Unbundled Copper Loop - Non-Designed (per loop)		UEQ	USBMIC			18.92	18.92					
Unbundled Copper Loop, Non-Design Copper Loop, billing for BST providing make-up (Engineering Information - E-1)		UEQ	UEOMU			7.30	7.30					
Loop Testing - Basic 1st Half Hour		UEQ	URET1			25.12	25.12					
Loop Testing - Basic Additional Half Hour		UEQ	URETA			13.62	13.62					
CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND)		UEQ	UREWO			14.25	7.42					
UNBUNDLED EXCHANGE ACCESS LOOP												
2-WIRE ANALOG VOICE GRADE LOOP												
UNE Loop Rates for Line Splitting (In Ga PSC ordered the line splitting loop USOCs match the lower port-loop combo rates UEP(LX))												
2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	1	UEPSR	UEPSB	UEALS		9.56	10.05	7.36	1.37	1.28		
2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2	1	UEPSR	UEPSB	UEALS		14.96	10.05	7.36	1.37	1.28		
2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2	2	UEPSR	UEPSB	UEALS		14.86	10.05	7.36	1.37	1.28		
2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 3	1	UEPSR	UEPSB	UEALS		31.66	10.05	7.36	1.37	1.28		
2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 3	1	UEPSR	UEPSB	UEALS		31.66	10.05	7.36	1.37	1.28		
2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 3	3	UEPSR	UEPSB	UEALS		31.66	10.05	7.36	1.37	1.28		
UNBUNDLED EXCHANGE ACCESS LOOP												
2-WIRE ANALOG VOICE GRADE LOOP												
2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1	1	UEA	UEAL2			11.57	79.85	24.65	18.92	7.87		
2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2	2	UEA	UEAL2			16.95	79.85	24.65	18.92	7.87		
2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3	3	UEA	UEAL2			33.08	79.85	24.65	18.92	7.87		
Order Coordination for Specified Conversion Time (per LSR)		UEA	OCOSL			57.79						
Battery Signaling - Zone 1	1	UEA	UEAR2			11.57	79.85	24.65	18.92	7.87		
2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1	1	UEA	UEAR2			11.57	79.85	24.65	18.92	7.87		
2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2	2	UEA	UEAR2			16.95	79.85	24.65	18.92	7.87		
2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	3	UEA	UEAR2			33.08	79.85	24.65	18.92	7.87		
4-Wire Analog Voice Grade Loop - Zone 1	1	UEA	UEAL4			17.80	93.01	28.17	19.52	8.12		
4-Wire Analog Voice Grade Loop - Zone 2	2	UEA	UEAL4			21.68	93.01	28.17	19.52	8.12		
4-Wire Analog Voice Grade Loop - Zone 3	3	UEA	UEAL4			30.25	93.01	28.17	19.52	8.12		
Order Coordination for Specified Conversion Time (per LSR)		UEA	OCOSL			57.79						
CLEC to CLEC Conversion Charge without outside dispatch Loop Tagging - Service Level 2 (SL2)		UEA	UREWO			11.19	1.10					
4-WIRE ANALOG VOICE GRADE LOOP												
4-Wire Analog Voice Grade Loop - Zone 1	1	UDN	UDL2X			17.80	93.01	28.17	19.52	8.12		
4-Wire Analog Voice Grade Loop - Zone 2	2	UDN	UDL2X			25.27	180.06	35.25	18.23	6.97		
4-Wire Analog Voice Grade Loop - Zone 3	3	UDN	UDL2X			40.17	180.06	35.25	18.23	6.97		
Order Coordination For Specified Conversion Time (per LSR)		UDN	OCOSL			57.79						

CATEGORY	RATE ELEMENTS	Intenn	Zone	BCS	USOC	RATES (\$)	Nonrecurring		Attachment 2		Exhibit A	
							Rec	First Add'l	OSS Rates (\$)	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic Disc Add'l	Charge - Manual Svc Order vs Electronic Disc 1st
UNBUNDLED NETWORK ELEMENTS - Georgia												
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO	120.98	33.04	...				
	2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP											
	2-Wire Unbundled ADSL Loop including manual service inquiry	1	1	UAL	UAL2X	11.23	44.69	31.55	0.00	0.00		
	8 facility reservation - Zone 1											
	2-Wire Unbundled ADSL Loop including manual service inquiry	1	2	UAL	UAL2X	12.97	44.69	31.55	0.00	0.00		
	8 facility reservation - Zone 2											
	2-Wire Unbundled ADSL Loop including manual service inquiry	1	3	UAL	UAL2X	20.62	44.69	31.55	0.00	0.00		
	8 facility reservation - Zone 3											
	Order Coordination for Specified Conversion Time (per LSR)	1	UAL		OCOSL		57.79					
	2-Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1	1	1	UAL	UAL2W	11.23	44.69	31.55	0.00	0.00		
	2-Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2	1	2	UAL	UAL2W	12.97	44.69	31.55	0.00	0.00		
	2-Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3	1	3	UAL	UAL2W	20.62	44.69	31.55	0.00	0.00		
	Order Coordination for Specified Conversion Time (per LSR)	1	UAL		OCOSL		57.79					
	CLEC to CLEC Conversion Charge without outside dispatch	1	UAL		UREWO	44.69	57.79	29.29				
	2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP											
	2-Wire Unbundled HDSL Loop including manual service inquiry	1	1	UHL	UHL2X	7.88	44.69	31.55	0.00	0.00		
	8 facility reservation - Zone 1											
	2-Wire Unbundled HDSL Loop including manual service inquiry	1	2	UHL	UHL2X	9.09	44.69	31.55	0.00	0.00		
	8 facility reservation - Zone 2											
	2-Wire Unbundled HDSL Loop including manual service inquiry	1	3	UHL	UHL2X	14.48	44.69	31.55	0.00	0.00		
	8 facility reservation - Zone 3											
	Order Coordination for Specified Conversion Time (per LSR)	1	UHL		OCOSL		57.79					
	2-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	1	UHL	UHL2W	7.88	44.69	31.55	0.00	0.00		
	2-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	1	2	UHL	UHL2W	9.09	44.69	31.55	0.00	0.00		
	2-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	1	3	UHL	UHL2W	14.48	44.69	31.55	0.00	0.00		
	Order Coordination for Specified Conversion Time (per LSR)	1	UHL		OCOSL		57.79					
	CLEC to CLEC Conversion Charge without outside dispatch	1	UHL		UREWO	44.69	44.69	31.55				
	4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP											
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1	1	1	UHL	UHL4X	10.39	44.69	31.55	0.00	0.00		
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2	1	2	UHL	UHL4X	12.00	44.69	31.55	0.00	0.00		
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3	1	3	UHL	UHL4X	19.07	44.69	31.55	0.00	0.00		
	Order Coordination for Specified Conversion Time (per LSR)	1	UHL		OCOSL		57.79					
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	1	UHL	UHL4W	10.39	44.69	31.55	0.00	0.00		
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	1	2	UHL	UHL4W	12.00	44.69	31.55	0.00	0.00		
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	1	3	UHL	UHL4W	19.07	44.69	31.55	0.00	0.00		
	Order Coordination for Specified Conversion Time (per LSR)	1	UHL		OCOSL		57.79					
	CLEC to CLEC Conversion Charge without outside dispatch	1	UHL		UREWO	44.69	44.69	31.55				
	4-WIRE DS1 DIGITAL LOOP											
	4-Wire DS1 Digital Loop - Zone 1	1	USL		USLXX	41.02	211.93	72.49	38.24	7.20		
	4-Wire DS1 Digital Loop - Zone 2	2	USL		USLXX	46.41	211.93	72.49	38.24	7.20		
	4-Wire DS1 Digital Loop - Zone 3	3	USL		USLXX	62.03	211.93	72.49	38.24	7.20		
	Order Coordination for Specified Conversion Time (per LSR)	1	USL		OCOSL		57.79					
	CLEC to CLEC Conversion Charge without outside dispatch	1	USL		UREWO	100.91	42.97					
	4-WIRE 19.2, 36 OR 64 Kbps DIGITAL GRADE LOOP											
	4-Wire Unbundled Digital 19.2 Kbps	1	UDL		UDL19	21.06	196.66	37.00	18.82	7.20		
	4-Wire Unbundled Digital 19.2 Kbps	2	UDL		UDL19	28.36	196.66	37.00	18.82	7.20		
	4-Wire Unbundled Digital 19.2 Kbps	3	UDL		UDL19	38.22	196.66	37.00	18.82	7.20		

UNBUNDLED NETWORK ELEMENTS - Georgia										Exhibit A							
CATEGORY	RATE ELEMENTS			Intern	Zone	BCS	USOC	RATES (\$)				Attachment 2			Attachment 2		
								Rec	First	Nonrecurring	Charge - Manual Svc	Svc Order Submitted Manually per LSR	Order vs Electronic - Disc Add'l	OSS Rates (\$)	First	Nonrecurring	Charge - Manual Svc
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	UDL	UDL56	21.86	196.66	37.00	18.82	7.20								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	2	UDL	UDL56	28.36	196.66	37.00	18.82	7.20								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	3	UDL	UDL56	38.22	196.66	37.00	18.82	7.20								
	Order Coordination for Specified Conversion Time (per LSR)		UDL	OCOSL		57.79											
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	UDL	UDL64	21.86	196.66	37.00	18.82	7.20								
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	2	UDL	UDL64	28.36	196.66	37.00	18.82	7.20								
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	3	UDL	UDL64	38.22	196.66	37.00	18.82	7.20								
	Order Coordination for Specified Conversion Time (per LSR)		UDL	OCOSL		57.79											
	CLEC to CLEC Conversion Charge without outside dispatch n		UDL	UREWO	101.95	49.66											
	2-WIRE Unbundled COPPER LOOP																
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1	1	UCL	UCLPB	12.02	44.69	31.55	0.00	0.00								
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2	2	UCL	UCLPB	13.88	44.69	31.55	0.00	0.00								
	2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3	3	UCL	UCLPB	22.07	44.69	31.55	0.00	0.00								
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		18.92	18.92										
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1	UCL	UCLPW	12.02	44.69	31.55	0.00	0.00								
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	2	UCL	UCLPW	13.88	44.69	31.55	0.00	0.00								
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	3	UCL	UCLPW	22.07	44.69	31.55	0.00	0.00								
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		18.92	18.92										
	CLEC to CLEC Conversion Charge without outside dispatch (UCL DES)		UCL	UREWO	44.69	31.55											
	4-WIRE COPPER LOOP																
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1	1	UCL	UCLAS	16.65	44.69	31.55	0.00	0.00								
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2	2	UCL	UCL4S	19.22	44.69	31.55	0.00	0.00								
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3	3	UCL	UCLAS	30.55	44.69	31.55	0.00	0.00								
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		18.92	18.92										
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1	UCL	UCLAW	16.65	44.69	31.55	0.00	0.00								
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	2	UCL	UCLAW	19.22	44.69	31.55	0.00	0.00								
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	3	UCL	UCLAW	30.55	44.69	31.55	0.00	0.00								
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		18.92	18.92										
	CLEC to CLEC conversion Charge without outside dispatch		UCL	UREWO	44.69	31.55											
	LOOP MODIFICATION																
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18K ft. per Unbundled Loop		UCL	UCLUEA		UCLM4L											
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft. per Unbundled Loop		UCL	UCLUEA		UCLM4L											
	Unbundled Loop Modification Removal of Bridged Tap Removal, per Unbundled Loop		UCL	UCLUEA		UCLM4L											
	SUB-LOOPS																
	Sub-Loop Distribution		UEANL	USBSA													
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up		UEANL	USBSA													

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)			Attachment 2			Exhibit A		
					Rec	First Add'l	Nonrecurring Add'l	Svc Order Submitted Elec per LSR	Manually Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic Disc Add'l	Svc Order Submitted Elec per LSR	Manually Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic Disc Add'l
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up		UEANL	USBSSB		7.29							
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up		UEANL	USBSC		175.09							
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up		UEANL	USBSD		51.61							
	Unbundled Sub-Loops, Riser Cable, 2-Wire per Loop, Working and Spare Loop Activation		UEANL	USBRFC	3.61	28.46	3.85	2.20	0.01				
	Unbundled Sub-Loops, Riser Cable, 4-Wire per Loop, Working and Spare Loop Activation		UEANL	USBRD	7.67	31.07	4.79	2.27	0.01				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	1	UEANL	USBM2	6.52	28.46	3.85	2.20	0.01				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	2	UEANL	USBM2	10.18	28.46	3.85	2.20	0.01				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	3	UEANL	USBM2	19.51	28.46	3.85	2.20	0.01				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1	1	UEANL	USBM4	5.93	31.07	4.79	2.27	0.01				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2	2	UEANL	USBM4	9.71	31.07	4.79	2.27	0.01				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3	3	UEANL	USBM4	18.85	31.07	4.79	2.27	0.01				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEANL	USBMC		18.92	18.92						
	Sub-Loop 2-Wire IntraBuilding Network Cable (INC)		UEANL	USBM2	3.61	28.46	3.85	2.20	0.01				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEANL	USBMC		18.92	18.92						
	Sub-Loop 4-Wire IntraBuilding Network Cable (INC)	1	UEANL	USBM4	7.67	31.07	4.79	2.27	0.01				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEANL	USBMC		18.92	18.92						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEANL	URET1		25.12	25.12						
	Loop Testing - Basic 1st Hall Hour		UEANL	URET1		13.62	13.62						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	UEF	UCS2X	5.94	28.46	3.85	2.20	0.01				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	2	UEF	UCS2X	7.51	28.46	3.85	2.20	0.01				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	3	UEF	UCS2X	9.22	28.46	3.85	2.20	0.01				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEF	USBMC		18.92	18.92						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	UEF	UCSAX	6.37	31.07	4.79	2.27	0.01				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	2	UEF	UCSAX	6.32	31.07	4.79	2.27	0.01				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	3	UEF	UCSAX	9.10	31.07	4.79	2.27	0.01				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEF	USBMC		18.92	18.92						
	Loop Testing - Basic 1st Hall Hour		UEF	URET1		25.12	25.12						
	Unbundled Network Terminating Wire (UNTW)		UENTW	UENPP	0.533	25.12	12.28						
	Network Interface Device (NID)		UENTW	UND12		32.86	20.69						
	Network Interface Device (NID) - 1-2 lines	1	UENTW	UND16		56.03	43.86						
	Network Interface Device (NID) - 1-6 lines	1	UENTW	UNDG2-		2.45	2.45						
	Network Interface Device Cross Connect - 2 W	-	-	UENTW		2.45	2.45						
	UNE OTHER, PROVISIONING ONLY - NO RATE			UNDBX	0.00	0.00	0.00						
	NID - Dispatch and Service Order for NID installation		UENTW	UENCE	0.00	0.00	0.00						
	UNTW Circuit id Establishment, Provisioning Only - No Rate		UENTW	UEQ0U									
	Unbundled Contract Name, Provisioning Only - No Rate		UENTW	UNECN	0.00	0.00	0.00						
	UNE OTHER, PROVISIONING ONLY - NO RATE												

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Attachment# 2 OSS Rates (\$)	Exhibit A		
					Rec /	First	Nonrecurring Add'l			First	Nonrecurring Add'l	Disconnect Add'l	SOMEC	SOMAN	SOMAN
					UAL, UCL, UDC, UDL, UDN, UEA, UHL, USL, UNECN	0.00	0.00								
	Unbundled Contact Name, Provisioning Only - no rate				UEA, UDN, UCL, UDC	0.00	0.00								
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate				UEA, USL, UCL, UDL	0.00	0.00								
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate				USL	0.00	0.00								
	Unbundled DS1 Loop - Superframe Format Option - no rate				CLOSEF	0.00	0.00								
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate				USL	0.00	0.00								
HIGH CAPACITY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month				UE3	115ND	10.97								
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month				UE3	UEPXR	253.38	2,016.2145	151.685	129.8465	87.262				
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month				UDLSX	115ND	10.97								
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month				UDLSX	UDLS1	305.42	2,016.2145	151.685	129.8465	87.262				
LOOP MAKE-UP															
	Loop Makeup - Preordening Without Reservation, per working or spare facility queried (Manual)				UMK	UMKLW				15.19	15.19				
	Loop Makeup - Preordening With Reservation, per spare facility queried (Manual)				UMK	UMKLP				19.85	19.85				
	Loop Makeup -With or Without Reservation, per working or spare facility queried (Mechanized)				UMK	UMKMQ				0.82	0.82				
LINE SPLITTING															
	END USER ORDERING-CENTRAL OFFICE BASED				UEROSR UEPSB	UREQS	0.61								
	Line Splitting - per line activation D/E/C owned splitter				UEROSR UEPSB	UREPS	0.6297	20.10	12.40	7.68	4.30				
	Line Splitting - per line activation BST owned - physical				UEROSR UEPSB	UREBV	0.6288	20.10	12.40	7.68	4.30				
Maintenance of Service															
	NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No 1 Tariff, Section 13.3 as applicable.														
	No Trouble Found - per 1/2 hour increments - Basic									80.00	55.00				
	No Trouble Found - per 1/2 hour increments - Overtime									90.00	65.00				
	No Trouble Found - per 1/2 hour increments - Premium									100.00	75.00				
UNBUNDLED DEDICATED TRANSPORT															
INTEROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month				UITVX	115XX	0.0057								
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Facility Termination				UITVX	UITV2	12.87	48.46	19.48	16.58	5.00				
	Interoffice Channel - Dedicated Transport 1-2-Wire Voice Grade Rcv Bat - Per Mile per month				UITVX	115XX	0.0057								
	Interoffice Channel - Dedicated Transport 2-Wire VG Fov Bat Facility Termination				UITVX	UITR2	12.87	48.46	19.48	16.58	5.00				
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month				UITVX	11.5XX	0.0057								
	Interoffice Channel - Dedicated Transport 4-Wire Voice Grade - Facility Termination				UITVX	UITV4	10.78	48.46	19.48	16.58	5.00				
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month				UITDX	115XX	0.0057								
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination				UITDX	UITD5	7.83	48.46	19.48	16.58	5.00				
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month				UITDX	115XX	0.0057								
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination				UITDX	UITD6	7.83	48.46	19.48	16.58	5.00				

UNBUNDLED NETWORK ELEMENTS - Georgia										Exhibit A									
CATEGORY	RATE ELEMENTS			Interim Zone	BCS	USOC	RATES (\$)			Attachment 2			Attachment 2			Attachment 2			
	First	Nonrecurring Add'l	First				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month	U1TD1	1LSXX	0.1154															
	Interoffice Channel - Dedicated Transport - DS1 - Facility Termination	U1TD1	U1TF1	34.19	111.03	80.28	31.36	21.73											
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month	U1TD3	1LSXX	2.53															
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month	U1TD3	U1TF3	342.02	320.47	86.32	66.77	52.81											
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month	U1TS1	1LSXX	2.53															
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination	U1TS1	U1TF5	358.67	320.47	86.32	66.77	52.81											
DARK FIBER	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	UDF	UDFCX	1LSDC	46.84														
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	UDF	UDFCX	1LSDF	23.29														
	Threco per month - Interoffice Channel	UDF	UDFCX	UDF14	1,776.53	89.75	73.64	18.70											
	NRFC Dark Fiber - Interoffice Channel	UDF	UDFCX	1LSDL	46.84														
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	UDF	UDFCX	UDF15	1,776.53	89.75	73.64	18.70											
VIRTUAL COLLOCATION	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting	UEPSR	UEPSB	UE1LS	0.0188	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
PHYSICAL COLLOCATION	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting	UEPSR	UEPSB	FE1LS	0.0197	0.00													
ENHANCED EXTENDED LINK (EEL)	NOTE: The monthly recurring and non-recurring charges below will apply, and the Switch-As-is Charge will not apply for UNE combinations provisioned as "Ordinarily Combined" Network Elements	NOTE: The monthly recurring and the Switch-As-is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as "Currently Combined" Network Elements																	
	2-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION	2-Wire VG Loop (SL2) in Combination - Zone 1	1	UNCVX	U1AL2	11.57	195.94	36.38	18.42	6.86									
		2-Wire VG Loop (SL2) in Combination - Zone 2	2	UNCVX	U1AL2	16.95	195.94	36.38	18.42	6.86									
		2-Wire VG Loop (SL2) in Combination - Zone 3	3	UNCVX	U1AL2	33.08	195.94	36.38	18.42	6.86									
	VOICE GRADE COCI - Per Month	UNCVX	1DIVG	0.4889	27.33	2.90	16.86	1.04											
	4-WIRE GRADE LOOP FOR USE IN A COMBINATION	4-Wire Analog Voice Grade Loop in Combination - Zone 1	1	UNCVX	U1AL4	17.80	195.94	36.38	18.42	6.86									
		4-Wire Analog Voice Grade Loop in Combination - Zone 2	2	UNCVX	U1AL4	21.68	195.94	36.38	18.42	6.86									
		4-Wire Analog Voice Grade Loop in Combination - Zone 3	3	UNCVX	U1AL4	30.25	195.94	36.38	18.42	6.86									
		Voice Grade COCI in combination - Dem month	UNCVX	1DIVG	0.4689	27.33	2.90	16.86	1.04										
	4-WIRE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86									
		4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2	2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86									
		4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86									
		OC1-DP COCI (data) per month (2.4-64kbs)	UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04										
	4-WIRE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86									
		4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2	2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86									
		4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86									
	2-WIRE ISDN LOOP FOR USE IN A COMBINATION	2-Wire ISDN Loop in Combination - Zone 1	1	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86									
		2-Wire ISDN Loop in Combination - Zone 2	2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86									
		2-Wire ISDN Loop in Combination - Zone 3	3	UNCNX	U1C1CA	42.17	195.94	36.38	18.42	6.86									
	4-WIRE DS1 DIGITAL LOOP FOR USE IN A COMBINATION	4-Wire DS1 Digital Loop in Combination - Zone 1	1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86									
		4-Wire DS1 Digital Loop in Combination - Zone 2	2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86									
		4-Wire DS1 Digital Loop in Combination - Zone 3	3	UNC1X	US1XX	62.03	209.45	70.44	37.91	6.86									
		DS1 COCI in combination per month	DS1	UC1DX	7.35	27.33	2.90	16.86	1.04										

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC		RATES (\$)	Attachment 2				Exhibit A	
							Rec	First	Nonrecurring Add'l	Nonrecurring Disconnect Add'l	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic - Disc 1st
UNBUNDLED NETWORK ELEMENTS - Georgia												
2 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION												
	Interoffice Transport - 2-wire VG - Dedicated - Per Mile Per Month		UNCVX	1.5XX	0.0057							
	Interoffice Transport - 2-wire VG - Dedicated - Facility		UNCVX	UITV2	12.87	66.53	33.61	43.42	27.60			
4 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION												
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month		UNCVX	1.5XX	0.0057							
	Interoffice Transport - 4-wire VG - Dedicated - Facility		UNCVX	UITV4	10.78	66.53	33.61	43.42	27.60			
DST1 INTEROFFICE TRANSPORT FOR COMBINATION												
	Termination per month		UNC1X	1.5XX	0.1154							
	Interoffice Transport - Dedicated - DST1 combination - Per Mile per month		UNC1X	UITF1	34.19	87.76	45.73	43.80	27.97			
DS3 INTEROFFICE TRANSPORT FOR USE IN A COMBINATION												
	Termination per month		UNC3X	1.5XX	2.53							
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month		UNC3X	UITF3	242.02	325.91	77.07	49.56	32.88			
STS-1 INTEROFFICE TRANSPORT FOR USE IN COMBINATION												
	Termination per month		UNCSX	1.5XX	2.53							
	Interoffice Transport - Dedicated - STS-1 combination - Facility		UNCSX	UITFS	358.67	325.91	77.07	49.56	32.88			
4-WIRE 56 KBPS DIGITAL LOCAL LOOP WITH 56 KBPS INTEROFFICE TRANSPORT												
	4-wire 56 kbps Local Loop in Combination - Zone 1	1	UNCDX	UDL56	21.86	195.94	36.38	18.42	8.86			
	4-wire 56 kbps Local Loop in Combination - Zone 2	2	UNCDX	UDL56	28.36	195.94	36.38	18.42	8.86			
	4-wire 56 kbps Local Loop in Combination - Zone 3	3	UNCDX	UDL56	38.22	195.94	36.38	18.42	8.86			
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month		UNCDX	1.5XX	0.0057							
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month		UNCDX	UITD5	7.83	66.53	33.61	43.42	27.60			
4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT												
	4-wire 64 kbps Local Loop in Combination - Zone 1	1	UNCDX	UDL64	21.86	195.94	36.38	18.42	8.86			
	4-wire 64 kbps Local Loop in Combination - Zone 2	2	UNCDX	UDL64	28.36	195.94	36.38	18.42	8.86			
	4-wire 64 kbps Local Loop in Combination - Zone 3	3	UNCDX	UDL64	38.22	195.94	36.38	18.42	8.86			
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month		UNCDX	1.5XX	0.0057							
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month		UNCDX	UITD6	7.83	66.53	33.61	43.42	27.60			
4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT												
	4-wire 56 kbps Local Loop in Combination - Zone 1	1	UNCDX	UDL56	21.86	195.94	36.38	18.42	8.86			
	4-wire 56 kbps Local Loop in Combination - Zone 2	2	UNCDX	UDL56	28.36	195.94	36.38	18.42	8.86			
	4-wire 56 kbps Local Loop in Combination - Zone 3	3	UNCDX	UDL56	38.22	195.94	36.38	18.42	8.86			
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month		UNCDX	1.5XX	0.0057							
	4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month		UNCDX	UITD5	7.83	66.53	33.61	43.42	27.60			
4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT												
	4-wire 64 kbps Local Loop in Combination - Zone 1	1	UNCDX	UDL64	21.86	195.94	36.38	18.42	8.86			
	4-wire 64 kbps Local Loop in Combination - Zone 2	2	UNCDX	UDL64	28.36	195.94	36.38	18.42	8.86			
	4-wire 64 kbps Local Loop in Combination - Zone 3	3	UNCDX	UDL64	38.22	195.94	36.38	18.42	8.86			
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month		UNCDX	1.5XX	0.0057							
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month		UNCDX	UITD6	7.83	66.53	33.61	43.42	27.60			
DS1 DIGITAL LOOP AND DS1 INTEROFFICE TRANSPORT												
	4-Wire DS1 Digital Loop in Combination - Zone 1	1	UNCDX	1.5XX	41.02	209.45	70.44	37.91	6.86			

UNBUNDLED NETWORK ELEMENTS - Georgia										Exhibit A			
CATEGORY	RATE ELEMENTS			Interim Zone	BCS	USOC	RATES (\$)			Attachment: 2 Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	Attachment: 2 Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
	Rec	First Add'l	Nonrecurring				Nonrecurring	Disconnect	SOMAN				
4-Wire DS1 Digital Loop in Combination - Zone 2	2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-Wire DS1 Digital Loop in Combination - Zone 3	3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86					
Interoffice Transport - Dedicated - DS1 combination - Per Mile per month		UNC1X	1L5XX	0.1154									
Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month		UNC1X	U11F1	34.19	87.76	45.73	43.80	27.97					
DS3 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT		UNC3X	1L5ND	12.6155									
DS3 Local Loop in combination - Facility Termination per month		UNC3X	UE3PX	291.387	2,016.2145	151.685	129.8465	87.262					
Interoffice Transport - Dedicated - DS3 combination - Per Mile per month		UNC3X	1L5XX	2.53									
Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month		UNC3X	U11F3	342.02	325.91	77.07	49.56	32.88					
STS-1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT		UNC5X	1L5ND	12.6155									
STS-1 Local Loop in combination - Facility Termination per month		UNC5X	UDLS1	351.233	2,016.2145	151.685	129.8465	87.262					
Interoffice Transport - Dedicated - STS-1 combination - Per Mile per month		UNC5X	1L5XX	2.53									
Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month		UNC5X	U11FS	358.67	325.91	77.07	49.56	32.88					
ADDITIONAL NETWORK ELEMENTS													
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply													
When used as ordinarily combined network elements in All States, the non-recurring charges apply and a Switch As Is Charge does not													
Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)													
Nonoccurring Currently Combined Network Elements Switch - As-Is Charge					UNCCV, UNCDX, UNC1X, UNC3X, UNCSX	UNCCC	5.70	5.70	6.61	6.61			
Optional Features & Functions													
Clear Channel Capability Extended Frame Option - per DS1	1	ULDD1, UNC1X	CCEF		0.00	0.00	0.00	0.00					
Clear Channel Capability Super Frame Option - per DS1	1	ULDD1, UNC1X	CCOSF		0.00	0.00	0.00	0.00					
Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	1	ULDD1, UNL1, UNRCC, ULDD3,	NRCC		184.62	23.78	2.03	0.79					
C-bit Party Option - Subsequent Activity - per DS3	1	UE3, UNC3X	NRCC3		218.74	7.66	0.7591	0.00					
MULTIPLEXERS													
DS1 to DS0 Channel System per month		UNC1X	MO1	69.75	86.10								
OCL-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs used for a Local Loop)		UDL	1D1DD	0.9963	11.98	11.39	6.61	6.61					
OCL-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs used for connection to a channelized DS1 Local Channel in the same SWC as colocation		UDTUD	1D1DD	0.9963	11.98	11.39	6.61	6.61					
2-wire ISDN COCI (BRI/E) - DS1 to DS0 Channel System - per month for a Local Loop	-	UDN	UC1CA	1.66	15.81	-	-	-					
2-wire ISDN COCI (BRI/E) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as colocation	-	U1TUB	UC1CA	-	-1.66	-	15.81	-					
Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop		UEA	1D1VG	0.4689	11.98	11.39	6.61	6.61					
Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as colocation		UITUC	1D1VG	0.4689	11.98	11.39	6.61	6.61					
DS3 to DS1 Channel System per month		UNC3X	MO3	121.90									
STS-1 to DS1 Channel System per month		UNCSX	MQ3	121.90									
DS1 COCI used with Loop per month		USL	UC1D1	7.35	15.81	11.39	6.61	6.61					

UNBUNDLED NETWORK ELEMENTS - Georgia						Attachment 2						Exhibit A										
CATEGORY	RATE ELEMENTS			Interim Zone	BCS	USOC	RATES (\$)			Rec	Nonrecurring Disconnect			OSS Rates (\$)	Svc Order Submitted Manually per LSR	Attachment 2			Incremental Charge - Manual Svc Order vs Electronic - Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic - Disc 1st	Incremental Charge - Manual Svc Order vs Electronic - Disc Add'l	
											First	Add'l	First	Add'l		SOMAN	SOMAN	SOMAN				
	DS1 COCI (used for connection to a channclized DS1 Local Channel in the same SWC as colocation) per month			UTUA	UC1D1		7.36	15.81	11.39		6.61		6.61									
	DS1 COCI used with Interoffice Channel per month			UITD1	UC1D1		7.35	15.81	11.39		6.61		6.61									
	DS2 Interface Unit (DS1 COCI) used with Local Channel per month			ULLD1	UC1D1		7.35	15.81	11.39		6.61		6.61									
Note Rates displaying an "I" in Interim column are interim as a result of a Commission order																						

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic - Disc 1st	Attachment 2 Incremental Charge - Manual Svc Order vs. Electronic - Disc 1st	Exhibit A Incremental Charge - Manual Svc Order vs. Electronic - Disc Add'l										
					Rec	Nonrecurring Add'l	Nonrecurring First															
UNBUNDLED NETWORK ELEMENTS - Kentucky																						
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones To view Geographically Deaveraged UNE Zones Designations by Central Office, refer to Internet Website. http://www.interconnection.bellsouth.com/become-a-cleic/im/interconnection.htm																						
OPERATIONAL SUPPORT SYSTEMS (OSS) - REGIONAL RATES*																						
NOTE: (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this rate exhibit are the BellSouth "regional" service ordering charges. CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established in each of the 9 states.																						
NOTE: (2) Any element that can be ordered electronically will be billed according to the SOMEC rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the LOH, the listed SOMEC rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be applied to a CLECs bill when it submits an LSR to BellSouth																						
OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - LINE Only																						
OSS - Manual Service Order Charge, Per Local Service Request (LSR) - UNE Only																						
UNE SERVICE DATE ADVANCEMENT CHARGE																						
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No 1 Tariff Section 3 as applicable																						
UNE - JEANL, UCL, UEF, UDF, UEQ, UDL, UENTW, JDN, UEA, UHL, ULC, USL, UUT12, UUT48, UUTD1, UUTD3, UUTDX, UUTO3, UUTS1, UUTVX, UC1BC, UC1BL, UC1CC, UC1CL, UC1DC, UC1DL, UC1EC, UC1EL, UC1FC, UC1FL, UC1GC, UC1GL, UC1HC, UC1HL, UDL2, UDL48, UDL03, UDLSX, UEL3, ULD12, ULD48, ULDI1, ULD03, ULDDX, ULD03, ULDS1, ULDYX, UNC1X, UNCDX, UNCNX, UNCSX, UNCYX, UNLD1, UNLD3, UXTD1, UXTD3, UXTS1, UTUIC, UTUTD, UTUOB, UTUUA SDASP																						
LINE Expedite Charge per Circuit or Line Assignable USOC, per Day																						
UNBUNDLED EXCHANGE ACCESS LOOP																						
2-WIRE ANALOG VOICE GRADE LOOP - Service Level 1 - Zone 1																						
1 UEANL 10.56 46.66 22.57 26.65 7.65																						
2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2																						
2 UEANL 15.34 46.66 22.57 26.65 7.65																						
2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3																						
3 UEANL 31.11 46.66 22.57 26.65 7.65																						
2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1																						
1 UEANL 10.56 46.66 22.57 26.65 7.65																						
2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2																						
2 UEANL 15.34 46.66 22.57 26.65 7.65																						
2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3																						
3 UEANL 31.11 46.66 22.57 26.65 7.65																						
Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise																						
Loop Testing - Basic 1st Half Hour																						
24.16 24.16																						
Loop Testing - Basic Additional Half Hour																						
24.16 24.16																						

UNBUNDLED NETWORK ELEMENTS - Kentucky										Exhibit A					
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Elec per LSR	Attachment 2				
						Rec	First	Add'l			Nonrecurring	Disconnect	Incremental Charge - Manual Svc Order vs. Electronic - Disc Add'l'	Incremental Charge - Manual Svc Order vs. Electronic - Disc 1st	OSS Rates (\$)
CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-SL1)						UREWO	15.78	8.94							
Unbundled Voice Loop - Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - E.1)						UEANL	13.49	13.49							
Manual Order Coordination for UVL-SL1's (per loop)						UEANL	9.00	9.00							
Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)						UEANL		23.01							
2-WIRE UNBUNDLED COPPER LOOP															
2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1					UEQ	10.58	44.97	20.89	25.64	6.65				
2-Wire Unbundled Copper Loop - Non-Designed -Zone 2	2					UEQ	11.51	44.97	20.89	25.64	6.65				
2-Wire Unbundled Copper Loop - Non-Designed -Zone 3	3					UEQ	13.19	44.97	20.89	25.64	6.65				
Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise						UEQ		8.33	0.83						
Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)						UEQ			USBMC	9.00	9.00				
Unbundled Copper Loop - Non-Design Copper Loop, billing for BST providing make-up (Engineering Information - E.1)						UEQ			UEOMU	13.49	13.49				
Loop Testing - Basic 1st Half Hour						UEQ			URETI	46.88	46.88				
Loop Testing - Basic Additional Half Hour						UEQ			24.16	24.16					
CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND)						UEQ			UREWO	14.27	7.43				
UNBUNDLED EXCHANGE ACCESS LOOP															
2-WIRE ANALOG VOICE GRADE LOOP															
2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1	1					UEPSR UEPSB	UEALS	10.56	46.66	22.57	26.65	7.65			
2-Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-Zone 1	1					UEPSR UEPSB	UEABS	10.56	46.66	22.57	26.65	7.65			
2-Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-Zone 2	2					UEPSR UEPSB	UEALS	15.34	46.66	22.57	26.65	7.65			
2-Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-Zone 2	2					UEPSR UEPSB	UEABS	15.34	46.66	22.57	26.65	7.65			
2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3	3					UEPSR UEPSB	UEALS	31.11	46.66	22.57	26.65	7.65			
2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3	3					UEPSR UEPSB	UEABS	31.11	46.66	22.57	26.65	7.65			
UNBUNDLED EXCHANGE ACCESS LOOP															
2-WIRE ANALOG VOICE GRADE LOOP															
2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling -Zone 1	1					UEA	UEAL2	12.67	134.89	81.87	73.65	14.88			
2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling -Zone 2	2					UEA	UEAL2	17.45	134.89	81.87	73.65	14.88			
2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling -Zone 3	3					UEA	UEAL2	33.22	134.89	81.87	73.65	14.88			
Order Coordination for Specified Conversion Time (per LSR)						UEA	OCOSL		23.01						
2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling -Zone 1	1					UEA	UEAR2	12.67	134.89	81.87	73.65	14.88			
2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling -Zone 2	2					UEA	UEAR2	17.45	134.89	81.87	73.65	14.88			
2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling -Zone 3	3					UEA	UEAR2	-	33.22	..	134.89	..	-	-	-
Order Coordination for Specified Conversion Time (per LSR)						UEA	OCOSL		23.01						
CLEC to CLEC Conversion Charge without outside dispatch Loop Tagging - Service Level 2 (SL2)						UEA	UREWO			87.72	36.36				
4-WIRE ANALOG VOICE GRADE LOOP						UEA	URETL			11.21	11.10				
4-Wire Analog Voice Grade Loop - Zone 1	1					UEAL4	29.26								
4-Wire Analog Voice Grade Loop - Zone 2	2					UEAL4	34.25								
4-Wire Analog Voice Grade Loop - Zone 3	3					UEAL4	85.06								
Order Coordination for Specified Conversion Time (per LSR)						UEA	OCOSL		23.01						
CLEC to CLEC Conversion Charge without outside dispatch						UEA	UREWO			87.72	36.36				

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC		RATES (\$)	Attachment 2		Exhibit A	
							Rec	First Add'l	Nonrecurring Add'l	Nonrecurring Disconnect Add'l
							Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	OSS Rates (\$)	SOMAN
	2-WIRE ISDN DIGITAL GRADE LOOP									
	2-Wire ISDN Digital Grade Loop - Zone 1	1	UDN	UL2X	18.44	146.77	95.02	71.38	13.83	
	2-Wire ISDN Digital Grade Loop - Zone 2	2	UDN	UL2X	25.08	146.77	95.02	71.38	13.83	
	2-Wire ISDN Digital Grade Loop - Zone 3	3	UDN	UL2X	42.87	146.77	95.02	71.38	13.83	
	Order Coordination for Specified Conversion Time (per LSR)									
	CLEC to CLEC Conversion Charge without outside dispatch									
	2-WIRE ASYMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP									
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1	1	UAL	UAL2X	10.82	141.98	79.73	69.02	11.47	
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2	2	UAL	UAL2X	11.79	141.98	79.73	69.02	11.47	
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3	3	UAL	UAL2X	12.87	141.98	79.73	69.02	11.47	
	Order Coordination for Specified Conversion Time (per LSR)									
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1	1	UAL	UAL2W	10.82	121.18	69.00	69.09	11.54	
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2	2	UAL	UAL2W	11.79	121.18	69.00	69.09	11.54	
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3	3	UAL	UAL2W	12.87	121.18	69.00	69.09	11.54	
	Order Coordination for Specified Conversion Time (per LSR)									
	CLEC to CLEC Conversion Charge without outside dispatch									
	2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP									
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1	1	UHL	UHL2X	8.75	151.54	89.29	69.09	11.54	
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2	2	UHL	UHL2X	9.56	151.54	89.29	69.09	11.54	
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3	3	UHL	UHL2X	10.61	151.54	89.29	69.09	11.54	
	Order Coordination for Specified Conversion Time (per LSR)									
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	UHL	UHL2W	8.75	130.74	78.56	69.09	11.54	
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	2	UHL	UHL2W	9.56	130.74	78.56	69.09	11.54	
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	3	UHL	UHL2W	10.61	130.74	78.56	69.09	11.54	
	Order Coordination for Specified Conversion Time (per LSR)									
	CLEC to CLEC Conversion Charge without outside dispatch									
	4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP									
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1	1	UHL	UHL4X	13.95	185.75	123.50	74.95	14.69	
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2	2	UHL	UHL4X	15.68	185.75	123.50	74.95	14.69	
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3	3	UHL	UHL4X	16.98	185.75	123.50	74.95	14.69	
	Order Coordination for Specified Conversion Time (per LSR)									
	4 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	UHL	UHL4W	13.95	164.95	114.04	77.32	15.80	
	4 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	2	UHL	UHL4W	15.68	164.95	114.04	77.32	15.80	
	4 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	3	UHL	UHL4W	16.98	164.95	114.04	77.32	15.80	
	Order Coordination for Specified Conversion Time (per LSR)									
	CLEC to CLEC Conversion Charge without outside dispatch									
	4-WIRE DS1 DIGITAL LOOP									
	4-Wire DS1 Digital Loop - Zone 1	1	USL	USLXX	86.47	306.69	174.44	65.83	14.55	
	4-Wire DS1 Digital Loop - Zone 2	2	USL	USLDX	114.10	306.69	174.44	65.83	14.55	
	4-Wire DS1 Digital Loop - Zone 3	3	USL	USLDX	297.76	306.69	174.44	65.83	14.55	
	Order Coordination for Specified Conversion Time (per LSR)									

UNBUNDLED NETWORK ELEMENTS - Kentucky										Exhibit A					
CATEGORY	RATE ELEMENTS			Interim Zone	BCS	USOC	RATES (\$)			Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	Attachment 2			
	Rec	First	Nonrecurring Add'l	First	Nonrecurring Disconnect Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	OSS Rates (\$)							
CLEC to CLEC Conversion Charge without outside dispatch		UREWO	101.09	43.04											
4-WIRE 19.2, 36 OR 64 Kbps DIGITAL GRADE LOOP															
4-Wire Unbundled Digital 19.2 Kbps	1	UDL	27.59	157.81	106.06	78.91	18.66								
4-Wire Unbundled Digital 19.2 Kbps	2	UDL	32.48	157.81	106.06	78.91	18.66								
4-Wire Unbundled Digital Loop 56 Kbps - Zone 1	3	UDL	36.37	157.81	106.06	78.91	18.66								
4-Wire Unbundled Digital Loop 56 Kbps - Zone 2	1	UDL	27.59	157.81	106.06	78.91	18.66								
4-Wire Unbundled Digital Loop 56 Kbps - Zone 2	2	UDL	32.48	157.81	106.06	78.91	18.66								
4-Wire Unbundled Digital Loop 56 Kbps - Zone 3	3	UDL	36.37	157.81	106.06	78.91	18.66								
Order Coordination for Specified Conversion Time (per LSR)		UDL	23.01	157.81	106.06	78.91	18.66								
4-Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	UDL	27.59	157.81	106.06	78.91	18.66								
4-Wire Unbundled Digital Loop 64 Kbps - Zone 2	2	UDL	32.48	157.81	106.06	78.91	18.66								
4-Wire Unbundled Digital Loop 64 Kbps - Zone 3	3	UDL	36.37	157.81	106.06	78.91	18.66								
Order Coordination for Specified Conversion Time (per LSR)		UDL	23.01	157.81	106.06	78.91	18.66								
CLEC to CLEC Conversion Charge without outside dispatch		UREWO	102.13	49.75											
2-WIRE UNBUNDLED COPPER LOOP															
2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1	1	UCL	140.95	78.70	69.09	69.09	11.54								
2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2	2	UCL	140.95	78.70	69.09	69.09	11.54								
2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3	3	UCL	140.95	78.70	69.09	69.09	11.54								
Order Coordination for Unbundled Copper Loops (per loop)		UCL	9.00	9.00											
2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1	UCL	120.15	67.97	69.09	69.09	11.54								
2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	2	UCL	120.15	67.97	69.09	69.09	11.54								
2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	3	UCL	120.15	67.97	69.09	69.09	11.54								
Order Coordination for Unbundled Copper Loops (per loop)		UCL	9.00	9.00											
CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)		UCL	97.23	42.48											
4-WIRE COPPER LOOP															
4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1	1	UCL	16.92	170.31	108.06	74.95	14.69								
4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2	2	UCL	17.36	170.31	108.06	74.95	14.69								
4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3	3	UCL	28.10	170.31	108.06	74.95	14.69								
Order Coordination for Unbundled Copper Loops (per loop)		UCL	9.00	9.00											
4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1	UCL	16.92	149.52	97.33	74.95	14.69								
4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	2	UCL	17.36	149.52	97.33	74.95	14.69								
4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	3	UCL	28.10	149.52	97.33	74.95	14.69								
Order Coordination for Unbundled Copper Loops (per loop)		UCL	9.00	9.00											
CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)		UCL	97.23	42.48											
LOOP MODIFICATION															
Unbundled Loop Modification, Removal of Load Coils - 2 Wire pairs less than or equal to 18K ft, per Unbundled Loop		UAL, UHL, UCL, UFL, ULS, UFA - UENL, UEPSR, UEPB													
Unbundled Loop Modification Removal of Load Coils - 4 Wires less than or equal to 18K ft, per Unbundled Loop		ULM2L	9.24	9.24											
Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop		ULM4L	9.24	9.24											

UNBUNDLED NETWORK ELEMENTS - Kentucky										Attachment 2 - Rates (\$)									
CATEGORY	RATE ELEMENTS			Interim Zone	BCS	USOC	RATES (\$)			Nonrecurring Disconnect First Add'l			Nonrecurring Disconnect First			Attachment 2 - Rates (\$)			
	SUB-LOOPS						Rec			SVC ORDER SUBMITTED ELECTRICALLY 1ST			SVC ORDER SUBMITTED MANUALLY PER LSR			INCREMENTAL CHARGE - SVC ORDER VS SVC ORDER VS ELECTRONIC-DISC ADD'L			
Sub-Loop Distribution	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	UEANL	UBSA																
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	UEANL	UBSB																
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	UEANL	UBSC																
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	UEANL	UBSD																
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	UEANL	UBBN2	6.34															
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	UEANL	UBBN2	9.06															
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	UEANL	UBBN2	14.82															
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	UEANL	USBMC																
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1	UEANL	UBBN4	8.14															
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2	UEANL	UBBN4	8.63															
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3	UEANL	UBBN4	25.60															
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	UEANL	USBMC																
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	UEANL	UBBR2	2.57															
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	UEANL	USBMC																
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	UEANL	UBBR4	4.98															
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	UEANL	USBMC																
	Loop Testing - Basic 1st Half Hour	UEANL	URET1																
	Loop Testing - Basic Additional Half Hour	UEANL	URET1A																
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	UEF	UCS2X	5.45															
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	UEF	UCS2X	7.06															
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	UEF	UCS2X	9.67															
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	UEF	USBMC																
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	UEF	UCS4X	7.09															
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	UEF	UCS4X	8.66															
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	UEF	UCS4X	19.40															
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair	UEF	USBMC																
	Loop Testing - Basic 1st Half Hour	UEF	URET1																
	Unbundled Network Terminating Wire (UNTW) per Pair	UENTW	UENPP	0.53															
	Network Interface Device (NID) - 1-2 incs	-	-	-															
	Network Interface Device (NID) - 1-6 lines	-	-	-															
	Network Interface Device Cross Connect - 2 W	-	-	-															
	Network Interface Device Cross Connect - 4 W	-	-	-															
UNE OTHER, PROVISIONING ONLY NO RATE	NID Dispatch and Service Order for NID installation	-	-	-															
	UNTW Circuit id Establishment, Provisioning Only - No Rate	-	-	-															
UNE OTHER, PROVISIONING ONLY NO RATE	Unbundled Contract Name, Provisioning Only - No Rate	-	-	-															

UNBUNDLED NETWORK ELEMENTS - Kentucky										Attachment 2		Attachment 3	
CATEGORY	RATE ELEMENTS			Interim Zone	BCS	USOC	RATES (\$)			Svc Order Submitted	Svc Order Submitted	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st
	First	Nonrecurring Add'l	First				Manually per LSR	Manually per LSR	Order vs Electronic- Disc Add'l	Manually per LSR	Manually per LSR	Order vs Electronic- Disc 1st	Order vs Electronic- Disc 1st
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.23							
	Interoffice Channel - Dedicated Transport - DS1 - Facility Termination			U1TF1	96.04	105.52	98.46	23.09	20.49				
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	4.97							
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TF3	1.1715	35.40	219.24	89.57	87.75				
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	4.97							
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination			U1TS1	U1TFS	1.14951	35.40	219.24	89.57	87.75			
DARK FIBER	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thred per month - Local Channel												
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thred per month - Interoffice Channel			UDF_UDFCX	1LSDC	54.06							
	NRFC Dark Fiber - Interoffice Channel			UDF_UDFCX	1LSDF	30.74							
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thred per month - Local Loop			UDF_UDFCX	UDF14	732.53	192.67	377.27	241.67				
VIRTUAL COLLOCATION	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splicing												
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splicing			UEPSR_UEPSB	VE1LS	0.0309	24.68	23.68	12.14	10.95			
PHYSICAL COLLOCATION	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splicing												
	UEPSR_UEPSB	PE1LS	0.0333	24.68	23.68	12.14	10.95						
ENHANCED EXTENDED LINK (EELD)	NOTE: The monthly recurring and non-recurring charges below will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements												
	NOTE: The monthly recurring and the Switch-As-is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as 'Currently Combined' Network Elements												
2-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION	2-Wire VG Loop (SL2) in Combination - Zone 1												
	2-Wire VG Loop (SL2) in Combination - Zone 2			1	UNCVX	U1AL2	12.67	125.22	60.48	59.69	7.84		
	2-Wire VG Loop (SL2) in Combination - Zone 3			2	UNCVX	U1AL2	17.45	125.22	60.48	59.69	7.84		
	Voice Grade COCI - Per Month			UNCVX	UD1VG	0.62	33.22	60.48	59.69	59.69	7.84		
4-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION	4-Wire Analog Voice Grade Loop in Combination - Zone 1												
	4-Wire Analog Voice Grade Loop in Combination - Zone 2			1	UNCVX	U1AL4	29.26	125.22	60.48	59.69	7.84		
	4-Wire Analog Voice Grade Loop in Combination - Zone 3			2	UNCVX	U1AL4	34.25	125.22	60.48	59.69	7.84		
	Voice Grade COCI in combination - Per Month			3	UNCVX	U1AL4	85.06	125.22	60.48	59.69	7.84		
	4-Wire 64 Kbps Digital Grade Loop in Combination - Zone 1			UNCDX	UD1VG	0.62	6.71	6.71	4.84				
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2			1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84		
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3			2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84		
	OCU-DP COCI (data per month (2.4-64kbs))			3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84		
4-WIRE 64 Kbps DIGITAL LOOP FOR USE IN A COMBINATION	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1												
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2			1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84		
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3			2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84		
	OCU-DP COCI (data per month (2.4-64kbs))			3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84		
2-WIRE ISDN LOOP FOR USE IN A COMBINATION	2-Wire ISDN Loop in Combination - Zone 1												
	2-Wire ISDN Loop in Combination - Zone 2			1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84		
	2-Wire ISDN Loop in Combination - Zone 3			2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84		
	2-Wire ISDN COCO (BRI TE) - in combination - per month			3	UNCNX	U1C1CA	42.87	125.22	60.48	59.69	7.84		
4-WIRE DS1 DIGITAL LOOP FOR USE IN A COMBINATION	4-Wire DS1 Digital Loop in Combination - Zone 1												
	4-Wire DS1 Digital Loop in Combination - Zone 2			1	UNCNX	USLXX	86.47	210.70	114.60	63.96	17.97		
	4-Wire DS1 Digital Loop in Combination - Zone 3			2	UNCNX	USLXX	114.10	210.70	114.60	63.96	17.97		
	DS1 COCI in combination per month			3	UNCNX	USLXX	297.76	210.70	114.60	63.96	17.97		
	DS1 COCI			UC1D1	UC1D1	11.80	6.71	4.84					

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		RATES (\$)	Attachment 2		Exhibit A Incremental Charge - Manual Svc Order vs Electronic Disc Add'l
								Rec	Nonrecurring First Add'l	
UNBUNDLED NETWORK ELEMENTS - Kentucky										
2 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION								Svc Order Submitted Manually per LSR Elec	Incremental Charge - Manual Svc Order vs Electronic Disc 1st	
Interoffice Transport - 2-wire VG - Dedicated - Per Mile Per Month	UNCVX	1L5XX	0 01					SOMEc	SOMAN	SOMAN
Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month	UNCVX	U1TV2	23 95	98 09	53 67					
4 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION										
Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month	UNCVX	1L5XX	0 01							
Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month	UNCVX	U1TV4	23 95	98 09	53 67					
D51 INTEROFFICE TRANSPORT FOR COMBINATION										
Interoffice Transport - Dedicated - DS1 combination - Per Mile per month	UNC1X	1L5XX	0 19							
Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month	UNC1X	U1TF1	79 02	181 24	123 53					
Interoffice Transport System in combination Per Month	UNC1X	MO1	113 33	57 26	14 74					
D53 INTEROFFICE TRANSPORT FOR USE IN A COMBINATION										
Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month	UNC3X	1L5XX	4 09							
Interoffice Transport - Dedicated - DS3 - Facility Termination per month	UNCS3X	U1TF3	966 89	350 56	141 58					
STS-1 INTEROFFICE TRANSPORT FOR USE IN COMBINATION										
Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month	UNCS3X	1L5XX	4 09							
Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month	UNCS3X	U1TFS	945 79	350 56	141 58					
4-WIRE 56 KBPS DIGITAL LOCAL LOOP WITH 56 KBPS INTEROFFICE TRANSPORT										
4-wire 56 kbps Local Loop in combination -Zone 1	1 UNCDX	UDL56	27 59	125 22	60 48					
4-wire 56 kbps Local Loop in combination -Zone 2	2 UNCDX	UDL56	32 48	125 22	60 48					
4-wire 56 kbps Local Loop in combination -Zone 3	3 UNCDX	UDL56	36 37	125 22	60 48					
Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month	UNCDX	1L5XX	0 01							
Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month	UNCDX	U1TDS	17 25	98 09	53 67					
4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT										
4-wire 64 kbps Local Loop in Combination - Zone 1	1 UNCDX	UDL64	27 59	125 22	60 48					
4-wire 64 kbps Local Loop in Combination - Zone 2	2 UNCDX	UDL64	32 48	125 22	60 48					
4-wire 64 kbps Local Loop in Combination - Zone 3	3 UNCDX	UDL64	36 37	125 22	60 48					
Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month	UNCDX	1L5XX	0 01							
Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month	UNCDX	U1TDS	17 25	98 09	53 67					
4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT										
4-wire 56 kbps Local Loop in combination -Zone 1	1 UNCDX	UDL56	27 59	125 22	60 48					
4-wire 56 kbps Local Loop in combination -Zone 2	2 UNCDX	UDL56	32 48	125 22	60 48					
4-wire 56 kbps Local Loop in combination -Zone 3	3 UNCDX	UDL56	36 37	125 22	60 48					
Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Month	UNCDX	1L5XX	0 01							
Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month	UNCDX	U1TDS	17 25	98 09	53 67					
4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT										
4-wire 64 kbps Local Loop in combination - Zone 1	1 UNCDX	UDL64	27 59	125 22	60 48					
4-wire 64 kbps Local Loop in combination - Zone 2	2 UNCDX	UDL64	32 48	125 22	60 48					
4-wire 64 kbps Local Loop in combination - Zone 3	3 UNCDX	UDL64	36 37	125 22	60 48					
4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month	UNCDX	1L5XX	0 01							
4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month	UNCDX	U1TDS	17 25	98 09	53 67					
D51 DIGITAL LOOP AND DS1 INTEROFFICE TRANSPORT										

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC		RATES (\$)	Attachment 2			Exhibit A		
							Rte	Nonrecurring Add'l	Nonrecurring Disconnect Add'l	Svc Order Submitted Elec per LSR	Submitted Manually per LSR	Incremenatal Charge - Manual Svc Order vs Electronic - Disc Add'l
	4-Wire DS1 Digital Loop in Combination - Zone 1	1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97			
	4-Wire DS1 Digital Loop in Combination - Zone 2	2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97			
	4-Wire DS1 Digital Loop in Combination - Zone 3	3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97			
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month		UNC1X		115.00	0.19						
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month		UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32			
DS3 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT												
	DS3 Local Loop in combination - per mile per month		UNC3X	1L5ND	10.6375							
	DS3 Local Loop in combination - Facility Termination per month		UNC3X	UE3PX	354.5565	634.087	388.792	198.95	138.483			
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month		UNC3X	1L5XX	4.09							
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month		UNC3X	U11TF3	986.89	350.56	141.58	48.00	23.39			
STS-1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT												
	STS-1 Local Loop in combination - per mile per month		UNCSX	1L5ND	10.6375							
	STS-1 Local Loop in combination - Facility Termination per month		UNCSX	UDLS1	368.5865	634.087	388.792	198.95	138.483			
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month		UNCSX	1L5XX	4.09							
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month		UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39			
ADDITIONAL NETWORK ELEMENTS												
	When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.											
	When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is charge does not apply.											
	Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)											
	Nonrecurring Currently Combined Network Elements Switch - As-Is Charge		UNCCX	UNCCX	8.98	8.98	8.98	8.98	11.17	11.17		
	Optional Features & Functions											
	Clear Channel Capability Extended Frame Option - per DS1	1	U1TD1, U1DD1, UNC1X	CCOEF	0.00	0.00	0.00	0.00	0.00	0.00		
	Clear Channel Capability Super FrameOption - per DS1	1	U1TD1, U1DD1, UNC1X	CCSF	0.00	0.00	0.00	0.00	0.00	0.00		
	Clear Channel Capability (SF/ESEF) Option - Subsequent Activity - per DS1	1	U1TD1, U1DD1, UNC1X, USL	NRCCC	184.91	23.82	1.99	0.78				
	C-bit Parity Option - Subsequent Activity - per DS3	1	U1TD3, U1DD3, UES3, UNC3X	NRCC3	205.70	7.20	0.6924	0.00				
MULTIPLEXERS												
	DS1 to DS0 Channel System per month		UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67			
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop		UDL	1D1DD	1.32	10.07	7.08					
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SMAC as colocation		UDN	UC1CA	2.84	10.07	7.08					
	2-wire ISDN COCI (BRI TE) - DS1 to DS0 Channel System - per month for a Local Loop		UITUD	1D1DD	1.32	10.07	7.08					
	2-wire ISDN COCI (BRI TE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SMAC as colocation		UITUB	UC1CA	2.84	- 10.07	- 7.08					
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop		UEA	1D1VG	-	0.6228	-	10.07	-			
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SMAC as colocation		UITUC	1D1VG	0.6228	10.07	7.08					
	DS3 to DS1 Channel System per month		UNCSX	MQ3	158.20	56.53	15.12	5.30				
	STS-1 to DS1 Channel System per month		UNCSX	MQ3	158.20	115.49	15.12	5.30				
	DS1 COCI used with DS1 Loop per month		USL	UC1D1	11.80	10.07	7.08					

Note. Rates displaying an "I" in Interim column are interim as a result of a Commission order

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC		RATES (\$)	Attachment 2		Exhibit A		
							Rec	First Add'l	Nonrecurring First	Nonrecurring Disconnect Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-SL1)		UEANL	UREWO			15.75	8.93				
Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - E1)	UEANL	UEANM				13.04	13.04				
Manual Order Coordination for UVL-SL1s (per loop)	UEANL	UEAMC				7.92	7.92				
Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)	UEANL	OCOSL				17.56	17.56				
2-WIRE UNBUNDLED COPPER LOOP											
2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1	UEQ	UEQ2X			12.40	35.27	15.60			
2-Wire Unbundled Copper Loop - Non-Designed -Zone 2	2	UEQ	UEQ2X			14.32	35.27	15.60			
2-Wire Unbundled Copper Loop - Non-Designed -Zone 3	3	UEQ	UEQ2X			16.87	35.27	15.60			
Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise		UEQ	URETL								
Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)		UEQ	USBMC								
Unbundled Copper Loop, Non-Design Copper Loop, billing for BST providing make-up (Engineering Information - E1)		UEQ	UEOMU								
Loop Testing - Basic 1st Half Hour		UEQ	URET1								
Loop Testing - Basic Additional Half Hour		UEQ	URETA								
CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-NLD)		UEQ	UREWO								
UNBUNDLED EXCHANGE ACCESS LOOP											
2-WIRE ANALOG VOICE GRADE LOOP											
2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1	1	UEPSR UEPSB	UEALS			12.90	36.54	16.87	0.00	0.00	
2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1	1	UEPSR UEPSB	UEABS			12.90	36.54	16.87	0.00	0.00	
2-Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-Zone 2	2	UEPSR UEPSB	UEALS			23.33	36.54	16.87	0.00	0.00	
2-Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-Zone 2	2	UEPSR UEPSB	UEABS			23.33	36.54	16.87	0.00	0.00	
2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3	3	UEPSR UEPSB	UEALS			48.43	36.54	16.87	0.00	0.00	
2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3	3	UEPSR UEPSB	UEABS			48.43	36.54	16.87	0.00	0.00	
UNBUNDLED EXCHANGE ACCESS LOOP											
2-WIRE ANALOG VOICE GRADE LOOP											
2-Wire Analog Voice Grade Loop - Service Level 2 w/o Loop or Ground Start Signaling -Zone 1	1	UEA	UEAR2			14.93	102.10	65.72			
2-Wire Analog Voice Grade Loop - Service Level 2 w/o Loop or Ground Start Signaling -Zone 2	2	UEA	UEAR2			25.35	102.10	65.72			
2-Wire Analog Voice Grade Loop - Service Level 2 w/o Loop or Ground Start Signaling -Zone 3	3	UEA	UEAR2			50.46	102.10	65.72			
Order Coordination for Specified Conversion Time (per LSR)		UEA	OCOSL								
2-Wire Analog Voice Grade Loop - Service Level 2 w/o Reverse Battery Signaling -Zone 1	1	UEA	UEAR2								
2-Wire Analog Voice Grade Loop - Service Level 2 w/o Reverse Battery Signaling -Zone 2	2	UEA	UEAR2								
2-Wire Analog Voice Grade Loop - Service Level 2 w/o Reverse Battery Signaling -Zone 3	3	UEA	UEAR2								
Order Coordination for Specified Conversion Time (per LSR)		UEA	OCOSL								
CLEC to CLEC Conversion Charge without outside dispatch		UEA	UREWO								
Loop Tagging - Service Level 2 (SL2)		UEA	URETL								
4-WIRE ANALOG VOICE GRADE LOOP											
4-Wire Analog Voice Grade Loop - Zone 1	1	UEA	UEAL4			30.81	127.40	91.02			
4-Wire Analog Voice Grade Loop - Zone 2	2	UEA	UEAL4			38.32	127.40	91.02			
4-Wire Analog Voice Grade Loop - Zone 3	3	UEA	UEAL4			60.39	127.40	91.02			
Order Coordination for Specified Conversion Time (per LSR)		UEA	OCOSL								
CLEC to CLEC Conversion Charge without outside dispatch		UEA	UREWO								

UNBUNDLED NETWORK ELEMENTS - Louisiana						Attachment 2					
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)			Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic - Disc 1st	GSS Rates (\$)
						Rec	First	Nonrecurring Add'l			
2-WIRE ISDN DIGITAL GRADE LOOP											
2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U112X		22.09	113.34	76.96			
2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U112X		35.28	113.34	76.96			
2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U112X		65.18	113.34	76.96			
Order Coordination for Specified Conversion Time (per LSR)				UDN	OOCOSL						
CLEC to CLEC Conversion Charge without outside dispatch				UDN	UREWO						
2-WIRE ASYMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP											
2-Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X		12.29	117.08	68.36			
2-Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X		14.09	117.08	68.36			
2-Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X		15.75	117.08	68.36			
Order Coordination for Specified Conversion Time (per LSR)				UAL	OOCOSL						
2-Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2W		12.29	92.83	56.02			
2-Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2W		14.09	92.83	56.02			
2-Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2W		15.75	92.83	56.02			
Order Coordination for Specified Conversion Time (per LSR)				UAL	OOCOSL						
CLEC to CLEC Conversion Charge without outside dispatch				UAL	UREWO						
2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP											
2-Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X		9.79	125.50	76.77			
2-Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X		11.52	125.50	76.77			
2-Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X		12.74	125.50	76.77			
Order Coordination for Specified Conversion Time (per LSR)				UHL	OOCOSL						
2-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W		9.79	101.24	64.43			
2-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W		11.52	101.24	64.43			
2-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W		12.74	101.24	64.43			
Order Coordination for Specified Conversion Time (per LSR)				UHL	OOCOSL						
CLEC to CLEC Conversion Charge without outside dispatch				UHL	UREWO						
4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP											
4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X		16.24	159.26	104.54			
4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X		16.65	159.26	104.54			
4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X		17.34	159.26	104.54			
Order Coordination for Specified Conversion Time (per LSR)				UHL	OOCOSL						
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHLAW		16.24	129.00	92.20			
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHLAW		16.65	129.00	92.20			
4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHLAW		17.34	129.00	92.20			
Order Coordination for Specified Conversion Time (per LSR)				UHL	OOCOSL						
4-WIRE DS1 DIGITAL LOOP											
4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX		85.70	245.16	152.98			
4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX		194.96	245.16	152.98			
4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX		491.94	245.16	152.98			
Order Coordination for Specified Conversion Time (per LSR)				USL	OOCOSL						

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		RATES (\$)	Attachment 2			Exhibit A		
								Rec	Nonrecurring Add'l	Nonrecurring Disconnect First	Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic - Disc Add'l'
							OSS Rates (\$)	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		100.93	42.99					
	4-WIRE 152,66 OR 64 Kbps DIGITAL GRADE LOOP												
	4-Wire Unbundled Digital 19.2 Kbps	1	UDL	UDL19	UDL19		30.99	121.86	85.48				
	4-Wire Unbundled Digital 19.2 Kbps	2	UDL	UDL19	UDL19		36.78	121.86	85.48				
	4-Wire Unbundled Digital 19.2 Kbps	3	UDL	UDL19	UDL19		38.92	121.86	85.48				
	4-Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	UDL	UDL56	UDL56		30.99	121.86	85.48				
	4-Wire Unbundled Digital Loop 56 Kbps - Zone 2	2	UDL	UDL56	UDL56		36.78	121.86	85.48				
	4-Wire Unbundled Digital Loop 56 Kbps - Zone 3	3	UDL	UDL56	UDL56		38.92	121.86	85.48				
	Order Coordination for Specified Conversion Time (per LSR)		UDL	OCOSL	OCOSL								
	4-Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	UDL	UDL64	UDL64		30.99	121.86	85.48				
	4-Wire Unbundled Digital Loop 64 Kbps - Zone 2	2	UDL	UDL64	UDL64		36.78	121.86	85.48				
	4-Wire Unbundled Digital Loop 64 Kbps - Zone 3	3	UDL	UDL64	UDL64		38.92	121.86	85.48				
	Order Coordination for Specified Conversion Time (per LSR)		UDL	OCOSL	OCOSL		17.56						
	CLEC to CLEC Conversion Charge without outside dispatch		UDL	UREWO	UREWO		101.97	49.67					
	2-WIRE UNBUNDLED COPPER LOOP												
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1	1	UCL	UCLPB	UCLPB		12.29	116.18	67.46				
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2	2	UCL	UCLPB	UCLPB		14.09	116.18	67.46				
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3	3	UCL	UCLPB	UCLPB		15.75	116.18	67.46				
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC	UCLMC		7.92						
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1	UCL	UCLPW	UCLPW		12.29	91.92	55.12				
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	2	UCL	UCLPW	UCLPW		14.09	91.92	55.12				
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	3	UCL	UCLPW	UCLPW		15.75	91.92	55.12				
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC	UCLMC		7.92						
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)		UCL	UREWO	UREWO		91.92	42.47					
	4-WIRE COPPER LOOP												
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1	1	UCL	UCL4S	UCL4S		22.27	139.69	90.96				
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2	2	UCL	UCL4S	UCL4S		18.95	139.69	90.96				
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3	3	UCL	UCL4S	UCL4S		10.99	139.69	90.96				
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC	UCLMC		7.92						
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1	UCL	UCL4W	UCL4W		22.27	115.43	78.63				
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	2	UCL	UCL4W	UCL4W		18.95	115.43	78.63				
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	3	UCL	UCL4W	UCL4W		10.99	115.43	78.63				
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC	UCLMC		7.92						
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)		UCL	UREWO	UREWO		91.92	42.47					
	LOOP MODIFICATION												
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire - pair fees less than or equal to 78 ft per Unbundled Loop		-	UHL	UHL								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop		-	UEPSB	UEPSB								
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop		-	ULM2L	ULM2L			0.00	0.00				
			-	ULM4L	ULM4L			0.00	0.00				
			-	ULMBT	ULMBT			12.15	12.15				

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		RATES (\$)	Attachment 2		Exhibit A				
								Rec	Nonrecurring Add'l	Nonrecurring Disconnect Add'l	OSS Rates (\$)	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l'	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st
SUB-LOOPS														
Sub-Loop Distribution								Rec	First	Nonrecurring Add'l		SOMECA	SOMAN	SOMAN
Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	1	UEANL		USBSA			144.09	144.09						
Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1	UEANL		USBSB			10.99	10.99						
Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	1	UEANL		USBSCL			86.16	86.16						
Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	1	UEANL		USBSD			27.13	27.13						
Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	1	1	UEANL	USBBN2			7.57	63.89	30.06					
Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	1	2	UEANL	USBBN2			12.75	63.89	30.06					
Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	1	3	UEANL	USBBN2			21.45	63.89	30.06					
Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC				7.92	7.92					
Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1	1	UEANL		USBBN4			11.76	76.75	42.92					
Sub-Loop 2-Wire Intribuilding Network Cable Loop - Zone 2	2	UEANL		USBBN4			16.84	76.75	42.92					
Sub-Loop Distribution Per 4-Wire Analog Voco Grade Loop - Zone 3	3	UEANL		USBBN4			19.27	76.75	42.92					
Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC				7.92	7.92					
Sub-Loop 2-Wire Intribuilding Network Cable (INC)	1	UEANL		USBBR2			2.91	51.48	17.65					
Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC				7.92	7.92					
Sub-Loop 4-Wire Intribuilding Network Cable (INC)	1	UEANL		USER4			6.58	57.54	23.71					
Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC				7.92	7.92					
Loop Testing - Basic; 1st Half Hour			UEANL	URET1				33.17	33.17					
2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	URETA				19.28	19.28					
2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2	UEF	UCS2X				6.26	63.89	30.06				
2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	UEF	UCS2X				10.07	63.89	30.06				
Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	UCS2X				12.70	63.89	30.06				
Loop Testing - Basic; 1st Half Hour			UEF	USBMIC				7.92	7.92					
4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	1	UEF	UCS4X				8.03	76.75	42.92				
4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	2	UEF	UCS4X				10.71	76.75	42.92				
4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	3	UEF	UCS4X				6.08	76.75	42.92				
Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC				7.92	7.92					
Loop Testing - Basic; 1st Half Hour			UEF	URET1				33.17	33.17					
Unbundled Network Terminating Wire (UNTW)			UENTW	URETA				19.28	19.28					
Network Interface Device (NID)			UENTW	UENPP				0.3454	14.72	14.72				
Network Interface Device (NID) - 1-2 Inves			UENTW	UND12				-42.26	27.83					
Network Interface Device (NID) - 1-6 Inves			UENTW	UND16				62.86	48.43					
Network Interface Device Cross Connect - 2 W -			UENTW	UNDCC2				-	5.73	5.73				
UNE OTHER, PROVISIONING ONLY - NO RATE			UENTW	UNDCA				-	5.73	5.73				
NID - Dispatch and Service Order for NID installation			UENTW	UNDBX				0.00	0.00					
UNTW Circuit id Establishment, Provisioning Only - No Rate			UENTW	UENCU				0.00	0.00					
Unbundled Contract Name, Provisioning Only - No Rate			UENTW	UNEQN				0.00	0.00					
UNE OTHER, PROVISIONING ONLY - NO RATE			UENTW											

UNBUNDLED NETWORK ELEMENTS - Louisiana										Exhibit A
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)		Attachment 2		Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	
					Rec	Nonrecurring Disconnect Add'l	First	OSS Rates (\$)		
Svc Order Submitted Submanually per LSR	Svc Order Submitted Electronically per LSR	SOMECA	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
Unbundled Contact Name, Provisioning Only - no rate	UAI, UCL, UDC, UDL, UDN, UEA, UHL, USL, UECN									
Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate	UEA, UDN, UCL, UDC, USBFQ									
Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate	UEA, USL, UCL, UDL, USBFR									
Unbundled DS1 Loop - Superframe Format Option - no rate	USL, CCOSF									
Unbundled DS1 Loop - Expanded Superframe Format option - no rate	USL, COEF									
HIGH CAPACITY UNBUNDLED LOCAL LOOP										
High Capacity Unbundled Local Loop - DS3 - Per Mile per month	UE3	1L5ND	10.04							
High Capacity Unbundled Local Loop - DS3 - Facility Termination per month	UE3	UE3PX	362.34	504.229	294.745					
High Capacity Unbundled Local Loop - STS-1 - Per Mile per month	UDLSX	1L5ND	10.04							
High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month	UDLSX	UDLS1	374.56	504.229	294.745					
LOOP MAKEUP										
Loop Makeup - Preorderring Without Reservation, per working or spare facility queried (Manual)	UMK	UMKLW		23.29	23.29					
Loop Makeup - Preorderring With Reservation, per spare facility queried (Manual)	UMK	UMKLP		24.70	24.70					
Loop Makeup-With or Without Reservation, per working or spare facility queried (Mechanized)	UMK	UMKMO		0.19	0.19					
LINE SPLITTING										
END USER ORDERING-CENTRAL OFFICE BASED										
Line Splitting - per line activation DLEc owned splitter	UEPSR, UEPSB	UREOS	0.61							
Line Splitting - per line activation BST owned - physical	UEPSR, UEPSB	UREBP	0.61	17.97	10.29					
Line Splitting - per line activation BST owned - virtual	UEPSR, UEPSB	UREBV	0.61	17.97	10.29					
MAINTENANCE OF SERVICE										
NOTE The Expedite charge will be maintained commensurate with BellSouth's FCC No.1 Tariff, Section 13.3 as applicable										
No Trouble Found - Per 1/2 hour increments - Basic			80.00	55.00						
No Trouble Found - Per 1/2 hour increments - Overtime			90.00	65.00						
No Trouble Found - Per 1/2 hour increments - Premium			100.00	75.00						
UNBUNDLED DEDICATED TRANSPORT										
INTEROFFICE CHANNEL - DEDICATED TRANSPORT										
Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month	UITVX	1L5XX	0.013							
Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Facility Termination	UITVX	UITV2	22.60	39.36	26.62					
Interoffice Channel - Dedicated Transport 1-2 Wire Voice Grade Rev Bat - Per Mile per month	UITVX	1L5XX	0.013							
Interoffice Channel - Dedicated Transport 1-2 Wire VG Rcv Bat - Facility Termination	UITVX	UITR2	22.60	39.36	26.62					
Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade Per Mile per month	UITVX	1L5XX	0.013							
Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Facility Termination	UITVX	UITV4	19.81	39.36	26.62					
Interoffice Channel - Dedicated Transport - 56 kbps - per mile - per month	UITDX	1L5XX	0.013							
Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination	UITDX	1LTD5	15.61	39.37	26.62					
Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month	UITDX	1L5XX	0.013	39.37	26.62					
Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination	UITDX	1LTD5	15.61	39.37	26.62					

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		RATES (\$)		Attachment 2		Exhibit A	
							Rec	Nonrecurring Add'l	First	Nonrecurring Disconnect Add'l	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic Add'l
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			UITD1	1L5XX	0.2652						
	Interoffice Channel - Dedicated Transport - DS1 - Facility Termination			UITD1	UITF1	70.47	86.69	79.44				
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			UITD3	1L5XX	6.04						
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			UITD3	UITF3	850.45	270.69	158.05				
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			UITS1	1L5XX	6.04						
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination			UITS1	UITFS	830.19	270.69	158.05				
DARK FIBER	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Threelf per month - Local Channel			UDEF	UDFCX	1L5DC	60.06					
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Threelf per month - Interoffice Channel			UDEF	UDFCX	1L5DF	25.28					
	NRC Dark Fiber - Interoffice Channel			UDEF	UDFCX	UDEF14		620.60	133.88			
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Threelf per month - Local Loop			UDEF	UDFCX	1L5DL	60.06					
	VIRTUAL COLLOCATION											
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR	UEPSB	VE1LS	0.0286	11.94	11.46	0.00	0.00	
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR	UEPSB	PE1LS	0.0318	11.94	11.46	0.00	0.00	
ENHANCED EXTENDED LINK (EELs)												
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements												
2-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION												
	2-Wire VG Loop (SL2) in Combination - Zone 1			1	UNCVX	UEA12	14.93	94.21	45.09			
	2-Wire VG Loop (SL2) in Combination - Zone 2			2	UNCVX	UEA12	25.35	94.21	45.09			
	2-Wire VG Loop (SL2) in Combination - Zone 3			3	UNCVX	1D1VG	50.46	94.21	45.09			
	Voice Grade COCh - Per Month					0.6497	5.91	4.26				
4-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION												
	4-Wire Analog Voice Grade Loop in Combination - Zone 1			1	UNCVX	UEA14	30.81	94.21	45.09			
	4-Wire Analog Voice Grade Loop in Combination - Zone 2			2	UNCVX	UEA14	38.32	94.21	45.09			
	4-Wire Analog Voice Grade Loop in Combination - Zone 3			3	UNCVX	UEA14	60.39	94.21	45.09			
	Voice Grade COCh in combination - per month				UNCVX	1D1VG	0.6497	5.91	4.26			
4-WIRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION												
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1			1	UNCDX	UDL56	30.99	94.21	45.09			
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2			2	UNCDX	UDL56	36.78	94.21	45.09			
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3			3	UNCDX	UDL56	38.92	94.21	45.09			
	OC1-DP COCh (data) per month (2.4-64kbs)				UNCDX	101DD	1.38	5.91	4.26			
4-WIRE ISDN LOOP FOR USE IN A COMBINATION												
	2-Wire ISDN Loop in Combination - Zone 1			1	UNCNX	UDL64	22.09	94.21	45.09			
	2-Wire ISDN Loop in Combination - Zone 2			2	UNCNX	UDL64	.35.28	-	45.09			
	2-Wire ISDN Loop in Combination - Zone 3			3	UNCNX	UDL64	65.18	94.21	45.09			
	2-Wire ISDN COCh (BRIT) - in combination - per month				UNCNX	UC1CA	2.96	5.91	4.26			
4-WIRE DS1 DIGITAL LOOP FOR USE IN A COMBINATION												
	4-Wire DS1 Digital Loop in Combination - Zone 1			1	UNC1X	USLXX	85.70	169.22	100.89			
	4-Wire DS1 Digital Loop in Combination - Zone 2			2	UNC1X	USLXX	134.96	169.22	100.89			
	4-Wire DS1 Digital Loop in Combination - Zone 3			3	UNC1X	USLXX	491.94	169.22	100.89			
	DS1 COCh in combination per month				UNC1X	UC1DI	11.78	5.91	4.26			

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		RATES (\$)	Attachment 2		Exhibit A	
								Rec	First Add'l	Nonrecurring Disconnect Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st
UNBUNDLED NETWORK ELEMENTS - Louisiana											
								Svc Order Submitted Manually per LSR	OSS Rates (\$)	SOMAN	SOMAN
										SOMEc	SOMEc
										SOMAN	SOMAN
2 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION											
	Interoffice Transport - 2-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0 013					
	Interoffice Transport - 2-wire VG - Dedicated - Facility			UNCVX	U1TV2	22 60	72 60	41 75			
4 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION											
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month			UNCVX	1L5XX	0 013					
	Interoffice Transport - 4-wire VG - Dedicated - Facility			UNCVX	U1TV4	19 81	72 60	41 75			
DS1 INTEROFFICE TRANSPORT FOR COMBINATION											
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	-	0 2652				
	Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	U1TF1	70 47	143 58	103 88			
	Termination per month			UNC1X	MQ1	105 09	59 97	12 96			
110 CHANNELIZATION SYSTEM IN COMBINATION PER MONTH											
DS3 INTEROFFICE TRANSPORT FOR USE IN A COMBINATION											
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	6 04					
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC3X	U1TF3	850 45	270 69	158 05			
STS-1 INTEROFFICE TRANSPORT FOR USE IN COMBINATION											
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month			UNCSX	1L5XX	6 04					
	Interoffice Transport - Dedicated - STS-1 combination - Facility			UNCSX	U1TFS	830 19	270 69	158 05			
4-WIRE 56 Kbps DIGITAL LOOP WITH 56 Kbps INTEROFFICE TRANSPORT											
	4-wire 56 kbps Local Loop in Combination - Zone 1	1		UNCDX	UDL56	30 99	94 21	45 09			
	4-wire 56 kbps Local Loop in Combination - Zone 2	2		UNCDX	UDL56	36 78	94 21	45 09			
	4-wire 56 kbps Local Loop in Combination - Zone 3	3		UNCDX	UDL56	38 92	94 21	45 09			
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNCDX	1L5XX	0 013					
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility			UNCDX	U1TDS	15 61	72 60	41 75			
4-WIRE 64 Kbps DIGITAL EXTENDED LOOP WITH 64 Kbps INTEROFFICE TRANSPORT											
	4-wire 64 kbps Local Loop in Combination - Zone 1	1		UNCDX	UDL64	30 99	94 21	45 09			
	4-wire 64 kbps Local Loop in Combination - Zone 2	2		UNCDX	UDL64	36 78	94 21	45 09			
	4-wire 64 kbps Local Loop in Combination - Zone 3	3		UNCDX	UDL64	38 92	94 21	45 09			
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNCDX	U1TDS	15 61	72 60	41 75			
4-WIRE 56 Kbps DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT											
	4-wire 56 kbps Local Loop in Combination - Zone 1	1		UNCDX	UDL56	30 99	94 21	45 09			
	4-wire 56 kbps Local Loop in Combination - Zone 2	2		UNCDX	UDL56	36 78	94 21	45 09			
	4-wire 56 kbps Local Loop in Combination - Zone 3	3		UNCDX	UDL56	38 92	94 21	45 09			
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNCDX	1L5XX	0 013					
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility			UNCDX	U1TDS	15 61	72 60	41 75			
4-WIRE 64 Kbps DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT											
	4-wire 64 kbps Local Loop in Combination - Zone 1	1		UNCDX	UDL64	-	30 99	-	94 21	-	45 09
	4-wire 64 kbps Local Loop in Combination - Zone 2	2		UNCDX	UDL64	36 78	94 21	45 09			
	4-wire 64 kbps Local Loop in Combination - Zone 3	3		UNCDX	UDL64	38 92	94 21	45 09			
	14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0 013					
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility			UNCDX	U1TDS	15 61	72 60	41 75			
DS1 DIGITAL LOOP AND DS1 INTEROFFICE TRANSPORT											
	Termination per month										

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC		RATES (\$)	Exhibit A			
							Rec	First Add'l	Nonrecurring Disconnect Add'l	Attachment. 2
							Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs Electronic - Disc 1st	GSS Rates (\$)	
	4-Wire DS1 Digital Loop in Combination -Zone 1	1	UNC1X	USLXX	85.70	169.22	100.89			
	4-Wire DS1 Digital Loop in Combination -Zone 2	2	UNC1X	USLXX	194.96	169.22	100.89			
	4-Wire DS1 Digital Loop in Combination -Zone 3	3	UNC1X	USLXX	491.94	169.22	100.89			
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month		UNC1X	1L5XX	0.2652					
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month		UNC1X	U1TF1	70.47	143.58	103.88			
	DS3 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT									
	DS3 Local Loop in combination - per mile per month		UNC3XX	1LNND	11.546					
	DS3 Local Loop in combination - Facility Termination per month		UNC3XX	UE3PX	416.691	504.229	294.745			
	Interoffice Transport - Dedicated - DS3 - Per Mile per month		UNC3XX	1L5XX	6.04					
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month		UNC3XX	U11TF3	850.45	270.69	158.05			
	STS-1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT									
	STS-1 Local Loop in combination - per mile per month		UNCS3X	1L5ND	11.546					
	STS-1 Local Loop in combination - Facility Termination per month		UNCS3X	UDLS1	430.744	504.229	294.745			
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month		UNCS3X	1L5XX	6.04					
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month		UNCS3X	U1TFS	830.19	270.69	158.05			
	ADDITIONAL NETWORK ELEMENTS									
	When used as a part of a currently combined facility, the non-recurring charges apply, but a Switch As is charge does not apply.									
	When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As is Charge does not apply.									
	Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)									
	Nonrecurring Currently Combined Network Elements Switch As Is Charge			UNCVX, UNCDX, UNCX, UNCCX, UNCSX	5.43	5.43				
	Optional Features & Functions									
	Clear Channel Capability Extended Frame Option - per DS1	1	ULDD1,UNC1X	CCEOEF	0.00	0.00	0.00	0.00		
	Clear Channel Capability Super FrameOption - per DS1	-	ULDD1,UNC1X	CCOSF	0.00	0.00	0.00	0.00		
	Clear Channel Capability (SF/FESF) Option - Subsequent Activity - per DS1	1	ULDD1, U1TD1, UNCI X, USL	NRCCC	184.85	23.79	1.97	0.77		
	C-bit Party Option - Subsequent Activity - per DS3	1	U1TD3, ULDD3, UE3, UNC3X	NRCC3	218.78	7.66	0.7263	0.00		
	MULTIPLEXERS									
	DS1 to DS0 Channel System per month		UNC1X	MO1	105.09	59.97	12.96			
	OC1-DP CO1 (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop		UDL	1D1DD	1.38	6.39	4.58			
	OC1-DP CO1 (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation		UDN	1D1DD	-	6.39	4.58			
	2-wire ISDN CO1 (BRI/E) - DS1 to DS0 Channel System - per month for a Local Loop		UDN	UC1CA	2.96	6.39	4.58			
	2-wire ISDN CO1 (BRI/E) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation		UDN	U1TUB	-	2.96	6.39	4.58		
	Voice Grade CO1 - DS1 to DS0 Channel System - per month used for a Local Loop		UEA	-	1D1VG	-	0.6497	-	6.39	-
	Voice Grade CO1 - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation		UEA	-	-	-	-	-	4.58	-
	DS3 to DS1 Channel System per month		U1TUC	1D1VG	0.6497					
	STS-1 to DS1 Channel System per month		UNCS3X	MO3	201.48	107.05	91.25			
	[DS1] CO1 used with Loop per month		USL	UC1D1	11.78	6.39	4.58			

UNBUNDLED NETWORK ELEMENTS - Louisiana										Attachment 2		Exhibit A	
CATEGORY	RATE ELEMENTS			Interim Zone	BCS	USOC	RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic Add'l 1st	Incremental Charge - Manual Svc Order vs Electronic Add'l
	Rec	Nonrecurring First	Disconnect Add'l				OSS Rates (\$)	SOMAN	SOMAN				
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month	U1TUA	UC1D1	11.78	6.39	4.58							
	DS1 COCI used with Interoffice Channel per month	UITD1	UC1D1	11.78	6.39	4.58							
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month	ULDD1	UC1D1	11.78	6.39	4.58							

Note: Rates displaying an "I" in Interim column are Interim as a result of a Commission order.

CATEGORY	RATE ELEMENTS	Interim Zone	USOC	RATES (\$)		Attachment 2		Exhibit A				
				Rec	Nonrecurring	Incremental Charge - Manual Svc Order vs. Electronic Add'l	Incremental Charge - Manual Svc Order vs. Electronic Add'l	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic Add'l			
UNBUNDLED NETWORK ELEMENTS - Mississippi												
OPERATIONAL SUPPORT SYSTEMS (OSS) - REGIONAL RATES*												
NOTE: (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this rate exhibit are the BellSouth "regional" service ordering charges. CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established in each of the 9 states.												
NOTE: (2) Any element that can be ordered electronically will be billed according to the SOMEC rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the LOH, the listed SOMEC rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN.												
The "Zone" shown in the sections for standard loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website http://www.interconnection.bellsouth.com/become_a_clechtml/interconnection.htm												
*OSS - Electronic Service Order Charge, Per Local Service Request												
Request (LSR) - UNE Only												
OSS - Manual Service Order Charge, Per Local Service Request												
UNE SERVICE DATE ADVANCEMENT CHARGE												
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No 1 Tariff, Section 5 as applicable												
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day												
UNBUNDLED EXCHANGE ACCESS LOOP												
2-WIRE ANALOG VOICE GRADE LOOP												
1 UENL UEA12 12.03 37.92 17.55 23.48 5.25												
2 UENL UEA12 16.87 37.92 17.55 23.48 5.25												
- - - - - 3 UENL UEA12 - - - - - 25.68 - - - - - 37.92 - - - - - 17.55 - - - - - 23.48 - - - - - 5.25												
4 UENL UEA12 43.85 37.92 17.55 23.48 5.25												
1 UENL UEA1L 12.03 37.92 17.55 23.48 5.25												
2 UENL UEA1L 16.87 37.92 17.55 23.48 5.25												
3 UENL UEA1L 25.68 37.92 17.55 23.48 5.25												
4 UENL UEA1L 43.95 37.92 17.55 23.48 5.25												
UENL UERL 8.33 0.83												
UENL URET1 34.36 34.36												
*Unbundled Miscellaneous Rate Element, Tag Loop at End User												
Premise Loop Testing - Basic 1st Half Hour												

CATEGORY	RATE ELEMENTS	Interim	Zone	USOC		RATES (\$)	Attachment 2		Exhibit A	
							Rec	Nonrecurring First Add'l	Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st
	Loop Testing - Basic Additional Half Hour			UREANL	URETWO	19.97	19.97			
	CLEC to CLEC Conversion Charge Without Outside Dispatch			UREANL	URETWO	15.75	8.92			
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up Engineering Information - E 1)			UEANL	UEAMC	13.51	13.51			
	Manual Order Coordination for UVL-SL's (per loop)			UEANL	UEAMC	8.20	8.20			
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL	18.19	18.19			
2-WIRE UNBUNDLED COPPER LOOP										
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1	UEO	UEO2X	11.01	36.53	16.16	22.66	4.42	
	2-Wire Unbundled Copper Loop - Non-Designed - Zone 2	2	UEO	UEO2X	11.51	36.53	16.16	22.66	4.42	
	2-Wire Unbundled Copper Loop - Non-Designed - Zone 3	3	UEO	UEO2X	11.57	36.53	16.16	22.66	4.42	
	2-Wire Unbundled Copper Loop - Non-Designed - Zone 4	4	UEO	UEO2X	13.10	36.53	16.16	22.66	4.42	
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise		UEO	URETL		8.33	0.83			
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)		UEO	USBMC		8.20	8.20			
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST providing make-up Engineering Information - E 1)		UEO	UEOMU		13.51	13.51			
	Loop Testing - Basic 1st Half Hour		UEO	URETI		34.36	34.36			
	Loop Testing - Basic 1st Half Hour		UEO	URETWO		14.24	7.42			
UNBUNDLED EXCHANGE ACCESS LOOP										
	2-Wire Analog Voice Grade Loop									
	2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1	1	UEPSR UEPSB	UEALS	12.03	37.92	17.55	23.48	5.25	
	2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1	1	UEPSR UEPSB	UEABS	12.03	37.92	17.55	23.48	5.25	
	2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 2	2	UEPSR UEPSB	UEALS	16.87	37.92	17.55	23.48	5.25	
	2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 2	2	UEPSR UEPSB	UEABS	16.87	37.92	17.55	23.48	5.25	
	2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3	3	UEPSR UEPSB	UEALS	25.68	37.92	17.55	23.48	5.25	
	2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3	3	UEPSR UEPSB	UEABS	25.68	37.92	17.55	23.48	5.25	
	2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 4	4	UEPSR UEPSB	UEALS	43.85	37.92	17.55	23.48	5.25	
	2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 4	4	UEPSR UEPSB	UEABS	43.85	37.92	17.55	23.48	5.25	
UNBUNDLED EXCHANGE ACCESS LOOP										
	2-WIRE ANALOG VOICE GRADE LOOP									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1	1	UEA	UEA2	13.89	105.96	68.28	52.82	10.37	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2	2	UEA	UEA2	18.75	105.96	68.28	52.82	10.37	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3	3	UEA	UEA2	27.55	105.96	68.28	52.82	10.37	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 4	4	UEA	UEA2	45.72	105.96	68.28	52.82	10.37	
	Order Coordination for Specified Conversion Time (per LSR)		UEA	OCOSL		18.19	-	-	-	
	Battery Signaling - Zone 1	1	UEA	UEAR2		13.89	-	105.96	-	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2	2	UEA	UEAR2		18.75	105.96	68.28	52.82	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	3	UEA	UEAR2		27.55	105.96	68.28	52.82	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 4	4	UEA	UEAR2		45.72	105.96	68.28	52.82	
	Order Coordination for Specified Conversion Time (per LSR)		UEA	OCOSL		18.19	18.19	18.19	18.19	

CATEGORY	RATE ELEMENTS	Interim	Zone	USOC		RATES (\$)	Attachment - 2		Attachment - 3	
							Rec	First Add'l	Nonrecurring First	Nonrecurring Add'l
	CLEC to CLEC Conversion Charge without outside dispatch Loop Tagging - Service Level 2 (SL2)			UREWO		87.56	36.29			
	UEA			UREL		11.19	1.10			
4-WIRE ANALOG VOICE GRADE LOOP										
4-Wire Analog Voice Grade Loop - Zone 1	1	UEA		UEAL4	27.47	132.27	94.59	60.68	14.64	
4-Wire Analog Voice Grade Loop - Zone 2	2	UEA		UEAL4	38.26	132.27	94.59	60.68	14.64	
4-Wire Analog Voice Grade Loop - Zone 3	3	UEA		UEAL4	50.03	132.27	94.59	60.68	14.64	
4-Wire Analog Voice Grade Loop - Zone 4	4	UEA		UEAL4	50.03	132.27	94.59	60.68	14.64	
Order Coordination for Specified Conversion Time (per LSR)				CCOSL		18.19				
CLEC to CLEC Conversion Charge without outside dispatch				UREWO		87.56	36.29			
2-WIRE ISDN DIGITAL GRADE LOOP										
2-Wire ISDN Digital Grade Loop - Zone 1	1	UDN		U1L2X	21.01	117.61	79.92	52.82	10.37	
2-Wire ISDN Digital Grade Loop - Zone 2	2	UDN		U1L2X	27.59	117.61	79.92	52.82	10.37	
2-Wire ISDN Digital Grade Loop - Zone 3	3	UDN		U1L2X	37.34	117.61	79.92	52.82	10.37	
2-Wire ISDN Digital Grade Loop - Zone 4	4	UDN		U1L2X	59.18	117.61	79.92	52.82	10.37	
Order Coordination for Specified Conversion Time (per LSR)				CCOSL		18.19				
CLEC to CLEC Conversion Charge without outside dispatch				UREWO		91.46	44.07			
2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP										
2-Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1	1	UAL		UAL2X	11.11	121.27	70.81	50.38	7.93	
2-Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2	2	UAL		UAL2X	11.47	121.27	70.81	50.38	7.93	
2-Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3	3	UAL		UAL2X	11.74	121.27	70.81	50.38	7.93	
2-Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 4	4	UAL		UAL2X	12.69	121.27	70.81	50.38	7.93	
Order Coordination for Specified Conversion Time (per LSR)				CCOSL		18.19				
2-Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1	1	UAL		UAL2W	11.11	96.15	58.03	50.38	7.93	
2-Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2	2	UAL		UAL2W	11.47	96.15	58.03	50.38	7.93	
2-Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3	3	UAL		UAL2W	11.74	96.15	58.03	50.38	7.93	
2-Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 4	4	UAL		UAL2W	12.69	96.15	58.03	50.38	7.93	
Order Coordination for Specified Conversion Time (per LSR)				CCOSL		18.19				
CLEC to CLEC Conversion Charge without outside dispatch				UREWO		86.04	40.33			
2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP										
2-Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1	1	UHL		UHL2X	8.75	129.98	79.52	50.38	7.93	
2-Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2	2	UHL		UHL2X	9.22	129.98	79.52	50.38	7.93	
2-Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3	3	UHL		UHL2X	9.87	129.98	79.52	50.38	7.93	
2-Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 4	4	UHL		UHL2X	10.46	129.98	79.52	50.38	7.93	
Order Coordination for Specified Conversion Time (per LSR)				CCOSL		18.19				
2-Wire Unbundled HDSL Loop without manual service inquiry & facility reservation - Zone 1	1	UHL		UHL2W	8.75	104.86	66.74	50.38	7.93	
2-Wire Unbundled HDSL Loop without manual service inquiry & facility reservation - Zone 2	2	UHL		UHL2W	9.22	104.86	66.74	50.38	7.93	
2-Wire Unbundled HDSL Loop without manual service inquiry & facility reservation - Zone 3	3	UHL		UHL2W	9.87	104.86	66.74	50.38	7.93	
2-Wire Unbundled HDSL Loop without manual service inquiry & facility reservation - Zone 4	4	UHL		UHL2W	10.46	104.86	66.74	50.38	7.93	
Order Coordination for Specified Conversion Time (per LSR)				CCOSL		18.19				
CLEC to CLEC Conversion Charge without outside dispatch				UREWO		85.98	40.33			
4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP										
4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1	1	UHL		UHL4X	13.78	158.74	108.28	56.72	10.68	

UNBUNDLED NETWORK ELEMENTS - Mississippi				RATE ELEMENTS				USOC				RATES (\$)				Attachment 2				Exhibit A					
CATEGORY	Interim	Zone		Rec	Nonrecurring		Disconnect Add'l		OSS Rates (\$)	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Attachment 2		SOMECA	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN			
					First	Add'l	First	Add'l				First	Add'l												
				4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2	2	UHL	UHLAX	13.43	158.74	108.28	56.72	10.68													
				4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3	3	UHL	UHLAX	15.59	158.74	108.28	56.72	10.68													
				4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 4	4	UHL	UHLAX	14.46	158.74	108.28	56.72	10.68													
				Order Coordination for Specified Conversion Time (per LSR)	UHL	OOSL		18.19																	
				4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	UHL	UHLAW	13.78	133.62	95.50	56.72	10.68													
				4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	2	UHL	UHLAW	13.43	133.62	95.50	56.72	10.68													
				4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	3	UHL	UHLAW	15.59	133.62	95.50	56.72	10.68													
				4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 4	4	UHL	UHLAW	14.46	133.62	95.50	56.72	10.68													
				Order Coordination for Specified Conversion Time (per LSR)	UHL	OOSL		18.19																	
				CLEC to CLEC Conversion Charge without outside dispatch	UHL	UREWO		85.98																	
				4-WIRE DIGITAL LOOP																					
				4-Wire DS1 Digital Loop - Zone 1	1	USL	USLX	79.08	253.93	158.45	46.10	12.07													
				4-Wire DS1 Digital Loop - Zone 2	2	USL	USLX	129.38	253.93	158.45	46.10	12.07													
				4-Wire DS1 Digital Loop - Zone 3	3	USL	USLX	206.74	253.93	158.45	46.10	12.07													
				4-Wire DS1 Digital Loop - Zone 4	4	USL	USLX	458.46	253.93	158.45	46.10	12.07													
				Order Coordination for Specified Conversion Time (per LSR)	USL	OOSL		18.19																	
				CLEC to CLEC Conversion Charge without outside dispatch	USL	UREWO		100.90																	
				4-WIRE 19.2-64 KBPS DIGITAL GRADE LOOP																					
				4-Wire Unbundled Digital 19.2 Kbps	1	UDL	UDL19	27.44	126.53	88.85	60.68	14.64													
				4-Wire Unbundled Digital 19.2 Kbps	2	UDL	UDL19	34.55	126.53	88.85	60.68	14.64													
				4-Wire Unbundled Digital 19.2 Kbps	3	UDL	UDL19	40.76	126.53	88.85	60.68	14.64													
				4-Wire Unbundled Digital 19.2 Kbps	4	UDL	UDL19	32.25	126.53	88.85	60.68	14.64													
				4-Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	UDL	UDL56	27.44	126.53	88.85	60.68	14.64													
				4-Wire Unbundled Digital Loop 56 Kbps - Zone 2	2	UDL	UDL56	34.55	126.53	88.85	60.68	14.64													
				4-Wire Unbundled Digital Loop 56 Kbps - Zone 3	3	UDL	UDL56	40.76	126.53	88.85	60.68	14.64													
				4-Wire Unbundled Digital Loop 56 Kbps - Zone 4	4	UDL	UDL56	32.25	126.53	88.85	60.68	14.64													
				Order Coordination for Specified Conversion Time (per LSR)	UDL	OOSL		18.19																	
				CLEC to CLEC Conversion Charge without outside dispatch	UDL	UREWO		101.94																	
				2-WIRE UNBUNDLED COPPER LOOP																					
				2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1	1	UCL	UCLPB	11.11	120.34	69.87	50.38	7.93													
				2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2	2	UCL	UCLPB	11.47	120.34	69.87	50.38	7.93													
				2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3	3	UCL	UCLPB	11.74	120.34	69.87	50.38	7.93													
				2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 4	4	UCL	UCLPB	12.69	120.34	69.87	50.38	7.93													
				Order Coordination for Unbundled Copper Loops (per loop)	UCL	UCLMC		8.20																	
				2-Wire Unbundled Copper Loop-Designed without manual service inquiry & facility reservation - Zone 1	1	UCL	UCLPW	11.11	95.21	57.09	50.38	7.93													
				2-Wire Unbundled Copper Loop-Designed without manual service inquiry & facility reservation - Zone 2	2	UCL	UCLPW	11.47	95.21	57.09	50.38	7.93													
				2-Wire Unbundled Copper Loop-Designed without manual service inquiry & facility reservation - Zone 3	3	UCL	UCLPW	11.74	95.21	57.09	50.38	7.93													
				2-Wire Unbundled Copper Loop-Designed without manual service inquiry & facility reservation - Zone 4	4	UCL	UCLPW	12.69	95.21	57.09	50.38	7.93													
				Order Coordination for Unbundled Copper Loops (per loop)	UCL	UCLMC		8.20																	

CATEGORY	RATE ELEMENTS	Interim Zone	USOC	RATES (\$)		Rec	Nonrecurring Add'l	Nonrecurring Disconnect First	Attachment 2		Exhibit A	
				First	42.40				Incremental Charge - Manual Svc Order vs. Electronic Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic Disc 1st
UNBUNDLED NETWORK ELEMENTS - Mississippi												
									Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	
									Elec	Order vs. Electronic	Order vs. Electronic	
									Add'l	Add'l	Add'l	
									OSS Rates (\$)			
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)		UCL	UREWO	95.21							
4-WIRE COPPER LOOP												
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1	1	UCL	UCL4S	17.30	144.68	94.22	56.72	10.68			
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2	2	UCL	UCL4S	18.84	144.68	94.22	56.72	10.68			
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3	3	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68			
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 4	4	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68			
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC	8.20		8.20					
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1	UCL	UCL4W	17.30	119.56	81.44	56.72	10.68			
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	2	UCL	UCL4W	18.84	119.56	81.44	56.72	10.68			
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	3	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68			
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 4	4	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68			
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC	8.20		8.20					
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)		UCL	UREWO	95.21	42.40						
LOOP MODIFICATION												
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18K ft, per Unbundled Loop		UAL, UHL, UCL, UEO, ULS, UEA, UEPNL, UEPSR, UEPSB, ULM2L			32.57		32.57				
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop		UHL, UCL, UEA, UAL, UHL, UCL, UEO, ULS, UEA, UEPNL, UEPSR, UEPSB, ULM4L			32.57		32.57				
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop		UAL, UHL, UCL, UEO, ULS, UEA, UEPNL, UEPSR, UEPSB, ULMBT			32.59		32.59				
SUB-COOPS												
	Sub-Loop Distribution											
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	1	UEANL	USDSA		259.69						
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1	UEANL	USBSB		22.77						
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	1	UEANL	USBBC		178.47						
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	1	UEANL	USBSD		56.39						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	1	UEANL	USBN2	7.15	66.18	31.14	45.36	6.71			
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	2	UEANL	USBN2	9.51	66.18	31.14	45.36	6.71			
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	3	UEANL	USBN2	12.45	66.18	31.14	45.36	6.71			
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 4	4	UEANL	USBN2	18.26	66.18	31.14	45.36	6.71			
	Order Coordination for Unbundled Sub-Loops,per sub-loop pair		UEANL	USBNAC		8.20		8.20				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1	1	UEANL	USBN4	7.30	79.49	44.45	51.27	9.35			
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2	2	UEANL	USBN4	13.92	79.49	44.45	51.27	9.35			

CATEGORY	RATE ELEMENTS	Interim Zone	USOC	RATES (\$)		Attachment 2		Exhibit A	
				Rec	Nonrecurring Add'l	Attachment 1	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
				First	First	SOMECA	SOMAN	SOMAN	SOMAN
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3	3	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 4	4	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35
	Order Coordination for Unbundled Sub-Loops per sub-loop pair		UEANL	USBMC		8.20	8.20		
	Sub-Loop 2-Wire Interbuilding Network Cable (INC)	1	UEANL	USBR2	2.29	53.32	18.28	45.36	6.71
	Order Coordination for Unbundled Sub-Loops per sub-loop pair		UEANL	USBMC		8.20	8.20		
	Sub-Loop 4-Wire Interbuilding Network Cable (INC)	1	UEANL	USBR4	4.40	59.60	24.55	51.27	9.35
	Order Coordination for Unbundled Sub-Loops per sub-loop pair		UEANL	USBMC		8.20	8.20		
	Loop Testing - Basic 1st Half Hour		UEANL	URET1		19.97	19.97		
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	UEF	UCS2X	6.06	66.18	31.14	45.36	6.71
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	2	UEF	UCS2X	7.09	66.18	31.14	45.36	6.71
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	3	UEF	UCS2X	8.16	66.18	31.14	45.36	6.71
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 4	4	UEF	UCS2X	9.90	66.18	31.14	45.36	6.71
	Order Coordination for Unbundled Sub-Loops per sub-loop pair		UEF	USBMC		8.20	8.20		
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	UEF	UCS4X	5.10	79.49	44.45	51.27	9.35
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	2	UEF	UCS4X	9.11	79.49	44.45	51.27	9.35
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	3	UEF	UCS4X	14.00	79.49	44.45	51.27	9.35
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 4	4	UEF	UCS4X	14.00	79.49	44.45	51.27	9.35
	Order Coordination for Unbundled Sub-Loops per sub-loop pair		UEF	USBMC		8.20	8.20		
	Loop Testing - Basic 1st Half Hour		UEF	URET1		19.97	19.97		
	Unbundled Network Terminating Wire (UNTW) per Pair		UENTW	UENPP	0.3366	30.55			
	Network Interface Device (NID)		UENTW	UND12		43.84	28.90		
	Network Interface Device (NID) - 1-2 lines		UENTW	UND16		65.30	50.36		
	Network Interface Device Cross Connect - 2 W		UENTW	UND22		5.94	5.94		
	Network Interface Device Cross Connect - 4 W		UENTW	UND24		5.94	5.94		
	UNE OTHER, PROVISIONING ONLY - NO RATE		UENTW	UNDBX		0.00	0.00		
	NID - Dispatch and Service Order for NID installation		UENTW	UENCE		0.00	0.00		
	UNTW Circuit Id Establishment, Provisioning Only - No Rate		UENTW	UENCF		0.00	0.00		
	Unbundled Contract Name, Provisioning Only - No Rate		UENTW	UENCN		0.00	0.00		
	UNE OTHER, PROVISIONING ONLY - NO RATE			UALUCLUDCJDL ¹ UDNUFEAUHLUSL ¹ UNEJDNUCLUDC ¹ UEBFQ ¹		0.00	0.00		
	Unbundled Contact Name, Provisioning Only - no rate			UEAULUCLUDC ¹ UEAJSLUCLUDL ¹ UEBFRL ¹ CCOOF ¹		0.00	0.00		
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate			USL ¹		0.00	0.00		
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate								
	Unbundled DS1 Loop - Superframe Format Option - no rate								
	Unbundled DS1 Loop - Expanded Superframe Format Option - no rate								
	HIGH CAPACITY UNBUNDLED LOCAL LOOP								
	Hgh Capacity Unbundled Local Loop - DS3 - Per Mile per month		UE3	1LNLD	11.20				
	Hgh Capacity Unbundled Local Loop - DS3 - Facility Termination per month		UE3	UE3PX	326.15	522.2495	305.2906	141.7145	99.1185
	Hgh Capacity Unbundled Local Loop - STS-1 - Per Mile per month		UDLSX	1LNLD	11.20				

CATEGORY	RATE ELEMENTS	Intern	Zone	USOC	RATES (\$)		Nonrecurring Add'l	Nonrecurring Disconnect	Attachment 2		Exhibit A	
					Rec	First			Incremental Charge - Manual Svc Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Charge - Manual Svc Order vs Electronic- Disc Add'l
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month	UDLSX		UDLS1	338.55	522.2495	305.2905	141.7145	99.1185			
LOOP MAKE-UP	Loop Makeup - Preorderng Without Reservation, per working or spare facility queried (Manual)	UMK		UMKLW		24.12	24.12					
	Loop Makeup - Preorderng With Reservation, per spare facility queried (Manual)	UMK		UMKLP		25.58	25.58					
	Loop Makeup -With or Without Reservation, per working or spare facility queried (Mechanized)	UMK		UMKMO	0.6652	0.6652						
LINE SPLITTING												
LINE SPLITTING	END USER ORDERING-CENTRAL OFFICE BASED			UEPSR UEPBSB	UREOS	0.61						
	Line Splitting - per line activation DEC owned Splitter			UEPSR UEPBSB	UREBP	0.61	18.62	10.66	10.04	4.93		
	Line Splitting - per line activation BST owned - physical			UEPSR UEPBSB	UREBV	0.61	18.62	10.66	10.04	4.93		
Maintenance of Service	[NOTE] The Expedite charge will be maintained commensurate with BellSouth's FCC No 1 Tariff, Section 13.3 as applicable.											
	No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00				
	No Trouble Found - per 1/2 hour increments - Overtime						90.00	65.00				
	No Trouble Found - per 1/2 hour increments - Premium						100.00	75.00				
UNBUNDLED DEDICATED TRANSPORT												
INTEROFFICE CHANNEL - DEDICATED TRANSPORT				U1TVX	1L5XX	0.0098						
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month	U1TVX		U1TV2	22.52	40.77	27.57	17.26	7.11			
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Facility Termination			U1TVX	1L5XX	0.0098						
	Interoffice Channel - Dedicated Transport 1-2-Wire Voice Grade Rev Bat - Per Mile per month			U1TVX	1L5XX	0.0098						
	Interoffice Channel - Dedicated Transport - 2-Wire VG Rev Bat - Facility Termination			U1TR2	22.52	40.77	27.57	17.26	7.11			
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade Per Mile per month			U1TVX	1L5XX	0.0098						
	- Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade Facility Termination			U1TV4	19.79	40.77	27.57	17.26	7.11			
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0098						
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	15.68	40.78	27.57	17.26	7.11			
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0098						
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TD6	15.68	40.78	27.57	17.26	7.11			
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.201						
	Interoffice Channel - Dedicated Transport - DS1 - Facility Termination			U1TF1	57.33	89.79	82.28	16.86	14.90			
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	4.76						
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TF3	64.90	280.37	163.70	62.08	60.29			
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	4.76						
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination			U1TS1	64.421	280.37	163.70	62.08	60.29			
DARK FIBER	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Therof per month - Local Channel			UDF_UDFCX	1L5DC	88.94						
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Therof per month - Interoffice Channel			UDF_UDFCX	1L5DF	28.27						

UNBUNDLED NETWORK ELEMENTS - Mississippi										Exhibit A					
CATEGORY	RATE ELEMENTS			Interim Zone	USOC	RATES (\$)			Attachment 2			Incremental Charge - Manual Svc Order vs Electronic Disc Add'l			
	Rec	First	Add'l			Nonrecurring	First	Add'l	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs Electronic Disc 1st	OSS Rates (\$)				
NIRC Dark Fiber - Interoffice Channel	UDF.. UDFCX	UDF14	642 79	138 67	326 97	203 85									
Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction thereof per month - Local Loop	UDF.. UDFCX	115DL	68 94												
VIRTUAL COLLOCATION															
Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting	UEPSR UEPSB	VEILS	0 0268	12 37	11 87	6 04									
PHYSICAL COLLOCATION															
Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting	UEPSR UEPSB	PEILS	0 0288	12 37	11 87	6 04									
ENHANCED EXTENDED LINK (EEELs)															
NOTE THE monthly recurring and non-recurring charges below will apply and the Switch-As-is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements															
NOTE THE monthly recurring and the Switch-As-is Charge and not the non-recurring changes below will apply for UNE combinations provisioned as 'Currently Combined' Network Elements															
2-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION															
2-Wire VG Loop (SL2) in Combination - Zone 1	UNCVX	UEAL2	13 89	105 96	68 28	52 82									
2-Wire VG Loop (SL2) in Combination - Zone 2	UNCVX	UEAL2	18 75	105 96	68 28	52 82									
2-Wire VG Loop (SL2) in Combination - Zone 3	UNCVX	UEAL2	27 55	105 96	68 28	52 82									
2-Wire VG Loop (SL2) in Combination - Zone 4	UNCVX	UEAL2	45 72	105 96	68 28	52 82									
Voice Grade COCI - Per Month	UNCVX	1D1VG	0 5737	6 62	4 74										
4-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION															
4-Wire Analog Voice Grade Loop in Combination - Zone 1	UNCVX	UEAL4	27 47	132 27	94 59	60 68									
4-Wire Analog Voice Grade Loop in Combination - Zone 2	UNCVX	UEAL4	38 26	132 27	94 59	60 68									
4-Wire Analog Voice Grade Loop in Combination - Zone 3	UNCVX	UEAL4	50 03	132 27	94 59	60 68									
4-Wire Analog Voice Grade Loop in Combination - Zone 4	UNCVX	UEAL4	50 03	132 27	94 59	60 68									
Voice Grade COCI in combination - Per month	UNCVX	1D1VG	0 5737	6 62	4 74										
4-WIRE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION															
4-Wire 56kbps Digital Grade Loop in Combination - Zone 1	UNCDX	UDL56	27 44	126 53	88 85	60 68									
4-Wire 56kbps Digital Grade Loop in Combination - Zone 2	UNCDX	UDL56	34 55	126 53	88 85	60 68									
4-Wire 56kbps Digital Grade Loop in Combination - Zone 3	UNCDX	UDL56	40 76	126 53	88 85	60 68									
4-Wire 56kbps Digital Grade Loop in Combination - Zone 4	UNCDX	UDL56	32 25	126 53	88 85	60 68									
OC1/UDP COCI (data) per month (2.4-64kbs)	UNCDX	1D1DD	1 22	6 62	4 74										
4-WIRE 64 KBPS DIGITAL LOOP FOR USE IN A COMBINATION															
4-Wire 64kbps Digital Grade Loop in Combination - Zone 1	UNCDX	UDL64	27 44	126 53	88 85	60 68									
4-Wire 64kbps Digital Grade Loop in Combination - Zone 2	UNCDX	UDL64	34 55	126 53	88 85	60 68									
4-Wire 64kbps Digital Grade Loop in Combination - Zone 3	UNCDX	UDL64	40 76	126 53	88 85	60 68									
4-Wire 64kbps Digital Grade Loop in Combination - Zone 4	UNCDX	UDL64	32 25	126 53	88 85	60 68									
OC1/UDP COCI (data) per month (2.4-64kbs)	UNCDX	1D1DD	1 22	6 62	4 74										
2-WIRE ISDN LOOP FOR USE IN COMBINATION															
2-Wire ISDN Loop in Combination - Zone 1	UNCNX	U112X	21 01	117 61	79 92	52 82									
2-Wire ISDN Loop in Combination - Zone 2	UNCNX	U112X	27 59	117 61	79 92	52 82									
2-Wire ISDN Loop in Combination - Zone 3	UNCNX	U112X	37 34	117 61	79 92	52 82									
2-Wire ISDN Loop in Combination - Zone 4	UNCNX	U112X	59 18	117 61	79 92	52 82									
2-Wire ISDN COCI (BRITE) - in combination - per month	UNCNX	UC1CA	2 62	6 62	4 74										
4-WIRE DS1 DIGITAL LOOP FOR USE IN A COMBINATION															
4-Wire DS1 Digital Grade Loop in Combination - Zone 1	UNCNX	USL0X	79 08	253 93	158 45	46 10									
4-Wire DS1 Digital Grade Loop in Combination - Zone 2	UNCNX	USLXX	129 38	253 93	158 45	46 10									
4-Wire DS1 Digital Grade Loop in Combination - Zone 3	UNCNX	USLXX	206 74	253 93	158 45	46 10									
4-Wire DS1 Digital Grade Loop in Combination - Zone 4	UNCNX	USLXX	458 46	253 93	158 45	46 10									
DS1 COCI in combination per month	UNCNX	UC1D1	2 62	6 62	4 74										
2 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION															
Interoffice Transport - 2-wire VG - Dedicated - Per Mile Per Month	UNCVX	1L5XX	0 00088												
Termination per month	UNCVX	UITV2	20 32	40 77	27 57	17 26									
4 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION															
Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month	UNCVX	1L5XX	0 00088												
Termination per month	UNCVX	UITV4	17 86	40 77	27 57	17 26									
DS1 INTEROFFICE TRANSPORT FOR COMBINATION															

UNBUNDLED NETWORK ELEMENTS - Mississippi										Exhibit A									
CATEGORY	RATE ELEMENTS			Interim Zone	USOC	RATES (\$)			Nonrecurring Disconnect			Attachment 2			Incremental Charge - Manual Svc Order vs. Electronic Disc Add'l				
	Rec	First Add'l	Nonrecurring First			Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic Add'l	OSS Rates (\$)	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
Interoffice Transport - Dedicated - DS1 combination - Per Mile per month	UNCX	1.5XX	0.1813																
Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month	UNCX	U1TF1	51.72	89.79	82.28	16.86	14.90												
DS3 INTEROFFICE TRANSPORT FOR USE IN A COMBINATION																			
Interoffice Transport - Dedicated - DS3 combination - Per Mile per Month	UNCX	1.5XX	4.76																
Interoffice Transport - Dedicated - DS3 Facility Termination per month	UNCX	U1TF3	641.90	280.37	163.70	62.08	60.29												
STS-1 INTEROFFICE TRANSPORT FOR USE IN A COMBINATION																			
Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month	UNCSX	1.5XX	4.76																
Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month	UNCSX	U1TF5	644.21	280.37	163.70	62.08	60.29												
4-WIRE 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRANSPORT																			
4-wire 56 kbps Local Loop in combination - Zone 1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64												
4-wire 56 kbps Local Loop in combination - Zone 2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64												
4-wire 56 kbps Local Loop in combination - Zone 3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64												
4-wire 56 kbps Local Loop in combination - Zone 4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64												
Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month	UNCDX	1.5XX	0.0098																
Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month	UNCDX	U1TDS	22.52	40.78	27.57	17.26	7.11												
4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT																			
4-wire 64 kbps Local Loop in Combination - Zone 1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64												
4-wire 64 kbps Local Loop in Combination - Zone 2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64												
4-wire 64 kbps Local Loop in Combination - Zone 3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64												
4-wire 64 kbps Local Loop in Combination - Zone 4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64												
Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month	UNCDX	1.5XX	0.0098																
Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month	UNCDX	U1TDS	22.52	40.78	27.57	17.26	7.11												
4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DSO1 INTEROFFICE TRANSPORT																			
4-wire 56 kbps Local Loop in combination - Zone 1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64												
4-wire 56 kbps Local Loop in combination - Zone 2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64												
4-wire 56 kbps Local Loop in combination - Zone 3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64												
4-wire 56 kbps Local Loop in combination - Zone 4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64												
4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month	UNCDX	1.5XX	0.0098																
4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month	UNCDX	U1TDS	22.52	40.78	27.57	17.26	7.11												
DS1 DIGITAL LOOP AND DS1 INTEROFFICE TRANSPORT																			
4-Wire DS1 Digital Loop in Combination - Zone 1	UNCX	USLXX	79.08	253.93	168.45	46.10	12.07												
4-Wire DS1 Digital Loop in Combination - Zone 2	UNCX	USLXX	129.38	253.93	168.45	46.10	12.07												
4-Wire DS1 Digital Loop in Combination - Zone 3	UNCX	USLXX	206.74	253.93	168.45	46.10	12.07												
4-Wire DS1 Digital Loop in Combination - Zone 4	UNCX	USLXX	458.46	253.93	168.45	46.10	12.07												
Interoffice Transport - Dedicated - DS1 combination - Per Mile per month	UNCX	1.5XX	0.1813																
Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month	UNCX	U1TF1	51.72	89.79	82.28	16.86	14.90												

UNBUNDLED NETWORK ELEMENTS - Mississippi										Exhibit: A						
CATEGORY	RATE ELEMENTS			Interim Zone	USOC	RATES (\$)			Attachment 2			OSS Rates (\$)	Svc Order Submitted Manually Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic Disc Add'l		
	Rec	Nonrecurring First	Add'l			Nonrecurring First	Charge - Manual Svc Order vs Electronic Disc 1st	SOMAN	SOMAN	SOMAN	SOMAN					
DS3 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT				115ND	12.88											
DS3 Local Loop in combination - per mile per month	UNCC3X															
DS3 Local Loop in combination - Facility Termination per month	UNCC3X															
Interoffice Transport - Dedicated - DS3 - Per Mile per month	UEJPX	375.0725	5222 2495	115XX	4.76	305.2905	141.7145	99.1185								
Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month	UNCC3X															
STS-1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT				115ND	12.88											
STS-1 Local Loop in combination - per mile per month	UNCSX															
STS-1 Local Loop in combination - Facility Termination per month	UNCSX															
Interoffice Transport - Dedicated - STS-1 combination - per mile per month	UDLS1	389.3325	5222 2495	115XX	4.76	305.2905	141.7145	99.1185								
Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month	UNCSX															
ADDITIONAL ELEMENTS				117FS	64.21	280.37	163.70	62.08	60.29							
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply.																
When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is Charge does not.																
Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)																
Nonrecurring Currently Combined Network Elements Switch - As-Is Charge																
Optional Features & Functions:																
Clear Channel Capability Extended Frame Option - per DS1	I	ULTD1, UNCD1, UNCSX	CCOEF	UNCCX, UNCX, UNCC		5.63	5.63	7.20	7.20							
Clear Channel Capability Super FrameOption - per DS1	I	ULDD1, UNCD1, UNCSX	CCOSF	UNCCX, UNCX, UNCC		0.00	0.00	0.00	0.00							
Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	I	UNCC1X, USL, UTD3, ULDD3, UNCSX	NRCCC	UNCCX, UNCX, UNCC		184.60	23.78	1.96	0.76							
C-bit Party Option - Subsequent Activity - per DS3	I	UEP3, UNCSX	NRCC3	UNCCX, UNCX, UNCC		218.72	7.66	0.7201	0.00							
MULTIPLEXERS																
DS1 to DS0 Channel System per month	UNC1X	MQ1	102.85	91.57		62.94	10.87	10.10								
OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs) used for a Local Loop	UDL	101DD	1.22	6.62	4.74											
OCU-LP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation	UDT	101DD	1.22	6.62	4.74											
2-wire ISDN COCI (BRI TE) - DS1 to DS0 Channel System - per month for a Local Loop	UDN	UC1CA	2.62	6.62	4.74											
2-wire ISDN COCI (BRI TE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation	UITUB	UC1CA	2.62	6.62	4.74											
Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop	UEA	1D1VG	0.5737	6.62	4.74											
Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation	UITUC	1D1VG	0.5737	6.62	4.74											
DS1 to DS1 Channel System per month	UNCSX	MQ3	170.63	179.17	94.52	4.74										
DS1 COCI used with Loop per month	USL	UC1D1	12.96	6.62	4.74											
DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month	UITUA	UC1D1	12.96	6.62	4.74											
DS1 COCI used with Interoffice Channel per month	UITD1	UC1D1	12.96	6.62	4.74											
DS3 Interface Unit (DS1 COCI) used with local Channel per month	ULDD1	UC1D1	12.96	6.62	4.74											
Note: Rates displaying an "I" in Interim column are interim as a result of a Commission order																

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)		Attachment 2		Exhibit A					
					Rec	Nonrecurring Add'l	First Add'l	Nonrecurring Disconnect	Charge - Manual Svc Order vs Electronic Add'l	Incremental Charge - Manual Svc Order vs Electronic Disc Add'l				
UNBUNDLED NETWORK ELEMENTS - North Carolina														
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones To view Geographically Deaveraged UNE Zones To view Geographically Deaveraged UNE Zones														
OPERATIONAL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"														
NOTE (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this rate exhibit are the BellSouth "regional" service ordering charges. CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established in each of the 9 states														
NOTE: (2) Any element that can be ordered electronically will be billed according to the SOMEC rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the LOH, the listed SOMEC rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN.														
OSS Electronic Service Order Charge, Per Local Service Requests (LSR) - UNE Only														
OSS Manual Service Order Charge, Per Local Service Requests (LSR) - UNE Only														
UNE SERVICE DATE ADVANCEMENT CHARGE														
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No.1 Tariff, Section 5 as applicable														
UAL, UAFN, UCI, UEF, UDF, UEQ, UDL, UENTW, UDIN, UEA, UHL, ULC, USL, UUT12, UUT48, UUTD1, UUTD3, UUTDX, UUTO3, UUTS1, UUTVX, UCIBC, UC1BL, UC1CC, UC1CL, UC1DC, UC1DL, UC1EC, UC1EL, UC1FC, UC1FL, UC1GC, UC1GL, UC1HC, UC1HL, UDL12, UDL48, UDLQ3, UDLSX, UE3, ULD12, ULD48, ULDI, ULDQ3, ULDDX, ULDQ3, ULDQ3, ULDQ3, ULDVX, UNCI, UNCSX, UNCDX, UNCRX, UNCSX, UNCVX, UNLD1, UNLD3, UXTD1, UXTD3, UXTS1, UUTUC, UUTUD, UUTUB, UTUJA, SDASP														
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day														
UNBUNDLED EXCHANGE ACCESS LOOP														
2-WIRE ANALOG VOICE GRADE LOOP														
2-Wire Analog Voice Grade Loop - Service Level 1-Zone 1														
2-Wire Analog Voice Grade Loop - Service Level 1-Zone 2														
2-Wire Analog Voice Grade Loop - Service Level 1-Zone 3														
2-Wire Analog Voice Grade Loop - Service Level 1-Zone 1														
2-Wire Analog Voice Grade Loop - Service Level 1-Zone 2														
2-Wire Analog Voice Grade Loop - Service Level 1-Zone 3														
Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise														
Loop Testing - Basic 1st Half Hour														
Loop Testing - Basic Additional Half Hour														

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		RATES (\$)	Attachment 2		Exhibit A		
								Rec	First Add'l	Nonrecurring	Disconnect Add'l	Incremental Charge - Manual Svc Order vs Electronic Disc Add'l
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UWL-SL1)			UEANL	UREWO		15.76	8.93				
	Unbundled Voice Loop, Non-Design Voice Loop - billing for BST providing make-up (Engineering Information - E1)			UEANL	UEANM		28.74					
	Manual Order Coordination for UWL-SL1's (per loop)			UEANL	UEAMC		61.38					
	Order Coordination for Specified Conversion Time for UWL-SL1 (per LSR)			UEANL	OOCOSL		45.34					
	2-WIRE UNBUNDLED COPPER LOOP											
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1			UEQ	UEQ2X		10.16					
	2-Wire Unbundled Copper Loop - Non-Designed - Zone 2			UEQ	UEQ2X		17.55					
	2-Wire Unbundled Copper Loop - Non-Designed - Zone 3			UEQ	UEQ2X		27.58					
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEQ	UPETL		8.33					
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)			UEQ	USBMC		61.38					
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST I providing make-up (Engineering Information - E1)			UEQ	UEOMU		28.74					
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		76.24					
	Loop Testing - Basic Additional Half Hour			UEQ	URET4		39.51					
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND)			UEQ	UREWO		14.26					
							7.42					
	UNBUNDLED EXCHANGE ACCESS LOOP											
	2-WIRE ANALOG VOICE GRADE LOOP											
	2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1			UEPSR	UEPSB	UEALS	12.11	57.99	42.37	0.00	0.00	
	2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1			UEPSR	UEPSB	UEABS	12.11	57.99	42.37	0.00	0.00	
	2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 2			UEPSR	UEPSB	UEALS	21.24	57.99	42.37	0.00	0.00	
	2-Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-Zone 2			UEPSR	UEPSB	UEABS	21.24	57.99	42.37	0.00	0.00	
	2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3			UEPSR	UEPSB	UEALS	33.65	57.99	42.37	0.00	0.00	
	2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3			UEPSR	UEPSB	UEABS	33.65	57.99	42.37	0.00	0.00	
	UNBUNDLED EXCHANGE ACCESS LOOP											
	2-WIRE ANALOG VOICE GRADE LOOP											
	2-Wire Analog Voice Grade Loop - Service Level 2 w/loop or Ground Start Signaling - Zone 1			UEA	UEA2		14.97					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/loop or Ground Start Signaling - Zone 2			UEA	UEA2		25.93					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/loop or Ground Start Signaling - Zone 3			UEA	UEA2		40.81					
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OOCOSL		45.34					
	Battery Signaling - Zone 1			UEA	UEAR2		14.97					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2			UEA	UEAR2		25.93					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3			UEA	UEAR2		40.81					
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OOCOSL		45.34					
	CLEC to CLEC Conversion Charge without outside dispatch Loop Tagging - Service level 2 (SL2)			UEA	UREWO		87.64					
				UEA	UPETL		11.20					
	4-WIRE ANALOG VOICE GRADE LOOP											
	4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4		21.32					
	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4		36.27					
	4-Wire Analog Voice Grade Loop - Zone 3			UEA	UEAL4		56.57					
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OOCOSL		45.34					
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.64					

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		RATES (\$)	Attachment 2				Exhibit: A			
								Rec	Nonrecurring Add'l	Nonrecurring Disconnect Add'l	OSS Rates (\$)	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Add'l
UNBUNDLED NETWORK ELEMENTS - North Carolina															
								Rec	First	First		SOMEC	SOMAN	SOMAN	SOMAN
2-WIRE ISDN DIGITAL GRADE LOOP															
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U112X		19.42	325.91		251.31					
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U112X		32.88								
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U112X		51.14								
	Order Coordination For Specified Conversion Time (per LSR)				UDN	OCOSL			45.34						
	CLEC to CLEC Conversion Change without outside dispatch				UDN	UREMO			91.55	44.12					
2-WIRE ASYMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP															
	2-Wire Unbundled ADSL Loop including manual service inquiry		1	UAL	UAL2X		11.00	264.71		145.60					
	& facility reservation - Zone 1				UAL										
	2-Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X		18.39	264.71		145.60					
	2-Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X		28.42	264.71		145.60					
	Order Coordination for Specified Conversion Time (per LSR)				UAL	OCOSL			45.34						
	2-Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2W		11.00	190.25		114.82					
	2-Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2W		18.39	190.25		114.82					
	2-Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2W		28.42	190.25		114.82					
	Order Coordination for Specified Conversion Time (per LSR)				UAL	OCOSL			45.34						
	2-Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X		9.01	284.74		163.54					
	2-Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X		14.87	284.74		163.54					
	2-Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X		22.82	284.74		163.54					
	Order Coordination for Specified Conversion Time (per LSR)				UHL	OCOSL			45.34						
	2-Wire Unbundled ADSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W		9.01	207.48		132.05					
	2-Wire Unbundled ADSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W		14.87	207.48		132.05					
	2-Wire Unbundled ADSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W		22.82	207.48		132.05					
	Order Coordination for Specified Conversion Time (per LSR)				UHL	OCOSL			45.34						
	CLEC to CLEC Conversion Change without outside dispatch				UHL	UREMO			86.06	40.36					
4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X		10.62	341.65		220.45					
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X		17.67	341.65		220.45					
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X		27.24	341.65		220.45					
	Order Coordination for Specified Conversion Time (per LSR)				UHL	OCOSL			45.34						
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4W		10.62								
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W		17.67								
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4W		27.24								
	Order Coordination for Specified Conversion Time (per LSR)				UHL	OCOSL			45.34						
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	USL	USLXX		47.60	714.84		421.47					
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	USL	USLXX		84.36	714.84		421.47					
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	USL	USLXX		134.29	714.84		421.47					
	Order Coordination for Specified Conversion Time (per LSR)				USL	OCOSL			48.31						

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)	Attachment 2		Exhibit A	
						Rec	Nonrecurring First	Nonrecurring Add'l	Attachment 2
						Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic - Disc 1st	Incremental Charge - Manual Svc Order vs Electronic - Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic - Disc 1st
UNBUNDLED NETWORK ELEMENTS - North Carolina									
	CLEC to CLEC Conversion Charge without outside dispatch		USL	UREWO	100.99	43.00			
4-WIRE 19.2, 56 OR 64 Kbps DIGITAL GRADE LOOP									
4-Wire Unbundled Digital 19.2 Kbps	1	UDL	UDL19	25.32	489.04	337.51			
4-Wire Unbundled Digital 19.2 Kbps	2	UDL	UDL19	43.11	489.04	337.51			
4-Wire Unbundled Digital 19.2 Kbps	3	UDL	UDL19	67.26	489.04	337.51			
4-Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	UDL	UDL56	25.32	489.04	337.51			
4-Wire Unbundled Digital Loop 56 Kbps - Zone 2	2	UDL	UDL56	43.11	489.04	337.51			
4-Wire Unbundled Digital Loop 56 Kbps - Zone 3	3	UDL	UDL56	67.26	489.04	337.51			
Order Coordination for Specified Conversion Time (per LSR)		UDL	OCOSL		45.34				
4-Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	UDL	UDL64	25.32	489.04	337.51			
4-Wire Unbundled Digital Loop 64 Kbps - Zone 2	2	UDL	UDL64	43.11	489.04	337.51			
4-Wire Unbundled Digital Loop 64 Kbps - Zone 3	3	UDL	UDL64	67.26	489.04	337.51			
Order Coordination for Specified Conversion Time (per LSR)		UDL	OCOSL		45.34				
CLEC to CLEC Conversion Charge without outside dispatch		UDL	UREWO	102.03	49.70				
2-WIRE Unbundled COPPER LOOP									
2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1	1	UCL	UCLPB	13.26	282.86	143.75			
2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2	2	UCL	UCLPB	22.39	282.86	143.75			
2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3	3	UCL	UCLPB	34.80	282.86	143.75			
Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		61.38	61.38			
2-Wire Unbundled Copper Loop-Designed without manual service inquiry & facility reservation - Zone 1	1	UCL	UCLPW	13.26	188.39	112.96			
2-Wire Unbundled Cooper Loop-Designed without manual service inquiry and facility reservation - Zone 2	2	UCL	UCLPW	22.39	188.39	112.96			
2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	3	UCL	UCLPW	34.80	188.39	112.96			
Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		61.38	61.38			
CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)		UCL	UREWO		97.14	42.44			
4-WIRE COPPER LOOP									
4-Wire Copper Loop including manual service inquiry and facility reservation - Zone 1	1	UCL	UCL4S	17.36	311.03	191.93			
4-Wire Copper Loop including manual service inquiry and facility reservation - Zone 2	2	UCL	UCL4S	29.61	311.03	191.93			
4-Wire Copper Loop including manual service inquiry and facility reservation - Zone 3	3	UCL	UCL4S	46.26	311.03	191.93			
Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		61.38	61.38			
4-Wire Copper Loop without manual service inquiry and facility reservation - Zone 1	1	UCL	UCLAW	17.36	236.57	161.14			
4-Wire Copper Loop without manual service inquiry and facility reservation - Zone 2	2	UCL	UCLAW	29.61	236.57	161.14			
4-Wire Copper Loop without manual service inquiry and facility reservation - Zone 3	3	UCL	UCLAW	46.26	236.57	161.14			
Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		61.38	61.38			
CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)-		UCL	UREWO		97.14	42.44			
LOOP MODIFICATION									
Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop		UAL, UHL, UCL, UEQ, ULS, UEA, UENL, UEPSR, UEPSEB	ULM2L		21.24	21.24			
Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unbundled Loop		UAL, UHL, UCL, UEQ, ULS, UEA, UENL, UEPSR, UEPSEB	ULM4L		21.24	21.24			
Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop		UAL, UHL, UCL, UEQ, ULS, UEA, UENL, UEPSR, UEPSEB	ULMBT		24.84	24.84			

UNBUNDLED NETWORK ELEMENTS - North Carolina										Exhibit A
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)		Attachment 2		Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	
					Rec	Nonrecurring First	Nonrecurring First	OSS Rates (\$)	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st
SUB-LOOPS										
Sub-Loop Distribution										
Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	-	UEANL	USBSA		373.57					
Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	-	UEANL	USBSB		33.78					
Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	-	UEANL	USBSC		294.76					
Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	-	UEANL	USBSD		81.05					
Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	-	1	UEANL	USBN2	7.31	126.03	54.54		/	
Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	-	2	UEANL	USBN2	11.93	126.03	54.54			
Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	-	3	UEANL	USBN2	18.20	126.03	54.54			
Order Coordination for Unbundled Sub-Loops, Per sub-loop pair		UEANL	USBMC		61.38					
Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1	1	UEANL	USBN4	8.44	156.52	79.66				
Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2	2	UEANL	USBN4	13.81	156.52	79.66				
Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3	3	UEANL	USBN4	21.10	156.52	79.66				
Order Coordination for Unbundled Sub-Loops, Per sub-loop pair		UEANL	USBMC	61.38	61.38					
Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	-	UEANL	USBR2	2.79	114.05	37.20				
Order Coordination for Unbundled Sub-Loops, Per sub-loop pair		UEANL	USBMC	61.38	61.38					
Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	-	UEANL	USBR4	3.74	127.67	50.82				
Order Coordination for Unbundled Sub-Loops, Per sub-loop pair		UEANL	USBMC	61.38	61.38					
Loop Testing - Basic 1st Half Hour		UEANI	UFIET1	76.24	76.24					
Loop Testing - Basic Additional Half Hour		UEANL	UFIETA	39.51	39.51					
2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	-	1	UEF	UCS2X	6.10	137.10	60.24			
2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	-	2	UEF	UCS2X	9.70	137.10	60.24			
2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	-	3	UEF	UCS2X	14.59	137.10	60.24			
Order Coordination for Unbundled Sub-Loops, Per sub-loop pair		UEF	USBMC	61.38	61.38					
4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	-	1	UEF	UCS4X	6.58	162.24	85.38			
4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	-	2	UEF	UCS4X	10.51	162.24	85.38			
4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	-	3	UEF	UCS4X	15.84	162.24	85.38			
Order Coordination for Unbundled Sub-Loops, Per sub-loop pair		UEF	USBMC	61.38	61.38					
Loop Testing - Basic 1st Half Hour		UEFT1	UFIET1	76.24	76.24					
Loop Testing - Basic Additional Half Hour		UEF	UFIETA	39.51	39.51					
Unbundled Network Terminating Wire (UNTW)		UENTW	UENPP	0.4351	64.98					
Network Interface Device (NID)		UENTW	UND12	86.27	56.69					
Network Interface Device (NID) - 1/2 Lines	-	UENTW	UND16	127.93	98.21					
Network Interface Device Cross Connect - 1 W	-	UENTW	UND22	11.68	11.68					
Network Interface Device Cross Connect - 4 W	-	UENTW	UND24	11.68	11.68					
UNE OTHER, PROVISIONING ONLY - NO RATE		NID - Dispatch and Service Order for NID installation	UENTW	UNDBX	0.00	0.00				
UNE OTHER, PROVISIONING ONLY - No Rate		UNEANL	UENTW	UNECN	0.00	0.00				
UNE OTHER, PROVISIONING ONLY - No Rate		UNENTW	UNECN	0.00	0.00					

UNBUNDLED NETWORK ELEMENTS - North Carolina										Exhibit A						
CATEGORY	RATE ELEMENTS			Interim Zone	BCS	USOC	RATES (\$)			Attachment 2			Attachment 2			
	Rec	Nonrecurring Add'l	Nonrecurring Disconnect				Svc Order Submitted Manually per LSR Elec per LSR	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	OSS Rates (\$)	SOMECA	SOMAN	SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	OSS Rates (\$)	SOMECA	
Unbundled Contact Name: Provisioning Only - no rate	UUAUCLUDC.UDL UDNUEA.UHL.UL	UNEON	0.00	0.00												
Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate	UEA.UDN.UCLUDC	USBFO	0.00	0.00												
Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate	UEA.USL.UCL.UDL	USBFR	0.00	0.00												
Unbundled DS1 Loop - Superframe Format Option - no rate	USL	CCOSF	0.00	0.00												
Unbundled DS1 Loop - Expanded Superframe Format option - no rate	USL	CCOEF	0.00	0.00												
HIGH CAPACITY UNBUNDLED LOCAL LOOP																
High Capacity Unbundled Local Loop - DS3 - Per Mile per month	UE3	1L5ND	13.33													
High Capacity Unbundled Local Loop - DS3 - Facility Termination per month	UE3	UE3PX	450.69	1,231.65	743.038											
High Capacity Unbundled Local Loop - STS-1 - Per Mile per month	UDLSX	1L5ND	13.33													
High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month	UDLSX	UDLS1	464.26	1,231.65	743.038											
LOOP MAKE-UP																
Loop Makeup - Preorderng Without Reservation, per working or spare facility queried (Manual)	UMK	UMKLW	55.44	55.44												
Loop Makeup - Preorderng With Reservation, per spare facility queried (Manual)	UMK	UMKLP	55.73	55.73												
Loop Makeup -With or Without Reservation, per working or spare facility queried (Mechanized)	UMK	UMKKMO	0.6960821	0.6960821												
LINE SPLITTING																
END USER ORDERING-CENTRAL OFFICE BASED																
Line Splitting - per line activation DLEc owned splitter	UEPUSR UEPSSB	UREOS	0.61													
Line Splitting - per line activation BST owned - physical	UEPSR UEPSSB	UREBP	0.61	56.92	28.59											
Line Splitting - per line activation BST owned - virtual	UEPSR UEPSSB	UREBV	0.61	56.92	28.59											
MAINTENANCE OF SERVICE																
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No 1 Tariff, Section 13.3.1 as applicable																
No Trouble Found - per 1/2 hour increments - Basic																
No Trouble Found - per 1/2 hour increments - Overtime																
No Trouble Found - per 1/2 hour increments - Premium																
UNBUNDLED DEDICATED TRANSPORT																
INTEROFFICE CHANNEL - DEDICATED TRANSPORT																
Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month	UITVX	1L5XX	0.0125													
Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Facility Termination	UITVX	UITV2	18.00	137.48	52.58											
Interoffice Channel - Dedicated Transport 1-2-Wire Voice Grade Rev Bat - Per Mile per month	UITVX	1L5XX	0.0125													
Interoffice Channel - Dedicated Transport 2- Wire VG Rev Bat - Facility Termination	UITVX	UITR2	18.00	137.48	52.58											
Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month	UITVX	1L5XX	0.0125													
Interoffice Channel - Dedicated Transport 4- Wire Voice Grade - Facility Termination	UITVX	UITV4	22.16	106.11	65.95											
Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month	UITDX	1L5XX	0.0282													
Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination	UITDX	UITD5	17.40	137.48	52.58											
Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month	UITDX	1L5XX	0.0282													
Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination	UITDX	UITD6	17.40	137.48	52.58											

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		RATES (\$)	Attachment 2		Exhibit A		
								Rec	First Add'l	Nonrecurring First	Nonrecurring Add'l	Charge - Manual Svc Order vs. Electronic- Disc Add'l
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.5753						
	Interoffice Channel - Dedicated Transport - DS1 - Facility Termination			U1TF1	71 29	217 17	163 75					
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	12 98						
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	720 38	794 94	579 55				
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	6 14						
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination			U1TS1	U1TFS	790 37	642 23	408 89				
DARK FIBER	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Threecol per month - Local Channel			UDF_UDFCX	1L5DC	73 65						
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Threecol per month - Interoffice Channel			UDF_UDFCX	1L5DF	27 71						
	NRC - Dark Fiber - Interoffice Channel			UDF_UDFCX	UDF14	1,807 00	562 96					
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Threecol per month - Local Loop			UDF_UDFCX	1L5DL	73 65						
	VIRTUAL COLLOCATION											
	Virtual Collocation 2-Wire Cross Connects (Loop) 1or Line Splitting			UEPSR UEPSB	WE1LS	0 0287	33 96	32 08	0 00	0 00		
PHYSICAL COLLOCATION	Physical Collocation 2-Wire Cross Connects (Loop) 1or Line Splitting			UEPSR UEPSB	WE1LS	0 0309	33 53	31 65	0 00	0 00		
	ENHANCED EXTENDED LINK (EEL)S											
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-is Charge will not apply for UNE combinations provisioned as "Ordinarily Combined" Network Elements												
NOTE: The monthly recurring and the Switch-As-is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as "Currently Combined" Network Elements												
2-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION												
	2-Wire VG Loop (SL2) in Combination - Zone 1			1	UNCX	1EA12	14 97	142 97	106 56			
	2-Wire VG Loop (SL2) in Combination - Zone 2			2	UNCX	1EA12	25 93	142 97	106 56			
	Voice Grade COCI - Per Month			3	UNCX	1EA12	40 81	127	13 09	9 38		
4-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION												
	4-Wire Analog Voice Grade Loop in Combination - Zone 1			1	UNCX	1EA14	21 32	288 47	237 45			
	4-Wire Analog Voice Grade Loop in Combination - Zone 2			2	UNCX	1EA14	36 27	288 47	237 45			
	4-Wire Analog Voice Grade Loop in Combination - Zone 3			3	UNCX	1EA14	56 57	288 47	237 45			
	Voice Grade COCI in combination - per month			UNCX	1D1VG	1 27	13 09	9 38				
4-WIRE 56 KBPS DIGITAL LOOP FOR USE IN A COMBINATION												
	4-Wire 50Kbps Digital Grade Loop in Combination - Zone 1			1	UNCDX	UDL56	25 32	489 04	337 51			
	4-Wire 50Kbps Digital Grade Loop in Combination - Zone 2			2	UNCDX	UDL56	43 11	489 04	337 51			
	4-Wire 50Kbps Digital Grade Loop in Combination - Zone 3			3	UNCDX	UDL56	67 26	489 04	337 51			
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	ID1DD	2 00	15 76	11 28				
4-WIRE SON LOOP FOR USE IN A COMBINATION												
	2-Wire ISDN Loop in Combination - Zone 1			1	UNCX	UDL64	25 32	489 04	337 51			
	2-Wire ISDN Loop in Combination - Zone 2			2	UNCX	UDL64	43 11	489 04	337 51			
	2-Wire ISDN COCI (ERITE) - in combination - per month			3	UNCX	UDL64	67 26	489 04	337 51			
4-WIRE DS1 DIGITAL LOOP FOR USE IN A COMBINATION												
	4-Wire DS1 Digital Loop in Combination - Zone 1			1	UNCX	USLXX	47 60	714 84	421 47			
	4-Wire DS1 Digital Loop in Combination - Zone 2			2	UNCX	USLXX	84 36	714 84	421 47			
	4-Wire DS1 Digital Loop in Combination - Zone 3			3	UNCX	USLXX	134 29	714 84	421 47			
	DS1 COCI in combination per month			UNCX	UC1D1	16 07	13 09	9 38				

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC		RATES (\$)	Attachment 2		Exhibit A				
							Rec	Nonrecurring First Add'l	Nonrecurring Disconnect First	GSS Rates (\$)	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Add'l
	4-Wire DS1 Digital Loop in Combination - Zone 2	2	UNCIX	USLXX	84.36	714.84	.421.47						
	4-Wire DS1 Digital Loop in Combination - Zone 3	3	UNCIX	USLXX	134.29	714.84	.421.47						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month		UNC1X	1LSXX	16.07								
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month		UNC1X	U1TF1	71.29	217.17	163.75						
DS3 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT	DS3 Local Loop in combination - per mile per month		UNC3X	1LSND	13.33								
	DS3 Local Loop in combination - Facility Termination per month		UNC3X	UE3PX	450.69	1,071.00	646.12						
	Interoffice Transport - Dedicated - DS3 - Per Mile per month		UNC3X	1LSXX	12.98								
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month		UNC3X	U1TF3	720.38	794.94	579.55						
ST5-1 DIGITAL LOOP WITH DEDICATED ST5-1 INTEROFFICE TRANSPORT	ST5-1 Local Loop in combination - Per mile per month		UNCSX	1LSND	13.33								
	ST5-1 Local Loop in combination - Facility Termination per month		UNCSX	UDLS1	484.26	1,071.00	646.12						
	Interoffice Transport - Dedicated - ST5-1 combination - per mile per month		UNCSX	1LSXX	6.14								
	Interoffice Transport - Dedicated - ST5-1 combination - Facility Termination per month		UNCSX	U1TES	790.37	642.23	408.89						
ADDITIONAL NETWORK ELEMENTS	When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As Is charge does apply												
	When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As Is charge does not apply												
	Nonrecurring Currently Combined Network Elements "Switch As Is" Charge (One applies to each combination)												
	Nonrecurring Currently Combined Network Elements Switch As Is Charge			UNCCC									
	Optional Features & Functions:			UNCCC	21.75	21.75	32.28	10.96					
	Clear Channel Capability_Extended Frame Option - per DS1	1	U1TD1, U1D1, U1C1X	CCCOEF		0.00	0.00	0.00					
	Clear Channel Capability_Super FrameOption - per DS1	1	U1TD1, U1C1X	CCCOFS		0.00	0.00	0.00					
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	1	U1D1, U1T1, U1C1X, U1SL	NRCCC		184.76	23.80	1.99	0.78				
	Ch. Party Option - Subsequent Activity - per DS3	1	U1T3, U1D3, U1C3, U1E3, UNCSX	NRCCC3		218.82	7.66	0.7576	0.00				
MUXPLEXERS	DS1 to DS0 Channel System per month		UNCI X	MQ1	146.69	197.78	140.06						
	OC-1/DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop		UDL	1D1DD	2.00	13.09	9.38						
	OC-1/DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation		U1TUD	1D1DD	2.00	13.09	9.38						
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop		UEA	1D1VG	1.27	13.09	9.38						
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation		U1TUC	1D1VG	1.27	13.09	9.38						
	DS3 to DS1 Channel System per month		UNCSX	MC3	233.10	403.97	234.40						
	DS3-1 to DS1 Channel System per month		UNCSX	MC3	233.10	403.97	234.40						
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month		U1C1D1	16.07	13.09	9.38							
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month		U1C1D1	16.07	13.09	9.38							

UNBUNDLED NETWORK ELEMENTS - North Carolina										Attachment 2						Exhibit A			
CATEGORY	RATE ELEMENTS			Interim Zone	BCS	USOC	RATES (\$)			Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	OSS Rates (\$)	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
							Rec	Nonrecurring Add'l	Nonrecurring First					SOMECA	SOMAN	SOMAN	SOMAN	SOMAN	
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1		16.07	13.09	9.38										
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULD1D1	UC1D1		16.07	13.09	9.38										
Note: Rates displaying an "I" in interim column are interim as a result of a Commission order																			

Note: Rates displaying an "I" in interim column are interim as a result of a Commission order

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)				Attachment 2 OSS Rates (\$)			
					Rec	Nonrecurring	Disconnect	First Add'l				
OPERATIONAL SUPPORT SYSTEMS (OSS) - REGIONAL RATES*												
NOTE (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this rate exhibit are the BellSouth "regional" service ordering charges. CLEC may elect either the state specific Commission ordered rates for the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established in each of the 9 states.												
NOTE (2) Any element that can be ordered electronically at present per the LOH, the listed SONEC rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, Soman, will be applied to a CLECs bill when it submits an LSR to BellSouth.												
OSS - Electronic Service Order Charge. Per Local Service Request (LSR). UNE Only						SOME			3.50	0.00	3.50	0.00
OSS - Manual Service Order Charge. Per Local Service Request (LSR). UNE Only						SOMAN			15.60	0.00	1.97	0.00
UNE SERVICE DATE ADVANCEMENT CHARGE												
NOTE The expedite charge will be maintained commensurate with BellSouth's FCC No 1 Tariff, Section 5(d) applicable												
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day												
UNE UNBUNDLED EXCHANGE ACCESS LOOP												
2-Wire Analog Voice Grade Loop - Service Level 1-Zone 1	1	UEANL	UEAL2	14.94	37.92	17.62	23.56	/				
2-Wire Analog Voice Grade Loop - Service Level 1-Zone 2	2	UEANL	UEAL2	21.39	37.92	17.62	23.56	5.32				
2-Wire Analog Voice Grade Loop - Service Level 1-Zone 3	3	UEANL	UEAL2	26.72	37.92	17.62	23.56	5.32				
2-Wire Analog Voice Grade Loop - Service Level 1-Zone 1	1	UEANL	UEASL	14.94	37.92	17.62	23.56	5.32				
2-Wire Analog Voice Grade Loop - Service Level 1-Zone 2	2	UEANL	UEASL	21.39	37.92	17.62	23.56	5.32				
2-Wire Analog Voice Grade Loop - Service Level 1-Zone 3	3	UEANL	UEASL	26.72	37.92	17.62	23.56	5.32				
Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise		UEANL	URETL	8.33	0.83							
Loop Testing - Basic 1st Half Hour		UEANL	URET1	34.23	34.23							
Loop Testing - Basic Additional Half Hour		UEANL	URETA	19.90	19.90							
CLEC to CLEC Conversion Change Without Outside Dispatch (UVL-SL1)		UEANL	UREWO	15.81	8.96							
Unbundled Voice Loop. Non-Design Voice Loop, Billing for BST providing make-up (Engineering Information - E1)		UEANL	UEANM	13.47	13.47							
Manual Order Coordination for UVL-SL1 (per loop)		UEANL	UEAMC	8.17	8.17							

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)			Rec	First	Add'l	Nonrecurring	Disconnect	Attachment 2	Exhibit A
						OCCSL	18.13	18.13							
	Order Coordination for Specified Conversion Time (per LSR) (See LSR)			UEANL											
	2-WIRE UNBUNDLED COPPER LOOP														
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1	UEQ	UEG22X	12.94	16.10	22.66	4.42							
	2-Wire Unbundled Copper Loop - Non-Designed - Zone 2	2	UEQ	UEG22X	14.51	16.10	22.66	4.42							
	2-Wire Unbundled Copper Loop - Non-Designed - Zone 3	3	UEQ	UEG22X	15.02	16.10	22.66	4.42							
	Unbundled Miscellaneous Rate Element - Tag Loop at End User Frame			URETL		8.33	0.83								
	Manual Order Coordination 2-Wire Unbundled Copper Loop - Non-Designed (per LSR)			UEQ	USEBMC	8.17	8.17								
	Unbundled Copper Loop - Non-Design Copper Loop, billing for BST providing make-up Engineering Information - E 1			UEQ	UEOMU	13.47	13.47								
	Loop Testing - Basic 1st Half Hour			UEQ	URET1	34.23	34.23								
	Loop Testing - Basic Additional Half Hour			UEQ	URETA	19.90	19.90								
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-IND)			UEQ	UREWO	14.30	7.45								
	UNBUNDLED EXCHANGE ACCESS LOOP														
	2-WIRE ANALOG VOICE GRADE LOOP														
	2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1	1	UEPSR UEPSB	UEALS	14.94	37.92	17.62	23.56	5.32						
	2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1	1	UEPSR UEPSB	UEABS	14.94	37.92	17.62	23.56	5.32						
	2-Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2	2	UEPSR UEPSB	UEALS	21.39	37.92	17.62	23.56	5.32						
	2-Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2	2	UEPSR UEPSB	UEABS	21.39	37.92	17.62	23.56	5.32						
	2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3	3	UEPSR UEPSB	UEALS	26.72	37.92	17.62	23.56	5.32						
	2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3	3	UEPSR UEPSB	UEABS	26.72	37.92	17.62	23.56	5.32						
	UNBUNDLED EXCHANGE ACCESS LOOP														
	2-WIRE ANALOG VOICE GRADE LOOP														
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1	1	UEA	UEAL2	16.68	105.98	68.43	53.05	10.61						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2	2	UEA	UEAL2	23.13	105.98	68.43	53.05	10.61						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3	3	UEA	UEAL2	28.46	105.98	68.43	53.05	10.61						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCCSL	87.90	18.13								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1	1	UEA	UEAR2	16.68	105.98	68.43	53.05	10.61						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2	2	UEA	UEAR2	23.13	105.98	68.43	53.05	10.61						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	3	UEA	UEAR2	28.46	105.98	68.43	53.05	10.61						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	UREWO	87.90	18.13								
	Order Coordination for Specified Conversion Time (per LSR)			UEA	URETL	11.24	1.10								
	CLEC to CLEC Conversion Charge without outside dispatch (SL2)			UEA	UREWO	87.90	36.44								
	4-WIRE ANALOG FORCE GRADE LOOP														
	4-Wire Analog Voice Grade Loop - Zone 1	1	UED4		32.59	132.38	94.83	59.35	14.61						
	4-Wire Analog Voice Grade Loop - Zone 2	2	UED4		43.89	132.38	94.83	59.35	14.61						
	4-Wire Analog Voice Grade Loop - Zone 3	3	UED4		43.38	132.38	94.83	59.35	14.61						
	Order Coordination for Specified Conversion Time (per LSR)			UED4	OCCSL	18.13									
	CLEC to CLEC Conversion Charge without outside dispatch (SL2)			UED4	UREWO	87.90									
	2-WIRE ISDN DIGITAL GRADE LOOP														
	2-Wire ISDN Digital Grade Loop - Zone 1	1	UDN	ULD2X	25.21	117.58	80.03	53.05	10.61						
	2-Wire ISDN Digital Grade Loop - Zone 2	2	UDN	ULD2X	32.76	117.58	80.03	53.05	10.61						
	2-Wire ISDN Digital Grade Loop - Zone 3	3	UDN	ULD2X	37.76	117.58	80.03	53.05	10.61						
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCCSL	18.13									
	CLEC to CLEC Conversion Charge without outside dispatch (SL2)			UDN	UREWO	91.62									
	2-WIRE ASYMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP														
	2-Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1	1	UAL	UAL2X	12.19	120.84	70.56	50.37	7.93						

UNBUNDLED NETWORK ELEMENTS - South Carolina

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		RATES (\$)			Nonrecurring	Disconnect	Attachment 2	Exhibit A
							Rec	First	Add'l	OSS	OSS Rates (\$)	Svc Order Submitted	Svc Order Submitted Manually per LSR
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2	2	UAL	UAL2X	13.71	120.94	70.56	50.37	7.93				
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3	3	UAL	UAL2X	14.14	120.84	70.56	50.37	7.93				
	Order Coordination for Specified Conversion Time (per LSR)		UAL	OCOSL	18.13								
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1	1	UAL	UAL2W	12.19	95.81	57.82	50.37	7.93				
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2	2	UAL	UAL2W	13.71	95.81	57.82	50.37	7.93				
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3	3	UAL	UAL2W	14.14	95.81	57.82	50.37	7.93				
	Order Coordination for Specified Conversion Time (per LSR)		UAL	OCOSL	18.13								
	CLEC to CLEC Conversion Charge without outside dispatch		UAL	UREWO	86.98	40.48							
	2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP												
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1	1	UHL	UHL2X	9.58	129.52	79.24	50.37	7.93				
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2	2	UHL	UHL2X	10.92	129.52	79.24	50.37	7.93				
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3	3	UHL	UHL2X	11.40	129.52	79.24	50.37	7.93				
	Order Coordination for Specified Conversion Time (per LSR)		UHL	OCOSL	18.13								
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	UHL	UHL2W	9.58	104.49	66.50	50.37	7.93				
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	2	UHL	UHL2W	10.92	104.49	66.50	50.37	7.93				
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	3	UHL	UHL2W	11.40	104.49	66.50	50.37	7.93				
	Order Coordination for Specified Conversion Time (per LSR)		UHL	OCOSL	18.13								
	CLEC to CLEC Conversion Charge without outside dispatch		UHL	UREWO	86.92	40.48							
	4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP												
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1	1	UHL	UHL4X	16.02	158.18	107.89	55.12	10.38				
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2	2	UHL	UHL4X	14.33	158.18	107.89	55.12	10.38				
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3	3	UHL	UHL4X	16.84	158.18	107.89	55.12	10.38				
	Order Coordination for Specified Conversion Time (per LSR)		UHL	OCOSL	18.13								
	4 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	UHL	UHL4W	16.02	133.14	95.16	55.12	10.38				
	4 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	2	UHL	UHL4W	14.33	133.14	95.16	55.12	10.38				
	4 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	3	UHL	UHL4W	16.84	133.14	95.16	55.12	10.38				
	Order Coordination for Specified Conversion Time (per LSR)		UHL	OCOSL	18.13								
	CLEC to CLEC Conversion Charge without outside dispatch		UHL	UREWO	86.92	40.48							
	4-WIRE DS1 DIGITAL LOOP												
	4-Wire DS1 Digital Loop - Zone 1	1	USL	USLXX	79.51	253.03	157.89	44.80	11.73				
	4-Wire DS1 Digital Loop - Zone 2	2	USL	USLXX	136.00	253.03	157.89	44.80	11.73				
	4-Wire DS1 Digital Loop - Zone 3	3	USL	USLXX	229.15	253.03	157.89	44.80	11.73				
	Order Coordination for Specified Conversion Time (per LSR)		USL	OCOSL	18.13								
	CLEC to CLEC Conversion Charge without outside dispatch		USL	UREWO	101.30	43.13							
	4-WIRE 19.2 Kbps DIGITAL GRADE LOOP												
	4 Wire Unbundled Digital 19.2 Kbps	1	UDL	UDL19	29.93	126.66	89.12	59.35	14.61				
	4 Wire Unbundled Digital 19.2 Kbps	2	UDL	UDL19	33.99	126.66	89.12	59.35	14.61				
	4 Wire Unbundled Digital 19.2 Kbps	3	UDL	UDL19	34.74	126.66	89.12	59.35	14.61				
	4 Wire Unbundled Digital Loop 56 kbps - Zone 1	1	UDL	UDL56	29.83	126.66	89.12	59.35	14.61				
	4 Wire Unbundled Digital Loop 56 kbps - Zone 2	2	UDL	UDL56	33.99	126.66	89.12	59.35	14.61				
	4 Wire Unbundled Digital Loop 56 kbps - Zone 3	3	UDL	UDL56	34.74	126.66	89.12	59.35	14.61				
	Order Coordination for Specified Conversion Time (per LSR)		UDL	OCOSL	18.13								
	4 Wire Unbundled Digital Loop 64 kbps - Zone 1	1	UDL	UDL64	29.93	126.66	89.12	59.35	14.61				
	4 Wire Unbundled Digital Loop 64 kbps - Zone 2	2	UDL	UDL64	33.99	126.66	89.12	59.35	14.61				
	4 Wire Unbundled Digital Loop 64 kbps - Zone 3	3	UDL	UDL64	34.74	126.66	89.12	59.35	14.61				
	Order Coordination for Specified Conversion Time (per LSR)		UDL	OCOSL	18.13								
	CLEC to CLEC Conversion Charge without outside dispatch		UDL	UREWO	102.34	49.85							

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC		RATES (\$)	Rec	Nonrecurring		Nonrecurring Disconnect		Attachment 2	Exhibit A
								First	Add'l	First	Add'l		
Svc Order Submitted Manually per LSR	Manu Svc Order vs Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBUNDLED NETWORK ELEMENTS - South Carolina													
2-WIRE Unbundled COPPER LOOP													
2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1	1	UCL	UCLPB		12.19	119.91	69.62			50.37	7.93		
2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2	2	UCL	UCLPB		13.71	119.91	69.62			50.37	7.93		
2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3	3	UCL	UCLPB		14.14	119.91	69.62			50.37	7.93		
Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		8.17								
2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1	UCL	UCLPW		12.19	94.87	56.89			50.37	7.93		
2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	2	UCL	UCLPW		13.71	94.87	56.89			50.37	7.93		
2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	3	UCL	UCLPW		14.14	94.87	56.89			50.37	7.93		
Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		8.17								
CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)		UCL	UREWO			94.87				42.57			
4-WIRE COPPER LOOP													
4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1	1	UCL	UCL4S		19.64	144.17	93.88			55.12	10.38		
4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2	2	UCL	UCL4S		20.90	144.17	93.88			55.12	10.38		
4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3	3	UCL	UCL4S		19.34	144.17	93.88			55.12	10.38		
Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		8.17								
4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1	UCL	UCL4W		19.64	119.13				81.15			
4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	2	UCL	UCL4W		20.90	119.13				81.15			
4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	3	UCL	UCL4W		19.34	119.13				81.15			
Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		8.17					81.15			
CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)		UCL	UREWO			94.87				42.57			
LOOP MODIFICATION													
Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18K ft per Unbundled Loop		UAL, UHL, UCL, UEQ, ULS, UEA, UANL, UEPSR, UEPSB	ULM2L			32.46							
Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop		UHL, UCL, UEA, UAL, UHL, UCL, UEQ, ULS, UEA, UANL, UEPSR, UEPSB	ULM4L			32.46							
Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			ULMBT			32.48							
SUB-LOOPS													
Sub-Loop Distribution													
Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	-	UEANL	USBBA			241.42							
Sub-Loop - Per Cross Box Location - Per 25' Pair Panel Set-Up	1	UEANL	USBBSB			22.69							
Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	1	UEANL	USBSC			177.84							
Sub-Loop - Per Building Equipment Room - Per 25' Pair Panel Set-Up	1	UEANL	USBSD			55.58							
Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	1	UEANL	USBN2			65.94				31.03	45.35	6.71	
Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	2	UEANL	USBN2			65.94				31.03	45.35	6.71	
Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	3	UEANL	USBN2			65.94				31.03	45.35	6.71	
Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEANL	USBMC			8.17							

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)			Nonrecurring Add'l	Nonrecurring Disconnect Add'l	Attachment 2 Rates (\$)	Exhibit A		
					Rec	First	Add'l				Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic Disc 1st
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1	1	UEANL	USEN4	14.11	79.21	44.29	.49.82	.49.82	9.09			
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2	2	UEANL	USEN4	19.40	79.21	44.29	.49.82	.49.82	9.09			
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3	3	UEANL	USEN4	18.90	79.21	44.29	.49.82	.49.82	9.09			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair												
	Sub-Loop 2-Wire Intrabunking Network Cable (INC)	1	UEANL	USER2	2.41	53.13	18.21	.45.35	.45.35	6.71			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair												
	Sub-Loop 4-Wire Intrabunking Network Cable (INC)	1	UEANL	USER4	5.36	59.38	24.47	.49.82	.49.82	9.09			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair												
	Loop Testing - Basic 1st Half Hour												
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	UEF	URET1		8.17	8.17						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	UEF	UCS2X	7.11	65.94	31.63	.45.35	.45.35	6.71			
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	UEF	UCS2X	9.83	65.94	31.63	.45.35	.45.35	6.71			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair												
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	UEF	USERMC		8.17	8.17						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	UEF	UCS4X	7.65	79.21	44.29	.49.82	.49.82	9.09			
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	UEF	UCS4X	14.17	79.21	44.29	.49.82	.49.82	9.09			
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair												
	Loop Testing - Basic 1st Half Hour												
	Unbundled Network Terminating Wire (UNTW)												
	Unbundled Network Terminating Wire (UNTW) per Pair												
	Network Interface Device (NID)												
	Network Interface Device (NID) - 1-2 lines												
	Network Interface Device (NID) - 1-6 lines												
	Network Interface Device Cross Connect - 2 W												
	Network Interface Device Cross Connect - 4 W												
	UNE OTHER, PROVISIONING ONLY - NO RATE												
	ID - Dispatch and Service Order for NID installation												
	UNTW Circuit Id Establishment, Provisioning Only - No Rate												
	Unbundled Contract Name, Provisioning Only - No Rate												
	UNE OTHER, PROVISIONING ONLY - NO RATE												
	Unbundled Contact Name, Provisioning Only - no rate												
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no rate												
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate												
	Unbundled DS1 Loop - Supertrans Format option - no rate												
	HIGH CAPACITY UNBUNDLED LOCAL LOOP												
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month												
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month												
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month												
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month												
	LOOP MAKE-UP												
	Loop Make-up - Preordening Without Reservation, per working or spare facility queried (Manual)												

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)			Attachment 2			Exhibit A		
						Rec	Nonrecurring	Nonrecurring	Attachment 2	Incremental Svc Order Submitted	Incremental Svc Order vs Electronic- Disc Add'l	Charge - Manual Svc Order vs Electronic- Disc Add'l	Incremental Svc Order Submitted	Incremental Svc Order vs Electronic- Disc Add'l
	Loop Makeup - Preordring With Reservation, per spare facility queued (Manual)			UNK	UMKLP		First	Add'l	SOMECC	SOMAN	SOMAN	SOMAN	SOMECC	SOMAN
	Loop Makeup -With or Without Reservation, per working or spare facility queued (Mechanized)			UNK	UMKKQ		25.49	25.49						
LINE SPLITTING						0.34	0.34							
LINE SPLITTING														
END USER ORDERING-CENTRAL OFFICE BASED														
Line Splitting - per line activation DLEC owned splitter	UEPSR UEPSSB	UREOS	0.61											
Line Splitting - per line activation BST owned - physical	UEPSR UEPSSB	UREBP	0.61											
Line Splitting - per line activation BST owned - virtual	UEPSR UEPSSB	UREBV	0.61											
Maintenance Of Service														
NOTE: The expedite charge will be maintained commensurate with BellSouth's FCC No 1 Tariff, Section 13.1 as applicable														
No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00							
No Trouble Found - per 1/2 hour increments - Premium						90.00	65.00							
UNBUNDLED TRANSPORT														
INTEROFFICE CHANNEL - DEDICATED TRANSPORT														
Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month	U1TVX	1L5XX	0.0167											
Interoffice Channel - Dedicated Transport - 2 - Wire Voice Grade - Facility Termination	U1TVX	U1TV2	24.30	40.63	27.47	16.77	6.91							
Interoffice Channel - Dedicated Transport 1 - 2-Wire Voice Grade Per Mkt - Per Mile per month	U1TVX	1L5XX	0.0167											
Interoffice Channel - Dedicated Transport - 2 - Wire VG Rev Batt - Facility Termination	U1TVX	U1TR2	24.30	40.63	27.47	16.77	6.91							
Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month	U1TVX	1L5XX	0.0167											
Interoffice Channel - Dedicated Transport - 4 - Wire Voice Grade - Facility Termination	U1TVX	U1TV4	21.29	40.63	27.47	16.77	6.91							
Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month	U1TDX	1L5XX	0.0167											
Interoffice Channel - Dedicated Transport - 36 kbps - Facility Termination	U1TDX	U1TDS	16.76	40.63	27.47	16.77	6.91							
Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month	U1TDX	1L5XX	0.0167											
Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month	U1TDX	U1TD6	16.76	40.63	27.47	16.77	6.91							
Interoffice Channel - Dedicated Channel - DS1 - Facility Termination	U1TDX	1L5XX	0.345											
Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month	U1TDX	U1TF1	77.14	89.47	81.99	16.39	14.48							
Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month	U1TDX	1L5XX	8.02											
Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month	U1TS1	U1TS1	8.02											
Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination	U1TS1	U1TFS	880.55	279.37	163.12	60.33	58.59							
DARK FIBER														
Dark Fiber Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel	UDF_UDFCX	1L5DC	112.30											
Dark Fiber Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Interoffice Channel	UDF_UDFCX	1L5DF	36.41											
NRC Dark Fiber - Interoffice Channel	UDF_UDFCX	UDF14	640.51											
Dark Fiber Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop	UDF_UDFCX	1L5DL	112.30											
VIRTUAL COLLOCATION														
Physical Colocation-2 Wire Cross Connects (Loop) for Line Splitting	UEPSR UEPSSB	VE1LS	0.0317	12.32	11.83	6.04	5.45							
PHYSICAL COLLOCATION														
ENHANCED EXTENDED LINK (EE1s)	UEPSR UEPSSB	PE1LS	0.0341	12.32	11.83	6.04	5.45							

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Attachment 2			Attachment 3		
							Rec	First Add'l	Nonrecurring Disconnect Add'l	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic Disc Add'l	OSS Rates (\$)
UNBUNDLED NETWORK ELEMENTS - South Carolina												
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month			UNCDX	U1TDS	13.41	40.63	27.47	16.77	6.91		
	4-WIRE 64 Kbps DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT			1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61	
	4-wire 64 kbps Local Loop in Combination - Zone 1			2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61	
	4-wire 64 kbps Local Loop in Combination - Zone 2			3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61	
	4-wire 64 kbps Local Loop in Combination - Zone 3											
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNCDX	1L5XX	0.0134						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month			UNCDX	U1TDS	13.41	40.63	27.47	16.77	6.91		
	4-WIRE 36 Kbps DIGITAL EXTENDED LOOP WITH DSO INTEROFFICE TRANSPORT			1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61	
	4-wire 36 kbps Local Loop in combination - Zone 1			2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61	
	4-wire 36 kbps Local Loop in combination - Zone 2			3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61	
	4-wire 36 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0134						
	4-wire 36 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TDS	13.41	40.63	27.47	16.77	6.91		
	4-WIRE 64 Kbps DIGITAL EXTENDED LOOP WITH DSO INTEROFFICE TRANSPORT			1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61	
	4-wire 64 kbps Local Loop in combination - Zone 1			2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61	
	4-wire 64 kbps Local Loop in combination - Zone 2			3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61	
	4-wire 64 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0134						
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TDS	13.41	40.63	27.47	16.77	6.91		
	D51 DIGITAL LOOP AND D51 INTEROFFICE TRANSPORT			1	UNC1X	USLXX	90.87	253.03	157.99	44.80	11.73	
	4-Wire D51 Digital Loop in Combination - Zone 1			2	UNC1X	USLXX	155.43	253.03	157.99	44.80	11.73	
	4-Wire D51 Digital Loop in Combination - Zone 2			3	UNC1X	USLXX	261.89	253.03	157.99	44.80	11.73	
	4-wire D51 Digital Loop in Combination - Zone 3											
	Interoffice Transport - Dedicated - D51 combination - Per Mile per month			UNC1X	1L5XX	0.27						
	Interoffice Transport - Dedicated - D51 combination - Facility			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		
	D53 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT			UNCSX	1L5ND	12.26						
	DS3 Local Loop in combination - per mile per month			UNCSX	U2SPX	306.36	452.52	264.53	119.75	83.77		
	DS3 Local Loop in combination - Facility Termination per month			UNCSX	1L5XX	6.42						
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNCSX	U1TF3	704.52	279.37	163.12	60.33	58.59		
	Interoffice Transport - Dedicated - DS3 combination - Facility			UNCSX	U1TF3	704.44	279.37	163.12	60.33	58.59		
	STS-1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT			UNCSX	1L5ND	12.26						
	STS-1 Local Loop in combination - per mile per month			UNCSX	UDLS1	313.49	452.52	264.53	119.75	83.77		
	STS-1 Local Loop in combination - Facility Termination per month			UNCSX	1L5XX	6.42						
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNCSX	U1TF5	704.44	279.37	163.12	60.33	58.59		
	Interoffice Transport - Dedicated - STS-1 combination - Facility			UNCSX	U1TF5	704.44	279.37	163.12	60.33	58.59		
ADDITIONAL NETWORK ELEMENTS												
	When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As is charge does apply.											
	When used as an ordinary combined network elements in All States, the non-recurring charges apply and the Switch As is Charge does not apply.											
	Nonoccurring Currently Combined Network Elements (Switch As is Charge (One applies to each combination))											
	Nonoccurring Currently Combined Network Elements Switch As-is											
	Charge											
	Optional Features & Functions											
	Clear Channel Capability Extended Frame Option - per DS1											
	Clear Channel Capability Super Frame Option - per DS1											
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1											

UNBUNDLED NETWORK ELEMENTS - South Carolina						Attachment 2					
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)					
						Rec	First	Add'l	Nonrecurring	Disconnect	OSS Rates (\$)
MULTIPLEXERS	Coin Party Option - Subsequent Activity - per DS3	-		UITD3 ULDD03, UE3 UNCSX	NRCC3		219.58	7.69	0.737	0.00	
DS1 to DS0 Channel System	System per month	UNC1X	MO1	107.57	91.24	62.71	10.56	9.81			
OC1-DP COCI (data) - DS1 to DS0 Channel System - per month (2-456Kbs) used for a Local Loop	UDL	1D1DD		1.19	6.59	4.73					
OC1-DP COCI (data) - DS1 to DS0 Channel System - per month (2-456Kbs) used for connection to a channelized DS1 Local Channel in the same SWIC as colocation	U1TUD	1D1DD		1.19	6.59	4.73					
2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop	UDN	UC1CA		2.56	6.59	4.73					
2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWIC as colocation	U1TUB	UC1CA		2.56	6.59	4.73					
Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop	UEA	1D1VG		0.56	6.59	4.73					
Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWIC as colocation	UITTUC	1D1VG		0.56	6.59	4.73					
DS3 to DS1 Channel System per month	UNCSX	MO3	144.02	178.54	94.18	33.33	31.90				
DS1 COCI used with Loop per month	UNCSX	MO3	144.02	178.54	94.18	33.33	31.90				
DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWIC as colocation) per month	USL	UC1D1	8.64	6.59	4.73						
DS1 COCI used with Interface Channel per month	UITUA	UC1D1	8.64	6.59	4.73						
DS3 Interface Unit (DS3 COCI) used with Local Channel per month	UITDI	UC1D1	8.64	6.59	4.73						
Note: Rates displaying an "-" in Interim column are interim as a result of a Commission order											

UNBUNDLED NETWORK ELEMENTS - Tennessee										Exhibit A														
CATEGORY	RATE ELEMENTS			Interim Zone	BCS	USOC	RATES (\$)			Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- 1st	Incremental Charge - Manual Svc Order vs Electronic- Ad'l	OSS Rates (\$)	SOMEC	SOMAN	SOMAN								
	Rec	Nonrecurring First	Add'l				Nonrecurring Disconnect First	Add'l																
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website http://www.interconnection.bellsouth.com/become_a_cleicml/interconnection.htm																								
OPERATIONAL SUPPORT SYSTEMS (OSS) - REGIONAL RATES*																								
NOTE: (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this rate exhibit are the BellSouth "regional" service ordering charges. CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has a interconnection contract established in each of the 9 states.																								
NOTE: (2) Any element that can be ordered electronically will be billed according to the SOMEC rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the LOH, the listed SOMEC rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be applied to a CLEC's bill when it submits an LSR to BellSouth																								
NOTE: (3) OSS - Manual Service Order Charge, Per Element - UNE Only **Please see applicable rate element for SOMAN charge** OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only																								
UNE SERVICE DATE ADVANCEMENT CHARGE																								
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No 1 Tariff, Section 5 as applicable																								
UAI, UEANL, UCL, UEF, UDF, UFO, UDL, UENTW, UDN, UEA, UHL, ULC, U1T12, U1T48, U1TD1, U1TD3, U1TDX, U1TO3, UITS1, U1TVX, UCIBC, UCIBL, UCICC, UC1CL, UC1DC, UC1DL, UC1EC, UC1EL, UC1FC, UC1FL, UC1GC, UC1GL, UC1HC, UC1HL, UDL12, UDL48, UDL03, UDL12, ULD46, ULD1, ULD03, ULD0X, ULD03, ULD51, ULDVX, UNCI, UNCX, UNCDX, UNCNX, UNCSX, UNCX, UNLD1, UNLD3, UXTD1, UXTD3, UXTS1, UUTC, U1TUD, SDASP, 200.00, UTTUB, U1TUA, 200.00, UNE Expedite Charge per Circuit or Line Assignable USOC, per Day																								
UNBUNDLED EXCHANGE ACCESS LOOP																								
2-WIRE ANALOG VOICE GRADE LOOP - Service Level 1- Zone 1																								
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2																								
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3-																								
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1																								
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2																								
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3																								
Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise.																								
Loop Testing - Basic 1st Half Hour																								
Loop Testing - Basic Additional Half Hour																								
CLEC to CLEC Conversion Charge Without Outside Dispatch (UWL-SL1)																								

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		RATES (\$)	Attachment 2			Exhibit A						
								Rec	Nonrecurring First	Add'l	Nonrecurring First	Add'l	OSS Rates (\$)	Svc Order Submitted Elec per LSR	Manually per LSR	Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up. Engineering Information - E 1)			UEANL	UEANM		28.80	28.80									
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	UEAMC		36.52	36.52									
2-WIRE UNBUNDLED COPPER LOOP				UEANL	OCOSL		34.29	34.29									
2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1	UEO	UEO2X	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32	13.32	13.32	13.32
2-Wire Unbundled Copper Loop - Non-Designed - Zone 2	2	UEO	UEO2X	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32	13.32	13.32	13.32
2-Wire Unbundled Copper Loop - Non-Designed - Zone 3	3	UEO	UEO2X	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32	13.32	13.32	13.32
Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise				UEO	URETL		8.33	0.83									
Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)				UEO	USBMC		36.52	36.52									
Unbundled Copper Loop, Non-Design Copper Loop, billing for Loop Providing make-up. (Engineering Information - E 1)				UEO	UQOMU		28.80	28.80									
Loop Testing - Basic 1st Half Hour				UEO	URET1		78.92	78.92									
Loop Testing - Basic Additional Half Hour				UEO	URET2A		23.33	23.33									
CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND)				UEO	UREWO		14.29	7.44									
UNBUNDLED EXCHANGE ACCESS LOOP																	
2-WIRE ANALOG VOICE GRADE LOOP																	
2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1	1	UEPSR UEPSB	UEALS	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32	13.32	13.32	13.32
2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1	1	UEPSR UEPSB	UEABS	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32	13.32	13.32	13.32
2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 2	2	UEPSR UEPSB	UEALS	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32	13.32	13.32	13.32
2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 2	2	UEPSR UEPSB	UEABS	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32	13.32	13.32	13.32
2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3	3	UEPSR UEPSB	UEALS	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32	13.32	13.32	13.32
2-Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3	3	UEPSR UEPSB	UEABS	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32	13.32	13.32	13.32
UNBUNDLED EXCHANGE ACCESS LOOP																	
2-WIRE ANALOG VOICE GRADE LOOP																	
2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1	1	UEA	UEAL2	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32	13.32	13.32	13.32
2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2	2	UEA	UEAL2	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32	13.32	13.32	13.32
2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3	3	UEA	UEAL2	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32	13.32	13.32	13.32
Order Coordination for Specified Conversion Time (per LSR)				UEA	OCOSL		34.29	34.29									
Order Coordination for Specified Conversion Time (per LSR)				UEA	UREWO		75.06	36.41									
CLEC to CLEC Conversion Charge without outside dispatch (UCL-ND)				UEA	URET1		11.23	1.10									
Loop Tagging - Service Level 2 (SL2)				UEA	URET2		21.63	75.06	48.20	28.70	17.64		20.35	10.54	13.32	13.32	13.32
4-Wire Analog Voice Grade Loop - Zone 1	1	UEA	UEAL4	24.70	122.76	85.57	76.35	39.16									
4-Wire Analog Voice Grade Loop - Zone 2	2	UEA	UEAL4	32.25	122.76	85.57	76.35	39.16									
4-Wire Analog Voice Grade Loop - Zone 3	3	UEA	UEAL4	42.17	122.76	85.57	76.35	39.16									
Order Coordination for Specified Conversion Time (per LSR)				UEA	OCOSL		34.29	34.29									
CLEC to CLEC Conversion Charge without outside dispatch (UCL-ND)				UEA	UREWO		75.06	36.41									
2-WIRE ISDN DIGITAL GRADE LOOP				UDN	U112X		22.22	142.76	88.88	76.35	39.16		20.35	10.54	13.32	13.32	13.32

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		RATES (\$)	Attachment 2				Attachment 1					
								Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic - Disc Add'l	OSS Rates (\$)	SOMAN	SOMAN	SOMAN
	2-Wire ISDN Digital Grade Loop - Zone 2	2	UDN	UJ12X	29.02	142.76	88.88		88.88		76.35	39.16		20.35	10.54	13.32	13.32
	2-Wire ISDN Digital Grade Loop - Zone 3	3	UDN	UJ12X	37.95	142.76	88.88		88.88		76.35	39.16		20.35	10.54	13.32	13.32
	Order Coordination For Specified Conversion Time (per LSR)		UDN	OCOSL													
	CLEC to CLEC Conversion Charge without outside dispatch		UDN	UREWO													
2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP																	
	2 Wire Unbundled ADSL Loop including manual service inquiry	1	UAL														
	& facility reservation - Zone 1		UAL	UAL2X	13.82	270.01	234.63	74.54	74.54	39.14							
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2	2	UAL	UAL2X	18.05	270.01	234.63	74.54	74.54	39.14							
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3	3	UAL	UAL2X	23.60	270.01	234.63	74.54	74.54	39.14							
	Order Coordination for Specified Conversion Time (per LSR)		UAL	OCOSL													
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1		UAL	UAL2W	13.82	31.99	20.02	10.65	10.65	1.41							
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2	1	UAL	UAL2W	18.05	31.99	20.02	10.65	10.65	1.41							
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3	2	UAL	UAL2W	23.60	31.99	20.02	10.65	10.65	1.41							
	Order Coordination for Specified Conversion Time (per LSR)		UAL	OCOSL													
	CLEC to CLEC Conversion Charge without outside dispatch		UAL	UREWO													
2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																	
	2 Wire Unbundled HDSL Loop including manual service inquiry	1	UHL														
	& facility reservation - Zone 1		UHL	UHL2X	10.83	270.01	234.63	74.54	74.54	39.14							
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2	2	UHL	UHL2X	14.15	270.01	234.63	74.54	74.54	39.14							
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3	3	UHL	UHL2X	18.50	270.01	234.63	74.54	74.54	39.14							
	Order Coordination for Specified Conversion Time (per LSR)		UHL	OCOSL													
	2 Wire Unbundled HDSL Loop without manual service inquiry & facility reservation - Zone 1		UHL	UHL2W	10.83	31.99	20.02	10.65	10.65	1.41							
	2 Wire Unbundled HDSL Loop without manual service inquiry & facility reservation - Zone 2	1	UHL	UHL2W	14.15	31.99	20.02	10.65	10.65	1.41							
	2 Wire Unbundled HDSL Loop without manual service inquiry & facility reservation - Zone 3	2	UHL	UHL2W	18.50	31.99	20.02	10.65	10.65	1.41							
	Order Coordination for Specified Conversion Time (per LSR)		UHL	OCOSL													
	CLEC to CLEC Conversion Charge without outside dispatch		UHL	UREWO													
4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																	
	4 Wire Unbundled HDSL Loop including manual service inquiry	1	UHL														
	& facility reservation - Zone 1		UHL	UHL4X	13.93	279.60	244.22	74.54	74.54	39.14							
	4 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2	2	UHL	UHL4X	18.20	279.60	244.22	74.54	74.54	39.14							
	4 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3	3	UHL	UHL4X	23.80	279.60	244.22	74.54	74.54	39.14							
	Order Coordination for Specified Conversion Time (per LSR)		UHL	OCOSL													
	4 Wire Unbundled HDSL Loop without manual service inquiry & facility reservation - Zone 1		UHL	UREWO													
	CLEC to CLEC Conversion Charge without outside dispatch		UHL														
4-WIRE DS1 DIGITAL LOOP																	
	4-Wire DS1 Digital Loop - Zone 1	1	USL	USLXX	57.73	313.08	219.72	96.86	96.86	40.45							
	4-Wire DS1 Digital Loop - Zone 2	2	USL	USLXX	75.40	313.08	219.72	96.86	96.86	40.45							
	4-Wire DS1 Digital Loop - Zone 3	3	USL	USLXX	98.59	313.08	219.72	96.86	96.86	40.45							
	Order Coordination for Specified Conversion Time (per LSR)		USL	OCOSL													
	CLEC to CLEC Conversion Charge without outside dispatch		USL	UREWO													
4-WIRE 19.2, 56 OR 64 Kbps DIGITAL GRADE LOOP																	

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		RATES (\$)	Attachment 2		Exhibit A	
								Rec	Nonrecurring First Add'l	Nonrecurring First	OSS Rates (\$)
	4 Wire Unbundled Digital 19.2 Kbps	1	UDL	UDL19	31.10	207.01	141.38	90.70	44.18	20.35	10.54
	4 Wire Unbundled Digital 19.2 Kbps	2	UDL	UDL19	40.61	207.01	141.38	90.70	44.18	20.35	10.54
	4 Wire Unbundled Digital 19.2 Kbps	3	UDL	UDL19	53.11	207.01	141.38	90.70	44.18	20.35	10.54
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	UDL	UDL56	31.10	207.01	141.38	90.70	44.18	20.35	10.54
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	2	UDL	UDL56	40.61	207.01	141.38	90.70	44.18	20.35	10.54
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	3	UDL	UDL56	53.11	207.01	141.38	90.70	44.18	20.35	10.54
	Order Coordination for Specified Conversion Time (per LSR)		UDL	OCOSL	34.29						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	UDL	UDL64	31.10	207.01	141.38	90.70	44.18	20.35	10.54
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	2	UDL	UDL64	40.61	207.01	141.38	90.70	44.18	20.35	10.54
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	3	UDL	UDL64	53.11	207.01	141.38	90.70	44.18	20.35	10.54
	Order Coordination for Specified Conversion Time (per LSR)		UDL	OCOSL	34.29						
	CLEC to CLEC Conversion Charge without outside dispatch		UDL	UREWO	102.28		49.82				
	2-WIRE UNBUNDLED COPPER LOOP										
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1	1	UCL	UCLPB	13.19	31.99	20.02	10.65	1.41	20.35	10.54
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2	2	UCL	UCLPB	17.23	31.99	20.02	10.65	1.41	20.35	10.54
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3	3	UCL	UCLPB	22.53	31.99	20.02	10.65	1.41	20.35	10.54
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC	36.52		36.52				
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1	UCL	UCLPW	13.19	31.99	20.02	10.65	1.41	20.35	10.54
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	2	UCL	UCLPW	17.23	31.99	20.02	10.65	1.41	20.35	10.54
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	3	UCL	UCLPW	22.53	31.99	20.02	10.65	1.41	20.35	10.54
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC	36.52		36.52				
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1	UCL	UCLPW	13.19	31.99	20.02	10.65	1.41	20.35	10.54
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	2	UCL	UCLPW	17.23	31.99	20.02	10.65	1.41	20.35	10.54
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	3	UCL	UCLPW	22.53	31.99	20.02	10.65	1.41	20.35	10.54
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC	36.52		36.52				
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)		UCL	UREWO	31.99	20.02				20.35	10.54
	4-WIRE COPPER LOOP										
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1	1	UCL	UCLAS	24.70	122.76	85.57	76.35	39.16	20.35	10.54
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2	2	UCL	UCLAS	32.25	122.76	85.57	76.35	39.16	20.35	10.54
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3	3	UCL	UCLAS	42.17	122.76	85.57	76.35	39.16	20.35	10.54
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC	36.52		36.52				
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1	UCL	UCLAW	24.70	122.76	85.57	76.35	39.16	20.35	10.54
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	2	UCL	UCLAW	32.25	122.76	85.57	76.35	39.16	20.35	10.54
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	3	UCL	UCLAW	42.17	122.76	85.57	76.35	39.16	20.35	10.54
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC	36.52		36.52				
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)		UCL	UREWO	31.99	20.02				20.35	10.54
	LOOP MODIFICATION										
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18K ft, per Unbundled Loop		UAL, UHL, UCL, UEQ, ULS, UEA, UENAL, UEPSR, UELPSB, ULM2L								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop		UHL, UCL, UEA, UENAL, UEPSR, UELPSB, ULM4L								
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop		UAL, UHL, UCL, UEQ, ULS, UEA, UENAL, UEPSR, UELPSB, ULMBT								
	SUB-LOOPS										
	Sub-Loop Distribution										

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)	Attachment 2				Exhibit A			
							Rec	Nonrecurring First	Add'l	Nonrecurring First	Add'l	OSS Rates (\$)	SOMAN	SOMAN
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up	1	UEANL	USBSA		517.25	517.25					20.35	10.54	13.32
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	1	UEANL	USBSB		42.68	42.68					20.35	10.54	13.32
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	1	UEANL	USBSC		313.01	313.01					20.35	10.54	13.32
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	1	UEANL	USBSD		108.06	108.06					20.35	10.54	13.32
	Statewide Loop Distribution Per 2-Wire Analog Voice Grade Loop -	SW	UEANL	USBN2	10.02	148.84	112.34	73.14	36.65			20.35	10.54	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair - Zone 1	1	UEANL	USBMC		34.29	34.29							
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2	2	UEANL	USBN4	9.54	147.93	75.11	99.96	16.98			20.35	10.54	13.32
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3	3	UEANL	USBN4	12.47	147.93	75.11	99.96	16.98			20.35	10.54	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair - Sub-Loop Distribution Per 4-Wire IntraBuilding Network Cable (INC)	1	UEANL	USBMC		34.29	34.29							
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair - Sub-Loop Distribution Per 4-Wire IntraBuilding Network Cable (INC)	1	UEANL	USBR4	2.26	116.14	37.10							
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair - Order Coordination for Unbundled Sub-Loops, per sub-loop pair	1	UEANL	USBR2	1.35	94.56	29.35							
	Loop Testing - Basic 1st Half Hour	UEANL	URET1											
	Loop Testing - Basic Additional Half Hour	UEANL	URET1											
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	UEF	UCS2X	5.16	110.71	37.89	94.41	13.09			20.35	10.54	13.32
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	UEF	UCS2X	6.74	110.71	37.89	94.41	13.09			20.35	10.54	13.32
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	UEF	UCS2X	8.81	110.71	37.89	94.41	13.09			20.35	10.54	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair - 2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	UEF	USBMC		34.29	34.29							
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	UEF	UCS4X	6.52	117.12	44.30	99.96	16.98			20.35	10.54	13.32
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	UEF	UCS4X	8.52	117.12	44.30	99.96	16.98			20.35	10.54	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair - 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	UEF	UCS4X	11.14	117.12	44.30	99.96	16.98			20.35	10.54	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair - 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	1	UEF	USBMC		34.29	34.29							
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair - 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	1	UEF	USBMC		34.29	34.29							
	Loop Testing - Basic 1st Half Hour	UEF	URET1											
	Unbundled Network Terminating Wire (UNTW)	1	UENTW											
	Network Interface Device (NID)	1	UENTW	UENPP	0.4555	2.48	2.48							
	Network Interface Device (NID) - 1-2 lines	1	UENTW	UND12	89.69	54.56	0.6391	0.6391	20.35	10.54	13.32	13.32	13.32	13.32
	Network Interface Device (NID) - 1-6 lines	1	UENTW	UND16	129.65	36.51	0.6522	0.6522	20.35	10.54	13.32	13.32	13.32	13.32
	Network Interface Device Cross Connect - 2 W	1	UENTW	UND22	11.11	11.11			20.35	10.54	13.32	13.32	13.32	13.32
	Network Interface Device Cross Connect - 4 W	1	UENTW	UND4	11.11	11.11			20.35	10.54	13.32	13.32	13.32	13.32
	UNE OTHER, PROVISIONING ONLY, NO RATE	-	UENTW	UNDBX	0.00	0.00								
	UNE OTHER, Circuit Id Establishment, Provisioning Only - No Rate	-	UENTW	UENCE	--	0.00	0.00							
	Unbundled Contract Name, Provisioning Only - No Rate		UEANL,UEF,UEQU, UENTW	UNEQN	0.00	0.00								
	Unbundled Sub-Loop Feeder 2 Wire Cross Box Jumper - no rate		UAN, UCL, UDC, UDL, UDN, UEA, UHL, UJS, UECN	UEAFQ	0.00	0.00								

CATEGORY	RATE ELEMENTS	Interrn	Zone	BCS	USOC		RATES (\$)			Attachment 2		Exhibit A			
							Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st		
UNBUNDLED NETWORK ELEMENTS - Tennessee												Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	SOMAN	SOMAN
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no rate			UEA, USL, UCL, UDL	USFR	0.00	0.00								
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00								
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	CCOEF	0.00	0.00								
HIGH CAPACITY UNBUNDLED LOCAL LOOP															
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1LND	9.19									
	Termination per month			UE3	UEPX	374.24	684.6755	350.175	270.0545	195.684		20.35	10.54		
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1LND	9.19									
	High Capacity Unbundled Local Loop - STS-1 - Facility			UDLSX	UDLS1	389.35	684.6755	350.175	248.193	173.6225		20.35	10.54		
	Termination per month														
LOOP MAKEUP															
	Loop Makeup - Preordening Without Reservation, per working or spare facility queried (Manual)	R		UMK	UMKLW		0.76	0.76				19.99	19.99	19.99	19.99
	Loop Makeup - Preordening With Reservation, per spare facility queried (Manual)	R		UMK	UMKLP		0.76	0.76				19.99	19.99	19.99	19.99
	Loop Makeup - With or Without Reservation, per working or spare facility queried (Mechanized)	R		UMK	UMKMQ		0.76	0.76							
LINE SPLITTING															
	Line Splitting - Preordening Without Reservation, per 1/2 hour increments - Basic			UERSR UEPSB	UREOS	0.61									
	Line Splitting - Preordening Without Reservation, per 1/2 hour increments - Premium			UERSP UEPSB	UREBP	0.61	48.96	21.39	35.06	10.79		20.35	10.54	13.32	13.32
	Line Splitting - Per line activation BSI owned - virtual			UERSR UEPSB	UREAV	0.61	48.96	21.39	35.06	10.79		20.35	10.54	13.32	13.32
MAINTENANCE OF SERVICE															
	NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No 1 Tariff, Section 13.3 as applicable.														
	No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00							
	No Trouble Found - per 1/2 hour increments - Overtime						90.00	65.00							
	No Trouble Found - per 1/2 hour increments - Premium						100.00	75.00							
UNBUNDLED DEDICATED TRANSPORT															
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT			UITVX	1L5XX	0.0054									
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			UITVX	UITV2	18.58	55.39	17.37	27.96	3.51		20.35	21.09		
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Facility Termination			UITVX	1L5XX	0.0054									
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Rev Bal - Per Mile per month			UITVX	UITV4	24.09	37.87	26.02	30.78	13.07					
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Facility Termination			UITVX	1L5XX	0.0054									
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			UITVX	UITD5	17.98	55.39	17.37	27.96	3.51		20.35	21.09		
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Facility Termination			UITVX	UITDX	0.0174									
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility per month			UITVX	UITD6	17.98	55.39	17.37	27.96	3.51		20.35	21.09		
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			UITVX	UITD7	0.0174									
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			UITVX	UITD8	17.98	55.39	17.37	27.96	3.51		20.35	21.09		
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			UITD1	1L5XX	0.3562									
	Interoffice Channel - Dedicated Transport - DS1 - Facility Termination			UITD1	UITF1	77.86	112.40	76.27	19.55	14.99		20.35	21.09		

CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC		RATES (\$)	Attachment: 2				Exhibit A			
								Rec	Nonrecurring First	Add'l	First	Nonrecurring Disconnect Add'l	Svc Order Submitted Manually per LSR Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	Attachment: 2
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX		2.34								
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	848.99	395.29	176.56	109.04	105.91			36.84		36.84
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX		2.34								
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination			U1TS1	U1TF5	849.30	395.29	176.56	109.04	105.91			36.84		36.84
DARK FIBER	Dark Fiber Four Fiber Strands, Per Route Mile or Fraction Threaded per month - Local Channel			UDF, UDFCX	1L5DC		67.65								
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Threaded per month - Interoffice Channel			UDF, UDFCX	1L5DF		28.74								
	NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14		1,121.00		153.19	50.26	357.17		20.35	10.54	13.32
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Threaded per month - Local Loop			UDF, UDFCX	1L5DL		67.65								
	VIRTUAL COLLOCATION			UEPSR, UEPSB	VE1LS		0.57	11.62	9.90	10.38	8.66		19.99	19.99	19.99
PHYSICAL COLOCATION	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR, UEPSB	PE1LS		0.7905	11.62	9.90	10.38	8.66		19.99	19.99	19.99
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR, UEPSB	PE1LS		0.7905	11.62	9.90	10.38	8.66		19.99	19.99	19.99
ENHANCED EXTENDED LINK (EELs)															
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-A'sis Charge will not apply for UNE combinations provisioned below will apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements.															
2-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION															
	2-Wire VG Loop (SL2) in Combination - Zone 1			1	UNCX		16.56	108.76	35.47	72.94	10.86		20.35	21.09	
	2-Wire VG Loop (SL2) in Combination - Zone 2			2	UNCX		16.53	108.76	35.47	72.94	10.86		20.35	21.09	
	2-Wire VG Loop (SL2) in Combination - Zone 3			3	UNCX		28.28	108.76	35.47	72.94	10.86		20.35	21.09	
	Voice Grade COCI - Per Month			UNCX	DI1VG	0.91	5.70	4.42							
4-WIRE VOICE GRADE LOOP FOR USE IN A COMBINATION															
	4-Wire Analog Voice Grade Loop in Combination - Zone 1			1	UNCX		24.70	108.76	35.47	72.94	10.86		20.35	21.09	
	4-Wire Analog Voice Grade Loop in Combination - Zone 2			2	UNCX		32.26	108.76	35.47	72.94	10.86		20.35	21.09	
	4-Wire Analog Voice Grade Loop in Combination - Zone 3			3	UNCX		42.18	108.76	35.47	72.94	10.86		20.35	21.09	
	Voice Grade COCI in combination - per month			UNCX	DI1VG	0.91	5.70	4.42							
4-WIRE 56Kbps DIGITAL LOOP FOR USE IN A COMBINATION															
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1			1	UNCDX		31.10	108.76	35.47	72.94	10.86		20.35	21.09	
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2			2	UNCDX		40.61	108.76	35.47	72.94	10.86		20.35	21.09	
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3			3	UNCDX		53.11	108.76	35.47	72.94	10.86		20.35	21.09	
	OC1-DP COCI (data) per month (2+544ks)			UNCDX	1DD2	0.91	5.70	4.42					20.35	21.09	
4-WIRE 64 Kbps DIGITAL LOOP FOR USE IN A COMBINATION															
	2-Wire 64 Kbps Digital Grade Loop in Combination - Zone 1			1	UNCX		UDL64	31.10	108.76	35.47	72.94	10.86		20.35	21.09
	2-Wire 64 Kbps Digital Grade Loop in Combination - Zone 2			2	UNCX		40.61	108.76	35.47	72.94	10.86		20.35	21.09	
	2-Wire 64 Kbps Digital Grade Loop in Combination - Zone 3			3	UNCX		53.11	108.76	35.47	72.94	10.86		20.35	21.09	
	OC1-DP COCI (data) in combination per month (2+64Kbs)			UNCX	1D1DD	0.91	5.70	4.42							
2-WIRE ISDN LOOP FOR USE IN A COMBINATION															
	2-Wire ISDN Loop in Combination - Zone 1			1	UNCX		U112X	22.22	108.76	35.47	72.94	10.86		20.35	21.09
	2-Wire ISDN Loop in Combination - Zone 2			2	UNCX		U112X	29.02	108.76	35.47	72.94	10.86		20.35	21.09
	2-Wire ISDN Loop in Combination - Zone 3			3	UNCX		37.95	108.76	35.47	72.94	10.86		20.35	21.09	
4-WIRE DS1 DIGITAL LOOP FOR USE IN A COMBINATION															
	4-Wire DS1 Digital Loop in Combination - Zone 1			1	UNCX		USLXX	57.73	228.40	161.74	79.87	24.88		20.35	21.09
	4-Wire DS1 Digital Loop in Combination - Zone 2			2	UNCX		USLXX	75.40	228.40	161.74	79.87	24.88		20.35	21.09
	4-Wire DS1 Digital Loop in Combination - Zone 3			3	UNCX		98.59	228.40	161.74	79.87	24.88		20.35	21.09	
2 WIRE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION															
	Interoffice Transport 2-wire VG - Dedicated- Per Mile Per Month			UNCX	1L5XX	0.0174									

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES (\$)			Attachment 2			Exhibit A		
					Rec	Nonrecurring First	Add'l	Nonrecurring First	Add'l	OSS Rates (\$)	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic Disc 1st
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month	UNCVX	U1TV2	21 79	79 83	44 08	69 32	31 00					
4 WIRE VOICE GRADE INTEROFFICE TRANSPORT FOR USE IN A COMBINATION										20 35		21 09	
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per Month	UNCVX	1L5XX	0 0174									
	Interoffice Transport - 4-wire VG - Dedicated - Facility Termination per month	UNCVX	U1TV4	27 30	79 83	44 08	69 32	31 00			20 35		21 09
DS1 INTEROFFICE TRANSPORT FOR COMBINATION													
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month	UNC1X	1L5XX	0 3562									
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month	UNC1X	U1TF1	77 86	171 24	113 12	70 07	30 90			20 35		21 09
DS3 INTEROFFICE TRANSPORT FOR USE IN A COMBINATION													
	Interoffice Transport - Dedicated - DSS combination - Per Mile Per Month	UNCCX	1L5XX	2 34									
	Interoffice Transport - Dedicated - DS1 - Facility Termination per month	UNCCX	U1TF3	854 97	482 01	153 81	64 43	35 43			36 84		36 84
STS-1 INTEROFFICE TRANSPORT FOR USE IN A COMBINATION													
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month	UNCSX	1L5XX	2 34									
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month	UNCSX	U1TFS	849 30	482 01	153 81	64 43	35 43			36 84		36 84
4-WIRE 56 KBPS DIGITAL LOOP WITH 56 KBPS INTEROFFICE TRANSPORT													
	4-wire 56 kbps Local Loop in combination - Zone 1	1 UNCDX	UDL56	31 10	108 76	35 47	72 94	10 86					
	4-wire 56 kbps Local Loop in combination - Zone 2	2 UNCDX	UDL56	40 61	108 76	35 47	72 94	10 86					
	4-wire 56 kbps Local Loop in combination - Zone 3	3 UNCDX	UDL56	53 11	108 76	35 47	72 94	10 86					
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month	UNCDX	1L5XX	0 0174									
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month	UNCDX	U1TD5	21 19	79 83	44 08	69 32	31 00			20 35		21 09
4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT													
	4-wire 64 kbps Local Loop in Combination - Zone 1	1 UNCDX	UDL64	31 10	108 76	35 47	72 94	10 86					
	4-wire 64 kbps Local Loop in Combination - Zone 2	2 UNCDX	UDL64	40 61	108 76	35 47	72 94	10 86					
	4-wire 64 kbps Local Loop in Combination - Zone 3	3 UNCDX	UDL64	53 11	108 76	35 47	72 94	10 86					
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mic per month	UNCDX	1L5XX	0 0174									
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month	UNCDX	U1TDX	21 19	79 83	44 08	69 32	31 00			20 35		21 09
4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT													
	4-wire 64 kbps Local Loop in combination - Zone 1	1 UNCDX	UDL56	31 10	108 76	35 47	72 94	10 86			20 35		21 09
	4-wire 64 kbps Local Loop in combination - Zone 2	2 UNCDX	UDL56	40 61	108 76	35 47	72 94	10 86					
	4-wire 64 kbps Local Loop in combination - Zone 3	3 UNCDX	UDL56	53 11	108 76	35 47	72 94	10 86					
	Interoffice Transport - Dedicated - Per Mile per month	UNCDX	1L5XX	0 0174									
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month	UNCDX	U1TOS	21 19	79 83	44 08	69 32	31 00			20 35		21 09
4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS01 INTEROFFICE TRANSPORT													
	4-wire 64 kbps Local Loop in combination - Zone 1	1 UNCDX	UDL64	31 10	108 76	35 47	72 94	10 86					
	4-wire 64 kbps Local Loop in combination - Zone 2	2 UNCDX	UDL64	40 61	108 76	35 47	72 94	10 86					
	4-wire 64 kbps Local Loop in combination - Zone 3	3 UNCDX	UDL64	53 11	108 76	35 47	72 94	10 86					
	14-wire 64 kbps Interoffice Transport - Dedicated - Per Mile per month	UNCDX	1L5XX	0 0174									
	4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month	UNCDX	U1TDX	21 19	79 83	44 08	69 32	31 00			20 35		21 09
DS1 DIGITAL LOOP AND DS11 INTEROFFICE TRANSPORT													
	4-wire DS1 Digital Loop in Combination - Zone 1	1 UNCX	USLXX	57 73	228 40	161 74	79 87	24 88					
	4-wire DS1 Digital Loop in Combination - Zone 2	2 UNCX	USLXX	75 40	228 40	161 74	79 87	24 88					
	4-wire DS1 Digital Loop in Combination - Zone 3	3 UNCX	USLXX	98 59	228 40	161 74	79 87	24 88					

UNBUNDLED NETWORK ELEMENTS - Tennessee										Exhibit A			
CATEGORY	RATE ELEMENTS			Interim Zone	BCS	USOC	RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	SVC ORDER	Attachment 2 OSS Rates (\$)
	Nonrecurring First	Add'l	Nonrecurring First	Add'l	Nonrecurring Disconnect Add'l	SOMECSOMAN	SOMAN	SOMAN	SOMAN				
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month	1L5XX	0.3562										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month	UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09	
	DS3 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT												
	DS3 Local Loop in combination - per mile per month	UNC3X	1L5ND	9.19									
	DS3 Local Loop in combination - Facility Termination per month	UNC3X	UE3PX	373.47	240.23	180.87	106.78	45.24					
	Interoffice Transport - Dedicated - DS3 - Per Mile per month	UNC3X	1L5XX	2.34									
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month	UNC3X	U1TF3	854.97	482.01	153.81	64.43	35.43			36.84	36.84	
	STS-1 DIGITAL LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT												
	STS-1 Local Loop in combination - per mile per month	UNCSSX	1L5ND	9.19									
	STS-1 Local Loop in combination - Facility Termination per month	UNCSSX	UDLS1	394.56	240.23	180.87	106.78	45.24					
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month	UNCSSX	1L5XX	2.34									
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month	UNCSSX	U1TFS	849.30	482.01	153.81	64.43	35.43			36.84	36.84	
	ADDITIONAL NETWORK ELEMENTS												
	When used as a part of a currently combined facility, the non-recurring charges do not apply, but a switch as is charge does apply												
	When used as ordinarily combined network elements in All States, the non-recurring charges apply and the switch as is charge does not												
	Nonrecurring Currently Combined Network Elements 'Switch As Is' Charge (One applies to each combination)												
	Nonrecurring Currently Combined Network Elements Switch - As-Is Charge	UNCCX	UNCCX	UNCCX	UNCCX	52.73	24.62	9.12	9.12		53.73	24.62	
	Optional Features & Functions												
	Clear Channel Capability Extended Frame Option - per DS1	I	U1TD1, U1NC1X	CCOEF		0.00	0.00	0.00	0.00				
	Clear Channel Capability Super FrameOption - per DS1	-	U1TD1, U1NC1X	CCOSF		0.00	0.00	0.00	0.00				
	Clear Channel Capability (S/FEFF) Option - Subsequent Activity - per DS1	-	ULDD1, U1TD1, UNCTX, U1L5D3, U1TD3, U1NC3X	NRCCC	185.16	23.85	2.03	0.79	45.88	1.76			
	C-bit Party Option - Subsequent Activity - per DS3	-	U1TD3, U1L5D3, U1NC3X	NRCC3	219.46	7.68	0.7637	0.00	45.68	1.76			
	MUXPLEXERS												
	DS1 to DS0 Channel System per month	UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74			20.35	9.80	
	OCL-DP COCL (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop	UDL	1D1DD	1.82	6.07	4.66						9.80	
	OCL-DP COCL (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation		UITUD	1D1DD	1.82	6.07	4.66						
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop		UDN	UC1CA	3.10	6.07	4.66						
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation		UITUB	UC1CA	3.10	6.07	4.66						
	DS3 to DS1 Channel System per month		UEA	1D1VG	0.91	6.07	4.66						
	STS-1 to DS1 Channel System per month			UITUC	0.91	6.07	4.66						
	DS1 to DS1 Channel System per month			UNC3X	222.98	156.02	49.41	17.12	6.77		20.35	9.80	
	DS1 COCI used with Loop per month			UNCSSX	222.98	156.02	49.41	17.12	6.77		20.35	9.80	
	DS1 COCI used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month			USL	UC1D1	17.58	6.07	4.66					
	DS1 COCI used with Interoffice Channel per month			UITUA	UC1D1	17.58	6.07	4.66					
	DS1 COCI used with Interoffice Channel per month			UITDI	UC1D1	17.58	6.07	4.66					

LOCAL INTERCONNECTION - Alabama						Attachment 3				Exhibit A			
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC	RATE(S)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Add'l
						Rec	First	Nonrecurring Audit	Nonrecurring Disconnect Add'l				
SIGNALING (CCS7)													
	CCS7 Signaling Connection, Per 56Kbps Facility			UDB	PT8SX	15.46	35.53	35.53	16.44	16.44			
	CCS7 Signaling Termination, Per STP Port			UDB	0 0000569	130.83							
	CCS7 Signaling Usage, Per TCAP Message			UDB	TPP6A	15.46	35.53	35.53	16.44	16.44			
	CCS7 Signaling Connection, Per link, (A link) (also known as D link)			UDB	TPP6B	15.46	35.53	35.53	16.44	16.44			
	CCS7 Signaling Connection Switched access service interface groups, transmission paths 6 DS1 level path with bit stream signaling			UDB	TPP6X	15.46	35.53	35.53	16.44	16.44			
	CCS7 Signaling Connection-A link, per month			UDB	TPP9A	15.46	35.53	35.53	16.44	16.44			
	CCS7 Signaling Connection-B link(also known as D link) per month			UDB	TPP9B	15.46	35.53	35.53	16.44	16.44			
	CCS7 Signaling Connection, Switched access service, interface groups, transmission paths 9 DS3 level path with bit stream signaling			UDB	TPP9X	15.46	35.53	35.53	16.44	16.44			
	CCS7 Signaling Usage, Per ISUP Message			UDB	STU56	0 000042	650.33						
	CCS7 Signaling Usage Surrogate, Per link per LATA			UDB	CCAPO	29.01	29.01	35.57	35.57				
	CCS7 Signaling Point Code per Originating Point Code Establishment or Change, per STP affected												

LOCAL INTERCONNECTION - Florida										Exhibit A			
CATEGORY	RATE ELEMENTS			Interim Zone	BGS	USOC	RATES(\$)			Attachment 3 Svc Order Submitted Manually per LSR Elec per LSR	Attachment 3 Incremental Charge - Manual Svc Order vs Electronic - Disc 1st	Attachment 3 Incremental Charge - Manual Svc Order vs Electronic - Disc Add'l	
	Rec	First	Add'l				Nonrecurring Disconnect First	OSS Rates(\$)	SOMAN				SOMAN
SIGNALING (CCS7)													
CCS7 Signaling Termination, Per STP Port	JDB	P18SX	135.05										
CCS7 Signaling Usage, Per TCAP Message	JDB	TPP6A	0.0000607	17.93	43.57	43.57	18.31						
CCS7 Signaling Connection, Per Link (A link) (also known as D link)	JDB	TPP6B	17.93	43.57	43.57	18.31	18.31						
CCS7 Signaling Connection, Switched access service, interface groups, transmission paths 6 DS1 level path with bit stream signaling	JDB	TPP6X	17.93	43.57	43.57	18.31	18.31						
CCS7 Signaling Connection-A link, per month	JDB	TPP9A	17.93	43.57	43.57	18.31	18.31						
CCS7 Signaling Connection-B link(also known as D link) per month	JDB	TPP9B	17.93	43.57	43.57	18.31	18.31						
CCS7 Signaling Connection, Switched access service, interface groups, transmission paths 9 DS3 level path with bit stream signaling	JDB	TPP9X	17.93	43.57	43.57	18.31	18.31						
CCS7 Signaling Usage, Per ISUP Message	JDB	STU52	0.0000152										
CCS7 Signaling Usage Surrogate per link per LAT	JDB	STU56	694.32										
CCS7 Signaling Point Code, per Originating Point Code	JDB	CCAPO		46.03	46.03	46.03	46.03	46.03					
Establishment or Change, per STP affected													

LOCAL INTERCONNECTION - Georgia										Exhibit A			
CATEGORY	RATE ELEMENTS			Interim Zone	BCS	USOC	RATES(S)	Attachment 3		Svc Order Submitted Manually per LSR Elec	Incremental Charge - Manual Svc Order vs Electronic - 1st	Incremental Charge - Manual Svc Order vs Electronic - Disc 1st	
	Rec	Nonrecurring Disconnect Add'l	First					OSS Rates(s)	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN
SIGNALING (CCS7)													
CCS7 Signaling Termination, Per STP Po;:	UDB	PBTSX	108.80										
CCS7 Signaling Usage, Per TCAP Message			0.0000527										
CCS7 Signaling Connection, Per link (A link) same as E.3.1)	UDB	TPP6A	8.73	34.77	34.77	16.91	16.91						
(link) (same as E.3.1)	UDB	TPP6B	8.73	34.77	34.77	16.91	16.91						
CCS7 Signaling Connection, Switched access service, interface groups, transmission paths 6 DS1 level path with bit stream signaling	UDB	TPP6X	8.73	34.77	34.77	16.91	16.91						
CCS7 Signaling Connection, Per link (A link) (same as E.3.1)	UDB	TPP9A	8.73	34.77	34.77	16.91	16.91						
(month (same as E.3.1)	UDB	TPP9B	8.73	34.77	34.77	16.91	16.91						
CCS7 Signaling Connection, Switched access service, interface groups, transmission paths 9 DS3 level path with bit stream signaling	UDB	TPP9X	8.73	34.77	34.77	16.91	16.91						
CCS7 Signaling Usage, Per ISUP Message (same as E.3.3)	UDB	STU56	0.0000132	907.44									
CCS7 Signaling Point Code, Establishment or Change per STP affected	UDB	CCAP0		28.15	28.15	33.32	33.32						

LOCAL INTERCONNECTION - Kentucky										Attachment 3		Exhibit A		
CATEGORY	RATE ELEMENTS			USOC			RATES(\$)			Rec	Nonrecurring		OSS Rates(\$)	
	Interl m	Zone	BCS								First	Add'l	First	SOMAN
SIGNALING (CCS7)														
CCS7 Signaling Termination, Per STP Port		UDB	PTBSX	151.39										
CCS7 Signaling Usage, Per TCAP Message		UDB	00000656											
CCS7 Signaling Connection, Per link (A link) [link]		UDB	TPP6A	20.71	43.56		43.56		22.45					
CCS7 Signaling Connection, Per link (B link) (also known as D link)		UDB	TPP6B	20.71	43.56		43.56		22.45					
CCS7 Signalling Connection, Switched access service, interface groups, transmission paths 6 DS1 level path with bit stream signaling		UDB	TPPRX	20.71	43.56		43.56		22.45					
CCS7 Signalling Connection-A link, per month		UDB	TPPSA	20.71	43.56		43.56		22.45					
CCS7 Signalling Connection-B link[so known as D link], per month		UDB	TPP9B	20.71	43.56		43.56		22.45					
CCS7 Signalling Connection, Switched access service, interface groups, transmission paths 9 DS3 level path with bit stream signaling		UDB	TPP9X	20.71	43.56		43.56		22.45					
CCS7 Signaling Usage, Per ISUP Message			00000164											
CCS7 Signaling Usage Surrogate, per link per LATA		UDB	STU56	751.08										
CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected		UDB	CCAPO		46.02		46.02		56.43					
CCS7 Signaling Point Code per Destination Point Code Establishment or Change Per Sip Affected		UDB	CCAPD		46.02		46.02		56.43					

LOCAL INTERCONNECTION - Louisiana										Attachment 3		Exhibit A	
CATEGORY	RATE ELEMENTS			Zone	BCS	USOC	RATES(S)			OSS Order Submitted Manually per LSR	OSS Order Submitted Manually per LSR	OSS Rates(S)	Incremental Charge - Manual Svc Order vs Electronic-Add'l
	Rec	First	Add'l				Nonrecurring	Disconnect					
SIGNALING (CCS7)													
CCS7 Signaling Termination, Per STP Port	UDB	PTSSX	147.60										
CCS7 Signaling Usage, Per TCAP Message			0.000064										
CCS7 Signaling Connection, Per link (A link) (also known as D link)	UDB	TPP6A	15.77				34.50						
CCS7 Signaling Connection, Per link (B link) (also known as D link)	UDB	TPP6B	15.77				34.50						
CCS7 Signaling Connection, Switched access service, interface groups, transmission paths 6 DS1 (over path with bit stream signaling)	UDB	TPP6X	15.77				34.50						
CCS7 Signaling Connection-A link, per month	UDB	TPP9A	15.77				34.50						
CCS7 Signaling Connection-B link (also known as D link) per month	UDB	TPP9B	15.77				34.50						
CCS7 Signaling Connection, Switched access service, interface groups, transmission paths 9 DS3 (over path with bit stream signaling)	UDB	TPP9X	15.77				34.50						
CCS7 Signaling Usage, Per ISUP Message			0.000016										
CCS7 Signaling Usage Surrogate, per link (not LATA Establishment or Change), per STP affected	UDB	ST156	732.10										
CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected	UDB	CCAFO					28.17						
CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, per STP Affected	UDB	CCAPD					28.17						

LOCAL INTERCONNECTION - Mississippi										Attachment 3			Exhibit A		
CATEGORY	RATE ELEMENTS			USOC			RATES(S)			Svc Order Submitted	Charge - Manual Svc Order vs Electronic - Disc Add'l	Charge - Manual Svc Order vs Electronic - Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic - Disc Add'l		
	Inten m	Zone	BCS	Rec	First	Add'l	Nonrecurring Disconnect	OSS Rates(S)	Submitted Manually per LSR	Order vs Electronic - 1st	Order vs Electronic - Add'l	Order vs Electronic - Disc 1st	Order vs Electronic - Disc 1st		
SIGNALING (CCS7)															
	CCS7 Signaling Termination, Per STP Port		UDB	PTPSX	132.21										
	CCS7 Signaling Usage, Per TCAP Message				0 0000597										
	CCS7 Signaling Connection, Per link (A link)		UDB	TPP6A	16.55	35.74	35.74	16.53	16.53						
	CCS7 Signaling Connection, Per link (B link) (also known as D link)		UDB	TPP6B	16.55	35.74	35.74	16.53	16.53						
	CCS7 Signaling Connection, Switched access service, interface groups, transmission paths 6 DS1 level path with bit stream signaling		UDB	TPPBX	16.55	/	35.74	16.53	16.53						
	CCS7 Signaling Connection-A link, per month		UDB	TPP9A	16.55	35.74	35.74	16.53	16.53						
	CCS7 Signaling Connection-B link (also known as D link) per month		UDB	TPP9B	16.55	35.74	35.74	16.53	16.53						
	CCS7 Signaling Connection, Switched access service, interface groups transmission paths 9 DS3 level path with bit stream signaling		UDB	TPP9X	16.55	35.74	35.74	16.53	16.53						
	CCS7 Signaling Usage, Per ISUP Message				0 0000149										
	CCS7 Signaling Usage Surrogate, per link per LATA		UDB	ST156	683.55										
	CCS7 Signaling Point Code, pe- Originating Point Code Establishment or Change, per STP affected		UDB	CC4P0		29.18	29.18	35.78	35.78						

LOCAL INTERCONNECTION - North Carolina										Exhibit A					
CATEGORY	RATE ELEMENTS			Intert m	Zone	BCS	USOC	RATES(\$)			Svc Order Submitted Manually per LSR	OSS Rates(S)	Attachment 3		
	Rec	Nonrecurring First	Nonrecurring Add'l					Disconnect First	Charge - Manual Svc Order vs Electronic- Add'l	Charge - Manual Svc Order vs Electronic- Add'l			Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	
SIGNALING (CCS7)															
CCS7 Signaling Connection, Per link (A link) link)	UDB	TPP6A	18.22					278.02	278.02						
CCS7 Signaling Connection, Per link (B link) (also known as D link)	UDB	TPP6B	18.22					278.02	278.02						
CCS7 Signaling Connection, Switched access service, interface groups, transmission paths 6 DS1 level path with bit stream signaling	UDB	TPP6X	18.22					278.02	278.02						
CCS7 Signaling Connection A link, per month month	UDB	TPP9A	18.22					278.02	278.02						
CCS7 Signaling Connection B link(also known as D link) per month	UDB	TPP9B	18.22					278.02	278.02						
CCS7 Signaling Connection, Switched access service, interface groups, transmission paths 9 DS3 level path with bit stream signaling	UDB	TPP9X	18.22					278.02	278.02						
CCS / Signaling Termination, Per STP Port	UDB	PTTSX	132.83												
CCS7 Signaling Usage, Per ISUP Message			0.00004												
CCS7 Signaling Usage, Per ICAP Message			0.00009												
CCS7 Signaling Usage Surrogate, per link per LATA	UDB	STU56	338.98												
Establishment or Change, per Originating Point Code	UDB	CCAP0	40.00												
CCS7 Signaling Point Code, per Destination Point Code	UDB	CCAPD	8.00												
Establishment or Change, per Sip Affected															

LOCAL INTERCONNECTION - South Carolina										Exhibit A						
CATEGORY	RATE ELEMENTS			Intert m	Zone	BCS	USOC	RATES(\$)			OSS Order Submitted Manually per LSR	OSS Order Submitted Elec per LSR	Attachment 3 Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	Attachment 3 Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	Attachment 3 Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	OSS Rates(\$)
	Rec	First	Add'l					Nonrecurring	Disconnect	First						
SIGNALING (CCS7)																
CCS7 Signaling Termination, Per STP Port	UDB	PTTSX	163.49													
CCS7 Signaling Usage, Per TCAP Message	UDB	0 0000692														
CCS7 Signaling Connection Per link (A link)	UDB	TPP6A	16.93					35.61		16.48						
CCS7 Signaling Connection, Per link (B link) (also known as D link)	UDB	TPPB	16.93					35.61		16.48						
CCS7 Signaling Connection, Switched access service interface groups; transmission paths 6 DS1 level path with bit stream signaling	UDB	TPP6X	16.93					35.61		16.48						
CCS7 Signaling Connection-A link, per month	UDB	TPP9A	16.93					35.61		16.48						
CCS7 Signaling Connection-B link(also known as D link) per month	UDB	TPP9B	16.93					35.61		16.48						
CCS7 Signaling Connection, Switched access service interface groups; transmission paths 9 DS3 level path with bit stream signaling	UDB	TPP9X	16.93					35.61		16.48						
CCS7 Signaling Usage, Per ISUP Message	UDB	0 0000173														
CCS7 Signaling Usage, Using Surrogate per link per LATA	UDB	STU56	791.37													
CCS7 Signaling Point Code, per Originating Point Code Establishment or Change, per STP affected	UDB	CCAP0						29.08		35.65						
CCS7 Signaling Point Code, per Destination Point Code Establishment or Change, Per STP Affected	UDB	CCAP1						29.08		35.65						

CATEGORY	RATE ELEMENTS	Inten m	BCS	USOC	RATES(\$)		Rec	Nonrecurring		Nonrecurring Disconnect		Attachment 3 OSS Rates(\$)	Attachment 3 Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l							
					First	Add'l		First	Add'l	First	Add'l									
LOCAL INTERCONNECTION - Tennessee																				
SIGNALING (CCS7)																				
CCS7 Signaling Termination, Per STP Port	UDB	PTB8X	138.41																	
CCS7 Signaling Usage, Per TCAP Message			0.0000916																	
CCS7 Signaling Connection, Per link A (link)	UDB	TPP6A	17.84	130.84													20.35	20.35	13.32	13.32
CCS7 Signaling Connection, Per link B (link) (also known as D link)	UDB	TPP6B	17.84	130.84													20.35	20.35	13.32	13.32
CCS7 Signaling Connection, Switched access service, interface groups, transmission paths 6 DS1 level path with bit stream signaling	UDB	TPP6X	17.84	130.84													20.35	20.35	13.32	13.32
CCS7 Signaling Connection-A link, per month	UDB	TPP9A	17.84	130.84													20.35	20.35	13.32	13.32
CCS7 Signaling Connection-B link(also known as D link) per month	UDB	TPP9B	17.84	130.84													20.35	20.35	13.32	13.32
CCS7 Signaling Connection, Switched access service interface groups transmission paths 9 DS3 level path with bit stream signaling	UDB	TPR9X	17.84	130.84													20.35	20.35	13.32	13.32
CCS7 Signaling Usage, Per ISUP Message			0.0000373																	
Signaling Point Code, per Originating Point Code Establishment or Change, per STP	UDB	STU56	352.30																	
		CCAPO	121.77	121.77													20.35	20.35	13.32	13.32