



STATE OF TENNESSEE
DEPARTMENT OF ENVIRONMENT AND CONSERVATION
401 CHURCH STREET
L & C ANNEX 6TH FLOOR
NASHVILLE TN 37243-1534

March 1, 2007

filed electronically in docket office on 03/12/07

Mr. Jeffrey W. Cox
President
Intergrated Resource Management, Inc. - Ashley Meadows Subdivision
P.O. BOX 642
3444 Saint Andrews Drive
White Pine, TN 37890

Subject: **Notice of Complete Application and Public Notice Requirements**
Permit Tracking No. SOP-07006
Intergrated Resource Management, Inc. - Ashley Meadows Subdivision
Blount County, Tennessee

Dear Mr. Cox:

The Division of Water Pollution Control (the division) acknowledges the receipt of a permit application in our office on January 16, 2007. Our review of the individual SOP permit application showed that you have submitted all the information required to initiate processing of the application. You are advised that this notice of complete application does not imply that the application will be approved or that a permit will be issued. Also, in accordance with rules of the Tennessee Department of Environment and Conservation, Division of Water Pollution Control, Chapter 1200-4-5-.05 (2):

"This provision does not preclude the commissioner from later requesting additional material that subsequent to the notice of completeness is determined to be necessary for permit processing."

If this is an application to renew an existing permit and your complete application was mailed to our office 180 days prior to the current permit expiration date, and the permit is not reissued by this date, discharges from the facility will be automatically authorized through administrative extension of the current permit.

If this is an application for a new or expanded discharge, please find attached a template of a public notice you must complete and post for a period of 30 days. This is required in accordance with Chapter 1200-4-5-.06 (1), which states:

"For an individual application for a new or expanded discharge, the applicant shall notify the public of the application by posting a sign near the point of entrance to such facility and within view of a public road. The sign shall contain provisions as specified by the commissioner. The sign shall be of such size that is legible from the public road. Also the sign shall be maintained for at least thirty days following submittal of the application to the division."

If you have questions, please contact the division at your local Field Office at 1-888-891-TDEC; or, at this office, please contact Mr. Hari Akunuri at (615) 532-0650 or by E-mail at Hari.Akunuri@state.tn.us.

Sincerely,

Handwritten signature of Edward M. Polk, Jr.

Edward M. Polk, Jr., P.E.
Manager, Permit Section
Division of Water Pollution Control