

BellSouth Telecommunications, Inc.

333 Commerce Street
Suite 2101
Nashville, TN 37201-3300

guy.hicks@bellsouth.com

Guy M. Hicks
General Counsel

615 214 6301
Fax 615 214 7406

May 14, 2007

VIA HAND DELIVERY

filed electronically in docket office 05/14/07

Hon. Sara Kyle
Chairman
Tennessee Regulatory Authority
460 James Robertson Parkway
Nashville, Tennessee 37243-0505


Re: *Approval of the Amendment to the Interconnection Agreement Negotiated by BellSouth Telecommunications, Inc. and CommuniGroup of Jackson, Inc. Pursuant to Sections 251 and 252 of the Telecommunications Act of 1996.*
Docket No. 07-00114

Dear Chairman Kyle:

Pursuant to Section 252(e) of the Telecommunications Act of 1996, CommuniGroup of Jackson, Inc. and BellSouth Telecommunications, Inc. are hereby submitting to the Tennessee Regulatory Authority the original plus six paper copies and one electronic copy of the attached Petition for Approval of the Amendment to the Interconnection Agreement dated March 1, 2006. The Amendment adds Commingling rates to the Interconnection Agreement.

Thank you for your attention to this matter.

Sincerely yours,



Guy M. Hicks

cc: James N.C. Moffat, CommuniGroup of Jackson, Inc.

BEFORE THE TENNESSEE REGULATORY AUTHORITY
Nashville, Tennessee

In re: *Approval of the Amendment to the Interconnection Agreement Negotiated by BellSouth Telecommunications, Inc. and CommuniGroup of Jackson, Inc. Pursuant to Sections 251 and 252 of the Telecommunications Act of 1996*

Docket No. _____

PETITION FOR APPROVAL OF THE
AMENDMENT TO THE INTERCONNECTION AGREEMENT
NEGOTIATED BETWEEN BELL SOUTH TELECOMMUNICATIONS, INC.
AND COMMUNIGROUP OF JACKSON, INC.
PURSUANT TO THE TELECOMMUNICATIONS ACT OF 1996

COME NOW, CommuniGroup of Jackson, Inc. ("CommuniGroup") and BellSouth Telecommunications, Inc., ("BellSouth"), and file this request for approval of the Amendment to the Interconnection Agreement dated effective March 1, 2006 (the "Amendment") negotiated between the two companies pursuant to Sections 251 and 252 of the Telecommunications Act of 1996, (the "Act"). In support of their request, CommuniGroup and BellSouth state the following:

1. CommuniGroup and BellSouth have successfully negotiated an agreement for interconnection of their networks, the unbundling of specific network elements offered by BellSouth and the resale of BellSouth's telecommunications services to CommuniGroup. The Interconnection Agreement was approved by the Tennessee Regulatory Authority ("TRA") on April 17, 2006.
2. The parties have recently negotiated an Amendment to the Agreement which adds Commingling rates to the Agreement. A copy of the Amendment is attached hereto and incorporated herein by reference.

3. Pursuant to Section 252(e) of the Telecommunications Act of 1996, CommuniGroup and BellSouth are submitting their Amendment to the TRA for its consideration and approval. The Amendment provides that either or both of the parties are authorized to submit this Amendment to the TRA for approval.

4. In accordance with Section 252(e) of the Act, the TRA is charged with approving or rejecting the negotiated Amendment between BellSouth and CommuniGroup within 90 days of its submission. The Act provides that the TRA may only reject such an agreement if it finds that the agreement or any portion of the agreement discriminates against a telecommunications carrier not a party to the agreement or the implementation of the agreement or any portion of the agreement is not consistent with the public interest, convenience and necessity.

5. CommuniGroup and BellSouth aver that the Amendment is consistent with the standards for approval.


6. Pursuant to 47 USC Section 252(i) and 47 C.F.R. Section 51.809, BellSouth shall make available the entire Interconnection Agreement approved pursuant to 47 USC Section 252.

CommuniGroup and BellSouth respectfully request that the TRA approve the Amendment negotiated between the parties.

This 14th day of May, 2007.

Respectfully submitted,

BELLSOUTH TELECOMMUNICATIONS, INC.


By: 

Guy M. Hicks
333 Commerce Street, Suite 2101
Nashville, Tennessee 37201-3300
(615) 214-6301
Attorney for BellSouth

CERTIFICATE OF SERVICE

I, Guy M. Hicks, hereby certify that I have served a copy of the foregoing Petition for Approval of the Amendment to the Interconnection Agreement on the following via United States Mail on the 14th day of May, 2007:

James N.C. Moffat
CommuniGroup of Jackson, Inc.
700 South West Street
Jackson, MS 39201


Guy M. Hicks

**Amendment to the Agreement
Between
CommuniGroup of Jackson, Inc.
and
BellSouth Telecommunications, Inc.
Dated March 1, 2006**

Pursuant to this Amendment, (the "Amendment"), CommuniGroup of Jackson, Inc. ("CommuniGroup"), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated March 1, 2006 ("Agreement") to be effective ten (10) calendar days after the date of the last signature executing the Amendment.

WHEREAS, BellSouth and CommuniGroup entered into the Agreement on March 1, 2006, and;

WHEREAS, BellSouth and CommuniGroup desire to amend the Agreement to add additional rates;

NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

1. The Parties agree to add to the rates in Exhibit A of Attachment 2, the rates set forth in Exhibit 1 of this Amendment, attached hereto and incorporated herein by this reference.
2. All of the other provisions of the Agreement, dated March 1, 2006, shall remain in full force and effect.
3. Either or both of the Parties are authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties have executed this Amendment the day and year written below:

BellSouth Telecommunications, Inc.

By: Kristen G. Shore

Name: Kristen Shore

Title: Director

Date: 4/20/07

CommuniGroup of Jackson, Inc.

By: JAMES N. C. MOFFAT, III

Name: JAMES N. C. MOFFAT, III

Title: EXECUTIVE VICE-PRESIDENT

Date: APRIL 20, 2007

UNBUNDLED NETWORK ELEMENTS - Alabama										Att: 2 Est: A							
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l			
					Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First							Add'l		
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zones, refer to Internet Website: http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm																	
UNE LOOP COMMINGLING																	
2-WIRE ANALOG VOICE GRADE LOOP - COMMINGLING																	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1	1	NTCVG	UEAL2	14.38	88.00	55.00	47.24	7.44								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2	2	NTCVG	UEAL2	22.85	88.00	55.00	47.24	7.44								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3	3	NTCVG	UEAL2	36.14	88.00	55.00	47.24	7.44								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1	1	NTCVG	UEAR2	14.38	88.00	55.00	47.24	7.44								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2	2	NTCVG	UEAR2	22.85	88.00	55.00	47.24	7.44								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	3	NTCVG	UEAR2	36.14	88.00	55.00	47.24	7.44								
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)		NTCVG	URES1		5.59	5.59										
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet (per DS0)		NTCVG	URES2		5.59	5.59										
	Unbundled Loop Service Rearrangement, charge in loop facility, per circuit		NTCVG	UREWO		87.72	36.36										
	Loop Tagging - Service Level 2 (SL2)		NTCVG	URETL		11.21	1.10										
4-WIRE ANALOG VOICE GRADE LOOP - COMMINGLING																	
	4-Wire Analog Voice Grade Loop - Zone 1	1	NTCVG	UEAL4	25.34	131.97	94.51	59.14	14.50								
	4-Wire Analog Voice Grade Loop - Zone 2	2	NTCVG	UEAL4	38.58	131.97	94.51	59.14	14.50								
	4-Wire Analog Voice Grade Loop - Zone 3	3	NTCVG	UEAL4	60.02	131.97	94.51	59.14	14.50								
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)		NTCVG	URES1		5.59	5.59										
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet (per DS0)		NTCVG	URES2		5.59	5.59										
	Unbundled Loop Service Rearrangement, charge in loop facility, per circuit		NTCVG	UREWO		87.72	36.36										
4-WIRE DS1 DIGITAL LOOP - COMMINGLING																	
	4-Wire DS1 Digital Loop - Zone 1	1	NTCD1	USLX1	82.55	252.47	157.54	44.70	11.71								
	4-Wire DS1 Digital Loop - Zone 2	2	NTCD1	USLX2	154.18	252.47	157.54	44.70	11.71								
	4-Wire DS1 Digital Loop - Zone 3	3	NTCD1	USLX3	314.52	252.47	157.54	44.70	11.71								
	Switch-As-Is Conversion rate per UNE Loop, single LSR, (per DS1)		NTCD1	URES1		5.59	5.59										
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet (per DS1)		NTCD1	URES2		5.59	5.59										
	Unbundled Loop Service Rearrangement, charge in loop facility, per circuit		NTCD1	UREWO		101.09	43.05										
4-WIRE 19.2, 36 OR 64 Kbps DIGITAL GRADE LOOP - COMMINGLING																	
	4-Wire Unbundled Digital Loop 2.4 Kbps - Zone 1	1	NTCUD	UDL2X	26.09	126.27	88.80	59.14	14.50								
	4-Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	2	NTCUD	UDL2X	35.95	126.27	88.80	59.14	14.50								
	4-Wire Unbundled Digital Loop 2.4 Kbps - Zone 3	3	NTCUD	UDL2X	37.88	126.27	88.80	59.14	14.50								
	4-Wire Unbundled Digital Loop 4.8 Kbps - Zone 1	1	NTCUD	UDL4X	26.09	126.27	88.80	59.14	14.50								
	4-Wire Unbundled Digital Loop 4.8 Kbps - Zone 2	2	NTCUD	UDL4X	35.95	126.27	88.80	59.14	14.50								
	4-Wire Unbundled Digital Loop 4.8 Kbps - Zone 3	3	NTCUD	UDL4X	37.88	126.27	88.80	59.14	14.50								
	4-Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	1	NTCUD	UDL9X	26.09	126.27	88.80	59.14	14.50								
	4-Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	2	NTCUD	UDL9X	35.95	126.27	88.80	59.14	14.50								
	4-Wire Unbundled Digital Loop 9.6 Kbps - Zone 3	3	NTCUD	UDL9X	37.88	126.27	88.80	59.14	14.50								
	4-Wire Unbundled Digital Loop 19.2 Kbps - Zone 1	1	NTCUD	UDL19	26.09	126.27	88.80	59.14	14.50								
	4-Wire Unbundled Digital Loop 19.2 Kbps - Zone 2	2	NTCUD	UDL19	35.95	126.27	88.80	59.14	14.50								
	4-Wire Unbundled Digital Loop 19.2 Kbps - Zone 3	3	NTCUD	UDL19	37.88	126.27	88.80	59.14	14.50								
	4-Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	NTCUD	UDL56	26.09	126.27	88.80	59.14	14.50								
	4-Wire Unbundled Digital Loop 56 Kbps - Zone 2	2	NTCUD	UDL56	35.95	126.27	88.80	59.14	14.50								
	4-Wire Unbundled Digital Loop 56 Kbps - Zone 3	3	NTCUD	UDL56	37.88	126.27	88.80	59.14	14.50								
	4-Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	NTCUD	UDL64	26.09	126.27	88.80	59.14	14.50								
	4-Wire Unbundled Digital Loop 64 Kbps - Zone 2	2	NTCUD	UDL64	35.95	126.27	88.80	59.14	14.50								
	4-Wire Unbundled Digital Loop 64 Kbps - Zone 3	3	NTCUD	UDL64	37.88	126.27	88.80	59.14	14.50								

UNBUNDLED NETWORK ELEMENTS - Florida										Att: 2 Ext: A				
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- Disc Addl	Incremental Charge - Manual Svc Order vs. Electronic- Disc Addl	Incremental Charge - Manual Svc Order vs. Electronic- Disc Addl	Incremental Charge - Manual Svc Order vs. Electronic- Disc Addl
					Rec	First	Nonrecurring Addl	Nonrecurring Disconnect Addl		SOMECC	SOMAN	SOMAN	SOMAN	SOMAN
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zones, refer to Internet Website: http://www.interconnection.bellsouth.com/become_a_electronicinterconnection.htm														
UNE LOOP COMMINGLING														
2-WIRE ANALOG VOICE GRADE LOOP - COMMINGLING														
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signalling - Zone 1	1	NTCVG	UEAL2	12.24	135.75	82.47	63.53	12.01					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signalling - Zone 2	2	NTCVG	UEAL2	17.40	135.75	82.47	63.53	12.01					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signalling - Zone 3	3	NTCVG	UEAL2	30.87	135.75	82.47	63.53	12.01					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signalling - Zone 1	1	NTCVG	UEAR2	12.24	135.75	82.47	63.53	12.01					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signalling - Zone 2	2	NTCVG	UEAR2	17.40	135.75	82.47	63.53	12.01					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signalling - Zone 3	3	NTCVG	UEAR2	30.87	135.75	82.47	63.53	12.01					
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DS0)		NTCVG	URES1		8.98	8.98							
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DS0)		NTCVG	URES2		8.98	8.98							
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCVG	UREWO		87.71	38.35							
	Loop Tagging - Service Level 2 (SL2)		NTCVG	URE1L		11.21	1.10							
4-WIRE ANALOG VOICE GRADE LOOP - COMMINGLING														
	4-Wire Analog Voice Grade Loop - Zone 1	1	NTCVG	UEAL4	18.89	167.86	115.15	67.08	15.56					
	4-Wire Analog Voice Grade Loop - Zone 2	2	NTCVG	UEAL4	26.84	167.86	115.15	67.08	15.56					
	4-Wire Analog Voice Grade Loop - Zone 3	3	NTCVG	UEAL4	47.62	167.86	115.15	67.08	15.56					
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DS0)		NTCVG	URES1		8.98	8.98							
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DS0)		NTCVG	URES2		8.98	8.98							
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCVG	UREWO		87.71	38.35							
4-WIRE DS1 DIGITAL LOOP - COMMINGLING														
	4-Wire DS1 Digital Loop - Zone 1	1	NTCD1	USLXX	70.74	313.75	181.48	61.22	13.53					
	4-Wire DS1 Digital Loop - Zone 2	2	NTCD1	USLXX	100.54	313.75	181.48	61.22	13.53					
	4-Wire DS1 Digital Loop - Zone 3	3	NTCD1	USLXX	178.39	313.75	181.48	61.22	13.53					
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DS1)		NTCD1	URES1		8.98	8.98							
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DS1)		NTCD1	URES2		8.98	8.98							
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCD1	UREWO		101.07	43.04							
4-WIRE 19.2, 36 OR 64 Kbps DIGITAL GRADE LOOP - COMMINGLING														
	4-Wire Unbundled Digital Loop 2.4 Kbps - Zone 1	1	NTCUD	UDL2X	22.20	161.56	108.85	67.08	15.56					
	4-Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	2	NTCUD	UDL2X	31.56	161.56	108.85	67.08	15.56					
	4-Wire Unbundled Digital Loop 2.4 Kbps - Zone 3	3	NTCUD	UDL2X	55.99	161.56	108.85	67.08	15.56					
	4-Wire Unbundled Digital Loop 4.8 Kbps - Zone 1	1	NTCUD	UDL4X	22.20	161.56	108.85	67.08	15.56					
	4-Wire Unbundled Digital Loop 4.8 Kbps - Zone 2	2	NTCUD	UDL4X	31.56	161.56	108.85	67.08	15.56					
	4-Wire Unbundled Digital Loop 4.8 Kbps - Zone 3	3	NTCUD	UDL4X	55.99	161.56	108.85	67.08	15.56					
	4-Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	1	NTCUD	UDL9X	22.20	161.56	108.85	67.08	15.56					
	4-Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	2	NTCUD	UDL9X	31.56	161.56	108.85	67.08	15.56					
	4-Wire Unbundled Digital Loop 9.6 Kbps - Zone 3	3	NTCUD	UDL9X	55.99	161.56	108.85	67.08	15.56					
	4-Wire Unbundled Digital Loop 19.2 Kbps - Zone 1	1	NTCUD	UDL19	22.20	161.56	108.85	67.08	15.56					
	4-Wire Unbundled Digital Loop 19.2 Kbps - Zone 2	2	NTCUD	UDL19	31.56	161.56	108.85	67.08	15.56					
	4-Wire Unbundled Digital Loop 19.2 Kbps - Zone 3	3	NTCUD	UDL19	55.99	161.56	108.85	67.08	15.56					
	4-Wire Unbundled Digital Loop 36 Kbps - Zone 1	1	NTCUD	UDL36	22.20	161.56	108.85	67.08	15.56					
	4-Wire Unbundled Digital Loop 36 Kbps - Zone 2	2	NTCUD	UDL36	31.56	161.56	108.85	67.08	15.56					
	4-Wire Unbundled Digital Loop 36 Kbps - Zone 3	3	NTCUD	UDL36	55.99	161.56	108.85	67.08	15.56					
	4-Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	NTCUD	UDL64	22.20	161.56	108.85	67.08	15.56					
	4-Wire Unbundled Digital Loop 64 Kbps - Zone 2	2	NTCUD	UDL64	31.56	161.56	108.85	67.08	15.56					
	4-Wire Unbundled Digital Loop 64 Kbps - Zone 3	3	NTCUD	UDL64	55.99	161.56	108.85	67.08	15.56					

UNBUNDLED NETWORK ELEMENTS - Florida										Att: 2 Est: A				Incremental Charge - Manual Svc Order vs. Electronic-1st Addl				Incremental Charge - Manual Svc Order vs. Electronic-1st Addl			
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Addl	Incremental Charge - Manual Svc Order vs. Electronic-1st Addl	Incremental Charge - Manual Svc Order vs. Electronic-1st Addl	Incremental Charge - Manual Svc Order vs. Electronic-1st Addl	Incremental Charge - Manual Svc Order vs. Electronic-1st Addl	Incremental Charge - Manual Svc Order vs. Electronic-1st Addl	Incremental Charge - Manual Svc Order vs. Electronic-1st Addl	Incremental Charge - Manual Svc Order vs. Electronic-1st Addl	Incremental Charge - Manual Svc Order vs. Electronic-1st Addl	Incremental Charge - Manual Svc Order vs. Electronic-1st Addl	Incremental Charge - Manual Svc Order vs. Electronic-1st Addl	Incremental Charge - Manual Svc Order vs. Electronic-1st Addl
					Rec	Nonrecurring First	Nonrecurring Addl	Nonrecurring Disconnect First	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DSO)		NTCUD			8.98	8.98														
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DSO)		NTCUD			8.98	8.98														
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCUD			102.11	48.74														
	Order Coordination for Specified Conversion Time (per LSR)		NTCUD			23.02															
COMINGLING			OCOSL																		
			UNCVX, UNCDX, UNC1X, UNC3X, UNCSX, UHTD1, UHTD3, UHTS1, UE3, UDL1X, UHTVX, UHTDX, UHTV8, ULDVX, ULDD1, ULDD3, ULDS1																		
	Comingling Authorization				0.00	0.00	0.00	0.00													
	Comingling (UNE part of single bandwidth circuit)																				
	Comingling VG COCI				1.38	6.71	4.84	0.00													
	Comingling Digital COCI				2.10	6.71	4.84	0.00													
	Comingling ISDN COCI				3.66	6.71	4.84	0.00													
	Comingling 2-wire VQ Interoffice Channel				25.32	94.70	52.59	45.28													
	Comingling 4-wire VQ Interoffice Channel				25.32	94.70	52.59	45.28													
	Comingling 56kbps Interoffice Channel				16.44	94.70	52.59	45.28													
	Comingling 64kbps Interoffice Channel				18.44	94.70	52.59	45.28													
	Comingling VQ/DS0 Interoffice Channel Mileage				0.0091																
	Comingling 2-wire Local Loop Zone 1				12.24	127.59	80.54	48.00													
	Comingling 2-wire Local Loop Zone 2				17.40	127.59	80.54	48.00													
	Comingling 2-wire Local Loop Zone 3				30.87	127.59	80.54	48.00													
	Comingling 4-wire Local Loop Zone 1				18.89	127.59	80.54	48.00													
	Comingling 4-wire Local Loop Zone 2				26.84	127.59	80.54	48.00													
	Comingling 4-wire Local Loop Zone 3				47.82	127.59	80.54	48.00													
	Comingling 56kbps Local Loop Zone 1				22.20	127.59	80.54	48.00													
	Comingling 56kbps Local Loop Zone 2				31.56	127.59	80.54	48.00													
	Comingling 56kbps Local Loop Zone 3				55.99	127.59	80.54	48.00													
	Comingling 64kbps Local Loop Zone 1				22.20	127.59	80.54	48.00													
	Comingling 64kbps Local Loop Zone 2				31.56	127.59	80.54	48.00													
	Comingling 64kbps Local Loop Zone 3				55.99	127.59	80.54	48.00													
	Comingling ISDN Local Loop Zone 1				19.28	127.59	80.54	48.00													
	Comingling ISDN Local Loop Zone 2				27.40	127.59	80.54	48.00													
	Comingling ISDN Local Loop Zone 3				48.82	127.59	80.54	48.00													
	Comingling DS1 COCI				13.76	6.71	4.84	0.00													
	Comingling DS1 Interoffice Channel				88.44	174.46	122.46	45.61													
	Comingling DS1 Interoffice Channel Mileage				0.1896																
	Comingling DS1/DS0 Channel System				146.77	57.28	14.74	1.50													
	Comingling DS1 Local Loop Zone 1				70.74	217.75	121.82	51.44													
	Comingling DS1 Local Loop Zone 2				100.54	217.75	121.82	51.44													
	Comingling DS1 Local Loop Zone 3				176.39	217.75	121.82	51.44													
	Comingling DS3 Local Loop				386.88	244.42	154.73	67.10													
	Comingling DS3 Local Loop Mileage				10.92																
	Comingling DS3/STS-1 Local Loop				426.60	244.42	154.73	67.10													
	Comingling STS-1 Local Loop				211.19	115.60	56.54	12.16													
	Comingling DS3/DS1 Channel System				1,071.00	320.00	135.20	38.60													
	Comingling DS3 Interoffice Channel				3.87																
	Comingling DS3 Interoffice Channel Mileage				1,066.00	320.00	135.20	38.60													
	Comingling STS-1 Interoffice Channel				3.87																
	Comingling STS-1 Interoffice Channel Mileage				28.85																
	Comingling Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof																				
	Comingling Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof																				
	UNE to Comingling Conversion Tracking				0.00	0.00	0.00	0.00													
	SPA to Comingling Conversion Tracking				0.00	0.00	0.00	0.00													

UNBUNDLED NETWORK ELEMENTS - Georgia										Att 2 Est. A		Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l				Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l			
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)					Svc Order Submitted Manually per LSR	SOME	SOMAN	SOMAN	SOMAN	SOMAN	Electronic-1st Add'l	Electronic-1st Add'l	Electronic-1st Add'l	Electronic-1st Add'l
					Nonrecurring First	Nonrecurring Add'l	Nonrecurring First	Nonrecurring Add'l	Nonrecurring First										
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deserved UNE Zones. To view Geographically Deserved UNE Zones, refer to Internet Website: http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm																			
UNE LOOP COMMINGLING																			
2-WIRE ANALOG VOICE GRADE LOOP - COMMINGLING																			
	2-Wire Analog Voice Grade Loop - Service Level 2 w/loop or Ground Start Signaling - Zone 1	1	NTCVG	UEAL2	13.32	79.78	24.62	18.90	7.86										
	2-Wire Analog Voice Grade Loop - Service Level 2 w/loop or Ground Start Signaling - Zone 2	2	NTCVG	UEAL2	18.86	79.78	24.62	18.90	7.86										
	2-Wire Analog Voice Grade Loop - Service Level 2 w/loop or Ground Start Signaling - Zone 3	3	NTCVG	UEAL2	36.33	79.78	24.62	18.90	7.86										
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1	1	NTCVG	UEAR2	13.32	79.78	24.62	18.90	7.86										
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2	2	NTCVG	UEAR2	18.86	79.78	24.62	18.90	7.86										
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	3	NTCVG	UEAR2	36.33	79.78	24.62	18.90	7.86										
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)		NTCVG	URES1		6.54	6.54												
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)		NTCVG	URES2		6.54	6.54												
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCVG	UREWO		87.72	36.36												
	Loop Tagging - Service Level 2 (SL2)		NTCVG	URETL		11.19	1.10												
4-WIRE ANALOG VOICE GRADE LOOP																			
	4-Wire Analog Voice Grade Loop - Zone 1	1	NTCVG	UEAL4	21.04	92.92	28.14	19.50	8.12										
	4-Wire Analog Voice Grade Loop - Zone 2	2	NTCVG	UEAL4	24.49	92.92	28.14	19.50	8.12										
	4-Wire Analog Voice Grade Loop - Zone 3	3	NTCVG	UEAL4	33.40	92.92	28.14	19.50	8.12										
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)		NTCVG	URES1		6.54	6.54												
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)		NTCVG	URES2		6.54	6.54												
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCVG	UREWO		87.72	36.36												
4-WIRE DST DIGITAL LOOP - COMMINGLING																			
	4-Wire DST Digital Loop - Zone 1	1	NTCD1	USLXX	49.41	211.72	72.42	38.20	7.19										
	4-Wire DST Digital Loop - Zone 2	2	NTCD1	USLXX	52.55	211.72	72.42	38.20	7.19										
	4-Wire DST Digital Loop - Zone 3	3	NTCD1	USLXX	68.40	211.72	72.42	38.20	7.19										
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1)		NTCD1	URES1		6.54	6.54												
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS1)		NTCD1	URES2		6.54	6.54												
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCD1	UREWO		100.91	42.97												
4-WIRE 19.2, 56 OR 64 Kbps DIGITAL GRADE LOOP - COMMINGLING																			
	4-Wire Unbundled Digital Loop 2.4 Kbps - Zone 1	1	NTCUD	UDL2X	25.81	196.47	36.96	18.80	7.19										
	4-Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	2	NTCUD	UDL2X	31.54	196.47	36.96	18.80	7.19										
	4-Wire Unbundled Digital Loop 2.4 Kbps - Zone 3	3	NTCUD	UDL2X	42.38	196.47	36.96	18.80	7.19										
	4-Wire Unbundled Digital Loop 4.8 Kbps - Zone 1	1	NTCUD	UDL4X	25.81	196.47	36.96	18.80	7.19										
	4-Wire Unbundled Digital Loop 4.8 Kbps - Zone 2	2	NTCUD	UDL4X	31.54	196.47	36.96	18.80	7.19										
	4-Wire Unbundled Digital Loop 4.8 Kbps - Zone 3	3	NTCUD	UDL4X	42.38	196.47	36.96	18.80	7.19										
	4-Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	1	NTCUD	UDL9X	25.81	196.47	36.96	18.80	7.19										
	4-Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	2	NTCUD	UDL9X	31.54	196.47	36.96	18.80	7.19										
	4-Wire Unbundled Digital Loop 9.6 Kbps - Zone 3	3	NTCUD	UDL9X	42.38	196.47	36.96	18.80	7.19										
	4-Wire Unbundled Digital Loop 19.2 Kbps - Zone 1	1	NTCUD	UDL19	25.81	196.47	36.96	18.80	7.19										
	4-Wire Unbundled Digital Loop 19.2 Kbps - Zone 2	2	NTCUD	UDL19	31.54	196.47	36.96	18.80	7.19										
	4-Wire Unbundled Digital Loop 19.2 Kbps - Zone 3	3	NTCUD	UDL19	42.38	196.47	36.96	18.80	7.19										
	4-Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	NTCUD	UDL56	25.81	196.47	36.96	18.80	7.19										
	4-Wire Unbundled Digital Loop 56 Kbps - Zone 2	2	NTCUD	UDL56	31.54	196.47	36.96	18.80	7.19										
	4-Wire Unbundled Digital Loop 56 Kbps - Zone 3	3	NTCUD	UDL56	42.38	196.47	36.96	18.80	7.19										
	4-Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	NTCUD	UDL64	25.81	196.47	36.96	18.80	7.19										
	4-Wire Unbundled Digital Loop 64 Kbps - Zone 2	2	NTCUD	UDL64	31.54	196.47	36.96	18.80	7.19										
	4-Wire Unbundled Digital Loop 64 Kbps - Zone 3	3	NTCUD	UDL64	42.38	196.47	36.96	18.80	7.19										

UNBUNDLED NETWORK ELEMENTS - Kentucky														Att: 2 Extr. A			
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st		Incremental Charge - Manual Svc Order vs. Electronic-1st					
					Nonrecurring First	Add'l	Nonrecurring Disconnect First	Add'l		SOME	SOMAN	SOME	SOMAN				
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zones, refer to Internet Website: http://www.interconnection.bellsouth.com/become_a_client/interconnection.htm																	
UNE LOOP COMMINGLING																	
2-WIRE ANALOG VOICE GRADE LOOP - COMMINGLING																	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1	1	NTCVG	UEAL2	12.67	134.89	81.87	73.65	14.88								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2	2	NTCVG	UEAL2	17.45	134.89	81.87	73.65	14.88								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3	3	NTCVG	UEAL2	33.22	134.89	81.87	73.65	14.88								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1	1	NTCVG	UEAR2	12.67	134.89	81.87	73.65	14.88								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2	2	NTCVG	UEAR2	17.45	134.89	81.87	73.65	14.88								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	3	NTCVG	UEAR2	33.22	134.89	81.87	73.65	14.88								
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)		NTCVG	URES		24.96	3.52										
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)		NTCVG	URES		26.44	5.01										
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCVG	UREWO		87.72	36.36										
	Loop Tagging, Service Level 2 (SL2)		NTCVG	URETL		11.21	1.10										
4-WIRE ANALOG VOICE GRADE LOOP - COMMINGLING																	
	4-Wire Analog Voice Grade Loop - Zone 1	1	NTCVG	UEAL4	29.26	164.11	112.36	78.91	18.66								
	4-Wire Analog Voice Grade Loop - Zone 2	2	NTCVG	UEAL4	34.25	164.11	112.36	78.91	18.66								
	4-Wire Analog Voice Grade Loop - Zone 3	3	NTCVG	UEAL4	85.06	164.11	112.36	78.91	18.66								
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)		NTCVG	URES		24.96	3.52										
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)		NTCVG	URES		26.44	5.01										
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCVG	UREWO		87.72	36.36										
4-WIRE DST DIGITAL LOOP - COMMINGLING																	
	4-Wire DST Digital Loop - Zone 1	1	NTCDI	USLXX	86.47	306.69	174.44	65.63	14.55								
	4-Wire DST Digital Loop - Zone 2	2	NTCDI	USLXX	114.10	306.69	174.44	65.63	14.55								
	4-Wire DST Digital Loop - Zone 3	3	NTCDI	USLXX	297.76	306.69	174.44	65.63	14.55								
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1)		NTCDI	URES		24.96	3.52										
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS1)		NTCDI	URES		26.44	5.01										
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCDI	UREWO		101.09	43.04										
4-WIRE 19.2, 56 OR 64 Kbps DIGITAL GRADE LOOP - COMMINGLING																	
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1	1	NTCUD	UDL2X	27.59	157.81	106.06	78.91	18.66								
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	2	NTCUD	UDL2X	32.48	157.81	106.06	78.91	18.66								
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3	3	NTCUD	UDL2X	36.37	157.81	106.06	78.91	18.66								
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1	1	NTCUD	UDL4X	27.59	157.81	106.06	78.91	18.66								
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2	2	NTCUD	UDL4X	32.48	157.81	106.06	78.91	18.66								
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3	3	NTCUD	UDL4X	36.37	157.81	106.06	78.91	18.66								
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	1	NTCUD	UDL9X	27.59	157.81	106.06	78.91	18.66								
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	2	NTCUD	UDL9X	32.48	157.81	106.06	78.91	18.66								
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3	3	NTCUD	UDL9X	36.37	157.81	106.06	78.91	18.66								
	4 Wire Unbundled Digital Loop 19.2 Kbps - Zone 1	1	NTCUD	UDL19	27.59	157.81	106.06	78.91	18.66								
	4 Wire Unbundled Digital Loop 19.2 Kbps - Zone 2	2	NTCUD	UDL19	32.48	157.81	106.06	78.91	18.66								
	4 Wire Unbundled Digital Loop 19.2 Kbps - Zone 3	3	NTCUD	UDL19	36.37	157.81	106.06	78.91	18.66								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	NTCUD	UDL56	27.59	157.81	106.06	78.91	18.66								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	2	NTCUD	UDL56	32.48	157.81	106.06	78.91	18.66								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	3	NTCUD	UDL56	36.37	157.81	106.06	78.91	18.66								
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	NTCUD	UDL64	27.59	157.81	106.06	78.91	18.66								
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	2	NTCUD	UDL64	32.48	157.81	106.06	78.91	18.66								
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	3	NTCUD	UDL64	36.37	157.81	106.06	78.91	18.66								

UNBUNDLED NETWORK ELEMENTS - Kentucky										Att: 2 Est: A			
CATEGORY	RATE ELEMENTS	Interm Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st		Incremental Charge - Manual Svc Order vs. Electronic-1st
					Rec	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l			SOMAN	SOMAN	SOMAN
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DS0)		NTCUD	URES		24.86		3.52					
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DS0)		NTCUD	URES		26.44		5.01					
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCVG, NTCUD, NTCOT	UREWO		102.13		49.75					
	Order Coordination for Specified Conversion Time (per LSR)		NTCOT	OCOSL		23.01							
COMMINGLING			UNCVX, UNCDX, UNCX, UNCSX, U1TD1, U1TD3, U1TS1, UE3, UDLX, U1TVX, U1TDX, U1TUB, ULDVX, ULD01, ULD03, ULD01										
	Commingling Authorization			CMGAU	0.00	0.00	0.00	0.00	0.00				
	Commingling (UNE part of single bandwidth circuit)												
	Commingling VG COCI			1DVG	0.628	6.71		4.84					
	Commingling Digital COCI			1DVG	1.32	6.71		4.84					
	Commingling ISDN COCI			UC1CA	2.84	98.09		53.67					
	Commingling 2-wire VG Interoffice Channel			UC1CA	23.95	98.09		53.67					
	Commingling 4-wire VG Interoffice Channel			UC1CA	21.28	98.09		53.67					
	Commingling 56Kbps Interoffice Channel			UC1CA	20.97	98.09		53.67					
	Commingling 64Kbps Interoffice Channel			UC1CA	17.25	98.09		53.67					
	Commingling VG/DS0 Interoffice Channel Mileage			1L5XX	0.01								
	Commingling 2-wire Local Loop Zone 1			UEAL2	12.67	125.22		60.48					
	Commingling 2-wire Local Loop Zone 2			UEAL2	17.45	125.22		60.48					
	Commingling 2-wire Local Loop Zone 3			UEAL2	33.22	125.22		60.48					
	Commingling 4-wire Local Loop Zone 1			UEAL4	29.20	125.22		60.48					
	Commingling 4-wire Local Loop Zone 2			UEAL4	34.25	125.22		60.48					
	Commingling 4-wire Local Loop Zone 3			UEAL4	85.06	125.22		60.48					
	Commingling 56Kbps Local Loop Zone 1			UDL56	27.59	125.22		60.48					
	Commingling 56Kbps Local Loop Zone 2			UDL56	32.48	125.22		60.48					
	Commingling 56Kbps Local Loop Zone 3			UDL56	36.37	125.22		60.48					
	Commingling 64Kbps Local Loop Zone 1			UDL64	27.59	125.22		60.48					
	Commingling 64Kbps Local Loop Zone 2			UDL64	32.48	125.22		60.48					
	Commingling 64Kbps Local Loop Zone 3			UDL64	36.37	125.22		60.48					
	Commingling ISDN Local Loop Zone 1			U1L2X	16.44	125.22		60.48					
	Commingling ISDN Local Loop Zone 2			U1L2X	25.08	125.22		60.48					
	Commingling ISDN Local Loop Zone 3			U1L2X	42.87	125.22		60.48					
	Commingling DS1 COCI			UC1D1	11.80	6.71		4.84					
	Commingling DS1 Interoffice Channel			UC1D1	79.02	181.24		123.53					
	Commingling DS1 Interoffice Channel Mileage			UC1D1	0.19								
	Commingling DS1 Local Loop Zone 1			UC1D1	113.33	57.26		14.74					
	Commingling DS1 Local Loop Zone 2			UC1D1	86.47	210.70		114.60					
	Commingling DS1 Local Loop Zone 3			UC1D1	114.10	210.70		114.60					
	Commingling DS3 Local Loop			UC3D3	297.76	210.70		114.60					
	Commingling DS3 Local Loop Mileage			UC3D3	306.31								
	Commingling STS-1 Local Loop			UC1D1	8.25	237.36		147.89					
	Commingling STS-1 Local Loop Mileage			UC1D1	320.51								
	Commingling DS3 Local Loop			UC3D3	158.20	115.48		56.53					
	Commingling DS3 Local Loop Mileage			UC3D3	966.89	350.56		141.58					
	Commingling DS3 Interoffice Channel			UC3D3	4.09								
	Commingling DS3 Interoffice Channel Mileage			UC3D3	945.78	350.56		141.58					
	Commingling STS-1 Interoffice Channel			UC1D1	4.09								
	Commingling STS-1 Interoffice Channel Mileage			UC1D1	30.74								
	Commingling Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof			UC1D1	732.53								
	Commingling Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof			UC1D1	0.00								
	Commingling Conversion Tracking			UC1D1	0.00								
	Commingling Conversion Tracking			UC1D1	0.00								

UNBUNDLED NETWORK ELEMENTS - Louisiana										Att: 2 Esh: A			
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)			Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st
					Rec	Nonrecuring	Nonrecuring Disconnected						
						First	ADD1	SOME1	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zones, refer to Internet Website: http://www.interconnection.bellsofth.com/become_a_clec/html/interconnection.htm													
UNE LOOP COMMINGLING													
2-WIRE ANALOG VOICE GRADE LOOP - COMMINGLING													
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1	1	NTCVG	UEAL2	14.93	102.10							
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2	2	NTCVG	UEAL2	25.35	102.10							
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3	3	NTCVG	UEAL2	50.46	102.10							
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1	1	NTCVG	UEAR2	14.93	102.10							
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2	2	NTCVG	UEAR2	25.35	102.10							
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	3	NTCVG	UEAR2	50.46	102.10							
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DS0)		NTCVG	URES1		24.98							
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DS0)		NTCVG	URES1		26.47							
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCVG	UREWO		87.59							
	Loop Tapping - Service Level 2 (SL2)		NTCVG	URETL		11.20							
4-WIRE ANALOG VOICE GRADE LOOP													
	4-Wire Analog Voice Grade Loop - Zone 1	1	NTCVG	UEAL4	30.81	127.40							
	4-Wire Analog Voice Grade Loop - Zone 2	2	NTCVG	UEAL4	38.32	127.40							
	4-Wire Analog Voice Grade Loop - Zone 3	3	NTCVG	UEAL4	60.39	127.40							
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DS0)		NTCVG	URES1		24.98							
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DS0)		NTCVG	URES1		26.47							
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCVG	UREWO		87.59							
4-WIRE DS1 DIGITAL LOOP													
	4-Wire DS1 Digital Loop - Zone 1	1	NTCD1	USLXX	85.70	245.16							
	4-Wire DS1 Digital Loop - Zone 2	2	NTCD1	USLXX	194.95	245.16							
	4-Wire DS1 Digital Loop - Zone 3	3	NTCD1	USLXX	491.94	245.16							
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DS1)		NTCD1	URES1		24.98							
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DS1)		NTCD1	URES1		26.47							
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCD1	UREWO		100.93							
4-WIRE 19.2, 38.4 OR 64 Kbps DIGITAL GRADE LOOP													
	4-Wire Unbundled Digital Loop 2.4 Kbps - Zone 1	1	NTCUD	UDI2X	30.99	121.96							
	4-Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	2	NTCUD	UDI2X	36.78	121.96							
	4-Wire Unbundled Digital Loop 2.4 Kbps - Zone 3	3	NTCUD	UDI2X	38.92	121.96							
	4-Wire Unbundled Digital Loop 4.8 Kbps - Zone 1	1	NTCUD	UDI4X	36.78	121.96							
	4-Wire Unbundled Digital Loop 4.8 Kbps - Zone 2	2	NTCUD	UDI4X	38.92	121.96							
	4-Wire Unbundled Digital Loop 4.8 Kbps - Zone 3	3	NTCUD	UDI4X	30.99	121.96							
	4-Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	1	NTCUD	UDI8X	36.78	121.96							
	4-Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	2	NTCUD	UDI8X	38.92	121.96							
	4-Wire Unbundled Digital Loop 9.6 Kbps - Zone 3	3	NTCUD	UDI8X	30.99	121.96							
	4-Wire Unbundled Digital Loop 19.2 Kbps - Zone 1	1	NTCUD	UDI19	36.78	121.96							
	4-Wire Unbundled Digital Loop 19.2 Kbps - Zone 2	2	NTCUD	UDI19	38.92	121.96							
	4-Wire Unbundled Digital Loop 19.2 Kbps - Zone 3	3	NTCUD	UDI19	30.99	121.96							
	4-Wire Unbundled Digital Loop 38.4 Kbps - Zone 1	1	NTCUD	UDI38	36.78	121.96							
	4-Wire Unbundled Digital Loop 38.4 Kbps - Zone 2	2	NTCUD	UDI38	38.92	121.96							
	4-Wire Unbundled Digital Loop 38.4 Kbps - Zone 3	3	NTCUD	UDI38	30.99	121.96							
	4-Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	NTCUD	UDI64	36.78	121.96							
	4-Wire Unbundled Digital Loop 64 Kbps - Zone 2	2	NTCUD	UDI64	38.92	121.96							
	4-Wire Unbundled Digital Loop 64 Kbps - Zone 3	3	NTCUD	UDI64	30.99	121.96							

UNBUNDLED NETWORK ELEMENTS - Louisiana										Att: 2 Exh: A					
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st			
					Rec	Nonrecurring		Nonrecurring Disconnect First					SOMECH	OSS Rates(\$)	
						Fees	Add'l							SOMAN	SOMAN
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DS0)		NTCUD			24.98	3.52								
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DS0)		NTCUD			26.47	5.01								
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCUD			101.97	49.67								
	Order Coordination for Specified Conversion Time (per LSR)		OCOSL			17.56									
COMMINGLING			UNCVX, UNCDX, UNC1X, UNCDX, UNCSX, UT1D1, UT1D3, UT1S1, UE3, UL1SX, UT1VX, UT1DX, UT1UB, UL1DVX, UL1D1, UL1D3, UL1D5	CMGAU	0.00	0.00	0.00								
	Commingling Authorization														
	Commingling (UNE part of single bandwidth (dth circuit))														
	Commingling VG COCI		XDV2X	1D1VG	0.6487	5.91	4.26								
	Commingling Digital COCI		XDV6X	1D1DD	1.38	5.91	4.26								
	Commingling ISDN COCI		XDV4X	UC1CA	2.96	6.39	4.58								
	Commingling 2-wire VG Interoffice Channel		XDV2X	UT1V2	22.60	72.60	41.75								
	Commingling 4-wire VG Interoffice Channel		XDV6X	UT1V4	19.81	72.60	41.75								
	Commingling 56kbps Interoffice Channel		XDV4X	UT1D5	15.61	72.60	41.75								
	Commingling 64kbps Interoffice Channel		XDV4X	UT1D6	15.61	72.60	41.75								
	Commingling VG/DS0 Interoffice Channel Mileage		XDV2X, XDV6X, XDV4X	1L5XX	0.013										
	Commingling 2-wire Local Loop Zone 1	1	XDV2X	UEAL2	14.93	94.21	45.09								
	Commingling 2-wire Local Loop Zone 2	2	XDV2X	UEAL2	25.35	94.21	45.09								
	Commingling 2-wire Local Loop Zone 3	3	XDV2X	UEAL2	50.46	94.21	45.09								
	Commingling 4-wire Local Loop Zone 1	1	XDV6X	UEAL4	30.81	94.21	45.09								
	Commingling 4-wire Local Loop Zone 2	2	XDV6X	UEAL4	38.32	94.21	45.09								
	Commingling 4-wire Local Loop Zone 3	3	XDV6X	UEAL4	60.39	94.21	45.09								
	Commingling 56kbps Local Loop Zone 1	1	XDV4X	UD1S6	30.99	94.21	45.09								
	Commingling 56kbps Local Loop Zone 2	2	XDV4X	UD1S6	38.78	94.21	45.09								
	Commingling 56kbps Local Loop Zone 3	3	XDV4X	UD1S6	38.92	94.21	45.09								
	Commingling 64kbps Local Loop Zone 1	1	XDV4X	UD1B4	30.99	94.21	45.09								
	Commingling 64kbps Local Loop Zone 2	2	XDV4X	UD1B4	38.78	94.21	45.09								
	Commingling 64kbps Local Loop Zone 3	3	XDV4X	UD1B4	38.92	94.21	45.09								
	Commingling ISDN Local Loop Zone 1	1	XDV4X	UT1L2X	22.09	94.21	45.09								
	Commingling ISDN Local Loop Zone 2	2	XDV4X	UT1L2X	35.28	94.21	45.09								
	Commingling ISDN Local Loop Zone 3	3	XDV4X	UT1L2X	65.18	94.21	45.09								
	Commingling DS1 COCI		XDV4X	UC1D1	11.78	5.91	4.26								
	Commingling DS1 Interoffice Channel		XDV4X	UT1F1	70.47	143.58	103.88								
	Commingling DS1 Interoffice Channel Mileage		XDV4X	1L5XX	0.2652										
	Commingling DS1/DS0 Channel System		XDV4X	MQ1XX	105.09	59.97	12.96								
	Commingling DS1 Local Loop Zone 1	1	XDV4X	US1XX	85.70	169.22	100.89								
	Commingling DS1 Local Loop Zone 2	2	XDV4X	US1XX	194.96	169.22	100.89								
	Commingling DS1 Local Loop Zone 3	3	XDV4X	US1XX	491.94	169.22	100.89								
	Commingling DS3 Local Loop		HFQCB	UE1PX	362.34	188.45	125.51								
	Commingling DS3/STS-1 Local Loop Mileage		HFQCB, HFRST	UD1S1	10.04										
	Commingling STS-1 Local Loop		HFQCB, HFRST	UD1S1	374.56	188.45	125.51								
	Commingling DS3/STS-1 Channel System		HFQCB	MQ3	201.48	107.05	48.07								
	Commingling DS3 Interoffice Channel		HFQCB	UT1F3	850.45	296.68	121.16								
	Commingling DS3 Interoffice Channel Mileage		HFQCB	1L5XX	6.04										
	Commingling STS-1 Interoffice Channel		HFQCB	UT1F5	830.19	296.68	121.16								
	Commingling STS-1 Interoffice Channel Mileage		HFQCB	1L5XX	6.04										
	Commingling Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof		HEQDL	1L5DF	25.28										
	Commingling Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof		HEQDL	UDF14	620.60	133.88									
	UNE to Commingling Conversion Tracking		XDV4X, HFQCB	CMGUN	0.00	0.00	0.00	0.00							
	SPA to Commingling Conversion Tracking		XDV4X, HFQCB	CMGSP	0.00	0.00	0.00	0.00							

[illegible]

Note: Rates displaying an "m" in Interim column are interim as a result of a Commission order.

UNBUNDLED NETWORK ELEMENTS - Mississippi										Att: 2 Exh: A					
CATEGORY	RATE ELEMENTS	Interm Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st		Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	
					Nonrecurring First	Add'l	Nonrecurring First	Add'l			OSS Rates(\$)				
											SOMAN	SOMAN			
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zones, refer to Internet Website: http://www.interconnection.bellsouth.com/become_a_client/interconnection.htm															
UNE LOOP COMMINGLING															
2-WIRE ANALOG VOICE GRADE LOOP - COMMINGLING															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1	1	NTCVG	UEAL2	13.89	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2	2	NTCVG	UEAL2	18.75	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3	3	NTCVG	UEAL2	27.55	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 4	4	NTCVG	UEAL2	45.72	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1	1	NTCVG	UEAR2	13.89	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2	2	NTCVG	UEAR2	18.75	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	3	NTCVG	UEAR2	27.55	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 4	4	NTCVG	UEAR2	45.72	105.96	68.28	52.82	10.37						
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DSD)		NTCVG	URES1		25.01	3.53								
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DSD)		NTCVG	URES1		25.01	3.53								
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCVG	UREWO		87.56	36.29								
	Loop Tagging - Service Level 2 (SL2)		NTCVG	URETL		11.19	1.10								
4-WIRE ANALOG VOICE GRADE LOOP - COMMINGLING															
	4-Wire Analog Voice Grade Loop - Zone 1	1	NTCVG	UEAL4	27.47	132.27	94.59	60.68	14.64						
	4-Wire Analog Voice Grade Loop - Zone 2	2	NTCVG	UEAL4	38.26	132.27	94.59	60.68	14.64						
	4-Wire Analog Voice Grade Loop - Zone 3	3	NTCVG	UEAL4	50.03	132.27	94.59	60.68	14.64						
	4-Wire Analog Voice Grade Loop - Zone 4	4	NTCVG	UEAL4	50.03	132.27	94.59	60.68	14.64						
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DSD)		NTCVG	URES1		25.01	3.53								
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DSD)		NTCVG	URES1		25.01	3.53								
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCVG	UREWO		87.56	36.29								
4-WIRE DS1 DIGITAL LOOP															
	4-Wire DS1 Digital Loop - Zone 1	1	NTCD1	USLXX	79.08	253.93	158.45	46.10	12.07						
	4-Wire DS1 Digital Loop - Zone 2	2	NTCD1	USLXX	129.38	253.93	158.45	46.10	12.07						
	4-Wire DS1 Digital Loop - Zone 3	3	NTCD1	USLXX	206.74	253.93	158.45	46.10	12.07						
	4-Wire DS1 Digital Loop - Zone 4	4	NTCD1	USLXX	458.46	253.93	158.45	46.10	12.07						
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DSD)		NTCD1	URES1		25.01	3.53								
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DSD)		NTCD1	URES1		25.01	3.53								
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCD1	UREWO		100.90	42.96								
4-WIRE 19.2, 56 OR 64 Kbps DIGITAL GRADE LOOP															
	4-Wire Unbundled Digital Loop 2.4 Kbps - Zone 1	1	NTCUD	UDL2X	27.44	126.53	88.85	60.68	14.64						
	4-Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	2	NTCUD	UDL2X	34.55	126.53	88.85	60.68	14.64						
	4-Wire Unbundled Digital Loop 2.4 Kbps - Zone 3	3	NTCUD	UDL2X	40.76	126.53	88.85	60.68	14.64						
	4-Wire Unbundled Digital Loop 2.4 Kbps - Zone 4	4	NTCUD	UDL2X	32.25	126.53	88.85	60.68	14.64						
	4-Wire Unbundled Digital Loop 4.8 Kbps - Zone 1	1	NTCUD	UDL4X	27.44	126.53	88.85	60.68	14.64						
	4-Wire Unbundled Digital Loop 4.8 Kbps - Zone 2	2	NTCUD	UDL4X	34.55	126.53	88.85	60.68	14.64						
	4-Wire Unbundled Digital Loop 4.8 Kbps - Zone 3	3	NTCUD	UDL4X	40.76	126.53	88.85	60.68	14.64						
	4-Wire Unbundled Digital Loop 4.8 Kbps - Zone 4	4	NTCUD	UDL4X	32.25	126.53	88.85	60.68	14.64						
	4-Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	1	NTCUD	UDL9X	27.44	126.53	88.85	60.68	14.64						
	4-Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	2	NTCUD	UDL9X	34.55	126.53	88.85	60.68	14.64						
	4-Wire Unbundled Digital Loop 9.6 Kbps - Zone 3	3	NTCUD	UDL9X	40.76	126.53	88.85	60.68	14.64						
	4-Wire Unbundled Digital Loop 9.6 Kbps - Zone 4	4	NTCUD	UDL9X	32.25	126.53	88.85	60.68	14.64						

UNBUNDLED NETWORK ELEMENTS - Mississippi										Att. 2 Exh: A					
CATEGORY	RATE ELEMENTS	Interm Zone	BCS	USOC	RATES(\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
					Rec	Nonrecurring		Nonrecurring Disconnect							OSS Rates(\$)
						First	Add'l	First	Add'l						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1	1	NTCUD	UDL19	27.44	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 2	2	NTCUD	UDL19	34.55	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3	3	NTCUD	UDL19	40.76	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 4	4	NTCUD	UDL19	32.25	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	NTCUD	UDL56	27.44	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	2	NTCUD	UDL56	34.55	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	3	NTCUD	UDL56	40.76	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 4	4	NTCUD	UDL56	32.25	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	NTCUD	UDL64	27.44	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	2	NTCUD	UDL64	34.55	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	3	NTCUD	UDL64	40.76	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 4	4	NTCUD	UDL64	32.25	126.53	88.85	60.68	14.64						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)		NTCUD	URES1	25.01		3.53								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)		NTCUD	URES2	26.50		5.02								
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCUD	UREWO	101.94		49.66								
	Order Coordination for Specified Conversion Time (per LSR)		NTCUD	OCOSL	18.19										
COMINGLING			UNCVX, UNCDX, UNC1X, UNC3X, UNCSX, UTID1, UTID3, UITS1, UTS3, UDLX, UTVX, UTXD, UTLUB, ULVX, ULDD1, ULDD3, ULDS1												
	Commingling Authorization			CMGAU	0.00	0.00	0.00	0.00	0.00	0.00					
	Commingling (UNE part of single bandwidth circuit)														
	Commingling VG COCI		XDV2X, NTCVG	1DIVG	0.5737	6.82	4.74								
	Commingling ISDN COCI		XDV6X, NTCUD	1D1DD	1.22	6.82	4.74								
	Commingling 2-wire VG Interoffice Channel		XDV2X	UC1CA	2.62	6.82	4.74								
	Commingling 4-wire VG Interoffice Channel		XDV6X	UTTV2	22.52	40.77	27.57	17.26	7.11						
	Commingling 56Kbps Interoffice Channel		XDV6X	UTTV4	19.79	40.77	27.57	17.26	7.11						
	Commingling 84Kbps Interoffice Channel		XDV6X	UTID5	15.68	40.77	27.57	17.26	7.11						
	Commingling VG/DS0 Interoffice Channel Mileage		XDV2X, XDV6X, XDD4X	1LSXX	0.0088										
	Commingling 2-wire Local Loop Zone 1	1	XDV2X	UEAL2	13.89	105.96	68.28	52.82	10.37						
	Commingling 2-wire Local Loop Zone 2	2	XDV2X	UEAL2	16.75	105.96	68.28	52.82	10.37						
	Commingling 2-wire Local Loop Zone 3	3	XDV2X	UEAL2	27.55	105.96	68.28	52.82	10.37						
	Commingling 2-wire Local Loop Zone 4	4	XDV2X	UEAL2	45.72	105.96	68.28	52.82	10.37						
	Commingling 4-wire Local Loop Zone 1	1	XDV6X	UEAL4	27.47	132.27	94.59	60.68	14.64						
	Commingling 4-wire Local Loop Zone 2	2	XDV6X	UEAL4	38.26	132.27	94.59	60.68	14.64						
	Commingling 4-wire Local Loop Zone 3	3	XDV6X	UEAL4	50.03	132.27	94.59	60.68	14.64						
	Commingling 4-wire Local Loop Zone 4	4	XDV6X	UEAL4	50.03	132.27	94.59	60.68	14.64						
	Commingling 56Kbps Local Loop Zone 1	1	XDD4X	UDL56	27.44	126.53	88.85	60.68	14.64						
	Commingling 56Kbps Local Loop Zone 2	2	XDD4X	UDL56	34.55	126.53	88.85	60.68	14.64						
	Commingling 56Kbps Local Loop Zone 3	3	XDD4X	UDL56	40.76	126.53	88.85	60.68	14.64						
	Commingling 56Kbps Local Loop Zone 4	4	XDD4X	UDL56	32.25	126.53	88.85	60.68	14.64						
	Commingling 84Kbps Local Loop Zone 1	1	XDD4X	UDL64	27.44	126.53	88.85	60.68	14.64						
	Commingling 84Kbps Local Loop Zone 2	2	XDD4X	UDL64	34.55	126.53	88.85	60.68	14.64						
	Commingling 84Kbps Local Loop Zone 3	3	XDD4X	UDL64	40.76	126.53	88.85	60.68	14.64						
	Commingling 84Kbps Local Loop Zone 4	4	XDD4X	UDL64	32.25	126.53	88.85	60.68	14.64						
	Commingling ISDN Local Loop Zone 1	1	XDD4X	U1L2X	21.01	117.61	79.92	52.82	10.37						
	Commingling ISDN Local Loop Zone 2	2	XDD4X	U1L2X	27.59	117.61	79.92	52.82	10.37						
	Commingling ISDN Local Loop Zone 3	3	XDD4X	U1L2X	37.34	117.61	79.92	52.82	10.37						
	Commingling ISDN Local Loop Zone 4	4	XDD4X	U1L2X	59.18	117.61	79.92	52.82	10.37						
	Commingling DS1 COCI		XDH1X, NTCOD1	UC1DI	12.96	6.82	4.74								
	Commingling DS1 Interoffice Channel		XDH1X	U1T1F	57.33	89.79	82.28	16.86	14.90						
	Commingling DS1 Interoffice Channel Mileage		XDH1X	1LSXX	0.1813										
	Commingling DS/DS0 Channel System		XDH1X	MQ1	102.85	91.57	62.94	10.87	10.10						

UNBUNDLED NETWORK ELEMENTS - Mississippi																
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Att: 2 Exh: A		Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
					Nonrecurring		Nonrecurring Disconnect		OSS Rates(\$)							
					Rec	First	Adtl	First	SOMAN			SOMAN	SOMAN			
	Commingled DS1 Local Loop Zone 1	1	XDH1X	USLXX	79.08	253.93	158.45	46.10	12.07							
	Commingled DS1 Local Loop Zone 2	2	XDH1X	USLXX	129.38	253.93	158.45	46.10	12.07							
	Commingled DS1 Local Loop Zone 3	3	XDH1X	USLXX	206.74	253.93	158.45	46.10	12.07							
	Commingled DS1 Local Loop Zone 4	4	XDH1X	USLXX	458.46	253.93	158.45	46.10	12.07							
	Commingled DS3 Local Loop		HFOC6	UE3PX	326.15	454.13	265.47	123.23	86.19							
	Commingled DS3/STS-1 Local Loop Mileage		HFOC6, HFRST	1L5ND	11.20											
	Commingled STS-1 Local Loop		HFRST	UDLS1	338.55	454.13	265.47	123.23	86.19							
	Commingled DS3/DS1 Channel System		HFOC6	MQ3	170.63	179.17	94.52	34.30	32.82							
	Commingled DS3 Interoffice Channel		HFOC6	U1TF3	841.90	280.37	163.70	62.08	60.29							
	Commingled DS3 Interoffice Channel Mileage		HFOC6	1L5XX	4.29											
	Commingled STS-1 Interoffice Channel		HFRST	U1TF5	644.21	280.37	163.70	62.08	60.29							
	Commingled STS-1 Interoffice Channel Mileage		HFRST	1L5XX	4.29											
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof		HEQDL	1L5DF	28.27											
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof		HEQDL	UDF14		642.79	138.67	326.97	203.85							
	UNE to Commingled Conversion Tracking		XDH1X, HFOC6	CMGJUN	0.00	0.00	0.00	0.00	0.00							
	SPA to Commingled Conversion Tracking		XDH1X, HFOC6	CMGJSP	0.00	0.00	0.00	0.00	0.00							
Note: Rates displaying an "I" in Interim column are Interim as a result of a Commission order.																

UNBUNDLED NETWORK ELEMENTS - North Carolina										Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)			Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- 1st
					Rec	Nonrecurring Add'l	Nonrecurring Disconnect First						
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zones, refer to Internet Website: http://www.interconnection.bellouth.com/become_a_client/interconnection.htm													
UNE LOOP COMMINGLING													
2-WIRE ANALOG VOICE GRADE LOOP - COMMINGLING													
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1	1	NTCVG	UEAL2	11.96	102.10	65.72						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2	2	NTCVG	UEAL2	17.36	102.10	65.72						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3	3	NTCVG	UEAL2	25.23	102.10	65.72						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1	1	NTCVG	UEAR2	11.96	102.10	65.72						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2	2	NTCVG	UEAR2	17.36	102.10	65.72						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	3	NTCVG	UEAR2	25.23	102.10	65.72						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DSU)		NTCVG	URES1		25.03	3.53						
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DSU)		NTCVG	URES1		25.03	3.53						
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCVG	UREWO		87.49	36.26						
	Loop Tagging - Service Level 2 (SL2)		NTCVG	URETL		11.20	1.10						
4-WIRE ANALOG VOICE GRADE LOOP - COMMINGLING													
	4-Wire Analog Voice Grade Loop - Zone 1	1	NTCVG	UEAL4	19.52	127.40	91.02						
	4-Wire Analog Voice Grade Loop - Zone 2	2	NTCVG	UEAL4	24.74	127.40	91.02						
	4-Wire Analog Voice Grade Loop - Zone 3	3	NTCVG	UEAL4	46.11	127.40	91.02						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DSU)		NTCVG	URES1		25.03	3.53						
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DSU)		NTCVG	URES1		25.03	3.53						
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCVG	UREWO		87.49	36.26						
4-WIRE DS1 DIGITAL LOOP													
	4-Wire DS1 Digital Loop - Zone 1	1	NTCD1	USLXX	63.62	245.16	152.98						
	4-Wire DS1 Digital Loop - Zone 2	2	NTCD1	USLXX	104.40	245.16	152.98						
	4-Wire DS1 Digital Loop - Zone 3	3	NTCD1	USLXX	210.22	245.16	152.98						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1)		NTCD1	URES1		25.03	3.53						
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS1)		NTCD1	URES1		25.03	3.53						
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCD1	UREWO		100.82	42.93						
4-WIRE 19.2, 56 OR 64 Kbps DIGITAL GRADE LOOP													
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1	1	NTCUD	UDL2X	21.98	121.86	85.48						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	2	NTCUD	UDL2X	27.58	121.86	85.48						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3	3	NTCUD	UDL2X	43.08	121.86	85.48						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1	1	NTCUD	UDL4X	21.98	121.86	85.48						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2	2	NTCUD	UDL4X	27.58	121.86	85.48						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3	3	NTCUD	UDL4X	43.08	121.86	85.48						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	1	NTCUD	UDL9X	21.98	121.86	85.48						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	2	NTCUD	UDL9X	27.58	121.86	85.48						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3	3	NTCUD	UDL9X	43.08	121.86	85.48						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1	1	NTCUD	UDL19	21.98	121.86	85.48						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 2	2	NTCUD	UDL19	27.58	121.86	85.48						
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3	3	NTCUD	UDL19	43.08	121.86	85.48						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	NTCUD	UDL56	21.98	121.86	85.48						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	2	NTCUD	UDL56	27.58	121.86	85.48						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	3	NTCUD	UDL56	43.08	121.86	85.48						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	NTCUD	UDL64	21.98	121.86	85.48						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	2	NTCUD	UDL64	27.58	121.86	85.48						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	3	NTCUD	UDL64	43.08	121.86	85.48						

UNBUNDLED NETWORK ELEMENTS - South Carolina										Att. 2 Exh. A			
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)			Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st
					Rec	Nonrecuring	Nonrecuring Disconnect						
					First	Add'l	First	SOMEK	SOMAN	OSS Rates(\$)	SOMAN	SOMAN	SOMAN
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zones, refer to Internet Website: http://w.w.interconnection.bellsouth.com/become_a_clehtmlinterconnection.htm													
UNE LOOP COMINGLING													
2-WIRE ANALOG VOICE GRADE LOOP - COMINGLING													
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1	1	NTCVG	UEAL2	16.68	105.98	68.43	53.05	10.61				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2	2	NTCVG	UEAL2	23.13	105.98	68.43	53.05	10.61				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3	3	NTCVG	UEAL2	28.46	105.98	68.43	53.05	10.61				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1	1	NTCVG	UEAR2	16.68	105.98	68.43	53.05	10.61				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2	2	NTCVG	UEAR2	23.13	105.98	68.43	53.05	10.61				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	3	NTCVG	UEAR2	28.46	105.98	68.43	53.05	10.61				
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DS0)		NTCVG	URES		24.88	3.51						
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DS0)		NTCVG	URES		26.37	4.99						
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCVG	UREWO		87.90	36.44						
	Loop Tagging - Service Level 2 (SL2)		NTCVG	URETL		11.24	1.10						
4-WIRE ANALOG VOICE GRADE LOOP													
	4-Wire Analog Voice Grade Loop - Zone 1	1	NTCVG	UEAL4	32.59	132.38	94.83	59.35	14.61				
	4-Wire Analog Voice Grade Loop - Zone 2	2	NTCVG	UEAL4	43.89	132.38	94.83	59.35	14.61				
	4-Wire Analog Voice Grade Loop - Zone 3	3	NTCVG	UEAL4	43.38	132.38	94.83	59.35	14.61				
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DS0)		NTCVG	URES		24.88	3.51						
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DS0)		NTCVG	URES		26.37	4.99						
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCVG	UREWO		87.90	36.44						
4-WIRE DS1 DIGITAL LOOP - COMINGLING													
	4-Wire DS1 Digital Loop - Zone 1	1	NTCD1	USLXX	79.51	253.03	157.89	44.80	11.73				
	4-Wire DS1 Digital Loop - Zone 2	2	NTCD1	USLXX	136.00	253.03	157.89	44.80	11.73				
	4-Wire DS1 Digital Loop - Zone 3	3	NTCD1	USLXX	229.15	253.03	157.89	44.80	11.73				
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DS1)		NTCD1	URES		24.88	3.51						
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DS1)		NTCD1	URES		26.37	4.99						
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCD1	UREWO		101.30	43.13						
4-WIRE 19.2, 56 OR 64 Kbps DIGITAL GRADE LOOP													
	4-Wire Unbundled Digital Loop 2.4 Kbps - Zone 1	1	NTCUD	UDL2X	29.93	126.66	89.12	59.35	14.61				
	4-Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	2	NTCUD	UDL2X	33.99	126.66	89.12	59.35	14.61				
	4-Wire Unbundled Digital Loop 2.4 Kbps - Zone 3	3	NTCUD	UDL2X	34.74	126.66	89.12	59.35	14.61				
	4-Wire Unbundled Digital Loop 4.8 Kbps - Zone 1	1	NTCUD	UDL4X	29.93	126.66	89.12	59.35	14.61				
	4-Wire Unbundled Digital Loop 4.8 Kbps - Zone 2	2	NTCUD	UDL4X	33.99	126.66	89.12	59.35	14.61				
	4-Wire Unbundled Digital Loop 4.8 Kbps - Zone 3	3	NTCUD	UDL4X	34.74	126.66	89.12	59.35	14.61				
	4-Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	1	NTCUD	UDL9X	29.93	126.66	89.12	59.35	14.61				
	4-Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	2	NTCUD	UDL9X	33.99	126.66	89.12	59.35	14.61				
	4-Wire Unbundled Digital Loop 9.6 Kbps - Zone 3	3	NTCUD	UDL9X	34.74	126.66	89.12	59.35	14.61				
	4-Wire Unbundled Digital Loop 19.2 Kbps - Zone 1	1	NTCUD	UDL19	29.93	126.66	89.12	59.35	14.61				
	4-Wire Unbundled Digital Loop 19.2 Kbps - Zone 2	2	NTCUD	UDL19	33.99	126.66	89.12	59.35	14.61				
	4-Wire Unbundled Digital Loop 19.2 Kbps - Zone 3	3	NTCUD	UDL19	34.74	126.66	89.12	59.35	14.61				
	4-Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	NTCUD	UDL56	29.93	126.66	89.12	59.35	14.61				
	4-Wire Unbundled Digital Loop 56 Kbps - Zone 2	2	NTCUD	UDL56	33.99	126.66	89.12	59.35	14.61				
	4-Wire Unbundled Digital Loop 56 Kbps - Zone 3	3	NTCUD	UDL56	34.74	126.66	89.12	59.35	14.61				
	4-Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	NTCUD	UDL64	29.93	126.66	89.12	59.35	14.61				
	4-Wire Unbundled Digital Loop 64 Kbps - Zone 2	2	NTCUD	UDL64	33.99	126.66	89.12	59.35	14.61				
	4-Wire Unbundled Digital Loop 64 Kbps - Zone 3	3	NTCUD	UDL64	34.74	126.66	89.12	59.35	14.61				

UNBUNDLED NETWORK ELEMENTS - South Carolina										Att. 2 Exh. A			
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st
					Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First					
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)		NTCUD		URES	24.88	3.51						
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)		NTCUD		URES	26.37	4.99						
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCUD		UREWO	102.34	49.85						
	Order Coordination for Specified Conversion Time (per LSR)		NTCUD		OCOSL	18.13							
COMINGLING													
			UNCVX, UNCDX, UNCSX, UTID1, UTID3, UTIS1, UE3, UPLSX, U1TVX, U1TDX, U1TUS, ULVDX, ULDD1, ULDD3, ULDS1										
	Comingling Authorization			CMGAU	0.00	0.00	0.00	0.00	0.00	0.00			
	Comingling (UNE part of single bandwidth circuit)												
	Comingling VG COCI		XDV2X		IDVVG	0.56	6.59	4.73					
	Comingling Digital COCI		XDV6X		IDIDD	1.19	6.59	4.73					
	Comingling ISDN COCI		XDD4X		UTICA	2.56	6.59	4.73					
	Comingling 2-wire VG Interoffice Channel Facility Termination		XDV2X		U1T22	24.30	40.63	27.47	16.77	6.91			
	Comingling 2-wire VG Interoffice Channel Facility Termination		XDV6X		U1TVA	21.29	40.63	27.47	16.77	6.91			
	Comingling 56kbps Interoffice Channel Facility Termination		XDD4X		U1TDS	16.76	40.63	27.47	16.77	6.91			
	Comingling 64kbps Interoffice Channel Facility Termination		XDD4X		U1TD6	16.76	40.63	27.47	16.77	6.91			
	Comingling 2-wire Local Loop Zone 1	1	XDV2X		1LSXX	0.0167							
	Comingling 2-wire Local Loop Zone 2	2	XDV2X		UEAL2	16.68	105.98	68.43	53.05	10.61			
	Comingling 2-wire Local Loop Zone 3	3	XDV2X		UEAL3	23.13	105.98	68.43	53.05	10.61			
	Comingling 4-wire Local Loop Zone 1	1	XDV6X		UEAL4	28.46	105.98	68.43	53.05	10.61			
	Comingling 4-wire Local Loop Zone 2	2	XDV6X		UEAL4	32.59	132.38	94.83	59.35	14.61			
	Comingling 4-wire Local Loop Zone 3	3	XDV6X		UEAL4	43.89	132.38	94.83	59.35	14.61			
	Comingling 56kbps Local Loop Zone 1	1	XDD4X		UDL56	29.93	126.66	89.12	59.35	14.61			
	Comingling 56kbps Local Loop Zone 2	2	XDD4X		UDL56	33.99	126.66	89.12	59.35	14.61			
	Comingling 56kbps Local Loop Zone 3	3	XDD4X		UDL56	34.74	126.66	89.12	59.35	14.61			
	Comingling 64kbps Local Loop Zone 1	1	XDD4X		UDL64	29.93	126.66	89.12	59.35	14.61			
	Comingling 64kbps Local Loop Zone 2	2	XDD4X		UDL64	33.99	126.66	89.12	59.35	14.61			
	Comingling 64kbps Local Loop Zone 3	3	XDD4X		UDL64	34.74	126.66	89.12	59.35	14.61			
	Comingling ISDN Local Loop Zone 1	1	XDD4X		U1L2X	25.21	117.58	80.03	53.05	10.61			
	Comingling ISDN Local Loop Zone 2	2	XDD4X		U1L2X	32.76	117.58	80.03	53.05	10.61			
	Comingling ISDN Local Loop Zone 3	3	XDD4X		U1L2X	37.70	117.58	80.03	53.05	10.61			
	Comingling DS1 COCI		XDH1X		UCID1	6.59	8.64	4.73					
	Comingling DS1 Interface Channel Facility Termination		XDH1X		UTTF1	77.14	89.47	81.99	16.39	14.48			
	Comingling DS1 Interface Channel per mile		XDH1X		1LSXX	0.3415							
	Comingling DS1 Interface Channel System		XDH1X		MO1	107.57	91.24	62.71	10.56	9.81			
	Comingling DS1 Local Loop Zone 1	1	XDH1X		USLXX	79.51	253.03	157.89	44.80	11.73			
	Comingling DS1 Local Loop Zone 2	2	XDH1X		USLXX	136.00	253.03	157.89	44.80	11.73			
	Comingling DS1 Local Loop Zone 3	3	XDH1X		USLXX	229.15	253.03	157.89	44.80	11.73			
	Comingling DS3 Local Loop Facility Termination		HFQ08		UE3PX	306.36	452.52	264.53	119.75	83.77			
	Comingling DS3S-1 Local Loop per mile		HFQ08, HFRST		1LSD	12.26							
	Comingling DS3S-1 Local Loop Facility Termination		HFQ08		UDLS1	313.49	452.52	264.53	119.75	83.77			
	Comingling DS3S-1 Channel System		HFQ08		MO3	144.02	178.54	94.18	33.33	31.90			
	Comingling DS3S-1 Interface Channel Facility Termination		HFQ08		U1TF3	880.65	279.37	163.12	60.33	58.59			
	Comingling DS3S-1 Interface Channel per mile		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel Facility Termination		HFQ08		U1TFS	880.65	279.37	163.12	60.33	58.59			
	Comingling DS3S-1 Interface Channel per mile		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel Facility Termination		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel per mile		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel Facility Termination		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel per mile		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel Facility Termination		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel per mile		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel Facility Termination		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel per mile		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel Facility Termination		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel per mile		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel Facility Termination		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel per mile		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel Facility Termination		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel per mile		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel Facility Termination		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel per mile		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel Facility Termination		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel per mile		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel Facility Termination		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel per mile		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel Facility Termination		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel per mile		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel Facility Termination		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel per mile		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel Facility Termination		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel per mile		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel Facility Termination		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel per mile		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel Facility Termination		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel per mile		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel Facility Termination		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel per mile		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel Facility Termination		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel per mile		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel Facility Termination		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel per mile		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel Facility Termination		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel per mile		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel Facility Termination		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel per mile		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel Facility Termination		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel per mile		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel Facility Termination		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel per mile		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel Facility Termination		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel per mile		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel Facility Termination		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel per mile		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel Facility Termination		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel per mile		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel Facility Termination		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel per mile		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel Facility Termination		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel per mile		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel Facility Termination		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel per mile		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel Facility Termination		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel per mile		HFQ08		1LSD	8.02							
	Comingling DS3S-1 Interface Channel Facility Termination		HFQ08		1LSD	8.02							

UNBUNDLED NETWORK ELEMENTS - Tennessee													Att: 2 Etr: A		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l				
					Nonrecurring First	Add'l	Nonrecurring Disconnect First	SOMECC							SOMAN	SOMAN	SOMAN	SOMAN
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zones, refer to Internet Website: http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm																		
UNE LOOP COMMINGLING																		
2-WIRE ANALOG VOICE GRADE LOOP - COMMINGLING																		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1	1	NTCVG	UEAL2	14.74	75.06	48.20	28.70	17.64									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2	2	NTCVG	UEAL2	22.08	75.06	48.20	28.70	17.64									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3	3	NTCVG	UEAL2	36.87	75.06	48.20	28.70	17.64									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1	1	NTCVG	UEAR2	14.74	75.06	48.20	28.70	17.64									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2	2	NTCVG	UEAR2	22.08	75.06	48.20	28.70	17.64									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	3	NTCVG	UEAR2	36.87	75.06	48.20	28.70	17.64									
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)		NTCVG	URES1		23.42	3.30											
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)		NTCVG	URES1		24.82	4.70											
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCVG	UREWO		75.06	36.41											
	Loop Tagging - Service Level 2 (SL2)		NTCVG	URETL		11.23	1.10											
4-WIRE ANALOG VOICE GRADE LOOP																		
	4-Wire Analog Voice Grade Loop - Zone 1	1	NTCVG	UEAL4	21.98	122.76	85.57	76.35	39.16									
	4-Wire Analog Voice Grade Loop - Zone 2	2	NTCVG	UEAL4	32.93	122.76	85.57	76.35	39.16									
	4-Wire Analog Voice Grade Loop - Zone 3	3	NTCVG	UEAL4	54.99	122.76	85.57	76.35	39.16									
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)		NTCVG	URES1		23.42	3.30											
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)		NTCVG	URES1		24.82	4.70											
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCVG	UREWO		75.06	36.41											
4-WIRE DS1 DIGITAL LOOP - COMMINGLING																		
	4-Wire DS1 Digital Loop - Zone 1	1	NTCD1	USLXX	51.38	313.08	219.72	96.86	40.45									
	4-Wire DS1 Digital Loop - Zone 2	2	NTCD1	USLXX	76.96	313.08	219.72	96.86	40.45									
	4-Wire DS1 Digital Loop - Zone 3	3	NTCD1	USLXX	126.54	313.08	219.72	96.86	40.45									
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1)		NTCD1	URES1		23.42	3.30											
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS1)		NTCD1	URES1		24.82	4.70											
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCD1	UREWO		130.47	40.11											
4-WIRE 19.2, 56 OR 64 Kbps DIGITAL GRADE LOOP																		
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1	1	NTCUD	UDL2X	27.68	207.01	141.38	90.70	44.18									
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	2	NTCUD	UDL2X	41.47	207.01	141.38	90.70	44.18									
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3	3	NTCUD	UDL2X	69.24	207.01	141.38	90.70	44.18									
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1	1	NTCUD	UDL4X	27.68	207.01	141.38	90.70	44.18									
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2	2	NTCUD	UDL4X	41.47	207.01	141.38	90.70	44.18									
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3	3	NTCUD	UDL4X	69.24	207.01	141.38	90.70	44.18									
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	1	NTCUD	UDL9X	27.68	207.01	141.38	90.70	44.18									
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	2	NTCUD	UDL9X	41.47	207.01	141.38	90.70	44.18									
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3	3	NTCUD	UDL9X	69.24	207.01	141.38	90.70	44.18									
	4 Wire Unbundled Digital Loop 19.2 Kbps - Zone 1	1	NTCUD	UDL19	27.68	207.01	141.38	90.70	44.18									
	4 Wire Unbundled Digital Loop 19.2 Kbps - Zone 2	2	NTCUD	UDL19	41.47	207.01	141.38	90.70	44.18									
	4 Wire Unbundled Digital Loop 19.2 Kbps - Zone 3	3	NTCUD	UDL19	69.24	207.01	141.38	90.70	44.18									
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	NTCUD	UDL56	27.68	207.01	141.38	90.70	44.18									
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	2	NTCUD	UDL56	41.47	207.01	141.38	90.70	44.18									
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	3	NTCUD	UDL56	69.24	207.01	141.38	90.70	44.18									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	NTCUD	UDL64	27.68	207.01	141.38	90.70	44.18									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	2	NTCUD	UDL64	41.47	207.01	141.38	90.70	44.18									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	3	NTCUD	UDL64	69.24	207.01	141.38	90.70	44.18									

UNBUNDLED NETWORK ELEMENTS - Tennessee														
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Att. 2 Ext. A					
					Nonrecurring First	Add'l	Nonrecurring Disconnect Add'l	Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)		NTCUD	URES		23.42	3.30							
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)		NTCUD	URES		24.82	4.70							
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCUD	UREWO		102.28	49.82							
	Order Coordination for Specified Conversion Time (per LSR)		NTCUD1	OCOSL		34.29								
COMMINGLING			UNCVX, UNCDX, UNC1X, UNC3X, UNC5X, U1TD1, U1TD3, U1TS1, UE3, UDLX, U1TVX, U1TDX, U1TUB, ULDVX, ULD01, ULD03, ULD51											
	Commingling Authorization			CMGSAU		0.00	0.00	0.00	0.00					
	Commingling (UNE part of single bandwidth circuit)													
	Commingling VG COCI		XDV2X	1D1VG		1.82	5.70	4.42						
	Commingling Digital COCI		XDV6X	1D1DD		0.91	5.70	4.42						
	Commingling ISDN COCI		XDV4X	UCICA		17.58	5.70							
	Commingling 2-wire VG Interoffice Channel Facility Termination		XDV2X	U1TV2		18.58	79.83	44.06	69.32					
	Commingling 4-wire VG Interoffice Channel Facility Termination		XDV6X	U1TV4		24.09	79.83	44.06	69.32					
	Commingling 56kbps Interoffice Channel Facility Termination		XDV4X	U1TD5		17.98	79.83	44.06	69.32					
	Commingling 64kbps Interoffice Channel Facility Termination		XDV2X	U1TD6		17.98	79.83	44.06	69.32					
	Commingling VG/DS0 Interoffice Channel per mile		XDV4X	1L5XX		0.0174								
	Commingling 2-wire Local Loop Zone 1	1	XDV2X	UEAL2		14.74	108.76	35.47	72.94					
	Commingling 2-wire Local Loop Zone 2	2	XDV2X	UEAL2		22.08	108.76	35.47	72.94					
	Commingling 2-wire Local Loop Zone 3	3	XDV2X	UEAL2		36.87	108.76	35.47	72.94					
	Commingling 4-wire Local Loop Zone 1	1	XDV6X	UEAL4		21.98	108.76	35.47	72.94					
	Commingling 4-wire Local Loop Zone 2	2	XDV6X	UEAL4		32.93	108.76	35.47	72.94					
	Commingling 4-wire Local Loop Zone 3	3	XDV6X	UEAL4		54.89	108.76	35.47	72.94					
	Commingling 56kbps Local Loop Zone 1	1	XDV4X	UDL56		21.86	108.76	35.47	72.94					
	Commingling 56kbps Local Loop Zone 2	2	XDV4X	UDL56		41.47	108.76	35.47	72.94					
	Commingling 56kbps Local Loop Zone 3	3	XDV4X	UDL56		69.24	108.76	35.47	72.94					
	Commingling 64kbps Local Loop Zone 1	1	XDV4X	UDL64		27.88	108.76	35.47	72.94					
	Commingling 64kbps Local Loop Zone 2	2	XDV4X	UDL64		41.47	108.76	35.47	72.94					
	Commingling 64kbps Local Loop Zone 3	3	XDV4X	UDL64		69.24	108.76	35.47	72.94					
	Commingling ISDN Local Loop Zone 1	1	XDV4X	U1L2X		19.77	108.76	35.47	72.94					
	Commingling ISDN Local Loop Zone 2	2	XDV4X	U1L2X		29.63	108.76	35.47	72.94					
	Commingling ISDN Local Loop Zone 3	3	XDV4X	U1L2X		49.47	108.76	35.47	72.94					
	Commingling DS1 COCI		XDV1X	UC1D1		17.58	5.70	4.42						
	Commingling DS1 Interoffice Channel Facility Termination		XDV1X	U1TF1		77.86	171.24	113.12	70.07					
	Commingling DS1 Interoffice Channel per mile		XDV1X	1L5XX		0.3562								
	Commingling DS1/DS0 Channel System		XDV1X	MG1		80.77	105.76	14.48	3.04					
	Commingling DS1 Local Loop Zone 1	1	XDV1X	USLXX		51.38	228.40	161.74	79.87					
	Commingling DS1 Local Loop Zone 2	2	XDV1X	USLXX		76.98	228.40	161.74	79.87					
	Commingling DS1 Local Loop Zone 3	3	XDV1X	USLXX		128.54	228.40	161.74	79.87					
	Commingling DS3 Local Loop Facility Termination		HFQOC6	HFQOC6		374.24	1,260.47	628.84	106.78					
	Commingling DS3/TS-1 Local Loop per mile		HFQOC6	HFQOC6		9.19								
	Commingling STS-1 Local Loop Facility Termination		HFQOC6	U1LS1		389.35	1,260.47	628.84	79.87					
	Commingling DS3/TS-1 Channel System		HFQOC6	MG3		222.98	156.02	49.41	17.12					
	Commingling DS3 Interoffice Channel Facility Termination		HFQOC6	U1TF3		848.99	482.01	153.81	64.43					
	Commingling STS-1 Interoffice Channel per mile		HFQOC6	1L5XX		2.34								
	Commingling STS-1 Interoffice Channel Facility Termination		HFQOC6	U1TF5		849.30	482.01	153.81	64.43					
	Commingling STS-1 Interoffice Channel per mile		HFQOC6	1L5XX		2.34								
	Commingling Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof		HEODL	1L5DF		28.74								
	Commingling Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof		HEODL	UDF14		1,121.00	153.19	580.26	357.17					
	UNE to Commingling Conversion Tracking		XDV1X, HFQOC6	CMGUN		0.00	0.00	0.00	0.00					
	SPA to Commingling Conversion Tracking		XDV1X, HFQOC6	CMGSP		0.00	0.00	0.00	0.00					

