



Guy M. Hicks
General Counsel

AT&T Tennessee
333 Commerce Street
Suite 2101
Nashville, TN 37201-3300

T: 615.214.6301
F: 615.214.7406
guy.hicks@att.com

July 12, 2007

VIA HAND DELIVERY

Hon. Eddie Roberson
Chairman
Tennessee Regulatory Authority
460 James Robertson Parkway
Nashville, Tennessee 37243-0505


Re: *Approval of the Amendments to the Interconnection Agreement Negotiated by BellSouth Telecommunications, Inc. and VarTec Telecom, Inc. Pursuant to Sections 251 and 252 of the Telecommunications Act of 1996.*
Docket No. 07-00173

Dear Chairman Roberson:

Pursuant to Section 252(e) of the Telecommunications Act of 1996, VarTec Telecom, Inc. and BellSouth Telecommunications, Inc. are hereby submitting to the Tennessee Regulatory Authority the original plus six paper copies and one electronic copy of the attached Petition for Approval of the Amendments to the Interconnection Agreement dated June 22, 2003. The first Amendment extends the term of the Interconnection Agreement and the second Amendment modifies Attachment 2, Network Elements and Other Services.

Thank you for your attention to this matter.

Sincerely yours,



Guy M. Hicks

cc: Patricia Zacharie, Legal Counsel, Regulatory Affairs, VarTec Telecom, Inc.

BEFORE THE TENNESSEE REGULATORY AUTHORITY
Nashville, Tennessee

In re: *Approval of the Amendments to the Interconnection Agreement Negotiated by BellSouth Telecommunications, Inc. and VarTec Telecom, Inc. Pursuant to Sections 251 and 252 of the Telecommunications Act of 1996*

Docket No. _____

PETITION FOR APPROVAL OF THE
AMENDMENTS TO THE INTERCONNECTION AGREEMENT
NEGOTIATED BETWEEN BELL SOUTH TELECOMMUNICATIONS, INC.
AND VARTEC TELECOM, INC.
PURSUANT TO THE TELECOMMUNICATIONS ACT OF 1996

COME NOW, VarTec Telecom, Inc. ("VarTec") and BellSouth Telecommunications, Inc., ("BellSouth"), and file this request for approval of the Amendments to the Interconnection Agreement dated effective June 22, 2003 (the "Amendment") negotiated between the two companies pursuant to Sections 251 and 252 of the Telecommunications Act of 1996, (the "Act"). In support of their request, VarTec and BellSouth state the following:

1. VarTec and BellSouth have successfully negotiated an agreement for interconnection of their networks, the unbundling of specific network elements offered by BellSouth and the resale of BellSouth's telecommunications services to VarTec. The Interconnection Agreement was approved by the Tennessee Regulatory Authority ("TRA") on June 11, 2002.

2. The parties have recently negotiated two Amendments to the Agreement. The first Amendment extends the term of the Agreement and the second Amendment modifies Attachment 2, Network Elements and Other Services. A copy of the Amendment is attached hereto and incorporated herein by reference.

3. Pursuant to Section 252(e) of the Telecommunications Act of 1996, VarTec and BellSouth are submitting their Amendments to the TRA for its consideration and approval. The Amendments provide that either or both of the parties are authorized to submit the Amendments to the TRA for approval.

4. In accordance with Section 252(e) of the Act, the TRA is charged with approving or rejecting the negotiated Amendment between BellSouth and VarTec within 90 days of its submission. The Act provides that the TRA may only reject such an agreement if it finds that the agreement or any portion of the agreement discriminates against a telecommunications carrier not a party to the agreement or the implementation of the agreement or any portion of the agreement is not consistent with the public interest, convenience and necessity.

5. VarTec and BellSouth aver that the Amendments are consistent with the standards for approval.


6. Pursuant to 47 USC Section 252(i) and 47 C.F.R. Section 51.809, BellSouth shall make available the entire Interconnection Agreement approved pursuant to 47 USC Section 252.

VarTec and BellSouth respectfully request that the TRA approve the Amendments negotiated between the parties.

This 12th day of July, 2007.

Respectfully submitted,

BELLSOUTH TELECOMMUNICATIONS, INC.


By: 

Guy M. Hicks
333 Commerce Street, Suite 2101
Nashville, Tennessee 37201-3300
(615) 214-6301
Attorney for BellSouth

CERTIFICATE OF SERVICE

I, Guy M. Hicks, hereby certify that I have served a copy of the foregoing Petition for Approval of the Amendments to the Interconnection Agreement on the following via United States Mail on the 12th day of July, 2007:

Patricia Zacharie
Legal Counsel, Regulatory Affairs
VarTec Telecom, Inc.
1600 Viceroy Drive
Dallas, TX 75235


Guy M. Hicks

**AMENDMENT TO
INTERCONNECTION AGREEMENT UNDER SECTIONS 251 AND 252 OF THE
TELECOMMUNICATIONS ACT OF 1996
BETWEEN
BELLSOUTH TELECOMMUNICATIONS, INC.¹
AND
Comtel Telecom Assets LP dba Vartec Telecom**

The Interconnection Agreement dated 6/22/2003 by and between BellSouth Telecommunications, Inc. ("BellSouth") and Comtel Telecom Assets LP dba Vartec Telecom; Comtel Telecom Assets LP dba Vartec Solutions; Comtel Telecom Assets LP dba Vartec Telecom and Clear Choice Communications ("VarTec") ("Agreement") effective in the state(s) of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee is hereby amended as follows:

1. Section 2.1 of the General Terms and Conditions is amended by adding the following section:
 - 2.1.1 Notwithstanding anything to the contrary in this section 2.1, the original expiration date of this Agreement, as modified by this Amendment, will be extended for a period of three (3) years from 6/21/2006 until 6/21/2009 (the "Extended Expiration Date"). The Agreement shall expire on the Extended Expiration Date; provided, however, that during the period from the effective date of this Amendment until the Extended Expiration Date, the Agreement may be terminated earlier either by written notice from VarTec, by BellSouth pursuant to the Agreement's early termination provisions, or by mutual agreement of the parties.
2. The Agreement is also amended as follows to reflect prior changes of law, and (ii) VarTec acknowledges and agrees that it will promptly amend the Agreement to reflect future changes of law as and when they may arise.
3. EXCEPT AS MODIFIED HEREIN, ALL OTHER TERMS AND CONDITIONS OF THE UNDERLYING AGREEMENT SHALL REMAIN UNCHANGED AND IN FULL FORCE AND EFFECT.
4. In entering into this Amendment neither Party waives, and each Party expressly reserves, any rights, remedies or arguments it may have at law or under the intervening law or regulatory change provisions in the underlying Agreement (including intervening law rights asserted by either Party via written notice predating this Amendment) with respect to any orders, decisions, legislation or proceedings and any remands thereof, which the Parties have not yet fully incorporated into this Agreement or which may be the subject of further review.
5. This Amendment shall be filed with and is subject to approval by the Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee Public Service Commissions and shall become effective "on the date of the last signature executing the Amendment.


Version: 04/23/07


¹ BellSouth Telecommunications, Inc. is now doing business in Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee as AT&T Alabama OR AT&T Florida OR AT&T Georgia OR AT&T Kentucky OR AT&T Louisiana OR AT&T Mississippi OR AT&T North Carolina OR AT&T South Carolina OR AT&T Tennessee.

IN WITNESS WHEREOF, the Parties have executed this Amendment the day and year written below.

BellSouth Telecommunications, Inc.¹

Comtel Telecom Assets LP dba Vartec
Telecom; Comtel Telecom Assets LP dba
Vartec Solutions; Comtel Telecom Assets
LP dba Vartec Telecom and Clear Choice
Communications

By: 

By: 

Name: Kristen Shore

Name: Jerry On

Title: Director

Title: AUTHORIZED SIGNATORY

Date: 5/10/07

Date: May 10, 2007

¹ BellSouth Telecommunications, Inc. is now doing business in Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee as AT&T Alabama OR AT&T Florida OR AT&T Georgia OR AT&T Kentucky OR AT&T Louisiana OR AT&T Mississippi OR AT&T North Carolina OR AT&T South Carolina OR AT&T Tennessee.

Amendment to the Agreement
Between Comtel Telecom Assets LP dba VarTec Telecom; Comtel Telecom Assets LP dba
VarTec Solutions; Comtel Telecom Assets LP dba VarTec Telecom and Clear Choice
Communications
and
BellSouth Telecommunications, Inc.
Dated 6/22/2003

Pursuant to this Amendment, (the "Amendment"), Comtel Telecom Assets LP dba VarTec Telecom; Comtel Telecom Assets LP dba VarTec Solutions; Comtel Telecom Assets LP dba VarTec Telecom and Clear Choice Communications ("VarTec"), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties 6/22/2003 ("Agreement") to be effective 30 (thirty) days after the date of the last signature executing the Amendment ("Effective Date").

WHEREAS, the Agreement between BellSouth and VarTec became effective on 6/22/2003, and;

WHEREAS, the Parties desire to amend the Agreement to reflect other changes as agreed upon by the parties;

NOW, THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows:

1. The Parties agree to delete Attachment 2, Network Elements and Other Services, in its entirety and replace with Attachment 2 reflected as Exhibit 1, attached hereto and by reference incorporated into this Amendment.
2. All of the other provisions of the Agreement dated 6/22/2003 shall remain unchanged and in full force and effect.
3. Either or both of the Parties are authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties have executed this Amendment the day and year written below.

BellSouth Telecommunications, Inc.


By: 

Name: Kristen Shore

Title: Director

Date: 5/10/07

**Comtel Telcom Assets LP dba VarTec
Telecom; Comtel Telcom Assets LP
dba VarTec Solutions; Comtel Telcom
Assets LP dba VarTec Telecom and
Clear Choice Communications**

By: 

Name: Jeremy On

Title: AUTHORIZED SIGNATORY

Date: May 10, 2007

Attachment 2

Network Elements and Other Services

TABLE OF CONTENTS

1	Introduction.....	3
2	Loops.....	10
3	Line Splitting.....	33
4	Unbundled Network Element Combinations	36
5	Dedicated Transport and Dark Fiber Transport	40
6	Automatic Location Identification/Data Management System (ALI/DMS)	47
7	White Pages Listings	50
	Rates	Exhibit A
	Rates	Exhibit B

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

1 Introduction

- 1.1 Except as set forth in Exhibit 2 hereto, this Attachment sets forth rates, terms and conditions for unbundled network elements (Network Elements) and combinations of Network Elements (Combinations) that BellSouth offers to VarTec for VarTec's provision of Telecommunications Services in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services BellSouth makes available to VarTec (Other Services). Additionally, the provision of a particular Network Element or Other Service may require VarTec to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.
- 1.2 The rates for Network Elements, Combinations and Other Services are set forth in Exhibits A and B. If no rate is identified in this Agreement, the rate will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party. If VarTec purchases service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply. A one-month minimum billing period shall apply to all Network Elements, Combinations and Other Services.
- 1.3 In some cases, Commissions have ordered BellSouth to separate its disconnect costs and its installation costs into two separate nonrecurring charges. Accordingly, unless otherwise noted in this Agreement, the Commission ordered disconnect charges will be applied at the time the disconnect activity is performed by BellSouth, regardless of whether or not a disconnect order is issued by VarTec. Disconnect charges are set forth in the rate exhibit of this Attachment. VarTec may purchase and use Network Elements and Other Services from BellSouth in accordance with 47 C.F.R § 51.309.
- 1.4 The Parties shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.5 VarTec shall not obtain a Network Element for the exclusive provision of mobile wireless services or interexchange services.
- 1.6 Conversion of Wholesale Services to Network Elements or Network Elements to Wholesale Services. Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent Network Element or Combination that is available to VarTec pursuant to Section 251 of the Act and under this Agreement or convert a Network Element or Combination that is available to VarTec pursuant to Section 251 of the Act and under this Agreement to an

equivalent wholesale service or group of wholesale services offered by BellSouth (collectively "Conversion"). BellSouth shall charge the applicable nonrecurring switch-as-is rates for Conversions to specific Network Elements or Combinations found in Exhibit A. BellSouth shall also charge the same nonrecurring switch-as-is rates when converting from Network Elements or Combinations. Any rate change resulting from the Conversion will be effective as of the next billing cycle following BellSouth's receipt of a complete and accurate Conversion request from VarTec. A Conversion shall be considered termination for purposes of any volume and/or term commitments and/or grandfathered status between VarTec and BellSouth. Any change from a wholesale service/group of wholesale services to a Network Element/Combination, or from a Network Element/Combination to a wholesale service/group of wholesale services, that requires a physical rearrangement will not be considered to be a Conversion for purposes of this Agreement. BellSouth will not require physical rearrangements if the Conversion can be completed through record changes only. Orders for Conversions will be handled in accordance with the guidelines set forth in the Ordering Guidelines and Processes and CLEC Information Packages as referenced in Sections 1.13.1 and 1.13.2 below.

- 1.7 Except to the extent expressly provided otherwise in this Attachment, in all states, VarTec may not maintain unbundled network elements or combinations of unbundled network elements, that are no longer offered pursuant to this Agreement (collectively "Arrangements"). In the event BellSouth determines that VarTec has in place any Arrangements after the Effective Date of this Agreement, BellSouth will identify such Arrangements and provide VarTec with thirty (30) days written notice to disconnect or convert such Arrangements. For orders submitted by VarTec within such thirty (30) day period, BellSouth will charge the applicable switch-as-is charge set forth in Exhibit A. If VarTec fails to submit orders to disconnect or convert such Arrangements within such thirty (30) day period, BellSouth will transition such circuits to the equivalent tariffed BellSouth service(s), and shall charge VarTec all applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs. For all transitions pursuant to this Section 1.7 that require a physical rearrangement, BellSouth shall charge any applicable nonrecurring installation charges. To the extent no tariff equivalent service exists, BellSouth shall disconnect such facility or Arrangement. The applicable recurring tariff charge shall apply to each circuit as of the Effective Date of this Agreement.
- 1.7.1 In addition to the foregoing, for the state of Florida, the applicable recurring tariff charges shall apply to each circuit beginning the day following the thirty (30) day notice period.
- 1.7.2 Notwithstanding the foregoing, for the state of Georgia, those circuits for which VarTec failed to submit a disconnect or conversion order within such thirty (30)

day period and are subsequently transitioned by BellSouth pursuant to this Section 1.7.2 shall be subject to the applicable switch-as-is charges set forth in Exhibit A. If an equivalent service is set forth in Exhibit 2, BellSouth shall transition to such service. Otherwise, BellSouth shall transition to the equivalent tariff service. To the extent no tariff equivalent service exists and no equivalent service is set forth in Exhibit 2, BellSouth shall disconnect such facility or Arrangement. The applicable recurring 271 rate, resale or tariffed charge shall apply to each circuit as of March 11, 2006.

- 1.7.3 Notwithstanding the foregoing, for the state of North Carolina, those circuits for which VarTec failed to submit a disconnect or conversion order within such thirty (30) day period and are subsequently transitioned by BellSouth pursuant to this Section 1.7.3 shall be subject to applicable switch-as-is charges.
- 1.7.4 Notwithstanding the foregoing, for the state of Alabama, the written notice provided by BellSouth, as described in Section 1.7, must identify by circuit identification number the specific Arrangements to be converted or disconnected. If VarTec fails to dispute BellSouth's identified Arrangements or fails to submit orders to disconnect or convert such Arrangements within the established thirty (30) day period, BellSouth will transition such circuits to the equivalent tariffed BellSouth service(s) subject to the Commission-established switch-as-is rate. The full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs will not apply to such conversions. However, the applicable recurring tariff charges shall apply to each circuit upon conversion.
- 1.7.5 Notwithstanding the foregoing, for the state of Louisiana, BellSouth will provide VarTec with written notice identifying the specific Arrangements which must be converted or disconnected. VarTec shall have thirty (30) days from the date of the notice to submit orders to disconnect or convert the Arrangements. Those circuits to be converted to other BellSouth services shall be subject to nonrecurring charges associated with that conversion. If VarTec disputes BellSouth's identification of Arrangements to be disconnected or converted, VarTec shall send written notice of its dispute within thirty (30) days of BellSouth's notice. BellSouth shall not disconnect the disputed Arrangements while the dispute is being resolved. If the Parties are unable to reach a voluntary resolution of the dispute, they may petition the Commission for assistance. If VarTec does not dispute BellSouth's identification of Arrangements and fails to submit orders to disconnect or convert such Arrangements within the established thirty (30) day period, BellSouth will transition such circuits to the equivalent tariffed BellSouth services subject to the full nonrecurring charges for installation of the equivalent tariffed BellSouth services as set forth in BellSouth's tariffs. The applicable recurring tariff charges shall apply to each circuit upon conversion.

- 1.8 BellSouth's Master List of Unimpaired Wire Centers as Approved by State Commissions in its Region (Master List of Unimpaired Wire Centers), located on the BellSouth Interconnection Web site designates those wire centers that, in accordance with state Commission orders, met the FCC's established criteria for non-impairment, as of March 11, 2005, where certain high capacity (DS1 and above) Loops and high capacity Dedicated Transport are no longer available as Network Elements. BellSouth's List of Unimpaired Wire Centers in Kentucky and Tennessee (BellSouth's List of Unimpaired Wire Centers), also located on the BellSouth Interconnection Web site, are those wire centers that BellSouth proposed met the FCC's established criteria for non-impairment as of March 11, 2005 but have not yet been approved by these respective Commissions. The Master List of Unimpaired Wire Centers and BellSouth's List of Unimpaired Wire Centers shall be subject to modification and/or the addition of wire centers without amendment to this Agreement upon subsequent orders from state Commissions in the respective generic dockets establishing the wire centers that as of March 11, 2005, were unimpaired. Notification of such modification, addition or deletion of wire centers shall be made via BellSouth's Carrier Notification process on BellSouth's Interconnection Web site. Upon the Effective Date of this Agreement, VarTec may not place any new orders for high capacity Dedicated Transport or high capacity Loops, as applicable, in those wire centers listed on the Master List of Unimpaired Wire Centers. In those wire centers set forth on BellSouth's List of Unimpaired Wire Centers, VarTec may place new orders for high capacity Loops and high capacity Dedicated Transport pursuant to Section 1.8.1 (self-certification) until such wire centers are approved by the Commissions. To the extent VarTec placed orders after March 10, 2005 for high capacity Loops or high capacity Dedicated Transport in wire centers designated on the Master List of Unimpaired Wire Centers, as amended as specified above, within thirty (30) days after the Effective Date of this Agreement, or in the case of additions to the Master List of Unimpaired Wire Centers, within thirty (30) days after the notice of such addition, VarTec shall submit an LSR(s) or spreadsheet(s), as applicable, identifying those non-compliant circuits to be disconnected or converted to the equivalent BellSouth tariffed service or, in the state of Georgia, to the equivalent 271 service set forth in Exhibit 2. BellSouth shall bill VarTec the difference between the UNE recurring rates for such circuits pursuant to this Agreement and the applicable recurring charges for the equivalent BellSouth tariffed service or 271 service in the state of Georgia from the date UNE circuit was installed in the unimpaired wire center to the date the circuit is disconnected or transitioned to the equivalent BellSouth tariffed service. If VarTec fails to submit an LSR or spreadsheet identifying such de-listed circuits within thirty (30) days as set forth above, BellSouth will identify such circuits and convert them to the equivalent BellSouth tariffed service, and charge VarTec applicable disconnect charges for the UNE circuit and the difference between the UNE recurring rate billed for such circuit and the full non-recurring and recurring charges for the tariffed service from the date the UNE circuit was installed in the unimpaired wire center to the date the

circuit is transitioned to the equivalent BellSouth tariffed service. To the extent there is no equivalent BellSouth tariffed service for the de-listed UNE circuit, BellSouth will disconnect the circuit and bill VarTec full disconnect charges.

- 1.8.1 Prior to submitting an order pursuant to this Agreement for high capacity Dedicated Transport or high capacity Loops, VarTec shall undertake a reasonably diligent inquiry to determine whether VarTec is entitled to unbundled access to such Network Elements in accordance with the terms of this Agreement. By submitting any such order, VarTec self-certifies that to the best of VarTec's knowledge, the high capacity Dedicated Transport or high capacity Loop requested is available as a Network Element pursuant to this Agreement. Upon receiving such order, except in wire centers set forth on the Master List of Unimpaired Wire Centers, or BellSouth's List of Unimpaired Wire Centers, BellSouth shall process the request in reliance upon VarTec's self-certification. To the extent BellSouth believes that such request does not comply with the terms of this Agreement, BellSouth shall seek dispute resolution in accordance with the General Terms and Conditions of this Agreement. In the event such dispute is resolved in BellSouth's favor, BellSouth shall bill VarTec the difference between the rates for such circuits pursuant to this Agreement and the applicable nonrecurring and recurring charges for the equivalent tariffed service from the date of installation to the date the circuit is transitioned to the equivalent tariffed service. Within thirty (30) days following a decision finding in BellSouth's favor, VarTec shall submit an LSR(s) or spreadsheet(s) identifying those non-compliant circuits to be transitioned to tariffed services or disconnected.
- 1.8.2 In the event that (1) BellSouth designated a wire center as unimpaired as set forth on the Master List of Unimpaired Wire Centers on the BellSouth Interconnection Web site, or BellSouth's List of Unimpaired Wire Centers, (2) as a result of such designation, VarTec converted high capacity Dedicated Transport or high capacity Loops to other services or ordered new services as services other than high capacity Dedicated Transport or high capacity Loop Network Elements subsequent to March 10, 2005, (3) VarTec otherwise would have been entitled to high capacity Dedicated Transport or high capacity Loops in such wire center at the time such alternative services were provisioned, and (4) BellSouth acknowledges, or a state or federal regulatory body with authority determines, that, at the time BellSouth designated such wire center as unimpaired, such wire center did not meet the FCC's unimpairment criteria, then upon request of VarTec consistent with the applicable ordering processes as reflected in the Guides located on BellSouth's Interconnection Web site no later than sixty (60) days after BellSouth acknowledges or the state or federal regulatory body issues an order making such a finding, BellSouth shall transition to high capacity Dedicated Transport or high capacity Loops, as appropriate, any alternative services in such wire center that were established after such wire center was designated as unimpaired. In such instances, BellSouth shall refund to VarTec the difference

between the rate paid by VarTec for such services and the applicable rates set forth herein for high capacity Dedicated Transport or high capacity Loops, including but not limited to any charges associated with the Conversion (as defined in Section 1.6 above) from high capacity Dedicated Transport or high capacity Loops to other wholesale services, if applicable, for the period from the later of March 11, 2005, or the date the circuit became a wholesale service to the date the circuit is transitioned to high capacity Dedicated Transport or high capacity Loop as described in this Section.

- 1.9 VarTec may utilize Network Elements and Other Services to provide services in accordance with this Agreement, as long as such services are consistent with industry standards and applicable BellSouth Technical References.
- 1.10 BellSouth will perform Routine Network Modifications (RNM) in accordance with FCC 47 C.F.R. § 51.319 (a)(7) and (e)(4) for Loops and Dedicated Transport provided under this Attachment. If BellSouth has anticipated such RNM and performs them during normal operations and has recovered the costs for performing such modifications through the rates set forth in Exhibit A, then BellSouth shall perform such RNM at no additional charge. RNM shall be performed within the intervals established for the Network Element and subject to the service quality measurements and associated remedies set forth in Attachment 9 to the extent such RNM were anticipated in the setting of such intervals. If BellSouth has not anticipated a requested network modification as being a RNM and has not recovered the costs of such RNM in the rates set forth in Exhibit A, then such request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request and, upon receipt of payment from VarTec, BellSouth shall perform the RNM.
 - 1.10.1 Notwithstanding the foregoing, for the states of Alabama and Georgia, BellSouth shall perform RNM at no additional charge, provided however, for any RNM performed by BellSouth for which costs are not recovered through existing rates, BellSouth can seek resolution from the Commission.
- 1.11 Commingling of Services
 - 1.11.1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Combination, to one or more Telecommunications Services or facilities that VarTec has obtained at wholesale from BellSouth, or the combining of a Network Element or Combination with one or more such wholesale Telecommunications Services or facilities. VarTec must comply with all rates, terms or conditions applicable to such wholesale Telecommunications Services or facilities.
 - 1.11.2 Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a Combination on the grounds that one

or more of the elements: (1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or (2) shares part of BellSouth's network with access services or inputs for mobile wireless services and/or interexchange services.

- 1.11.3 Except for the state of Georgia, notwithstanding any other provision of this Agreement, BellSouth shall not be obligated to commingle or combine, pursuant to this Agreement, Network Elements or Combinations with any service, network element or other offering that it is obligated to make available pursuant only to Section 271 of the Act.
- 1.11.4 Unless otherwise agreed to by the Parties, the Network Element portion of a commingled circuit will be billed at the rates set forth in this Agreement and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates, rates set forth in a separate agreement between the Parties, or in the state of Georgia only, in accordance with the rates set forth in Exhibit 2 of this Attachment, as applicable.
- 1.11.5 When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment will be billed from the same agreement or tariff as the higher bandwidth circuit. Central Office Channel Interfaces (COCI) will be billed from the same agreement or tariff as the lower bandwidth circuit.
- 1.11.6 The Commingling process and requirements will be handled in accordance with the guidelines set forth in the Ordering Guidelines and Processes and CLEC Information Packages as referenced in Sections 1.13.1 and 1.13.2 below.
- 1.12 Terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference. The charges shall be as set forth in Exhibit A.
- 1.13 Ordering Guidelines and Processes
- 1.13.1 For information regarding Ordering Guidelines and Processes for various Network Elements, Combinations and Other Services, VarTec should refer to the "Guides" section of the BellSouth Interconnection Web site.
- 1.13.2 Additional information may also be found in the individual CLEC Information Packages, located at the "CLEC UNE Products" on BellSouth's Interconnection Web site.
- 1.13.3 The provisioning of Network Elements, Combinations and Other Services to VarTec's Collocation Space will require cross-connections within the central office to connect the Network Element, Combinations or Other Services to the

demarcation point associated with VarTec's Collocation Space. These cross-connects are separate components that are not considered a part of the Network Element, Combinations or Other Services and, thus, have a separate charge pursuant to Attachment 4.

1.13.4 Testing/Trouble Reporting

1.13.4.1 VarTec will be responsible for testing and isolating troubles on Network Elements. VarTec must test and isolate trouble to the BellSouth network before reporting the trouble to the Network Elements Customer Wholesale Interconnection Network Services (CWINS) Center. Upon request from BellSouth at the time of the trouble report, VarTec will be required to provide the results of the VarTec test which indicate a problem on the BellSouth network.

1.13.4.2 Once VarTec has isolated a trouble to the BellSouth network, and has issued a trouble report to BellSouth, BellSouth will take the actions necessary to repair the Network Element when trouble is found. BellSouth will repair its network facilities to its wholesale customers in the same time frames that BellSouth repairs similar services to its retail customers.

1.13.4.3 If VarTec reports a trouble on a BellSouth Network Element and no trouble is found in BellSouth's network, BellSouth will charge VarTec a Maintenance of Service Charge for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Network Element's working status. BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No.1 Tariff, Section 13.3.1.

1.13.4.4 In the event BellSouth must dispatch to the customer's location more than once due to incorrect or incomplete information provided by VarTec (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill VarTec for each additional dispatch required to repair the Network Element due to the incorrect/incomplete information provided. BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No.1 Tariff, Section 13.3.1.

2 Loops

2.1 General. The local loop Network Element is defined as a transmission facility that BellSouth provides pursuant to this Attachment between a distribution frame (or its equivalent) in BellSouth's central office and the loop demarcation point at a customer premises (Loop). Facilities that do not terminate at a demarcation point at a customer premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute local Loops. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device, and attached electronics (except those used

for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers (DSLAMs)), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the customer's premises, including inside wire owned or controlled by BellSouth. VarTec shall purchase the entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties, BellSouth shall not subdivide the frequency of the Loop.

- 2.1.1 The Loop does not include any packet switched features, functions or capabilities.
- 2.1.2 Fiber to the Home (FTTH) loops are local loops consisting entirely of fiber optic cable, whether dark or lit, serving a customer's premises or, in the case of predominantly residential multiple dwelling units (MDUs), a fiber optic cable, whether dark or lit, that extends to the MDU minimum point of entry (MPOE). Fiber to the Curb (FTTC) loops are local loops consisting of fiber optic cable connecting to a copper distribution plant that is not more than five hundred (500) feet from the customer's premises or, in the case of predominantly residential MDUs, not more than five hundred (500) feet from the MDU's MPOE. The fiber optic cable in a FTTC loop must connect to a copper distribution plant at a serving area interface from which every other copper distribution subloop also is not more than five hundred (500) feet from the respective customer's premises.
 - 2.1.2.1 In new build (Greenfield) areas, where BellSouth has only deployed FTTH/FTTC facilities, BellSouth is under no obligation to provide Loops. FTTH facilities include fiber loops deployed to the MPOE of a MDU that is predominantly residential regardless of the ownership of the inside wiring from the MPOE to each customer in the MDU.
 - 2.1.2.2 In FTTH/FTTC overbuild situations where BellSouth also has copper Loops, BellSouth will make those copper Loops available to VarTec on an unbundled basis, until such time as BellSouth chooses to retire those copper Loops using the FCC's network disclosure requirements. In these cases, BellSouth will offer a sixty-four (64) kilobits per second (kbps) voice grade channel over its FTTH/FTTC facilities.
 - 2.1.2.3 Notwithstanding the foregoing, in the states of Alabama and Louisiana, BellSouth shall make available DS1 and DS3 Loops in any wire center where BellSouth is required to provide such Loop facilities. In the states of North Carolina and South Carolina, BellSouth shall make available DS1 Loops in any wire center where BellSouth is required to provide such Loop facilities.
 - 2.1.2.4 Furthermore, in FTTH/FTTC overbuild areas where BellSouth has not yet retired copper facilities, BellSouth is not obligated to ensure that such copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by VarTec. If a request is received by BellSouth for a copper Loop, and the copper facilities have not yet been retired, BellSouth will restore the

copper Loop to serviceable condition if technically feasible. Except for the state of Georgia, in these instances of Loop orders in an FTTH/FTTC overbuild area, BellSouth's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval. For the state of Georgia, in these instances of Loop orders in an FTTH/FTTC overbuild area, BellSouth's standard Loop provisioning interval will apply.

- 2.1.3 A hybrid Loop is a local Loop, composed of both fiber optic cable, usually in the feeder plant, and copper twisted wire or cable, usually in the distribution plant. BellSouth shall provide VarTec access to hybrid Loops pursuant to the requirements of 47 C.F.R. § 51.319(a)(2). BellSouth is not required to provide access to the packet switched features, functions and capabilities of its hybrid Loops.
- 2.1.3.1 BellSouth shall not engineer the transmission capabilities of its network in a manner, or engage in any policy, practice, or procedure, that disrupts or degrades access to a local Loop or Subloop, including the time division multiplexing-based features, functions and capabilities of a hybrid Loop, for which a requesting telecommunications carrier may obtain or has obtained access pursuant to this Attachment.
- 2.1.4 DS1 and DS3 Loop Requirements
- 2.1.4.1 For purposes of this Section 2, a Business Line is defined in 47 C.F.R. § 51.5.
- 2.1.4.2 For purposes of this Section 2, a "Fiber-Based Collocator" is defined in 47 C.F.R. § 51.5.
- 2.1.4.3 Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available DS1 and DS3 Loops as described in this Agreement, except in any wire center meeting the criteria described below:
- 2.1.4.3.1 DS1 Loops at any location within the service area of a wire center containing sixty thousand (60,000) or more Business Lines and four (4) or more fiber-based collocators.
- 2.1.4.3.2 DS3 Loops at any location within the service area of a wire center containing thirty-eight thousand (38,000) or more Business Lines and four (4) or more fiber-based collocators.
- 2.1.4.4 The Master List of Unimpaired Wire Centers and BellSouth's List of Unimpaired Wire Centers as described in Section 1.8 sets forth the list of wire centers meeting the criteria set forth in Sections 2.1.4.3.1 and 2.1.4.3.2 above as of March 11, 2005.

- 2.1.4.5 Once any wire center exceeds both of the thresholds set forth in Section 2.1.4.3.1 above, no future DS1 Loop unbundling will be required in that wire center.
- 2.1.4.6 Once any wire center exceeds both of the thresholds set forth in Section 2.1.4.3.2 above, no future DS3 Loop unbundling will be required in that wire center.
- 2.1.4.7 Modifications and Updates to the Wire Center Lists and Subsequent Transition Periods
- 2.1.4.7.1 In the event BellSouth identifies additional wire centers that meet the criteria set forth in Section 2.1.4.3 above but that were not included in the Master List of Unimpaired Wire Centers and BellSouth's List of Unimpaired Wire Centers, BellSouth shall include such additional wire centers in a carrier notification letter (CNL). Each such list of additional wire centers shall be considered a "Subsequent Wire Center List". BellSouth will follow any notification procedures set forth in applicable Commission orders.
- 2.1.4.7.2 VarTec shall have thirty (30) business days to dispute the additional wire centers listed on Bellsouth's CNL. Absent such dispute, effective thirty (30) business days after the date of a BellSouth CNL providing a Subsequent Wire Center List, BellSouth shall not be required to unbundle DS1 and/or DS3 Loops, as applicable, in such additional wire center(s), except pursuant to the self-certification process as set forth in Section 1.8 of this Attachment.
- 2.1.4.7.2.1 For purposes of Section 2.1.4.7 above, BellSouth shall make available DS1 and DS3 Loops that were in service for VarTec in a wire center on the Subsequent Wire Center List as of the thirtieth (30th) business day after the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Embedded Base) until one hundred eighty (180) days after the thirtieth (30th) business day from the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Transition Period).
- 2.1.4.7.2.2 The rates set forth in Exhibit B shall apply to the Subsequent Embedded Base during the Subsequent Transition Period.
- 2.1.4.7.2.3 No later than one hundred eighty (180) days from BellSouth's CNL identifying the Subsequent Wire Center List, VarTec shall submit an LSR(s) or spreadsheet(s) as applicable, identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other BellSouth services.
- 2.1.4.7.2.3.1 In the case of disconnection, the applicable disconnect charges set forth in this Agreement shall apply.
- 2.1.4.7.2.3.2 If VarTec fails to submit the LSR(s) or spreadsheet(s) for all of its Subsequent Embedded Base by one hundred eighty (180) days after the date of BellSouth's

CNL identifying the Subsequent Wire Center List, BellSouth will identify VarTec's remaining Subsequent Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s), or in the case of Georgia, to the equivalent 271 service(s) set forth in Exhibit 2. In the states of Florida, Mississippi and South Carolina, those circuits identified and transitioned by BellSouth shall be subject to the applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs. In the states of Alabama, Georgia, and North Carolina, those circuits identified and transitioned by BellSouth shall be subject to the applicable switch-as-is rates set forth in Exhibit A of Attachment 2. In the state of Louisiana, those circuits identified and transitioned by BellSouth shall be subject to the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.

- 2.1.4.7.2.3.3 For Subsequent Embedded Base circuits converted pursuant to Section 2.1.4.7.2.3 above or transitioned pursuant to Section 2.1.4.7.2.3.2 above, the applicable recurring tariff charges shall apply as of the earlier of the date each circuit is converted or transitioned, as applicable, or the first day after the end of the Subsequent Transition Period.
- 2.1.5 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at BellSouth's Interconnection Web site. For orders of fifteen (15) or more Loops, the installation and any applicable Order Coordination (OC) as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.
- 2.1.6 The Loop shall be provided to VarTec in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.7 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered.
 - 2.1.7.1 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the customer's location. If VarTec wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g., UVL-SL1, UVL-SL2, and UCL-ND), VarTec may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit A.

- 2.1.7.2 For voice grade Loop orders (or orders for Loops intended to provide voice grade services), VarTec shall have dial-tone available for that Loop forty-eight (48) hours prior to the Loop order completion due date. This applies to all conversions from one provider to another provider as well as Service Rearrangements as set forth in Section 2.1.12. Where VarTec dial-tone is not available on the conversion date the Loop will not be cut over and the Loop order will be returned to VarTec for rescheduling.
- 2.1.8 OC and Order Coordination-Time Specific (OC-TS)
- 2.1.8.1 OC allows BellSouth and VarTec to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to VarTec's facilities to limit customer service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the customer. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.
- 2.1.8.2 OC-TS allows VarTec to order a specific time for OC to take place. BellSouth will make commercially reasonable efforts to accommodate VarTec's specific conversion time request. However, BellSouth reserves the right to negotiate with VarTec a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. VarTec may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If VarTec specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in BellSouth's intrastate Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per LSR basis.

2.1.9

	Order Coordination (OC)	Order Coordination – Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1 (Non-Designed)	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
UCL-ND (Non-Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop (Designed)	Included	Chargeable Option	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office
For UVL-SL1 and UCLs, VarTec must order and will be billed for both OC and OC-TS if requesting OC-TS.					

2.1.10 CLEC to CLEC Conversions for Unbundled Loops

2.1.10.1 The CLEC to CLEC conversion process for Loops may be used by VarTec when converting an existing Loop from another CLEC for the same customer. The Loop type being converted must be included in VarTec's Agreement before requesting a conversion.

- 2.1.10.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same customer location from the same serving wire center, and must not require an outside dispatch to provision.
- 2.1.10.3 The Loops converted to VarTec pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Agreement for the specific Loop type.
- 2.1.11 Bulk Migration
- 2.1.11.1 BellSouth will make available to VarTec a Bulk Migration process pursuant to which VarTec may request to migrate port/loop combinations, provisioned pursuant to a separate agreement between the parties, to Loops (UNE-L). The Bulk Migration process may be used if such loop/port combinations are (1) associated with two (2) or more Existing Account Telephone Numbers (EATNs); and (2) located in the same Central Office. The terms and conditions for use of the Bulk Migration process are described in the BellSouth CLEC Information Package. The CLEC Information Package is located on BellSouth's Interconnection Web site. The rates for the Bulk Migration process shall be the nonrecurring rates associated with the Loop type being requested on the Bulk Migration, as set forth in Exhibit A. Additionally, OSS charges will also apply. Loops connected to Integrated Digital Loop Carrier (IDLC) systems will be migrated pursuant to Section 2.6 below.
- 2.1.11.2 Should VarTec request migration for two (2) or more EATNs containing fifteen (15) or more circuits, VarTec must use the Bulk Migration process referenced in 2.1.11.1 above.
- 2.1.12 Unbundled Loop (DS1 and below) Service Rearrangements
- 2.1.12.1 The Unbundled Loop Service Rearrangement processes will allow changes to be made to a working Loop facility assignment within the same end-user serving wire center. Service Rearrangements will result in service outages to the customer during the time the Loop is being moved.
- 2.1.12.2 An Unbundled Loop Service Rearrangement connecting facility change (CFC) allows VarTec to change its installed Loop from one working facility assignment to another facility assignment. CFC includes Connecting Facility Assignment (CFA) and Cable ID & Pair changes within same collocation arrangement or from collocation to collocation. CFA changes are allowed within the same multiplexer or from one multiplexer to another multiplexer. For a CFC, the Loop class of service, Loop type and the customer must remain the same.

- 2.1.12.3 An Unbundled Loop Service Rearrangement connecting facility move (CFM) allows VarTec to move the Loop facility assignment from a collocation arrangement to a multiplexer or from a multiplexer to a collocation arrangement. CFMs require a change to the Loop basic class of service. The Loop type and the customer must remain the same.
- 2.1.12.4 For Unbundled Loop Service Rearrangements, BellSouth shall charge the applicable "Service Rearrangement change in Loop facility" rate found in Exhibit A.
- 2.1.12.5 The Unbundled Loop Service Rearrangement process and requirements will be handled in accordance with the guidelines set forth in the Ordering Guidelines and CLEC Information Packages as referenced in Sections 1.13.1 and 1.13.2 above.
- 2.1.13 EEL to Loop Retermination
- 2.1.13.1 VarTec may utilize the EEL to Loop Retermination process to disconnect an EEL circuit and reterminate the Loop portion of the former EEL circuit to a collocation arrangement in the end-user's Serving Wire Center (EU SWC).
- 2.1.13.2 This process is available when the existing Loop portion of the EEL will be re-used and the resulting Loop will be subject to the rates, terms and conditions for that particular Loop as set forth in this Attachment. This process will apply only to EELs that include as a part of its combination a DS1 Loop, UVL-SL2 Loop, 4-Wire UDL Loop (64, 56 kbs) and a 2-Wire ISDN Loop.
- 2.1.13.3 BellSouth shall charge the applicable EEL to Loop Retermination rates found in Exhibit A. VarTec shall also be charged applicable manual service order, collocation cross-connect and EEL (including the Transport and Loop portions of the EEL) disconnect charges as set forth in Exhibit A of this Attachment.
- 2.1.13.4 The EEL to Loop Retermination process is not available when a dispatch outside the serving wire center where the Loop terminates is required. If an outside dispatch is required, or if the Loop portion of the EEL is not one of the Loop types referenced in Section 2.1.13.2 above, or if VarTec elects not to utilize the EEL to Loop Retermination process, VarTec must submit an LSR to disconnect the entire EEL circuit, and must submit a separate LSR for the requested standalone Loop. In such cases, VarTec will be charged the EEL disconnect charges and the full nonrecurring rates for installation of a new Loop, as set forth in Exhibit A.
- 2.1.13.5 The EEL to Loop Retermination process and requirements will be handled in accordance with the guidelines set forth in the Ordering Guidelines and CLEC Information Packages as referenced in Sections 1.13.1 and 1.13.2 above.

- 2.2 Unbundled Voice Loops (UVLs)
- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop – SL1 (Non-Designed);
- 2.2.1.2 2-wire Analog Voice Grade Loop – SL2 (Designed); or
- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed).
- 2.2.2 UVL may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber/copper combination (hybrid loop) or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that VarTec will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels - Service Level One (SL1) and Service Level Two (SL2).
- 2.2.3 Unbundled Voice Loop - SL1 (UVL-SL1). Loops are 2-wire loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has been requested by VarTec, however, OC is always required on UCLs that involve the reuse of facilities that are currently providing service. VarTec may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its customers.
- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that VarTec may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A.
- 2.2.5 Unbundled Voice Loop – SL2 (UVL-SL2). Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to VarTec. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow VarTec to coordinate the installation of the Loop with

the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

2.3 Unbundled Digital Loops

2.3.1 BellSouth will offer UDLs. UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.

2.3.2 BellSouth shall make available the following UDLs, subject to restrictions set forth herein:

2.3.2.1 2-wire Unbundled ISDN Digital Loop;

2.3.2.2 2-wire Unbundled ADSL Compatible Loop;

2.3.2.3 2-wire Unbundled HDSL Compatible Loop;

2.3.2.4 4-wire Unbundled HDSL Compatible Loop;

2.3.2.5 4-wire Unbundled DS1 Digital Loop;

2.3.2.6 4-wire Unbundled Digital Loop/DS0 – 64 kbps, 56 kbps and below;

2.3.2.7 DS3 Loop; or

2.3.2.8 STS-1 Loop.

2.3.3 2-wire Unbundled ISDN Digital Loops. These will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. VarTec will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and customer. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service.

2.3.4 2-wire ADSL-Compatible Loop. This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to eighteen thousand (18,000) feet long and may have up to six thousand (6,000) feet of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.

2.3.5 2-wire or 4-wire HDSL-Compatible Loop. This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to twelve thousand (12,000) feet long and may have up to twenty-five hundred (2,500) feet of bridged tap

(inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.

2.3.6 4-wire Unbundled DS1 Digital Loop.

2.3.6.1 This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-wire DS1 Network Interface at the customer's location. For the purposes of BellSouth's unbundling obligations pursuant to this Agreement, for the states of Alabama, Florida, Georgia, Mississippi and South Carolina, DS1 Loops include 2-wire and 4-wire copper Loops capable of providing high-bit rate digital subscriber line services, such as 2-wire and 4-wire HDSL Compatible Loops. For the state of Louisiana, DS1 Loops include 2-wire and 4-wire HDSL-Compatible Loops to which the necessary electronics have been added to provide service speeds of 1.544 megabytes per second.

2.3.6.2 BellSouth shall not provide more than ten (10) unbundled DS1 Loops to VarTec at any single building in which DS1 Loops are available as unbundled Loops.

2.3.7 4-wire Unbundled Digital/DS0 Loop. These are designed 4-wire Loops that may be configured as sixty-four (64)kbps, fifty-six (56)kbps, nineteen (19)kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.

2.3.8 DS3 Loop. DS3 Loop is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of forty-four point seven thirty-six (44.736) megabits per second (Mbps) that is dedicated to the use of the ordering CLEC. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface. For the purpose of BellSouth's unbundling obligations pursuant to this Agreement, DS3 Loops include STS-1 Loops.

2.3.9 STS-1 Loop. STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of fifty-one point eighty-four (51.84) Mbps. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.

- 2.3.10 Both DS3 Loop and STS-1 Loop require a SI in order to ascertain availability.
- 2.3.11 DS3 services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one (1) mile applies. BellSouth's TR73501 LightGate[®] Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 services.
- 2.3.12 VarTec may obtain a maximum of a single Unbundled DS3 Loop to any single building in which DS3 Loops are available as Unbundled Loops.
- 2.4 Unbundled Copper Loops (UCL).
- 2.4.1 BellSouth shall make available UCLs. The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two (2) types – Designed and Non-Designed.
- 2.4.2 Unbundled Copper Loop – Designed (UCL-D)
- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair (2-wire or 4-wire) Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters).
- 2.4.2.2 A UCL-D will be eighteen thousand (18,000) feet or less in length and is provisioned according to Resistance Design parameters, may have up to six thousand (6,000) feet of bridged tap and will have up to thirteen hundred (1300) Ohms of resistance.
- 2.4.2.3 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by VarTec.
- 2.4.2.4 These Loops are not intended to support any particular services and may be utilized by VarTec to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3 Unbundled Copper Loop – Non-Designed (UCL-ND)
- 2.4.3.1 The UCL-ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame (MDF) to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not

have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to six thousand (6,000) feet of bridged tap between the customer's premises and the serving wire center. The UCL-ND typically will be thirteen hundred (1300) Ohms resistance and in most cases will not exceed eighteen thousand (18,000) feet in length, although the UCL-ND will not have a specific length limitation. For Loops less than eighteen thousand (18,000) feet and with less than thirteen hundred (1300) Ohms resistance, the Loop will provide a voice grade transmission channel suitable for loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.

- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, VarTec can request LMU for which additional charges would apply.
- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that VarTec may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit A.
- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by VarTec to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.
- 2.4.3.6 VarTec may use BellSouth's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.

2.5 Unbundled Loop Modifications (Line Conditioning)

- 2.5.1 Line Conditioning is defined as routine network modification that BellSouth regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Subloop that may diminish the capability of the Loop or Subloop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serves no network design purpose and that are beyond the limits set according to industry standards and/or the

BellSouth's TR 73600 Unbundled Local Loop Technical Specification. BellSouth shall provide Line Conditioning on Loops, as requested by VarTec, even in instances where BellSouth does not provide advanced services to the end user on that Loop.

- 2.5.2 BellSouth will remove load coils only on copper Loops that are equal to or less than eighteen thousand (18,000) feet in length. BellSouth will remove load coils on copper Subloops where the total loop distance (feeder plus distribution) from the BellSouth central office to the end user is equal to or less than 18,000 feet or, if there is no copper feeder, the distance from the remote terminal (RT) to the end user is equal to or less than 18,000 feet.
- 2.5.3 For any copper loop being ordered by VarTec which has over six thousand (6,000) feet of combined bridged tap will be modified, upon request from VarTec, so that the loop will have a maximum of six thousand (6,000) feet of bridged tap. This modification will be performed at no additional charge to VarTec. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper Loop that will result in a combined total of bridged tap between two thousand five hundred (2,500) and six thousand (6,000) feet will be performed at the rates set forth in Exhibit A.
- 2.5.4 VarTec may request removal of any unnecessary and non-excessive bridged tap (bridged tap between zero (0) and two thousand five hundred (2,500) feet which serves no network design purpose), at rates pursuant to BellSouth's SC Process as mutually agreed to by the Parties.
- 2.5.5 Rates for ULM are as set forth in Exhibit A.
- 2.5.6 BellSouth will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered.
- 2.5.7 If VarTec requests ULM on a reserved facility for a new Loop order, BellSouth may perform a pair change and provision a different Loop facility in lieu of the reserved facility with ULM if feasible. The Loop provisioned will meet or exceed specifications of the requested Loop facility as modified. VarTec will not be charged for ULM if a different Loop is provisioned. For Loops that require a DLR or its equivalent, BellSouth will provide LMU detail of the Loop provisioned.
- 2.5.8 VarTec shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that VarTec desires BellSouth to condition.

2.5.9 When requesting ULM for a Loop that BellSouth has previously provisioned for VarTec, VarTec will submit a SI to BellSouth. If a spare Loop facility that meets the Loop modification specifications requested by VarTec is available at the location for which the ULM was requested, VarTec will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, VarTec will not be charged for ULM but will only be charged the service order charges for submitting an order.

2.6 Loop Provisioning Involving IDLC

2.6.1 Where VarTec has requested an Unbundled Loop and BellSouth uses IDLC systems to provide the local service to the customer and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to VarTec. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for VarTec (e.g., hairpinning):

1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
3. If capacity exists, provide "side-door" porting through the switch.
4. If capacity exists, provide "Digital Access Cross-Connect System (DACS)-door" porting (if the IDLC routes through a DACS prior to integration into the switch).

2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.

2.6.2.1 If no alternate facility is available, and upon request from VarTec, and if agreed to by both Parties, BellSouth may utilize its SC process to determine the additional costs required to provision facilities. VarTec will then have the option of paying the one-time SC rates to place the Loop.

2.7 Network Interface Device

2.7.1 The NID is defined as any means of interconnection of the customer's customer premises wiring to BellSouth's distribution plant, such as a cross-connect device used for that purpose. The NID is a single line termination device or that portion of a multiple line termination device required to terminate a single line or circuit at the premises. The NID features two (2) independent chambers or divisions that separate the service provider's network from the customer's premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the customer each make their connections. The

NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.

2.7.2 BellSouth shall permit VarTec to connect VarTec's Loop facilities to the customer's customer premises wiring through the BellSouth NID or at any other technically feasible point.

2.7.3 Access to NID

2.7.3.1 VarTec may access the customer's premises wiring by any of the following means and VarTec shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:

2.7.3.1.1 BellSouth shall allow VarTec to connect its Loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises;

2.7.3.1.2 Where an adequate length of the customer's customer premises wiring is present and environmental conditions permit, either Party may remove the customer premises wiring from the other Party's NID and connect such wiring to that Party's own NID;

2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a cross-connect or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or

2.7.3.1.4 VarTec may request BellSouth to make other rearrangements to the customer premises wiring terminations or terminal enclosure on a time and materials cost basis.

2.7.3.2 In no case shall either Party remove or disconnect the other Party's loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be VarTec's responsibility to ensure there is no safety hazard, and VarTec will hold BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's loop has been disconnected from the NID, to reconnect the disconnected loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of

the National Electrical Code. If no spare station protector exists in the NID, the disconnected loop must be appropriately cleared, capped and stored.

- 2.7.3.3 VarTec shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 VarTec shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with VarTec to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.

2.7.4 Technical Requirements

- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the customer's customer premises and the distribution media and/or cross-connect to VarTec's NID.
- 2.7.4.3 Existing BellSouth NIDs will be operational and provided in "as is" condition. VarTec may request BellSouth to do additional work to the NID on a time and material basis. When VarTec deploys its own local loops in a multiple-line termination device, VarTec shall specify the quantity of NID connections that it requires within such device.

2.8 Subloop Distribution Elements.

- 2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Subloop Distribution (USLD) elements in accordance with 47 C.F.R. § 51.319(b) as specified herein.

2.8.2 Unbundled Subloop Distribution

- 2.8.2.1 The USLD facility is a dedicated transmission facility that BellSouth provides from a customer's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The USLD media is a copper twisted pair that can be provisioned as a 2-wire or 4-wire facility. BellSouth will make available the following subloop distribution offerings where facilities exist:

USLD – Voice Grade (USLD-VG)

Unbundled Copper Subloop (UCSL)
USLD – Intrabuilding Network Cable (USLD-INC (aka riser cable))

- 2.8.2.2 USLD-VG is a copper subloop facility from the cross-box in the field up to and including the point of demarcation at the customer's premises and may have load coils.
- 2.8.2.3 UCSL is a copper facility eighteen thousand (18,000) feet or less in length provided from the cross-box in the field up to and including the customer's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the customer and the cross-box.
- 2.8.2.3.1 If VarTec requests a UCSL and it is not available, VarTec may request the copper Subloop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.4 USLD-INC is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross-connect device in the building equipment room up to and including the point of demarcation at the customer's premises.
- 2.8.2.4.1 Upon request for USLD-INC from VarTec, BellSouth will install a cross-connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in twenty five (25) pair increments for VarTec's use on this cross-connect panel. VarTec will be responsible for connecting its facilities to the twenty five (25) pair cross-connect block(s).
- 2.8.2.5 For access to Voice Grade USLD and UCSL, VarTec shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in Attachment 4. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. VarTec's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.2.6 Through the SI process, BellSouth will determine whether access to USLs at the location requested by VarTec is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet VarTec's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at BellSouth's Interconnection Web site.

- 2.8.2.7 The site set-up must be completed before VarTec can order Subloop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice VarTec's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.8 Once the site set-up is complete, VarTec will request Subloop pairs through submission of a LSR form to the LCSC. OC is required with USL pair provisioning when VarTec requests reuse of an existing facility, and the OC charge shall be billed in addition to the USL pair rate. For expedite requests by VarTec for Subloop pairs, expedite charges will apply for intervals less than five (5) days.
- 2.8.2.9 USLs will be provided in accordance with BellSouth's TR 73600 Unbundled Local Loop Technical Specifications.
- 2.8.3 Unbundled Network Terminating Wire (UNTW)
- 2.8.3.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual customer's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.
- 2.8.3.2 This element will be provided in MDUs and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the customer's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the customer's premises, where a third party owns the wiring to the customer's premises.
- 2.8.3.3 Requirements
- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the customers premises, and VarTec does own or control such wiring, VarTec will install UNTW Access Terminals for BellSouth under the same terms and conditions as BellSouth provides UNTW Access Terminals to VarTec.

- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate VarTec for each pair activated commensurate to the price specified in VarTec's Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW SI requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the customer has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the customer is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.
- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or within thirty (30) days after completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.
- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.
- 2.8.3.3.9 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that customer if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in

the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).

2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten percent (10%) of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge equal to the actual cost of provisioning the Access Terminal.

2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the customer began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

2.9 Loop Makeup

2.9.1 Description of Service

2.9.1.1 BellSouth shall make available to VarTec LMU information with respect to Loops that are required to be unbundled under this Agreement so that VarTec can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment VarTec intends to install and the services VarTec wishes to provide. LMU is a preordering transaction, distinct from VarTec ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) and mechanized LMU queries for preordering LMU are likewise unique from other preordering functions with associated SIs as described in this Agreement.

2.9.1.2 BellSouth will provide VarTec LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pair-gain devices; the Loop length; the wire gauge and electrical parameters.

2.9.1.3 BellSouth's LMU information is provided to VarTec as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.

- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a LOA from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.
- 2.9.1.5 VarTec may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by VarTec and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (e.g., ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee VarTec's ability to provide advanced data services over the ordered Loop type. Furthermore, the LMU information for Loops other than copper-only Loops (e.g., ADSL, UCL-ND, etc.) that support xDSL services, is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Except as set forth in Section 2.9.1.6 below, copper-only Loops will not be subject to change due to modification and/or upgrades to BellSouth's network and will remain on copper facilities until the Loop is disconnected by VarTec or the customer, or until BellSouth retires the copper facilities via the FCC's and any applicable Commission's requirements. VarTec is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.
- 2.9.1.6 If BellSouth retires its copper facilities using 47 C.F.R § 51.325(a) requirements; or is required by a governmental agency or regulatory body to move or replace copper facilities as a maintenance procedure, BellSouth will notify VarTec, according to the applicable network disclosure requirements. It will be VarTec's responsibility to move any service it may provide over such facilities to alternative facilities. If VarTec fails to move the service to alternative facilities by the date in the network disclosure notice, BellSouth may terminate the service to complete the network change.
- 2.9.2 Submitting LMUSI
- 2.9.2.1 VarTec may obtain LMU information and reserve facilities by submitting a mechanized LMU query or a manual LMUSI according to the terms and conditions as described in the LMU CLEC Information Package, incorporated herein by reference as it may be amended from time to time. The CLEC Information Package is located at the "CLEC UNE Product" on BellSouth's Interconnection Web site. After obtaining the Loop information from the

mechanized LMU process, if VarTec needs further Loop information in order to determine Loop service capability, VarTec may initiate a separate Manual SI for a separate nonrecurring charge as set forth in Exhibit A.

- 2.9.2.2 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. VarTec will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, VarTec does not reserve facilities upon an initial LMUSI, VarTec's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A.
- 2.9.2.3 Where VarTec has reserved multiple Loop facilities on a single reservation, VarTec may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to VarTec, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by VarTec.
- 2.9.2.4 Charges for preordering manual LMUSI or mechanized LMU are separate from any charges associated with ordering other services from BellSouth.

3 Line Splitting

- 3.1 Line splitting shall mean that a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to customers over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers. BellSouth will provide Line Splitting over a Loop (UNE-L) purchased by VarTec pursuant to this Agreement.
- 3.2 Line Splitting – UNE-L. In the event VarTec provides its own switching or obtains switching from a third party, VarTec may engage in line splitting arrangements with another CLEC using a splitter, provided by VarTec, in a Collocation Space at the central office where the loop terminates into a distribution frame or its equivalent.
- 3.3 BellSouth must make all necessary network modifications, including providing nondiscriminatory access to OSS necessary for pre-ordering, ordering, provisioning, maintenance and repair, and billing for Loops used in line splitting arrangements. The Parties may use the Change Control Process to address necessary OSS modifications.
- 3.4 Provisioning Line Splitting – UNE-L
- 3.4.1 The Voice CLEC provides the splitter when providing Line Splitting with UNE-L. When VarTec owns the splitter, Line Splitting requires the following: a loop from

NID at the customer's location to the serving wire center and terminating into a distribution frame or its equivalent.

3.4.2 An unloaded 2-wire copper Loop must serve the customer. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.

3.4.3 To order Line Splitting utilizing UNE-L on a particular Loop, VarTec must have a DSLAM collocated in the central office that serves the customer of such Loop.

3.4.4 VarTec may purchase, install and maintain central office POTS splitters in its collocation arrangements. VarTec may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the high frequency spectrum of the UNE-L. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.

3.5 Maintenance – Line Splitting – UNE-L

3.5.1 BellSouth will be responsible for repairing voice troubles and the troubles with the physical loop between the NID at the customer's premises and the termination point.

3.5.2 VarTec shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the other service provider, except to the extent caused by BellSouth's gross negligence or willful misconduct.

3.5.3 For the state of Alabama, the following rights are in addition to the general indemnification rights set forth above:

3.5.3.1 PROVIDED, HOWEVER, that all amounts advanced in respect of such claims, losses and costs shall be repaid to VarTec by BellSouth if it shall ultimately be determined in a final judgment without further appeal by a court of appropriate jurisdiction that BellSouth is not entitled to be indemnified for such claims, losses and costs because the Claims, Losses and Costs arose as a result of BellSouth's gross negligence or willful misconduct.

3.5.3.2 BellSouth will indemnify, defend and hold harmless VarTec from and against any Claims, Losses and Costs which arise out of actions related to the other service provider (i.e. CLEC party to the line splitting arrangement who is not VarTec brought against VarTec to the extent such Claim alleges that the cause of Claim, Loss and Cost was found to be the result of BellSouth's gross negligence or willful misconduct.

- 3.5.3.3 PROVIDED, HOWEVER, that BellSouth shall have no obligation to indemnify VarTec under this section unless VarTec provides BellSouth with prompt written notice of any such Claim; VarTec permits BellSouth to assume and control the defense to such action, with counsel chosen by BellSouth; and BellSouth does not enter into any settlement or compromise of such Claim.
- 3.5.3.4 PROVIDED, HOWEVER, that all amounts advanced in respect of such Claims, Losses and Costs shall be repaid to BellSouth by VarTec if it shall ultimately be determined in a final judgment without further appeal by a court of appropriate jurisdiction that VarTec is not entitled to be indemnified for such Claims, Losses and Costs because the Claims, Losses and Costs did not arise as a result of BellSouth's gross negligence or willful misconduct.
- 3.5.3.5 Definitions:
- 3.5.3.5.1 "Claim" means any threatened, pending or completed action, suit or proceeding, or any inquiry or investigation that BellSouth or VarTec in good faith believes might lead to the institution of any such action, suit or proceeding.
- 3.5.3.5.2 "Loss" means any and all damages, injuries, judgments, fines penalties, amounts paid or payable in settlement, deficiencies, and expenses (including all interest, assessments, and other charges paid or payable in connection with or respect of such Losses) incurred in connection with the Claim.
- 3.5.3.5.3 "Costs" means all reasonable attorney's fees and all other reasonable fees, expenses and obligations paid or incurred in connection with the Claim or related matters, including without limitation, investigating, defending, or participating (as a party, witness or otherwise) in (including on appeal), or preparing to defend or participate in any Claim.
- 3.6 Line Splitting – Loop and Port for the states of Georgia and North Carolina only
- 3.6.1 To the extent VarTec is using a commingled arrangement that consists of a Loop purchased pursuant to this Agreement and Local Switching provided by BellSouth pursuant to Section 271, BellSouth will permit VarTec to utilize Line Splitting. BellSouth shall charge the applicable line splitting rates set forth in Exhibit A of this Agreement.
- 3.6.2 VarTec shall provide BellSouth with a signed LOA between it and the third party CLEC (Data CLEC or Voice CLEC) with which it desires to provision Line Splitting services, where VarTec will not provide voice and data services.

3.6.3 Provisioning Line Splitting and Splitter Space – Loop and Port

3.6.3.1 The Data CLEC, Voice CLEC, or a third party may provide the splitter. When VarTec or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the customer's location; a collocation cross-connection connecting the Loop to the collocation space; and a second collocation cross-connection from the collocation space connected to a voice port.

3.6.3.2 An unloaded 2-wire copper Loop must serve the customer. The meet point for the Voice CLEC and the Data CLEC is the point of termination on the MDF for the Data CLEC's cable and pairs.

3.6.4 CLEC Provided Splitter – Line Splitting – Loop and Port

3.6.4.1 VarTec or its authorized agent may purchase, install and maintain central office line splitters in its collocation arrangements. VarTec or its authorized agent may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing collocation rules and procedures and the terms and conditions relating to collocation set forth in Attachment 4-Central Office shall apply.

3.6.4.2 Any splitters installed by VarTec or its authorized agent in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter standards. VarTec or its authorized agent may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

3.6.5 Maintenance – Line Splitting – Loop and Port

3.6.5.1 BellSouth will be responsible for repairing troubles with the physical Loop between the NID at the customer's premises and the termination point.

4 Unbundled Network Element Combinations

4.1 For purposes of this Section, references to "Currently Combined" Network Elements shall mean that the particular Network Elements requested by VarTec are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" Network Elements shall mean that the particular Network Elements requested by VarTec are not already combined by BellSouth in the location requested by VarTec but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" Network Elements shall mean that the particular Network Elements requested by VarTec are not elements that BellSouth combines for its use in its network.

- 4.1.1 Except as otherwise set forth in this Agreement, upon request, BellSouth shall perform the functions necessary to combine Network Elements that BellSouth is required to provide under this Agreement in any manner, even if those elements are not ordinarily combined in BellSouth's network, provided that such Combination is technically feasible and will not undermine the ability of other carriers to obtain access to Network Elements or to interconnect with BellSouth's network.
- 4.1.2 To the extent VarTec requests a Combination for which BellSouth does not have methods and procedures in place to provide such Combination, rates and/or methods or procedures for such Combination will be developed pursuant to the BFR process.
- 4.2 Rates
- 4.2.1 The rates for the Currently Combined Network Elements specifically set forth in Exhibit A shall be the rates associated with such Combinations. Where a Currently Combined Combination is not specifically set forth in Exhibit A, the rate for such Currently Combined Combination shall be the sum of the recurring rates for those individual Network Elements as set forth in Exhibit A and/or Exhibit B in addition to the applicable nonrecurring switch-as-is charge set forth in Exhibit A.
- 4.2.2 The rates for the Ordinarily Combined Network Elements specifically set forth in Exhibit A shall be the nonrecurring and recurring charges for those Combinations. Where an Ordinarily Combined Combination is not specifically set forth in Exhibit A, the rate for such Ordinarily Combined Combination shall be the sum of the recurring rates for those individual Network Elements as set forth in Exhibit A and/or Exhibit B and nonrecurring rates for those individual Network Elements as set forth in Exhibit A.
- 4.2.3 The rates for Not Typically Combined Combinations shall be developed pursuant to the BFR process upon request of VarTec.
- 4.3 Enhanced Extended Links (EELs)
- 4.3.1 EELs are combinations of Loops and Dedicated Transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements. BellSouth shall provide VarTec with EELs where the underlying Network Element are available and are required to be provided pursuant to this Agreement and in all instances where the requesting carrier meets the eligibility requirements, if applicable.
- 4.3.2 High-capacity EELs are (1) combinations of Loop and Dedicated Transport, (2) Dedicated Transport commingled with a wholesale loop, or (3) a loop commingled

with wholesale transport at the DS1 and/or DS3 level as described in 47 C.F.R. § 51.318(b).

- 4.3.3 By placing an order for a high-capacity EEL, VarTec thereby certifies that the service eligibility criteria set forth herein are met for access to a converted high-capacity EEL, a new high-capacity EEL, or part of a high-capacity commingled EEL as a Network Element. BellSouth shall have the right to audit VarTec's high-capacity EELs as specified below.
- 4.3.4 Service Eligibility Criteria
- 4.3.4.1 High capacity EELs must comply with the following service eligibility requirements. VarTec must certify for each high-capacity EEL that all of the following service eligibility criteria are met:
- 4.3.4.1.1 VarTec has received state certification to provide local voice service in the area being served;
- 4.3.4.2 For each combined circuit, including each DS1 circuit, each DS1 EEL, and each DS1-equivalent circuit on a DS3 EEL:
- 4.3.4.2.1 1) Each circuit to be provided to each customer will be assigned a local number prior to the provision of service over that circuit;
- 4.3.4.2.2 2) Each DS1-equivalent circuit on a DS3 EEL must have its own local number assignment so that each DS3 must have at least twenty-eight (28) local voice numbers assigned to it;
- 4.3.4.2.3 3) Each circuit to be provided to each customer will have 911 or E911 capability prior to provision of service over that circuit;
- 4.3.4.2.4 4) Each circuit to be provided to each customer will terminate in a collocation arrangement that meets the requirements of 47 C.F.R. § 51.318(c);
- 4.3.4.2.5 5) Each circuit to be provided to each customer will be served by an interconnection trunk over which VarTec will transmit the calling party's number in connection with calls exchanged over the trunk;
- 4.3.4.2.6 6) For each twenty-four (24) DS1 EELs or other facilities having equivalent capacity, VarTec will have at least one (1) active DS1 local service interconnection trunk over which VarTec will transmit the calling party's number in connection with calls exchanged over the trunk; and
- 4.3.4.2.7 7) Each circuit to be provided to each customer will be served by a switch capable of switching local voice traffic.

- 4.3.4.3 BellSouth may, on an annual basis, audit VarTec's records in order to verify compliance with the qualifying service eligibility criteria. To invoke the audit, BellSouth will send a Notice of Audit to VarTec. Such Notice of Audit will be delivered to VarTec no less than thirty (30) days prior to the date upon which BellSouth seeks to commence an audit.
- 4.3.4.3.1 Such Notice of Audit to VarTec shall state BellSouth's concern that VarTec is not complying with the service eligibility requirements as set forth above and a concise statement of the reasons therefor. BellSouth is not required to provide documentation, as distinct from a statement of concern, to support its basis for an audit, or seek the concurrence of the requesting carrier before selecting the location of the audit. BellSouth may select the independent auditor without the prior approval of VarTec or the Commission. Challenges to the independence of the auditor may be filed with the Commission only after the audit has been concluded.
- 4.3.4.3.2 For the state of Alabama, VarTec may, however, challenge the legal qualifications of the auditor selected by filing an objection to that effect with the Commission within 10 days of receiving BellSouth's Notice of Audit.
- 4.3.4.3.3 For the state of Louisiana, BellSouth's notice to VarTec shall include a listing of the circuits for which BellSouth alleges noncompliance, including all supporting documentation and a list of three auditors from which VarTec may choose one to conduct the audit.
- 4.3.4.4 The audit shall be conducted by a third party independent auditor, and the audit must be performed in accordance with the standards established by the American Institute for Certified Public Accountants (AICPA) which will require the auditor to perform an "examination engagement" and issue a report regarding VarTec's compliance with the high capacity EEL eligibility criteria. AICPA standards and other AICPA requirements will be used to determine the independence of an auditor. The independent auditor's report will conclude whether VarTec complied in all material respects with the applicable service eligibility criteria. Consistent with standard auditing practices, such audits require compliance testing designed by the independent auditor.
- 4.3.4.5 To the extent the independent auditor's report concludes that VarTec failed to comply with the service eligibility criteria, VarTec must true-up any difference in payments, convert all noncompliant circuits to the appropriate service, and make the correct payments on a going-forward basis. In the event the auditor's report concludes that VarTec did not comply in any material respect with the service eligibility criteria, VarTec shall reimburse BellSouth for the cost of the independent auditor. To the extent the auditor's report concludes that VarTec did comply in all material respects with the service eligibility criteria, BellSouth will reimburse VarTec for its reasonable and demonstrable costs associated with the audit.

VarTec will maintain appropriate documentation to support its certifications. The Parties shall provide such reimbursement within thirty (30) days of receipt of a statement of such costs.

- 4.3.4.5.1 For the state of Alabama, VarTec will maintain appropriate documentation to support its certifications and may dispute any portion of the findings of an audit by petitioning the Commission for a review within twenty (20) days of receiving the reported findings of the auditor.
- 4.3.4.6 In the event VarTec converts special access services to Network Elements, VarTec shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

5 Dedicated Transport and Dark Fiber Transport

- 5.1 Dedicated Transport. Dedicated Transport is defined as BellSouth's transmission facilities between wire centers or switches owned by BellSouth, or between wire centers or switches owned by BellSouth and switches owned by VarTec, including but not limited to DS1, DS3 and OCn level services, as well as dark fiber, dedicated to VarTec. BellSouth shall not be required to provide access to OCn level Dedicated Transport under any circumstances pursuant to this Agreement.
- 5.2 DS1 and DS3 Dedicated Transport Requirements
 - 5.2.1 For purposes of this Section 5.2, a Business Line is as defined in 47 C.F.R. § 51.5.
 - 5.2.2 Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dedicated Transport as described in this Agreement, except in any wire center meeting the criteria described below:
 - 5.2.2.1 DS1 Dedicated Transport where both wire centers at the end points of the route contain thirty-eight thousand (38,000) or more Business Lines or four (4) or more fiber-based collocators.
 - 5.2.2.2 DS3 Dedicated Transport where both wire centers at the end points of the route contain twenty-four thousand (24,000) or more Business Lines or three (3) or more fiber-based collocators.
 - 5.2.2.3 The Master List of Unimpaired Wire Centers and BellSouth's List of Unimpaired Wire Centers, as described in Section 1.8, sets forth the list of wire centers meeting the criteria set forth in Sections 5.2.2.1 and 5.2.2.2 above as of March 11, 2005.
 - 5.2.2.4 Once a wire center meets or exceeds either of the thresholds set forth in Section 5.2.2.1 above, no future DS1 Dedicated Transport unbundling will be required

between that wire center and any other wire center exceeding these same thresholds.

- 5.2.2.5 Once a wire center meets or exceeds either of the thresholds set forth in Section 5.2.2.2 above, no future DS3 Dedicated Transport will be required between that wire center and any other wire center meeting or exceeding these same thresholds.
- 5.2.2.6 Modifications and Updates to the Wire Center List and Subsequent Transition Periods
- 5.2.2.6.1 In the event BellSouth identifies additional wire centers that meet the criteria set forth in Sections 5.2.2.1 or 5.2.2.2 above, but that were not included in the Master List of Unimpaired Wire Centers or BellSouth's List of Unimpaired Wire Centers, BellSouth shall include such additional wire centers in a CNL. Each such list of additional wire centers shall be considered a Subsequent Wire Center List. BellSouth will follow any notification procedures set forth in applicable Commission orders.
- 5.2.2.6.2 VarTec shall have thirty (30) business days to dispute the additional wire centers listed on BellSouth's CNL. Absent such dispute, effective thirty (30) business days after the date of a BellSouth CNL providing a Subsequent Wire Center List, BellSouth shall not be required to provide DS1 and DS3 Dedicated Transport, as applicable, in such additional wire center(s), except pursuant to the self-certification process as set forth in Section 1.8 of this Attachment.
- 5.2.2.6.3 For purposes of Section 5.2.2.6 above, BellSouth shall make available DS1 and DS3 Dedicated Transport that were in service for VarTec in a wire center on the Subsequent Wire Center List as of the thirtieth (30th) business day after the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Embedded Base) until one hundred eighty (180) days after the thirtieth (30th) business day from the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Transition Period).
- 5.2.2.6.4 The rates set forth in Exhibit B shall apply to the Subsequent Embedded Base during the Subsequent Transition Period.
- 5.2.2.6.5 No later than one hundred eighty (180) days from BellSouth's CNL identifying the Subsequent Wire Center List, VarTec shall submit an LSR(s) or spreadsheet(s) as applicable, identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other BellSouth services.
- 5.2.2.6.6 In the case of disconnection, the applicable disconnect charges set forth in this Agreement shall apply.

- 5.2.2.6.6.1 If VarTec fails to submit the LSR(s) or spreadsheet(s) for all of its Subsequent Embedded Base by one hundred eighty (180) days after the date of BellSouth's CNL identifying the Subsequent Wire Center List, BellSouth will identify VarTec's remaining Subsequent Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s), or in the case of Georgia, to the equivalent 271 service(s) set forth in Exhibit 2. In the states of Florida, Mississippi and South Carolina, those circuits identified and transitioned by BellSouth shall be subject to the applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs. In the states of Alabama, Georgia and North Carolina, those circuits identified and transitioned by BellSouth shall be subject to the applicable switch-as-is rates set forth in Exhibit A of Attachment 2. For the state of Louisiana, those circuits identified and transitioned by BellSouth shall be subject to the applicable switch-as-is rates set forth in BellSouth's tariffs.
- 5.2.2.6.7 For Subsequent Embedded Base circuits converted pursuant to Section 5.2.2.6.5 above or transitioned pursuant to Section 5.2.2.6.6.1 above, the applicable recurring tariff charges shall apply as of the earlier of the date each circuit is converted or transitioned, as applicable, or the first day after the end of the Subsequent Transition Period.
- 5.2.3 BellSouth shall:
- 5.2.4 Provide VarTec exclusive use of Dedicated Transport to a particular customer or carrier;
- 5.2.5 Provide all technically feasible features, functions, and capabilities of Dedicated Transport as outlined within the technical requirements of this section;
- 5.2.6 Permit, to the extent technically feasible, VarTec to connect Dedicated Transport to equipment designated by VarTec, including but not limited to, VarTec's collocated facilities; and
- 5.2.7 Permit, to the extent technically feasible, VarTec to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 5.3 BellSouth shall offer Dedicated Transport:
- 5.3.1 As capacity on a shared facility; and
- 5.3.2 As a circuit (i.e., DS0, DS1, DS3, STS-1) dedicated to VarTec.
- 5.4 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.

5.5 VarTec may obtain a maximum of twelve (12) unbundled DS3 Dedicated Transport circuits on each Route where DS3 Dedicated Transport is available as a Network Element, and a maximum of ten (10) unbundled DS1 Dedicated Transport circuits on each Route where there is no 251(c)(3) unbundling obligation for DS3 Dedicated Transport, but for which impairment exists for DS1 Dedicated Transport. For purposes of this Section 5, a "Route" is defined in 47 C.F.R. § 51.319 (e) as a transmission path between one of an incumbent LEC's wire centers or switches and another of the incumbent LECs wire centers or switches. A route between two (2) points (e.g. wire center or switch "A" and wire center or switch "Z") may pass through one or more intermediate wire centers or switches (e.g. wire center or switch "X"). Transmission paths between the same end points (e.g. wire center or switch "A" and wire center or switch "Z") are the same "route", irrespective of whether they pass through the same intermediate wire centers or switches, if any.

5.6 Technical Requirements

5.6.1 BellSouth shall offer DS0 equivalent interface transmission rates for DS0 or voice grade Dedicated Transport. For DS1 or DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office (CI to CO) connections in the applicable industry standards.

5.6.2 BellSouth shall offer the following interface transmission rates for Dedicated Transport:

5.6.2.1 DS0 Equivalent;

5.6.2.2 DS1;

5.6.2.3 DS3;

5.6.2.4 STS-1; and

5.6.2.5 SDH (Synchronous Digital Hierarchy) Standard interface rates are in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.

5.6.3 BellSouth shall design Dedicated Transport according to its network infrastructure. VarTec shall specify the termination points for Dedicated Transport.

5.6.4 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references and BellSouth Technical References;

- 5.6.4.1 Telcordia TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.
- 5.6.4.2 BellSouth's TR73501 LightGate®Service Interface and Performance Specifications, Issue D, June 1995.
- 5.6.4.3 BellSouth's TR73525 MegaLink®Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.
- 5.7 Unbundled Channelization (Multiplexing)
 - 5.7.1 To the extent VarTec is purchasing DS1 or DS3 or STS-1 Dedicated Transport pursuant to this Agreement, Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) Network Elements to be multiplexed or channelized at a BellSouth central office. Channelization can be accomplished through the use of a multiplexer or a digital cross-connect system at the discretion of BellSouth. Once UC has been installed, VarTec may request channel activation on a channelized facility and BellSouth shall connect the requested facilities via COCIs. The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility. This service is available as defined in NECA 4.
 - 5.7.2 BellSouth shall make available the following channelization systems and interfaces:
 - 5.7.2.1 DS1 Channelization System: channelizes a DS1 signal into a maximum of twenty-four (24) DS0s. The following COCI are available: Voice Grade, Digital Data and ISDN.
 - 5.7.2.2 DS3 Channelization System: channelizes a DS3 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
 - 5.7.2.3 STS-1 Channelization System: channelizes a STS-1 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
 - 5.7.3 Technical Requirements. In order to assure proper operation with BellSouth provided central office multiplexing functionality, VarTec's channelization equipment must adhere strictly to form and protocol standards. VarTec must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.
- 5.8 Dark Fiber Transport. Dark Fiber Transport is defined as Dedicated Transport that consists of unactivated optical interoffice transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics.

5.8.1 Dark Fiber Transport Requirements

5.8.1.1 For purposes of this Section 5.8, a Business Line is as defined in 47 C.F.R. § 51.5.

5.8.1.2 Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dark Fiber Transport as described in this Agreement, except in any wire center meeting the criteria described below:

5.8.1.2.1 Dark Fiber Transport where both wire centers at the end points of the route contain twenty-four thousand (24,000) or more Business Lines or three (3) or more fiber-based collocators.

5.8.1.3 The Master List of Unimpaired Wire Centers or BellSouth's List of Unimpaired Wire Centers, as described in Section 1.8, sets forth the list of wire centers meeting the criteria set forth in Section 5.8.1.2.1 above as of March 11, 2005.

5.8.1.4 Once any wire center exceeds either of the thresholds set forth in Section 5.8.1.2.1 above, no future Dark Fiber Transport unbundling will be required in that wire center.

5.8.1.5 Modifications and Updates to the Wire Center List and Subsequent Transition Periods

5.8.1.5.1 In the event BellSouth identifies additional wire centers that meet the criteria set forth in Section 5.8.1.2.1 above, but that were not included in the Master List of Unimpaired Wire Centers or BellSouth's List of Unimpaired Wire Centers, BellSouth shall include such additional wire centers in a CNL. Each such list of additional wire centers shall be considered a "Subsequent Wire Center List". BellSouth will follow any notification procedures in applicable Commission orders.

5.8.1.5.2 VarTec shall have thirty (30) business days to dispute the additional wire centers listed on BellSouth's CNL. Absent such dispute, effective thirty (30) business days after the date of a BellSouth CNL providing a Subsequent Wire Center List, BellSouth shall not be required to provide unbundled access to Dark Fiber Transport, as applicable, in such additional wire center(s), except pursuant to the self-certification process as set forth in Section 1.8 of this Attachment.

5.8.1.5.3 For purposes of Section 5.8.1.5 above, BellSouth shall make available Dark Fiber Transport that was in service for VarTec in a wire center on the Subsequent Wire Center List as of the thirtieth (30) business day after the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Embedded Base) until one hundred eighty (180) days after the thirtieth (30th) business day from the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Transition Period).

- 5.8.1.5.4 The rates set forth in Exhibit B shall apply to the Subsequent Embedded Base during the Subsequent Transition Period.
- 5.8.1.5.5 No later than one hundred eighty (180) days from BellSouth's CNL identifying the Subsequent Wire Center List, VarTec shall submit an LSR(s) or spreadsheet(s) as applicable, identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other BellSouth services.
- 5.8.1.5.6 In the case of disconnection, the applicable disconnect charges set forth in this Agreement shall apply.
- 5.8.1.5.6.1 If VarTec fails to submit the LSR(s) or spreadsheet(s) for all of its Subsequent Embedded Base by one hundred eighty (180) days after the date of BellSouth's CNL identifying the Subsequent Wire Center List, BellSouth will identify VarTec's remaining Subsequent Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s), or in the case of Georgia, to the equivalent 271 service set forth in Exhibit 2.
- 5.8.1.5.6.2 In the states of Florida, Mississippi and South Carolina, those circuits identified and transitioned by BellSouth shall be subject to the applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs. In the states of Alabama, Georgia and South Carolina, those circuits identified and transitioned by BellSouth shall be subject to the applicable switch-as-is rates set forth in Exhibit A of Attachment 2. In the state of Louisiana, those circuits identified and transitioned by BellSouth shall be subject to the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.
- 5.8.1.5.6.3 For Subsequent Embedded Base circuits converted pursuant to Section 5.8.1.5.5 above or transitioned pursuant to Section 5.8.1.5.6.1 above, the applicable recurring tariff charges shall apply as of the earlier of the date each circuit is converted or transitioned, as applicable, or the first day after the end of the Subsequent Transition Period.
- 5.9 Rearrangements
- 5.9.1 A request to move a working VarTec Dedicated Transport circuit or a Combination including Dedicated Transport from one connecting facility assignment (CFA) to another CFA in the same BellSouth Central Office (Change in CFA), shall not constitute the establishment of new service. The applicable Rearrangement rates for the Change in CFA are set forth in Exhibit A.
- 5.9.2 A request to reterminate one end of a Dedicated Transport facility that is not a Change in CFA and thus results in retermination in a different BellSouth Central

Office (Retermination) shall constitute disconnection of existing service and the establishment of new service. Disconnect charges and full nonrecurring charges for establishment of service, as set forth in Exhibit A, shall apply.

5.9.3 Upon request of VarTec, BellSouth shall project manage the Change in CFA or Retermination of Dedicated Transport and Combinations that include Dedicated Transport as described in Sections 5.9.1 and 5.9.2 above and VarTec may request OC-TS for such orders.

5.9.4 BellSouth shall accept a LOA between VarTec and another carrier that will allow VarTec, in connection with a Change in CFA or Retermination, to connect Dedicated Transport or a Combination that includes Dedicated Transport, via a CFA, to the other carrier's collocation space or to another carrier's Multiplexer.

6 Automatic Location Identification/Data Management System (ALI/DMS)

6.1 911 and E911 Databases

6.1.1 BellSouth shall provide VarTec with nondiscriminatory access to 911 and E911 databases on an unbundled basis, in accordance with 47 C.F.R. § 51.319 (f).

6.1.2 The ALI/DMS database contains end user information (including name, address, telephone information, and sometimes special information from the local service provider or end user) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911. VarTec will be required to provide the BellSouth 911 database vendor daily service order updates to E911 database in accordance with Section 6.2.1 below.

6.2 Technical Requirements

6.2.1 BellSouth's 911 database vendor shall provide VarTec the capability of providing updates to the ALI/DMS database through a specified electronic interface. VarTec shall contact BellSouth's 911 database vendor directly to request interface. VarTec shall provide updates directly to BellSouth's 911 database vendor on a daily basis. Updates shall be the responsibility of VarTec and BellSouth shall not be liable for the transactions between VarTec and BellSouth's 911 database vendor.

6.2.2 It is VarTec's responsibility to retrieve and confirm statistical data and to correct errors obtained from BellSouth's 911 database vendor on a daily basis. All errors will be assigned a unique error code and the description of the error and the corrective action is described in the CLEC Users Guide for Facility Based Providers that is found on the BellSouth Interconnection Web site.

- 6.2.3 VarTec shall conform to the BellSouth standards as described in the CLEC Users Guide to E911 for Facilities Based Providers that is located on the BellSouth Interconnection Web site.
- 6.2.4 Stranded Unlocks are defined as end user records in BellSouth's ALI/DMS database that have not been migrated for over ninety (90) days to VarTec, as a new provider of local service to the end user. Stranded Unlocks are those end user records that have been "unlocked" by the previous local exchange carrier that provided service to the end user and are open for VarTec to assume responsibility for such records.
 - 6.2.4.1 Based upon end user record ownership information available in the NPAC database, BellSouth shall provide a Stranded Unlock annual report to VarTec that reflects all Stranded Unlocks that remain in the ALI/DMS database for over ninety (90) days. VarTec shall review the Stranded Unlock report, identify its end user records and request to either delete such records or migrate the records to VarTec within two (2) months following the date of the Stranded Unlock report provided by BellSouth. VarTec shall reimburse BellSouth for any charges BellSouth's database vendor imposes on BellSouth for the deletion of VarTec's records.
- 6.3 911 PBX Locate Service®. 911 PBX Locate Service is comprised of a database capability and a separate transport component.
 - 6.3.1 Description of Product. The transport component provides a dedicated trunk path from a Private Branch Exchange (PBX) switch to the appropriate BellSouth 911 tandem.
 - 6.3.1.1 The database capability allows VarTec to offer an E911 service to its PBX end users that identifies to the PSAP the physical location of the VarTec PBX 911 end user station telephone number for the 911 call that is placed by the end user.
 - 6.3.2 VarTec may order either the database capability or the transport component as desired or VarTec may order both components of the service.
 - 6.3.3 911 PBX Locate Database Capability. VarTec's end user or VarTec's end user's database management agent (DMA) must provide the end user PBX station telephone numbers and corresponding address and location data to BellSouth's 911 database vendor. The data will be loaded and maintained in BellSouth's ALI database.
 - 6.3.4 Ordering, provisioning, testing and maintenance shall be provided by VarTec pursuant to the 911 PBX Locate Marketing Service Description (MSD) that is located on the BellSouth Interconnection Web site.

- 6.3.5 VarTec's end user, or VarTec's end user DMA must provide ongoing updates to BellSouth's 911 database vendor within a commercially reasonable timeframe of all PBX station telephone number adds, moves and deletions. It will be the responsibility of VarTec to ensure that the end user or DMA maintain the data pertaining to each end user's extension managed by the 911 PBX Locate Service product. VarTec should not submit telephone number updates for specific PBX station telephone numbers that are submitted by VarTec's end user, or VarTec's end user DMA under the terms of 911 PBX Locate product.
- 6.3.5.1 VarTec must provision all PBX station numbers in the same LATA as the E911 tandem.
- 6.3.6 VarTec agrees to release, indemnify, defend and hold harmless BellSouth from any and all loss, claims, demands, suits, or other action, or any liability whatsoever, whether suffered, made, instituted or asserted by VarTec's end user or by any other party or person, for any personal injury to or death of any person or persons, or for any loss, damage or destruction of any property, whether owned by VarTec or others, or for any infringement or invasion of the right of privacy of any person or persons, caused or claimed to have been caused, directly or indirectly, by the installation, operation, failure to operate, maintenance, removal, presence, condition, location or use of PBX Locate Service features or by any services which are or may be furnished by BellSouth in connection therewith, including but not limited to the identification of the telephone number, address or name associated with the telephone used by the party or parties accessing 911 services using 911 PBX Locate Service hereunder, except to the extent caused by BellSouth's gross negligence or wilful misconduct. VarTec is responsible for assuring that its authorized end users comply with the provisions of these terms and that unauthorized persons do not gain access to or use the 911 PBX Locate Service through user names, passwords, or other identifiers assigned to VarTec's end user or DMA pursuant to these terms. Specifically, VarTec's end user or DMA must keep and protect from use by any unauthorized individual identifiers, passwords, and any other security token(s) and devices that are provided for access to this product.
- 6.3.7 VarTec may only use BellSouth PBX Locate Service solely for the purpose of validating and correcting 911 related data for VarTec's end users' telephone numbers for which it has direct management authority.
- 6.3.8 911 PBX Locate Transport Component. The 911 PBX Locate Service transport component requires VarTec to order a CAMA type dedicated trunk from VarTec's end user premise to the appropriate BellSouth 911 tandem pursuant to the following provisions.
- 6.3.8.1 Except as otherwise set forth below, a minimum of two (2) end user specific, dedicated 911 trunks are required between the VarTec's end user premise and the

BellSouth 911 tandem as described in BellSouth's TR 73576 and in accordance with the 911 PBX Locate Marketing Service Description located on the BellSouth Interconnection Web site. VarTec is responsible for connectivity between the end user's PBX and VarTec's switch or POP location. VarTec will then order 911 trunks from their switch or POP location to the BellSouth 911 tandem. The dedicated trunks shall be, at a minimum, DS0 level trunks configured as part of a digital interface (delivered over a VarTec purchased DS1 facility that hands off at a DS1 or higher level digital or optical interface). VarTec is responsible for ensuring that the PBX switch is capable of sending the calling station's Direct Inward Dial (DID) telephone number to the BellSouth 911 tandem in a specified Multi-frequency (MF) Address Signaling Protocol. If the PBX switch supports Primary Rate ISDN (PRI) and the calling stations are DID numbers, then the 911 call can be transmitted using PRI, and there will be no requirement for the PBX Locate Transport component.

6.3.9 Ordering and Provisioning. VarTec will submit an Access Service Request (ASR) to BellSouth to order a minimum of two (2) end user specific 911 trunks from its switch or POP location to the BellSouth 911 tandem.

6.3.9.1 Testing and maintenance shall be provided by VarTec pursuant to the 911 PBX Locate Marketing Service description that is located on the BellSouth Interconnection Web site.

6.3.10 Rates. Rates for the 911 PBX Locate Service database component are set forth in Exhibit A. Trunks and facilities for 911 PBX Locate transport component may be ordered by VarTec pursuant to the terms and conditions set forth in Attachment 3.

7 **White Pages Listings**

7.1 BellSouth shall provide VarTec and its customers access to white pages directory listings under the following terms:

7.1.1 Listings. VarTec shall provide all new, changed and deleted listings on a timely basis and BellSouth or its agent will include VarTec residential and business customer listings in the appropriate White Pages (residential and business) or alphabetical directories in the geographic areas covered by this Agreement. Directory listings will make no distinction between VarTec and BellSouth customers. VarTec shall provide listing information in accordance with the procedures set forth in The BellSouth Business Rules for Local Ordering found at BellSouth's Interconnection Services Web site.

7.1.2 Unlisted/Non-Published Customers. VarTec will be required to provide to BellSouth the names, addresses and telephone numbers of all VarTec customers who wish to be omitted from directories. Unlisted/Non-Published listings will be

subject to the rates as set forth in BellSouth's GSST and shall not be subject to wholesale discount.

- 7.1.3 Inclusion of VarTec Customers in Directory Assistance Database. BellSouth will include and maintain VarTec customer listings in BellSouth's DA databases. VarTec shall provide such Directory Assistance listings to BellSouth at no charge.
- 7.1.4 Listing Information Confidentiality. BellSouth will afford VarTec's directory listing information the same level of confidentiality that BellSouth affords its own directory listing information.
- 7.1.5 Additional and Designer Listings. Additional and designer listings will be offered by BellSouth at tariffed rates as set forth in BellSouth's GSST and shall not be subject to the wholesale discount.
- 7.1.6 Rates. So long as VarTec provides listing information to BellSouth as set forth in Section 7.1.2 above, BellSouth shall provide to VarTec one (1) basic White Pages directory listing per VarTec customer at no charge other than applicable service order charges as set forth in BellSouth's tariffs. Except in the case of a LSR submitted solely to port a number from BellSouth, if such listing is requested on the initial LSR associated with the request for services, a single manual service order charge or electronic service order charge, as appropriate, as described in Attachment 6, will apply to both the request for service and the request for the directory listing. Where a subsequent LSR is placed solely to request a directory listing, or is placed to port a number and request a directory listing, separate service order charges as set forth in BellSouth's tariffs shall apply, as well as the manual service order charge or the electronic service order charge, as appropriate, as described in Attachment 6.
- 7.2 Directories. BellSouth or its agent shall make available White Pages directories to VarTec customer at no charge or as specified in a separate agreement between VarTec and BellSouth's agent.
- 7.3 Procedures for submitting VarTec Subscriber Listing Information (SLI) are found in The BellSouth Business Rules for Local Ordering found at BellSouth's Interconnection Services Web site.
- 7.3.1 VarTec authorizes BellSouth to release all VarTec SLI provided to BellSouth by VarTec to qualifying third parties. Such VarTec SLI shall be intermingled with BellSouth's own customer listings and listings of any other CLEC that has authorized a similar release of SLI.
- 7.3.2 No compensation shall be paid to VarTec for BellSouth's receipt of VarTec SLI, or for the subsequent release to third parties of such SLI. In addition, to the extent BellSouth incurs costs to modify its systems to enable the release of VarTec's SLI,

or costs on an ongoing basis to administer the release of VarTec SLI, VarTec shall pay to BellSouth its proportionate share of the reasonable costs associated therewith. At any time that costs may be incurred to administer the release of VarTec's SLI, VarTec will be notified. If VarTec does not wish to pay its proportionate share of these reasonable costs, VarTec may instruct BellSouth that it does not wish to release its SLI to independent publishers, and VarTec shall amend this Agreement accordingly. VarTec will be liable for all costs incurred until the effective date of the agreement.

- 7.3.3 Neither BellSouth nor any agent shall be liable for the content or accuracy of any SLI provided by VarTec under this Agreement. VarTec shall indemnify, except to the extent caused by BellSouth's gross negligence or willful misconduct, hold harmless and defend BellSouth and its agents from and against any damages, losses, liabilities, demands, claims, suits, judgments, costs and expenses (including but not limited to reasonable attorneys' fees and expenses) arising from BellSouth's tariff obligations or otherwise and resulting from or arising out of any third party's claim of inaccurate VarTec listings or use of the SLI provided pursuant to this Agreement. BellSouth may forward to VarTec any complaints received by BellSouth relating to the accuracy or quality of VarTec listings.
- 7.3.4 Listings and subsequent updates will be released consistent with BellSouth system changes and/or update scheduling requirements.

UNBUNDLED NETWORK ELEMENTS - Alabama										Att. 2 Exh. A			
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st
					Rec	Nonrecurring Add'l	Nonrecurring Disconnect First	Add'l	SOME	SOMAN	SOMAN	SOMAN	SOMAN
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website: http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm													
OPERATIONS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"													
NOTE: (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this rate exhibit are the BellSouth "regional" service ordering charges. CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charges, however, CLEC can not obtain a mixture of the two regardless if CLEC has an interconnection contract established in each of the 9 states.													
NOTE: (2) Any element that can be ordered electronically will be billed according to the SOME rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the LOH, the listed SOME rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be applied to a CLEC's bill when it submits an LSR to BellSouth.													
	OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only			SOME		3.50	0.00	3.50	0.00				
	OSS - Manual Service Order Charge, Per Local Service Request (LSR) - UNE Only			SOMAN		15.66	0.00	1.97	0.00				
UNE SERVICE DATE ADVANCEMENT CHARGE													
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No.1 Tariff, Section 5 as applicable.													
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			SDASP		200.00							
ORDER MODIFICATION CHARGE													
	Order Modification Charge (OMC)					35.13	0.00	0.00	0.00				
	Order Modification Additional Dispatch Charge (OMCAD)					150.00	0.00	0.00	0.00				
UNBUNDLED EXCHANGE ACCESS LOOP													
2-WIRE ANALOG VOICE GRADE LOOP													
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1	1	UEANL	UEAL2		12.58	17.56	23.49	5.30				
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2	2	UEANL	UEAL2		21.05	37.81	23.49	5.30				
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3	3	UEANL	UEAL2		34.34	37.81	23.49	5.30				
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1	1	UEANL	UEASL		12.58	37.81	17.56	5.30				
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2	2	UEANL	UEASL		21.05	37.81	17.56	5.30				
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3	3	UEANL	UEASL		34.34	37.81	17.56	5.30				
	Tag Loop at End User Premise		UEANL	URETL			6.93	0.00					
	Loop Testing - Basic 1st Half Hour		UEANL	URET1			34.16	0.00					
	Loop Testing - Basic Additional Half Hour		UEANL	URET1			19.85	19.85					
	Manual Order Coordination for UVL-SL1s (per loop)		UEANL	UEAMC			8.15	8.15					
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)		UEANL	OCOSL			18.09						

UNBUNDLED NETWORK ELEMENTS - Alabama														
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	Att: 2 Exh: A			
					Rec	Nonrecurring		Nonrecurring Disconnect			Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						First	Add'l	First						Add'l
	Unbundled Non-Design Voice Loop, billing for BST providing make up (Engineering Information - E.I.)													
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UEANL	UEANM		13.44								
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UEANL	UREWO		15.78	8.94	23.49	5.30					
	Bulk Migration, per 2 Wire Voice Loop-SL1		UEANL	UREPN		37.81	17.56	23.49	5.30					
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL1		UEANL	UREPM		8.15	8.15							
2-WIRE UNBUNDLED COPPER LOOP														
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	1	UEQ	UEQ2X	11.20	34.14	15.10	21.25	4.15					
	2-Wire Unbundled Copper Loop - Non-Designed - Zone 2	2	UEQ	UEQ2X	13.27	34.14	15.10	21.25	4.15					
	2-Wire Unbundled Copper Loop - Non-Designed - Zone 3	3	UEQ	UEQ2X	15.07	34.14	15.10	21.25	4.15					
	Tag Loop at End User Premise		UEQ	URETL		8.93	0.88							
	Loop Testing - Basic 1st Half Hour		UEQ	URET1		34.16	0.00							
	Loop Testing - Basic Additional Half Hour		UEQ	URETA		19.85	19.85							
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)		UEQ	USBMC		8.15	8.15							
	Unbundled Copper Loop - Non-Designed, billing for BST providing make-up (Engineering Information - E.I.)		UEQ	UEQMU		13.44								
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UEQ	UREWO		14.27	7.43	21.25	4.15					
	Bulk Migration, per 2 Wire UCL-ND		UEQ	UREPN		34.14	15.10	21.25	4.15					
	Bulk Migration Order Coordination, per 2 Wire UCL-ND		UEQ	UREPM		8.15	8.15							
UNBUNDLED EXCHANGE ACCESS LOOP														
2-WIRE ANALOG VOICE GRADE LOOP														
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1	1	UEA	UEAL2	14.38	88.00	55.00	47.24	7.44					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2	2	UEA	UEAL2	22.85	88.00	55.00	47.24	7.44					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3	3	UEA	UEAL2	36.14	88.00	55.00	47.24	7.44					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1	1	UEA	UEAR2	14.38	88.00	55.00	47.24	7.44					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2	2	UEA	UEAR2	22.85	88.00	55.00	47.24	7.44					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	3	UEA	UEAR2	36.14	88.00	55.00	47.24	7.44					
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DSO)		UEA	URES1		5.59	5.59							
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet (per DSO)		UEA	URES2		5.59	5.59							
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UEA	UREWO		87.72	36.36							
	Loop Tagging - Service Level 2 (SL2)		UEA	URETL		11.21	1.10							
	Bulk Migration, per 2 Wire Voice Loop-SL2		UEA	UREPN		88.00	55.00							
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL2		UEA	UREPM		0.00	0.00							
4-WIRE ANALOG VOICE GRADE LOOP														
	4-Wire Analog Voice Grade Loop - Zone 1	1	UEA	UEAL4	25.34	131.97	94.51	59.14	14.50					
	4-Wire Analog Voice Grade Loop - Zone 2	2	UEA	UEAL4	38.58	131.97	94.51	59.14	14.50					
	4-Wire Analog Voice Grade Loop - Zone 3	3	UEA	UEAL4	60.02	131.97	94.51	59.14	14.50					
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DSO)		UEA	URES1		5.59	5.59							
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DSO)		UEA	URES2		5.59	5.59							
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UEA	UREWO		87.72	36.36							
2-WIRE ISDN DIGITAL GRADE LOOP														
	2-Wire ISDN Digital Grade Loop - Zone 1	1	UDN	U1L2X	21.88	117.24	79.77	52.88	10.54					
	2-Wire ISDN Digital Grade Loop - Zone 2	2	UDN	U1L2X	32.85	117.24	79.77	52.88	10.54					
	2-Wire ISDN Digital Grade Loop - Zone 3	3	UDN	U1L2X	48.55	117.24	79.77	52.88	10.54					
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UDN	UREWO		91.63	44.16							
2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP														
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1	1	UAL	UAL2X	11.01	110.00	68.00	47.24	7.44					

UNBUNDLED NETWORK ELEMENTS - Alabama																	
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	Att: 2 Exh: A						
					Nonrecurring	First	Add'l	Nonrecurring			First	Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2	2	UAL	UAL2X	12.73	110.00	68.00	47.24	7.44								
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3	3	UAL	UAL2X	14.30	110.00	68.00	47.24	7.44								
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1	1	UAL	UAL2W	11.01	90.00	57.00	47.24	7.44								
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2	2	UAL	UAL2W	12.73	90.00	57.00	47.24	7.44								
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3	3	UAL	UAL2W	14.30	90.00	57.00	47.24	7.44								
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UAL	UREWO		86.20		40.40									
2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																	
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1	1	UHL	UHL2X	8.74	110.00	68.00	47.24	7.44								
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2	2	UHL	UHL2X	10.17	110.00	68.00	47.24	7.44								
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3	3	UHL	UHL2X	11.44	110.00	68.00	47.24	7.44								
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	UHL	UHL2W	8.74	90.00	57.00	47.24	7.44								
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	2	UHL	UHL2W	10.17	90.00	57.00	47.24	7.44								
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	3	UHL	UHL2W	11.44	90.00	57.00	47.24	7.44								
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UHL	UREWO		86.14		40.40									
4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																	
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1	1	UHL	UHL4X	13.95	148.36	68.00	51.70	9.73								
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2	2	UHL	UHL4X	15.56	148.36	68.00	51.70	9.73								
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3	3	UHL	UHL4X	15.25	148.36	68.00	51.70	9.73								
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	UHL	UHL4W	13.95	94.00	57.00	51.70	9.73								
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	2	UHL	UHL4W	15.56	94.00	57.00	51.70	9.73								
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	3	UHL	UHL4W	15.25	94.00	57.00	51.70	9.73								
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UHL	UREWO		86.14		40.40									
4-WIRE DS1 DIGITAL LOOP																	
	4-Wire DS1 Digital Loop - Zone 1	1	USL	USLXX	82.55	252.47	157.54	44.70	11.71								
	4-Wire DS1 Digital Loop - Zone 2	2	USL	USLXX	154.18	252.47	157.54	44.70	11.71								
	4-Wire DS1 Digital Loop - Zone 3	3	USL	USLXX	314.52	252.47	157.54	44.70	11.71								
	Switch-As-is Conversion rate per UNE Loop, single LSR, (per DS1)		USL	URES		5.59	5.59										
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DS1)		USL	URES		5.59	5.59										
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		USL	UREWO		101.09	43.05										
4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP																	
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1	1	UDL	UDL2X	26.09	126.27	88.80	59.14	14.50								
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	2	UDL	UDL2X	35.95	126.27	88.80	59.14	14.50								
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3	3	UDL	UDL2X	37.88	126.27	88.80	59.14	14.50								
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1	1	UDL	UDL4X	26.09	126.27	88.80	59.14	14.50								
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2	2	UDL	UDL4X	35.95	126.27	88.80	59.14	14.50								
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3	3	UDL	UDL4X	37.88	126.27	88.80	59.14	14.50								
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	1	UDL	UDL9X	26.09	126.27	88.80	59.14	14.50								
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	2	UDL	UDL9X	35.95	126.27	88.80	59.14	14.50								
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3	3	UDL	UDL9X	37.88	126.27	88.80	59.14	14.50								
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1	1	UDL	UDL19	26.09	126.27	88.80	59.14	14.50								
	4 Wire Unbundled Digital 19.2 Kbps - Zone 2	2	UDL	UDL19	35.95	126.27	88.80	59.14	14.50								

UNBUNDLED NETWORK ELEMENTS - Alabama													Alt. 2 Exh. A		
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)					Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st		
					Nonrecurring			Disconnect	OSS Rates(\$)						
					Rec	First	Add'l		SOME					SOMAN	SOMAN
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3	3	UDL	UDL19	37.88	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	UDL	UDL56	26.09	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	2	UDL	UDL56	35.95	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	3	UDL	UDL56	37.88	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	UDL	UDL64	26.09	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	2	UDL	UDL64	35.95	126.27	88.80	59.14	14.50						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	3	UDL	UDL64	37.88	126.27	88.80	59.14	14.50						
	Switch-As-is Conversion rate per UNE Loop, single LSR, (per DS0)		UDL	URES		5.59									
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DS0)		UDL	URES		5.59									
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UDL	UREW		102.13	49.75								
2-WIRE UNBUNDLED COPPER LOOP															
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1	1	UCL	UCLPB	11.01	112.46	65.30	47.24	7.44						
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2	2	UCL	UCLPB	12.73	112.46	65.30	47.24	7.44						
	2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3	3	UCL	UCLPB	14.30	112.46	65.30	47.24	7.44						
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1	UCL	UCLPW	11.01	91.45	54.30	47.24	7.44						
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	2	UCL	UCLPW	12.73	91.45	54.30	47.24	7.44						
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	3	UCL	UCLPW	14.30	91.45	54.30	47.24	7.44						
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		8.15	8.15								
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UCL	UREW		97.23	42.48								
4-WIRE COPPER LOOP															
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1	1	UCL	UCL4S	17.36	135.21	88.05	51.70	9.73						
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2	2	UCL	UCL4S	20.76	135.21	88.05	51.70	9.73						
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3	3	UCL	UCL4S	28.21	135.21	88.05	51.70	9.73						
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1	UCL	UCL4W	17.36	114.21	67.05	51.70	9.73						
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	2	UCL	UCL4W	20.76	114.21	67.05	51.70	9.73						
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	3	UCL	UCL4W	28.21	114.21	67.05	51.70	9.73						
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		8.15	8.15								
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UCL	UREW		97.23	42.48								
	Order Coordination for Specified Conversion Time (per LSR)		UCL	OCOSL		18.90									
Rearrangements															
	EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop-SL2		UEA	UREEL		87.72	36.36								
	EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop		UEA	UREEL		87.72	36.36								
	EEL to UNE-L Retermination, per 2 Wire ISDN Loop		UDN	UREEL		91.63	44.16								
	EEL to UNE-L Retermination, per 4 Wire Unbundled Digital Loop		UDL	UREEL		102.13	49.75								
	EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop		USL	UREEL		101.09	43.05								
UNE LOOP COMMINGLING															
2-WIRE ANALOG VOICE GRADE LOOP - COMMINGLING															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1	1	NTCVG	UEAL2	14.38	88.00	55.00	47.24	7.44						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2	2	NTCVG	UEAL2	22.85	88.00	55.00	47.24	7.44						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3	3	NTCVG	UEAL2	36.14	88.00	55.00	47.24	7.44						

UNBUNDLED NETWORK ELEMENTS - Alabama										Att: 2 Exh: A							
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l			
						Nonrecurring			Nonrecurring Disconnect						OSS Rates(\$)		
						Rec	First	Add'l							SOME	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1					14.38	88.00	55.00	47.24	7.44							
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2					22.85	88.00	55.00	47.24	7.44							
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3					36.14	88.00	55.00	47.24	7.44							
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DSO)						5.59	5.59									
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet (per DSO)						5.59	5.59									
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit					87.72	36.36										
	Loop Tagging - Service Level 2 (SL2)					11.21	1.10										
4-WIRE ANALOG VOICE GRADE LOOP - COMMINGLING																	
	4-Wire Analog Voice Grade Loop - Zone 1					25.34	131.97	94.51	59.14	14.50							
	4-Wire Analog Voice Grade Loop - Zone 2					38.58	131.97	94.51	59.14	14.50							
	4-Wire Analog Voice Grade Loop - Zone 3					60.02	131.97	94.51	59.14	14.50							
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DSO)						5.59	5.59									
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DSO)						5.59	5.59									
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit					87.72	36.36										
4-WIRE DS1 DIGITAL LOOP - COMMINGLING																	
	4-Wire DS1 Digital Loop - Zone 1					82.55	252.47	157.54	44.70	11.71							
	4-Wire DS1 Digital Loop - Zone 2					154.18	252.47	157.54	44.70	11.71							
	4-Wire DS1 Digital Loop - Zone 3					314.52	252.47	157.54	44.70	11.71							
	Switch-As-Is Conversion rate per UNE Loop, single LSR, (per DSO)						5.59	5.59									
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DSO)						5.59	5.59									
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit					101.09	43.05										
4-WIRE 19.2, 56 OR 64 Kbps DIGITAL GRADE LOOP - COMMINGLING																	
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1					26.09	126.27	88.80	59.14	14.50							
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2					35.95	126.27	88.80	59.14	14.50							
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3					37.88	126.27	88.80	59.14	14.50							
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1					26.09	126.27	88.80	59.14	14.50							
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2					35.95	126.27	88.80	59.14	14.50							
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3					37.88	126.27	88.80	59.14	14.50							
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1					26.09	126.27	88.80	59.14	14.50							
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2					35.95	126.27	88.80	59.14	14.50							
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3					37.88	126.27	88.80	59.14	14.50							
	4 Wire Unbundled Digital Loop 19.2 Kbps - Zone 1					26.09	126.27	88.80	59.14	14.50							
	4 Wire Unbundled Digital Loop 19.2 Kbps - Zone 2					35.95	126.27	88.80	59.14	14.50							
	4 Wire Unbundled Digital Loop 19.2 Kbps - Zone 3					37.88	126.27	88.80	59.14	14.50							
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1					26.09	126.27	88.80	59.14	14.50							
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2					35.95	126.27	88.80	59.14	14.50							
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3					37.88	126.27	88.80	59.14	14.50							
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1					26.09	126.27	88.80	59.14	14.50							
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2					35.95	126.27	88.80	59.14	14.50							
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3					37.88	126.27	88.80	59.14	14.50							
	Switch-As-Is Conversion rate per UNE Loop, single LSR, (per DSO)						5.59	5.59									
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DSO)						5.59	5.59									
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit						102.13	49.75									
	Order Coordination for Specified Conversion Time (per LSR)					18.90											
MAINTENANCE OF SERVICE																	

UNBUNDLED NETWORK ELEMENTS - Alabama										Att. 2 Exh. A			
CATEGORY	RATE ELEMENTS	Interim Zone	B.C.S	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st
					Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	SOME C	SOME M	SOME S	SOME S	SOME S
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	1	UEANL	USBN2	11.21	65.80	30.96	45.25	6.70				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	2	UEANL	USBN2	11.94	65.80	30.96	45.25	6.70				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	3	UEANL	USBN2	16.86	65.80	30.96	45.25	6.70				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEANL	USBMC		8.15	8.15						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1	1	UEANL	USBN4	8.48	79.03	44.19	49.71	9.07				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2	2	UEANL	USBN4	16.67	79.03	44.19	49.71	9.07				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3	3	UEANL	USBN4	32.57	79.03	44.19	49.71	9.07				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEANL	USBMC		8.15	8.15						
	Sub-Loop 2-Wire IntraLoop Network Cable (INC)		UEANL	USBR2	2.27	53.01	18.17	45.25	6.70				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEANL	USBMC		8.15	8.15						
	Sub-Loop 4-Wire IntraLoop Network Cable (INC)		UEANL	USBR4	5.16	59.25	24.41	49.71	9.07				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEANL	USBMC		8.15	8.15						
	Loop Testing - Basic 1st Half Hour		UEANL	URET1		34.16	0.00						
	Loop Testing - Basic Additional Half Hour		UEANL	URET1		19.85	19.85						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	UEF	UCS2X	6.22	65.80	30.96	45.25	6.70				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	2	UEF	UCS2X	8.76	65.80	30.96	45.25	6.70				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	3	UEF	UCS2X	11.27	65.80	30.96	45.25	6.70				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEF	USBMC		8.15	8.15						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	UEF	UCS4X	6.11	79.03	44.19	49.71	9.07				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	2	UEF	UCS4X	12.61	79.03	44.19	49.71	9.07				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	3	UEF	UCS4X	15.36	79.03	44.19	49.71	9.07				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEF	USBMC		8.15	8.15						
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-Designed and Distribution Subloops		UEF, UEANL	URETL		8.93	0.88						
	Loop Testing - Basic 1st Half Hour		UEF	URET1		34.16	0.00						
	Loop Testing - Basic Additional Half Hour		UEF	URET1		19.85	19.85						
	Unbundled Sub-Loop Modification												
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load		UEF	ULM2X		175.78	5.10						
	Coil/Equip Removal per 2-W PR		UEF	ULM2X									
	Unbundled Sub-loop Modification - 4-W Copper Dist Load		UEF	ULM4X		175.78	5.10						
	Coil/Equip Removal per 4-W PR		UEF	ULM4X									
	Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop		UEF	ULMBT		278.20	6.11						
	Unbundled Network Terminating Wire (UNTW)												
	Unbundled Network Terminating Wire (UNTW) per Pair		UENTW	UENPP	0.40	30.01							
	Network Interface Device (NID)												
	Network Interface Device (NID) - 1-2 lines		UENTW	UND12		43.23	28.38						
	Network Interface Device (NID) - 1-6 lines		UENTW	UND16		63.97	49.11						
	Network Interface Device Cross Connect - 2 W		UENTW	UNDC2		5.87	5.87						
	Network Interface Device Cross Connect - 4W		UENTW	UNDC4		5.87	5.87						
	UNE OTHER, PROVISIONING ONLY - NO RATE												
	UAL, UCL, UDC, UDL, UDN, UEA, UHL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD, NTCOD1, USL, USL, NTCOD1				0.00	0.00							
	Unbundled Contact Name, Provisioning Only - no rate												
	Unbundled DST Loop - Superframe Format Option - no rate												
	Unbundled DST Loop - Expanded Superframe Format option - no rate												
	NID - Dispatch and Service Order for NID Installation		USL, NTCOD1	CCOEF	0.00	0.00							
	UNTW Circuit Establishment, Provisioning Only - No Rate		UENTW	UNDBX	0.00	0.00							
			UENTW	UENCE	0.00	0.00							

UNBUNDLED NETWORK ELEMENTS - Alabama													Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st			
					Nonrecurring	First	First	Disconnect								
					Rec	First	First	Adt1	SOME	SOMAN	SOMAN	SOMAN	SOMAN			
LOOP MAKE-UP																
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).															
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).		UMKLW			20.00		20.00								
	Loop Makeup-With or Without Reservation, per working or spare facility queried (Mechanized)		UMKLP			21.00		21.00								
			UMKMQ			0.59		0.59								
LINE SPLITTING																
END USER ORDERING-CENTRAL OFFICE BASED																
	Line Splitting - per line activation DLEC owned splitter		UEPSR UEPSB	UELOS		0.61										
	Line Splitting - per line activation BST owned - physical		UEPSR UEPSB	UEBPP		0.61		37.01		21.19		20.02	9.83			
	Line Splitting - per line activation BST owned - virtual		UEPSR UEPSB	UEBVP		0.61		37.01		21.19		20.02	9.83			
END USER ORDERING - REMOTE SITE LINE SPLITTING																
UNBUNDLED EXCHANGE ACCESS LOOP																
2-WIRE ANALOG VOICE GRADE LOOP																
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1	1	UEPSR UEPSB	UEALS		12.58		37.81		17.56		23.49	5.30			
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1	1	UEPSR UEPSB	UEABS		12.58		37.81		17.56		23.49	5.30			
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 2	2	UEPSR UEPSB	UEALS		21.05		37.81		17.56		23.49	5.30			
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 2	2	UEPSR UEPSB	UEABS		21.05		37.81		17.56		23.49	5.30			
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3	3	UEPSR UEPSB	UEALS		34.34		37.81		17.56		23.49	5.30			
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3	3	UEPSR UEPSB	UEABS		34.34		37.81		17.56		23.49	5.30			
PHYSICAL COLLOCATION																
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting		UEPSR UEPSB	PE1LS		0.03		12.30		11.80		6.03	5.44			
VIRTUAL COLLOCATION																
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting		UEPSR UEPSB	VE1LS		0.03		12.30		11.80		6.03	5.44			
UNBUNDLED DEDICATED TRANSPORT																
INTEROFFICE CHANNEL - DEDICATED TRANSPORT																
	Interoffice Channel - 2-Wire Voice Grade - per mile		U1TVX	1L5XX		0.00838										
	Interoffice Channel - 2-Wire Voice Grade - Facility Termination		U1TVX	U1TV2		21.13		40.54		27.41		16.74	6.90			
	Interoffice Channel - 2-Wire Voice Grade Rev Bat. - per mile		U1TVX	1L5XX		0.00838										
	Interoffice Channel - 2-Wire VG Rev Bat. - Facility Termination		U1TVX	U1TR2		21.13		40.54		27.41		16.74	6.90			
	Interoffice Channel - 4 Wire Voice Grade - per mile		U1TVX	1L5XX		0.00838										
	Interoffice Channel - 4 Wire Voice Grade - Facility Termination		U1TVX	U1TV4		18.73		40.54		27.41		16.74	6.90			
	Interoffice Channel - 56 kbps - per mile		U1TDX	1L5XX		0.00838										
	Interoffice Channel - 56 kbps - Facility Termination		U1TDX	U1TD5		15.12		40.54		27.41		16.74	6.90			
	Interoffice Channel - 64 kbps - per mile		U1TDX	1L5XX		0.00838										
	Interoffice Channel - 64 kbps - Facility Termination		U1TDX	U1TD6		15.12		40.54		27.41		16.74	6.90			
	Interoffice Channel - DS1 - per mile		U1TD1	1L5XX		0.18										
	Interoffice Channel - DS1 - Facility Termination		U1TD1	U1TF1		60.16		89.27		81.81		16.35	14.44			
	Interoffice Channel - DS3 - per mile		U1TD3	1L5XX		4.09										
	Interoffice Channel - DS3 - Facility Termination		U1TD3	U1TF3		703.52		278.75		162.76		60.20	58.46			
	Interoffice Channel - STS-1 - per mile		U1TS1	1L5XX		4.09										
	Interoffice Channel - STS-1 - Facility Termination		U1TS1	U1TFS		701.37		278.75		162.76		60.20	58.46			
UNBUNDLED DARK FIBER - Stand Alone or in Combination																
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof		UDF, UDFCX	1L5DF		22.34										
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof		UDF, UDFCX	UDF14		639.09		137.87		317.06		197.66				
HIGH CAPACITY UNBUNDLED LOCAL LOOP																
DS-3/ST S-1 UNBUNDLED LOCAL LOOP - Stand Alone																
	DS3 Unbundled Local Loop - per mile		UE3	1L5ND		8.38										
	DS3 Unbundled Local Loop - Facility Termination		UE3	UE3PX		308.08		451.52		263.94		119.49	83.58			
	STS-1 Unbundled Local Loop - per mile		UDLSX	1L5ND		8.38										
	STS-1 Unbundled Local Loop - Facility Termination		UDLSX	UDLS1		319.83		451.52		263.94		119.49	83.58			

UNBUNDLED NETWORK ELEMENTS - Alabama

UNBUNDLED NETWORK ELEMENTS - Alabama																
CATEGORY	RATE ELEMENTS	Interim Zone	B/C/S	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	Att: 2 Exh: A			Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
					Nonrecurring		Disconnect	OSS Rates(\$)								
					First	Add'l		SOME			SOMAN	SOMAN	SOMAN			
ENHANCED EXTENDED LINK (EELs)																
Network Elements Used in Combinations																
	2-Wire VG Loop (S/2) in Combination - Zone 1	1	UNCXX	UEAL2	14.38	88.00	55.00	47.24	7.44							
	2-Wire VG Loop (S/2) in Combination - Zone 2	2	UNCXX	UEAL2	22.85	88.00	55.00	47.24	7.44							
	2-Wire VG Loop (S/2) in Combination - Zone 3	3	UNCXX	UEAL2	36.14	88.00	55.00	47.24	7.44							
	4-Wire Analog Voice Grade Loop in Combination - Zone 1	1	UNCXX	UEAL4	25.34	131.97	94.51	59.14	14.50							
	4-Wire Analog Voice Grade Loop in Combination - Zone 2	2	UNCXX	UEAL4	38.58	131.97	94.51	59.14	14.50							
	4-Wire Analog Voice Grade Loop in Combination - Zone 3	3	UNCXX	UEAL4	60.02	131.97	94.51	59.14	14.50							
	2-Wire ISDN Loop in Combination - Zone 1	1	UNCXX	U1L2X	21.88	117.24	79.77	52.88	10.54							
	2-Wire ISDN Loop in Combination - Zone 2	2	UNCXX	U1L2X	32.85	117.24	79.77	52.88	10.54							
	2-Wire ISDN Loop in Combination - Zone 3	3	UNCXX	U1L2X	48.55	117.24	79.77	52.88	10.54							
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	1	UNCXX	UDL56	26.09	126.27	88.80	59.14	14.50							
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	2	UNCXX	UDL56	35.95	126.27	88.80	59.14	14.50							
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	3	UNCXX	UDL56	37.88	126.27	88.80	59.14	14.50							
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	1	UNCXX	UDL64	26.09	126.27	88.80	59.14	14.50							
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2	2	UNCXX	UDL64	35.95	126.27	88.80	59.14	14.50							
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	3	UNCXX	UDL64	37.88	126.27	88.80	59.14	14.50							
	4-Wire DS1 Digital Loop in Combination - Zone 1	1	UNCXX	USLXX	82.55	252.47	157.54	44.70	11.71							
	4-Wire DS1 Digital Loop in Combination - Zone 2	2	UNCXX	USLXX	154.18	252.47	157.54	44.70	11.71							
	4-Wire DS1 Digital Loop in Combination - Zone 3	3	UNCXX	USLXX	314.52	252.47	157.54	44.70	11.71							
	DS3 Local Loop in combination - per mile		UNCXX	U1LND	8.38											
	DS3 Local Loop in combination - Facility Termination		UNCXX	UE3PX	308.08	451.52	263.94	119.49	83.58							
	STS-1 Local Loop in combination - per mile		UNCXX	U1LND	8.38											
	STS-1 Local Loop in combination - Facility Termination		UNCXX	UDLS1	319.83	451.52	263.94	119.49	83.58							
	Interoffice Channel in combination - 2-wire VG - per mile		UNCXX	U1LXX	0.008838											
	Interoffice Channel in combination - 2-wire VG - Facility Termination		UNCXX	U1TV2	21.13	40.54	27.41	16.74	6.90							
	Interoffice Channel in combination - 4-wire VG - per mile		UNCXX	U1LXX	0.008838											
	Interoffice Channel in combination - 4-wire VG - Facility Termination		UNCXX	U1TV4	18.73	40.54	27.41	16.74	6.90							
	Interoffice Channel in combination - 4-wire 56 kbps - per mile		UNCXX	U1LXX	0.008838											
	Interoffice Channel in combination - 4-wire 56 kbps - Facility Termination		UNCXX	U1TD5	15.12	40.54	27.41	16.74	6.90							
	Interoffice Channel in combination - 4-wire 64 kbps - per mile		UNCXX	U1LXX	0.008838											
	Interoffice Channel in combination - 4-wire 64 kbps - Facility Termination		UNCXX	U1TD6	15.12	40.54	27.41	16.74	6.90							
	Interoffice Channel in combination - DS1 - per mile		UNC1X	U1LXX	0.18											
	Interoffice Channel in combination - DS1 Facility Termination		UNC1X	U1TF1	80.16	89.27	81.81	16.35	14.44							
	Interoffice Channel in combination - DS3 - per mile		UNC3X	U1LXX	4.09											
	Interoffice Channel in combination - DS3 - Facility Termination		UNC3X	U1TF3	703.52	278.75	162.76	60.20	58.46							
	Interoffice Channel in combination - STS-1 - per mile		UNCXX	U1LXX	4.09											
	Interoffice Channel in combination - STS-1 Facility Termination		UNCXX	U1TFS	701.37	278.75	162.76	60.20	58.46							
ADDITIONAL NETWORK ELEMENTS																
Optional Features & Functions:																
	Clear Channel Capability Extended Frame Option - per DS1	I	U1TD1, U1LDD1, UNC1X	CCOEF		0.00										
	Clear Channel Capability Super FrameOption - per DS1	I	U1TD1, U1LDD1, UNC1X	CCOSF		0.00										
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	I	U1TD1, U1LDD1, UNC1X, USL	NRCCC		184.85	23.81	1.99	0.7741							
	C-bit Parity Option - Subsequent Activity - per DS3	I	U1TD3, U1LDD3, U1LX, UNC3X	NRCC3		219.13	7.67	0.7355	0.00							
	DS1/DS0 Channel System		UNC1X	MG1	107.19	91.04	62.57	10.54	9.79							
	DS3/DS1 Channel System		UNC3X, UNCXX	MG3	176.20	178.14	93.97	33.26	31.83							
	Voice Grade COCI in combination		UNCXX	U1TVG	0.56	6.58	4.72									
	Voice Grade COCI - for 2W-SL2 & 4W Voice Grade Local Loop		UEA	U1TVG	0.56	6.58	4.72									
	Voice Grade COCI - for connection to a channelized DS1 Local Channel in the same SWC as collocation		U1TUC	U1TVG	0.56	6.58	4.72									
	OCU-DP COCI (2.4-64Kbps) in combination		UNCXX	U1DDD	2.41	6.58	4.72									
	OCU-DP COCI (2.4-64Kbps) - for Unbundled Digital Loop		UDL	U1DDD	2.41	6.58	4.72									
	OCU-DP COCI (2.4-64Kbps) - for connection to a channelized DS1 Local Channel in the same SWC as collocation		U1TUD	U1DDD	2.41	6.58	4.72									
	2-wire ISDN COCI (BRITE) in combination		UNCXX	U1ICA	1.19	6.58	4.72									

UNBUNDLED NETWORK ELEMENTS - Alabama										Att. 2 Exh. A	
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)			Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
					Rec	Nonrecurring First	Nonrecurring Add'l				
	2-wire ISDN COCI (BRITE) - for a Local Loop		UDN	UC1CA	1.19	6.58	4.72				
	2-wire ISDN COCI (BRITE) - for connection to a channelized DS1 Local Channel in the same SWC as collocation		U1TUB	UC1CA	1.19	6.58	4.72				
	DS1 COCI in combination		UNC1X	UC1D1	13.47	6.58	4.72				
	DS1 COCI - for Stand Alone Local Channel		ULDD1	UC1D1	13.47	6.58	4.72				
	DS1 COCI - for Stand Alone Interoffice Channel		U1TD1	UC1D1	13.47	6.58	4.72				
	DS1 COCI - for DS1 Local Loop		USL, NTCOD1	UC1D1	13.47	6.58	4.72				
	DS1 COCI - for connection to a channelized DS1 Local Channel in the same SWC as collocation		U1TUA	UC1D1	13.47	6.58	4.72				
			UNCVX, UNCDX, UNC1X, UNC3X, UNC3X, UDFCX, XDH1X, HFQCS, XDD2X, XDV6X, XDDFX, XDDAX, HFRST, UNCXX	UNCCC		5.59	5.59				
	Wholesale - UNE, Switch-As-is Conversion Charge		U1TVX, U1TDX, U1TD1, U1TDD3, U1TS1, UDF, UE3	URES		5.59	5.59				
	Unbundled Misc Rate Element, SNE SAI, Single Network Element-Switch As is Non-recurring Charge, per circuit (LSR)		U1TVX, U1TDX, U1TD1, U1TDD3, U1TS1, UDF, UE3	URES		5.59	5.59				
	Unbundled Misc Rate Element, SNE SAI, Single Network Element-Switch As is Non-recurring Charge, incremental charge per circuit on a spreadsheet		U1TS1, UDF, UE3	URES		5.59	5.59				
	Access to BCS - Customer Reconfiguration (FlexServ)										
	Customer Reconfiguration Establishment				29.46	25.55	19.66	13.38			
	DS1 DCS Termination with DS0 Switching				9.94	18.47	12.21	6.96			
	DS1 DCS Termination with DS1 Switching				105.16	23.55	19.66	13.38			
	Node (Synchronous)										
	Node per month				15.77						
	Service Rearrangements										
			U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, ULDDX, ULDDX, UNCVX, UNCDX, UNC1X	URETD		101.09	43.05				
	NRC - Change in Facility Assignment per circuit Service Rearrangement										
			U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, ULDDX, ULDDX, UNCVX, UNCDX, UNC1X	URETB		3.16	3.16				
	NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed)					18.93	18.93				
	NRC - Order Coordination Specific Time - Dedicated Transport										
COMMINGLING											
			UNCVX, UNCDX, UNC1X, UNC3X, UNCSX, U1TD1, U1TD3, U1TS1, UE3, UDLX, U1TVX, U1TDX, U1TUB, ULDDX, ULDD1, ULDD3, ULDS1	CMGAU	0.00	0.00	0.00	0.00			
	Commingling Authorization										
	Commingling (UNE part of single bandwidth circuit)										
	Commingling VG COCI		XDV2X	UD1VG	0.56	6.58	4.72				
	Commingling Digital COCI		XDV6X	UD1DD	1.19	6.58	4.72				
	Commingling ISDN COCI		XDDAX	UC1CA	2.41	6.58	4.72				
	Commingling 2-wire VG Interoffice Channel		XDV2X	U1TV2	21.13	40.54	27.41	6.90			
	Commingling 4-wire VG Interoffice Channel		XDV6X	U1TV4	18.73	40.54	27.41	6.90			
	Commingling 56kbps Interoffice Channel		XDDAX	U1TD5	13.12	40.54	27.41	6.90			
	Commingling 64kbps Interoffice Channel		XDDAX	U1TD6	15.12	40.54	27.41	6.90			
	Commingling VG/DS0 Interoffice Channel Mileage		XDV2X, XDV6X, 1	UL5XX	0.008838						
	Commingling 2-wire Local Loop Zone 1		XDV2X	UEAL2	14.38	88.00	55.00	7.44			
	Commingling 2-wire Local Loop Zone 2		XDV2X	UEAL2	22.85	88.00	55.00	7.44			

UNBUNDLED NETWORK ELEMENTS - Florida												
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st
					Nonrecurring Add'l	First	Nonrecurring Disconnect Add'l	SOME	SOMAN	SOMAN	SOMAN	SOMAN
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website: http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm												
OPERATIONS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"												
NOTE: (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this rate exhibit are the BellSouth "regional" service ordering charges. CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charge, however, CLEC can not obtain a mixture of the two regardless if CLEC has an interconnection contract established in each of the 9 states.												
NOTE: (2) Any element that can be ordered electronically will be billed according to the SOME rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the LOH, the listed SOME rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be applied to a CLEC's bill when it submits an LSR to BellSouth.												
	OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only			SOME	3.50	0.00	3.50	0.00				
	OSS - Manual Service Order Charge, Per Local Service Request (LSR) - UNE Only			SOMAN	11.90	0.00	1.83	0.00				
UNE SERVICE DATE ADVANCEMENT CHARGE												
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No. 1 Tariff, Section 5 as applicable.												
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			SDASP	200.00							
ORDER MODIFICATION CHARGE												
	Order Modification Charge (OMC)				26.21	0.00	0.00	0.00				
	Order Modification Additional Dispatch Charge (OMCAD)				150.00	0.00	0.00	0.00				
UNBUNDLED EXCHANGE ACCESS LOOP												
2-WIRE ANALOG VOICE GRADE LOOP												
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1	1	UEANL	UEAL2	10.69	49.57	22.83	25.62	6.57			
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2	2	UEANL	UEAL2	15.20	49.57	22.83	25.62	6.57			
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3	3	UEANL	UEAL2	26.97	49.57	22.83	25.62	6.57			
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1	1	UEANL	UEASL	10.69	49.57	22.83	25.62	6.57			
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2	2	UEANL	UEASL	15.20	49.57	22.83	25.62	6.57			
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3	3	UEANL	UEASL	26.97	49.57	22.83	25.62	6.57			
	Tag Loop at End User Premise		UEANL	URETL		8.93	0.88					
	Loop Testing - Basic 1st Half Hour		UEANL	URET1		77.09	0.00					
	Loop Testing - Basic Additional Half Hour		UEANL	URET1		33.12						
	Manual Order Coordination for UVL-SLs (per loop)		UEANL	UEAMC		9.00	9.00					
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)		UEANL	OCOSL		23.02						

UNBUNDLED NETWORK ELEMENTS - Florida														Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st		Incremental Charge - Manual Svc Order vs. Electronic-1st		Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	
					Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First			Add'l	OSS Rates(\$)	SOMAN	SOMAN			
																	SOME
	Unbundled Non-Design Voice Loop, billing for BST providing make up (Engineering Information - E.I.)																
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			UEANL	UEANM		13.49										
	Bulk Migration, per 2 Wire Voice Loop-SL1			UEANL	UREWO		15.78	8.94	25.62	6.57							
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL1			UEANL	UREPN		49.57	22.83	25.62	6.57							
					UREPM		9.00	9.00									
2-WIRE UNBUNDLED COPPER LOOP																	
	2-Wire Unbundled Copper Loop - Non-Design Zone 1	1	UEQ		UEQ2X		7.69	44.98	20.90	24.88	6.45						
	2-Wire Unbundled Copper Loop - Non-Design - Zone 2	2	UEQ		UEQ2X		10.92	44.98	20.90	24.88	6.45						
	2-Wire Unbundled Copper Loop - Non-Design - Zone 3	3	UEQ		UEQ2X		19.38	44.98	20.90	24.88	6.45						
	Tag Loop at End User Premise		UEQ		URETL			8.93	0.88								
	Loop Testing - Basic 1st Half Hour		UEQ		URET1			48.65	0.00								
	Loop Testing - Basic Additional Half Hour		UEQ		URET1A			23.95	23.95								
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Design (per loop)		UEQ		USBMC			9.00	9.00								
	Unbundled Copper Loop - Non-Design, billing for BST providing make-up (Engineering Information - E.I.)		UEQ		UEQMU			13.49									
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UEQ		UREWO			14.27	7.43	24.88	6.45						
	Bulk Migration, per 2 Wire UCL-ND		UEQ		UREPN			44.98	20.90	24.88	6.45						
	Bulk Migration Order Coordination, per 2 Wire UCL-ND		UEQ		UREPM			9.00	9.00								
UNBUNDLED EXCHANGE ACCESS LOOP																	
2-WIRE ANALOG VOICE GRADE LOOP																	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1	1	UEA		UEAL2		12.24	135.75	82.47	63.53	12.01						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2	2	UEA		UEAL2		17.40	135.75	82.47	63.53	12.01						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3	3	UEA		UEAL2		30.87	135.75	82.47	63.53	12.01						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1	1	UEA		UEAR2		12.24	135.75	82.47	63.53	12.01						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2	2	UEA		UEAR2		17.40	135.75	82.47	63.53	12.01						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	3	UEA		UEAR2		30.87	135.75	82.47	63.53	12.01						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DSO)		UEA		URES1			8.98	8.98								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DSO)		UEA		URES2			8.98	8.98								
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UEA		UREWO			87.71	36.35								
	Loop Tagging - Service Level 2 (SL2)		UEA		UREPL			11.21	1.10								
	Bulk Migration, per 2 Wire Voice Loop-SL2		UEA		UREPN			135.75	82.47								
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL2		UEA		UREPM			0.00	0.00								
4-WIRE ANALOG VOICE GRADE LOOP																	
	4-Wire Analog Voice Grade Loop - Zone 1	1	UEA		UEAL4		18.89	167.86	115.15	67.08	15.56						
	4-Wire Analog Voice Grade Loop - Zone 2	2	UEA		UEAL4		26.84	167.86	115.15	67.08	15.56						
	4-Wire Analog Voice Grade Loop - Zone 3	3	UEA		UEAL4		47.62	167.86	115.15	67.08	15.56						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DSO)		UEA		URES1			8.98	8.98								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DSO)		UEA		URES2			8.98	8.98								
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UEA		UREWO			87.71	36.35								
2-WIRE ISDN DIGITAL GRADE LOOP																	
	2-Wire ISDN Digital Grade Loop - Zone 1	1	UDN		U1L2X		19.28	147.69	94.41	62.23	10.71						
	2-Wire ISDN Digital Grade Loop - Zone 2	2	UDN		U1L2X		27.40	147.69	94.41	62.23	10.71						
	2-Wire ISDN Digital Grade Loop - Zone 3	3	UDN		U1L2X		48.62	147.69	94.41	62.23	10.71						
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UDN		UREWO			91.61	44.15								
2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP																	
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1	1	UAL		UAL2X			149.53	103.85	75.05	15.63						

UNBUNDLED NETWORK ELEMENTS - Florida										Att: 2 Exh. A			
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st
					Nonrecurring		Disconnect						
					Rec	First	Add'l	Add'l					
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2	2	UAL	UAL2X	11.80	149.53	103.85	75.05	15.63				
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3	3	UAL	UAL2X	20.94	149.53	103.85	75.05	15.63				
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1	1	UAL	UAL2W	8.30	124.83	71.12	60.64	9.12				
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2	2	UAL	UAL2W	11.80	124.83	71.12	60.64	9.12				
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3	3	UAL	UAL2W	20.94	124.83	71.12	60.64	9.12				
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UAL	UREWO		86.19	40.39						
2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1	1	UHL	UHL2X	7.22	159.09	113.41	75.05	15.63				
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2	2	UHL	UHL2X	10.26	159.09	113.41	75.05	15.63				
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3	3	UHL	UHL2X	18.21	159.09	113.41	75.05	15.63				
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	UHL	UHL2W	7.22	134.40	80.69	60.64	9.12				
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	2	UHL	UHL2W	10.26	134.40	80.69	60.64	9.12				
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	3	UHL	UHL2W	18.21	134.40	80.69	60.64	9.12				
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UHL	UREWO		86.12	40.39						
4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1	1	UHL	UHL4X	10.86	193.31	138.98	77.15	12.61				
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2	2	UHL	UHL4X	15.44	193.31	138.98	77.15	12.61				
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3	3	UHL	UHL4X	27.39	193.31	138.98	77.15	12.61				
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	UHL	UHL4W	10.86	168.62	115.47	62.74	11.22				
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	2	UHL	UHL4W	15.44	168.62	115.47	62.74	11.22				
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	3	UHL	UHL4W	27.39	168.62	115.47	62.74	11.22				
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UHL	UREWO		86.12	40.39						
4-WIRE DS1 DIGITAL LOOP													
	4-Wire DS1 Digital Loop - Zone 1	1	USL	USLXX	70.74	313.75	181.48	61.22	13.53				
	4-Wire DS1 Digital Loop - Zone 2	2	USL	USLXX	100.54	313.75	181.48	61.22	13.53				
	4-Wire DS1 Digital Loop - Zone 3	3	USL	USLXX	178.39	313.75	181.48	61.22	13.53				
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1)		USL	URESLS		8.98	8.98						
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS1)		USL	URESPL		8.98	8.98						
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		USL	UREWO		101.07	43.04						
4-WIRE 19.2, 56 OR 64 Kbps DIGITAL GRADE LOOP													
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1	1	UDL	UDL2X	22.20	161.56	108.85	67.08	15.56				
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	2	UDL	UDL2X	31.56	161.56	108.85	67.08	15.56				
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3	3	UDL	UDL2X	55.99	161.56	108.85	67.08	15.56				
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1	1	UDL	UDL4X	22.20	161.56	108.85	67.08	15.56				
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2	2	UDL	UDL4X	31.56	161.56	108.85	67.08	15.56				
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3	3	UDL	UDL4X	55.99	161.56	108.85	67.08	15.56				
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	1	UDL	UDL9X	22.20	161.56	108.85	67.08	15.56				
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	2	UDL	UDL9X	31.56	161.56	108.85	67.08	15.56				
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3	3	UDL	UDL9X	55.99	161.56	108.85	67.08	15.56				
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1	1	UDL	UDL19	22.20	161.56	108.85	67.08	15.56				
	4 Wire Unbundled Digital 19.2 Kbps - Zone 2	2	UDL	UDL19	31.56	161.56	108.85	67.08	15.56				

UNBUNDLED NETWORK ELEMENTS - Florida

UNBUNDLED NETWORK ELEMENTS - Florida																	
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	Att: 2 Exh: A				Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
					Nonrecurring		Disconnect				SOMECD	SOMAN	SOMAN	SOMAN			
					Rec	First	Add'l	First									
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3	3	UDL	UDL19	55.99	161.56	108.85	67.08	15.56								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	UDL	UDL56	22.20	161.56	108.85	67.08	15.56								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	2	UDL	UDL56	31.56	161.56	108.85	67.08	15.56								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	3	UDL	UDL56	55.99	161.56	108.85	67.08	15.56								
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	UDL	UDL64	22.20	161.56	108.85	67.08	15.56								
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	2	UDL	UDL64	31.56	161.56	108.85	67.08	15.56								
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	3	UDL	UDL64	55.99	161.56	108.85	67.08	15.56								
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DS0)		UDL	URES		8.98											
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DS0)		UDL	URES		8.98											
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UDL	UREWO		102.11	49.74										
	2-WIRE UNBUNDLED COPPER LOOP																
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1	1	UCL	UCLPB	8.30	148.50	102.82	75.05	15.63								
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2	2	UCL	UCLPB	11.80	148.50	102.82	75.05	15.63								
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3	3	UCL	UCLPB	20.94	148.50	102.82	75.05	15.63								
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1	UCL	UCLPW	8.30	123.81	70.09	60.64	9.12								
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	2	UCL	UCLPW	11.80	123.81	70.09	60.64	9.12								
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	3	UCL	UCLPW	20.94	123.81	70.09	60.64	9.12								
	CLEC to CLEC Conversion Charge without outside dispatch (UCL -Des)		UCL	UREWO		97.21	42.47										
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UCL	UCLMC		9.00	9.00										
	4-WIRE COPPER LOOP																
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1	1	UCL	UCL4S	11.83	177.87	132.76	77.15	17.73								
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2	2	UCL	UCL4S	16.81	177.87	132.76	77.15	17.73								
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3	3	UCL	UCL4S	29.82	177.87	132.76	77.15	17.73								
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1	UCL	UCL4W	11.83	153.18	100.03	62.74	11.22								
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	2	UCL	UCL4W	16.81	153.18	100.03	62.74	11.22								
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	3	UCL	UCL4W	29.82	153.18	100.03	62.74	11.22								
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		9.00	9.00										
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UCL	UREWO		97.21	42.47										
	UEA, UDN, UAL, UHL, UDL, USL			OCOSL		23.02											
	Rearrangements																
	EEL to UNE-L, Retermination, per 2 Wire Unbundled Voice Loop-SL2		UEA	UREEL		87.71	36.35										
	EEL to UNE-L, Retermination, per 4 Wire Unbundled Voice Loop		UEA	UREEL		87.71	36.35										
	EEL to UNE-L, Retermination, per 2 Wire ISDN Loop		UDN	UREEL		91.61	44.15										
	EEL to UNE-L, Retermination, per 4 Wire Unbundled Digital Loop		UDL	UREEL		102.11	49.74										
	EEL to UNE-L, Retermination, per 4 Wire Unbundled DS1 Loop		USL	UREEL		101.07	43.04										
	UNE LOOP COMMINGLING																
	2-WIRE ANALOG VOICE GRADE LOOP - COMMINGLING																
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1	1	NTCVG	UEAL2	12.24	135.75	82.47	63.53	12.01								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2	2	NTCVG	UEAL2	17.40	135.75	82.47	63.53	12.01								

UNBUNDLED NETWORK ELEMENTS - Florida														Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l				
					Rec	Nonrecurring		Disconnect						OSS Rates(\$)			
						First	Add'l	SOME	SOMAN	SOMAN	SOMAN	SOMAN					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3	3	NTCVG	UEAL2	30.87	135.75	82.47	63.53	12.01								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1	1	NTCVG	UEAR2	12.24	135.75	82.47	63.53	12.01								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2	2	NTCVG	UEAR2	17.40	135.75	82.47	63.53	12.01								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	3	NTCVG	UEAR2	30.87	135.75	82.47	63.53	12.01								
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DSO)		NTCVG	URES		8.98	8.98										
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DSO)		NTCVG	URES		8.98	8.98										
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCVG	UREWO		87.71	36.35										
	Loop Tagging - Service Level 2 (SL2)		NTCVG	URETL		11.21	1.10										
4-WIRE ANALOG VOICE GRADE LOOP - COMMINGLING																	
	4-Wire Analog Voice Grade Loop - Zone 1	1	NTCVG	UEAL4	18.89	167.86	115.15	67.08	15.56								
	4-Wire Analog Voice Grade Loop - Zone 2	2	NTCVG	UEAL4	26.84	167.86	115.15	67.08	15.56								
	4-Wire Analog Voice Grade Loop - Zone 3	3	NTCVG	UEAL4	47.62	167.86	115.15	67.08	15.56								
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DSO)		NTCVG	URES		8.98	8.98										
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DSO)		NTCVG	URES		8.98	8.98										
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCVG	UREWO		87.71	36.35										
4-WIRE DS1 DIGITAL LOOP - COMMINGLING																	
	4-Wire DS1 Digital Loop - Zone 1	1	NTCD1	USLXX	70.74	313.75	181.48	61.22	13.53								
	4-Wire DS1 Digital Loop - Zone 2	2	NTCD1	USLXX	100.54	313.75	181.48	61.22	13.53								
	4-Wire DS1 Digital Loop - Zone 3	3	NTCD1	USLXX	178.39	313.75	181.48	61.22	13.53								
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DSO)		NTCD1	URES		8.98	8.98										
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DSO)		NTCD1	URES		8.98	8.98										
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCD1	UREWO		101.07	43.04										
4-WIRE 19.2, 56 OR 64 Kbps DIGITAL GRADE LOOP - COMMINGLING																	
	3 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1	1	NTCUD	UDL2X	22.20	161.56	108.85	67.08	15.56								
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	2	NTCUD	UDL2X	31.56	161.56	108.85	67.08	15.56								
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3	3	NTCUD	UDL2X	55.99	161.56	108.85	67.08	15.56								
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1	1	NTCUD	UDL4X	22.20	161.56	108.85	67.08	15.56								
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2	2	NTCUD	UDL4X	31.56	161.56	108.85	67.08	15.56								
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3	3	NTCUD	UDL4X	55.99	161.56	108.85	67.08	15.56								
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	1	NTCUD	UDL9X	22.20	161.56	108.85	67.08	15.56								
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	2	NTCUD	UDL9X	31.56	161.56	108.85	67.08	15.56								
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3	3	NTCUD	UDL9X	55.99	161.56	108.85	67.08	15.56								
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1	1	NTCUD	UDL19	22.20	161.56	108.85	67.08	15.56								
	4 Wire Unbundled Digital 19.2 Kbps - Zone 2	2	NTCUD	UDL19	31.56	161.56	108.85	67.08	15.56								
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3	3	NTCUD	UDL19	55.99	161.56	108.85	67.08	15.56								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	NTCUD	UDL56	22.20	161.56	108.85	67.08	15.56								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	2	NTCUD	UDL56	31.56	161.56	108.85	67.08	15.56								
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	3	NTCUD	UDL56	55.99	161.56	108.85	67.08	15.56								
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	NTCUD	UDL64	22.20	161.56	108.85	67.08	15.56								
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	2	NTCUD	UDL64	31.56	161.56	108.85	67.08	15.56								
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	3	NTCUD	UDL64	55.99	161.56	108.85	67.08	15.56								
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DSO)		NTCUD	URES		8.98	8.98										
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DSO)		NTCUD	URES		8.98	8.98										
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCUD	UREWO		102.11	49.74										
	Order Coordination for Specified Conversion Time (per LSR)		NTCUD, NTCOD1	OCOSL		23.02											
MAINTENANCE OF SERVICE																	

UNBUNDLED NETWORK ELEMENTS - Florida													
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Att: 2 Exh: A		
					Rec	Nonrecurring		Disconnect Add'l			Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						First	Add'l						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	1	UEANL	USBN2	6.46	60.19	21.78	47.50	5.26				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	2	UEANL	USBN2	9.18	60.19	21.78	47.50	5.26				
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	3	UEANL	USBN2	16.29	60.19	21.78	47.50	5.26				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair												
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1	1	UEANL	USBMC	7.37	9.00	9.00						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2	2	UEANL	USBN4	10.47	68.83	30.42	49.71	6.60				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3	3	UEANL	USBN4	18.58	68.83	30.42	49.71	6.60				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair												
	Sub-Loop 2-Wire IntraBuilding Network Cable (INC)		UEANL	USBR2	3.96	51.84	13.44	47.50	5.26				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair												
	Sub-Loop 4-Wire IntraBuilding Network Cable (INC)		UEANL	USBR4	9.37	55.91	17.51	49.71	6.60				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair												
	Loop Testing - Basic 1st Half Hour		UEANL	URET1		9.00	9.00						
	Loop Testing - Basic Additional Half Hour		UEANL	URETA		33.12	33.12						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	UEF	UCS2X	5.15	60.19	21.78	47.50	5.26				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	2	UEF	UCS2X	7.31	60.19	21.78	47.50	5.26				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	3	UEF	UCS2X	12.88	60.19	21.78	47.50	5.28				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair												
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	UEF	USBMC	5.36	9.00	9.00	49.71	6.60				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	2	UEF	UCS4X	7.61	68.83	30.42	49.71	6.60				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	3	UEF	UCS4X	13.51	68.83	30.42	49.71	6.60				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair												
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-Designed and Distribution Subloops		UEF, UEANL	URETL		8.93	0.88						
	Loop Testing - Basic 1st Half Hour		UEF	URET1		48.65	0.00						
	Loop Testing - Basic Additional Half Hour		UEF	URETA		23.95	23.95						
Unbundled Sub-Loop Modification													
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load		UEF	ULM2X		10.11	10.11						
	Coil/Equip Removal per 2-W PR												
	Unbundled Sub-loop Modification - 4-W Copper Dist Load		UEF	ULM4X		10.11	10.11						
	Coil/Equip Removal per 4-W PR												
	Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop		UEF	ULMBT		15.58	15.58						
Unbundled Network Terminating Wire (UNTW)													
	Unbundled Network Terminating Wire (UNTW) per Pair		UENTW	UENPP	0.4572	18.02							
Network Interface Device (NID)													
	Network Interface Device (NID) - 1-2 lines		UENTW	UND12		71.49	48.87						
	Network Interface Device (NID) - 1-6 lines		UENTW	UND16		113.89	89.07						
	Network Interface Device Cross Connect - 2 W		UENTW	UNDC2		7.63	7.63						
	Network Interface Device Cross Connect - 4W		UENTW	UNDC4		7.63	7.63						
UNE OTHER, PROVISIONING ONLY - NO RATE													
			UAL, UCL, UDC, UDL, UDN, UEA, UEL, UEANL, UEF, UEO, UENTW, NTCVG, NTCUD, NTCDD1, USL, NTCDD1, USL, NTCDD1	UNECDN	0.00	0.00							
	Unbundled Contact Name, Provisioning Only - no rate			CCOSF	0.00	0.00							
	Unbundled DST Loop - Superframe Format Option - no rate			CCOEF	0.00	0.00							
	Unbundled DST Loop - Expanded Superframe Format option - no rate			UNDBX	0.00	0.00							
	NID - Dispatch and Service Order for NID installation			UNBXC	0.00	0.00							
	UNTW Circuit Establishment, Provisioning Only - No Rate		UENTW	UENCE	0.00	0.00							

UNBUNDLED NETWORK ELEMENTS - Florida										Att: 2 Exh: A					
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l		
					Nonrecurring									Disconnect First	Add'l
					Rec	First	Add'l	SOMECH							
LOOP MAKE-UP															
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).														
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).		UMK			52.17	52.17								
	Loop Makeup-Without Reservation, per working or spare facility queried (Mechanized)		UMK			55.07	55.07								
	Loop Makeup-Without Reservation, per working or spare facility queried (Mechanized)		UMK			0.6784	0.6784								
LINE SPLITTING															
END USER ORDERING-CENTRAL OFFICE BASED															
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB		0.61									
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB		0.61	29.68	21.28	19.57						
	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB		1.134	29.68	21.28	19.57						
END USER ORDERING - REMOTE SITE LINE SPLITTING															
UNBUNDLED EXCHANGE ACCESS LOOP															
2-WIRE ANALOG VOICE GRADE LOOP															
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1			1	UEPSR UEPSB	UEALS	10.69	49.57	22.83	25.62	6.57				
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1			1	UEPSR UEPSB	UEABS	10.69	49.57	22.83	25.62	6.57				
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 2			2	UEPSR UEPSB	UEALS	15.20	49.57	22.83	25.62	6.57				
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 2			2	UEPSR UEPSB	UEABS	15.20	49.57	22.83	25.62	6.57				
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3			3	UEPSR UEPSB	UEALS	26.97	49.57	22.83	25.62	6.57				
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3			3	UEPSR UEPSB	UEABS	26.97	49.57	22.83	25.62	6.57				
PHYSICAL COLLOCATION															
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.0276	8.22	7.22	5.74	4.58					
VIRTUAL COLLOCATION															
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.0502	11.57	11.57	0.00	0.00					
UNBUNDLED DEDICATED TRANSPORT															
INTEROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - 2-Wire Voice Grade - per mile			UITVX	1LSXX	0.0091									
	Interoffice Channel - 2-Wire Voice Grade - Facility Termination			UITVX	UITV2	25.32	47.35	31.78	18.31	7.03					
	Interoffice Channel - 2-Wire Voice Grade Rev Bat. - per mile			UITVX	1LSXX	0.0091									
	Interoffice Channel - 4-Wire Voice Grade - per mile			UITVX	1LSXX	0.0091									
	Interoffice Channel - 4-Wire Voice Grade - Facility Termination			UITVX	UITV4	22.58	47.35	31.78	18.31	7.03					
	Interoffice Channel - 56 kbps - per mile			UITDX	1LSXX	0.0091									
	Interoffice Channel - 56 kbps - Facility Termination			UITDX	UITD5	18.44	47.35	31.78	18.31	7.03					
	Interoffice Channel - 64 kbps - per mile			UITDX	1LSXX	0.0091									
	Interoffice Channel - 64 kbps - Facility Termination			UITDX	UITD6	18.44	47.35	31.78	18.31	7.03					
	Interoffice Channel - DS1 - per mile			UITD1	1LSXX	0.1856									
	Interoffice Channel - DS1 - Facility Termination			UITD1	UITF1	88.44	105.54	98.47	21.47	19.05					
	Interoffice Channel - DS3 - per mile			UITD3	1LSXX	3.87									
	Interoffice Channel - DS3 - Facility Termination			UITD3	UITF3	1,071.00	335.46	219.28	72.03	70.56					
	Interoffice Channel - STS-1 - per mile			UITS1	1LSXX	3.87									
	Interoffice Channel - STS-1 - Facility Termination			UITS1	UITF5	1,056.00	335.46	219.28	72.03	70.56					
UNBUNDLED DARK FIBER - Stand Alone or in Combination															
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof			UDF, UDFCX	1LSDF	26.85									
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof			UDF, UDFCX	UDF14		751.34	193.88							
HIGH CAPACITY UNBUNDLED LOCAL LOOP															
DS-3/STS-1 UNBUNDLED LOCAL LOOP - Stand Alone															
	DS3 Unbundled Local Loop - per mile			UE3	1LSND	10.92									
	DS3 Unbundled Local Loop - Facility Termination			UE3	UE3PX	386.88	556.37	343.01	139.13	96.84					
	STS-1 Unbundled Local Loop - per mile			UDLSX	1LSND	10.92									
	STS-1 Unbundled Local Loop - Facility Termination			UDLSX	UDLS1	426.60	556.37	343.01	139.13	96.84					
ENHANCED EXTENDED LINK (EELs)															
Network Elements Used in Combinations															

UNBUNDLED NETWORK ELEMENTS - Georgia										Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l
					Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	SOME	SOMAN	SOMAN	SOMAN
	Manual Order Coordination for U/L-SL1s (per loop)		UEANL	UEAMC		18.90	18.90	5.61	1.72				
	Order Coordination for Specified Conversion Time for U/L-SL1 (per LSR)		UEANL	OCOSL		57.73							
	Unbundled Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - E.I.)		UEANL	UEANM		7.29	7.29						
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UEANL	UREWO		15.75	8.92	5.61	1.72				
	Bulk Migration, per 2 Wire Voice Loop-SL1		UEANL	UREPN		39.98	9.98	5.61	1.72				
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL1		UEANL	UREPM		18.90	18.90						
2-WIRE UNBUNDLED COPPER LOOP - NON-DESIGNED													
	2 Wire Unbundled Copper Loop Non-Designed- Zone 1	1	UEQ	UEQ2X	11.02	44.69	22.40						
	2 Wire Unbundled Copper Loop Non-Designed- Zone 2	2	UEQ	UEQ2X	12.72	44.69	22.40						
	2 Wire Unbundled Copper Loop Non-Designed- Zone 3	3	UEQ	UEQ2X	20.22	44.69	22.40						
	Tag Loop at End User Premise		UEQ	URETL		8.92	0.86						
	Loop Testing - Basic 1st Half Hour		UEQ	URET1		26.64	0.00						
	Loop Testing - Basic Additional Half Hour		UEQ	URETA		15.15	15.15						
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)		UEQ	USBMC		18.90	18.90						
	Unbundled Copper Loop - Non-Design, billing for BST providing make-up (Engineering Information - E.I.)		UEQ	UEQMU		7.29	7.29						
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UEQ	UREWO		14.25	7.42						
	Bulk Migration, per 2 Wire UCL-ND		UEQ	UREPN		44.69	22.40						
	Bulk Migration Order Coordination, per 2 Wire UCL-ND		UEQ	UREPM		18.90	18.90						
UNBUNDLED EXCHANGE ACCESS LOOP													
2-WIRE ANALOG VOICE GRADE LOOP													
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1	1	UEA	UEAL2	13.32	79.78	24.62	18.90	7.86				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2	2	UEA	UEAL2	18.66	79.78	24.62	18.90	7.86				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3	3	UEA	UEAL2	36.33	79.78	24.62	18.90	7.86				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1	1	UEA	UEAR2	13.32	79.78	24.62	18.90	7.86				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2	2	UEA	UEAR2	18.66	79.78	24.62	18.90	7.86				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	3	UEA	UEAR2	36.33	79.78	24.62	18.90	7.86				
	Switch-Aa-is Conversion rate per UNE Loop, Single LSR, (per DSO)		UEA	URES		6.54	6.54						
	Switch-Aa-is Conversion rate per UNE Loop, Spreadsheet, (per DSO)		UEA	URES		6.54	6.54						
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UEA	UREWO		87.72	36.36						
	Loop Tagging - Service Level 2 (SL2)		UEA	URETL		11.19	1.10						
	Bulk Migration, per 2 Wire Voice Loop-SL2		UEA	UREPN		79.78	24.62						
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL2		UEA	UREPM		0.00	0.00						
4-WIRE ANALOG VOICE GRADE LOOP													
	4-Wire Analog Voice Grade Loop - Zone 1	1	UEA	UEAL4	21.04	92.92	28.14	19.50	8.12				
	4-Wire Analog Voice Grade Loop - Zone 2	2	UEA	UEAL4	24.49	92.92	28.14	19.50	8.12				
	4-Wire Analog Voice Grade Loop - Zone 3	3	UEA	UEAL4	33.40	92.92	28.14	19.50	8.12				
	Switch-Aa-is Conversion rate per UNE Loop, Single LSR, (per DSO)		UEA	URES		6.54	6.54						
	Switch-Aa-is Conversion rate per UNE Loop, Spreadsheet, (per DSO)		UEA	URES		6.54	6.54						
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UEA	UREWO		87.72	36.36						
2-WIRE ISDN DIGITAL GRADE LOOP													
	2-Wire ISDN Digital Grade Loop - Zone 1	1	UDN	U1L2X	21.89	180.06	35.25	18.23	6.97				
	2-Wire ISDN Digital Grade Loop - Zone 2	2	UDN	U1L2X	25.27	180.06	35.25	18.23	6.97				
	2-Wire ISDN Digital Grade Loop - Zone 3	3	UDN	U1L2X	40.17	180.06	35.25	18.23	6.97				
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UDN	UREWO		120.98	33.04						
2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP													

UNBUNDLED NETWORK ELEMENTS - Georgia

UNBUNDLED NETWORK ELEMENTS - Georgia																	
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)					Svc Order Submitted ELEC per LSR	Svc Order Submitted Manually per LSR	Att: 2 Exh: A			Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
					Nonrecurring		Disconnect Add'l	OSS Rates(\$)									
					Rec	First		SOMAN	SOMAN			SOMAN					
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1	1	UAL	UAL2X	11.23	44.69	31.55	0.00	0.00								
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2	2	UAL	UAL2X	12.97	44.69	31.55	0.00	0.00								
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3	3	UAL	UAL2X	20.62	44.69	31.55	0.00	0.00								
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1	1	UAL	UAL2W	11.23	44.69	31.55	0.00	0.00								
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2	2	UAL	UAL2W	12.97	44.69	31.55	0.00	0.00								
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3	3	UAL	UAL2W	20.62	44.69	31.55	0.00	0.00								
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UAL	UREWO		44.69	29.29										
	2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1	1	UHL	UHL2X	7.88	44.69	31.55	0.00	0.00								
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2	2	UHL	UHL2X	9.09	44.69	31.55	0.00	0.00								
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3	3	UHL	UHL2X	14.48	44.69	31.55	0.00	0.00								
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	UHL	UHL2W	7.88	44.69	31.55	0.00	0.00								
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	2	UHL	UHL2W	9.09	44.69	31.55	0.00	0.00								
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	3	UHL	UHL2W	14.48	44.69	31.55	0.00	0.00								
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UHL	UREWO		44.69	31.55										
	4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1	1	UHL	UHL4X	10.39	44.69	31.55	0.00	0.00								
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2	2	UHL	UHL4X	12.00	44.69	31.55	0.00	0.00								
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3	3	UHL	UHL4X	19.07	44.69	31.55	0.00	0.00								
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	UHL	UHL4W	10.39	44.69	31.55	0.00	0.00								
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	2	UHL	UHL4W	12.00	44.69	31.55	0.00	0.00								
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	3	UHL	UHL4W	19.07	44.69	31.55	0.00	0.00								
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UHL	UREWO		44.69	31.55										
	4-WIRE DS1 DIGITAL LOOP																
	4-Wire DS1 Digital Loop - Zone 1	1	USL	USLXX	49.41	211.72	72.42	38.20	7.19								
	4-Wire DS1 Digital Loop - Zone 2	2	USL	USLXX	52.55	211.72	72.42	38.20	7.19								
	4-Wire DS1 Digital Loop - Zone 3	3	USL	USLXX	68.40	211.72	72.42	38.20	7.19								
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DS1)		USL	URES		6.54	6.54										
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DS1)		USL	URES		6.54	6.54										
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		USL	UREWO		100.91	42.97	38.20	7.19								
	271 - 4-Wire DS1 Digital Loop - Zone 1	1	USL	271UC	85.97	211.72	72.42	38.20	7.19								
	271 - 4-Wire DS1 Digital Loop - Zone 2	2	USL	271UC	81.27	211.72	72.42	38.20	7.19								
	271 - 4-Wire DS1 Digital Loop - Zone 3	3	USL	271UC	128.28	211.72	72.42	38.20	7.19								
	4-WIRE 192.56 OR 64 Kbps DIGITAL GRADE LOOP																
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1	1	UDL	UDL2X	25.81	196.47	36.96	18.80	7.19								
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	2	UDL	UDL2X	31.54	196.47	36.96	18.80	7.19								
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3	3	UDL	UDL2X	42.38	196.47	36.96	18.80	7.19								
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1	1	UDL	UDL4X	25.81	196.47	36.96	18.80	7.19								
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2	2	UDL	UDL4X	31.54	196.47	36.96	18.80	7.19								
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3	3	UDL	UDL4X	42.38	196.47	36.96	18.80	7.19								

UNBUNDLED NETWORK ELEMENTS - Georgia															Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l			
					Rec	Nonrecurring		Disconnect										
						First	Adtl	First	Adtl									
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	1	UDL	UDL9X	25.81	196.47	36.96	18.80	7.19									
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	2	UDL	UDL9X	31.54	196.47	36.96	18.80	7.19									
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3	3	UDL	UDL9X	42.38	196.47	36.96	18.80	7.19									
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1	1	UDL	UDL19	25.81	196.47	36.96	18.80	7.19									
	4 Wire Unbundled Digital 19.2 Kbps - Zone 2	2	UDL	UDL19	31.54	196.47	36.96	18.80	7.19									
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3	3	UDL	UDL19	42.38	196.47	36.96	18.80	7.19									
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	UDL	UDL56	25.81	196.47	36.96	18.80	7.19									
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	2	UDL	UDL56	31.54	196.47	36.96	18.80	7.19									
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	3	UDL	UDL56	42.38	196.47	36.96	18.80	7.19									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	UDL	UDL64	25.81	196.47	36.96	18.80	7.19									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	2	UDL	UDL64	31.54	196.47	36.96	18.80	7.19									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	3	UDL	UDL64	42.38	196.47	36.96	18.80	7.19									
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DSD)		UDL	URES		6.54												
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DSD)		UDL	URES		6.54												
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UDL	UREWO		101.95	49.66											
2-WIRE UNBUNDLED COPPER LOOP																		
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1	1	UCL	UCLPB	12.02	44.69	31.55	0.00	0.00									
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2	2	UCL	UCLPB	13.88	44.69	31.55	0.00	0.00									
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3	3	UCL	UCLPB	22.07	44.69	31.55	0.00	0.00									
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1	UCL	UCLPW	12.02	44.69	31.55	0.00	0.00									
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	2	UCL	UCLPW	13.88	44.69	31.55	0.00	0.00									
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	3	UCL	UCLPW	22.07	44.69	31.55	0.00	0.00									
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		18.90	18.90											
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UCL	UREWO		44.69	31.55											
4-WIRE COPPER LOOP																		
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1	1	UCL	UCL4S	16.65	44.69	31.55	0.00	0.00									
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2	2	UCL	UCL4S	19.22	44.69	31.55	0.00	0.00									
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3	3	UCL	UCL4S	30.55	44.69	31.55	0.00	0.00									
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1	UCL	UCL4W	16.65	44.69	31.55	0.00	0.00									
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	2	UCL	UCL4W	19.22	44.69	31.55	0.00	0.00									
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	3	UCL	UCL4W	30.55	44.69	31.55	0.00	0.00									
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		18.90	18.90											
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UCL	UREWO		44.69	31.55											
	Order Coordination for Specified Conversion Time (per LSR)		UCL, UDLN, UAL, UHL, UDL, USL	OCOSL		57.73												
Rearrangements																		
	EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop SL2		UEA	UREEL		79.85	24.65											
	EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop		UEA	UREEL		79.85	24.65											
	EEL to UNE-L Retermination, per 2 Wire ISDN Loop		UDN	UREEL		120.98	33.02											
	EEL to UNE-L Retermination, per 4 Wire Unbundled Digital Loop		UDL	UREEL		101.95	49.66											
	EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop		USL	UREEL		100.91	42.97											
UNE LOOP COMMINGLING																		
2-WIRE ANALOG VOICE GRADE LOOP - COMMINGLING																		

UNBUNDLED NETWORK ELEMENTS - Georgia														
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Att: 2 Exh: A			
					Rec	Nonrecurring		Nonrecurring Disconnect			Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						First	Add'l	First						Add'l
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1	1	NTCVG	UEAL2	13.32	79.78	24.62	18.90	7.86					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2	2	NTCVG	UEAL2	18.66	79.78	24.62	18.90	7.86					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3	3	NTCVG	UEAL2	36.33	79.78	24.62	18.90	7.86					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1	1	NTCVG	UEAR2	13.32	79.78	24.62	18.90	7.86					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2	2	NTCVG	UEAR2	18.66	79.78	24.62	18.90	7.86					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	3	NTCVG	UEAR2	36.33	79.78	24.62	18.90	7.86					
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DSD)		NTCVG	URES		6.54	6.54							
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DSD)		NTCVG	URES		6.54	6.54							
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCVG	UREWO	87.72		36.36							
	Loop Tagging - Service Level 2 (SL2)		NTCVG	URETL	11.19		1.10							
4-WIRE ANALOG VOICE GRADE LOOP														
	4-Wire Analog Voice Grade Loop - Zone 1	1	NTCVG	UEAL4	21.04	92.92	28.14	19.50	8.12					
	4-Wire Analog Voice Grade Loop - Zone 2	2	NTCVG	UEAL4	24.49	92.92	28.14	19.50	8.12					
	4-Wire Analog Voice Grade Loop - Zone 3	3	NTCVG	UEAL4	33.40	92.92	28.14	19.50	8.12					
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DSD)		NTCVG	URES		6.54	6.54							
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DSD)		NTCVG	URES		6.54	6.54							
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCVG	UREWO	87.72		36.36							
4-WIRE DS1 DIGITAL LOOP - COMMINGLING														
	4-Wire DS1 Digital Loop - Zone 1	1	NTCD1	USLXX	49.41	211.72	72.42	38.20	7.19					
	4-Wire DS1 Digital Loop - Zone 2	2	NTCD1	USLXX	52.55	211.72	72.42	38.20	7.19					
	4-Wire DS1 Digital Loop - Zone 3	3	NTCD1	USLXX	68.40	211.72	72.42	38.20	7.19					
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DSI)		NTCD1	URES		6.54	6.54							
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DSI)		NTCD1	URES		6.54	6.54							
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCD1	UREWO	100.91		42.97							
4-WIRE 19.2, 56 OR 64 Kbps DIGITAL GRADE LOOP - COMMINGLING														
	4-Wire Unbundled Digital Loop 2.4 Kbps - Zone 1	1	NTCUD	UDL2X	25.81	196.47	36.96	18.80	7.19					
	4-Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	2	NTCUD	UDL2X	31.54	196.47	36.96	18.80	7.19					
	4-Wire Unbundled Digital Loop 2.4 Kbps - Zone 3	3	NTCUD	UDL2X	42.38	196.47	36.96	18.80	7.19					
	4-Wire Unbundled Digital Loop 4.8 Kbps - Zone 1	1	NTCUD	UDL4X	25.81	196.47	36.96	18.80	7.19					
	4-Wire Unbundled Digital Loop 4.8 Kbps - Zone 2	2	NTCUD	UDL4X	31.54	196.47	36.96	18.80	7.19					
	4-Wire Unbundled Digital Loop 4.8 Kbps - Zone 3	3	NTCUD	UDL4X	42.38	196.47	36.96	18.80	7.19					
	4-Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	1	NTCUD	UDL9X	25.81	196.47	36.96	18.80	7.19					
	4-Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	2	NTCUD	UDL9X	31.54	196.47	36.96	18.80	7.19					
	4-Wire Unbundled Digital Loop 9.6 Kbps - Zone 3	3	NTCUD	UDL9X	42.38	196.47	36.96	18.80	7.19					
	4-Wire Unbundled Digital Loop 19.2 Kbps - Zone 1	1	NTCUD	UDL19	25.81	196.47	36.96	18.80	7.19					
	4-Wire Unbundled Digital Loop 19.2 Kbps - Zone 2	2	NTCUD	UDL19	31.54	196.47	36.96	18.80	7.19					
	4-Wire Unbundled Digital Loop 19.2 Kbps - Zone 3	3	NTCUD	UDL19	42.38	196.47	36.96	18.80	7.19					
	4-Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	NTCUD	UDL56	25.81	196.47	36.96	18.80	7.19					
	4-Wire Unbundled Digital Loop 56 Kbps - Zone 2	2	NTCUD	UDL56	31.54	196.47	36.96	18.80	7.19					
	4-Wire Unbundled Digital Loop 56 Kbps - Zone 3	3	NTCUD	UDL56	42.38	196.47	36.96	18.80	7.19					
	4-Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	NTCUD	UDL64	25.81	196.47	36.96	18.80	7.19					
	4-Wire Unbundled Digital Loop 64 Kbps - Zone 2	2	NTCUD	UDL64	31.54	196.47	36.96	18.80	7.19					
	4-Wire Unbundled Digital Loop 64 Kbps - Zone 3	3	NTCUD	UDL64	42.38	196.47	36.96	18.80	7.19					
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DSD)		NTCUD	URES		6.54	6.54							
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DSD)		NTCUD	URES		6.54	6.54							
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCUD	UREWO	101.95		49.66							

UNBUNDLED NETWORK ELEMENTS - Georgia												
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Att. 2 Exh. A		
					Rec	Nonrecurring Add'l	Nonrecurring Disconnect Add'l			Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st
	Order Coordination for Specified Conversion Time (per LSR)		NTCVG, NTCUD, NTCOD1	OCOSL		57.73						
End-to-End Testing												
MAINTENANCE OF SERVICE												
			UDC, UEA, UDL, UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTCOD1, U1TD1, U1TD3, U1TDX, U1TS1, U1TVX, UDF, UDFCX, UDLX, U3, ULDD1, ULDD3, ULDDX, ULDS1, ULDVX, UNC1X, UNC3X, UNCDX, UNC3X, UNCDX, ULS	MVVB	80.00	55.00						
	Maintenance of Service Charge, Basic Time, per half hour											
			UDC, UEA, UDL, UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTCOD1, U1TD1, U1TD3, U1TDX, U1TS1, U1TVX, UDF, UDFCX, UDLX, U3, ULDD1, ULDD3, ULDDX, ULDS1, ULDVX, UNC1X, UNC3X, UNCDX, UNC3X, UNCDX, ULS	MVVT	90.00	65.00						
	Maintenance of Service Charge, Overtime, per half hour											
			UDC, UEA, UDL, UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTCOD1, U1TD1, U1TD3, U1TDX, U1TS1, U1TVX, UDF, UDFCX, UDLX, U3, ULDD1, ULDD3, ULDDX, ULDS1, ULDVX, UNC1X, UNC3X, UNCDX, UNC3X, UNCDX, ULS	MVPT	100.00	75.00						
	Maintenance of Service Charge, Premium, per half hour											
LOOP MODIFICATION												
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18K ft, per Unbundled Loop		UAL, UHL, UCL, UEL, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		29.97						
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop		UAL, UHL, UCL, UEL, ULS, UEA, UEANL, UEPSR, UEPSB	ULM4L		68.11						
	Unbundled Loop Modification Removal of Bridged Tap Removal, per Unbundled Loop		UAL, UHL, UCL, UEL, ULS, UEA, UEANL, UEPSR, UEPSB	ULM8L		17.91						
SUB-LOOPS												
Sub-Loop Distribution												
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up		UEANL, UEF	USBSA		255.51						
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up		UEANL, UEF	USBSB		7.29						

UNBUNDLED NETWORK ELEMENTS - Georgia															
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Att: 2 Ext: A		Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st
					Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	SOME	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up		UEANL	USBSC		174.92									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up		UEANL	USBSD		51.56									
	Unbundled Sub-Loops, Riser Cable, 2-Wire per Loop, Working and Spare Loop Activation		UEANL	USBRC	3.71	28.43	3.85	2.20	0.01						
	Unbundled Sub-Loops, Riser Cable, 4-Wire per Loop, Working and Spare Loop Activation		UEANL	USBRD	7.90	31.04	4.79	2.27	0.01						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	1	UEANL	USBN2	7.45	28.43	3.85	2.20	0.01						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	2	UEANL	USBN2	11.18	28.43	3.85	2.20	0.01						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	3	UEANL	USBN2	21.46	28.43	3.85	2.20	0.01						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1	1	UEANL	USBN4	6.91	31.04	4.79	2.27	0.01						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2	2	UEANL	USBN4	10.98	31.04	4.79	2.27	0.01						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3	3	UEANL	USBN4	20.32	31.04	4.79	2.27	0.01						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEANL	USBMC		18.90	18.90								
	Sub-Loop 2-Wire IntraBuilding Network Cable (INC)		UEANL	USBR2	3.71	28.43	3.85	2.20	0.01						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEANL	USBMC		18.90	18.90								
	Sub-Loop 4-Wire IntraBuilding Network Cable (INC)		UEANL	USBR4	7.90	31.04	4.79	2.27	0.01						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEANL	USBMC		18.90	18.90								
	Loop Testing - Basic 1st Half Hour		UEANL	URET1		26.64	0.00								
	Loop Testing - Basic Additional Half Hour		UEANL	URETA		15.15	15.15								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	UEF	UCS2X	6.88	28.43	3.85	2.20	0.01						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	2	UEF	UCS2X	8.32	28.43	3.85	2.20	0.01						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	3	UEF	UCS2X	10.26	28.43	3.85	2.20	0.01						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEF	USBMC		18.90	18.90								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	UEF	UCS4X	7.55	31.04	4.79	2.27	0.01						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	2	UEF	UCS4X	7.12	31.04	4.79	2.27	0.01						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	3	UEF	UCS4X	10.26	31.04	4.79	2.27	0.01						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEF	USBMC		18.90	18.90								
	Loop tagging Service Level 1, Unbundled Copper Loop, Non-Designed and Distribution Subloops		UEF, UEANL	URETL		8.92	0.88								
	Loop Testing - Basic 1st Half Hour		UEF	URET1		26.64	0.00								
	Loop Testing - Basic Additional Half Hour		UEF	URETA		15.15	15.15								
Unbundled Sub-Loop Modification															
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load		UEF	ULM2X		0.00	0.00								
	Coil/Equip Removal per 2-W PR		UEF	ULM4X		0.00	0.00								
	Unbundled Sub-loop Modification - 4-W Copper Dist Load		UEF	ULM4X		0.00	0.00								
	Coil/Equip Removal per 4-W PR		UEF	ULM4X		0.00	0.00								
	Unbundled Loop Modification, Removal of bridge Tap, per unbundled loop		UEF	ULMBT		0.00	0.00								
Unbundled Network Terminating Wire (UNTW)															
	Unbundled Network Terminating Wire (UNTW) per Pair		UEANTW	UEANPP	0.5325	25.10	12.27								
Network Interface Device (NID)															
	Network Interface Device (NID) - 1-2 Lines		UEANTW	UND12		32.82	20.67								
	Network Interface Device (NID) - 1-6 Lines		UEANTW	UND16		55.97	43.82								
	Network Interface Device Cross Connect - 2 W		UEANTW	UNDC2		2.45	2.45								
	Network Interface Device Cross Connect - 4W		UEANTW	UNDC4		2.45	2.45								
UNE OTHER, PROVISIONING ONLY - NO RATE															

UNBUNDLED NETWORK ELEMENTS - Georgia										Att: 2 Ext: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st
						Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	SOME	SOMAN	SOMAN
				UAL, UCL, UDC, UDL, UDN, UEA, UHL, UEANL, UEF, UEO, UENTW, NTCVG, NTCUD, NTCDI, USL, USL, NTCDI	UNECH	0.00	0.00						
	Unbundled Contact Name, Provisioning Only - no rate												
	Unbundled DS1 Loop - Superframe Format Option - no rate												
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate												
	NID - Dispatch and Service Order for NID Installation												
	UNTW Circuit Establishment, Provisioning Only - No Rate												
LOOP MAKE-UP													
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual)												
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual)												
	Loop Makeup-With or Without Reservation, per working or spare facility queried (Mechanized)												
LINE SPLITTING													
END USER ORDERING-CENTRAL OFFICE BASED													
	Line Splitting - per line activation DLEC owned splitter					0.61							
	Line Splitting - per line activation BST owned - physical					0.0197	34.43	22.35	10.38	7.34			
	Line Splitting - per line activation BST owned - virtual					0.0188	34.43	22.35	10.38	7.34			
END USER ORDERING - REMOTE SITE LINE SPLITTING													
	Remote Site Shared Loop Line Activation for End Users - CLEC Owned Splitter												
	Remote Site Shared Loop - Subsequent Activity - CLEC Owned Splitter												
UNBUNDLED EXCHANGE ACCESS LOOP													
2-WIRE ANALOG VOICE GRADE LOOP													
	Remote Site 2 Wire Analog Voice Grade Loop - Service Level 1- Line Splitting - CLEC Owned Splitter - Zone 1		1		UEPSR UEPSB	6.52	28.46	3.85	2.20	0.01			
	Remote Site 2 Wire Analog Voice Grade Loop - Service Level 1- Line Splitting - CLEC Owned Splitter - Zone 2		2		UEPSR UEPSB	10.18	28.46	3.85	2.20	0.01			
	Remote Site 2 Wire Analog Voice Grade Loop - Service Level 1- Line Splitting - CLEC Owned Splitter - Zone 3		3		UEPSR UEPSB	19.51	28.46	3.85	2.20	0.01			
UNE Loop rates for Line Splitting (In Ga. PSC ordered the line splitting loop USOCs match the lower port loop combo rates UEPLV)													
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1		1		UEPSR UEPSB	10.88	10.04	7.35	1.37	1.28			
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1		1		UEPSR UEPSB	10.96	10.04	7.35	1.37	1.28			
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2		2		UEPSR UEPSB	16.30	10.04	7.35	1.37	1.28			
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2		2		UEPSR UEPSB	16.30	10.04	7.35	1.37	1.28			
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 3		3		UEPSR UEPSB	34.73	10.04	7.35	1.37	1.28			
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 3		3		UEPSR UEPSB	34.73	10.04	7.35	1.37	1.28			
PHYSICAL COLLOCATION													
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting				UEPSR UEPSB	0.0202	0.00						
VIRTUAL COLLOCATION													
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting				UEPSR UEPSB	0.0192	0.00		0.00	0.00			
LINE SHARING													
NOTE: The Line Sharing monthly recurring rates for all installations completed on or after October 02, 2003 shall be billed as follows:													
SPLITTERS-CENTRAL OFFICE BASED													
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	117.18	243.66	0.00	90.11	0.00			
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	29.30	243.66	0.00	90.11	0.00			
	Line Sharing Splitter, per System 8 Line Capacity			ULS	ULSD8	9.77	243.66	0.00	90.11	0.00			
	Line Sharing-DLEC Owned Splitter in CO-CFA activator+ deactivation (per LSOD)			ULS	ULSDG		72.34	0.00	68.76	0.00			
LINE SHARING													
END USER ORDERING-CENTRAL OFFICE BASED LINE SHARING													
	Line Sharing - per Line Activation (BST Owned splitter)			ULS	ULSDC	0.61	10.51	7.70	7.00	4.20			
	Line Sharing - per Line Activation (BST Owned splitter)			ULS	ULSDT	6.50	24.53	0.00	12.26	0.00			
	Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter)			ULS	ULSDS		48.91	17.86	22.87	2.28			

UNBUNDLED NETWORK ELEMENTS - Georgia														
CATEGORY	RATE ELEMENTS			Interim Zone	BCS	USOC	RATES(\$)			Svc Order Submitted Manually per LSR	Att: 2 Ext: A		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st
							Rec	Nonrecurring Add'l	Nonrecurring Disconnect First	ADD'l	SOME	SOMAN	SOMAN	SOMAN
	Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter)			ULS	ULSCS			36.23	13.23	16.94				
	Line Sharing - per Line Activation (DLEC owned Splitter)			ULS	ULSCC			16.28	12.08	7.34				
	Line Sharing - per Line Activation (DLEC owned Splitter)			ULS	ULSCT			29.88	16.28	7.34				
REMOTE SITE HIGH FREQUENCY SPECTRUM														
SPLITTERS-REMOTE SITE														
	Remote Site Line Share BellSouth Owned Splitter, 24 Port			ULS	ULSRB		31.64	90.65		64.74				
	Remote Site Line Share Line Activation for End User Served at RS, BST Splitter			ULS	ULSRT			43.54	17.28	6.82				
	Remote Site Line Share Cable Pair Activation (DLEC Owned at RS and Deactivation)			ULS	ULSTG			75.02		47.17				
	MAINTENANCE													
	No Trouble Found - per 1/2 hour increments - Basic							80.00	0.00					
	No Trouble Found - per 1/2 hour increments - Overtime							120.00	0.00					
	No Trouble Found - per 1/2 hour increments - Premium							160.00	0.00					
UNBUNDLED DEDICATED TRANSPORT														
INTEROFFICE CHANNEL - DEDICATED TRANSPORT														
	Interoffice Channel - 2-Wire Voice Grade - per mile			U1TVX	1L5XX		0.0059							
	Interoffice Channel - 2-Wire Voice Grade - Facility Termination			U1TVX	U1TV2		13.15	48.41	19.46	16.56	4.99			
	Interoffice Channel - 2-Wire Voice Grade Rev Bat. - per mile			U1TVX	1L5XX		0.0059							
	Interoffice Channel - 2-Wire V.G. Rev Bat. - Facility Termination			U1TVX	U1TR2		13.15	48.41	19.46	16.56	4.99			
	Interoffice Channel - 4-Wire Voice Grade - per mile			U1TVX	1L5XX		0.0059							
	Interoffice Channel - 4-Wire Voice Grade - Facility Termination			U1TVX	U1TV4		11.01	48.41	19.46	16.56	4.99			
	Interoffice Channel - 56 kbps - per mile			U1TDX	1L5XX		0.0059							
	Interoffice Channel - 56 kbps - Facility Termination			U1TDX	U1TD5		8.00	48.41	19.46	16.56	4.99			
	Interoffice Channel - 64 kbps - per mile			U1TDX	1L5XX		0.0059							
	Interoffice Channel - 64 kbps - Facility Termination			U1TDX	U1TD6		8.00	48.41	19.46	16.56	4.99			
	Interoffice Channel - DS1 - per mile			U1TD1	1L5XX		0.1199							
	Interoffice Channel - DS1 - Facility Termination			U1TD1	U1TF1		34.93	110.92	80.20	31.33	21.71			
	Interoffice Channel - DS3 - per mile			U1TD3	1L5XX		2.63							
	Interoffice Channel - DS3 - Facility Termination			U1TD3	U1TF3		349.42	320.16	86.24	66.71	52.76			
	Interoffice Channel - STS-1 - per mile			U1TS1	1L5XX		2.63							
	Interoffice Channel - STS-1 - Facility Termination			U1TS1	U1TF5		366.43	320.16	86.24	66.71	52.76			
UNBUNDLED DARK FIBER														
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof			UDF, UDFCX	1L5DF		24.17							
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof			UDF, UDFCX	UDF14			1,774.79	89.86	73.57	18.69			
HIGH CAPACITY UNBUNDLED LOCAL LOOP														
DS-3/STS-1 UNBUNDLED LOCAL LOOP - Stand Alone														
	DS3 Unbundled Local Loop - per mile			UE3	1LSND		11.40							
	DS3 Unbundled Local Loop - Facility Termination			UE3	UE3PX		258.44	1,751.51	131.77	112.80	75.81			
	STS-1 Unbundled Local Loop - per mile			UDLSX	1LSND		11.40							
	STS-1 Unbundled Local Loop - Facility Termination			UDLSX	UDLS1		349.42	1,751.51	131.77	112.80	75.81			
ENHANCED EXTENDED LINK (EELS)														
Network Elements Used in Combinations														
	2-Wire VG Loop (SL2) in Combination - Zone 1	1		UNCVX	UEAL2		13.32	195.75	36.35	18.40	6.86			
	2-Wire VG Loop (SL2) in Combination - Zone 2	2		UNCVX	UEAL2		18.66	195.75	36.35	18.40	6.86			
	2-Wire VG Loop (SL2) in Combination - Zone 3	3		UNCVX	UEAL2		36.33	195.75	36.35	18.40	6.86			
	4-Wire Analog Voice Grade Loop in Combination - Zone 1	1		UNCVX	UEAL4		21.04	195.75	36.35	18.40	6.86			
	4-Wire Analog Voice Grade Loop in Combination - Zone 2	2		UNCVX	UEAL4		24.49	195.75	36.35	18.40	6.86			
	4-Wire Analog Voice Grade Loop in Combination - Zone 3	3		UNCVX	UEAL4		33.40	195.75	36.35	18.40	6.86			
	2-Wire ISDN Loop in Combination - Zone 1	1		UNCNX	U1L2X		22.73	195.75	36.35	18.40	6.86			
	2-Wire ISDN Loop in Combination - Zone 2	2		UNCNX	U1L2X		29.11	195.75	36.35	18.40	6.86			
	2-Wire ISDN Loop in Combination - Zone 3	3		UNCNX	U1L2X		46.42	195.75	36.35	18.40	6.86			
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	1		UNCDX	UDL56		25.81	195.75	36.35	18.40	6.86			
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	2		UNCDX	UDL56		31.54	195.75	36.35	18.40	6.86			
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	3		UNCDX	UDL56		42.38	195.75	36.35	18.40	6.86			
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	1		UNCDX	UDL64		25.81	195.75	36.35	18.40	6.86			
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2	2		UNCDX	UDL64		31.54	195.75	36.35	18.40	6.86			
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	3		UNCDX	UDL64		42.38	195.75	36.35	18.40	6.86			
	4-Wire DS1 Digital Loop in Combination - Zone 1	1		UNCIX	USLXX		49.41	209.25	70.37	37.87	6.86			

UNBUNDLED NETWORK ELEMENTS - Georgia															
CATEGORY	RATE ELEMENTS			Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted ELEC per LSR	Svc Order Submitted Manually per LSR	Att: 2 Exh: A	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
							Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	SOME	SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
	4-Wire DSL Digital Loop in Combination - Zone 2				UNC1X	USLXX	52.55	209.25	70.37	37.87	6.86				SOMAN
	4-Wire DSL Digital Loop in Combination - Zone 3		2		UNC1X	USLXX	68.40	209.25	70.37	37.87	6.86				SOMAN
	DS3 Local Loop in combination - per mile		3		UNC3X	USLND	11.40								
	DS3 Local Loop in combination - Facility Termination				UNC3X	UE3PX	258.44	1,259.23	628.22	41.49	20.74				
	STS-1 Local Loop in combination - per mile				UNC3X	USLND	11.40								
	STS-1 Local Loop in combination - Facility Termination				UNC3X	UDLS1	349.42	1,259.23	628.22	41.49	20.74				
	Interoffice Channel in combination - 2-wire VG - per mile				UNC3X	USLXX	0.0059								
	Interoffice Channel in combination - 2-wire VG - Facility Termination				UNC3X	USLXX									
	Interoffice Channel in combination - 4-wire VG - per mile				UNC3X	U1TV2	13.15	66.47	33.57	43.38	27.57				
	Interoffice Channel in combination - 4-wire VG - Facility Termination				UNC3X	U1TV4	10.78	66.47	33.57	43.38	27.57				
	Interoffice Channel in combination - 4-wire 56 kbps - per mile				UNC3X	USLXX	0.0059								
	Interoffice Channel in combination - 4-wire 56 kbps - Facility Termination				UNC3X	USLXX									
	Interoffice Channel in combination - 4-wire 64 kbps - per mile				UNC3X	U1TD5	8.00	66.47	33.57	43.38	27.57				
	Interoffice Channel in combination - 4-wire 64 kbps - Facility Termination				UNC3X	USLXX	0.0059								
	Interoffice Channel in combination - DS1 - per mile				UNC3X	U1TD6	8.00	66.47	33.57	43.38	27.57				
	Interoffice Channel in combination - DS1 Facility Termination				UNC3X	U1TXX	0.1199								
	Interoffice Channel in combination - DS3 - per mile				UNC3X	U1TXX	34.93	87.67	45.69	43.76	27.95				
	Interoffice Channel in combination - DS3 - Facility Termination				UNC3X	U1TXX	2.63								
	Interoffice Channel in combination - STS-1 - per mile				UNC3X	U1TXX	349.42	325.59	76.99	49.51	32.85				
	Interoffice Channel in combination - STS-1 Facility Termination				UNC3X	U1TXX	2.63								
	Interoffice Channel in combination - STS-1 Facility Termination				UNC3X	U1TXX	366.43	325.59	76.99	49.51	32.85				
ADDITIONAL NETWORK ELEMENTS															
Optional Features & Functions:															
	Clear Channel Capability Extended Frame Option - per DS1	I			U1TD1, ULD01, UNC1X	CCOEF		0.00							
	Clear Channel Capability Super FrameOption - per DS1	I			ULD01, UNC1X	CCOEF		0.00							
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	I			ULD01, U1TD1, UNC1X, USL	NRCCC		184.62	23.78	2.03	0.79				
	C-bit Parity Option - Subsequent Activity - per DS3	I			U1TD3, ULD03, UE3, UNC3X	NRCCC		218.74	7.66	0.7591	0.00				
	DS1/DS3 Channel System				UNC1X	MQ1	71.23	86.01	0.00	0.00	0.00				
	DS3/DS1 Channel System				UNC3X, UNC3X	MQ3	124.39	0.00	0.00	0.00	0.00				
	Voice Grade COCI in combination				UNC3X	UD1VG	0.479	27.30	2.90	16.85	1.04				
	Voice Grade COCI - for 2W-SL2 & 4W Voice Grade Local Loop				UEA	UD1VG	0.479	27.30	2.90	16.85	1.04				
	Voice Grade COCI - for connection to a channelized DS1 Local Channel in the same SWC as collocation				U1TUC	UD1VG	0.479	27.30	2.90	16.85	1.04				
	OCU-DP COCI (2.4-64Kbs) in combination				UNC3X	UD1DD	1.02	27.30	2.90	16.85	1.04				
	OCU-DP COCI (2.4-64Kbs) - for Unbundled Digital Loop				UDL	UD1DD	1.02	27.30	2.90	16.85	1.04				
	OCU-DP COCI (2.4-64Kbs) - for connection to a channelized DS1 Local Channel in the same SWC as collocation				U1TUD	UD1DD	1.02	27.30	2.90	16.85	1.04				
	2-wire ISDN COCI (BRITE) in combination				UNC3X	UC1CA	1.70	27.30	2.90	16.85	1.04				
	2-wire ISDN COCI (BRITE) - for a Local Loop				UDN	UC1CA	1.70	27.30	2.90	16.85	1.04				
	Local Channel in the same SWC as collocation				U1TUB	UC1CA	1.70	27.30	2.90	16.85	1.04				
	DS1 COCI in combination				UC1D1	UC1D1	7.50	27.30	2.90	16.85	1.04				
	DS1 COCI - for Stand Alone Local Channel				ULD01	UC1D1	7.50	27.30	2.90	16.85	1.04				
	DS1 COCI - for Stand Alone Interoffice Channel				U1TD1	UC1D1	7.50	27.30	2.90	16.85	1.04				
	DS1 COCI - for DS1 Local Loop				USL, NTC01	UC1D1	7.50	27.30	2.90	16.85	1.04				
	DS1 COCI - for connection to a channelized DS1 Local Channel in the same SWC as collocation				U1TUA	UC1D1	7.50	27.30	2.90	16.85	1.04				
	Wholesale - UNE, Switch-As-is Conversion Charge				UNC3X, UNC3X, UNC3X, UDPCX, XD01X, HPC06, XD02X, XD06X, XD0FX, XD04X, HFRST, UNC3X	UNCCC		5.69	5.69	6.60	6.60				

UNBUNDLED NETWORK ELEMENTS - Georgia														Att: 2 Exh: A	
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)			Nonrecurring Disconnect		Svc Order Submitted		Incremental Charge - Manual Svc Order vs. Electronic-1st		Incremental Charge - Manual Svc Order vs. Electronic-1st	
					First	Add'l		First	Add'l	SOME	SOMAN	SOME	SOMAN	SOME	SOMAN
	Unbundled Misc Rate Element, SNE SAI, Single Network Element - Switch As Is Non-recurring Charge, per circuit (LSR)	I	UITVX, UITD3, UITD1, U1T03, U1T31, UDF, UE3	URES		5.69			6.60						
	Unbundled Misc Rate Element, SNE SAI, Single Network Element - Switch As Is Non-recurring Charge, incremental charge per circuit on a straight test	I	UITVX, UITD3, UITD1, U1T03, U1T31, UDF, UE3	URES		5.69			6.60						
Access to DCS - Customer Reconfiguration (FlexServ)															
	Customer Reconfiguration Establishment				20.08	18.91		1.40	1.63						
	DS1 DCS Termination with DSO Switching				7.24	18.16									
	DS1 DCS Termination with DS1 Switching				128.34	24.87									
	DS3 DCS Termination with DS1 Switching					18.91			15.02						
Node (Synchronet)															
	Node per month		UNCNDX	UNCNT	13.98										
Service Rearrangements															
	NRC - Change in Facility Assignment per circuit Service Rearrangement	I	UITVX, UITD3, UITUC, UITUD, UITUB, ULDDVX, ULDDX, UNC1X, UNC1X, UNC1X	URETD	100.91	42.97									
	NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed)	I	UITVX, UITD3, UITUB, ULDDVX, ULDDX, UNC1X, UNC1X, UNC1X	URETB	3.68	3.68									
	NRC - Order Coordination Specific Time - Dedicated Transport	I	UNC1X, UNC3X	OCOSR	18.89	18.89									
COMINGLING															
	Commingling Authorization			CMGAU	0.00	0.00									
	Commingled (UNE part of single bandwidth circuit and interfaces)														
	Commingled VG/COI		XDV2X	1DVG	0.479	27.30		2.90	16.85						
	Commingled Digital COI		XDV6X	1DID	1.02	27.30		2.90	16.85						
	Commingled 2-wire VG Interoffice Channel		XDV4X	UCICA	1.70	27.30		2.90	16.85						
	Commingled 2-wire VG Interoffice Channel		XDV2X	U1TV2	13.15	66.47		33.57	43.38						
	Commingled 4-wire VG Interoffice Channel		XDV6X	U1TV4	10.78	66.47		33.57	43.38						
	Commingled 56kbps Interoffice Channel		XDD4X	U1TD5	8.00	66.47		33.57	43.38						
	Commingled 64kbps Interoffice Channel		XDD4X	U1TD6	8.00	66.47		33.57	43.38						
	Commingled VG/DSO Interoffice Channel Mileage		XDV2X, XDV6X, XDD4X	1L5XX	0.0059										
	Commingled 2-wire Local Loop Zone 1	1	XDV2X	UEAL2	13.32	195.75		36.35	18.40						
	Commingled 2-wire Local Loop Zone 2	2	XDV2X	UEAL2	18.66	195.75		36.35	18.40						
	Commingled 2-wire Local Loop Zone 3	3	XDV2X	UEAL2	36.33	195.75		36.35	18.40						
	Commingled 4-wire Local Loop Zone 1	1	XDV6X	UEAL4	21.04	195.75		36.35	18.40						
	Commingled 4-wire Local Loop Zone 2	2	XDV6X	UEAL4	24.49	195.75		36.35	18.40						
	Commingled 4-wire Local Loop Zone 3	3	XDV6X	UEAL4	33.40	195.75		36.35	18.40						
	Commingled 56kbps Local Loop Zone 1	1	XDD4X	UDL56	25.81	195.75		36.35	18.40						
	Commingled 56kbps Local Loop Zone 2	2	XDD4X	UDL56	31.54	195.75		36.35	18.40						
	Commingled 56kbps Local Loop Zone 3	3	XDD4X	UDL56	42.38	195.75		36.35	18.40						
	Commingled 64kbps Local Loop Zone 1	1	XDD4X	UDL64	25.81	195.75		36.35	18.40						
	Commingled 64kbps Local Loop Zone 2	2	XDD4X	UDL64	31.54	195.75		36.35	18.40						
	Commingled 64kbps Local Loop Zone 3	3	XDD4X	UDL64	42.38	195.75		36.35	18.40						
	Commingled ISDN Local Loop Zone 1	1	XDD4X	U1L2X	22.73	195.75		36.35	18.40						
	Commingled ISDN Local Loop Zone 2	2	XDD4X	U1L2X	29.11	195.75		36.35	18.40						
	Commingled ISDN Local Loop Zone 3	3	XDD4X	U1L2X	46.42	195.75		36.35	18.40						
	Commingled DS1 COI		XDH1X	U1D1	7.50	27.30		2.90	16.85						
	Commingled DS1 Interoffice Channel		XDH1X	U1D1	34.93	87.67		45.69	43.76						
	Commingled DS1 Interoffice Channel Mileage		XDH1X	1L5XX	0.1199										
	Commingled DS1/DSO Channel System		XDH1X	MQ1	71.23	86.01		0.00	0.00						

UNBUNDLED NETWORK ELEMENTS - Georgia

UNBUNDLED NETWORK ELEMENTS - Georgia																
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Att: 2 Exlt: A				
					Rec	Nonrecurring		Nonrecurring Disconnect				Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
						First	Add'l	First	Add'l							SOME
	Commingled DS1 Local Loop Zone 1	1	XDHI1X	USLXX	49.41	209.25	70.37	37.87	6.86							
	Commingled DS1 Local Loop Zone 2	2	XDHI1X	USLXX	52.55	209.25	70.37	37.87	6.86							
	Commingled DS1 Local Loop Zone 3	3	XDHI1X	USLXX	68.40	209.25	70.37	37.87	6.86							
	Commingled DS3 Local Loop		HFOC6	UE3PX	258.44	1,751.51	131.77	112.80	75.81							
	Commingled DS3STS-1 Local Loop Mileage		HFOC6, HFRST	1LSND	11.40											
	Commingled STS-1 Local Loop		HFRST	UDLS1	349.42	1,751.51	131.77	112.80	75.81							
	Commingled DS3DS1 Channel System		HFOC6	MQ3	124.39	0.00	0.00	0.00	0.00							
	Commingled DS3 Interoffice Channel		HFOC6	U1TF3	349.42	325.59	76.99	49.51	32.85							
	Commingled DS3 Interoffice Channel Mileage		HFOC6	1LSXX	2.63											
	Commingled STS-1 Interoffice Channel		HFRST	U1TFS	366.43	325.59	76.99	49.51	32.85							
	Commingled STS-1 Interoffice Channel Mileage		HFRST	1LSXX	2.63											
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof		HEQDL	1LSDF	24.17											
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof		HEQDL	UDF14		1,774.79	89.66	73.57	18.69							
	UNE to Commingled Conversion Tracking		XDHI1X, HFOC6	CMGJUN	0.00	0.00	0.00	0.00	0.00							
	SPA to Commingled Conversion Tracking		XDHI1X, HFOC6	CMGJSP	0.00	0.00	0.00	0.00	0.00							
LNP Query Service					0.0008034											
	LNP Charge Per query					12.49		11.09								
	LNP Service Establishment Manual					574.87	293.68	251.47	184.91							
	LNP Service Provisioning with Point Code Establishment															
911 PBX LOCATE																
911 PBX LOCATE DATABASE CAPABILITY																
	Service Establishment per CLEC per End User Account		9PBDC	9PB8U		1,825.00										
	Charges to TN Range or Customer Profile		9PBDC	9PB8N		182.67										
	Per Telephone Number (Monthly)		9PBDC	9PB8M	0.07											
	Charge Company (Service Provider) ID		9PBDC	9PB8C		536.23										
	PBX Locate Service Support per CLEC (Monthly)		9PBDC	9PB8R	176.96											
	Service Order Charge		9PBDC	9PB8C		11.73										
911 PBX LOCATE TRANSPORT COMPONENT																
See Att 3																
Note: Rates displaying an "I" in Interim column are interim as a result of a Commission order.																

UNBUNDLED NETWORK ELEMENTS - Kentucky

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	Art. 2 Exh. A			
											Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
					Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l			SOMAN	SOMAN	SOMAN	SOMAN
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to Internet Website: http://www.interconnection.kentucky.com/interconnection.htm														
OPERATIONS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"														
NOTE: (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this rate exhibit are the BellSouth "regional" service ordering charges. CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charges, however, CLEC can not obtain a mixture of the two regardless if CLEC has an interconnection contract established in each of the 9 states.														
NOTE: (2) Any element that can be ordered electronically will be billed according to the SOMECH rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the LOH, the listed SOMECH rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be applied to a CLEC's bill when it submits an LSR to BellSouth.														
	OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only			SOMECH	3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge, Per Local Service Request (LSR) - UNE Only			SOMAN	7.86	0.00	0.99	0.00						
UNE SERVICE DATE ADVANCEMENT CHARGE														
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No. 1 Tariff, Section 5 as applicable.														
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day				200.00									
ORDER MODIFICATION CHARGE														
	Order Modification Charge (OMC)				33.37	0.00	0.00	0.00						
	Order Modification Additional Dispatch Charge (OMCAD)				150.00	0.00	0.00	0.00						
UNBUNDLED EXCHANGE ACCESS LOOP														
2-WIRE ANALOG VOICE GRADE LOOP														
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1	1	UEANL	UEAL2	10.56	22.57	26.65	7.65						
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2	2	UEANL	UEAL2	15.34	22.57	26.65	7.65						
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3	3	UEANL	UEAL2	31.11	22.57	26.65	7.65						
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1	1	UEANL	UEASL	10.56	22.57	26.65	7.65						
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2	2	UEANL	UEASL	15.34	22.57	26.65	7.65						
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3	3	UEANL	UEASL	31.11	22.57	26.65	7.65						
	Tag Loop at End User Premise		UEANL	URETL	8.93	0.00								
	Loop Testing - Basic 1st Half Hour		UEANL	URET1	46.88	0.00								
	Loop Testing - Basic Additional Half Hour		UEANL	URETA	24.16	24.16								
	Manual Order Coordination for UVL SLs (per loop)		UEANL	UEAMC	9.00	9.00								
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)		UEANL	OCOSL	23.01	23.01								

UNBUNDLED NETWORK ELEMENTS - Kentucky										Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st
					Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect Add'l	SOME	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - E.I.)		UEANL	UEANM		13.49	13.49						
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UEANL	UEWOW		15.78	8.94	26.65					
	Bulk Migration, per 2 Wire Voice Loop-SL1		UEANL	UREPN		46.66	22.57	7.65					
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL1		UEANL	UREPM		9.00	9.00						
2-WIRE UNBUNDLED COPPER LOOP													
	2-Wire Unbundled Copper Loop - Non-Designated Zone 1	1	UEQ	UEQ2X	10.98	44.97	20.89	25.64					
	2-Wire Unbundled Copper Loop - Non-Designated - Zone 2	2	UEQ	UEQ2X	11.51	44.97	20.89	25.64					
	2-Wire Unbundled Copper Loop - Non-Designated - Zone 3	3	UEQ	UEQ2X	13.19	44.97	20.89	25.64					
	Tag Loop at End User Premise		UEQ	URETL		8.93	0.88						
	Loop Testing - Basic 1st Half Hour		UEQ	URET1		46.88	0.00						
	Loop Testing - Basic Additional Half Hour		UEQ	URET2		24.16	24.16						
	Manual Order Coordination 2-Wire Unbundled Copper Loop - Non-Designated (per loop)		UEQ	USBMC		9.00	9.00						
	Unbundled Copper Loop - Non-Design, billing for BST providing make-up (Engineering Information - E.I.)		UEQ	UEQMU		13.49	13.49						
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UEQ	UREWO		14.27	7.43	25.64					
	Bulk Migration, per 2 Wire UCL-ND		UEQ	UREPN		44.97	20.89	25.64					
	Bulk Migration Order Coordination, per 2 Wire UCL-ND		UEQ	UREPM		9.00	9.00						
UNBUNDLED EXCHANGE ACCESS LOOP													
2-WIRE ANALOG VOICE GRADE LOOP													
	2-Wire Analog Voice Grade Loop - Service Level 2 w/loop or Ground Start Signaling - Zone 1	1	UEA	UEAL2	12.67	134.89	81.87	73.65					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/loop or Ground Start Signaling - Zone 2	2	UEA	UEAL2	17.45	134.89	81.87	73.65					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/loop or Ground Start Signaling - Zone 3	3	UEA	UEAL2	33.22	134.89	81.87	73.65					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1	1	UEA	UEAR2	12.67	134.89	81.87	73.65					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2	2	UEA	UEAR2	17.45	134.89	81.87	73.65					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	3	UEA	UEAR2	33.22	134.89	81.87	73.65					
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DSO)		UEA	URES1		24.96	3.52						
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DSO)		UEA	URES2		26.44	5.01						
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UEA	UREWO		87.72	36.36						
	Loop Tagging - Service Level 2 (SL2)		UEA	URETL		11.21	1.10						
	Bulk Migration, per 2 Wire Voice Loop-SL2		UEA	UREPN		134.89	81.87						
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL2		UEA	UREPM		0.00	0.00						
4-WIRE ANALOG VOICE GRADE LOOP													
	4-Wire Analog Voice Grade Loop - Zone 1	1	UEA	UEAL4	29.26	164.11	112.36	78.91					
	4-Wire Analog Voice Grade Loop - Zone 2	2	UEA	UEAL4	34.25	164.11	112.36	78.91					
	4-Wire Analog Voice Grade Loop - Zone 3	3	UEA	UEAL4	85.06	164.11	112.36	78.91					
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DSO)		UEA	URES1		24.96	3.52						
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DSO)		UEA	URES2		26.44	5.01						
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UEA	UREWO		87.72	36.36						
2-WIRE ISDN DIGITAL GRADE LOOP													
	2-Wire ISDN Digital Grade Loop - Zone 1	1	UDN	UJ12X	18.44	146.77	95.02	71.38					
	2-Wire ISDN Digital Grade Loop - Zone 2	2	UDN	UJ12X	25.06	146.77	95.02	71.38					
	2-Wire ISDN Digital Grade Loop - Zone 3	3	UDN	UJ12X	42.87	146.77	95.02	71.38					
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UDN	UREWO		91.63	44.16						
2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP													
	2-Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1	1	UAL	UAL2X	10.82	141.98	79.73	69.02					
								11.47					

UNBUNDLED NETWORK ELEMENTS - Kentucky

UNBUNDLED NETWORK ELEMENTS - Kentucky													Att: 2 Exh. A			
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l			
					Nonrecurring		Disconnect Add'l	SOME						SOMAN	SOMAN	SOMAN
					Rec	First										
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2	2	UAL	UAL2X	11.79	141.98	79.73	69.02	11.47							
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3	3	UAL	UAL2X	12.87	141.98	79.73	69.02	11.47							
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1	1	UAL	UAL2W	10.82	121.18	69.00	69.09	11.54							
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2	2	UAL	UAL2W	11.79	121.18	69.00	69.09	11.54							
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3	3	UAL	UAL2W	12.87	121.18	69.00	69.09	11.54							
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UAL	UREWO		86.20	40.40									
2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1	1	UHL	UHL2X	8.75	151.54	89.29	69.09	11.54							
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2	2	UHL	UHL2X	9.56	151.54	89.29	69.09	11.54							
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3	3	UHL	UHL2X	10.61	151.54	89.29	69.09	11.54							
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	UHL	UHL2W	8.75	130.74	78.56	69.09	11.54							
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	2	UHL	UHL2W	9.56	130.74	78.56	69.09	11.54							
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	3	UHL	UHL2W	10.61	130.74	78.56	69.09	11.54							
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UHL	UREWO		86.14	40.40									
4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1	1	UHL	UHL4X	13.95	185.75	123.50	74.95	14.69							
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2	2	UHL	UHL4X	15.68	185.75	123.50	74.95	14.69							
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3	3	UHL	UHL4X	16.98	185.75	123.50	74.95	14.69							
	4 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	UHL	UHL4W	13.95	164.95	114.04	77.32	15.80							
	4 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	2	UHL	UHL4W	15.68	164.95	114.04	77.32	15.80							
	4 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	3	UHL	UHL4W	16.98	164.95	114.04	77.32	15.80							
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UHL	UREWO		86.14	40.40									
4-WIRE DS1 DIGITAL LOOP																
	4 Wire DS1 Digital Loop - Zone 1	1	USL	USLXX	86.47	306.69	174.44	65.83	14.55							
	4 Wire DS1 Digital Loop - Zone 2	2	USL	USLXX	114.10	306.69	174.44	65.83	14.55							
	4 Wire DS1 Digital Loop - Zone 3	3	USL	USLXX	297.76	306.69	174.44	65.83	14.55							
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DS1)		USL	URES		24.96	3.52									
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DS1)		USL	URES		26.44	5.01									
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		USL	UREWO		101.09	43.04									
4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP																
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1	1	UDL	UDL2X	27.59	157.81	106.06	78.91	18.66							
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	2	UDL	UDL2X	32.48	157.81	106.06	78.91	18.66							
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3	3	UDL	UDL2X	36.37	157.81	106.06	78.91	18.66							
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1	1	UDL	UDL4X	27.59	157.81	106.06	78.91	18.66							
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2	2	UDL	UDL4X	32.48	157.81	106.06	78.91	18.66							
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3	3	UDL	UDL4X	36.37	157.81	106.06	78.91	18.66							
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	1	UDL	UDL9X	27.59	157.81	106.06	78.91	18.66							
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	2	UDL	UDL9X	32.48	157.81	106.06	78.91	18.66							
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3	3	UDL	UDL9X	36.37	157.81	106.06	78.91	18.66							
	4 Wire Unbundled Digital Loop 19.2 Kbps - Zone 1	1	UDL	UDL19	27.59	157.81	106.06	78.91	18.66							
	4 Wire Unbundled Digital Loop 19.2 Kbps - Zone 2	2	UDL	UDL19	32.48	157.81	106.06	78.91	18.66							

UNBUNDLED NETWORK ELEMENTS - Kentucky

UNBUNDLED NETWORK ELEMENTS - Kentucky										Alt: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)					Svc Order Submitted Elec per LSR	Svc Order Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
					Rec	Nonrecurring First	Addr'l	Nonrecurring First	Addr'l				
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3	3	UDL	UDL19	36.37	157.81	106.06	78.91	18.66				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	UDL	UDL56	27.59	157.81	106.06	78.91	18.66				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	2	UDL	UDL56	32.48	157.81	106.06	78.91	18.66				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	3	UDL	UDL56	36.37	157.81	106.06	78.91	18.66				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	UDL	UDL64	27.59	157.81	106.06	78.91	18.66				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	2	UDL	UDL64	32.48	157.81	106.06	78.91	18.66				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	3	UDL	UDL64	36.37	157.81	106.06	78.91	18.66				
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)		UDL	URES1		24.96	3.52						
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)		UDL	URES2		26.44	5.01						
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UDL	UREWO		102.13	49.75						
2-WIRE UNBUNDLED COPPER LOOP													
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1	1	UCL	UCLPB	10.82	140.95	78.70	69.09	11.54				
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2	2	UCL	UCLPB	11.79	140.95	78.70	69.09	11.54				
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3	3	UCL	UCLPB	12.87	140.95	78.70	69.09	11.54				
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1	UCL	UCLPW	10.82	120.15	67.97	69.09	11.54				
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	2	UCL	UCLPW	11.79	120.15	67.97	69.09	11.54				
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	3	UCL	UCLPW	12.87	120.15	67.97	69.09	11.54				
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		9.00	9.00						
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)		UCL	UREWO		97.23	42.48						
4-WIRE COPPER LOOP													
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1	1	UCL	UCL4S	16.92	170.31	108.06	74.95	14.69				
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2	2	UCL	UCL4S	17.36	170.31	108.06	74.95	14.69				
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3	3	UCL	UCL4S	28.10	170.31	108.06	74.95	14.69				
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1	UCL	UCL4W	16.92	149.52	97.33	74.95	14.69				
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	2	UCL	UCL4W	17.36	149.52	97.33	74.95	14.69				
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	3	UCL	UCL4W	28.10	149.52	97.33	74.95	14.69				
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		9.00	9.00						
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UCL	UREWO		97.23	42.48						
	Order Coordination for Specified Conversion Time (per LSR)		UCL, UDL, UAL, UHL, UDL, USL	OCOSL		23.01							
Rearrangements													
	EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop-SL2		UEA	UREEL		87.72	36.36						
	EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop		UEA	UREEL		87.72	36.36						
	EEL to UNE-L Retermination, per 2 Wire ISDN Loop		UDN	UREEL		91.63	44.16						
	EEL to UNE-L Retermination, per 4 Wire Unbundled Digital Loop		UDL	UREEL		102.13	49.75						
	EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop		USL	UREEL		101.09	43.04						
UNE LOOP COMMINGLING													
2-WIRE ANALOG VOICE GRADE LOOP - COMMINGLING													
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1	1	NTCVG	UEAL2	12.67	134.89	81.87	73.65	14.88				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2	2	NTCVG	UEAL2	17.45	134.89	81.87	73.65	14.88				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3	3	NTCVG	UEAL2	33.22	134.89	81.87	73.65	14.88				

UNBUNDLED NETWORK ELEMENTS - Kentucky

UNBUNDLED NETWORK ELEMENTS - Kentucky										Att: 2 Exh: A					
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st		Incremental Charge - Manual Svc Order vs. Electronic-1st		Incremental Charge - Manual Svc Order vs. Electronic-1st
					Rec	Nonrecurring		Nonrecurring Disconnect			Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st			
						First	Add'l						First	Add'l	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1	1	NTCVG	UEAR2	12.67	134.89	81.87	73.65	14.88						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2	2	NTCVG	UEAR2	17.45	134.89	81.87	73.65	14.88						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	3	NTCVG	UEAR2	33.22	134.89	81.87	73.65	14.88						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)		NTCVG	URES		24.96	3.52								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)		NTCVG	URES		26.44	5.01								
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCVG	UREWO		87.72	36.36								
	Loop Tagging - Service Level 2 (SL2)		NTCVG	UREIL		11.21	1.10								
	4-WIRE ANALOG VOICE GRADE LOOP - COMMINGLING														
	4-Wire Analog Voice Grade Loop - Zone 1	1	NTCVG	UEAL4	29.26	164.11	112.36	78.91	18.66						
	4-Wire Analog Voice Grade Loop - Zone 2	2	NTCVG	UEAL4	34.25	164.11	112.36	78.91	18.66						
	4-Wire Analog Voice Grade Loop - Zone 3	3	NTCVG	UEAL4	85.06	164.11	112.36	78.91	18.66						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)		NTCVG	URES		24.96	3.52								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)		NTCVG	URES		26.44	5.01								
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCVG	UREWO		87.72	36.36								
	4-WIRE DS1 DIGITAL LOOP - COMMINGLING														
	4-Wire DS1 Digital Loop - Zone 1	1	NTCD1	USLXX	86.47	306.69	174.44	65.83	14.55						
	4-Wire DS1 Digital Loop - Zone 2	2	NTCD1	USLXX	114.10	306.69	174.44	65.83	14.55						
	4-Wire DS1 Digital Loop - Zone 3	3	NTCD1	USLXX	297.76	306.69	174.44	65.83	14.55						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1)		NTCD1	URES		24.96	3.52								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS1)		NTCD1	URES		26.44	5.01								
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCD1	UREWO		101.09	43.04								
	4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP - COMMINGLING														
	4-Wire Unbundled Digital Loop 2.4 Kbps - Zone 1	1	NTCUD	UDL2X	27.59	157.81	106.06	78.91	18.66						
	4-Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	2	NTCUD	UDL2X	32.48	157.81	106.06	78.91	18.66						
	4-Wire Unbundled Digital Loop 2.4 Kbps - Zone 3	3	NTCUD	UDL2X	36.37	157.81	106.06	78.91	18.66						
	4-Wire Unbundled Digital Loop 4.8 Kbps - Zone 1	1	NTCUD	UDL4X	27.59	157.81	106.06	78.91	18.66						
	4-Wire Unbundled Digital Loop 4.8 Kbps - Zone 2	2	NTCUD	UDL4X	32.48	157.81	106.06	78.91	18.66						
	4-Wire Unbundled Digital Loop 4.8 Kbps - Zone 3	3	NTCUD	UDL4X	36.37	157.81	106.06	78.91	18.66						
	4-Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	1	NTCUD	UDL9X	27.59	157.81	106.06	78.91	18.66						
	4-Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	2	NTCUD	UDL9X	32.48	157.81	106.06	78.91	18.66						
	4-Wire Unbundled Digital Loop 9.6 Kbps - Zone 3	3	NTCUD	UDL9X	36.37	157.81	106.06	78.91	18.66						
	4-Wire Unbundled Digital Loop 19.2 Kbps - Zone 1	1	NTCUD	UDL19	27.59	157.81	106.06	78.91	18.66						
	4-Wire Unbundled Digital Loop 19.2 Kbps - Zone 2	2	NTCUD	UDL19	32.48	157.81	106.06	78.91	18.66						
	4-Wire Unbundled Digital Loop 19.2 Kbps - Zone 3	3	NTCUD	UDL19	36.37	157.81	106.06	78.91	18.66						
	4-Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	NTCUD	UDL56	27.59	157.81	106.06	78.91	18.66						
	4-Wire Unbundled Digital Loop 56 Kbps - Zone 2	2	NTCUD	UDL56	32.48	157.81	106.06	78.91	18.66						
	4-Wire Unbundled Digital Loop 56 Kbps - Zone 3	3	NTCUD	UDL56	36.37	157.81	106.06	78.91	18.66						
	4-Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	NTCUD	UDL64	27.59	157.81	106.06	78.91	18.66						
	4-Wire Unbundled Digital Loop 64 Kbps - Zone 2	2	NTCUD	UDL64	32.48	157.81	106.06	78.91	18.66						
	4-Wire Unbundled Digital Loop 64 Kbps - Zone 3	3	NTCUD	UDL64	36.37	157.81	106.06	78.91	18.66						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)		NTCUD	URES		24.96	3.52								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)		NTCUD	URES		26.44	5.01								
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCUD	UREWO		102.13	49.75								
	Order Coordination for Specified Conversion Time (per LSR)		NTCUD	OCOSL		23.01									
MAINTENANCE OF SERVICE															

UNBUNDLED NETWORK ELEMENTS - Kentucky										
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Att: 2 Exh: A
						Nonrecurring	Nonrecurring Disconnect	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st
						First Add'l	First Add'l	SOME	SOMAN	Incremental Charge - Manual Svc Order vs. Electronic-1st
						Rec				Incremental Charge - Manual Svc Order vs. Electronic-1st
										Incremental Charge - Manual Svc Order vs. Electronic-1st
				UDC, UEA, UDL, UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTCDD1, U1TD1, U1TD3, U1TDX, U1TS1, U1TVX, UDF, UDFCX, UDLX, U3, ULDD1, ULDD3, ULDDX, ULDS1, ULVDX, ULC1X, ULC3X, ULCDX, ULCX, ULCVX, ULS						
	Maintenance of Service Charge, Basic Time, per half hour				MVVT	80.00	55.00			
				UDC, UEA, UDL, UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTCDD1, U1TD1, U1TD3, U1TDX, U1TS1, U1TVX, UDF, UDFCX, UDLX, U3, ULDD1, ULDD3, ULDDX, ULDS1, ULVDX, ULC1X, ULC3X, ULCDX, ULCX, ULCVX, ULS						
	Maintenance of Service Charge, Overtime, per half hour				MVVT	90.00	65.00			
				UDC, UEA, UDL, UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTCDD1, U1TD1, U1TD3, U1TDX, U1TS1, U1TVX, UDF, UDFCX, UDLX, U3, ULDD1, ULDD3, ULDDX, ULDS1, ULVDX, ULC1X, ULC3X, ULCDX, ULCX, ULCVX, ULS						
	Maintenance of Service Charge, Premium, per half hour				MVVT	100.00	75.00			
LOOP MODIFICATION										
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18K ft, per Unbundled Loop			UEANL, UEL, UEP, UEPB	ULM2L	9.24	9.24			
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop				ULM4L	9.24	9.24			
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UEANL, UEL, UEP, UEPB	ULMBT	10.47	10.47			
SUB-LOOPS										
	Sub-Loop Distribution									
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up			UEANL, UEL, UEP, UEPB	USBSA	207.91	207.91			
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL, UEL, UEP, UEPB	USBSB	12.50	12.50			
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up			UEANL, UEL, UEP, UEPB	USBSC	80.87	80.87			
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up			UEANL, UEL, UEP, UEPB	USBSD	45.04	45.04			

UNBUNDLED NETWORK ELEMENTS - Kentucky											Att: 2 Exh: A						
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
						Rec	Nonrecurring		Nonrecurring Disconnect			SOMEc	SOMAN	SOMAN	SOMAN		
							First	Add'l									First
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1				USBN2	6.34	85.03	39.05	59.81	7.90							
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		1	UEANL	USBN2	9.06	85.03	39.05	59.81	7.90							
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3		2	UEANL	USBN2	14.82	85.03	39.05	59.81	7.90							
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		3	UEANL	USBN2												
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1			UEANL	USBN4	8.14	102.31	56.32	65.24	10.88							
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		1	UEANL	USBN4	8.63	102.31	56.32	65.24	10.88							
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		2	UEANL	USBN4	25.60	102.31	56.32	65.24	10.88							
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		3	UEANL	USBN4												
	Sub-Loop 2-Wire IntraBuilding Network Cable (INC)			UEANL	USBN2	2.57	66.35	22.36	59.81	7.90							
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBN2												
	Sub-Loop 4-Wire IntraBuilding Network Cable (INC)			UEANL	USBN4	4.98	76.49	30.51	65.24	10.88							
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBN4												
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		9.00	9.00									
	Loop Testing - Basic Additional Half Hour			UEANL	URET1		46.88	0.00									
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEANL	URET1	24.16	24.16	24.16									
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		1	UEF	UCS2X	5.45	85.03	39.05	59.81	7.90							
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X	7.06	85.03	39.05	59.81	7.90							
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	9.67	85.03	39.05	59.81	7.90							
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBN4		9.00	9.00									
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS4X	7.09	102.31	56.32	65.24	10.88							
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	8.66	102.31	56.32	65.24	10.88							
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS4X	19.40	102.31	56.32	65.24	10.88							
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X												
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBN4		9.00	9.00									
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-Designed and Distribution Subloops			UEF, UEANL	URETL		8.93	0.88									
	Loop Testing - Basic 1st Half Hour			UEF	URET1		46.88	0.00									
	Loop Testing - Basic Additional Half Hour			UEF	URET1		24.16	24.16									
	Unbundled Sub-Loop Modification																
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load																
	Coil/Equip Removal per 2-W PR			UEF	ULMPX		5.23	5.23									
	Unbundled Sub-loop Modification - 4-W Copper Dist Load			UEF	ULMAX												
	Coil/Equip Removal per 4-W PR			UEF	ULMAX		5.23	5.23									
	Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop			UEF	ULMBT		7.97	7.97									
	Unbundled Network Terminating Wire (UNTW)																
	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.53	23.51	23.51									
	Network Interface Device (NID)																
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		73.53	49.47									
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		115.96	91.91									
	Network Interface Device Cross Connect - 2 W			UENTW	UND2C		8.56	8.56									
	Network Interface Device Cross Connect - 4W			UENTW	UND4C		8.56	8.56									
	UNE OTHER, PROVISIONING ONLY - NO RATE																
	UAL UCL UDC, UDL UDN, UEA, UHL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD, USL, NTCDD1, USL, NTCDD1																
	Unbundled Contact Name, Provisioning Only - no rate				UNEEN	0.00	0.00										
	Unbundled DS1 Loop - Superframe Format Option - no rate				CCOSF												
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate				CCOEF												
	NID - Dispatch and Service Order for NID Installation				USL, NTCDD1												
	UNTW Circuit Establishment, Provisioning Only - No Rate				UENTW	0.00	0.00										
	UNTW Circuit Establishment, Provisioning Only - No Rate				UENCE	0.00	0.00										

UNBUNDLED NETWORK ELEMENTS - Kentucky											Alt: 2 Exh. A	
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)			Nonrecurring Disconnect	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st
					Rec	First	Add'l	First	SOME C	SOMAN	SOMAN	SOMAN
LOOP MAKE-UP												
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).					23.40	23.40					
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).		UMKLW									
	Loop Makeup - With or Without Reservation, per working or spare facility queried (Mechanized)		UMKLP			24.85	24.85					
			UMKMQ			0.67	0.67					
LINE SPLITTING												
END USER ORDERING-CENTRAL OFFICE BASED												
	Line Splitting - per line activation DLEC owned splitter		UEPSR UEPSB	UREOS	0.61							
	Line Splitting - per line activation BST owned - physical		UREBP		0.61	37.02	21.20	21.10			9.87	
	Line Splitting - per line activation BST owned - virtual		UEPSR UEPSB	UREBV	0.61	37.02	21.20	21.10			9.87	
END USER ORDERING - REMOTE SITE LINE SPLITTING												
	Remote Site Shared Loop Line Activation for End Users - CLEC Owned Splitter											
	Remote Site Shared Loop - Subsequent Activity - CLEC Owned Splitter		UEPSR UEPSB	URERS	0.61	56.73	22.96	7.20			7.20	
			UEPSR UEPSB	URERA		53.73	21.31					
UNBUNDLED EXCHANGE ACCESS LOOP												
2-WIRE ANALOG VOICE GRADE LOOP												
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1	1	UEPSR UEPSB	UEALS	10.56	46.66	22.57	26.65			7.65	
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1	1	UEPSR UEPSB	UEABS	10.56	46.66	22.57	26.65			7.65	
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 2	2	UEPSR UEPSB	UEALS	15.34	46.66	22.57	26.65			7.65	
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 2	2	UEPSR UEPSB	UEABS	15.34	46.66	22.57	26.65			7.65	
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3	3	UEPSR UEPSB	UEALS	31.11	46.66	22.57	26.65			7.65	
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3	3	UEPSR UEPSB	UEABS	31.11	46.66	22.57	26.65			7.65	
	Remote Site 2 Wire Analog Voice Grade Loop - Service Level 1-Line Splitting - CLEC Owned Splitter - Zone 1	1	UEPSR UEPSB	UEARS	6.34	85.03	39.05	59.81			7.90	
	Remote Site 2 Wire Analog Voice Grade Loop - Service Level 1-Line Splitting - CLEC Owned Splitter - Zone 2	2	UEPSR UEPSB	UEARS	9.06	85.03	39.05	59.81			7.90	
	Remote Site 2 Wire Analog Voice Grade Loop - Service Level 1-Line Splitting - CLEC Owned Splitter - Zone 3	3	UEPSR UEPSB	UEARS	14.82	85.03	39.05	59.81			7.90	
PHYSICAL COLLOCATION												
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting		UEPSR UEPSB	PE/LS	0.0333	24.68	23.68	12.14			10.95	
VIRTUAL COLLOCATION												
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting		UEPSR UEPSB	VE/LS								
UNBUNDLED DEDICATED TRANSPORT												
INTEROFFICE CHANNEL - DEDICATED TRANSPORT												
	Interoffice Channel - 2-Wire Voice Grade - per mile		UITVX	1L5XX	0.01							
	Interoffice Channel - 2-Wire Voice Grade - Facility Termination		UITVX	1L5XX	29.11	47.34	31.78	22.77			8.75	
	Interoffice Channel - 2-Wire Voice Grade Rev Bat. - per mile		UITVX	1L5XX	0.01							
	Interoffice Channel - 2-Wire VG Rev Bat. - Facility Termination		UITVX	1L5XX	29.11	47.34	31.78	22.77			8.75	
	Interoffice Channel - 4-Wire Voice Grade - per mile		UITVX	1L5XX	0.01							
	Interoffice Channel - 4-Wire Voice Grade - Facility Termination		UITVX	1L5XX	25.86	47.34	31.78	22.77			8.75	
	Interoffice Channel - 56 kbps - per mile		UITDX	1L5XX	0.0115							
	Interoffice Channel - 56 kbps - Facility Termination		UITDX	1L5XX	20.97	47.34	31.78	22.77			8.75	
	Interoffice Channel - 64 kbps - per mile		UITDX	1L5XX	0.0115							
	Interoffice Channel - 64 kbps - Facility Termination		UITDX	1L5XX	20.97	47.34	31.78	22.77			8.75	
	Interoffice Channel - DS1 - per mile		UITD1	1L5XX	0.23							
	Interoffice Channel - DS1 - Facility Termination		UITD1	1L5XX	96.04	105.52	98.46	23.09			20.49	
	Interoffice Channel - DS3 - per mile		UITD3	1L5XX	4.97							
	Interoffice Channel - DS3 - Facility Termination		UITD3	1L5XX	1,175.15	335.40	219.24	89.57			87.75	
	Interoffice Channel - STS-1 - per mile		UITS1	1L5XX	4.97							
	Interoffice Channel - STS-1 - Facility Termination		UITS1	1L5XX	1,149.51	335.40	219.24	89.57			87.75	
UNBUNDLED DARK FIBER												

UNBUNDLED NETWORK ELEMENTS - Kentucky													Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st		
					Rec	Nonrecurring Add'l	Nonrecurring First	Nonrecurring Disconnect Add'l								
	Voice Grade COCI in combination		UNCVX	1D1VG	0.6228	6.71	4.84									
	Voice Grade COCI - for 2W-SL2 & 4W Voice Grade Local Loop		UEA	1D1VG	0.6228	6.71	4.84									
	Voice Grade COCI - for connection to a channelized DS1 Local Channel in the same SWC as collocation		U1TUC	1D1VG	0.6228	6.71	4.84									
	OCULDP COCI (2.4-64Kbs) in combination		UNCDX	1D1DD	1.32	6.71	4.84									
	OCULDP COCI (2.4-64Kbs) - for Unbundled Digital Loop		UDL	1D1DD	1.32	6.71	4.84									
	OCULDP COCI (2.4-64Kbs) - for connection to a channelized DS1 Local Channel in the same SWC as collocation		U1TUD	1D1DD	1.32	6.71	4.84									
	2-wire ISDN COCI (BRITE) in combination		UNCNX	UC1CA	2.84	6.71	4.84									
	2-wire ISDN COCI (BRITE) - for a Local Loop		UDN	UC1CA	2.84	6.71	4.84									
	2-wire ISDN COCI (BRITE) - for connection to a channelized DS1 Local Channel in the same SWC as collocation		U1TUB	UC1CA	2.84	6.71	4.84									
	DS1 COCI in combination		UNC1X	UC1D1	11.80	6.71	4.84									
	DS1 COCI - for Stand Alone Local Channel		ULDD1	UC1D1	11.80	6.71	4.84									
	DS1 COCI - for Stand Alone Interoffice Channel		U1TD1	UC1D1	11.80	6.71	4.84									
	DS1 COCI - for DS1 Local Loop		USL, NTC01	UC1D1	11.80	6.71	4.84									
	DS1 COCI - for connection to a channelized DS1 Local Channel in the same SWC as collocation		U1TUA	UC1D1	11.80	6.71	4.84									
	Wholesale - UNE, Switch-As-is Conversion Charge		UNCVX, UNCDX, UNC1X, UNC3X, UNC5X, UDFCX, XDH1X, HFQC6, XDD2X, XDV6X, XDDFX, XDD4X, HFRST, UNC9X	UNCCC		8.98	8.98									
	Unbundled Misc Rate Element, SNE SAI, Single Network Element - Switch As-is Non-recurring Charge, per circuit (LSR)		U1TVX, U1TDX, U1TD1, U1TD3, U1TS1, UDF, UE3	URES		36.80	16.10									
	Unbundled Misc Rate Element, SNE SAI, Single Network Element - Switch As-is Non-recurring Charge, incremental charge per circuit on a spreadsheet		U1TVX, U1TDX, U1TD1, U1TD3, U1TS1, UDF, UE3	URES		1.49	1.49									
	Access to DCS - Customer Reconfiguration (FlexServ)															
	Customer Reconfiguration Establishment					1.63		2.03								
	DS1 DCS Termination with DSO Switching					25.69	32.88	21.09	15.88							
	DS1 DCS Termination with DS1 Switching					12.41	25.07	15.76	11.02							
	DS3 DCS Termination with DS1 Switching					154.20	32.88	23.58	15.88							
	Node (Synchronizer)															
	Node per month															
	Service Rearrangements															
	NRC - Change in Facility Assignment per circuit Service Rearrangement															
	NRC - Change in Facility Assignment per circuit Project Management (added to CPA per circuit if project managed)															
	NRC - Order Coordination Specific Time - Dedicated Transport															
	COMMINGLING															
	Commingling Authorization															
	Commingling (UNE part of single bandwidth circuit)															
	Commingling VG COCI															
	Commingling Digital COCI															

UNBUNDLED NETWORK ELEMENTS - Kentucky

UNBUNDLED NETWORK ELEMENTS - Kentucky																
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	Att: 2 Exh: A		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	
					Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First			Nonrecurring Disconnect Add'l	SOME				SOMAN
	Commingled ISDN COCI		XDDAX	UC1CA		2.84	6.71	4.84								
	Commingled 2-wire VG Interoffice Channel		XDV2X	UT1V2		23.95	98.09	56.31	22.42							
	Commingled 4-wire VG Interoffice Channel		XDV6X	UT1V4		21.28	98.09	56.31	22.42							
	Commingled 56kbps Interoffice Channel		XDDAX	UT1D5		20.97	98.09	56.31	22.42							
	Commingled 64kbps Interoffice Channel		XDDAX	UT1D6		17.25	98.09	56.31	22.42							
			XDV2X, XDV6X,													
	Commingled VG/DSO Interoffice Channel Mileage		XDDAX	1L5XX		0.01										
	Commingled 2-wire Local Loop Zone 1	1	XDV2X	UEAL2		12.67	125.22	60.48	59.69	7.84						
	Commingled 2-wire Local Loop Zone 2	2	XDV2X	UEAL2		17.45	125.22	60.48	59.69	7.84						
	Commingled 2-wire Local Loop Zone 3	3	XDV2X	UEAL2		33.22	125.22	60.48	59.69	7.84						
	Commingled 4-wire Local Loop Zone 1	1	XDV6X	UEAL4		29.26	125.22	60.48	59.69	7.84						
	Commingled 4-wire Local Loop Zone 2	2	XDV6X	UEAL4		34.25	125.22	60.48	59.69	7.84						
	Commingled 4-wire Local Loop Zone 3	3	XDV6X	UEAL4		85.06	125.22	60.48	59.69	7.84						
	Commingled 56kbps Local Loop Zone 1	1	XDDAX	UDL56		27.59	125.22	60.48	59.69	7.84						
	Commingled 56kbps Local Loop Zone 2	2	XDDAX	UDL56		32.48	125.22	60.48	59.69	7.84						
	Commingled 56kbps Local Loop Zone 3	3	XDDAX	UDL56		36.37	125.22	60.48	59.69	7.84						
	Commingled 64kbps Local Loop Zone 1	1	XDDAX	UDL64		27.59	125.22	60.48	59.69	7.84						
	Commingled 64kbps Local Loop Zone 2	2	XDDAX	UDL64		32.48	125.22	60.48	59.69	7.84						
	Commingled 64kbps Local Loop Zone 3	3	XDDAX	UDL64		36.37	125.22	60.48	59.69	7.84						
	Commingled ISDN Local Loop Zone 1	1	XDDAX	UT12X		18.44	125.22	60.48	59.69	7.84						
	Commingled ISDN Local Loop Zone 2	2	XDDAX	UT12X		25.08	125.22	60.48	59.69	7.84						
	Commingled ISDN Local Loop Zone 3	3	XDDAX	UT12X		42.87	125.22	60.48	59.69	7.84						
	Commingled DS1 COCI		XDH1X	UC1D1		11.80	6.71	4.84								
	Commingled DS1 Interoffice Channel		XDH1X	UT1F1		79.02	181.24	123.53	56.72	22.32						
	Commingled DS1 Interoffice Channel Mileage		XDH1X	1L5XX		0.19										
	Commingled DS1/DSO Channel System		XDH1X	MQ1		113.33	57.26	14.74	1.86	1.67						
	Commingled DS1 Local Loop Zone 1	1	XDH1X	USLXX		86.47	210.70	114.60	63.96	17.97						
	Commingled DS1 Local Loop Zone 2	2	XDH1X	USLXX		114.10	210.70	114.60	63.96	17.97						
	Commingled DS1 Local Loop Zone 3	3	XDH1X	USLXX		297.76	210.70	114.60	63.96	17.97						
	Commingled DS3 Local Loop		HFQ06	UESPX		308.31										
	Commingled DS3/STS-1 Local Loop Mileage		HFQ06, HFRST													
	Commingled STS-1 Local Loop		HFRST	UDL51		320.51	237.36	147.69	83.43	32.67						
	Commingled DS3/DS1 Channel System		HFQ06	MQ3		115.48	115.48	56.53	15.12	5.30						
	Commingled DS3 Interoffice Channel		HFQ06	UT1F3		966.89	350.56	141.58	48.00	23.39						
	Commingled DS3 Interoffice Channel Mileage		HFQ06	1L5XX		4.09										
	Commingled STS-1 Interoffice Channel		HFRST	UT1F5		945.79	350.56	141.58	48.00	23.39						
	Commingled STS-1 Interoffice Channel Mileage		HFRST	1L5XX		4.09										
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof		HEQDL	1L5DF		30.74										
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof		HEQDL	UDF14												
	UNE to Commingled Conversion Tracking		XDH1X, HFQ06			0.00	732.53	192.67	377.27	241.67						
	SPA to Commingled Conversion Tracking		XDH1X, HFQ06	CMGSP		0.00	0.00	0.00	0.00	0.00						
	LNP Query Service															
	LNP Change Per query					0.0008695										
	LNP Service Establishment Manual					13.82		13.82	12.71	12.71						
	LNP Service Provisioning with Point Code Establishment					953.27		487.00	431.95	317.61						
	911 PBX LOCATE															
	911 PBX LOCATE DATABASE CAPABILITY															
	Service Establishment per CLEC per End User Account		9PBDC	9PBEU			1,814.00									
	Charges to TN Range or Customer Profile		9PBDC	9PBTN			181.57									
	Per Telephone Number (Monthly)		9PBDC	9PBMM		0.07										
	Change Company (Service Provider) ID		9PBDC	9PBPC			533.00									
	PBX Locate Service Support per CLEC (Monthly)		9PBDC	9PBMR		179.88										
	Service Order Charge		9PBDC	9PBSC			7.86									
	911 PBX LOCATE TRANSPORT COMPONENT															
	See Att 3															
	Note: Rates displaying an "I" in Interim column are interim as a result of a Commission order.															

UNBUNDLED NETWORK ELEMENTS - Louisiana														Att: 2 Exh: A					
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted ELEC per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st			Incremental Charge - Manual Svc Order vs. Electronic-1st					
					Nonrecurring	Add'l	First	Add'l			Nonrecurring	First	Add'l	Nonrecurring	First	Add'l			
																	Rec	SOME	SOMAN
	Unbundled Non-Design Voice Loop, billing for BST providing make up (Engineering Information - E.I.)				UEANM														
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit				UEUWO														
	Bulk Migration, per 2 Wire Voice Loop-SL1				UREPN														
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL1				UREPM														
2-WIRE UNBUNDLED COPPER LOOP																			
	2-Wire Unbundled Copper Loop - Non-Design Zone 1	1	UEQ		UEQ2X														
	2-Wire Unbundled Copper Loop - Non-Design Zone 2	2	UEQ		UEQ2X														
	2-Wire Unbundled Copper Loop - Non-Design Zone 3	3	UEQ		UEQ2X														
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise				UEQ														
	Loop Testing - Basic 1st Half Hour				UEQ														
	Loop Testing - Basic Additional Half Hour				UEQ														
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Design (per loop)				UEQ														
	Unbundled Copper Loop - Non-Design, billing for BST providing make-up (Engineering Information - E.I.)				UEQ														
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit				UEQ														
	Bulk Migration, per 2 Wire UCL-ND				UEQ														
	Bulk Migration Order Coordination, per 2 Wire UCL-ND				UEQ														
UNBUNDLED EXCHANGE ACCESS LOOP																			
2-WIRE ANALOG VOICE GRADE LOOP																			
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1	1	UEA		UEAL2														
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2	2	UEA		UEAL2														
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3	3	UEA		UEAL2														
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1	1	UEA		UEAR2														
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2	2	UEA		UEAR2														
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	3	UEA		UEAR2														
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DSD)				URES														
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DSD)				URES														
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit				UREWO														
	Loop Tagging - Service Level 2 (SL2)				URETL														
	Bulk Migration, per 2 Wire Voice Loop-SL2				UREPN														
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL2				UREPM														
4-WIRE ANALOG VOICE GRADE LOOP																			
	4-Wire Analog Voice Grade Loop - Zone 1	1	UEA		UEAL4														
	4-Wire Analog Voice Grade Loop - Zone 2	2	UEA		UEAL4														
	4-Wire Analog Voice Grade Loop - Zone 3	3	UEA		UEAL4														
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DSD)				URES														
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DSD)				URES														
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit				UREWO														
2-WIRE ISDN DIGITAL GRADE LOOP																			
	2-Wire ISDN Digital Grade Loop - Zone 1	1	UDN		UIL2X														
	2-Wire ISDN Digital Grade Loop - Zone 2	2	UDN		UIL2X														
	2-Wire ISDN Digital Grade Loop - Zone 3	3	UDN		UIL2X														
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit				UREWO														
2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP																			
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1	1	UAL		UAL2X														

UNBUNDLED NETWORK ELEMENTS - Louisiana										Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
					Rec	Nonrecurring Add'l	Nonrecurring Disconnect First	Add'l					
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2	2	UAL	UAL2X	14.09	117.08	68.36						SOMAN
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3	3	UAL	UAL2X	15.75	117.08	68.36						
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1	1	UAL	UAL2W	12.29	92.83	56.02						
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2	2	UAL	UAL2W	14.09	92.83	56.02						
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3	3	UAL	UAL2W	15.75	92.83	56.02						
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UAL	UREWO		86.07	40.34						
2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1	1	UHL	UHL2X	9.79	125.50	76.77						
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2	2	UHL	UHL2X	11.52	125.50	76.77						
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3	3	UHL	UHL2X	12.74	125.50	76.77						
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	UHL	UHL2W	9.79	101.24	64.43						
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	2	UHL	UHL2W	11.52	101.24	64.43						
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	3	UHL	UHL2W	12.74	101.24	64.43						
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UHL	UREWO		86.00	40.34						
4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1	1	UHL	UHL4X	16.24	153.26	104.54						
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2	2	UHL	UHL4X	16.65	153.26	104.54						
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3	3	UHL	UHL4X	17.34	153.26	104.54						
	4 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	UHL	UHL4W	16.24	129.00	92.20						
	4 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	2	UHL	UHL4W	16.65	129.00	92.20						
	4 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	3	UHL	UHL4W	17.34	129.00	92.20						
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UHL	UREWO		86.00	40.34						
4-WIRE DS1 DIGITAL LOOP													
	4-Wire DS1 Digital Loop - Zone 1	1	USL	USLXX	85.70	245.16	152.98						
	4-Wire DS1 Digital Loop - Zone 2	2	USL	USLXX	194.96	245.16	152.98						
	4-Wire DS1 Digital Loop - Zone 3	3	USL	USLXX	491.94	245.16	152.98						
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DS1)		USL	URES		24.98	3.52						
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DS1)		USL	URES		26.47	5.01						
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		USL	UREWO		100.93	42.98						
4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP													
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1	1	UDL	UDL2X	30.99	121.86	85.48						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	2	UDL	UDL2X	36.78	121.86	85.48						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3	3	UDL	UDL2X	38.92	121.86	85.48						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1	1	UDL	UDL4X	30.99	121.86	85.48						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2	2	UDL	UDL4X	36.78	121.86	85.48						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3	3	UDL	UDL4X	38.92	121.86	85.48						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	1	UDL	UDL9X	30.99	121.86	85.48						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	2	UDL	UDL9X	36.78	121.86	85.48						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3	3	UDL	UDL9X	38.92	121.86	85.48						
	4 Wire Unbundled Digital Loop 19.2 Kbps - Zone 1	1	UDL	UDL19	30.99	121.86	85.48						
	4 Wire Unbundled Digital Loop 19.2 Kbps - Zone 2	2	UDL	UDL19	36.78	121.86	85.48						

UNBUNDLED NETWORK ELEMENTS - Louisiana

UNBUNDLED NETWORK ELEMENTS - Louisiana																
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	Att: 2 Exh: A			Incremental Charge - Manual Svc Order vs. Electronic- Disc Add1	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add1	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add1
					Nonrecurring		Disconnect				OSS Rates(\$)					
					Rec	First	First	Add1				SOME	SOMAN			
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3	3	UDL	UDL19	38.92	121.86	85.48									
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	UDL	UDL56	30.99	121.86	85.48									
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	2	UDL	UDL56	36.78	121.86	85.48									
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	3	UDL	UDL56	38.92	121.86	85.48									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	UDL	UDL64	30.99	121.86	85.48									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	2	UDL	UDL64	36.78	121.86	85.48									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	3	UDL	UDL64	38.92	121.86	85.48									
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS9)		UDL	URES		24.98	3.52									
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS9)		UDL	URES		26.47	5.01									
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UDL	UREWO		101.97	49.67									
	2-WIRE UNBUNDLED COPPER LOOP															
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1	1	UCL	UCLPB	12.29	116.18	67.46									
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2	2	UCL	UCLPB	14.09	116.18	67.46									
	2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3	3	UCL	UCLPB	15.75	116.18	67.46									
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1	UCL	UCLPW	12.29	91.92	55.12									
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	2	UCL	UCLPW	14.09	91.92	55.12									
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	3	UCL	UCLPW	15.75	91.92	55.12									
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		7.92	7.92									
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UCL	UREWO		91.92	42.47									
	4-WIRE COPPER LOOP															
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1	1	UCL	UCL4S	22.27	139.69	90.96									
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2	2	UCL	UCL4S	18.95	139.69	90.96									
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3	3	UCL	UCL4S	10.99	139.69	90.96									
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1	UCL	UCL4W	22.27	115.43	78.63									
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	2	UCL	UCL4W	18.95	115.43	78.63									
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	3	UCL	UCL4W	10.99	115.43	78.63									
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		7.92	7.92									
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UCL	UREWO		91.92	42.47									
	Order Coordination for Specified Conversion Time (per LSR)		UEA, UDN, UAL, UHL, UDL, USL	OCOSL		17.56										
	Rearrangements															
	EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop-SL2		UEA	UREEL		87.59	36.30									
	EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop		UEA	UREEL		87.59	36.30									
	EEL to UNE-L Retermination, per 2 Wire ISDN Loop		UDN	UREEL		91.49	44.09									
	EEL to UNE-L Retermination, per 4 Wire Unbundled Digital Loop		UDL	UREEL		101.97	49.67									
	EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop		USL	UREEL		100.93	42.98									
	UNE LOOP COMMINGLING															
	2-WIRE ANALOG VOICE GRADE LOOP - COMMINGLING															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1	1	NTCVG	UEAL2	14.93	102.10	65.72									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2	2	NTCVG	UEAL2	25.35	102.10	65.72									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3	3	NTCVG	UEAL2	50.46	102.10	65.72									

UNBUNDLED NETWORK ELEMENTS - Louisiana										Att: 2 Exh: A				
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
					Rec	Nonrecurring		Nonrecurring Disconnect						
						First	Add'l	First						Add'l
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1	1	NTCVG	UEAR2	14.93	102.10	65.72							
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2	2	NTCVG	UEAR2	25.35	102.10	65.72							
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	3	NTCVG	UEAR2	50.46	102.10	65.72							
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DSU)		NTCVG	URES		24.98	3.52							
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DSU)		NTCVG	URES		26.47	5.01							
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCVG	UREWO		87.59	36.30							
	Loop, Tagging - Service Level 2 (SL2)		NTCVG	URETL		11.20	1.10							
4-WIRE ANALOG VOICE GRADE LOOP														
	4-Wire Analog Voice Grade Loop - Zone 1	1	NTCVG	UEAL4	30.81	127.40	91.02	0.00						
	4-Wire Analog Voice Grade Loop - Zone 2	2	NTCVG	UEAL4	38.32	127.40	91.02	0.00						
	4-Wire Analog Voice Grade Loop - Zone 3	3	NTCVG	UEAL4	60.39	127.40	91.02	0.00						
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DSU)		NTCVG	URES		24.98	3.52							
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DSU)		NTCVG	URES		26.47	5.01							
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCVG	UREWO		87.59	36.30							
4-WIRE DS1 DIGITAL LOOP														
	4-Wire DS1 Digital Loop - Zone 1	1	NTCD1	USLXX	85.70	245.16	152.98							
	4-Wire DS1 Digital Loop - Zone 2	2	NTCD1	USLXX	194.96	245.16	152.98							
	4-Wire DS1 Digital Loop - Zone 3	3	NTCD1	USLXX	491.94	245.16	152.98							
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DS1)		NTCD1	URES		24.98	3.52							
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DS1)		NTCD1	URES		26.47	5.01							
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCD1	UREWO		100.93	42.98							
4-WIRE 19.2, 56 OR 64 Kbps DIGITAL GRADE LOOP														
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1	1	NTCUD	UDL2X	30.99	121.86	85.48							
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	2	NTCUD	UDL2X	36.78	121.86	85.48							
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3	3	NTCUD	UDL2X	38.92	121.86	85.48							
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1	1	NTCUD	UDL4X	30.99	121.86	85.48							
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2	2	NTCUD	UDL4X	36.78	121.86	85.48							
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3	3	NTCUD	UDL4X	38.92	121.86	85.48							
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	1	NTCUD	UDL9X	30.99	121.86	85.48							
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	2	NTCUD	UDL9X	36.78	121.86	85.48							
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3	3	NTCUD	UDL9X	38.92	121.86	85.48							
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1	1	NTCUD	UDL19	30.99	121.86	85.48							
	4 Wire Unbundled Digital 19.2 Kbps - Zone 2	2	NTCUD	UDL19	36.78	121.86	85.48							
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3	3	NTCUD	UDL19	38.92	121.86	85.48							
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	NTCUD	UDL56	30.99	121.86	85.48							
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	2	NTCUD	UDL56	36.78	121.86	85.48							
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	3	NTCUD	UDL56	38.92	121.86	85.48							
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	NTCUD	UDL64	30.99	121.86	85.48							
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	2	NTCUD	UDL64	36.78	121.86	85.48							
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	3	NTCUD	UDL64	38.92	121.86	85.48							
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DSU)		NTCUD	URES		24.98	3.52							
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DSU)		NTCUD	URES		26.47	5.01							
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCUD	UREWO		101.97	49.67							
	Order Coordination for Specified Conversion Time (per LSR)		NTCD1	OCOSL		17.56								
MAINTENANCE OF SERVICE														

UNBUNDLED NETWORK ELEMENTS - Louisiana										Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted ELEC per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l
					Nonrecurring	First	Rec	Nonrecurring	First	Disconnect	First	Disconnect	First
LOOP MAKE-UP													
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).					23.29							
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).		UMKLW			23.29							
	Loop Makeup - With or Without Reservation, per working or spare facility queried (Mechanized)		UMKLP			24.70							
			UMKMQ			0.19							
LINE SPLITTING													
END USER ORDERING-CENTRAL OFFICE BASED													
	Line Splitting - per line activation CLEC owned splitter		UEPSR UEPSB	UREOS			0.61						
	Line Splitting - per line activation BST owned - physical		UEPSR UEPSB	UREBP		17.97			10.29				
	Line Splitting - per line activation BST owned - virtual		UEPSR UEPSB	UREBV		17.97			10.29				
END USER ORDERING - REMOTE SITE LINE SPLITTING													
	Remote Site Shared Loop Line Activation for End Users - CLEC Owned Splitter												
	Remote Site Shared Loop - Subsequent Activity - CLEC Owned Splitter		UEPSR UEPSB	URERS		56.83	0.61		23.00	7.19			
			UEPSR UEPSB	URERA		53.82			21.35				
UNBUNDLED EXCHANGE/ACCESS LOOP													
2-WIRE ANALOG VOICE GRADE LOOP													
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1	1	UEPSR UEPSB	UEALS		36.54	12.90		16.87	0.00			
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1	1	UEPSR UEPSB	UEABS		36.54	12.90		16.87	0.00			
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 2	2	UEPSR UEPSB	UEALS		36.54	23.33		16.87	0.00			
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 2	2	UEPSR UEPSB	UEABS		36.54	23.33		16.87	0.00			
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3	3	UEPSR UEPSB	UEALS		36.54	48.43		16.87	0.00			
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3	3	UEPSR UEPSB	UEABS		36.54	48.43		16.87	0.00			
	Remote Site 2 Wire Analog Voice Grade Loop - Service Level 1-Line Splitting - CLEC Owned Splitter - Zone 1	1	UEPSR UEPSB	UEARS		63.89	7.57		30.06	0.00			
	Remote Site 2 Wire Analog Voice Grade Loop - Service Level 1-Line Splitting - CLEC Owned Splitter - Zone 2	2	UEPSR UEPSB	UEARS		63.89	12.75		30.06	0.00			
	Remote Site 2 Wire Analog Voice Grade Loop - Service Level 1-Line Splitting - CLEC Owned Splitter - Zone 3	3	UEPSR UEPSB	UEARS		63.89	21.45		30.06	0.00			
PHYSICAL COLLOCATION													
	Physical Collocation-2 Wire Cross Connects (loop) for Line Splitting		UEPSR UEPSB	PEILS		11.94	0.0318		11.46	0.00			
VIRTUAL COLLOCATION													
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting		UEPSR UEPSB	VEILS		11.94	0.0296		11.46	0.00			
UNBUNDLED DEDICATED TRANSPORT													
INTEROFFICE CHANNEL - DEDICATED TRANSPORT													
	Interoffice Channel - 2-Wire Voice Grade - per mile		U1TVX	1L5XX		39.36	0.013		26.62				
	Interoffice Channel - 2-Wire Voice Grade - Facility Termination		U1TVX	U1TV2									
	Interoffice Channel - 2-Wire Voice Grade Rev Bat. - per mile		U1TVX	1L5XX		39.36	0.013		26.62				
	Interoffice Channel - 2-Wire VG Rev Bat. - Facility Termination		U1TVX	U1TR2		39.36	22.60		26.62				
	Interoffice Channel - 4-Wire Voice Grade - per mile		U1TVX	1L5XX		39.36	0.013		26.62				
	Interoffice Channel - 4-Wire Voice Grade - Facility Termination		U1TVX	U1TV4		39.36	19.81		26.62				
	Interoffice Channel - 56 kbps - per mile		U1TDX	1L5XX		39.36	0.013		26.62				
	Interoffice Channel - 56 kbps - Facility Termination		U1TDX	U1TD5		39.36	15.61		26.62				
	Interoffice Channel - 64 kbps - per mile		U1TDX	1L5XX		39.36	0.013		26.62				
	Interoffice Channel - 64 kbps - Facility Termination		U1TDX	U1TD6		39.36	15.61		26.62				
	Interoffice Channel - DS1 - per mile		U1TD1	1L5XX		86.69	0.2652		79.44				
	Interoffice Channel - DS1 - Facility Termination		U1TD1	U1TD1		86.69	70.47		158.05				
	Interoffice Channel - DS3 - per mile		U1TD3	1L5XX		270.69	6.04		158.05				
	Interoffice Channel - DS3 - Facility Termination		U1TD3	U1TF3		270.69	850.45		158.05				
	Interoffice Channel - STS-1 - per mile		U1TS1	1L5XX		270.69	6.04		158.05				
	Interoffice Channel - STS-1 - Facility Termination		U1TS1	U1TFS		270.69	830.19		158.05				
UNBUNDLED DARK FIBER													

UNBUNDLED NETWORK ELEMENTS - Louisiana										Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elic per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st
					Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	SOME	SOMAN	OSS Rates(\$)	SOMAN	SOMAN
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof			115DF	25.28								
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof			UDF, UDFCX									
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof			UDF, UDFCX		620.60	133.88						
HIGH CAPACITY UNBUNDLED LOCAL LOOP - Stand Alone													
	DS3 Unbundled Local Loop - per mile			115ND	10.04								
	DS3 Unbundled Local Loop - Facility Termination			UE3PX	362.34	438.46	256.30						
	STS-1 Unbundled Local Loop - per mile			115ND	10.04								
	STS-1 Unbundled Local Loop - Facility Termination			UDLS1	374.56	438.46	256.30						
ENHANCED EXTENDED LINK (EELS)													
Network Elements Used in Combinations													
	2-Wire VG Loop (SL2) in Combination - Zone 1	1	UNCVX	UEAL2	14.93	94.21	45.09						
	2-Wire VG Loop (SL2) in Combination - Zone 2	2	UNCVX	UEAL2	25.35	94.21	45.09						
	2-Wire VG Loop (SL2) in Combination - Zone 3	3	UNCVX	UEAL2	50.46	94.21	45.09						
	4-Wire Analog Voice Grade Loop in Combination - Zone 1	1	UNCVX	UEAL4	30.81	94.21	45.09						
	4-Wire Analog Voice Grade Loop in Combination - Zone 2	2	UNCVX	UEAL4	36.32	94.21	45.09						
	4-Wire Analog Voice Grade Loop in Combination - Zone 3	3	UNCVX	UEAL4	60.39	94.21	45.09						
	2-Wire ISDN Loop in Combination - Zone 1	1	UNCNXX	U112X	22.09	94.21	45.09						
	2-Wire ISDN Loop in Combination - Zone 2	2	UNCNXX	U112X	35.28	94.21	45.09						
	2-Wire ISDN Loop in Combination - Zone 3	3	UNCNXX	U112X	65.18	94.21	45.09						
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	1	UNCNXX	UD156	30.99	94.21	45.09						
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	2	UNCNXX	UD156	36.78	94.21	45.09						
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	3	UNCNXX	UD156	38.92	94.21	45.09						
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	1	UNCNXX	UD164	30.99	94.21	45.09						
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2	2	UNCNXX	UD164	36.78	94.21	45.09						
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	3	UNCNXX	UD164	38.92	94.21	45.09						
	4-Wire DS1 Digital Loop in Combination - Zone 1	1	UNC1X	USLXX	85.70	169.22	100.89						
	4-Wire DS1 Digital Loop in Combination - Zone 2	2	UNC1X	USLXX	194.96	169.22	100.89						
	4-Wire DS1 Digital Loop in Combination - Zone 3	3	UNC1X	USLXX	491.94	169.22	100.89						
	DS3 Local Loop in combination - per mile		UNC3X	115ND	10.04								
	DS3 Local Loop in combination - Facility Termination		UNC3X	UE3PX	362.34	188.45	125.51						
	STS-1 Local Loop in combination - per mile		UNC3X	115ND	10.04								
	STS-1 Local Loop in combination - Facility Termination		UNC3X	UDLS1	374.56	188.45	125.51						
	Interoffice Channel in combination - 2-wire VG - per mile		UNCVX	115XX	0.013								
	Interoffice Channel in combination - 2-wire VG - Facility Termination		UNCVX	U1TV2	22.60	72.60	41.75						
	Interoffice Channel in combination - 4-wire VG - per mile		UNCVX	115XX	0.013								
	Interoffice Channel in combination - 4-wire VG - Facility Termination		UNCVX	U1TV4	19.81	72.60	41.75						
	Interoffice Channel in combination - 4-wire 56 kbps - per mile		UNCNXX	115XX	0.013								
	Interoffice Channel in combination - 4-wire 56 kbps - Facility Termination		UNCNXX	U1TD5	15.61	72.60	41.75						
	Interoffice Channel in combination - 4-wire 64 kbps - per mile		UNCNXX	115XX	0.013								
	Interoffice Channel in combination - 4-wire 64 kbps - Facility Termination		UNCNXX	U1TD6	15.61	72.60	41.75						
	Interoffice Channel in combination - DS1 - per mile		UNC1X	115XX	0.2652								
	Interoffice Channel in combination - DS1 Facility Termination		UNC1X	U1TF1	70.47	143.58	103.88						
	Interoffice Channel in combination - DS3 - per mile		UNC3X	115XX	6.04								
	Interoffice Channel in combination - DS3 - Facility Termination		UNC3X	U1TF3	850.45	296.68	121.16						
	Interoffice Channel in combination - STS-1 - per mile		UNC3X	115XX	6.04								
	Interoffice Channel in combination - STS-1 Facility Termination		UNC3X	U1TF5	830.19	296.68	121.16						
ADDITIONAL NETWORK ELEMENTS													
Optional Features & Functions:													
	Clear Channel Capability Extended Frame Option - per DS1	I	U1TD1, ULDD1, UNC1X	CCOEF		0.00	0.00	0.00					
	Clear Channel Capability Super Frame Option - per DS1	I	U1TD1, ULDD1, UNC1X	CCOSF		0.00	0.00	0.00					
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	I	ULDD1, U1TD1, UNC1X, USL	NRCCC		184.65	23.79	1.97					
	C-bit Parity Option - Subsequent Activity - per DS3	I	U1TD3, ULDD3, UE3, UNC3X	NRCC3		218.78	7.66	0.7263					
	DS1/DS0 Channel System		UNC1X	MO1	105.09	59.97	12.96						
	DS3/DS1 Channel System		UNC3X, UNC3X	MO3	201.48	107.05	48.07						

UNBUNDLED NETWORK ELEMENTS - Louisiana														Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted ELEC per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l				
					Nonrecurring		Disconnect First	Add'l									
					Rec	First											
	Voice Grade COCI in combination		UNCVX	1D1VG	0.6497	5.91	4.26										
	Voice Grade COCI - for 2W-SL2 & 4W Voice Grade Local Loop		UEA	1D1VG	0.6497	5.91	4.26										
	Voice Grade COCI - for connection to a channelized DS1 Local Channel in the same SWC as collocation		U1TUC	1D1VG	0.6497	5.91	4.26										
	OCU-DP COCI (2.4-64Kbs) in combination		UNCDX	1D1DD	1.38	5.91	4.26										
	OCU-DP COCI (2.4-64Kbs) - for Unbundled Digital Loop		UDL	1D1DD	1.38	5.91	4.26										
	OCU-DP COCI (2.4-64Kbs) - for connection to a channelized DS1 Local Channel in the same SWC as collocation		U1TUD	1D1DD	1.38	5.91	4.26										
	2-wire ISDN COCI (BRITE) in combination		UNCNX	UC1CA	2.96	6.39	4.58										
	2-wire ISDN COCI (BRITE) - for a Local Loop		UDN	UC1CA	2.96	6.39	4.58										
	2-wire ISDN COCI (BRITE) - for connection to a channelized DS1 Local Channel in the same SWC as collocation		U1TUB	UC1CA	2.96	6.39	4.58										
	DS1 COCI in combination		UNC1X	UC1D1	11.78	5.91	4.26										
	DS1 COCI - for Stand Alone Local Channel		ULDD1	UC1D1	11.78	5.91	4.26										
	DS1 COCI - for Stand Alone Interoffice Channel		U1TD1	UC1D1	11.78	5.91	4.26										
	DS1 COCI - for DS1 Local Loop		USL, NTCD1	UC1D1	11.78	5.91	4.26										
	DS1 COCI - for connection to a channelized DS1 Local Channel in the same SWC as collocation		U1TUA	UC1D1	11.78	5.91	4.26										
	Wholesale - UNE, Switch-As-is Conversion Charge		UNCVX, UNCDX, UNC1X, UNC3X, UNCSX, UDFCX, XDH1X, HFQC6, XDD2X, XDV6X, XDDFX, XDD4X, HFRST, UNCNCX	UNCCC		5.43	5.43										
	Unbundled Misc Rate Element, SNE SAI, Single Network Element - Switch As-is Non-recurring Charge, per circuit (LSR)	I	U1TD1, U1TDX, U1TS1, UDF, UE3	UPRESL		36.83	16.12										
	Unbundled Misc Rate Element, SNE SAI, Single Network Element - Switch As-is Non-recurring Charge, incremental charge per circuit on a spreadsheet	I	U1TVX, U1TDX, U1TD1, U1TD3, U1TS1, UDF, UE3	URES P		1.49	1.49										
Access to DCS - Customer Reconfiguration (FlexServ)																	
	Customer Reconfiguration Establishment					1.43											
	DS1 DCS Termination with DS0 Switching					19.58	24.81	19.09									
	DS1 DCS Termination with DS1 Switching					10.95	17.93	12.22									
	DS3 DCS Termination with DS1 Switching					149.41	24.81	19.09									
Node (Synchronous)																	
	Node per month		UNCDX	UNCNT		15.43											
Service Rearrangements																	
	NRC - Change in Facility Assignment per circuit Service Rearrangement	I	U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, ULDDX, ULDDX, UNCVX, UNCDX, UNC1X	URETD		100.93	42.98										
	NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed)	I	U1TUC, U1TUD, U1TUB, ULDDX, ULDDX, UNCVX, UNCDX, UNC1X	URETB		3.67	3.67										
	NRC - Order Coordination Specific Time - Dedicated Transport	I	UNC1X, UNC3X	OCOSR		18.85	18.85										
COMMINGLING																	
	Commingling Authorization		UNCVX, UNCDX, UNC1X, UNC3X, UNCSX, U1TD1, U1TD3, U1TS1, UE3, UDLSX, U1TVX, U1TDX, U1TUB, ULDDX, ULDD1, ULDD3, ULDS1	CMGAU	0.00	0.00	0.00										
Commingling (UNE part of single bandwidth circuit)																	
	Commingling VG COCI		XDV2X	1D1VG	0.6497	5.91	4.26										
	Commingling Digital COCI		XDV6X	1D1DD	1.38	5.91	4.26										

UNBUNDLED NETWORK ELEMENTS - Louisiana														
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Att: 2 Exh: A		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
					Nonrecurring		Nonrecurring Disconnect				OSS Rates(\$)			
					Rec	First	Add'l	First				Add'l		
	Commingled ISDN COCI		XDD4X	UC10A	2.96	6.39	4.58							
	Commingled 2-wire VG Interoffice Channel		XDV2X	UTV2	22.60	72.60	41.75							
	Commingled 4-wire VG Interoffice Channel		XDD6X	UTV4	19.81	72.60	41.75							
	Commingled 56kbps Interoffice Channel		XDD4X	U1TD5	15.61	72.60	41.75							
	Commingled 64kbps Interoffice Channel		XDD4X	U1TD6	15.61	72.60	41.75							
	Commingled VG/DSO Interoffice Channel Mileage		XDV2X, XDV6X,	1L5XX										
	Commingled 2-wire Local Loop Zone 1	1	XDD4X	UEAL2	0.013									
	Commingled 2-wire Local Loop Zone 2	2	XDV2X	UEAL2	14.93	94.21	45.09							
	Commingled 2-wire Local Loop Zone 3	3	XDV2X	UEAL2	25.35	94.21	45.09							
	Commingled 4-wire Local Loop Zone 1	1	XDV6X	UEAL4	50.46	94.21	45.09							
	Commingled 4-wire Local Loop Zone 2	2	XDV6X	UEAL4	30.81	94.21	45.09							
	Commingled 4-wire Local Loop Zone 3	3	XDV6X	UEAL4	38.32	94.21	45.09							
	Commingled 56kbps Local Loop Zone 1	1	XDD4X	UPL56	60.39	94.21	45.09							
	Commingled 56kbps Local Loop Zone 2	2	XDD4X	UPL56	30.99	94.21	45.09							
	Commingled 56kbps Local Loop Zone 3	3	XDD4X	UPL56	36.78	94.21	45.09							
	Commingled 64kbps Local Loop Zone 1	1	XDD4X	UPL64	38.92	94.21	45.09							
	Commingled 64kbps Local Loop Zone 2	2	XDD4X	UPL64	30.99	94.21	45.09							
	Commingled 64kbps Local Loop Zone 3	3	XDD4X	UPL64	36.78	94.21	45.09							
	Commingled ISDN Local Loop Zone 1	1	XDD4X	U1L2X	22.09	94.21	45.09							
	Commingled ISDN Local Loop Zone 2	2	XDD4X	U1L2X	35.28	94.21	45.09							
	Commingled ISDN Local Loop Zone 3	3	XDD4X	U1L2X	65.18	94.21	45.09							
	Commingled DS1 COCI		XDH1X	UC1D1	11.78	5.91	4.26							
	Commingled DS1 Interoffice Channel		XDH1X	UTTF1	70.47	143.58	103.88							
	Commingled DS1 Interoffice Channel Mileage		XDH1X	1L5XX	0.2652									
	Commingled DS1/DSO Channel System		XDH1X	MQ1	105.09	59.97	12.96							
	Commingled DS1 Local Loop Zone 1	1	XDH1X	USLXX	85.70	169.22	100.89							
	Commingled DS1 Local Loop Zone 2	2	XDH1X	USLXX	194.96	169.22	100.89							
	Commingled DS1 Local Loop Zone 3	3	XDH1X	USLXX	491.94	169.22	100.89							
	Commingled DS3 Local Loop		HQOC8	UE3PX	362.34	188.45	125.51							
	Commingled DS3/STS-1 Local Loop Mileage		HQOC8, HFRST	1L5ND	10.04									
	Commingled STS-1 Local Loop		HFRST	UPLS1	374.56	188.45	125.51							
	Commingled DS3/DS1 Channel System		HQOC6	MG3	201.48	107.05	48.07							
	Commingled DS3 Interoffice Channel		HQOC6	U1TF3	850.45	296.68	121.16							
	Commingled STS Interoffice Channel Mileage		HQOC6	1L5XX	6.04									
	Commingled STS-1 Interoffice Channel		HFRST	U1TFS	830.19	296.68	121.16							
	Commingled STS-1 Interoffice Channel Mileage		HFRST	1L5XX	6.04									
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof		HEQDL	1L5DF	25.28									
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof		HEQDL	UDF14										
	UNE to Commingled Conversion Tracking		XDH1X, HFQOC6	CMGJUN	0.00	0.00	0.00							
	SPA to Commingled Conversion Tracking		XDH1X, HFQOC6	CMGSP	0.00	0.00	0.00							
LNP Query Service														
	LNP Charge Per query				0.0008559									
	LNP Service Establishment Manual				12.16									
	LNP Service Provisioning with Point Code Establishment				576.33									
911 PBX LOCATE														
911 PBX LOCATE DATABASE CAPABILITY														
	Service Establishment per CLEC per End User Account		9PBDC	9PBDC	1,819.00									
	Charges to TN Range or Customer Profile		9PBDC	9PBDC	181.99									
	Per Telephone Number (Monthly)		9PBDC	9PBDC	0.07									
	Change Company (Service Provider) ID		9PBDC	9PBDC	534.22									
	PBX Locate Service Support per CLEC (Monthly)		9PBDC	9PBDC	178.58									
	Service Order Charge		9PBDC	9PBDC	15.20									
911 PBX LOCATE TRANSPORT COMPONENT														
See Att 3														
Note: Rates displaying an "I" in Interim column are interim as a result of a Commission order.														

UNBUNDLED NETWORK ELEMENTS - Mississippi										Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted ELEC per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st
					Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect Add'l	SOME C	SOMAN	OSS Rates(\$)	SOMAN	SOMAN
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to internet Website: http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm													
OPERATIONS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"													
	OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only			SOME C		3.50	0.00	3.50					
	OSS - Manual Service Order Charge, Per Local Service Request (LSR) - UNE Only			SOMAN		15.75	0.00	1.97					
UNE SERVICE DATE/ADVANCEMENT CHARGE													
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No.1 Tariff, Section 5 as applicable.													
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			SDASP		200.00							
ORDER MODIFICATION CHARGE													
	Order Modification Charge (OMC)					26.21	0.00	0.00					
	Order Modification Additional Dispatch Charge (OMCAD)					150.00	0.00	0.00					
UNBUNDLED EXCHANGE ACCESS LOOP													
2-WIRE ANALOG VOICE GRADE LOOP													
	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 1	1	UEANL	UEAL2	12.03	37.92	17.55	23.48				5.25	
	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 2	2	UEANL	UEAL2	16.87	37.92	17.55	23.48				5.25	
	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 3	3	UEANL	UEAL2	25.68	37.92	17.55	23.48				5.25	
	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4	4	UEANL	UEAL2	43.85	37.92	17.55	23.48				5.25	
	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 1	1	UEANL	UEASL	12.03	37.92	17.55	23.48				5.25	
	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 2	2	UEANL	UEASL	16.87	37.92	17.55	23.48				5.25	
	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 3	3	UEANL	UEASL	25.68	37.92	17.55	23.48				5.25	
	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4	4	UEANL	UEASL	43.85	37.92	17.55	23.48				5.25	
	Tag Loop at End User Premise		UEANL	URETL		8.92	0.88						
	Loop Testing - Basic 1st Half Hour		UEANL	URET1		34.36	0.00						
	Loop Testing - Basic Additional Half Hour		UEANL	URETA		19.97	19.97						
	Manual Order Coordination for UVL-SLs (per loop)		UEANL	UEAMC		8.20	8.20						

UNBUNDLED NETWORK ELEMENTS - Mississippi														
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	Att: 2 Exh: A			
					Rec	Nonrecurring		Nonrecurring Disconnect			OSS Rates(\$)			
						First	Add'l				First	SOMAN	SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- 1st
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)		UEANL	OCOSL		18.19	18.19							
	Unbundled Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - E.I.)		UEANL	UEANM		13.51	13.51							
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UEANL	UREWO		15.75	8.92	23.48	5.25					
	Bulk Migration, per 2 Wire Voice Loop-SL1		UEANL	UREPN		37.92	17.55	23.48	5.25					
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL1		UEANL	UREPM		8.20	8.20							
2-WIRE UNBUNDLED COPPER LOOP														
	2-Wire Unbundled Copper Loop - Non-Design Zone 1	1	UEQ	UEQZX	11.01	36.53	16.16	22.66	4.42					
	2-Wire Unbundled Copper Loop - Non-Design Zone 2	2	UEQ	UEQZX	11.51	36.53	16.16	22.66	4.42					
	2-Wire Unbundled Copper Loop - Non-Design Zone 3	3	UEQ	UEQZX	11.57	36.53	16.16	22.66	4.42					
	2-Wire Unbundled Copper Loop - Non-Design Zone 4	4	UEQ	UEQZX	13.10	36.53	16.16	22.66	4.42					
	Tag Loop at End User Premise		UEQ	URETL		8.92	0.00							
	Loop Testing - Basic 1st Half Hour		UEQ	URET1		34.36	0.00							
	Loop Testing - Basic Additional Half Hour		UEQ	URET1A		19.97	19.97							
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Design (per loop)		UEQ	USBMC		8.20	8.20							
	Unbundled Copper Loop - Non-Design, billing for BST providing make-up (Engineering Information - E.I.)		UEQ	UEQMU		13.51	13.51							
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UEQ	UREWO		14.24	7.42	22.66	4.42					
	Bulk Migration, per 2 Wire UCL-ND		UEQ	UREPN		36.53	16.16	22.66	4.42					
	Bulk Migration Order Coordination, per 2 Wire UCL-ND		UEQ	UREPM		8.20	8.20							
UNBUNDLED EXCHANGE ACCESS LOOP														
2-WIRE ANALOG VOICE GRADE LOOP														
	2-Wire Analog Voice Grade Loop - Service Level 2 w/loop or Ground Start Signaling - Zone 1	1	UEA	UEAL2	13.89	105.96	68.28	52.82	10.37					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/loop or Ground Start Signaling - Zone 2	2	UEA	UEAL2	18.75	105.96	68.28	52.82	10.37					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/loop or Ground Start Signaling - Zone 3	3	UEA	UEAL2	27.55	105.96	68.28	52.82	10.37					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/loop or Ground Start Signaling - Zone 4	4	UEA	UEAL2	45.72	105.96	68.28	52.82	10.37					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1	1	UEA	UEAR2	13.89	105.96	68.28	52.82	10.37					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2	2	UEA	UEAR2	18.75	105.96	68.28	52.82	10.37					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	3	UEA	UEAR2	27.55	105.96	68.28	52.82	10.37					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 4	4	UEA	UEAR2	45.72	105.96	68.28	52.82	10.37					
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DSO)		UEA	URESJ		25.01	3.53							
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DSO)		UEA	URESJ		26.50	5.02							
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UEA	UREWO		87.56	36.29							
	Loop Tagging - Service Level 2 (SL2)		UEA	URETL		11.19	1.10							
	Bulk Migration, per 2 Wire Voice Loop-SL2		UEA	UREPN		105.96	68.28							
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL2		UEA	UREPM		0.00	0.00							
4-WIRE ANALOG VOICE GRADE LOOP														
	4-Wire Analog Voice Grade Loop - Zone 1	1	UEA	UEAL4	27.47	132.27	94.59	60.68	14.64					
	4-Wire Analog Voice Grade Loop - Zone 2	2	UEA	UEAL4	38.26	132.27	94.59	60.68	14.64					
	4-Wire Analog Voice Grade Loop - Zone 3	3	UEA	UEAL4	50.03	132.27	94.59	60.68	14.64					
	4-Wire Analog Voice Grade Loop - Zone 4	4	UEA	UEAL4	50.03	132.27	94.59	60.68	14.64					
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DSO)		UEA	URESJ		25.01	3.53							
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DSO)		UEA	URESJ		26.50	5.02							
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UEA	UREWO		87.56	36.29							
2-WIRE ISDN DIGITAL GRADE LOOP														
	2-Wire ISDN Digital Loop - Zone 1	1	UDN	UTL2X	21.01	117.61	79.92	52.82	10.37					

UNBUNDLED NETWORK ELEMENTS - Mississippi													
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted ELEC per LSR	Svc Order Submitted Manually per LSR	Att: 2 Exht. A	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
					Rec	First	Add'l	Nonrecurring	Disconnect				
	2-Wire ISDN Digital Grade Loop - Zone 2	2	UDN	UHL2X	27.59	117.61	79.92		52.82	10.37			
	2-Wire ISDN Digital Grade Loop - Zone 3	3	UDN	UHL2X	37.34	117.61	79.92		52.82	10.37			
	2-Wire ISDN Digital Grade Loop - Zone 4	4	UDN	UHL2X	59.18	117.61	79.92		52.82	10.37			
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			UREWO		91.46	44.07						
2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP													
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1	1	UAL	UAL2X	11.11	121.27	70.81		50.38	7.93			
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2	2	UAL	UAL2X	11.47	121.27	70.81		50.38	7.93			
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3	3	UAL	UAL2X	11.74	121.27	70.81		50.38	7.93			
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 4	4	UAL	UAL2X	12.69	121.27	70.81		50.38	7.93			
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1	1	UAL	UAL2W	11.11	96.15	58.03		50.38	7.93			
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2	2	UAL	UAL2W	11.47	96.15	58.03		50.38	7.93			
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3	3	UAL	UAL2W	11.74	96.15	58.03		50.38	7.93			
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 4	4	UAL	UAL2W	12.69	96.15	58.03		50.38	7.93			
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			UREWO		86.04	40.33						
2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1	1	UHL	UHL2X	8.75	129.98	79.52		50.38	7.93			
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2	2	UHL	UHL2X	9.22	129.98	79.52		50.38	7.93			
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3	3	UHL	UHL2X	9.87	129.98	79.52		50.38	7.93			
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 4	4	UHL	UHL2X	10.46	129.98	79.52		50.38	7.93			
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	UHL	UHL2W	8.75	104.86	66.74		50.38	7.93			
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	2	UHL	UHL2W	9.22	104.86	66.74		50.38	7.93			
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	3	UHL	UHL2W	9.87	104.86	66.74		50.38	7.93			
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 4	4	UHL	UHL2W	10.46	104.86	66.74		50.38	7.93			
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			UREWO		85.98	40.33						
4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1	1	UHL	UHL4X	13.78	158.74	108.28		56.72	10.68			
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2	2	UHL	UHL4X	13.43	158.74	108.28		56.72	10.68			
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3	3	UHL	UHL4X	15.59	158.74	108.28		56.72	10.68			
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 4	4	UHL	UHL4X	14.46	158.74	108.28		56.72	10.68			
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	UHL	UHL4W	13.78	133.62	95.50		56.72	10.68			
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	2	UHL	UHL4W	13.43	133.62	95.50		56.72	10.68			
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	3	UHL	UHL4W	15.59	133.62	95.50		56.72	10.68			
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 4	4	UHL	UHL4W	14.46	133.62	95.50		56.72	10.68			
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			UREWO		85.98	40.33						
4-WIRE DS1 DIGITAL LOOP													
	4-Wire DS1 Digital Loop - Zone 1	1	USL	USLXX	79.08	253.93	158.45		46.10	12.07			

UNBUNDLED NETWORK ELEMENTS - Mississippi										
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted ELEC per LSR	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
					Nonrecurring	First	Rec	Nonrecurring	SOME C	SOME M
					First	Add'l		First	Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
	4-Wire DS1 Digital Loop - Zone 2	2	USL	USLXX	253.93	158.45	129.38	46.10	12.07	
	4-Wire DS1 Digital Loop - Zone 3	3	USLXX	USLXX	253.93	158.45	206.74	46.10	12.07	
	4-Wire DS1 Digital Loop - Zone 4	4	USL	USLXX	253.93	158.45	458.46	46.10	12.07	
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DS1)			URES L	25.01	3.53				
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DS1)			URES P	26.50	5.02				
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			UREWO	100.90	42.96				
4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP										
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1	1	UDL	UDL2X	27.44	88.85	27.44	60.68	14.64	
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	2	UDL	UDL2X	34.55	88.85	34.55	60.68	14.64	
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3	3	UDL	UDL2X	40.76	88.85	40.76	60.68	14.64	
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 4	4	UDL	UDL2X	32.25	88.85	32.25	60.68	14.64	
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1	1	UDL	UDL4X	27.44	88.85	27.44	60.68	14.64	
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2	2	UDL	UDL4X	34.55	88.85	34.55	60.68	14.64	
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3	3	UDL	UDL4X	40.76	88.85	40.76	60.68	14.64	
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 4	4	UDL	UDL4X	32.25	88.85	32.25	60.68	14.64	
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	1	UDL	UDL9X	27.44	88.85	27.44	60.68	14.64	
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	2	UDL	UDL9X	34.55	88.85	34.55	60.68	14.64	
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3	3	UDL	UDL9X	40.76	88.85	40.76	60.68	14.64	
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 4	4	UDL	UDL9X	32.25	88.85	32.25	60.68	14.64	
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1	1	UDL	UDL19	27.44	88.85	27.44	60.68	14.64	
	4 Wire Unbundled Digital 19.2 Kbps - Zone 2	2	UDL	UDL19	34.55	88.85	34.55	60.68	14.64	
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3	3	UDL	UDL19	40.76	88.85	40.76	60.68	14.64	
	4 Wire Unbundled Digital 19.2 Kbps - Zone 4	4	UDL	UDL19	32.25	88.85	32.25	60.68	14.64	
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	UDL	UDL56	27.44	88.85	27.44	60.68	14.64	
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	2	UDL	UDL56	34.55	88.85	34.55	60.68	14.64	
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	3	UDL	UDL56	40.76	88.85	40.76	60.68	14.64	
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 4	4	UDL	UDL56	32.25	88.85	32.25	60.68	14.64	
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	UDL	UDL64	27.44	88.85	27.44	60.68	14.64	
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	2	UDL	UDL64	34.55	88.85	34.55	60.68	14.64	
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	3	UDL	UDL64	40.76	88.85	40.76	60.68	14.64	
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 4	4	UDL	UDL64	32.25	88.85	32.25	60.68	14.64	
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DS0)			URES L	25.01	3.53				
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DS0)			URES P	26.50	5.02				
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			UREWO	101.94	49.66				
2-WIRE UNBUNDLED COPPER LOOP										
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1	1	UCL	UCLPB	11.11	69.87	11.11	50.38	7.93	
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2	2	UCL	UCLPB	11.47	69.87	11.47	50.38	7.93	
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3	3	UCL	UCLPB	11.74	69.87	11.74	50.38	7.93	
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 4	4	UCL	UCLPB	12.69	69.87	12.69	50.38	7.93	
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1	UCL	UCLPW	11.11	57.09	11.11	50.38	7.93	
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	2	UCL	UCLPW	11.47	57.09	11.47	50.38	7.93	
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	3	UCL	UCLPW	11.74	57.09	11.74	50.38	7.93	
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 4	4	UCL	UCLPW	12.69	57.09	12.69	50.38	7.93	
	Order Coordination for Unbundled Copper Loops (per loop)			UCLMC	8.20	8.20				
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			UREWO	95.21	42.40				
4-WIRE COPPER LOOP										
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1	1	UCL	UCL4S	17.30	94.22	17.30	56.72	10.68	

UNBUNDLED NETWORK ELEMENTS - Mississippi										Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st
					Rec	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	SOMECE	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2	2	UCL	UCL4S	18.84	144.68	56.72	10.68					
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3	3	UCL	UCL4S	21.33	144.68	56.72	10.68					
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 4	4	UCL	UCL4S	21.33	144.68	56.72	10.68					
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1	UCL	UCL4W	17.30	119.56	56.72	10.68					
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	2	UCL	UCL4W	18.84	119.56	56.72	10.68					
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	3	UCL	UCL4W	21.33	119.56	56.72	10.68					
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 4	4	UCL	UCL4W	21.33	119.56	56.72	10.68					
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCL4W		8.20							
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UCL	UREWO		95.21							
	Order Coordination for Specified Conversion Time (per LSR)		UCL, UDN, UAL, UHL, UDL, USL	OCOSL		18.19							
Rearrangements													
	EEL to UNE-L, Retermination, per 2 Wire Unbundled Voice Loop-SL2		UEA	UREEL		87.56							
	EEL to UNE-L, Retermination, per 4 Wire Unbundled Voice Loop		UEA	UREEL		87.56							
	EEL to UNE-L, Retermination, per 2 Wire ISDN Loop		UDN	UREEL		91.46							
	EEL to UNE-L, Retermination, per 4 Wire Unbundled Digital Loop		UDL	UREEL		101.94							
	EEL to UNE-L, Retermination, per 4 Wire Unbundled DS1 Loop		USL	UREEL		100.90							
UNE LOOP COMMINGLING													
2-WIRE ANALOG VOICE GRADE LOOP - COMMINGLING													
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1	1	NTCVG	UEAL2	13.89	105.96	52.82	10.37					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2	2	NTCVG	UEAL2	18.75	105.96	52.82	10.37					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3	3	NTCVG	UEAL2	27.55	105.96	52.82	10.37					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 4	4	NTCVG	UEAL2	45.72	105.96	52.82	10.37					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1	1	NTCVG	UEAR2	13.89	105.96	52.82	10.37					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2	2	NTCVG	UEAR2	18.75	105.96	52.82	10.37					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	3	NTCVG	UEAR2	27.55	105.96	52.82	10.37					
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 4	4	NTCVG	UEAR2	45.72	105.96	52.82	10.37					
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DSD)		NTCVG	URES		25.01							
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DSD)		NTCVG	URES		26.50							
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCVG	UREWO		87.56							
	Loop Tagging - Service Level 2 (SL2)		NTCVG	URETL		11.19							
4-WIRE ANALOG VOICE GRADE LOOP - COMMINGLING													
	4-Wire Analog Voice Grade Loop - Zone 1	1	NTCVG	UEAL4	27.47	132.27	60.68	14.64					
	4-Wire Analog Voice Grade Loop - Zone 2	2	NTCVG	UEAL4	38.26	132.27	60.68	14.64					
	4-Wire Analog Voice Grade Loop - Zone 3	3	NTCVG	UEAL4	50.03	132.27	60.68	14.64					
	4-Wire Analog Voice Grade Loop - Zone 4	4	NTCVG	UEAL4	50.03	132.27	60.68	14.64					
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DSD)		NTCVG	URES		25.01							
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DSD)		NTCVG	URES		26.50							

UNBUNDLED NETWORK ELEMENTS - Mississippi										Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)			Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l		
					Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	SOME/EC	SOMAN	OSS Rates(\$)	SOMAN	SOMAN
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit						87.56	36.29					
			NTCVG	UREWO									
4-WIRE DS1 DIGITAL LOOP	4-Wire DS1 Digital Loop - Zone 1	1	NTCD1	USLXX	79.08	253.93	158.45	46.10	12.07				
	4-Wire DS1 Digital Loop - Zone 2	2	NTCD1	USLXX	129.38	253.93	158.45	46.10	12.07				
	4-Wire DS1 Digital Loop - Zone 3	3	NTCD1	USLXX	206.74	253.93	158.45	46.10	12.07				
	4-Wire DS1 Digital Loop - Zone 4	4	NTCD1	USLXX	458.46	253.93	158.45	46.10	12.07				
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1)		NTCD1	URES		25.01	3.53						
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS1)		NTCD1	URES		26.50	5.02						
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCD1	UREWO			100.90	42.96					
	4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP												
	4-Wire Unbundled Digital Loop 2.4 Kbps - Zone 1	1	NTCUD	UDL2X	27.44	126.53	88.85	60.68	14.64				
	4-Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	2	NTCUD	UDL2X	34.55	126.53	88.85	60.68	14.64				
4-Wire Unbundled Digital Loop 2.4 Kbps - Zone 3	3	NTCUD	UDL2X	40.76	126.53	88.85	60.68	14.64					
4-Wire Unbundled Digital Loop 2.4 Kbps - Zone 4	4	NTCUD	UDL2X	32.25	126.53	88.85	60.68	14.64					
4-Wire Unbundled Digital Loop 4.8 Kbps - Zone 1	1	NTCUD	UDL4X	27.44	126.53	88.85	60.68	14.64					
4-Wire Unbundled Digital Loop 4.8 Kbps - Zone 2	2	NTCUD	UDL4X	34.55	126.53	88.85	60.68	14.64					
4-Wire Unbundled Digital Loop 4.8 Kbps - Zone 3	3	NTCUD	UDL4X	40.76	126.53	88.85	60.68	14.64					
4-Wire Unbundled Digital Loop 4.8 Kbps - Zone 4	4	NTCUD	UDL4X	32.25	126.53	88.85	60.68	14.64					
4-Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	1	NTCUD	UDL9X	27.44	126.53	88.85	60.68	14.64					
4-Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	2	NTCUD	UDL9X	34.55	126.53	88.85	60.68	14.64					
4-Wire Unbundled Digital Loop 9.6 Kbps - Zone 3	3	NTCUD	UDL9X	40.76	126.53	88.85	60.68	14.64					
4-Wire Unbundled Digital Loop 9.6 Kbps - Zone 4	4	NTCUD	UDL9X	32.25	126.53	88.85	60.68	14.64					
4-Wire Unbundled Digital Loop 19.2 Kbps - Zone 1	1	NTCUD	UDL19	27.44	126.53	88.85	60.68	14.64					
4-Wire Unbundled Digital Loop 19.2 Kbps - Zone 2	2	NTCUD	UDL19	34.55	126.53	88.85	60.68	14.64					
4-Wire Unbundled Digital Loop 19.2 Kbps - Zone 3	3	NTCUD	UDL19	40.76	126.53	88.85	60.68	14.64					
4-Wire Unbundled Digital Loop 19.2 Kbps - Zone 4	4	NTCUD	UDL19	32.25	126.53	88.85	60.68	14.64					
4-Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	NTCUD	UDL56	27.44	126.53	88.85	60.68	14.64					
4-Wire Unbundled Digital Loop 56 Kbps - Zone 2	2	NTCUD	UDL56	34.55	126.53	88.85	60.68	14.64					
4-Wire Unbundled Digital Loop 56 Kbps - Zone 3	3	NTCUD	UDL56	40.76	126.53	88.85	60.68	14.64					
4-Wire Unbundled Digital Loop 56 Kbps - Zone 4	4	NTCUD	UDL56	32.25	126.53	88.85	60.68	14.64					
4-Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	NTCUD	UDL64	27.44	126.53	88.85	60.68	14.64					
4-Wire Unbundled Digital Loop 64 Kbps - Zone 2	2	NTCUD	UDL64	34.55	126.53	88.85	60.68	14.64					
4-Wire Unbundled Digital Loop 64 Kbps - Zone 3	3	NTCUD	UDL64	40.76	126.53	88.85	60.68	14.64					
4-Wire Unbundled Digital Loop 64 Kbps - Zone 4	4	NTCUD	UDL64	32.25	126.53	88.85	60.68	14.64					
Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DSO)			NTCUD	URES		25.01	3.53						
Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DSO)			NTCUD	URES		26.50	5.02						
Unbundled Loop Service Rearrangement, change in loop facility, per circuit			NTCUD	UREWO		101.94	49.66						
Order Coordination for Specified Conversion Time (per LSR)			NTCVG, NTCUD, NTCD1	OCOSL		18.19							
MAINTENANCE OF SERVICE													
			UDC, UEA, UDL, UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTCD1, U1TD1, U1TD3, U1TDX, U1TTS1, U1TVX, UDF, UDFCX, UDLXS, UE3, ULDD1, ULDD3, ULDDX, ULDS1, ULDDVX, UNCLX, UNCSX, UNCDX, UNCSX, UNCVX, ULS										
Maintenance of Service Charge, Basic Time, per half hour				MVBT		80.00	55.00						

UNBUNDLED NETWORK ELEMENTS - Mississippi										Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted ELEC per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
					Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3	3	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35				
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 4	4	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEANL	USBMC		8.20	8.20						
	Sub-loop 2-Wire Intra-building Network Cable (INC)		UEANL	USBR2	2.29	53.32	18.28	45.36	6.71				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEANL	USBMC		8.20	8.20						
	Sub-Loop 4-Wire Intra-building Network Cable (INC)		UEANL	USBR4	4.40	59.60	24.55	51.27	9.35				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEANL	USBMC		8.20	8.20						
	Loop Testing - Basic 1st Half Hour		UEANL	URET1		34.36	0.00						
	Loop Testing - Basic Additional Half Hour		UEANL	URET1		19.97	19.97						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	UEF	UCS2X	6.06	66.18	31.14	45.36	6.71				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	2	UEF	UCS2X	7.09	66.18	31.14	45.36	6.71				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	3	UEF	UCS2X	8.16	66.18	31.14	45.36	6.71				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 4	4	UEF	UCS2X	9.90	66.18	31.14	45.36	6.71				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEF	USBMC		8.20	8.20						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	UEF	UCS4X	5.10	79.49	44.45	51.27	9.35				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	2	UEF	UCS4X	9.11	79.49	44.45	51.27	9.35				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	3	UEF	UCS4X	14.00	79.49	44.45	51.27	9.35				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 4	4	UEF	UCS4X	14.00	79.49	44.45	51.27	9.35				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEF	USBMC		8.20	8.20						
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-Designed and Distribution Subloops		UEF, UEANL	URET1		8.92	0.88						
	Loop Testing - Basic 1st Half Hour		UEF	URET1		34.36	0.00						
	Loop Testing - Basic Additional Half Hour		UEF	URET1		19.97	19.97						
	Unbundled Sub-Loop Modification												
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load		UEF	ULM2X		176.80	5.13						
	Coil/Equip Removal per 2-W PR		UEF	ULM2X		176.80	5.13						
	Unbundled Sub-loop Modification - 4-W Copper Dist Load		UEF	ULM4X		176.80	5.13						
	Coil/Equip Removal per 4-W PR		UEF	ULM4X		176.80	5.13						
	Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop		UEF	ULM8T		279.81	6.15						
	Unbundled Network Terminating Wire (UNTW)												
	Unbundled Network Terminating Wire (UNTW) per Pair		UENTW	UENPP	0.3366	30.55							
	Network Interface Device (NID)												
	Network Interface Device (NID) - 1-2 lines		UENTW	UND12		43.64	28.90						
	Network Interface Device (NID) - 1-6 lines		UENTW	UND16		65.30	50.36						
	Network Interface Device Cross Connect - 2 W		UENTW	UNDC2		5.94	5.94						
	Network Interface Device Cross Connect - 4W		UENTW	UNDC4		5.94	5.94						
	UNE OTHER, PROVISIONING ONLY - NO RATE												
			UAL, UCL, UDC, UDL, UDN, UEA, UHL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD, NTCDD1, USL, USL, NTCDD1	UNEEN	0.00	0.00							
	Unbundled Contact Name, Provisioning Only - no rate												
	Unbundled DS1 Loop - Superframe Format Option - no rate												
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate												
	NID - Dispatch and Service Order for NID installation												
	NID - Dispatch and Service Order for NID installation												
	UNTW Circuit Establishment, Provisioning Only - No Rate		UENTW	UEUCE	0.00	0.00							
	LOOP MAKE-UP												
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual)		UMK	UMKLW		24.12	24.12						
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual)		UMK	UMKLP		25.58	25.58						
	Loop Makeup-With or Without Reservation, per working or spare facility queried (Mechanized)		UMK	UMKMO		0.6652	0.6652						
	LINE SPLITTING												

UNBUNDLED NETWORK ELEMENTS - Mississippi										Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim Zone	B/C/S	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
					First	Nonrecurring	First	Nonrecurring Disconnect	SOME/C	SOMAN	OSS Rates(\$)	SOMAN	SOMAN
	END USER ORDERING-CENTRAL OFFICE BASED												
	Line Splitting - per line activation DLEC owned splitter.			UEQOS									
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	0.61								
	Line Splitting - per line activation BST owned - virtual			UEBP	0.61	18.62	10.66	10.04	4.93				
	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	0.61	18.62	10.66	10.04	4.93				
	END USER ORDERING - REMOTE SITE LINE SPLITTING												
	Remote Site Shared Loop Line Activation for End Users - CLEC												
	Owned Splitter			URERS	0.61	56.96	23.05	7.19	7.19				
	Remote Site Shared Loop - Subsequent Activity - CLEC Owned Splitter			URERA		53.94	21.40						
	UNBUNDLED EXCHANGE ACCESS LOOP												
	2-WIRE ANALOG VOICE GRADE LOOP												
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1	1	UEPSR UEPSB	UEALS	12.03	37.92	17.55	23.48	5.25				
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1	1	UEPSR UEPSB	UEABS	12.03	37.92	17.55	23.48	5.25				
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 2	2	UEPSR UEPSB	UEALS	16.87	37.92	17.55	23.48	5.25				
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 2	2	UEPSR UEPSB	UEABS	16.87	37.92	17.55	23.48	5.25				
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3	3	UEPSR UEPSB	UEALS	25.68	37.92	17.55	23.48	5.25				
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3	3	UEPSR UEPSB	UEABS	25.68	37.92	17.55	23.48	5.25				
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 4	4	UEPSR UEPSB	UEALS	43.85	37.92	17.55	23.48	5.25				
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 4	4	UEPSR UEPSB	UEABS	43.85	37.92	17.55	23.48	5.25				
	Remote Site 2 Wire Analog Voice Grade Loop - Service Level 1-Line Splitting - CLEC Owned Splitter - Zone 1	1	UEPSR UEPSB	UEARS	7.15	66.18	31.14	45.36	6.71				
	Remote Site 2 Wire Analog Voice Grade Loop - Service Level 1-Line Splitting - CLEC Owned Splitter - Zone 2	2	UEPSR UEPSB	UEARS	9.51	66.18	31.14	45.36	6.71				
	Remote Site 2 Wire Analog Voice Grade Loop - Service Level 1-Line Splitting - CLEC Owned Splitter - Zone 3	3	UEPSR UEPSB	UEARS	12.45	66.18	31.14	45.36	6.71				
	Remote Site 2 Wire Analog Voice Grade Loop - Service Level 1-Line Splitting - CLEC Owned Splitter - Zone 4	4	UEPSR UEPSB	UEARS	18.26	66.18	31.14	45.36	6.71				
	PHYSICAL COLLOCATION												
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			PEILS	0.0288	12.37	11.87	6.04	5.45				
	VIRTUAL COLLOCATION												
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			VEILS	0.0268	12.37	11.87	6.04	5.45				
	UNBUNDLED DEDICATED TRANSPORT												
	INTEROFFICE CHANNEL - DEDICATED TRANSPORT												
	Interoffice Channel - 2-Wire Voice Grade - per mile		U1TVX	1L5XX	0.0098								
	Interoffice Channel - 2-Wire Voice Grade - Facility Termination		U1TVX	U1TV2	22.52	40.77	27.57	17.26	7.11				
	Interoffice Channel - 2-Wire Voice Grade Rev Bat. - per mile		U1TVX	1L5XX	0.0098								
	Interoffice Channel - 2-Wire VG Rev Bat. - Facility Termination		U1TVX	U1TR2	22.52	40.77	27.57	17.26	7.11				
	Interoffice Channel - 4-Wire Voice Grade - per mile		U1TVX	1L5XX	0.0098								
	Interoffice Channel - 4-Wire Voice Grade - Facility Termination		U1TVX	U1TV4	19.79	40.77	27.57	17.26	7.11				
	Interoffice Channel - 56 kbps - per mile		U1TDX	1L5XX	0.0098								
	Interoffice Channel - 56 kbps - Facility Termination		U1TDX	U1TD5	15.68	40.77	27.57	17.26	7.11				
	Interoffice Channel - 64 kbps - per mile		U1TDX	1L5XX	0.0098								
	Interoffice Channel - 64 kbps - Facility Termination		U1TDX	U1TD6	15.68	40.77	27.57	17.26	7.11				
	Interoffice Channel - DS-1 - per mile		U1TD1	1L5XX	0.201								
	Interoffice Channel - DS-1 - Facility Termination		U1TD1	U1TF1	57.33	89.79	82.28	16.86	14.90				
	Interoffice Channel - DS-3 - per mile		U1TD3	1L5XX	4.76								
	Interoffice Channel - DS-3 - Facility Termination		U1TD3	U1TF3	641.90	280.37	163.70	62.08	50.28				
	Interoffice Channel - STS-1 - per mile		U1TS1	1L5XX	4.76								
	Interoffice Channel - STS-1 - Facility Termination		U1TS1	U1TF5	644.21	280.37	163.70	62.08	60.29				
	UNBUNDLED DARK FIBER												
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof		UDF-UDFCX	1L5DF	28.27								

UNBUNDLED NETWORK ELEMENTS - Mississippi										Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim Zone	BOS	USOC	RATES(\$)				Svc Order Submitted ELEC per LSR	Svc Order Submitted Manualty per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st
					Rec	Nonrecurring Add'l	First	Nonrecurring Disconnect Add'l	SOME	SOMAN	SOMAN	SOMAN	SOMAN
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof		UDF, UDFCX	UDF14		642.79	138.67	326.97		203.85			
HIGH CAPACITY UNBUNDLED LOCAL LOOP													
	DS-3/STS-1 UNBUNDLED LOCAL LOOP - Stand Alone												
	DS3 Unbundled Local Loop - per mile	UE3		11ND	11.20								
	DS3 Unbundled Local Loop - Facility Termination	UE3		UE3PX	326.15								
	STS Unbundled Local Loop - per mile	UDLSX		11ND	11.20								
	STS-1 Unbundled Local Loop - Facility Termination	UDLSX		UDLS1	338.55								
ENHANCED EXTENDED LINK (EELs)													
Network Elements Used in Combinations													
	2-Wire VG Loop (SL2) in Combination - Zone 1	1	UNCVX	UEAL2	13.89	105.96	88.28	52.82		10.37			
	2-Wire VG Loop (SL2) in Combination - Zone 2	2	UNCVX	UEAL2	18.75	105.96	88.28	52.82		10.37			
	2-Wire VG Loop (SL2) in Combination - Zone 3	3	UNCVX	UEAL2	27.55	105.96	88.28	52.82		10.37			
	2-Wire VG Loop (SL2) in Combination - Zone 4	4	UNCVX	UEAL2	45.72	105.96	88.28	52.82		10.37			
	4-Wire Analog Voice Grade Loop in Combination - Zone 1	1	UNCVX	UEAL4	27.47	132.27	94.59	60.68		14.64			
	4-Wire Analog Voice Grade Loop in Combination - Zone 2	2	UNCVX	UEAL4	38.26	132.27	94.59	60.68		14.64			
	4-Wire Analog Voice Grade Loop in Combination - Zone 3	3	UNCVX	UEAL4	50.03	132.27	94.59	60.68		14.64			
	4-Wire Analog Voice Grade Loop in Combination - Zone 4	4	UNCVX	UEAL4	50.03	132.27	94.59	60.68		14.64			
	2-Wire ISDN Loop in Combination - Zone 1	1	UNCNXX	U1L2X	21.01	117.61	79.92	52.82		10.37			
	2-Wire ISDN Loop in Combination - Zone 2	2	UNCNXX	U1L2X	27.59	117.61	79.92	52.82		10.37			
	2-Wire ISDN Loop in Combination - Zone 3	3	UNCNXX	U1L2X	37.34	117.61	79.92	52.82		10.37			
	2-Wire ISDN Loop in Combination - Zone 4	4	UNCNXX	U1L2X	59.18	117.61	79.92	52.82		10.37			
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	1	UNCDCX	UDL56	27.44	126.53	88.85	60.68		14.64			
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	2	UNCDCX	UDL56	34.55	126.53	88.85	60.68		14.64			
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	3	UNCDCX	UDL56	40.76	126.53	88.85	60.68		14.64			
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 4	4	UNCDCX	UDL56	32.26	126.53	88.85	60.68		14.64			
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	1	UNCDCX	UDL64	27.44	126.53	88.85	60.68		14.64			
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2	2	UNCDCX	UDL64	34.55	126.53	88.85	60.68		14.64			
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	3	UNCDCX	UDL64	40.76	126.53	88.85	60.68		14.64			
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 4	4	UNCDCX	UDL64	32.25	126.53	88.85	60.68		14.64			
	4-Wire DS1 Digital Loop in Combination - Zone 1	1	UNC1XX	USLXX	79.08	253.93	158.45	46.10		12.07			
	4-Wire DS1 Digital Loop in Combination - Zone 2	2	UNC1XX	USLXX	129.38	253.93	158.45	46.10		12.07			
	4-Wire DS1 Digital Loop in Combination - Zone 3	3	UNC1XX	USLXX	206.74	253.93	158.45	46.10		12.07			
	4-Wire DS1 Digital Loop in Combination - Zone 4	4	UNC1XX	USLXX	458.46	253.93	158.45	46.10		12.07			
	DS3 Local Loop in combination - per mile	11ND	UNC3X	11ND	11.20								
	DS3 Local Loop in combination - Facility Termination	UNC3X		UE3PX	326.15	454.13	265.47	123.23		86.19			
	STS-1 Local Loop in combination - per mile	11ND	UNC3X	11ND	11.20								
	STS-1 Local Loop in combination - Facility Termination	UNC3X		UDLS1	338.55	454.13	265.47	123.23		86.19			
	Interoffice Channel in combination - 2-wire VG - per mile	UNCVX		11L5XX	0.0088								
	Interoffice Channel in combination - 2-wire VG - Facility Termination	UNCVX		U1TV2	20.32	40.77	27.57	17.26		7.11			
	Interoffice Channel in combination - 4-wire VG - per mile	UNCVX		11L5XX	0.0088								
	Interoffice Channel in combination - 4-wire VG - Facility Termination	UNCVX		U1TV4	17.86	40.77	27.57	17.26		7.11			
	Interoffice Channel in combination - 4-wire 56 kbps - per mile	UNCDCX		11L5XX	0.0088								
	Interoffice Channel in combination - 4-wire 56 kbps - Facility Termination	UNCDCX		U1TD5	14.14	40.77	27.57	17.26		7.11			
	Interoffice Channel in combination - 4-wire 64 kbps - per mile	UNCDCX		11L5XX	0.0088								
	Interoffice Channel in combination - 4-wire 64 kbps - Facility Termination	UNCDCX		U1TD6	14.14	40.77	27.57	17.26		7.11			
	Interoffice Channel in combination - DS1 - per mile	UNC1XX		11L5XX	0.1613								
	Interoffice Channel in combination - DS1 Facility Termination	UNC1XX		U1TF1	51.72	89.79	82.28	16.86		14.90			
	Interoffice Channel in combination - DS3 - per mile	UNC3X		11L5XX	4.29								
	Interoffice Channel in combination - DS3 - Facility Termination	UNC3X		U1TF3	579.12	280.37	163.70	62.08		60.29			
	Interoffice Channel in combination - STS-1 - per mile	UNCSCX		11L5XX	4.29								
	Interoffice Channel in combination - STS-1 Facility Termination	UNCSCX		U1TF5	581.21	280.37	163.70	62.08		60.29			
ADDITIONAL NETWORK ELEMENTS													
Optional Features & Functions:													
	Clear Channel Capability Extended Frame Option - per DS1	I	U1TD1, ULD11,UNC1X	CCOEF		0.00	0.00	0.00		0.00			
	Clear Channel Capability Super FrameOption - per DS1	I	U1TD1, ULD11,UNC1X	CCOSF		0.00	0.00	0.00		0.00			
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	I	U1TD1, ULD11,UNC1X, USL	NRCCC		184.60	23.78	1.96		0.76			

UNBUNDLED NETWORK ELEMENTS - Mississippi										Att: 2 Ext: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st
						Rec	Nonrecurring Add'l	First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	SOMAN
	C-bit Parity Option - Subsequent Activity - per DS3												
	DS1DS0 Channel System												
	DS3DS1 Channel System												
	Voice Grade COCI in combination												
	Voice Grade COCI - for 2W-SL2 & 4W Voice Grade Local Loop												
	Voice Grade COCI - for connection to a channelized DS1 Local Channel in the same SWC as collocation												
	OCU-DP COCI (2.464Kbps) in combination												
	OCU-DP COCI (2.464Kbps) - for Unbundled Digital Loop												
	OCU-DP COCI (2.464Kbps) - for connection to a channelized DS1 Local Channel in the same SWC as collocation												
	2-wire ISDN COCI (BR1TE) in combination												
	2-wire ISDN COCI (BR1TE) - for a Local Loop												
	2-wire ISDN COCI (BR1TE) - for connection to a channelized DS1 Local Channel in the same SWC as collocation												
	DS1 COCI in combination												
	DS1 COCI - for Stand Alone Local Channel												
	DS1 COCI - for DS1 Local Loop												
	DS1 COCI - for connection to a channelized DS1 Local Channel in the same SWC as collocation												
	Wholesale - UNE, Switch-As-Is Conversion Charge												
	Unbundled Misc Rate Element, SNE SAI, Single Network Element - Switch As Is Non-recurring Charge, per circuit (LSR)												
	Unbundled Misc Rate Element, SNE SAI, Single Network Element - Switch As Is Non-recurring Charge, incremental charge per circuit on a spreadsheet												
	Access to DCS - Customer Reconfiguration (FlexServ)												
	Customer Reconfiguration Establishment												
	DS1 DCS Termination with DS0 Switching												
	DS1 DCS Termination with DS1 Switching												
	DS3 DCS Termination with DS1 Switching												
	Node (Synchronous)												
	Node per month												
	Service Rearrangements												
	NRC - Change in Facility Assignment per circuit Service Rearrangement												
	NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed)												
	NRC - Order Coordination Specific Time - Dedicated Transport												
	COMINGLING												

UNBUNDLED NETWORK ELEMENTS - North Carolina

UNBUNDLED NETWORK ELEMENTS - North Carolina															
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	
					Nonrecurring Add'l	Nonrecurring First	Nonrecurring Disconnect Add'l	SOME							SOMAN
					Rec										
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to internet Website: http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm															
OPERATIONS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
NOTE: (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this rate exhibit are the BellSouth "regional" service ordering charges. CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charges, however, CLEC has an interconnection contract established in each of the 9 states.															
NOTE: (2) Any element that can be ordered electronically will be billed electronically according to the SOMEC rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the LOH, the listed SOMEC rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be applied to a CLEC's bill when it submits an LSR to BellSouth.															
	OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only			SOME		3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge, Per Local Service Request (LSR) - UNE Only			SOMAN		15.20	0.00	15.20	0.00						
UNE SERVICE DATE ADVANCEMENT CHARGE															
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No.1 Tariff, Section 5 as applicable.															
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			SDASP		200.00									
ORDER MODIFICATION CHARGE															
	Order Modification Charge (OMC)					26.21	0.00	0.00	0.00						
	Order Modification Additional Dispatch Charge (OMCAD)					0.00	0.00	0.00	0.00						
UNBUNDLED EXCHANGE ACCESS LOOP															
2-WIRE ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1	1	UEANL	UEAL2		10.82	16.87	36.54	16.87						
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2	2	UEANL	UEAL2		16.21	16.87	36.54	16.87						
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3	3	UEANL	UEAL2		24.08	16.87	36.54	16.87						
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1	1	UEANL	UEASL		10.82	16.87	36.54	16.87						
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2	2	UEANL	UEASL		16.21	16.87	36.54	16.87						
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3	3	UEANL	UEASL		24.08	16.87	36.54	16.87						
	Tag Loop at End User Premise		UEANL	URET1			8.93	33.17	0.00						
	Loop Testing - Basic 1st Half Hour		UEANL	URET1			19.28	19.28	7.92						
	Loop Testing - Basic Additional Half Hour		UEANL	UEAMC			7.92	7.92							
	Manual Order Coordination for UVL-SL1s (per loop)		UEANL	UEAMC											
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)		UEANL	OCOSL			17.56								

UNBUNDLED NETWORK ELEMENTS - North Carolina										Att: 2 Exh: A				
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Add'l	
					Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect Add'l						
	Unbundled Non-Design Voice Loop, billing for BST providing make up (Engineering Information - E.I.)													
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			UEANL	UEANM			13.04	13.04					
	Bulk Migration, per 2 Wire Voice Loop-SL1			UEANL	UREWO			15.74	8.92					
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL1			UEANL	UREPN			36.54	16.87					
				UEANL	UREPM			7.92	7.92					
	2-WIRE UNBUNDLED COPPER LOOP													
	2-Wire Unbundled Copper Loop - Non-Design Zone 1	1	UEQ	UEQ2X		10.93	35.27	15.60						
	2 Wire Unbundled Copper Loop - Non-Design - Zone 2	2	UEQ	UEQ2X		12.75	35.27	15.60						
	2 Wire Unbundled Copper Loop - Non-Design - Zone 3	3	UEQ	UEQ2X		13.92	35.27	15.60						
	Tag Loop at End User Premises			UEQ	URETL		8.93	0.88						
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		33.17	0.00						
	Loop Testing - Basic Additional Half Hour			UEQ	URET1A		19.28	19.28						
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Design (per loop)			UEQ	USBMC		7.92	7.92						
	Unbundled Copper Loop - Non-Design, billing for BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.04	13.04						
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			UEQ	UREWO		14.23	7.41						
	Bulk Migration, per 2 Wire UCL-ND			UEQ	UREPN		35.27	15.60						
	Bulk Migration Order Coordination, per 2 Wire UCL-ND			UEQ	UREPM		7.92	7.92						
	UNBUNDLED EXCHANGE ACCESS LOOP													
	2-WIRE ANALOG VOICE GRADE LOOP													
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1	1	UEA	UEAL2		11.96	102.10	65.72						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2	2	UEA	UEAL2		17.36	102.10	65.72						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3	3	UEA	UEAL2		25.23	102.10	65.72						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1	1	UEA	UEAR2		11.96	102.10	65.72						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2	2	UEA	UEAR2		17.36	102.10	65.72						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	3	UEA	UEAR2		25.23	102.10	65.72						
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DSD)		UEA	URES			25.03	3.53						
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DSD)		UEA	URES			26.52	5.02						
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UEA	UREWO			87.49	36.26						
	Loop Tagging - Service Level 2 (SL2)		UEA	URETL			11.20	1.10						
	Bulk Migration, per 2 Wire Voice Loop-SL2		UEA	UREPN			102.10	65.72						
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL2		UEA	UREPM			0.00	0.00						
	4-WIRE ANALOG VOICE GRADE LOOP													
	4-Wire Analog Voice Grade Loop - Zone 1	1	UEA	UEAL4		19.52	127.40	91.02						
	4 Wire Analog Voice Grade Loop - Zone 2	2	UEA	UEAL4		24.74	127.40	91.02						
	4 Wire Analog Voice Grade Loop - Zone 3	3	UEA	UEAL4		46.11	127.40	91.02						
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DSD)		UEA	URES			25.03	3.53						
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DSD)		UEA	URES			26.52	5.02						
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UEA	UREWO			87.49	36.26						
	2-WIRE ISDN DIGITAL GRADE LOOP													
	2-Wire ISDN Digital Grade Loop - Zone 1	1	UDN	U1L2X		19.78	113.34	76.96						
	2-Wire ISDN Digital Grade Loop - Zone 2	2	UDN	U1L2X		26.16	113.34	76.96						
	2-Wire ISDN Digital Grade Loop - Zone 3	3	UDN	U1L2X		36.37	113.34	76.96						
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UDN	UREWO			91.39	44.04						
	2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP													
	2 Wire Unbundled ADSL Loop including manual service inquiry & Facility reservation - Zone 1	1	UAL	UAL2X		10.14	117.08	66.36						

UNBUNDLED NETWORK ELEMENTS - North Carolina

UNBUNDLED NETWORK ELEMENTS - North Carolina																	
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manual Svc per LSR	Att: 2 Exh: A			Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	
					Nonrecurring		Disconnect Add'l			OSS Rates(\$)							
					Rec	First				SOMAN	SOMAN						
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2	2	UAL	UAL2X	11.59	117.08	68.36										
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3	3	UAL	UAL2X	12.28	117.08	68.36										
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1	1	UAL	UAL2W	10.14	92.83	56.02										
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2	2	UAL	UAL2W	11.59	92.83	56.02										
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3	3	UAL	UAL2W	12.28	92.83	56.02										
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UAL	UREWO		78.06	32.38										
2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																	
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1	1	UHL	UHL2X	7.95	125.50	76.77										
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2	2	UHL	UHL2X	9.15	125.50	76.77										
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3	3	UHL	UHL2X	9.53	125.50	76.77										
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	UHL	UHL2W	7.95	101.24	64.43										
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	2	UHL	UHL2W	9.15	101.24	64.43										
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	3	UHL	UHL2W	9.53	101.24	64.43										
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UHL	UREWO		78.00	32.38										
4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																	
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1	1	UHL	UHL4X	11.01	153.26	104.54										
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2	2	UHL	UHL4X	12.20	153.26	104.54										
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3	3	UHL	UHL4X	13.49	153.26	104.54										
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	UHL	UHL4W	11.01	129.00	92.20										
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	2	UHL	UHL4W	12.20	129.00	92.20										
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	3	UHL	UHL4W	13.49	129.00	92.20										
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UHL	UREWO		78.00	32.38										
4-WIRE DS1 DIGITAL LOOP																	
	4-Wire DS1 Digital Loop - Zone 1	1	USL	USLXX	63.62	245.16	152.98										
	4-Wire DS1 Digital Loop - Zone 2	2	USL	USLXX	104.40	245.16	152.98										
	4-Wire DS1 Digital Loop - Zone 3	3	USL	USLXX	210.22	245.16	152.98										
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DS1)		USL	URES		25.03	3.53										
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DS1)		USL	URES		26.52	5.02										
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		USL	UREWO		100.82	42.93										
4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP																	
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1	1	UDL	UDL2X	21.98	121.86	85.48										
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	2	UDL	UDL2X	27.58	121.86	85.48										
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3	3	UDL	UDL2X	43.08	121.86	85.48										
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1	1	UDL	UDL4X	21.98	121.86	85.48										
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2	2	UDL	UDL4X	27.58	121.86	85.48										
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3	3	UDL	UDL4X	43.08	121.86	85.48										
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	1	UDL	UDL9X	21.98	121.86	85.48										
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	2	UDL	UDL9X	27.58	121.86	85.48										
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3	3	UDL	UDL9X	43.08	121.86	85.48										
	4 Wire Unbundled Digital 19.2 Kbps - Zone 1	1	UDL	UDL19	21.98	121.86	85.48										
	4 Wire Unbundled Digital 19.2 Kbps - Zone 2	2	UDL	UDL19	27.58	121.86	85.48										

UNBUNDLED NETWORK ELEMENTS - North Carolina

UNBUNDLED NETWORK ELEMENTS - North Carolina														Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st		Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st				
					Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First			SOMECC	SOMAN	SOMAN	SOMAN			
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3	3	UDL	UDL19	43.08	121.86	85.48										
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	UDL	UDL56	21.98	121.86	85.48										
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	2	UDL	UDL56	27.58	121.86	85.48										
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	3	UDL	UDL56	43.08	121.86	85.48										
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	UDL	UDL64	21.98	121.86	85.48										
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	2	UDL	UDL64	27.58	121.86	85.48										
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	3	UDL	UDL64	43.08	121.86	85.48										
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS0)		UDL	URES		25.03	3.53										
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)		UDL	URES		26.52	5.02										
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UDL	UREWO		101.86	49.62										
2-WIRE UNBUNDLED COPPER LOOP																	
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1	1	UCL	UCLPB	10.14	116.18	67.46										
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2	2	UCL	UCLPB	11.59	116.18	67.46										
	2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3	3	UCL	UCLPB	12.28	116.18	67.46										
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1	UCL	UCLPW	10.14	91.92	55.12										
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	2	UCL	UCLPW	11.59	91.92	55.12										
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	3	UCL	UCLPW	12.28	91.92	55.12										
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		7.92	7.92										
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UCL	UREWO		89.06	34.45										
4-WIRE COPPER LOOP																	
	4-Wire Copper Loop including manual service inquiry and facility reservation - Zone 1	1	UCL	UCL4S	13.10	139.69	90.96										
	4-Wire Copper Loop including manual service inquiry and facility reservation - Zone 2	2	UCL	UCL4S	15.17	139.69	90.96										
	4 Wire Copper Loop including manual service inquiry and facility reservation - Zone 3	3	UCL	UCL4S	17.03	139.69	90.96										
	4-Wire Copper Loop without manual service inquiry and facility reservation - Zone 1	1	UCL	UCL4W	13.10	115.43	78.63										
	4-Wire Copper Loop without manual service inquiry and facility reservation - Zone 2	2	UCL	UCL4W	15.17	115.43	78.63										
	4-Wire Copper Loop without manual service inquiry and facility reservation - Zone 3	3	UCL	UCL4W	17.03	115.43	78.63										
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		7.92	7.92										
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UCL	UREWO		89.06	34.45										
	Order Coordination for Specified Conversion Time (per LSR)		UEA, UDN, UAL, UHL, UDL, USL	OCOSL		17.56											
Rearrangements																	
	EEL to UNE-L, Retermination, per 2 Wire Unbundled Voice Loop SL2		UEA	UREEL		87.49	36.26										
	EEL to UNE-L, Retermination, per 4 Wire Unbundled Voice Loop		UEA	UREEL		87.49	36.26										
	EEL to UNE-L, Retermination, per 2 Wire ISDN Loop		UDN	UREEL		91.39	44.04										
	EEL to UNE-L, Retermination, per 4 Wire Unbundled Digital Loop		UDL	UREEL		101.86	49.62										
	EEL to UNE-L, Retermination, per 4 Wire Unbundled DS1 Loop		USL	UREEL		100.82	42.93										
UNE LOOP COMMINGLING																	
2-WIRE ANALOG VOICE GRADE LOOP - COMMINGLING																	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1	1	NTCVG	UEAL2	11.96	102.10	65.72										
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2	2	NTCVG	UEAL2	17.36	102.10	65.72										
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3	3	NTCVG	UEAL2	25.23	102.10	65.72										

UNBUNDLED NETWORK ELEMENTS - North Carolina										Att. 2 Ext. A			
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st
					Rec	Nonrecurring First	Add'l	Disconnect Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1	1	NTCVG	UEAR2	11.96	102.10	65.72						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2	2	NTCVG	UEAR2	17.38	102.10	65.72						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	3	NTCVG	UEAR2	25.23	102.10	65.72						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DSO)		NTCVG	URES L		25.03	3.53						
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DSO)		NTCVG	URES P		26.52	5.02						
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCVG	UREWO		87.49	36.26						
	Loop Tagging - Service Level 2 (SL2)		NTCVG	URETL		11.20	1.10						
4-WIRE ANALOG VOICE GRADE LOOP - COMMINGLING													
	4-Wire Analog Voice Grade Loop - Zone 1	1	NTCVG	UEAL4	19.52	127.40	91.02						
	4-Wire Analog Voice Grade Loop - Zone 2	2	NTCVG	UEAL4	24.74	127.40	91.02						
	4-Wire Analog Voice Grade Loop - Zone 3	3	NTCVG	UEAL4	46.11	127.40	91.02						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DSO)		NTCVG	URES L		25.03	3.53						
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DSO)		NTCVG	URES P		26.52	5.02						
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCVG	UREWO		87.49	36.26						
4-WIRE DS1 DIGITAL LOOP													
	4-Wire DS1 Digital Loop - Zone 1	1	NTCD1	USLXX	63.62	245.16	152.98						
	4-Wire DS1 Digital Loop - Zone 2	2	NTCD1	USLXX	104.40	245.16	152.98						
	4-Wire DS1 Digital Loop - Zone 3	3	NTCD1	USLXX	210.22	245.16	152.98						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DSO)		NTCD1	URES L		25.03	3.53						
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DSO)		NTCD1	URES P		26.52	5.02						
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCD1	UREWO		100.82	42.93						
4-WIRE 19.2, 56 OR 64 Kbps DIGITAL LOOP													
	4-Wire Unbundled Digital Loop 2.4 Kbps - Zone 1	1	NTCUD	UDL2X	21.98	121.86	85.48						
	4-Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	2	NTCUD	UDL2X	27.58	121.86	85.48						
	4-Wire Unbundled Digital Loop 2.4 Kbps - Zone 3	3	NTCUD	UDL2X	43.08	121.86	85.48						
	4-Wire Unbundled Digital Loop 4.8 Kbps - Zone 1	1	NTCUD	UDL4X	21.98	121.86	85.48						
	4-Wire Unbundled Digital Loop 4.8 Kbps - Zone 2	2	NTCUD	UDL4X	27.58	121.86	85.48						
	4-Wire Unbundled Digital Loop 4.8 Kbps - Zone 3	3	NTCUD	UDL4X	43.08	121.86	85.48						
	4-Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	1	NTCUD	UDL9X	21.98	121.86	85.48						
	4-Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	2	NTCUD	UDL9X	27.58	121.86	85.48						
	4-Wire Unbundled Digital Loop 9.6 Kbps - Zone 3	3	NTCUD	UDL9X	43.08	121.86	85.48						
	4-Wire Unbundled Digital 19.2 Kbps - Zone 1	1	NTCUD	UDL19	21.98	121.86	85.48						
	4-Wire Unbundled Digital 19.2 Kbps - Zone 2	2	NTCUD	UDL19	27.58	121.86	85.48						
	4-Wire Unbundled Digital 19.2 Kbps - Zone 3	3	NTCUD	UDL19	43.08	121.86	85.48						
	4-Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	NTCUD	UDL56	21.98	121.86	85.48						
	4-Wire Unbundled Digital Loop 56 Kbps - Zone 2	2	NTCUD	UDL56	27.58	121.86	85.48						
	4-Wire Unbundled Digital Loop 56 Kbps - Zone 3	3	NTCUD	UDL56	43.08	121.86	85.48						
	4-Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	NTCUD	UDL64	21.98	121.86	85.48						
	4-Wire Unbundled Digital Loop 64 Kbps - Zone 2	2	NTCUD	UDL64	27.58	121.86	85.48						
	4-Wire Unbundled Digital Loop 64 Kbps - Zone 3	3	NTCUD	UDL64	43.08	121.86	85.48						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DSO)		NTCUD	URES L		25.03	3.53						
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DSO)		NTCUD	URES P		26.52	5.02						
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCUD	UREWO		101.86	49.62						
	Order Coordination for Specified Conversion Time (per LSR)		NTCUD, NTCUD, NTCUD1	OCOSL		17.56							
MAINTENANCE OF SERVICE													

UNBUNDLED NETWORK ELEMENTS - North Carolina

UNBUNDLED NETWORK ELEMENTS - North Carolina																	
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Att. 2 Exh. A			Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
					Rec	Nonrecurring		Nonrecurring Disconnect			OSS Rates(\$)						
						First	Add'l				First	SOMAN	SOMAN				SOMAN
			UDC, UEA, UDL, UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTCDD1, U1TD1, U1TD3, U1TDX, U1TS1, U1TVX, UDF, UDFCX, UDLX, UE3, ULDD1, ULDD3, ULDDX, ULDS1, ULDDX, ULC1X, UNC3X, UNC0X, UNC5X, UNC1X, ULS														
	Maintenance of Service Charge, Basic Time, per half hour			MVBT		80.00		55.00									
			UDC, UEA, UDL, UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTCDD1, U1TD1, U1TD3, U1TDX, U1TS1, U1TVX, UDF, UDFCX, UDLX, UE3, ULDD1, ULDD3, ULDDX, ULDS1, ULDDX, ULC1X, UNC3X, UNC0X, UNC5X, UNC1X, ULS			90.00		65.00									
	Maintenance of Service Charge, Overtime, per half hour			MVOT													
			UDC, UEA, UDL, UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTCDD1, U1TD1, U1TD3, U1TDX, U1TS1, U1TVX, UDF, UDFCX, UDLX, UE3, ULDD1, ULDD3, ULDDX, ULDS1, ULDDX, ULC1X, UNC3X, UNC0X, UNC5X, UNC1X, ULS			100.00		75.00									
	Maintenance of Service Charge, Premium, per half hour			MVPT													
LOOP MODIFICATION																	
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop		UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		0.00		0.00									
	Unbundled Loop Modification, Removal of Load Coils - 2 wire greater than 18k ft		UCL, ULS, UEQ	ULM2G		0.00		0.00									
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop		UHL, UCL, UEA	ULM4L		0.00		0.00									
	Unbundled Loop Modification Removal of Load Coils - 4 Wire pair greater than 18K ft		UCL	ULM4G		0.00		0.00									
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop		UHL, UCL, UEA, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		12.15		12.15									
SUB-LOOPS																	
Sub-Loop Distribution																	
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up		UEANL, UEF	USBSA		144.09											
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up		UEANL, UEF	USBSB		10.99		10.99									

UNBUNDLED NETWORK ELEMENTS - North Carolina

UNBUNDLED NETWORK ELEMENTS - North Carolina																	
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Alt: 2 Exh: A				Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
					Nonrecurring First	Add'l	Nonrecurring First	OSS Rates(\$)									
								SOME			SOMAN	SOMAN					
					Rec												
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up		UEANL	USBSC		86.16											
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up		UEANL	USBSD		27.13		27.13									
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	1	UEANL	USBN2		6.70		30.06									
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	2	UEANL	USBN2		9.93		30.06									
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	3	UEANL	USBN2		12.79		30.06									
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEANL	USBMC		7.92		7.92									
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1	1	UEANL	USBN4		10.81		42.92									
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2	2	UEANL	USBN4		14.16		42.92									
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3	3	UEANL	USBN4		24.67		42.92									
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEANL	USBMC		7.92		7.92									
	Sub-Loop 2-Wire IntraBuilding Network Cable (INC)		UEANL	USBR2		2.34		17.65									
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEANL	USBMC		7.92		7.92									
	Sub-Loop 4-Wire IntraBuilding Network Cable (INC)		UEANL	USBR4		4.18		23.71									
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEANL	USBMC		7.92		7.92									
Service Order charges will apply only once per sub-loop																	
	Loop Testing - Basic 1st Half Hour		UEANL	URET1		33.17		0.00									
	Loop Testing - Basic Additional Half Hour		UEANL	URETA		19.28		19.28									
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	UEF	UCS2X		5.43		30.06									
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	2	UEF	UCS2X		8.04		30.06									
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	3	UEF	UCS2X		9.79		30.06									
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEF	USBMC		7.92		7.92									
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	UEF	UCS4X		6.34		42.92									
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	2	UEF	UCS4X		9.62		42.92									
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	3	UEF	UCS4X		13.04		42.92									
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEF	USBMC		7.92		7.92									
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-Designed and Distribution Subloops		UEF, UEANL	URETL		8.93		0.88									
	Loop Testing - Basic 1st Half Hour		UEF	URET1		33.17		0.00									
	Loop Testing - Basic Additional Half Hour		UEF	URETA		19.28		19.28									
Unbundled Sub-Loop Modification																	
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load		UEF	ULM2X		0.00		0.00									
	Coil/Equip Removal per 2-W PR		UEF	ULM4X		0.00		0.00									
	Unbundled Sub-loop Modification - 4-W Copper Dist Load		UEF	ULM4X		0.00		0.00									
	Coil/Equip Removal per 4-W PR		UEF	ULM4X		0.00		0.00									
	Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop		UEF	ULMBT		224.55		4.29									
Unbundled Network Terminating Wire (UNTW)																	
	Unbundled Network Terminating Wire (UNTW) per Pair		UEANTW	UEANPP		0.51		14.72									
Network Interface Device (NID)																	
	Network Interface Device (NID) - 1, 2 lines		UEANTW	UNID12		86.37		58.69									
	Network Interface Device (NID) - 4, 6 lines		UEANTW	UNID16		127.93		98.21									
	Network Interface Device Cross Connect - 2 W		UEANTW	UNDC2		5.73		5.73									
	Network Interface Device Cross Connect - 4W		UEANTW	UNDC4		5.73		5.73									
UNE OTHER, PROVISIONING ONLY - NO RATE																	
			UAL, UCL, UDC, UDL, UDN, UEA, UHL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD, NTCDD, USL	UNEQCN		0.00		0.00									
	Unbundled Contact Name, Provisioning Only - no rate			UNEQCN		0.00		0.00									

UNBUNDLED NETWORK ELEMENTS - North Carolina										Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted ELEC per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st
					Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First					
	Unbundled DS1 Loop - Superframe Format Option - no rate		USL NTCD1	CCOSF		0.00							
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate		USL NTCD1	CCOEF		0.00							
	NID - Dispatch and Service Order for NID installation		UENTW	UNDBX	0.00								
	UNITW Circuit Establishment, Provisioning Only - No Rate		UENTW	UENCE	0.00								
LOOP MAKE-UP	Loop Makeup - Prioritizing Without Reservation, per working or spare facility queried (Manual).		UMK	UMKLW		23.29							
	Loop Makeup - Prioritizing With Reservation, per spare facility queried (Manual).		UMK	UMKLP		24.70							
	Loop Makeup-With or Without Reservation, per working or spare facility queried (Mechanized)		UMK	UMKMQ		0.19							
LINE SPLITTING													
	END USER ORDERING-CENTRAL OFFICE BASED												
	Line Splitting - per line activation DLEC owned splitter		UEPSR UEPSB	UEEOS	0.61	15.53	7.79						
	Line Splitting - per line activation BST owned - physical		UEPSR UEPSB	UREBP	0.6409	17.97	10.29						
	Line Splitting - per line activation BST owned - virtual		UEPSR UEPSB	UREBV	0.6325	17.87	10.29						
END USER ORDERING - REMOTE SITE LINE SPLITTING													
UNBUNDLED EXCHANGE ACCESS LOOP													
2-WIRE ANALOG VOICE GRADE LOOP													
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1	1	UEPSR UEPSB	UEALS	10.82	36.54	16.87	0.00	0.00				
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1	1	UEPSR UEPSB	UEABS	10.82	36.54	16.87	0.00	0.00				
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 2	2	UEPSR UEPSB	UEALS	16.21	36.54	16.87	0.00	0.00				
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 2	2	UEPSR UEPSB	UEABS	16.21	36.54	16.87	0.00	0.00				
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3	3	UEPSR UEPSB	UEALS	24.08	36.54	16.87	0.00	0.00				
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3	3	UEPSR UEPSB	UEABS	24.08	36.54	16.87	0.00	0.00				
PHYSICAL COLLOCATION													
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting		UEPSR UEPSB	PE1LS	0.0309	19.77	14.95	0.00	0.00				
VIRTUAL COLLOCATION													
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting		UEPSR UEPSB	VE1LS	0.0287	33.96	32.08	0.00	0.00				
UNBUNDLED DEDICATED TRANSPORT													
INTEROFFICE CHANNEL - DEDICATED TRANSPORT													
	Interoffice Channel - 2-Wire Voice Grade - per mile		UITVX	1LSXX	0.0095								
	Interoffice Channel - 2-Wire Voice Grade - Facility Termination		UITVX	UITV2	12.12	39.36	26.62						
	Interoffice Channel - 2-Wire Voice Grade Rev Bat. - per mile		UITVX	1LSXX	0.0095								
	Interoffice Channel - 2-Wire VG Rev Bat. - Facility Termination		UITVX	UITR2	12.12	39.36	26.62						
	Interoffice Channel - 4-Wire Voice Grade - per mile		UITVX	1LSXX	0.0095								
	Interoffice Channel - 4-Wire Voice Grade - Facility Termination		UITVX	UITV4	10.19	39.36	26.62						
	Interoffice Channel - 56 kbps - per mile		UITDX	1LSXX	0.0095								
	Interoffice Channel - 56 kbps - Facility Termination		UITDX	UITD5	7.47	39.37	26.62						
	Interoffice Channel - 64 kbps - per mile		UITDX	1LSXX	0.0095								
	Interoffice Channel - 64 kbps - Facility Termination		UITDX	UITD6	7.47	39.37	26.62						
	Interoffice Channel - DS1 - per mile		UITD1	1LSXX	0.1938								
	Interoffice Channel - DS1 - Facility Termination		UITD1	UITF1	31.06	86.69	79.44						
	Interoffice Channel - DS3 - per mile		UITD3	1LSXX	4.44								
	Interoffice Channel - DS3 - Facility Termination		UITD3	UITF3	329.91	270.69	158.05						
	Interoffice Channel - STS-1 - per mile		UITS1	1LSXX	4.44								
	Interoffice Channel - STS-1 - Facility Termination		UITS1	UITF5	339.20	270.69	158.05						
HIGH CAPACITY UNBUNDLED LOCAL LOOP													
DS3-ST S-1 UNBUNDLED LOCAL LOOP - Stand Alone													
	DS3 Unbundled Local Loop - per mile		UE3	1LSND	12.95								
	DS3 Unbundled Local Loop - Facility Termination		UE3PX	UE3	229.90	438.46	256.30						
	STS-1 Unbundled Local Loop - per mile		UDLSX	1LSND	12.95								
	STS-1 Unbundled Local Loop - Facility Termination		UDLSX	UDLS1	257.82	438.46	256.30						

UNBUNDLED NETWORK ELEMENTS - North Carolina													Att. 2 Exh. A				
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l		Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l		Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l		
					Rec	Nonrecurring		Nonrecurring Disconnect First			Disconnect Add'l	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
						First	Add'l										
	OCU-DP COCI (2.4-64Kbs) in combination		UNCDX	1D1DD	0.9199	54.14	17.51										
	OCU-DP COCI (2.4-64Kbs) - for Unbundled Digital Loop		UDL	1D1DD	0.9199	6.39	4.58										
	OCU-DP COCI (2.4-64Kbs) - for connection to a channelized DS1																
	Local Channel in the same SWC as collocation		U1TUD	1D1DD	0.9199	6.39	4.58										
	2-wire ISDN COCI (BRITE) in combination		UNCNX	UC1CA	1.53	54.14	17.51										
	2-wire ISDN COCI (BRITE) - for a Local Loop		UDN	UC1CA	1.53	6.39	4.58										
	2-wire ISDN COCI (BRITE) - for connection to a channelized DS1		U1TUB	UC1CA	1.53	6.39	4.58										
	Local Channel in the same SWC as collocation		UNC1X	UC1D1	8.43	54.14	17.51										
	DS1 COCI in combination		U1DD1	UC1D1	8.43	6.39	4.58										
	DS1 COCI - for Stand Alone Local Channel		U1TD1	UC1D1	8.43	6.39	4.58										
	DS1 COCI - for Stand Alone Interoffice Channel		USL, NTC01	UC1D1	8.43	6.39	4.58										
	DS1 COCI - for DS1 Local Loop																
	DS1 COCI - for connection to a channelized DS1 Local Channel in the same SWC as collocation		U1TUA	UC1D1	8.43	6.39	4.58										
			UNCVX, UNCDX, UNC1X, UNC3X, UNCSX, UDFCX, XDH1X, HFQCB, XDD2X, XDV6X, XDDFX, XDD4X, HFRST, UNC1X, U1TVX, U1TDX, U1TD1, U1TD3, U1TS1, UDF, UE3														
	Wholesale - UNE, Switch-As-is Conversion Charge			UNCCC		5.43	5.43										
	Unbundled Misc Rate Element, SNE SAI, Single Network Element - Switch As is Non-recurring Charge, per circuit (LSR)		U1TS1, UDF, UE3	URES		36.90	16.15										
	Unbundled Misc Rate Element, SNE SAI, Single Network Element - Switch As is Non-recurring Charge, incremental charge per circuit on a spreadsheet		U1TVX, U1TDX, U1TD1, U1TD3, U1TS1, UDF, UE3	URES		1.49	1.49										
	Access to DCS - Customer Reconfiguration (FlexServ)																
	Customer Reconfiguration Establishment				21.64	1.43	1.43										
	DS1 DCS Termination with DSO Switching				7.32	17.93	12.22										
	DS1 DCS Termination with DS1 Switching				136.07	24.81	19.09										
	Node (Synchronet)																
	Node per month			UNCX	UNCNT	16.00											
	Service Rearrangements																
	NRC - Change in Facility Assignment per circuit Service Rearrangement	I	U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, ULDDX, ULDDX, UNCVX, UNCDX, UNC1X	URETD		100.82	42.93										
	NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed)	I	U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, ULDDX, ULDDX, UNCVX, UNCDX, UNC1X	URETB		3.18	3.18										
	NRC - Order Coordination Specific Time - Dedicated Transport	I	UNC1X, UNC3X	OCOSR		18.89	18.89										
COMINGLING																	
	Commingling Authorization																
	Commingling (UNE part of single bandwidth circuit)																
	Commingled VG COCI		XDV2X	1D1VG	0.4329	54.14	17.51										
	Commingled Digital COCI		XDV6X	1D1DD	0.9199	54.14	17.51										
	Commingled ISDN COCI		XDD4X	UC1CA	1.53	54.14	17.51										
	Commingled 2-wire VG Interoffice Channel Facility Termination		XDV2X	U1TV2	12.12	131.81	78.34										
	Commingled 4-wire VG Interoffice Channel Facility Termination		XDV6X	U1TV4	10.19	131.81	78.34										
	Commingled 58Kbps Interoffice Channel Facility Termination		XDD4X	U1TD5	7.47	131.81	78.34										
	Commingled 64Kbps Interoffice Channel Facility Termination		XDD4X	U1TD6	7.47	131.81	78.34										

UNBUNDLED NETWORK ELEMENTS - South Carolina

CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Att: 2 Exh: A		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
					Nonrecurring	First	Nonrecurring	First		Incremental Charge - Manual Svc Order vs. Electronic- 1st	SOMAN			
					Rec	First	Add'l	Add'l	SOMECH	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zones, refer to internet Website: http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm														
OPERATIONS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"														
NOTE: (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges currently contained in this rate exhibit are the BellSouth "regional" service ordering charges. CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may elect the regional service ordering charges, however, CLEC can not obtain a mixture of the two regardless if CLEC has an interconnection contract established in each of the 9 states.														
NOTE: (2) Any element that can be ordered electronically will be billed according to the SOMECH rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the LOH, the listed SOMECH rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be applied to a CLEC's bill when it submits an LSR to BellSouth.														
	OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only			SOMECH		3.50	0.00	3.50	0.00					
	OSS - Manual Service Order Charge, Per Local Service Request (LSR) - UNE Only			SOMAN		15.69	0.00	1.97	0.00					
UNE SERVICE DATE ADVANCEMENT CHARGE														
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No.1 Tariff, Section 5 as applicable.														
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day			SDASP		200.00								
ORDER MODIFICATION CHARGE														
	Order Modification Charge (OMC)					26.21	0.00	0.00	0.00					
	Order Modification Additional Dispatch Charge (OMCAD)					150.00	0.00	0.00	0.00					
UNBUNDLED EXCHANGE ACCESS LOOP														
2-WIRE ANALOG VOICE GRADE LOOP														
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1	1	UEANL	UEAL2	14.94	37.92	17.62	23.56	5.32					
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2	2	UEANL	UEAL2	21.39	37.92	17.62	23.56	5.32					
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3	3	UEANL	UEAL2	26.72	37.92	17.62	23.56	5.32					
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1	1	UEANL	UEASL	14.94	37.92	17.62	23.56	5.32					
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2	2	UEANL	UEASL	21.39	37.92	17.62	23.56	5.32					
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3	3	UEANL	UEASL	26.72	37.92	17.62	23.56	5.32					
	Tag Loop at End User Premise			URETL		8.95	0.00	0.00						
	Loop Testing - Basic 1st Half Hour			URET1		34.23	0.00	0.00						
	Loop Testing - Basic Additional Half Hour			URET1		19.90	0.00	0.00						
	Manual Order Coordination for UVL SL1s (per loop)			UEAMC		8.17	8.17							
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			OCOSL		18.13	18.13							

UNBUNDLED NETWORK ELEMENTS - South Carolina

UNBUNDLED NETWORK ELEMENTS - South Carolina													Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l			
					Rec	Nonrecurring		Nonrecurring Disconnect First						Add'l		
						First	Add'l									
	Unbundled Non-Design Voice Loop, billing for BST providing make up (Engineering Information - E.I.)			UEANM				13.47	13.47							
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			UREWO				15.81	8.96	23.56	5.32					
	Bulk Migration, per 2 Wire Voice Loop-SL1			UREPN				37.92	17.62	23.56	5.32					
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL1			UREPM				8.17	8.17							
2-WIRE UNBUNDLED COPPER LOOP																
	2-Wire Unbundled Copper Loop - Non-Design Zone 1	1	UEQ	UEQ2X		12.94	36.40	16.10	22.66	4.42						
	2 Wire Unbundled Copper Loop - Non-Design - Zone 2	2	UEQ	UEQ2X		14.51	36.40	16.10	22.66	4.42						
	2 Wire Unbundled Copper Loop - Non-Design - Zone 3	3	UEQ	UEQ2X		15.02	36.40	16.10	22.66	4.42						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEQ			8.95	0.88								
	Loop Testing - Basic 1st Half Hour			UEQ			34.23	0.00								
	Loop Testing - Basic Additional Half Hour			UEQ			19.90	19.90								
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Design (per loop)			UEQ			8.17	8.17								
	Unbundled Copper Loop - Non-Design billing for BST providing make-up (Engineering Information - E.I.)			UEQMU			13.47	13.47								
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			UEQ			14.30	7.45	22.66	4.42						
	Bulk Migration, per 2 Wire UCL-ND			UEQ			36.40	16.10	22.66	4.42						
	Bulk Migration Order Coordination, per 2 Wire UCL-ND			UEQ			8.17	8.17								
UNBUNDLED EXCHANGE ACCESS LOOP																
2-WIRE ANALOG VOICE GRADE LOOP																
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1	1	UEA	UEAL2		16.68	105.98	68.43	53.05	10.61						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2	2	UEA	UEAL2		23.13	105.98	68.43	53.05	10.61						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3	3	UEA	UEAL2		28.46	105.98	68.43	53.05	10.61						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1	1	UEA	UEAR2		16.68	105.98	68.43	53.05	10.61						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2	2	UEA	UEAR2		23.13	105.98	68.43	53.05	10.61						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	3	UEA	UEAR2		28.46	105.98	68.43	53.05	10.61						
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DSO)		UEA	URES			24.88	3.51								
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DSO)		UEA	URES			26.37	4.99								
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			UREWO			87.90	36.44								
	Loop Tagging - Service Level 2 (SL2)		UEA	URETL			11.24	1.10								
	Bulk Migration, per 2 Wire Voice Loop-SL2		UEA	UREPN			105.98	68.43								
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL2		UEA	UREPM			0.00	0.00								
4-WIRE ANALOG VOICE GRADE LOOP																
	4-Wire Analog Voice Grade Loop - Zone 1	1	UEA	UEAL4		32.59	132.38	94.83	59.35	14.61						
	4-Wire Analog Voice Grade Loop - Zone 2	2	UEA	UEAL4		43.89	132.38	94.83	59.35	14.61						
	4-Wire Analog Voice Grade Loop - Zone 3	3	UEA	UEAL4		43.38	132.38	94.83	59.35	14.61						
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DSO)		UEA	URES			24.88	3.51								
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DSO)		UEA	URES			26.37	4.99								
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			UREWO			87.90	36.44								
2-WIRE ISDN DIGITAL GRADE LOOP																
	2-Wire ISDN Digital Grade Loop - Zone 1	1	UDN	U1L2X		25.21	117.58	80.03	53.05	10.61						
	2-Wire ISDN Digital Grade Loop - Zone 2	2	UDN	U1L2X		32.76	117.58	80.03	53.05	10.61						
	2-Wire ISDN Digital Grade Loop - Zone 3	3	UDN	U1L2X		37.70	117.58	80.03	53.05	10.61						
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			UREWO			91.82	44.25								
2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP																
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1	1	UAL	UAL2X		12.19	120.84	70.56	50.37	7.93						

UNBUNDLED NETWORK ELEMENTS - South Carolina										Alt: 2 Ext: A			
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st
					Rec	First	Nonrecurring Add'l	Nonrecurring Disconnect First	SOMECE	SOMAN	SOMAN	SOMAN	SOMAN
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2	2	UAL	UAL2X	13.71	120.84	70.56	50.37	7.93				
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3	3	UAL	UAL2X	14.14	120.84	70.56	50.37	7.93				
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1	1	UAL	UAL2W	12.19	95.81	57.82	50.37	7.93				
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2	2	UAL	UAL2W	13.71	95.81	57.82	50.37	7.93				
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3	3	UAL	UAL2W	14.14	95.81	57.82	50.37	7.93				
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UAL	UREWO		86.38	40.48						
2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1	1	UHL	UHL2X	9.58	129.52	79.24	50.37	7.93				
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2	2	UHL	UHL2X	10.92	129.52	79.24	50.37	7.93				
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3	3	UHL	UHL2X	11.40	129.52	79.24	50.37	7.93				
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	UHL	UHL2W	9.58	104.49	86.50	50.37	7.93				
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	2	UHL	UHL2W	10.92	104.49	86.50	50.37	7.93				
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	3	UHL	UHL2W	11.40	104.49	86.50	50.37	7.93				
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UHL	UREWO		86.32	40.48						
4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1	1	UHL	UHL4X	16.02	158.18	107.89	55.12	10.38				
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2	2	UHL	UHL4X	14.33	158.18	107.89	55.12	10.38				
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3	3	UHL	UHL4X	16.84	158.18	107.89	55.12	10.38				
	4 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	UHL	UHL4W	16.02	133.14	95.16	55.12	10.38				
	4 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	2	UHL	UHL4W	14.33	133.14	95.16	55.12	10.38				
	4 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	3	UHL	UHL4W	16.84	133.14	95.16	55.12	10.38				
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UHL	UREWO		86.32	40.48						
4-WIRE DS1 DIGITAL LOOP													
	4-Wire DS1 Digital Loop - Zone 1	1	USL	USLXX	79.51	253.03	157.89	44.80	11.73				
	4-Wire DS1 Digital Loop - Zone 2	2	USL	USLXX	136.00	253.03	157.89	44.80	11.73				
	4-Wire DS1 Digital Loop - Zone 3	3	USL	USLXX	229.15	253.03	157.89	44.80	11.73				
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DS1)		USL	URES1		24.88	3.51						
	Switch-As-is Conversion rate per UNE Loop, Spreadshet, (per DS1)		USL	URES2		26.37	4.99						
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		USL	UREWO		101.30	43.13						
4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP													
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1	1	UDL	UDL2X	29.93	126.66	89.12	59.35	14.61				
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	2	UDL	UDL2X	33.99	126.66	89.12	59.35	14.61				
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3	3	UDL	UDL2X	34.74	126.66	89.12	59.35	14.61				
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1	1	UDL	UDL4X	29.93	126.66	89.12	59.35	14.61				
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2	2	UDL	UDL4X	33.99	126.66	89.12	59.35	14.61				
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3	3	UDL	UDL4X	34.74	126.66	89.12	59.35	14.61				
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	1	UDL	UDL9X	29.93	126.66	89.12	59.35	14.61				
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	2	UDL	UDL9X	33.99	126.66	89.12	59.35	14.61				
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3	3	UDL	UDL9X	34.74	126.66	89.12	59.35	14.61				
	4 Wire Unbundled Digital Loop 19.2 Kbps - Zone 1	1	UDL	UDL19	29.93	126.66	89.12	59.35	14.61				
	4 Wire Unbundled Digital Loop 19.2 Kbps - Zone 2	2	UDL	UDL19	33.99	126.66	89.12	59.35	14.61				

UNBUNDLED NETWORK ELEMENTS - South Carolina										Att: 2 Exh. A			
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st
					Rec	Nonrecurring	First	Nonrecurring	First	Nonrecurring	First	Nonrecurring	First
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3	3	UDL	UDL19	34.74	126.66	89.12	59.35	14.61				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	UDL	UDL56	29.93	126.66	89.12	59.35	14.61				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	2	UDL	UDL56	33.99	126.66	89.12	59.35	14.61				
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	3	UDL	UDL56	34.74	126.66	89.12	59.35	14.61				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	UDL	UDL64	29.93	126.66	89.12	59.35	14.61				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	2	UDL	UDL64	33.99	126.66	89.12	59.35	14.61				
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	3	UDL	UDL64	34.74	126.66	89.12	59.35	14.61				
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DSU)		UDL	URES		24.88	3.51						
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DSU)		UDL	URES		26.37	4.99						
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UDL	UREWO		102.34	49.85						
2-WIRE UNBUNDLED COPPER LOOP													
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1	1	UCL	UCLPB	12.19	119.91	69.62	50.37	7.93				
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2	2	UCL	UCLPB	13.71	119.91	69.62	50.37	7.93				
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3	3	UCL	UCLPB	14.14	119.91	69.62	50.37	7.93				
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1	UCL	UCLPW	12.19	94.87	56.89	50.37	7.93				
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	2	UCL	UCLPW	13.71	94.87	56.89	50.37	7.93				
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	3	UCL	UCLPW	14.14	94.87	56.89	50.37	7.93				
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		8.17	8.17						
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UCL	UREWO		94.87	42.57						
4-WIRE COPPER LOOP													
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1	1	UCL	UCL4S	19.64	144.17	93.88	55.12	10.38				
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2	2	UCL	UCL4S	20.90	144.17	93.88	55.12	10.38				
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3	3	UCL	UCL4S	19.34	144.17	93.88	55.12	10.38				
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1	UCL	UCL4W	19.64	119.13	81.15	55.12	10.38				
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	2	UCL	UCL4W	20.90	119.13	81.15	55.12	10.38				
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	3	UCL	UCL4W	19.34	119.13	81.15	55.12	10.38				
	Order Coordination for Unbundled Copper Loops (per loop)		UCL	UCLMC		8.17	8.17						
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UCL	UREWO		94.87	42.57						
	Order Coordination for Specified Conversion Time (per LSR)		UHL, UDL, USL	OCOSL		18.13							
Rearrangements													
	EEL to UNE-L Retermiation, per 2 Wire Unbundled Voice Loop-SLZ		UEA	UREEL		87.90	36.44						
	EEL to UNE-L Retermiation, per 4 Wire Unbundled Voice Loop		UEA	UREEL		87.90	36.44						
	EEL to UNE-L Retermiation, per 2 Wire ISDN Loop		UDN	UREEL		91.82	44.25						
	EEL to UNE-L Retermiation, per 4 Wire Unbundled Digital Loop		UDL	UREEL		102.34	49.85						
	EEL to UNE-L Retermiation, per 4 Wire Unbundled DS1 Loop		USL	UREEL		101.30	43.13						
UNE LOOP COMMINGLING													
2-WIRE ANALOG VOICE GRADE LOOP - COMMINGLING													
	2-Wire Analog Voice Grade Loop - Service Level 2 w/loop or Ground Start Signaling - Zone 1	1	NTCVG	UEAL2	16.68	105.98	68.43	53.05	10.61				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/loop or Ground Start Signaling - Zone 2	2	NTCVG	UEAL2	23.13	105.98	68.43	53.05	10.61				
	2-Wire Analog Voice Grade Loop - Service Level 2 w/loop or Ground Start Signaling - Zone 3	3	NTCVG	UEAL2	28.46	105.98	68.43	53.05	10.61				

UNBUNDLED NETWORK ELEMENTS - South Carolina

UNBUNDLED NETWORK ELEMENTS - South Carolina												
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
					Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	Add'l	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1					16.68	105.98	68.43	53.05	10.61		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2	1	NTCVG	UEAR2								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	2	NTCVG	UEAR2	23.13	105.98	68.43	53.05	10.61			
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DSD)	3	NTCVG	UEAR2	28.46	105.98	68.43	53.05	10.61			
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DSD)		NTCVG	URES		24.88	3.51					
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCVG	URES		26.37	4.99					
	Loop Tagging - Service Level 2 (SL2)		NTCVG	UREWO		87.90	36.44					
	Loop Tagging - Service Level 2 (SL2)		NTCVG	URETL		11.24	1.10					
	4-WIRE ANALOG VOICE GRADE LOOP											
	4-Wire Analog Voice Grade Loop - Zone 1	1	NTCVG	UEAL4	32.59	132.38	94.83	59.35	14.61			
	4-Wire Analog Voice Grade Loop - Zone 2	2	NTCVG	UEAL4	43.89	132.38	94.83	59.35	14.61			
	4-Wire Analog Voice Grade Loop - Zone 3	3	NTCVG	UEAL4	43.38	132.38	94.83	59.35	14.61			
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DSD)		NTCVG	URES		24.88	3.51					
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DSD)		NTCVG	URES		26.37	4.99					
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCVG	UREWO		87.90	36.44					
	4-WIRE DS1 DIGITAL LOOP - COMMINGLING											
	4-Wire DS1 Digital Loop - Zone 1	1	NTCD1	USLXX	79.51	253.03	157.89	44.80	11.73			
	4-Wire DS1 Digital Loop - Zone 2	2	NTCD1	USLXX	136.00	253.03	157.89	44.80	11.73			
	4-Wire DS1 Digital Loop - Zone 3	3	NTCD1	USLXX	229.15	253.03	157.89	44.80	11.73			
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DSD)		NTCD1	URES		24.88	3.51					
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DSD)		NTCD1	URES		26.37	4.99					
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCD1	UREWO		101.30	43.13					
	4-WIRE 19.2, 56 OR 64 Kbps DIGITAL GRADE LOOP											
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1	1	NTCUD	UDL2X	29.93	126.66	89.12	59.35	14.61			
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	2	NTCUD	UDL2X	33.99	126.66	89.12	59.35	14.61			
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3	3	NTCUD	UDL2X	34.74	126.66	89.12	59.35	14.61			
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1	1	NTCUD	UDL4X	29.93	126.66	89.12	59.35	14.61			
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2	2	NTCUD	UDL4X	33.99	126.66	89.12	59.35	14.61			
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3	3	NTCUD	UDL4X	34.74	126.66	89.12	59.35	14.61			
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	1	NTCUD	UDL9X	29.93	126.66	89.12	59.35	14.61			
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	2	NTCUD	UDL9X	33.99	126.66	89.12	59.35	14.61			
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3	3	NTCUD	UDL9X	34.74	126.66	89.12	59.35	14.61			
	4 Wire Unbundled Digital Loop 19.2 Kbps - Zone 1	1	NTCUD	UDL19	29.93	126.66	89.12	59.35	14.61			
	4 Wire Unbundled Digital Loop 19.2 Kbps - Zone 2	2	NTCUD	UDL19	33.99	126.66	89.12	59.35	14.61			
	4 Wire Unbundled Digital Loop 19.2 Kbps - Zone 3	3	NTCUD	UDL19	34.74	126.66	89.12	59.35	14.61			
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	NTCUD	UDL56	29.93	126.66	89.12	59.35	14.61			
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	2	NTCUD	UDL56	33.99	126.66	89.12	59.35	14.61			
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	3	NTCUD	UDL56	34.74	126.66	89.12	59.35	14.61			
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	NTCUD	UDL64	29.93	126.66	89.12	59.35	14.61			
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	2	NTCUD	UDL64	33.99	126.66	89.12	59.35	14.61			
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	3	NTCUD	UDL64	34.74	126.66	89.12	59.35	14.61			
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DSD)		NTCUD	URES		24.88	3.51					
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DSD)		NTCUD	URES		26.37	4.99					
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCUD	UREWO		102.34	49.85					
	Order Coordination for Specified Conversion Time (per LSR)		NTCUD, NTCV, NTCDD	OCOSL		18.13						
	MAINTENANCE OF SERVICE											

UNBUNDLED NETWORK ELEMENTS - South Carolina

UNBUNDLED NETWORK ELEMENTS - South Carolina																	
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Alt: 2 Exh: A			Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l		
					Rec	Nonrecurring Add'l	Nonrecurring Disconnect Add'l			SOME	SOMAN	SOMAN					
			UDC, UEA, UDL, UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTCO1, U1TD1, U1TD3, U1TDX, U1TS1, U1TVX, UDF, UDFCX, UDLX, UE3, ULDD1, ULDD3, ULDDX, ULDS1, ULDVX, UNC1X, UNC3X, UNCDX, UNC5X, UNCVX, ULS														
	Maintenance of Service Charge, Basic Time, per half hour			MVBT			80.00	55.00									
			UDC, UEA, UDL, UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTCO1, U1TD1, U1TD3, U1TDX, U1TS1, U1TVX, UDF, UDFCX, UDLX, UE3, ULDD1, ULDD3, ULDDX, ULDS1, ULDVX, UNC1X, UNC3X, UNCDX, UNC5X, UNCVX, ULS														
	Maintenance of Service Charge, Overtime, per half hour			MVOT			90.00	65.00									
			UDC, UEA, UDL, UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTCO1, U1TD1, U1TD3, U1TDX, U1TS1, U1TVX, UDF, UDFCX, UDLX, UE3, ULDD1, ULDD3, ULDDX, ULDS1, ULDVX, UNC1X, UNC3X, UNCDX, UNC5X, UNCVX, ULS														
	Maintenance of Service Charge, Premium, per half hour			MVPT			100.00	75.00									
LOOP MODIFICATION																	
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18K ft, per Unbundled Loop		UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L			32.46	32.46									
	Unbundled Loop Modification, Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop		UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM4L			32.46	32.46									
	Unbundled Loop Modification, Removal of Bridged Tap Removal, per unbundled loop		UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT			32.48	32.48									
SUB-LOOPS																	
Sub-Loop Distribution																	
	Sub-Loop - Per Gross Box Location - CLEC Feeder Facility Set-Up		UEANL, UEF	USBSA			241.42	241.42									
	Sub-Loop - Per Gross Box Location - Per 25 Pair Panel Set-Up		UEANL, UEF	USBSB			22.69	22.69									
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up		UEANL	USBSC			177.84	177.84									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up		UEANL	USBSD			55.58	55.58									

UNBUNDLED NETWORK ELEMENTS - South Carolina										Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted ELEC per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
					Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	SOMEK	SOMAN	OSS Rates(\$)	SOMAN	SOMAN
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	1	UEANL	USBN2	8.87	65.94	31.03	45.35				6.71	
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	2	UEANL	USBN2	12.58	65.94	31.03	45.35				6.71	
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	3	UEANL	USBN2	14.79	65.94	31.03	45.35				6.71	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEANL	USBMC		8.17	8.17						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1	1	UEANL	USBN4	14.11	79.21	44.29	49.82				9.09	
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2	2	UEANL	USBN4	19.40	79.21	44.29	49.82				9.09	
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3	3	UEANL	USBN4	18.90	79.21	44.29	49.82				9.09	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEANL	USBMC		8.17	8.17						
	Sub-Loop 2-Wire IntraBuilding Network Cable (INC)		UEANL	USBR2	2.41	53.13	18.21	45.35				6.71	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEANL	USBMC		8.17	8.17						
	Sub-Loop 4-Wire IntraBuilding Network Cable (INC)		UEANL	USBR4	5.36	59.38	24.47	49.82				9.09	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEANL	USBMC		8.17	8.17						
	Loop Testing - Basic 1st Half Hour		UEANL	URET1		34.23	0.00						
	Loop Testing - Basic Additional Half Hour		UEANL	URET1		19.90	19.90						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	UEF	UCS2X	7.11	65.94	31.03	45.35				6.71	
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	2	UEF	UCS2X	9.83	65.94	31.03	45.35				6.71	
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	3	UEF	UCS2X	10.48	65.94	31.03	45.35				6.71	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEF	USBMC		8.17	8.17						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	UEF	UCS4X	7.85	79.21	44.29	49.82				9.09	
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	2	UEF	UCS4X	14.17	79.21	44.29	49.82				9.09	
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	3	UEF	UCS4X	12.64	79.21	44.29	49.82				9.09	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		UEF	USBMC		8.17	8.17						
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-Designed and Distribution Subloops		UEF UEANL	URETL		8.95	0.88						
	Loop Testing - Basic 1st Half Hour		UEF	URET1		34.23	0.00						
	Loop Testing - Basic Additional Half Hour		UEF	URET1		19.90	19.90						
	Unbundled Sub-Loop Modification		UEF	ULM2X		176.17	5.11						
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load		UEF	ULM2X		176.17	5.11						
	Coil/Equip Removal per 2-W PR		UEF	ULM4X		176.17	5.11						
	Unbundled Sub-loop Modification - 4-W Copper Dist Load		UEF	ULM4X		176.17	5.11						
	Coil/Equip Removal per 4-W PR		UEF	ULM4X		176.17	5.11						
	Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop		UEF	ULMBT		278.82	6.13						
	Unbundled Network Terminating Wire (UNTW)		UEF	ULMBT		278.82	6.13						
	Unbundled Network Terminating Wire (UNTW) per Pair		UENTW	UENPP	0.3303	30.20	30.20						
	Network Interface Device (NID)		UENTW	UND12		43.68	28.79						
	Network Interface Device (NID) - 1-2 lines		UENTW	UND16		64.42	49.53						
	Network Interface Device (NID) - 1-6 lines		UENTW	UNDC2		5.92	5.92						
	Network Interface Device Cross Connect - 2 W		UENTW	UNDC4		5.92	5.92						
	Network Interface Device Cross Connect - 4W		UENTW	UNDC4		5.92	5.92						
	UNE OTHER, PROVISIONING ONLY - NO RATE		UJAL, UCL, UDC, UDL, UDN, UEA, UHL, UEANL, UEF, UEQ, UENTW, NTCV/G, NTCUD, NTCDL, USL, USL, NTCDD1	UNECH, CCOSF	0.00	0.00							
	Unbundled Contact Name, Provisioning Only - no rate		USL, NTCDD1	CCOEK		0.00							
	Unbundled DST Loop - Superframe Format Option - no rate		USL, NTCDD1	UNDBX	0.00	0.00							
	Unbundled DST Loop - Expanded Superframe Format option - no rate		USL, NTCDD1	UNDBX	0.00	0.00							
	NID - Dispatch and Service Order for NID installation		UENTW	UNDBX	0.00	0.00							
	UNTW Circuit Establishment, Provisioning Only - No Rate		UENTW	UENCE	0.00	0.00							

UNBUNDLED NETWORK ELEMENTS - South Carolina

UNBUNDLED NETWORK ELEMENTS - South Carolina														
CATEGORY	RATE ELEMENTS	Interm Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Art: 2 Exh. A		Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic-1st Add'l
					Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	Add'l	SOME	SOMAN	OSS Rates(\$)	SOMAN	SOMAN
LOOP MAKE-UP														
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).													
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).		UMK	UMKLW		24.04	24.04							
	Loop Makeup-With or Without Reservation, per working or spare facility queried (Mechanized)		UMK	UMKLP		25.49	25.49							
			UMK	UMKMQ		0.34	0.34							
LINE SPLITTING														
END USER ORDERING-CENTRAL OFFICE BASED														
	Line Splitting - per line activation DLEC owned splitter		UEPSR UEPSB	UEEOS	0.61									
	Line Splitting - per line activation BST owned - physical		UEPSR UEPSB	UEBP	0.61	37.09	21.24	20.07	9.85					
	Line Splitting - per line activation BST owned - virtual		UEPSR UEPSB	UEBV	0.61	37.09	21.24	20.07	9.85					
END USER ORDERING - REMOTE SITE LINE SPLITTING														
UNBUNDLED EXCHANGE ACCESS LOOP														
2-WIRE ANALOG VOICE GRADE LOOP														
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1	1	UEPSR UEPSB	UEALS	14.94	37.92	17.62	23.56	5.32					
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1	1	UEPSR UEPSB	UEABS	14.94	37.92	17.62	23.56	5.32					
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 2	2	UEPSR UEPSB	UEALS	21.39	37.92	17.62	23.56	5.32					
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 2	2	UEPSR UEPSB	UEABS	21.39	37.92	17.62	23.56	5.32					
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3	3	UEPSR UEPSB	UEALS	26.72	37.92	17.62	23.56	5.32					
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3	3	UEPSR UEPSB	UEABS	26.72	37.92	17.62	23.56	5.32					
PHYSICAL COLLOCATION														
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting		UEPSR UEPSB	PE1LS	0.0341	12.32	11.83	6.04	5.45					
VIRTUAL COLLOCATION														
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting		UEPSR UEPSB	VE1LS	0.0317	12.32	11.83	6.04	5.45					
UNBUNDLED DEDICATED TRANSPORT														
INTEROFFICE CHANNEL - DEDICATED TRANSPORT														
	Interoffice Channel - 2-Wire Voice Grade - per mile		U1TVX	1LSXX	0.0167									
	Interoffice Channel - 2-Wire Voice Grade - Facility Termination		U1TVX	U1TV2	24.30	40.63	27.47	16.77	6.91					
	Interoffice Channel - 2-Wire Voice Grade Rev Bat. - per mile		U1TVX	1LSXX	0.0167									
	Interoffice Channel - 2-Wire VG. Rev Bat. - Facility Termination		U1TVX	U1TR2	24.30	40.63	27.47	16.77	6.91					
	Interoffice Channel - 4-Wire Voice Grade - per mile		U1TVX	1LSXX	0.0167									
	Interoffice Channel - 4-Wire Voice Grade - Facility Termination		U1TVX	U1TV4	21.29	40.63	27.47	16.77	6.91					
	Interoffice Channel - 56 kbps - per mile		U1TDX	1LSXX	0.0167									
	Interoffice Channel - 56 kbps - Facility Termination		U1TDX	U1TD5	16.76	40.63	27.47	16.77	6.91					
	Interoffice Channel - 64 kbps - per mile		U1TDX	1LSXX	0.0167									
	Interoffice Channel - 64 kbps - Facility Termination		U1TDX	U1TD6	16.76	40.63	27.47	16.77	6.91					
	Interoffice Channel - DS1 - per mile		U1TD1	1LSXX	0.3415									
	Interoffice Channel - DS1 - Facility Termination		U1TD1	U1TF1	77.14	89.47	81.99	16.39	14.48					
	Interoffice Channel - DS3 - per mile		U1TD3	1LSXX	8.02									
	Interoffice Channel - DS3 - Facility Termination		U1TD3	U1TF3	880.65	279.37	163.12	60.33	58.59					
	Interoffice Channel - STS-1 - per mile		U1TS1	1LSXX	8.02									
	Interoffice Channel - STS-1 - Facility Termination		U1TS1	U1TF5	880.55	279.37	163.12	60.33	58.59					
UNBUNDLED DARK FIBER														
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof		UDF, UDFCX	1LSDF	36.41									
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof		UDF, UDFCX	UDF14		640.51	138.17	317.76	198.11					
HIGH CAPACITY UNBUNDLED LOCAL LOOP														
DS-3/ST S-1 UNBUNDLED LOCAL LOOP - Stand Alone														
	DS3 Unbundled Local Loop - per mile		UE3	1LSND	12.26									
	DS3 Unbundled Local Loop - Facility Termination		UE3	UE3PX	306.36	452.52	264.53	119.75	83.77					
	STS-1 Unbundled Local Loop - per mile		UDLSX	1LSND	12.26									
	STS-1 Unbundled Local Loop - Facility Termination		UDLSX	UDLS1	313.49	452.52	264.53	119.75	83.77					

UNBUNDLED NETWORK ELEMENTS - South Carolina

UNBUNDLED NETWORK ELEMENTS - South Carolina																			
CATEGORY	RATE ELEMENTS				Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted ELEC per LSR	Svc Order Submitted Manually per LSR	Att: 2 Exh: A			Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
									Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	SOMEc	SOMAN	OSS Rates(\$)	SOMAN	SOMAN	SOMAN
ENHANCED EXTENDED LINK (EELs)																			
Network Elements Used in Combinations																			
	2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61									
	2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61									
	2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61									
	4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61									
	4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61									
	4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61									
	2-Wire ISDN Loop in Combination - Zone 1		1	UNCNXX	U1L2X	25.21	117.58	80.03	53.05	10.61									
	2-Wire ISDN Loop in Combination - Zone 2		2	UNCNXX	U1L2X	32.76	117.58	80.03	53.05	10.61									
	2-Wire ISDN Loop in Combination - Zone 3		3	UNCNXX	U1L2X	37.70	117.58	80.03	53.05	10.61									
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCNXX	UDL56	29.93	126.66	89.12	59.35	14.61									
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCNXX	UDL56	33.99	126.66	89.12	59.35	14.61									
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCNXX	UDL56	34.74	126.66	89.12	59.35	14.61									
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCNXX	UDL64	29.93	126.66	89.12	59.35	14.61									
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCNXX	UDL64	33.99	126.66	89.12	59.35	14.61									
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCNXX	UDL64	34.74	126.66	89.12	59.35	14.61									
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	79.51	253.03	157.89	44.80	11.73									
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	136.00	253.03	157.89	44.80	11.73									
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	229.15	253.03	157.89	44.80	11.73									
	DS3 Local Loop in combination - per mile			UNC3X	UL5ND	12.26													
	DS3 Local Loop in combination - Facility Termination			UNC3X	UE3PX	306.36	452.52	264.53	119.75	83.77									
	STS-1 Local Loop in combination - per mile			UNC3X	UL5ND	12.26													
	STS-1 Local Loop in combination - Facility Termination			UNC3X	UDL51	313.49	452.52	264.53	119.75	83.77									
	Interface Channel in combination - 2-wire VG - per mile			UNCVX	IL5XX	0.0167													
	Interface Channel in combination - 2-wire VG - Facility Termination			UNCVX	U1TV2	24.30	40.63	27.47	16.77	6.91									
	Interface Channel in combination - 4-wire VG - per mile			UNCVX	IL5XX	0.0167													
	Interface Channel in combination - 4-wire VG - Facility Termination			UNCVX	U1TV4	21.29	40.63	27.47	16.77	6.91									
	Interface Channel in combination - 4-wire 56 kbps - per mile			UNCVX	IL5XX	0.0167													
	Interface Channel in combination - 4-wire 56 kbps - Facility Termination			UNCVX	U1TD5	16.76	40.63	27.47	16.77	6.91									
	Interface Channel in combination - 4-wire 64 kbps - per mile			UNCVX	IL5XX	0.0167													
	Interface Channel in combination - 4-wire 64 kbps - Facility Termination			UNCVX	U1TD6	16.76	40.63	27.47	16.77	6.91									
	Interface Channel in combination - DS1 - per mile			UNC1X	IL5XX	0.3415													
	Interface Channel in combination - DS1 - Facility Termination			UNC1X	U1TF1	77.14	89.47	81.99	16.39	14.48									
	Interface Channel in combination - DS3 - per mile			UNC3X	IL5XX	8.02													
	Interface Channel in combination - DS3 - Facility Termination			UNC3X	U1TF3	880.65	279.37	163.12	60.33	58.59									
	Interface Channel in combination - STS-1 - per mile			UNC3X	IL5XX	8.02													
	Interface Channel in combination - STS-1 - Facility Termination			UNC3X	U1TF5	880.55	279.37	163.12	60.33	58.59									
ADDITIONAL NETWORK ELEMENTS																			
Optional Features & Functions:																			
	Clear Channel Capability Extended Frame Option - per DS1	I	U1TD1, U1DD1, U1NC1X	CCOEF		0.00													
	Clear Channel Capability Super FrameOption - per DS1	I	U1TD1, U1DD1, U1NC1X	CCOSF		0.00													
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	I	U1DD1, U1TD1, U1NC1X, U1SL	NRCCC		185.26	23.86	1.99	0.78										
	C-bit Parity Option - Subsequent Activity - per DS3	I	U1TD3, U1DD3, U1NC3X	NRCC3		219.58	7.69	0.737	0.00										
	DS1/DS0 Channel System		U1NC1X	MO1		107.57	91.24	62.71	10.56	9.81									
	DS3/DS1 Channel System		U1NC3X, U1NC5X	MO3		144.02	178.54	94.18	33.33	31.90									
	Voice Grade COCI in combination		U1TVG	1D1VG		0.56	6.59	4.73											
	Voice Grade COCI - for 2W-SL2 & 4W Voice Grade Local Loop		UEA	1D1VG		0.56	6.59	4.73											
	Voice Grade COCI - for connection to a channelized DS1 Local Channel in the same SWC as collocation		U1TUC	1D1VG		0.56	6.59	4.73											
	OCU-DP COCI (2.4-64Kbps) in combination		UNC3X	1D1DD		1.19	6.59	4.73											
	OCU-DP COCI (2.4-64Kbps) - for Unbundled Digital Loop		UDL	1D1DD		1.19	6.59	4.73											
	OCU-DP COCI (2.4-64Kbps) - for connection to a channelized DS1 Local Channel in the same SWC as collocation		U1TUD	1D1DD		1.19	6.59	4.73											
	2-wire ISDN COCI (BRITE) in combination		UNCNXX	UC1CA		2.56	6.59	4.73											

UNBUNDLED NETWORK ELEMENTS - South Carolina

UNBUNDLED NETWORK ELEMENTS - South Carolina																
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted ELEC per LSR	Svc Order Submitted Manually per LSR	Att: 2 Exh: A		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
					Rec	Nonrecurring	First	Adtl	Nonrecurring Disconnect	First	Adtl	SOMAN	SOMAN	SOMAN	SOMAN	
	2-wire ISDN COCI (BRITE) - for a Local Loop		UDN	UC1CA	2.56	6.59	4.73									
	2-wire ISDN COCI (BRITE) - for connection to a channelized DS1 Local Channel in the same SWC as collocation		UTUB	UC1CA	2.56	6.59	4.73									
	DS1 COCI in combination		UNC1X	UC1D1	8.64	6.59	4.73									
	DS1 COCI - for Stand Alone Local Channel		UD1D1	UC1D1	8.64	6.59	4.73									
	DS1 COCI - for Stand Alone Interoffice Channel		UT1D1	UC1D1	8.64	6.59	4.73									
	DS1 COCI - for DS1 Local Loop		USL, NTCD1	UC1D1	8.64	6.59	4.73									
	DS1 COCI - for connection to a channelized DS1 Local Channel in the same SWC as collocation		UT1UA	UC1D1	8.64	6.59	4.73									
	Wholesale - UNE, Switch-As-Is Conversion Charge		UNCVX, UNCDX, UNC1X, UNC3X, UNCSX, UDFOCX, XDH1X, HFQOC6, XDD2X, XDV6X, XDDFX, XDD4X, HFRST, UNCNX	UNCCC		5.61	5.61									
	Unbonded Misc Rate Element, SNE SAI, Single Network Element - Switch As Is Non-recurring Charge, per circuit (LSR)		UT1VX, UT1DX, UT1D1, UT1D3, UT1S1, UDF, UE3	URES	40.27	13.52										
	Unbonded Misc Rate Element, SNE SAI, Single Network Element - Switch As Is Non-recurring Charge, incremental charge per circuit on a spreadsheet		UT1VX, UT1DX, UT1D1, UT1D3, UT1S1, UDF, UE3	URES	23.80	12.11										
	Access to DCS - Customer Reconfiguration (FlexServ)															
	Customer Reconfiguration Establishment				27.96	25.60	19.70	16.67	13.41							
	DS1 DCS Termination with DS0 Switching				12.67	18.51	12.61	12.24	8.98							
	DS1 DCS Termination with DS1 Switching				176.51	25.60	19.70	16.67	13.41							
	Node (Synchronous)															
	Node per month		UNCNDX	UNCNT	14.55											
	Service Rearrangements															
			UT1VX, UT1DX, UT1UC, UT1UD, UT1UB, ULDDX, ULDDX, UNCVX, UNCDX, UNC1X	URETD		101.30	43.13									
	NRC - Change in Facility Assignment per circuit Service Rearrangement	I														
			UT1VX, UT1DX, UT1UC, UT1UD, UT1UB, ULDDX, ULDDX, UNCVX, UNCDX, UNC1X, UNC3X	URETB		3.66	3.66									
	NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed)	I				18.90	18.90									
	NRC - Order Coordination Specific Time - Dedicated Transport	I														
COMINGLING																
	Commingling Authorization															
	Commingling (UNE part of single bandwidth circuit)				0.00	0.00	0.00	0.00	0.00	0.00	0.00					
	Commingling VG COCI		XDV2X	ID1VG	0.56	6.59	4.73									
	Commingling Digital COCI		XDV6X	ID1DD	1.19	6.59	4.73									
	Commingling ISDN COCI		XDD4X	UC1CA	2.56	6.59	4.73									
	Commingling 2-wire VG Interoffice Channel Facility Termination		XDV2X	UT1V2	24.30	40.63	27.47	16.77	6.91							
	Commingling 4-wire VG Interoffice Channel Facility Termination		XDV6X	UT1V4	21.29	40.63	27.47	16.77	6.91							
	Commingling 560bps Interoffice Channel Facility Termination		XDD4X	UT1D5	16.76	40.63	27.47	16.77	6.91							
	Commingling 640bps Interoffice Channel Facility Termination		XDV2X, XDV6X, XDD4X	UT1D6	16.76	40.63	27.47	16.77	6.91							
	Commingling VG/DS0 Interoffice Channel per mile		1L5XX	XDD4X	0.0167											
	Commingling 2-wire Local Loop Zone 1	1	XDV2X	UEAL2	16.68	105.98	68.43	53.05	10.61							
	Commingling 2-wire Local Loop Zone 2	2	XDV2X	UEAL2	23.13	105.98	68.43	53.05	10.61							
	Commingling 2-wire Local Loop Zone 3	3	XDV2X	UEAL2	28.46	105.98	68.43	53.05	10.61							

UNBUNDLED NETWORK ELEMENTS - Tennessee

UNBUNDLED NETWORK ELEMENTS - Tennessee																	
CATEGORY	RATE ELEMENTS		Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Att: 2 Exh: A		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st
						Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	SOME	SOMAN	OSS Relat(\$)	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zones by Central Office, refer to internet Website: http://www.interconnection.bellsouth.com/become_a_clec/html/interconnection.htm																	
OPERATIONS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"																	
NOTE: (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this rate exhibit are the BellSouth "regional" service ordering charges. CLEC may elect either the state specific Commission ordered rates for the service ordering charges, or CLEC may select the regional service ordering charge, however, CLEC has an interconnection contract established in each of the 9 states.																	
NOTE: (2) Any element that can be ordered electronically will be billed according to the SOME rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those elements that cannot be ordered electronically at present per the LOH, the listed SOME rate in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be applied to a CLEC's bill when it submits an LSR to BellSouth.																	
NOTE: (3) OSS - Manual Service Order Charge, Per Element - UNE Only **Please see applicable rate element for SOMAN charge**																	
	OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOME	3.50	0.00	3.50	0.00								
UNE SERVICE DATE ADVANCEMENT CHARGE																	
NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No.1 Tariff, Section 5 as applicable.																	
				</													

UNBUNDLED NETWORK ELEMENTS - Tennessee

UNBUNDLED NETWORK ELEMENTS - Tennessee																		
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Att: 2 Exh: A				Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
					Rec	Nonrecurring First	Add'l	Nonrecurring First			Disconnect Add'l	SOME	SOMAN	SOMAN				SOMAN
	Unbundled Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - E.I.)																	
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UEANL	UEANM		25.33	25.33											
	Bulk Migration, per 2 Wire Voice Loop-SL1		UEANL	UREWO		15.80	8.95	10.65	1.41									
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL1		UEANL	UREPM		31.99	20.02	10.65	1.41									
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL1		UEANL	UREPM		36.52	36.52											
2-WIRE	UNBUNDLED COPPER LOOP																	
	2-Wire Unbundled Copper Loop - Non-Designated Zone 1	1	UEQ	UEQZX	11.74	31.99	20.02	10.65	1.41						20.35	10.54	13.32	
	2-Wire Unbundled Copper Loop - Non-Designated - Zone 2	2	UEQ	UEQZX	17.59	31.99	20.02	10.65	1.41						20.35	10.54	13.32	
	2-Wire Unbundled Copper Loop - Non-Designated - Zone 3	3	UEQ	UEQZX	29.37	31.99	20.02	10.65	1.41						20.35	10.54	13.32	
	Tag Loop at End User Premise		UEQ	URETL		8.95	0.88											
	Loop Testing - Basic 1st Half Hour		UEQ	URET1		57.67	0.00											
	Loop Testing - Basic Additional Half Hour		UEQ	URETA		37.44	37.44											
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Designated (per loop)		UEQ	USBMC		36.52	36.52											
	Unbundled Copper Loop - Non-Design, billing for BST providing make-up (Engineering Information - E.I.)		UEQ	UEQMU		25.33	25.33											
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UEQ	UREWO		14.29	7.44	10.65	1.41						20.35	10.54	13.32	
UNBUNDLED EXCHANGE ACCESS LOOP	Bulk Migration, per 2 Wire UCL-ND		UEQ	UREPN		31.99	20.02	10.65	1.41						20.35	10.54	13.32	
	Bulk Migration Order Coordination, per 2 Wire UCL-ND		UEQ	UREPM		36.52	36.52											
	2-WIRE ANALOG VOICE GRADE LOOP																	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1	1	UEA	UEAL2	14.74	75.06	48.20	28.70	17.64						20.35	10.54	13.32	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2	2	UEA	UEAL2	22.08	75.06	48.20	28.70	17.64						20.35	10.54	13.32	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3	3	UEA	UEAL2	36.87	75.06	48.20	28.70	17.64						20.35	10.54	13.32	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1	1	UEA	UEAR2	14.74	75.06	48.20	28.70	17.64						20.35	10.54	13.32	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2	2	UEA	UEAR2	22.08	75.06	48.20	28.70	17.64						20.35	10.54	13.32	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	3	UEA	UEAR2	36.87	75.06	48.20	28.70	17.64						20.35	10.54	13.32	
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DSO)		UEA	URES1		23.42	3.30								20.35	10.54	13.32	
4-WIRE	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DSO)		UEA	URES2		24.82	4.70											
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UEA	URES2		75.06	36.41								20.35	10.54	13.32	
	Loop Tagging - Service Level 2 (SL2)		UEA	UREWO		75.06	36.41								20.35	10.54	13.32	
	Bulk Migration, per 2 Wire Voice Loop-SL2		UEA	URETL		11.23	1.10											
	Bulk Migration Order Coordination, per 2 Wire Voice Loop-SL2		UEA	UREPN		75.06	48.20											
	2-WIRE ANALOG VOICE GRADE LOOP																	
	4-Wire Analog Voice Grade Loop - Zone 1	1	UEA	UEAL4	21.98	122.76	85.57	76.35	39.16						20.35	10.54	13.32	
	4-Wire Analog Voice Grade Loop - Zone 2	2	UEA	UEAL4	32.93	122.76	85.57	76.35	39.16						20.35	10.54	13.32	
	4-Wire Analog Voice Grade Loop - Zone 3	3	UEA	UEAL4	54.99	122.76	85.57	76.35	39.16						20.35	10.54	13.32	
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DSO)		UEA	URES1		23.42	3.30								20.35	10.54	13.32	
2-WIRE	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DSO)		UEA	URES2		24.82	4.70											
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UEA	URES2		75.06	36.41								20.35	10.54	13.32	
	2-WIRE ISDN DIGITAL GRADE LOOP																	
	2-Wire ISDN Digital Grade Loop - Zone 1	1	UDN	U1L2X	19.77	142.76	88.88	76.35	39.16						20.35	10.54	13.32	
	2-Wire ISDN Digital Grade Loop - Zone 2	2	UDN	U1L2X	29.63	142.76	88.88	76.35	39.16						20.35	10.54	13.32	
	2-Wire ISDN Digital Grade Loop - Zone 3	3	UDN	U1L2X	49.47	142.76	88.88	76.35	39.16						20.35	10.54	13.32	
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UDN	UREWO		91.77	44.22								20.35	10.54	13.32	
	2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP																	
	2-Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1	1	UAL	UAL2X	12.30	156.95	64.54	89.64	16.93						20.35	10.54	13.32	

UNBUNDLED NETWORK ELEMENTS - Tennessee

UNBUNDLED NETWORK ELEMENTS - Tennessee															
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)					Svc Order Submitted Manually per LSR	Att: 2 Exh: A				
					Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	SOME		SOMAN	SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2	2	UAL	UAL2X	18.43	156.95	89.64	64.54	16.93			20.35	10.54	13.32	13.32
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3	3	UAL	UAL2X	30.77	156.95	89.64	64.54	16.93			20.35	10.54	13.32	13.32
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1	1	UAL	UAL2W	12.30	89.40	72.02	35.91	11.48			20.35	10.54	13.32	13.32
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2	2	UAL	UAL2W	18.43	89.40	72.02	35.91	11.48			20.35	10.54	13.32	13.32
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3	3	UAL	UAL2W	30.77	89.40	72.02	35.91	11.48			20.35	10.54	13.32	13.32
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UAL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
	2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP														
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1	1	UHL	UHL2X	9.64	158.94	89.64	65.20	16.93			20.35	10.54	13.32	13.32
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2	2	UHL	UHL2X	14.44	158.94	89.64	65.20	16.93			20.35	10.54	13.32	13.32
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3	3	UHL	UHL2X	24.12	158.94	89.64	65.20	16.93			20.35	10.54	13.32	13.32
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	UHL	UHL2W	9.64	89.40	72.02	35.91	11.48			20.35	10.54	13.32	13.32
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	2	UHL	UHL2W	14.44	89.40	72.02	35.91	11.48			20.35	10.54	13.32	13.32
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	3	UHL	UHL2W	24.12	89.40	72.02	35.91	11.48			20.35	10.54	13.32	13.32
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UHL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
	4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP														
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1	1	UHL	UHL4X	12.40	169.62	39.73	75.89	19.53			20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2	2	UHL	UHL4X	18.58	169.62	39.73	75.89	19.53			20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3	3	UHL	UHL4X	31.03	169.62	39.73	75.89	19.53			20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	UHL	UHL4W	12.40	100.09	75.75	46.60	13.97			20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	2	UHL	UHL4W	18.58	100.09	75.75	46.60	13.97			20.35	10.54	13.32	13.32
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	3	UHL	UHL4W	31.03	100.09	75.75	46.60	13.97			20.35	10.54	13.32	13.32
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		UHL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
	4-WIRE DS1 DIGITAL LOOP														
	4-Wire DS1 Digital Loop - Zone 1	1	USL	USLXX	51.38	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.95
	4-Wire DS1 Digital Loop - Zone 2	2	USL	USLXX	76.96	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.95
	4-Wire DS1 Digital Loop - Zone 3	3	USL	USLXX	128.54	313.08	219.72	96.86	40.45			18.98	8.43	11.95	11.95
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DS1)		USL	URES		23.42	3.30								
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DS1)		USL	URES		24.82	4.70								
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		USL	UREWO		130.47	40.11					20.35	10.54	13.32	13.32
	4-WIRE 19.2, 56 OR 64 Kbps DIGITAL GRADE LOOP														
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 1	1	UDL	UDL2X	27.68	207.01	90.70	141.38	44.18						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	2	UDL	UDL2X	41.47	207.01	90.70	141.38	44.18						
	4 Wire Unbundled Digital Loop 2.4 Kbps - Zone 3	3	UDL	UDL2X	69.24	207.01	90.70	141.38	44.18						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 1	1	UDL	UDL4X	27.68	207.01	90.70	141.38	44.18						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 2	2	UDL	UDL4X	41.47	207.01	90.70	141.38	44.18						
	4 Wire Unbundled Digital Loop 4.8 Kbps - Zone 3	3	UDL	UDL4X	69.24	207.01	90.70	141.38	44.18						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	1	UDL	UDL8X	27.68	207.01	90.70	141.38	44.18						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	2	UDL	UDL8X	41.47	207.01	90.70	141.38	44.18						
	4 Wire Unbundled Digital Loop 9.6 Kbps - Zone 3	3	UDL	UDL8X	69.24	207.01	90.70	141.38	44.18						
	4 Wire Unbundled Digital Loop 19.2 Kbps - Zone 1	1	UDL	UDL19	27.68	207.01	90.70	141.38	44.18						
	4 Wire Unbundled Digital Loop 19.2 Kbps - Zone 2	2	UDL	UDL19	41.47	207.01	90.70	141.38	44.18						
	4 Wire Unbundled Digital Loop 19.2 Kbps - Zone 3	3	UDL	UDL19	69.24	207.01	90.70	141.38	44.18						
	4 Wire Unbundled Digital Loop 19.2 Kbps - Zone 1	1	UDL	UDL19	27.68	207.01	90.70	141.38	44.18						
	4 Wire Unbundled Digital Loop 19.2 Kbps - Zone 2	2	UDL	UDL19	41.47	207.01	90.70	141.38	44.18						
	4 Wire Unbundled Digital Loop 19.2 Kbps - Zone 3	3	UDL	UDL19	69.24	207.01	90.70	141.38	44.18						
	4 Wire Unbundled Digital Loop 19.2 Kbps - Zone 1	1	UDL	UDL19	27.68	207.01	90.70	141.38	44.18						
	4 Wire Unbundled Digital Loop 19.2 Kbps - Zone 2	2	UDL	UDL19	41.47	207.01	90.70	141.38	44.18						
	4 Wire Unbundled Digital Loop 19.2 Kbps - Zone 3	3	UDL	UDL19	69.24	207.01	90.70	141.38	44.18						
	4 Wire Unbundled Digital Loop 19.2 Kbps - Zone 1	1	UDL	UDL19	27.68	207.01	90.70	141.38	44.18						
	4 Wire Unbundled Digital Loop 19.2 Kbps - Zone 2	2	UDL	UDL19	41.47	207.01	90.70	141.38	44.18						
	4 Wire Unbundled Digital Loop 19.2 Kbps - Zone 3	3	UDL	UDL19	69.24	207.01	90.70	141.38	44.18						
	4 Wire Unbundled Digital Loop 19.2 Kbps - Zone 1	1	UDL	UDL19	27.68	207.01	90.70	141.38	44.18						
	4 Wire Unbundled Digital Loop 19.2 Kbps - Zone 2	2	UDL	UDL19	41.47	207.01	90.70	141.38	44.18						
	4 Wire Unbundled Digital Loop 19.2 Kbps - Zone 3	3	UDL	UDL19	69.24	207.01	90.70	141.38	44.18						
	4 Wire Unbundled Digital Loop 19.2 Kbps - Zone 1	1	UDL	UDL19	27.68	207.01	90.70	141.38	44.18						
	4 Wire Unbundled Digital Loop 19.2 Kbps - Zone 2	2	UDL	UDL19	41.47	207.01	90.70	141.38	44.18						
	4 Wire Unbundled Digital Loop 19.2 Kbps - Zone 3	3	UDL	UDL19	69.24	207.01	90.70	141.38	44.18						
	4 Wire Unbundled Digital Loop 19.2 Kbps - Zone 1	1	UDL	UDL19	27.68	207.01	90.70	141.38	44.18						
	4 Wire Unbundled Digital Loop 19.2 Kbps - Zone 2	2	UDL	UDL19	41.47	207.01	90.70	141.38	44.18						
	4 Wire Unbundled Digital Loop 19.2 Kbps - Zone 3	3	UDL	UDL19	69.24	207.01	90.70	141.38	44.18						
	4 Wire Unbundled Digital Loop 19.2 Kbps - Zone 1	1	UDL	UDL19	27.68	207.01	90.70	141.38	44.18						
	4 Wire Unbundled Digital Loop 19.2 Kbps - Zone 2	2	UDL	UDL19	41.47	207.01	90.70	141.38	44.18						
	4 Wire Unbundled Digital Loop 19.2 Kbps - Zone 3	3	UDL	UDL19	69.24	207.01	90.70	141.38	44.18						
	4 Wire Unbundled Digital Loop 19.2 Kbps - Zone 1	1	UDL	UDL19	27.68	207.01	90.70	141.38	44.18						
	4 Wire Unbundled Digital Loop 19.2 Kbps - Zone 2	2	UDL	UDL19	41.47	207.01	90.70	141.38	44.18						
	4 Wire Unbundled Digital Loop 19.2 Kbps - Zone 3	3	UDL	UDL19	69.24	207.01	90.70	141.38	44.18						
	4 Wire Unbundled Digital Loop 19.2 Kbps - Zone 1	1	UDL	UDL19	27.68	207.01	90.70	141.38	44.18						
	4 Wire Unbundled Digital Loop 19.2 Kbps - Zone 2	2	UDL	UDL19	41.47	207.01	90.70	141.38	44.18						
	4 Wire Unbundled Digital Loop 19.2 Kbps - Zone 3	3	UDL	UDL19	69.24	207.01	90.70	141.38	44.18						
	4 Wire Unbundled Digital Loop 19.2 Kbps - Zone 1	1	UDL	UDL19	27.68	207.01	90.70	141.38	44.18						
	4 Wire Unbundled Digital Loop 19.2 Kbps - Zone 2	2	UDL	UDL19	41.47	207.01	90.70	141.38	44.18						
	4 Wire Unbundled Digital Loop 19.2 Kbps - Zone 3	3	UDL	UDL19	69.24	207.01	90.70	141.38	44.18						
	4 Wire Unbundled Digital Loop 19.2 Kbps - Zone 1	1	UDL	UDL19	27.68	207.01	90.70	141.38	44.18						
	4 Wire Unbundled Digital Loop 19.2 Kbps - Zone 2	2	UDL	UDL19	41.47	207.01	90.70	141.38	44.18						
	4 Wire Unbundled Digital Loop 19.2 Kbps - Zone 3	3	UDL	UDL19	69.24	207.01	90.70	141.38	44.18						
	4 Wire Unbundled Digital Loop 19.2 Kbps - Zone 1	1	UDL	UDL19	27.68	207.01	90.70	141.38	44.18						
	4 Wire Unbundled Digital Loop 19.2 Kbps - Zone 2	2	UDL	UDL19	41.47	207.01	90.70	141.38	44.18						
	4 Wire Unbundled Digital Loop 19.2 Kbps - Zone 3	3	UDL	UDL19	69.24	207.01	90.70	141.38	44.18						

UNBUNDLED NETWORK ELEMENTS - Tennessee

UNBUNDLED NETWORK ELEMENTS - Tennessee																
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Att: 2 Exh: A		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
					Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	SOME			SOMAN	OSS Rate(\$)			
	4 Wire Unbundled Digital 19.2 Kbps - Zone 3	3	UDL	UDL19	69.24	207.01	141.36	90.70	44.18						10.54	13.32
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	UDL	UDL56	21.68	207.01	141.38	90.70	44.18						10.54	13.32
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	2	UDL	UDL56	41.47	207.01	141.38	90.70	44.18						10.54	13.32
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	3	UDL	UDL56	69.24	207.01	141.38	90.70	44.18						10.54	13.32
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	UDL	UDL64	27.68	207.01	141.38	90.70	44.18						10.54	13.32
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	2	UDL	UDL64	41.47	207.01	141.38	90.70	44.18						10.54	13.32
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	3	UDL	UDL64	69.24	207.01	141.38	90.70	44.18						10.54	13.32
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DSU)			URES		23.42	3.30								10.54	13.32
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DSU)			URES		24.82	4.70									
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			UREW		102.28	49.82								10.54	13.32
	2-WIRE UNBUNDLED COPPER LOOP															
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1	1	UCL	UCLPB	11.74	31.99	20.02	10.65	1.41						10.54	13.32
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2	2	UCL	UCLPB	17.59	31.99	20.02	10.65	1.41						10.54	13.32
	2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3	3	UCL	UCLPB	29.37	31.99	20.02	10.65	1.41						10.54	13.32
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1	UCL	UCLPW	11.74	31.99	20.02	10.65	1.41						10.54	13.32
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	2	UCL	UCLPW	17.59	31.99	20.02	10.65	1.41						10.54	13.32
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	3	UCL	UCLPW	29.37	31.99	20.02	10.65	1.41						10.54	13.32
	Order Coordination for Unbundled Copper Loops (per loop)			UCLMC		36.52	36.52									
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			UREW												
	4-WIRE COPPER LOOP															
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1	1	UCL	UCL4S	21.98	122.76	85.57	76.35	39.16						10.54	13.32
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2	2	UCL	UCL4S	32.93	122.76	85.57	76.35	39.16						10.54	13.32
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3	3	UCL	UCL4S	54.99	122.76	85.57	76.35	39.16						10.54	13.32
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1	1	UCL	UCL4W	21.98	122.76	85.57	76.35	39.16						10.54	13.32
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2	2	UCL	UCL4W	32.93	122.76	85.57	76.35	39.16						10.54	13.32
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3	3	UCL	UCL4W	54.99	122.76	85.57	76.35	39.16						10.54	13.32
	Order Coordination for Unbundled Copper Loops (per loop)			UCLMC		36.52	36.52									
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit			UREW		31.99	20.02								10.54	13.32
	Order Coordination for Specified Conversion Time (per LSR)			UEA, UDN, UAL, UHL, UDL, USL		34.29										
	Rearrangements															
	EEL to UNE-L Retermination, per 2 Wire Unbundled Voice Loop SL2		UEA	UREEL		75.06	36.41									
	EEL to UNE-L Retermination, per 4 Wire Unbundled Voice Loop		UEA	UREEL		75.06	36.41									
	EEL to UNE-L Retermination, per 2 Wire ISDN Loop		UDN	UREEL		91.77	44.22									
	EEL to UNE-L Retermination, per 4 Wire Unbundled Digital Loop		UDL	UREEL		102.28	49.82									
	EEL to UNE-L Retermination, per 4 Wire Unbundled DS1 Loop		USL	UREEL		130.47	40.11									
	UNE LOOP COMINGLING															
	2-WIRE ANALOG VOICE GRADE LOOP - COMINGLING															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1	1	NTCVG	UEAL2	14.74	75.06	48.20	28.70	17.64							
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2	2	NTCVG	UEAL2	22.08	75.06	48.20	28.70	17.64							
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 3	3	NTCVG	UEAL2	36.87	75.06	48.20	28.70	17.64							

UNBUNDLED NETWORK ELEMENTS - Tennessee											Att: 2 Exh: A				
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st		Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
					Rec	Nonrecurring		Nonrecurring Disconnect First			Add'l	OSS Rates(\$)			
						First	Add'l					SOMAN			SOMAN
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1	1	NTCVG	UEAR2	14.74	75.06	48.20	28.70	17.64						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2	2	NTCVG	UEAR2	22.08	75.06	48.20	28.70	17.64						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	3	NTCVG	UEAR2	36.87	75.06	48.20	28.70	17.64						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS9)		NTCVG	URES		23.42	3.30								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS9)		NTCVG	URES		24.82	4.70								
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCVG	UREWO		75.06	36.41								
	Loop Tagging - Service Level 2 (SL2)		NTCVG	URETL		11.23	1.10								
4-WIRE ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1	1	NTCVG	UEAL4	21.98	122.76	85.57	76.35	39.16						
	4-Wire Analog Voice Grade Loop - Zone 2	2	NTCVG	UEAL4	32.93	122.76	85.57	76.35	39.16						
	4-Wire Analog Voice Grade Loop - Zone 3	3	NTCVG	UEAL4	54.99	122.76	85.57	76.35	39.16						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS9)		NTCVG	URES		23.42	3.30								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS9)		NTCVG	URES		24.82	4.70								
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCVG	UREWO		75.06	36.41								
4-WIRE DS1 DIGITAL LOOP - COMMINGLING															
	4-Wire DS1 Digital Loop - Zone 1	1	NTCD1	USLXX	51.38	313.08	219.72	96.86	40.45						
	4-Wire DS1 Digital Loop - Zone 2	2	NTCD1	USLXX	76.98	313.08	219.72	96.86	40.45						
	4-Wire DS1 Digital Loop - Zone 3	3	NTCD1	USLXX	128.54	313.08	219.72	96.86	40.45						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1)		NTCD1	URES		23.42	3.30								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS1)		NTCD1	URES		24.82	4.70								
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCD1	UREWO		130.47	40.11								
4-WIRE 19.2, 56 OR 64 Kbps DIGITAL GRADE LOOP															
	4-Wire Unbundled Digital Loop 2.4 Kbps - Zone 1	1	NTCUD	UDL2X	27.68	207.01	141.38	90.70	44.18						
	4-Wire Unbundled Digital Loop 2.4 Kbps - Zone 2	2	NTCUD	UDL2X	41.47	207.01	141.38	90.70	44.18						
	4-Wire Unbundled Digital Loop 2.4 Kbps - Zone 3	3	NTCUD	UDL2X	69.24	207.01	141.38	90.70	44.18						
	4-Wire Unbundled Digital Loop 4.8 Kbps - Zone 1	1	NTCUD	UDL4X	27.68	207.01	141.38	90.70	44.18						
	4-Wire Unbundled Digital Loop 4.8 Kbps - Zone 2	2	NTCUD	UDL4X	41.47	207.01	141.38	90.70	44.18						
	4-Wire Unbundled Digital Loop 4.8 Kbps - Zone 3	3	NTCUD	UDL4X	69.24	207.01	141.38	90.70	44.18						
	4-Wire Unbundled Digital Loop 9.6 Kbps - Zone 1	1	NTCUD	UDL9X	27.68	207.01	141.38	90.70	44.18						
	4-Wire Unbundled Digital Loop 9.6 Kbps - Zone 2	2	NTCUD	UDL9X	41.47	207.01	141.38	90.70	44.18						
	4-Wire Unbundled Digital Loop 9.6 Kbps - Zone 3	3	NTCUD	UDL9X	69.24	207.01	141.38	90.70	44.18						
	4-Wire Unbundled Digital Loop 19.2 Kbps - Zone 1	1	NTCUD	UDL19	27.68	207.01	141.38	90.70	44.18						
	4-Wire Unbundled Digital Loop 19.2 Kbps - Zone 2	2	NTCUD	UDL19	41.47	207.01	141.38	90.70	44.18						
	4-Wire Unbundled Digital Loop 19.2 Kbps - Zone 3	3	NTCUD	UDL19	69.24	207.01	141.38	90.70	44.18						
	4-Wire Unbundled Digital Loop 56 Kbps - Zone 1	1	NTCUD	UDL56	27.68	207.01	141.38	90.70	44.18						
	4-Wire Unbundled Digital Loop 56 Kbps - Zone 2	2	NTCUD	UDL56	41.47	207.01	141.38	90.70	44.18						
	4-Wire Unbundled Digital Loop 56 Kbps - Zone 3	3	NTCUD	UDL56	69.24	207.01	141.38	90.70	44.18						
	4-Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	NTCUD	UDL64	27.68	207.01	141.38	90.70	44.18						
	4-Wire Unbundled Digital Loop 64 Kbps - Zone 2	2	NTCUD	UDL64	41.47	207.01	141.38	90.70	44.18						
	4-Wire Unbundled Digital Loop 64 Kbps - Zone 3	3	NTCUD	UDL64	69.24	207.01	141.38	90.70	44.18						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS9)		NTCUD	URES		23.42	3.30								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS9)		NTCUD	URES		24.82	4.70								
	Unbundled Loop Service Rearrangement, change in loop facility, per circuit		NTCUD	UREWO		102.28	49.82								
	Order Coordination for Specified Conversion Time (per LSR)		NTCD1	OCOSL		34.29									
MAINTENANCE OF SERVICE															

UNBUNDLED NETWORK ELEMENTS - Tennessee													
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)			Art. 2 Exh. A					
					Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
			UDC, UEA, UDL, UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTC01, U1TD1, U1TD3, U1TDX, U1TS1, U1TVX, UDF, UDFCX, UDLXS, UE3, ULDD1, ULDD3, ULDDX, ULDS1, ULDVX, UMC1X, UMC3X, UMC0X, UMC3X, UMCVX, ULS										
	Maintenance of Service Charge, Basic Time, per half hour			MVVB		80.00	55.00						
			UDC, UEA, UDL, UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTC01, U1TD1, U1TD3, U1TDX, U1TS1, U1TVX, UDF, UDFCX, UDLXS, UE3, ULDD1, ULDD3, ULDDX, ULDS1, ULDVX, UMC1X, UMC3X, UMC0X, UMC3X, UMCVX, ULS										
	Maintenance of Service Charge, Overtime, per half hour			MVVT		90.00	65.00						
			UDC, UEA, UDL, UDN, USL, UAL, UHL, UCL, NTCVG, NTCUD, NTC01, U1TD1, U1TD3, U1TDX, U1TS1, U1TVX, UDF, UDFCX, UDLXS, UE3, ULDD1, ULDD3, ULDDX, ULDS1, ULDVX, UMC1X, UMC3X, UMC0X, UMC3X, UMCVX, ULS										
	Maintenance of Service Charge, Premium, per half hour			MVVT		100.00	75.00						
LOOP MODIFICATION													
Service Order charges will only apply once per Loop													
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop		UHL, UCL, UEA, UEANL, UEPSR, UEPSB	ULM2L		65.40	65.40						
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18k ft, per Unbundled Loop		UHL, UCL, UEA, UEANL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM4L		65.40	65.40						
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop		UHL, UCL, UEA, UEANL, UEPSR, UEPSB	ULMBT		65.44	65.44						
SUB-LOOPS													
Sub-Loop Distribution													
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up		UEANL, UEF	USBSA		517.25	517.25				20.35	10.54	13.32
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up		UEANL, UEF	USBSB		42.68	42.68				20.35	10.54	13.32
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up		UEANL	USBSC		313.01	313.01				20.35	10.54	13.32
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up		UEANL	USBSD		108.06	108.06				20.35	10.54	13.32

UNBUNDLED NETWORK ELEMENTS - Tennessee										Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st
					Rec	Nonrecurring First	Addr1	Nonrecurring Disconnect First	SOME1	SOMAN	OSS Rates(\$)	SOMAN	SOMAN
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Statewide			USBN2	10.02	148.84	112.34	73.14	36.65			20.35	10.54
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			USBMC		36.52	36.52						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1	1	UEANL	USBN4	6.54	106.85	51.20	74.08	11.55			20.35	10.54
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2	2	UEANL	USBN4	9.80	106.85	51.20	74.08	11.55			20.35	10.54
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3	3	UEANL	USBN4	16.36	106.85	51.20	74.08	11.55			20.35	10.54
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			USBMC		36.52	36.52						
	Sub-Loop 2-Wire Intra-building Network Cable (INC)		UEANL	USBR2	1.35	94.56	29.35					20.35	10.54
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			USBMC		36.52	36.52						
	Sub-Loop 4-Wire Intra-building Network Cable (INC)		UEANL	USBR4	2.26	116.14	37.10					20.35	10.54
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			USBMC		36.52	36.52						
	Loop Testing - Basic 1st Half Hour		UEANL	URET1		57.67	0.00						
	Loop Testing - Basic Additional Half Hour		UEANL	URET1		37.44	37.44						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	UEF	UCS2X	4.67	81.40	25.75	70.82	9.55			20.35	10.54
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	2	UEF	UCS2X	6.99	81.40	25.75	70.82	9.55			20.35	10.54
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	3	UEF	UCS2X	11.67	81.40	25.75	70.82	9.55			20.35	10.54
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			USBMC		36.52	36.52						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1	UEF	UCS4X	5.85	81.74	26.08	74.08	11.55			20.35	10.54
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	2	UEF	UCS4X	8.76	81.74	26.08	74.08	11.55			20.35	10.54
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	3	UEF	UCS4X	14.63	81.74	26.08	74.08	11.55			20.35	10.54
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			USBMC		36.52	36.52						
	Loop Tagging Service Level 1, Unbundled Copper Loop, Non-Designed and Distribution Subloops		UEF	URET1		8.95	0.88						
	Loop Testing - Basic 1st Half Hour		UEF	URET1		57.67	0.00						
	Loop Testing - Basic Additional Half Hour		UEF	URET1		37.44	37.44						
	Unbundled Sub-Loop Modification												
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load		UEF	ULM2X		335.36	7.82						
	Coil/Equip Removal per 2-W PR		UEF	ULM2X		335.36	7.82						
	Unbundled Sub-loop Modification - 4-W Copper Dist Load		UEF	ULM4X		335.36	7.82						
	Coil/Equip Removal per 4-W PR		UEF	ULM4X		335.36	7.82						
	Unbundled Loop Modification, Removal of Bridge Tap, per unbundled loop		UEF	ULMBT		528.48	9.74						
	Unbundled Network Terminating Wire (UNTW)												
	Unbundled Network Terminating Wire (UNTW) per Pair		UENTW	UENPP	0.4555	2.48	2.48	0.5814	0.5814			20.35	10.54
	Network Interface Device (NID)												
	Network Interface Device (NID) - 1-2 lines		UENTW	UND12		63.46	31.06	0.6391	0.6391			20.35	10.54
	Network Interface Device (NID) - 1-6 lines		UENTW	UND16		63.46	31.06	0.6522	0.6522			20.35	10.54
	Network Interface Device Cross Connect - 2-W		UENTW	UNDC2		8.75	8.75					20.35	10.54
	Network Interface Device Cross Connect - 4W		UENTW	UNDC4		8.75	8.75					20.35	10.54
	UNE OTHER, PROVISIONING ONLY - NO RATE												
			UAL, UCL, UDC, UDL, UDN, UEA, UEL, UEANL, UEF, UEQ, UENTW, NTCVG, NTCUD, USL, NITCD1	UNEON	0.00	0.00							
	Unbundled Contact Name, Provisioning Only - no rate			GCOSF		0.00							
	Unbundled DS1 Loop - Superframe Format Option - no rate												
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate												
	NID - Dispatch and Service Order for NID installation		UENTW	CCOEF	0.00	0.00							
	UNTW Circuit Establishment, Provisioning Only - No Rate		UENTW	UENGE	0.00	0.00							
	Loop MakeUp - Prioritizing Without Reservation, per working or spare facility queried (Manual)		UMK	UMKLW		0.76	0.76					20.35	10.54
													13.32

UNBUNDLED NETWORK ELEMENTS - Tennessee																				Att: 2 Exh: A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st		Incremental Charge - Manual Svc Order vs. Electronic-1st		Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st				
						Nonrecurring First	Add'l	Nonrecurring Disconnect First	Adm't			SOME	SOMAN	SOME	SOMAN								
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual)			UMK			0.76		0.76							20.35	10.54	13.32	13.32				
	Loop Makeup-With or Without Reservation, per working or spare facility queried (Mechanized)			UMK			0.76		0.76							20.35	10.54	13.32	13.32				
LINE SPLITTING																							
END USER ORDERING-CENTRAL OFFICE BASED																							
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UEEOS	0.61																	
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UEEBP	0.61	48.96	21.39	35.06	10.79						20.35	10.54	13.32	13.32				
	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UEEBV	0.61	48.96	21.39	35.06	10.79						20.35	10.54	13.32	13.32				
END USER ORDERING - REMOTE SITE LINE SPLITTING																							
	Remote Site Shared Loop Line Activation for End Users - CLEC Owned Splitter			UEPSR UEPSB	UEERS	0.61	53.40	21.61	6.70	6.70						0.00	0.00	0.00	0.00				
	Remote Site Shared Loop - Subsequent Activity - CLEC Owned Splitter			UEPSR UEPSB	UEERA		50.57	20.06								0.00	0.00	0.00	0.00				
UNBUNDLED EXCHANGE ACCESS LOOP																							
2-WIRE ANALOG VOICE GRADE LOOP																							
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEALS	11.74	31.99	20.02	10.65	1.41						20.35	10.54	13.32	13.32				
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 1		1	UEPSR UEPSB	UEABS	11.74	31.99	20.02	10.65	1.41						20.35	10.54	13.32	13.32				
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEALS	17.59	31.99	20.02	10.65	1.41						20.35	10.54	13.32	13.32				
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 2		2	UEPSR UEPSB	UEABS	17.59	31.99	20.02	10.65	1.41						20.35	10.54	13.32	13.32				
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEALS	29.37	31.99	20.02	10.65	1.41						20.35	10.54	13.32	13.32				
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-Zone 3		3	UEPSR UEPSB	UEABS	29.37	31.99	20.02	10.65	1.41						20.35	10.54	13.32	13.32				
PHYSICAL COLLOCATION																							
	Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.0475	11.62	9.90	10.38	8.66						0.00	0.00	0.00	0.00				
VIRTUAL COLLOCATION																							
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.57	11.62	9.90	10.38	8.66						2.07	2.81	0.67	1.41				
UNBUNDLED DEDICATED TRANSPORT																							
INTEROFFICE CHANNEL - DEDICATED TRANSPORT - Stand Alone																							
	Interoffice Channel - 2-Wire Voice Grade - per mile			U1TVX	1LSXX	0.0174																	
	Interoffice Channel - 2-Wire Voice Grade - Facility Termination			U1TVX	U1TV2	18.58	55.39	17.37	27.96	3.51						20.35	21.09	9.80	10.54				
	Interoffice Channel - 2-Wire Voice Grade Rev Bat. - per mile			U1TVX	1LSXX	0.0174																	
	Interoffice Channel - 2-Wire VG Rev Bat. - Facility Termination			U1TVX	U1TR2	18.58	55.39	17.37	27.96	3.51						20.35	21.09	9.80	10.54				
	Interoffice Channel - 4-Wire Voice Grade - per mile			U1TVX	1LSXX	0.0174																	
	Interoffice Channel - 4-Wire Voice Grade - Facility Termination			U1TVX	U1TV4	24.09	37.87	26.02	30.78	13.07						15.08	15.08	9.80	10.54				
	Interoffice Channel - 56 kbps - per mile			U1TDX	1LSXX	0.0174																	
	Interoffice Channel - 56 kbps - Facility Termination			U1TDX	U1TD5	17.98	55.39	17.37	27.96	3.51						20.35	21.09	9.80	10.54				
	Interoffice Channel - 64 kbps - per mile			U1TDX	1LSXX	0.0174																	
	Interoffice Channel - 64 kbps - Facility Termination			U1TDX	U1TD6	17.98	55.39	17.37	27.96	3.51						20.35	21.09	9.80	10.54				
	Interoffice Channel - DS1 - per mile			U1TD1	1LSXX	0.3682																	
	Interoffice Channel - DS1 - Facility Termination			U1TD1	U1TF1	77.86	112.40	76.27	19.55	14.99						20.35	21.09	9.80	10.54				
	Interoffice Channel - DS3 - per mile			U1TD3	1LSXX	2.34																	
	Interoffice Channel - DS3 - Facility Termination			U1TD3	U1TF3	848.99	395.29	176.56	109.04	105.91						36.84	36.84	19.01	19.01				
	Interoffice Channel - STS-1 - per mile			U1TS1	1LSXX	2.34																	
	Interoffice Channel - STS-1 - Facility Termination			U1TS1	U1TF5	849.30	395.29	176.56	109.04	105.91						36.84	36.84	19.01	19.01				
UNBUNDLED DARK FIBER - Stand Alone or in Combination																							
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof			UDF, UDFCX	1LSDF	28.74																	
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof			UDF, UDFCX	UDF14		1,121.00	153.19	580.26	357.17													
HIGH CAPACITY UNBUNDLED LOCAL LOOP																							
DS3-STS-1 UNBUNDLED LOCAL LOOP - Stand Alone																							
	DS3 Unbundled Local Loop - per mile			UE3	1LSND	9.19																	
	DS3 Unbundled Local Loop - Facility Termination			UE3PX	UE3PX	374.24	595.37	304.50	234.83	170.16						36.84	36.84	19.01	19.01				
	STS-1 Unbundled Local Loop - per mile			UDLSX	1LSND	9.19																	

UNBUNDLED NETWORK ELEMENTS - Tennessee																
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)					Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Add'l		Incremental Charge - Manual Svc Order vs. Electronic-Add'l			
					Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l		SOME	SOMAN	SOMAN	SOMAN	SOMAN	
	STS-1 Unbundled Local Loop - Facility Termination		UDLSX	UDLS1	389.35	595.37	304.50	234.83	170.16							
Network Elements Used in Combinations																
ENHANCED EXTENDED LINK (EELS)	2-Wire VG Loop (SL2) in Combination - Zone 1	1	UNCVX	UEAL2	14.74	108.76	35.47	72.94	10.86							
	2-Wire VG Loop (SL2) in Combination - Zone 2	2	UNCVX	UEAL2	22.08	108.76	35.47	72.94	10.86							
	2-Wire VG Loop (SL2) in Combination - Zone 3	3	UNCVX	UEAL2	36.87	108.76	35.47	72.94	10.86							
	4-Wire Analog Voice Grade Loop in Combination - Zone 1	1	UNCVX	UEAL4	21.98	108.76	35.47	72.94	10.86							
	4-Wire Analog Voice Grade Loop in Combination - Zone 2	2	UNCVX	UEAL4	32.93	108.76	35.47	72.94	10.86							
	4-Wire Analog Voice Grade Loop in Combination - Zone 3	3	UNCVX	UEAL4	54.99	108.76	35.47	72.94	10.86							
	2-Wire ISDN Loop in Combination - Zone 1	1	UNCNX	U1L2X	19.77	108.76	35.47	72.94	10.86							
	2-Wire ISDN Loop in Combination - Zone 2	2	UNCNX	U1L2X	29.63	108.76	35.47	72.94	10.86							
	2-Wire ISDN Loop in Combination - Zone 3	3	UNCNX	U1L2X	49.47	108.76	35.47	72.94	10.86							
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	1	UNCDX	UDL56	27.68	108.76	35.47	72.94	10.86							
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	2	UNCDX	UDL56	41.47	108.76	35.47	72.94	10.86							
	4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	3	UNCDX	UDL56	69.24	108.76	35.47	72.94	10.86							
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	1	UNCDX	UDL64	27.68	108.76	35.47	72.94	10.86							
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2	2	UNCDX	UDL64	41.47	108.76	35.47	72.94	10.86							
	4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	3	UNCDX	UDL64	69.24	108.76	35.47	72.94	10.86							
	4-Wire DS1 Digital Loop in Combination - Zone 1	1	UNC1X	USLXX	51.38	228.40	161.74	79.87	24.88							
	4-Wire DS1 Digital Loop in Combination - Zone 2	2	UNC1X	USLXX	76.98	228.40	161.74	79.87	24.88							
	4-Wire DS1 Digital Loop in Combination - Zone 3	3	UNC1X	USLXX	128.54	228.40	161.74	79.87	24.88							
	DS3 Local Loop in combination - per mile		UNC3X	U1LND	9.19											
	DS3 Local Loop in combination - Facility Termination		UNC3X	UE3PX	374.24	1,260.47	628.84	106.78	45.24							
	STS-1 Local Loop in combination - per mile		UNC3X	U1LND	9.19											
	STS-1 Local Loop in combination - Facility Termination		UNC3X	UDLS1	389.35	1,260.47	628.84	79.87	24.88							
	Interoffice Channel in combination - 2-wire VG - per mile		UNCVX	U1LXX	0.0174											
	Interoffice Channel in combination - 2-wire VG - Facility Termination		UNCVX	U1TV2	18.58	79.83	44.08	69.32	31.00							
	Interoffice Channel in combination - 4-wire VG - per mile		UNCVX	U1LXX	0.0174											
	Interoffice Channel in combination - 4-wire VG - Facility Termination		UNCVX	U1TV4	24.09	79.83	44.08	69.32	31.00							
Interoffice Channel in combination - 4-wire 56 kbps - per mile		UNCVX	U1LXX	0.0174												
Interoffice Channel in combination - 4-wire 56 kbps - Facility Termination		UNCVX	U1TD5	17.98	79.83	44.08	69.32	31.00								
Interoffice Channel in combination - 4-wire 64 kbps - per mile		UNCVX	U1LXX	0.0174												
Interoffice Channel in combination - 4-wire 64 kbps - Facility Termination		UNCVX	U1TD6	17.98	79.83	44.08	69.32	31.00								
Interoffice Channel in combination - DS1 - per mile		UNC1X	U1LXX	0.3562												
Interoffice Channel in combination - DS1 - Facility Termination		UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90								
Interoffice Channel in combination - DS3 - per mile		UNC3X	U1LXX	2.34												
Interoffice Channel in combination - DS3 - Facility Termination		UNC3X	U1TF3	848.99	482.01	153.81	64.43	35.43								
Interoffice Channel in combination - STS-1 - per mile		UNC3X	U1LXX	2.34												
Interoffice Channel in combination - STS-1 - Facility Termination		UNC3X	U1TF5	849.30	482.01	153.81	64.43	35.43								
ADDITIONAL NETWORK ELEMENTS																
Optional Features & Functions:																
	Clear Channel Capability Extended Frame Option - per DS1	I	U1TD1, U1DD1, UNC1X	CCOEF		0.00	0.00	0.00	0.00							
	Clear Channel Capability Super Frame Option - per DS1	I	U1TD1, U1DD1, UNC1X	CCOSF		0.00	0.00	0.00	0.00							
	Clear Channel Capability (SFRESF) Option - Subsequent Activity - per DS1	I	U1TD1, U1DD1, UNC1X, USL	NRCCC		185.16	23.86	2.03	0.79							
	C-bit Parity Option - Subsequent Activity - per DS3	I	U1TD3, U1DD3, U1L, NRCCC	NRCCC		219.46	7.68	0.7637								
	DS1/DS0 Channel System		UNC1X	MG1	80.77	105.76	14.48	3.04	2.74							
	DS3/DS1 Channel System		UNC3X, UNC3X	MG3	222.98	156.02	49.41	17.12	6.77							
	Voice Grade COCI in combination		UNCVX	ID1VG	1.82	5.70	4.42									
	Voice Grade COCI - for 2W-SL2 & 4W Voice Grade Local Loop		UEA	ID1VG	1.82	5.70	4.42									
	Channel in the same SWC as collocation		U1LUC	ID1VG	1.82	5.70	4.42									
	OCU-DP COCI (2.4-64Kbps) in combination		UNCVX	ID1DD	0.91	5.70	4.42									
	OCU-DP COCI (2.4-64Kbps) - for Unbundled Digital Loop		U1TUD	ID1DD	0.91	5.70	4.42									
	Local Channel in the same SWC as collocation		U1TUD	ID1DD	0.91	5.70	4.42									

UNBUNDLED NETWORK ELEMENTS - Tennessee										Att: 2 Exh: A					
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec. per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-1st		
					Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First						Add'l	
	2-wire ISDN COC (BRITE) in combination		UNCNXX	UC1CA	17.58	5.70	4.42				20.35	9.80	SOMAN	SOMAN	1.18
	2-wire ISDN COC (BRITE) - for a Local Loop		UDN	UC1CA	17.58	5.70	4.42								
	2-wire ISDN COC (BRITE) - for connection to a channelized DS1		U1TUB	UC1CA	17.58	5.70	4.42								
	Local Channel in the same SWC as collocation		UNC1X	UC1D1	17.58	5.70	4.42								
	DS1 COC in combination		U1DD1	UC1D1	17.58	5.70	4.42				20.35	9.80	11.49	1.18	
	DS1 COC - for Stand Alone Local Channel		U1TD1	UC1D1	17.58	5.70	4.42								
	DS1 COC - for Stand Alone Interoffice Channel		USL, NTC01	UC1D1	17.58	5.70	4.42								
	DS1 COC - for DS1 Local Loop														
	DS1 COC - for connection to a channelized DS1 Local Channel in the same SWC as collocation		U1TUA	UC1D1	17.58	5.70	4.42								
			UNCVX, UNCDX, UNC1X, UNC3X, UNC5X, UDFCX, XDH1X, HFQ06, XDD2X, XDV6X, XDDFX, XDD4X, HFRST, UNCXX	UNCCC	52.73	24.62	9.12	9.12							
	Wholesale - UNE, Switch-As-Is Conversion Charge		U1TVX, U1TDX, U1TD1, U1TD3, U1TS1, UDF, UE3	UPRESL	34.53	15.11									
	Unbundled Misc Rate Element, SNE SAI, Single Network Element - Switch As Is Non-recurring Charge, per circuit (LSR)		U1TVX, U1TDX, U1TD1, U1TD3, U1TS1, UDF, UE3	URES	1.40	1.40									
	Unbundled Misc Rate Element, SNE SAI, Single Network Element - Switch As Is Non-recurring Charge, incremental charge per circuit on a spreadsheet														
	Access to DCS - Customer Reconfiguration (FlexServ)														
	Customer Reconfiguration Establishment				23.35	41.14	34.25	29.94	24.08						
	DS1 DCS Termination with DS0 Switching				13.45	27.79	20.90	21.99	16.12						
	DS1 DCS Termination with DS1 Switching				150.88	41.14	34.25	29.94	24.08						
	DS3 DCS Termination with DS1 Switching														
	Node (Synchronous)														
	Node per month		UNCDX	UNCNT	17.11										
	Service Rearrangements														
			U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, ULVDX, ULDDX, UNCVX, UNCDX, UNC1X	URETD	130.47	40.11									
	NRC - Change in Facility Assignment per circuit Service Rearrangement														
			U1TVX, U1TDX, U1TUC, U1TUD, U1TUB, ULVDX, ULDDX, UNCVX, UNCDX, UNC1X	URETB	3.44	3.44									
	NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed)				18.93	18.93									
	NRC - Order Coordination Specific Time - Dedicated Transport		UNC1X, UNC3X	OCOSR											
COMMINGLING			UNCVX, UNCDX, UNC1X, UNC3X, UNC5X, U1TD1, U1TD3, U1TS1, UE3, UDLX, U1TVX, U1TDX, U1TUB, ULVDX, ULDD1, ULDD3, ULDS1												
	Commingling Authorization			CMGSAU	0.00	0.00	0.00	0.00	0.00						
	Commingling (UNE part of single bandwidth circuit)														
	Commingling VG COC		XDV2X	1D1VG	1.82	5.70	4.42								
	Commingling Digital COC		XDV6X	1D1DD	0.91	5.70	4.42								
	Commingling ISDN COC		XDD4X	UC1CA	17.58	5.70	4.42								
	Commingling 2-wire VG Interoffice Channel Facility Termination		XDV2X	U1TV2	18.58	79.83	44.08	69.32	31.00						
	Commingling 4-wire VG Interoffice Channel Facility Termination		XDV6X	U1TV4	24.09	79.83	44.08	69.32	31.00						
	Commingling 560bps Interoffice Channel Facility Termination		XDD4X	U1TD5	17.98	79.83	44.08	69.32	31.00						
	Commingling 640bps Interoffice Channel Facility Termination		XDD4X	U1TD6	17.98	79.83	44.08	69.32	31.00						
	Commingling VG/DS0 Interoffice Channel per mile		XDV2X, XDV6X, XDD4X	1LSXX	0.0174										
	Commingling 2-wire Local Loop Zone 1	1	XDV2X	UEAL2	14.74	108.76	35.47	72.94	10.86						
	Commingling 2-wire Local Loop Zone 2	2	XDV2X	UEAL2	22.08	108.76	35.47	72.94	10.86						

UNBUNDLED NETWORK ELEMENTS - Tennessee

UNBUNDLED NETWORK ELEMENTS - Tennessee																				
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)					Svc Order Submitted Elec. per LSR	Svc Order Submitted Manually per LSR	Att: 2 ELEC: A		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l				
					Rec	Nonrecurring		Add'l	Nonrecurring Disconnect			SOMECH	SOMAN				OSS Rates(\$)	SOMAN	SOMAN	
						First	Addr'l		First											Addr'l
	Commingled 2-wire Local Loop Zone 3	3	XDV2X		UEAL2	36.87	108.76	35.47	72.94	10.86										
	Commingled 4-wire Local Loop Zone 1	1	XDV6X		UEAL4	21.98	108.76	35.47	72.94	10.86										
	Commingled 4-wire Local Loop Zone 2	2	XDV6X		UEAL4	32.93	108.76	35.47	72.94	10.86										
	Commingled 4-wire Local Loop Zone 3	3	XDV6X		UEAL4	54.99	108.76	35.47	72.94	10.86										
	Commingled 56kpbs Local Loop Zone 1	1	XDD4X		UDL56	27.68	108.76	35.47	72.94	10.86										
	Commingled 56kpbs Local Loop Zone 2	2	XDD4X		UDL56	41.47	108.76	35.47	72.94	10.86										
	Commingled 56kpbs Local Loop Zone 3	3	XDD4X		UDL56	69.24	108.76	35.47	72.94	10.86										
	Commingled 64kpbs Local Loop Zone 1	1	XDD4X		UDL64	27.68	108.76	35.47	72.94	10.86										
	Commingled 64kpbs Local Loop Zone 2	2	XDD4X		UDL64	41.47	108.76	35.47	72.94	10.86										
	Commingled 64kpbs Local Loop Zone 3	3	XDD4X		UDL64	69.24	108.76	35.47	72.94	10.86										
	Commingled ISDN Local Loop Zone 1	1	XDD4X		U1L2X	19.77	108.76	35.47	72.94	10.86										
	Commingled ISDN Local Loop Zone 2	2	XDD4X		U1L2X	29.63	108.76	35.47	72.94	10.86										
	Commingled ISDN Local Loop Zone 3	3	XDD4X		U1L2X	49.47	108.76	35.47	72.94	10.86										
	Commingled DS1 COCI		XDH1X		UC1D1	17.58	5.70	4.42												
	Commingled DS1 Interoffice Channel Facility Termination		XDH1X		U1TF1	77.86	171.24	113.12	70.07	30.90										
	Commingled DS1 Interoffice Channel per mile		XDH1X		1L5XX	0.3562														
	Commingled DS1/DS0 channel/System		XDH1X		MQ1	80.77	105.76	14.48	3.04	2.74										
	Commingled DS1 Local Loop Zone 1	1	XDH1X		USLXX	51.38	228.40	161.74	79.87	24.88										
	Commingled DS1 Local Loop Zone 2	2	XDH1X		USLXX	76.98	228.40	161.74	79.87	24.88										
	Commingled DS1 Local Loop Zone 3	3	XDH1X		USLXX	128.54	228.40	161.74	79.87	24.88										
	Commingled DS3 Local Loop Facility Termination		HFQCB		UE3PX	374.24	1,260.47	628.84	106.78	45.24										
	Commingled DS3STS-1 Local Loop per mile		HFQCB, HFRST		1L5ND	9.19														
	Commingled STS-1 Local Loop Facility Termination		HFRST		UDL51	389.35	1,260.47	628.84	79.87	24.88										
	Commingled DS3/DS1 channel/System		HFQCB		MQ3	222.98	156.02	49.41	17.12	6.77										
	Commingled DS3 Interoffice Channel Facility Termination		HFQCB		U1TF3	848.99	482.01	153.81	64.43	35.43										
	Commingled STS-1 Interoffice Channel per mile		HFQCB		1L5XX	2.34														
	Commingled STS-1 Interoffice Channel Facility Termination		HFRST		U1TF5	849.30	482.01	153.81	64.43	35.43										
	Commingled STS-1 Interoffice Channel per mile		HFRST		1L5XX	2.34														
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof		HEQDL		1L5DF	28.74														
	Commingled Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof		HEQDL		UDF14		1,121.00	153.19	580.26	357.17										
	UNE to Commingled Conversion Tracking		XDH1X, HFQCB		CMGUN	0.00	0.00	0.00	0.00	0.00										
	SPA to Commingled Conversion Tracking		XDH1X, HFQCB		CMGSP	0.00	0.00	0.00	0.00	0.00										
LNP Query Service						0.0009277														
	LNP Charge Per query																			
	LNP Service Establishment Manual						23.60	13.83	23.60	12.71										
	LNP Service Provisioning with Point Code Establishment						1,119.00	571.71	1,119.00	571.71										
911 PBX LOCATE																				
911 PBX LOCATE DATABASE CAPABILITY																				
	Service Establishment per CLEC per End User Account		9PBDC		9PBEU		1,706.00													
	Charges to TN Range or Customer Profile		9PBDC		9PB1N		170.69													
	Per Telephone Number (Monthly)		9PBDC		9PB1M	0.07														
	Change Company (Service Provider) ID		9PBDC		9PB1C		501.06													
	PBX Locate Service Support per CLEC (Monthly)		9PBDC		9PB1R	191.92														
	Service Order Charge		9PBDC		9PBDC		23.20													
911 PBX LOCATE TRANSPORT COMPONENT																				
See Att 3																				
Note: Rates displaying an "I" in Interim column are Interim as a result of a Commission order.																				

[illegible]

UNBUNDLED NETWORK ELEMENTS - Alabama													Attachment: 2 Exh. B			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l		Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l		
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First			SOME	SOMAN	SOMAN	SOMAN	
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements.																
NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.																
EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	94.93										
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	177.31										
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	361.70										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.21										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	69.18										
EXTENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT																
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	9.54										
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	355.33										
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.70										
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	809.05										
EXTENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT																
	STS-1 Local Loop in combination - per mile per month			UNC5X	1L5ND	9.54										
	STS-1 Local Loop in combination - Facility Termination per month			UNC5X	UDLS1	367.80										
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNC5X	1L5XX	4.70										
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNC5X	U1TF5	806.58										

UNBUNDLED NETWORK ELEMENTS - Florida										Attachment: 2 Exh. B			
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC	RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring First	Nonrecurring Add'l					
	NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements.												
	NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as 'Currently Combined' Network Elements.												
	EXTENDED 4-WIRE DS1 DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT												
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	81.35							
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	115.62							
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	205.15							
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.21							
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	101.71							
	EXTENDED DS3 DIGITAL LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT												
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	12.56							
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	444.91							
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.45							
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	1231.65							
	EXTENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT												
	STS-1 Local Loop in combination - per mile per month			UNC SX	1L5ND	12.56							
	STS-1 Local Loop in combination - Facility Termination per month			UNC SX	UDLS1	490.59							
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNC SX	1L5XX	4.45							
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNC SX	U1TFS	1214.40							

UNBUNDLED NETWORK ELEMENTS - Georgia														
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)			Attachment: 2 Exh. B					
						Nonrecurring First	Add'l	Nonrecurring Disconnect Add'l	Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
														Rec
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	56.82								
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	60.43								
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	78.66								
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.1379								
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	40.17								
	EXTENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT			UNC3X	1L5ND	13.11								
	DS3 Local Loop in combination - per mile per month			UNC3X	UE3PX	297.21								
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	1L5XX	3.02								
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	401.83								
	EXTENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT			UNC3X	1L5ND	13.11								
	STS-1 Local Loop in combination - per mile per month			UNC3X	UDLS1	401.83								
	STS-1 Local Loop in combination - Facility Termination per month			UNC3X	1L5XX	3.02								
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNC3X	U1TFS	421.39								
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNC3X										

UNBUNDLED NETWORK ELEMENTS - Kentucky										Attachment: 2 Exh. B				
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	
						Nonrecurring		Nonrecurring Disconnect	OSS Rates (\$)					
						First	Add'l		First					Add'l
						Rec				SOMEC	SOMAN		SOMAN	
UNBUNDLED EXCHANGE ACCESS LOOP														
2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP														
	2 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1													
	2 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		1	UHL	UHL2X	10.06								
	2 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		2	UHL	UHL2X	10.99								
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		3	UHL	UHL2X	12.20								
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		1	UHL	UHL2W	10.06								
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		2	UHL	UHL2W	10.99								
	4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP		3	UHL	UHL2W	12.20								
4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP														
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1													
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2	1	1	UHL	UHL4X	16.04								
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		2	UHL	UHL4X	18.03								
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		3	UHL	UHL4X	19.53								
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		1	UHL	UHL4W	16.04								
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		2	UHL	UHL4W	18.03								
	4-WIRE DS1 DIGITAL LOOP		3	UHL	UHL4W	19.53								
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	99.44								
	4-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	131.22								
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	342.42								
HIGH CAPACITY UNBUNDLED LOCAL LOOP														
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	10.64								
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	354.56								
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	10.64								
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	368.59								
UNBUNDLED DEDICATED TRANSPORT														
INTEROFFICE CHANNEL - DEDICATED TRANSPORT														
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.26								
	Interoffice Channel - Dedicated Transport - DS1 - Facility Termination			U1TD1	U1TF1	110.45								
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	5.72								
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	1351.42								
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	5.72								
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination			U1TS1	U1TFS	1321.94								
UNBUNDLED DARK FIBER														
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof			UDF, UDFCX	1L5DF	35.35								
ENHANCED EXTENDED LINK (EELS)														

UNBUNDLED NETWORK ELEMENTS - Kentucky										Attachment: 2 Exh. B			
CATEGORY	RATE ELEMENTS	Interl m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First			Add'l	OSS Rates (\$) SOMAN
	NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements.												
	NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.												
	EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT												
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	99.44							
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	131.22							
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	342.42							
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.22							
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	90.87							
	EXTENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT												
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	10.64							
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	354.56							
	Interoffice Transport - Dedicated - DS3 combination - Per Mile per month			UNC3X	1L5XX	4.70							
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	1111.92							
	EXTENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT												
	STS-1 Local Loop in combination - per mile per month			UNC3X	1L5ND	10.64							
	STS-1 Local Loop in combination - Facility Termination per month			UNC3X	UDLS1	368.59							
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNC3X	1L5XX	4.70							
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNC3X	U1TFS	1087.66							

UNBUNDLED NETWORK ELEMENTS - Louisiana										Attachment: 2 Exh. B			
CATEGORY	RATE ELEMENTS	Interl m	Zone	BCS	USOC	RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Nonrecurring		Nonrecurring Disconnect Add'l					
						First	Add'l						
						Rec			SOME	SOMAN	SOMAN	SOMAN	SOMAN
UNBUNDLED EXCHANGE ACCESS LOOP													
2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1 UHL		UHL2X	11.26							
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2 UHL		UHL2X	13.25							
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3 UHL		UHL2X	14.65							
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1 UHL		UHL2W	11.26							
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2 UHL		UHL2W	13.25							
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3 UHL		UHL2W	14.65							
4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP													
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1 UHL		UHL4X	18.68							
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2 UHL		UHL4X	19.15							
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3 UHL		UHL4X	19.94							
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1 UHL		UHL4W	18.68							
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2 UHL		UHL4W	19.15							
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3 UHL		UHL4W	19.94							
4-WIRE DS1 DIGITAL LOOP													
	4-Wire DS1 Digital Loop - Zone 1		1 USL		USLXX	98.56							
	4-Wire DS1 Digital Loop - Zone 2		2 USL		USLXX	224.20							
	4-Wire DS1 Digital Loop - Zone 3		3 USL		USLXX	565.73							
HIGH CAPACITY UNBUNDLED LOCAL LOOP													
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	11.55							
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	416.69							
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	11.55							
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	430.74							
UNBUNDLED DEDICATED TRANSPORT													
INTEROFFICE CHANNEL - DEDICATED TRANSPORT													
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.30							
	Interoffice Channel - Dedicated Transport - DS1 - Facility Termination			U1TD1	U1TF1	81.04							
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	6.95							
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	978.02							
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	6.95							
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination			U1TS1	U1TFS	954.72							
UNBUNDLED DARK FIBER													
	Dark Fiber - Interoffice Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof			UDF, UDFCX	1L5DF	29.07							
ENHANCED EXTENDED LINK (EELS)													

UNBUNDLED NETWORK ELEMENTS - Mississippi											Attachment: 2 Exh. B						
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l			Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l			
						Nonrecurring Add'l	Nonrecurring Disconnect Add'l	Rec			SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	
	Interface Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	738.18											
	Interface Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	5.47											
	Interface Channel - Dedicated Transport - STS-1 - Facility Termination			U1TS1	U1TFS	740.84											
	UNBUNDLED DARK FIBER																
	Dark Fiber - Interface Transport, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof			UDF, UDFCX	1L5DF	32.51											
	ENHANCED EXTENDED LINK (EELs)																
	NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements.																
	NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as 'Currently Combined' Network Elements.																
	EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	90.94											
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	148.79											
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	237.75											
	4-Wire DS1 Digital Local Loop in Combination - Zone 4		4	UNC1X	USLXX	527.23											
	Interface Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.23											
	Interface Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	59.48											
	EXTENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT																
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	12.88											
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	375.07											
	Interface Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	5.47											
	Interface Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	738.18											
	EXTENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT																
	STS-1 Local Loop in combination - per mile per month			UNC3X	1L5ND	12.88											
	STS-1 Local Loop in combination - Facility Termination per month			UNC3X	UDLS1	389.33											
	Interface Transport - Dedicated - STS-1 combination - per mile per month			UNC3X	1L5XX	5.47											
	Interface Transport - Dedicated - STS-1 combination - Facility Termination per month			UNC3X	U1TFS	740.84											

UNBUNDLED NETWORK ELEMENTS - South Carolina																	
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment: 2 Exh. B		Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring		Disconnect			Incremental Charge - Manual Svc Order vs. Electronic-1st	Incremental Charge - Manual Svc Order vs. Electronic-Add'l				
							First	Add'l	First	Add'l	SOME			SOMAN	SOMAN	SOMAN	
	NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements.																
	NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.																
	EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	104.50											
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	178.74											
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	301.17											
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.31											
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	88.71											
	EXTENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT																
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	14.10											
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	352.31											
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	9.22											
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	1012.75											
	EXTENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT																
	STS-1 Local Loop in combination - per mile per month			UNC3X	1L5ND	14.10											
	STS-1 Local Loop in combination - Facility Termination per month			UNC3X	UDLS1	360.51											
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNC3X	1L5XX	9.22											
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNC3X	U1TFS	1012.63											

UNBUNDLED NETWORK ELEMENTS - Tennessee													
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l
						Rec	Nonrecurring First	Add'l	Nonrecurring First	Disconnect Add'l	SOMECSOMAN	SOMECSOMAN	SOMECSOMAN
	NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements.												
	NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as 'Currently Combined' Network Elements.												
	EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT												
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	59.09							
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	88.53							
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	147.82							
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.40963							
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	89.54							
	EXTENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT												
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	10.57							
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	430.36							
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	2.69							
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	976.34							
	EXTENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT												
	STS-1 Local Loop in combination - per mile per month			UNC5X	1L5ND	10.57							
	STS-1 Local Loop in combination - Facility Termination per month			UNC5X	UDLS1	447.75							
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month			UNC5X	1L5XX	2.69							
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNC5X	U1TFS	976.70							

UNBUNDLED NETWORK ELEMENTS - Tennessee