BEFORE THE TENNESSEE PUBLIC UTILITY COMMISSION NASHVILLE, TN

IN RE:)	
PETITION OF TENNESSEE)	
WASTEWATER SYSTEMS, INC., FOI	R)	DOCKET NO. 17-00042
APPROVAL OF FINANCING)	
ARRANGEMENT)	

Tennessee Wastewater Systems, Inc. ("TWSI") files this response to the Tennessee Public Utility Commission's ("TPUC") Data Request:

1. Has TWSI included expenses related to the Kubota loaders in the rate case pending in Docket No. 16-00139?

RESPONSE: No.

2. If the answer to question one is no, does TWSI seek recovery of interest expense in the pending rate proceeding?

RESPONSE: No.

3. Provide a narrative describing TWSI's process used to determine whether to purchase heavy equipment?

RESPONSE: TWSI's decisions whether to purchase heavy equipment are based on an internal review of the frequency (or infrequency) of the use of the equipment. If the equipment is used frequently - as is the case with the loaders - then it is in the best interest

to purchase the equipment rather than continually rent. Regarding the decision to purchase

these particular loaders, TWSI, over the last several years, has used Adenus owned

equipment at no cost. However due to the frequency with which the equipment is used, the

condition of the equipment, and the continuing effort to further disassociate from its

affiliates, TWSI determined that purchasing the loaders was the most prudent course of

action.

4. The Petition indicates the Kubota loaders are necessary for maintenance and repair

of collection lines and drip fields. Will the loaders be used in the construction of new wastewater

systems?

RESPONSE: Yes. The Kubota loaders will be used in all areas of the company's

business including the construction of new wastewater systems and expansion of existing

systems. The primary use, however, will be for repair and maintenance of the existing

collection lines and drip fields.

Respectfully Submitted,

Jeff Risden, Esq. (BPR No. 32769)

General Counsel

Tennessee Wastewater Systems, Inc.

851 Aviation Parkway

Smyrna, TN 37167 Phone: 615-220-7171

Email: jeff.risden@adenus.com