

STATE OF TENNESSEE DEPARTMENT OF ENVIRONMENT AND CONSERVATION DIVISION OF WATER RESOURCES

William R. Snodgrass - Tennessee Tower 312 Rosa L. Parks Avenue, 11th Floor Nashville, Tennessee 37243-1102

> Electronically Filed in TPUC Docket Room on August 3, 2025 at 3:48 p.m.

August 3, 2025

Mr. Dart Kendall President AQUA GREEN UTILITY, INC. e-copy: dart@aquagreenutility.com 3350 Galts Road Acworth, GA 30102

25-00030

Subject:

Notice of Complete Application and Public Notice Requirements

Permit No. SOP-25010 AQUA GREEN UTILITY, INC.

Fire Fly

Spring Hill, Maury County, Tennessee

Mr. Kendall:

The Division of Water Resources (the division) acknowledges the receipt of a permit application in our office on July 28, 2025. Our review of the SOP permit application showed that you have submitted all the information required to initiate processing of the application. You are advised that this notice of complete application does not imply that the application will be approved or that a permit will be issued. Also, in accordance with rules of the Tennessee Department of Environment and Conservation, Division of Water Resources, Chapter 0400-40-5-.05 (2):

"This provision does not preclude the commissioner from later requesting additional material that subsequent to the notice of completeness is determined to be necessary for permit processing."

Since this is an application to renew an existing permit and your complete application was mailed to our office 180 days prior to the current permit expiration date, and the permit is not reissued by this date, discharges from the facility will be automatically authorized through administrative extension of the current permit.

If this is an application for a new or expanded discharge, please find attached a template of a public notice you must complete and post for a period of 30 days. This is required in accordance with Chapter 0400-40-5-.06 (1), which states:

"For an individual application for a new or expanded discharge, the applicant shall notify the public of the application by posting a sign near the point of entrance to such facility and within view of a public road. The sign shall contain provisions as specified by the commissioner. The sign shall be of such size that is legible from the public road. Also the sign shall be maintained for at least thirty days following submittal of the application to the division."

If you have questions, please contact the Columbia Environmental Field Office at 1-888-891-TDEC; or, at this office, please contact Bryan Pope at (931) 224-3098 or by E-mail at Bryan.pope@tn.gov.

Sincerely,

Bryan Pope

Consultant, Land-Based Systems

Enclosure

cc: Permit F

Columbia Environmental Field Office

Cole McCormick , Tennessee Public Utility Commission (TPUC), cole.mccormick@tn.gov

,,,, ,,,,

1111

,,,, ,,,,

,,,,